

**CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(604) 620-6188**

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT: 1710

AGAT WORK ORDER: 14Y905533

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Nov 13, 2014

PAGES (INCLUDING COVER): 8

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 14Y905533

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Oct 22, 2014

DATE RECEIVED: Oct 21, 2014

DATE REPORTED: Nov 13, 2014

SAMPLE TYPE: Drill Core

	Analyte:	Specific Gravity
	Unit:	g/cm3
	RDL:	0.01
Sample ID (AGAT ID)		
E6627751 (5976093)		2.70
E6627752 (5976094)		2.71
E6627753 (5976095)		2.80
E6627754 (5976096)		2.75
E6627755 (5976097)		2.74
E6627756 (5976098)		2.79
E6627757 (5976099)		2.75
E6627758 (5976100)		2.82
E6627759 (5976101)		2.72
E6627760 (5976102)		2.83
E6627761 (5976103)		2.87
E6627762 (5976104)		2.89
E6627763 (5976105)		2.87

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 14Y905533

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Oct 22, 2014

DATE RECEIVED: Oct 21, 2014

DATE REPORTED: Nov 13, 2014

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
Sample ID (AGAT ID)														
E6627751 (5976093)	0.76	<0.00025	4.93	0.0023	0.124	<0.00025	<0.0005	4.06	<0.00025	0.0016	0.00084	0.0181	0.00712	2.37
E6627752 (5976094)	1.66	<0.00025	4.08	<0.0005	0.118	<0.00025	<0.0005	6.91	<0.00025	0.0017	0.00032	0.0165	0.00698	1.57
E6627753 (5976095)	0.78	<0.00025	3.51	0.0011	0.119	<0.00025	<0.0005	8.94	<0.00025	0.0016	0.00033	0.0142	0.0179	4.51
E6627754 (5976096)	0.95	<0.00025	2.79	0.0042	0.0531	<0.00025	<0.0005	12.0	<0.00025	0.0023	0.00031	0.0181	0.00944	1.51
E6627755 (5976097)	0.99	0.00028	2.99	0.0026	0.0545	<0.00025	<0.0005	6.04	0.00169	0.0019	0.00053	0.0172	0.0127	1.89
E6627756 (5976098)	1.34	<0.00025	2.93	0.0026	0.0394	<0.00025	<0.0005	12.4	0.00136	0.0026	0.00039	0.0159	0.00767	1.44
E6627757 (5976099)	0.89	<0.00025	2.70	0.0038	0.0473	<0.00025	<0.0005	13.0	0.00186	0.0035	0.00049	0.0142	0.00840	1.35
E6627758 (5976100)	1.18	<0.00025	3.41	0.0038	0.0648	<0.00025	<0.0005	11.8	0.00196	0.0026	0.00047	0.0145	0.00916	3.29
E6627759 (5976101)	1.18	<0.00025	5.35	0.0060	0.165	<0.00025	<0.0005	4.31	0.00077	0.0018	0.00067	0.0170	0.0112	2.42
E6627760 (5976102)	0.74	<0.00025	4.28	0.0055	0.223	<0.00025	<0.0005	9.84	0.00105	0.0049	0.00037	0.00625	0.00769	2.34
E6627761 (5976103)	0.94	<0.00025	4.38	0.0064	0.198	<0.00025	<0.0005	10.4	0.00087	0.0042	0.00041	0.00666	0.00678	2.66
E6627762 (5976104)	0.39	<0.00025	<0.25	0.0008	0.0020	<0.00025	<0.0005	23.0	<0.00025	<0.0005	<0.00025	0.00110	<0.00025	0.43
E6627763 (5976105)	0.04	0.00192	4.29	<0.0005	0.0607	<0.00025	<0.0005	5.71	0.0190	0.0020	<0.00025	0.00293	0.489	2.83
Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
Sample ID (AGAT ID)														
E6627751 (5976093)	<0.0025	<0.0005	3.99	0.0014	0.0017	0.76	0.0083	0.00141	<0.05	0.0142	0.244	0.0019	0.0193	2.14
E6627752 (5976094)	<0.0025	<0.0005	3.11	0.0016	0.0011	0.40	0.0161	<0.00025	<0.05	0.00847	0.342	0.0013	0.0124	1.45
E6627753 (5976095)	<0.0025	<0.0005	2.85	0.0015	0.0012	0.51	0.0246	0.00088	<0.05	0.0104	0.192	0.0013	0.0109	4.71
E6627754 (5976096)	<0.0025	<0.0005	1.61	0.0033	0.0014	0.77	0.0185	0.00356	<0.05	0.0132	0.0687	0.0009	0.0083	1.18
E6627755 (5976097)	<0.0025	<0.0005	1.76	0.0033	0.0016	0.87	0.0131	0.00633	<0.05	0.0186	0.0737	0.0018	0.0092	1.71
E6627756 (5976098)	<0.0025	<0.0005	1.59	0.0044	0.0015	1.14	0.0212	0.00515	<0.05	0.0155	0.0742	<0.0005	0.0089	1.06
E6627757 (5976099)	<0.0025	<0.0005	1.53	0.0045	0.0013	0.82	0.0228	0.00590	<0.05	0.0136	0.0631	0.0006	0.0080	1.15
E6627758 (5976100)	<0.0025	<0.0005	2.03	0.0035	0.0017	0.84	0.0168	0.00548	<0.05	0.0152	0.0634	0.0015	0.0109	3.36
E6627759 (5976101)	<0.0025	<0.0005	3.64	0.0021	0.0021	1.39	0.0089	0.00525	<0.05	0.0174	0.231	0.0013	0.0181	2.02
E6627760 (5976102)	<0.0025	<0.0005	2.95	0.0033	0.0022	4.33	0.0261	0.00607	<0.05	0.0120	0.0818	0.0015	0.0150	1.33
E6627761 (5976103)	<0.0025	<0.0005	2.98	0.0030	0.0023	4.49	0.0287	0.00620	<0.05	0.0126	0.0785	0.0011	0.0147	1.66
E6627762 (5976104)	<0.0025	<0.0005	<0.05	<0.0010	<0.0005	12.2	0.0274	<0.00025	<0.05	<0.00025	0.0195	<0.0005	<0.0050	<0.025
E6627763 (5976105)	<0.0025	<0.0005	1.22	0.0012	0.0008	0.34	0.526	<0.00025	1.71	0.00039	0.0182	1.51	<0.0050	3.10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 14Y905533

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

DATE SAMPLED: Oct 22, 2014

DATE RECEIVED: Oct 21, 2014

DATE REPORTED: Nov 13, 2014

SAMPLE TYPE: Drill Core

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E6627751 (5976093)	<0.0005	0.0013	<0.0050	<0.0025	0.0039	<0.0050	<0.0050	<0.0025	0.30	<0.0025	<0.0025	0.0444	<0.0005	0.0027
E6627752 (5976094)	<0.0005	0.0009	<0.0050	<0.0025	0.0082	<0.0050	<0.0050	<0.0025	0.26	<0.0025	<0.0025	0.0260	<0.0005	0.0022
E6627753 (5976095)	0.0007	0.0010	<0.0050	<0.0025	0.0088	<0.0050	<0.0050	<0.0025	0.22	<0.0025	<0.0025	0.0504	<0.0005	0.0022
E6627754 (5976096)	0.0008	0.0007	<0.0050	<0.0025	0.0127	<0.0050	<0.0050	<0.0025	0.18	<0.0025	<0.0025	0.159	<0.0005	0.0033
E6627755 (5976097)	0.0008	0.0008	<0.0050	<0.0025	0.0080	<0.0050	<0.0050	<0.0025	0.20	<0.0025	<0.0025	0.196	<0.0005	0.0025
E6627756 (5976098)	0.0009	0.0007	<0.0050	<0.0025	0.0139	<0.0050	<0.0050	<0.0025	0.19	<0.0025	<0.0025	0.198	<0.0005	0.0038
E6627757 (5976099)	0.0005	0.0007	<0.0050	<0.0025	0.0148	<0.0050	<0.0050	<0.0025	0.18	<0.0025	<0.0025	0.158	<0.0005	0.0035
E6627758 (5976100)	0.0010	0.0008	0.0050	<0.0025	0.0121	<0.0050	<0.0050	<0.0025	0.21	<0.0025	<0.0025	0.153	<0.0005	0.0033
E6627759 (5976101)	0.0018	0.0012	<0.0050	<0.0025	0.0050	<0.0050	<0.0050	<0.0025	0.32	<0.0025	<0.0025	0.104	<0.0005	0.0029
E6627760 (5976102)	0.0014	0.0008	<0.0050	<0.0025	0.0111	<0.0050	<0.0050	<0.0025	0.21	<0.0025	<0.0025	0.0642	<0.0005	0.0029
E6627761 (5976103)	0.0008	0.0008	0.0055	<0.0025	0.0117	<0.0050	<0.0050	<0.0025	0.21	<0.0025	<0.0025	0.0615	<0.0005	0.0028
E6627762 (5976104)	<0.0005	<0.0005	0.0065	<0.0025	0.0025	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E6627763 (5976105)	<0.0005	<0.0005	<0.0050	<0.0025	0.0199	<0.0050	<0.0050	<0.0025	0.09	<0.0025	<0.0025	0.00194	<0.0005	0.0011

Analyte:	Zn	Zr
Unit:	%	%
RDL:	0.00025	0.0025
E6627751 (5976093)	0.0261	0.0119
E6627752 (5976094)	0.00581	0.0102
E6627753 (5976095)	0.00563	0.0102
E6627754 (5976096)	0.00565	0.0098
E6627755 (5976097)	0.203	0.0083
E6627756 (5976098)	0.161	0.0079
E6627757 (5976099)	0.213	0.0069
E6627758 (5976100)	0.214	0.0085
E6627759 (5976101)	0.0953	0.0132
E6627760 (5976102)	0.110	0.0106
E6627761 (5976103)	0.0930	0.0107
E6627762 (5976104)	0.00269	<0.0025
E6627763 (5976105)	3.02	<0.0025

Comments: RDL - Reported Detection Limit

5976093-5976105 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Specific Gravity	5976093	2.70	2.71	0.4%												

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Ag	5976093	< 0.00025	< 0.00025	0.0%												
Al	5976093	4.93	5.27	6.7%												
As	5976093	0.0023	0.0025	8.3%												
Ba	5976093	0.124	0.130	4.7%												
Be	5976093	< 0.00025	< 0.00025	0.0%												
Bi	5976093	< 0.0005	< 0.0005	0.0%												
Ca	5976093	4.06	4.08	0.5%												
Cd	5976093	< 0.00025	< 0.00025	0.0%												
Ce	5976093	0.0016	0.0016	0.0%												
Co	5976093	0.00084	0.00080	4.9%												
Cr	5976093	0.0181	0.0188	3.8%												
Cu	5976093	0.00712	0.00660	7.6%												
Fe	5976093	2.37	2.32	2.1%												
Ga	5976093	< 0.0025	< 0.0025	0.0%												
In	5976093	< 0.0005	< 0.0005	0.0%												
K	5976093	3.99	4.08	2.2%												
La	5976093	0.0014	0.0014	0.0%												
Li	5976093	0.00165	0.00164	0.6%												
Mg	5976093	0.759	0.755	0.5%												
Mn	5976093	0.00831	0.00946	12.9%												
Mo	5976093	0.00141	0.00132	6.6%												
Na	5976093	< 0.05	< 0.05	0.0%												
Ni	5976093	0.0142	0.0139	2.1%												
P	5976093	0.244	0.229	6.3%												
Pb	5976093	0.0019	0.0019	0.0%												
Rb	5976093	0.0193	0.0200	3.6%												
S	5976093	2.14	2.13	0.5%												



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 14Y905533

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sb	5976093	< 0.0005	0.0010													
Sc	5976093	0.0013	0.0013	0.0%												
Se	5976093	< 0.0050	< 0.0050	0.0%												
Sn	5976093	< 0.0025	< 0.0025	0.0%												
Sr	5976093	0.00391	0.00398	1.8%												
Ta	5976093	< 0.0050	< 0.0050	0.0%												
Te	5976093	< 0.0050	< 0.0050	0.0%												
Th	5976093	< 0.0025	< 0.0025	0.0%												
Ti	5976093	0.30	0.30	0.0%												
Tl	5976093	< 0.0025	< 0.0025	0.0%												
U	5976093	< 0.0025	< 0.0025	0.0%												
V	5976093	0.0444	0.0436	1.8%												
W	5976093	< 0.0005	< 0.0005	0.0%												
Y	5976093	0.00266	0.00262	1.5%												
Zn	5976093	0.0261	0.0282	7.7%												
Zr	5976093	0.0119	0.0120	0.8%												



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 14Y905533

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

CRM #1					CRM #2 (CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Specific Gravity	2.68	2.68	100%	95% - 110%												

(201-270_%) 4 Acid Digest - Ore Grade Metals Package, ICP-OES finish (%)

CRM #1 (ref.CDN-ME-1303)					CRM #2 (CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Ag	0.0152	0.0153	101%	90% - 110%												
Cu	0.344	0.346	100%	90% - 110%	0.790	0.763	97%	90% - 110%								
Pb	1.22	1.18	97%	90% - 110%	0.801	0.8	100%	90% - 110%								
Zn	0.931	0.953	102%	90% - 110%	2.38	2.34	98%	90% - 110%								

Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD

AGAT WORK ORDER: 14Y905533

PROJECT: 1710

ATTENTION TO: JELLE DE BRUYCKERE

SAMPLING SITE:
SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES