

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOLOGICAL MAPPING, PROSPECTING AND GEOCHEMICAL SAMPLING

Field work performed from July 15 to 21, 2015

at the

KING PROPERTY

King 1-72	YD33993-YD34064
73-82	YD31659-YD31668
83-100	YD07431-YD07448
101-178	YE66281-YE66358
179-184	YF46870-YF46875

NTS 115H/09

Latitude 61°43'N; Longitude 136°08'W

located in the

Whitehorse Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton, B.Sc., GIT

October 2015

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY AND CLIMATE	4
REGIONAL GEOLOGY	5
PROPERTY GEOLOGY	6
MINERALIZATION	7
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	8
GEOPHYSICS	9
DISCUSSION AND CONCLUSIONS	10
REFERENCES	11

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	ROCK SAMPLE DESCRIPTIONS
IV	CERTIFICATES OF ANALYSIS

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	5
4	Regional Geology	5
5	Property Geology	6
6	Detailed Geology	6
7	2015 Rock Sample Locations	7
8	2015 Soil Sample Locations	8
9	Gold Soil Geochemistry	8
10	Copper Soil Geochemistry	8
11	Arsenic Soil Geochemistry	8
12	Antimony Soil Geochemistry	8
13	Regional – Total Magnetic Intensity	9
14	Property – Total Magnetic Intensity	9

TABLES

I	Soil Geochemical Thresholds	8
---	-----------------------------	---

INTRODUCTION

The King property lies in south-central Yukon and was staked to cover historical geophysical and geochemical anomalies, which are thought to be related to an overburden-covered copper±gold porphyry system and related arsenic±antimony±gold veins. The property is located 4.5 km north of the Mack's copper skarn occurrence. The King property is owned 100% by Strategic Metals Ltd.

This report describes geological mapping, prospecting, and geochemical sampling conducted between July 15 and July 21, 2015 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised the program and interpreted all resulting data. His Statement of Qualifications is in Appendix I, and a Statement of Expenditures is located in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The King property consists of 184 contiguous mineral claims, which are located on NTS map sheet 115H/09 at latitude 61°43' north and longitude 136°08' west (Figure 1). The property covers an area of approximately 3726 ha (37.26 sq km). The claims are registered with the Whitehorse Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date*</u>
King 1-72	YD33993-YD34064	April 7, 2028
73-82	YD31659-YD31668	April 7, 2025
83-100	YD07431-YD07448	April 7, 2024
101-178	YE66281-YE66358	April 7, 2021
179-184	YF46870-YF46875	April 7, 2021

* Expiry dates include 2015 work that has been filed for assessment credit, but has not yet been accepted.

The King property is located 40 km south of the community of Carmacks and six kilometres southwest of the Klondike Highway. Access in 2015 was by helicopter to and from a small gravel pit located 12 km east of the property, adjacent to the Klondike Highway. The flying was done with a Bell 206B helicopter operated by Capital Helicopters (1995) Inc., from its permanent base at the Whitehorse Airport.

The King property lies within the traditional territories of the Little Salmon/Carmacks, Champagne and Aishihik, and Kwanlin Dun first nations, all of which have concluded their land claim agreements with Canada and Yukon.



STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION
KING PROPERTY



FILE: ../King/Figures/F_1-Property_Location.wor DATE: OCTOBER 2015





HISTORY AND PREVIOUS WORK

The King property hosts two Minfile occurrences – 115H004 (AH) and 115H031 (Orloff). These occurrences comprise six targets (AH, NAT, Spock, Orloff, Kahn and Karl), as illustrated on Figure 2 and described in the following paragraphs.

AH Occurrence

The AH occurrence (AH target) lies about two kilometres south of Kirkland Creek. It was originally staked in 1966 by Empress Mines Limited (Atlas Explorations Limited and Nippon Mining Limited) to cover aeromagnetic highs. In 1966, a number of stream sediment samples were collected on the AH claims. In 1967, follow up stream sediment sampling was done and 237 soil samples were taken on a small grid. Samples from the soil grid returned background to strongly anomalous copper values to a peak of 350 ppm (Darney, 1967). Geological mapping performed during the 1967 program is discussed in the Property Geology section below.

In 1972, some areas currently covered by the King property were sampled by Archer Cathro as part of a regional soil and stream sediment survey performed for South Yukon Joint Venture (SYJV). Samples were analyzed for copper, molybdenum and silver. The best results were near the AH occurrence where samples returned 160 and 129 ppm copper-in-soil and 300 ppm copper-in-silt (Archer and Cathro, 1972). Values for molybdenum and silver were low.

In 1980, Archer Cathro performed gold exploration in various parts of the Dawson Range as part of the NAT Joint Venture (NAT JV), which comprised Chevron Canada Limited and Armco Mineral Exploration Ltd. During that program, two more stream sediment samples were collected from the area of the King property. One of those samples was taken within the AH target, and it returned 42 ppb gold (Archer and Onasick, 1980).

In 1985, the Geological Survey of Canada (GSC) performed regional stream sediment sampling on the map sheet covering the King property. Two stream sediment samples were collected from drainages on the current King property. These samples returned strongly anomalous copper values of 69 and 110 ppm (Friske et al., 1986).

In 1986, reconnaissance-scale prospecting and geochemical sampling were carried out by Nordac Resources Ltd. (later reorganized to become Strategic Metals) to follow up the historical copper geochemical anomalies and to evaluate gold potential in the AH area. Fifty-four soil and four stream sediment samples were collected and analyzed for gold, arsenic, copper and antimony. Soil samples returned up to 77 ppb gold, 60 ppm arsenic, 130 ppm copper and 5 ppm antimony. Stream sediment samples yielded maximum values of 6 ppb gold, 10 ppm arsenic, 113 ppm copper and 5 ppm antimony (Carne, 1986). Minor pyrite and malachite staining were noted in weakly altered basalt.

Orloff Occurrence

The Orloff occurrence encompasses the NAT, Spock, and Orloff targets.

The NAT target lies on the south side of Kirkland Creek and was identified in 1980 during the NAT JV regional exploration program when a silt sample returned 125 ppm arsenic and 235 ppb

gold (Archer and Onasick, 1980). NAT JV did not follow up this anomaly. In 1986, prospecting and geochemical sampling were carried out by Nordac on a knoll that was identified as a possible source for the 235 ppb gold-in-silt anomaly. Soil samples from this area returned peak values of 47 ppb gold, 166 ppm arsenic and 172 ppm copper (Carne, 1986).

The Spock target lies on the north bank of Kirkland Creek and can only be accessed when water levels are low. This target comprises a 125 m wide, gossanous alteration zone that trends northeasterly and cuts volcanic rocks. Alteration varies from moderately to extremely pervasive, propylitic to advanced argillic. White gypsum is present as thin stockwork veinlets and as secondary bladed crystals. Massive accumulations of vitreous blue-green sulphate crystals are also scattered throughout the alteration zone. The western edge of the zone is obscured by a massive landslide. Eight rock samples were collected from the Spock target by Nordac in 1986 (Carne, 1986). Those samples returned low gold values (up to 7 ppb), strongly anomalous arsenic values (exceeding 1%), moderately anomalous copper and antimony values (up to 210 ppm and 90 ppm, respectively).

The Orloff target was originally staked as the King Orloff and Wisner claims in 1921. These claims were reportedly staked for gold potential. No work was reported from this time. In 1981, an independent prospector staked the Kirk claims, which partially covered the old King Orloff and Wisner claims, but again no work was reported. In 1986, Nordac revisited the Orloff target and made the following observations: 1) the target comprises banded chalcedonic and opaline quartz rubble exposed in an old hand pit at the top of a prominent gossan; 2) no sulphides were present, but iron staining was noted; and 3) the gossan and quartz rubble occur along the western edge of a 60 m wide, north-trending fracture and shear zone cutting volcanics (Carne, 1986). Rock samples collected from the Orloff target by Nordac returned background to weakly anomalous gold values (up to 30 ppb), background to weakly anomalous copper values (up to 80 ppm), background to moderately anomalous arsenic values (up to 2430 ppm), and weakly anomalous antimony values (up to 10 ppm).

Recent Work by Strategic Metals

In spring 2010, Strategic Metals staked the King 1-72 claims to cover the AH and Orloff occurrences. Later that year, 57 soil samples were collected and a total of 231 line kilometres of helicopter-borne magnetics and radiometric surveys were flown over the property. Results from the rock and soil geochemical sampling were positive and are discussed in the Mineralization and Stream Sediment and Soil Geochemistry sections below. The geophysical surveys highlighted a number of interesting features, the most noteworthy of which are a series of northerly trending magnetic lows and a large bulbous magnetic high in the southeastern part of the property. The geophysical data are discussed in more detail in the Geophysics section below.

In 2011, Strategic Metals staked the King 73-82 claims to cover an area immediately east of the large magnetic high identified by the 2010 geophysical survey. A total of 1904 closely-spaced soil samples were collected from the property during summer 2011. This sampling provided additional coverage around known targets and led to the discovery of two additional targets (Khan and Karl) within the area of the Orloff occurrence. Results from the 2011 geochemical survey are discussed in the Stream Sediment and Soil Geochemistry section below.

In 2014, Strategic Metals staked the King 83-100 claims in the southeast corner of the property, to cover projected extensions of the AH occurrence, and collected 355 soil samples from this area. This work successfully expanded the size and improved the tenor of AH target.

In June 2015, Strategic Metals staked an additional 84 claims to cover the remainder of a bulbous magnetic high that underlies the AH target and is interpreted to mark a buried intrusion.

GEOMORPHOLOGY AND CLIMATE

The King property is located on a deeply incised plateau in the southern part of the Dawson Range. Creeks on the property mostly drain into Kirkland Creek, a large stream that flows east through the northern half of the property. Immediately east of the property, Kirkland Creek joins the Nordenskiöld River, which is part of the Yukon River watershed.

Elevations range from 670 m at Kirkland Creek to 1060 m above sea level (asl) in the northwest corner of the property. Local topography has been influenced by numerous glacial events, with glacial and glaciofluvial deposits related to the most recent, McConnell-age glacial advance predominating. These deposits generally comprise moraine colluvial blankets and moraine veneers along meltwater channels and topographic lows (Photo 1). The primary glacial direction on the King property is northwesterly, but several meltwater channels in the central part of the property trend northeasterly (Duk-Rodkin, 1999).

The King property lies below treeline. Vegetation includes thick stands of black spruce, willow and poplar trees. There is an old forest fire burn in the southern part of the property. South of Kirkland Creek, topographic lows are often occupied by swamps. Outcrop is sparse and mostly occurs on steep slopes and cliffs along Kirkland Creek. Scattered outcrops are also found on glacially scoured hummocks in the central part of the property.

The climate in the King area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from mid-May to mid-October.




Photo 1 - Google Earth Image with Glacial Directions

REGIONAL GEOLOGY

The King property is located within the Stikinia Terrane as shown on Figure 3. Stikinia is a parautochthonous to allochthonous terrane that represents an exotic arc which was accreted to ancestral North American continent in Early Mesozoic (Sanchez et al., 2014). A portion of Stikinia is overlain by the Whitehorse Trough, an elongate northwest-trending Mesozoic marine sedimentary basin that extends from north of Carmacks to near Dease Lake, British Columbia. The western edge of the Whitehorse Trough is bound by the Braeburn Fault, a dextral strike-slip fault with an estimated eight kilometres of displacement (White et al., 2006). The Braeburn Fault lies about five kilometres east of the property.

In 1974, the Geological Survey of Canada published a geological map of the Aishihik Lake area (NTS map sheet 115H) at 1:250,000 scale (Templeman-Kluit, 1974). Gordey and Makepeace (2003) later completed a Yukon-wide geological compilation, which updated the lithological unit names in the King area. Figure 4, illustrating regional geology, and the following lithological descriptions are based on the 2003 compilation.

Basement rocks in the King area are composed of Upper Triassic arc volcanic and sedimentary rocks of the Lewes River Group. The Upper Triassic Povoas Formation (uTrP) is the primary

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


TECTONIC SETTING

KING PROPERTY

FILE: P: KING/2014.cdr

DATE: OCTOBER 2015

After Colpron, M. and Nelson, J.L., 2011



STRATEGIC METALS LTD.


FIGURE 4 ARCHER, CATHRO & ASSOCIATES (1981) LIMITED REGIONAL GEOLOGY KING PROPERTY

0 1 2 3 4 5 km

UTM ZONE 8, NAD 83, 115H/09

FILE: ../2015/King/F_4-Regional_Geology.wor

DATE: OCTOBER 2015



- | | |
|---|--|
| <div style="background-color: yellow; border: 1px solid black; padding: 2px; display: inline-block; width: 20px; height: 10px; margin-bottom: 5px;"></div> Q | QUATERNARY
Q: OVERBURDEN
Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluvial silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits |
| <div style="background-color: yellow; border: 1px solid black; padding: 2px; display: inline-block; width: 20px; height: 10px; margin-bottom: 5px;"></div> TQS | TERTIARY AND QUATERNARY
TQS: SELKIRK GROUP
Resistant, brown weathering, columnar jointed, vesicular to massive basalt flows; minor pillow basalts; basaltic tuff and breccia |
| <div style="background-color: orange; border: 1px solid black; padding: 2px; display: inline-block; width: 20px; height: 10px; margin-bottom: 5px;"></div> uKC | UPPER CRETACEOUS
uKC: CARMACKS GROUP
Augite-olivine basalt and breccia; hornblende-feldspar porphyry, andesitic and dacitic flows; vesicular, augite-phyric andesite and trachyte; minor sandy tuff |
| <div style="background-color: lightgreen; border: 1px solid black; padding: 2px; display: inline-block; width: 20px; height: 10px; margin-bottom: 5px;"></div> JL | EARLY JURASSIC
JL: LABERGE GROUP
Poorly sorted, medium bedded to massive arkosic sandstone and minor shale with interbeds and thick members of resistant heterolithic pebble and boulder conglomerate; recessive, dark brown weathering, thin bedded silty shale |
| <div style="background-color: orange; border: 1px solid black; padding: 2px; display: inline-block; width: 20px; height: 10px; margin-bottom: 5px;"></div> EJgA | EARLY JURASSIC
EJgA: AISHIHIK SUITE
Medium to coarse grained, foliated biotite-hornblende granodiorite; foliated hornblende diorite to monzonite with local potassium feldspar megacrysts |
| <div style="background-color: lightgreen; border: 1px solid black; padding: 2px; display: inline-block; width: 20px; height: 10px; margin-bottom: 5px;"></div> uTrP | UPPER TRIASSIC
uTrP: POVOAS FORMATION
Augite- or feldspar-phyric, locally pillowed andesitic basalt flows, breccia, tuff, sandstone and argillite; local dacitic breccia and tuff with minor limestone, greenstone, chlorite schist, chlorite-augite-feldspar gneiss and amphibolite |

suite of the Lewes River Group, and underlies most of the King property. The Povoas Formation is comprised of augite or feldspar phyric, locally pillowed andesitic basalt flows, breccia, tuff, sandstone and argillite with local dacite breccia and tuff and minor limestone, greenstone, chlorite schist, chlorite-augite-feldspar gneiss and amphibolite.

Eight kilometres northeast of the King property, the Braeburn fault juxtapose Early Jurassic sediments of the Laberge Group (JL), against the Povoas Formation. The Laberge Group is part of the Whitehorse Trough and is composed of poorly sorted arkosic sandstone and minor shale with interbeds of resistant, heterolithic pebble and boulder conglomerate and dark brown weathering, thin bedded silty shale.

Five kilometres west of the King property, a batholith of Early Jurassic Aishihik Suite (EJgA), intrudes the Povoas Formation. The Aishihik Suite comprises medium to coarse grained, foliated biotite-hornblende granodiorite and foliated hornblende diorite to monzonite with local potassium feldspar megacrysts.

Areas of Upper Cretaceous Carmacks Group (uKC) intermediate to mafic flows and related sediments unconformably overlie both Povoas Formation and Laberge Group rocks.


A 700 m wide by 1200 m long body of Tertiary and Quaternary Selkirk Group volcanics (TQS) lies about eight kilometres east of the property in an area of thick glacial overburden. Selkirk Group rocks are resistant, brown weathering, columnar jointed, vesicular to massive basalt flows and minor pillow basalts, basaltic tuff and breccia.


There are a number of secondary faults in the area, which generally splay northeast or northwest off the Braeburn Fault. The sense of motion and magnitude of offset are not known for these secondary structures.

PROPERTY GEOLOGY

In 2015, Strategic Metals performed detailed geological mapping at 1:2500 scale within the southern part of the King property. The following summary of the property geology is based on systematic mapping of bedrock exposed along creek-cuts and on glacially-scoured hummocks near the AH target by previous workers, and on recent observations made by Strategic Metals. Figure 5 illustrates the property geology, while Figure 6 depicts the detailed mapping performed in 2015 by Strategic Metals.

The King property is predominantly underlain by dark green, equigranular to feldspar-phyric and lesser augite-phyric, andesitic basalt flows (uTrP), which weather rusty brown to white. These flows are overlain in repeating cycles by pale green limey brecciated tuffs that are up to ten metres thick. Mapping performed by Darney (1967) identified exposures of volcanic breccia, but no details on composition were reported. Calcite-filled joints and epidote in veins and fracture fillings were reported in both the andesitic basalt and volcanic breccia. Bedding in the detailed mapping area dips moderately to the southeast.





A small diorite plug and related dykes, which may belong to the Aishihik Suite, have been mapped intruding uTrP in the vicinity of the AH target.

Several small faults have been identified on the property. These faults typically trend northly or northeastly and are associated with intense shearing, fracturing and alteration that are marked by gossans.

Beds of limey tuffs observed in uTrP are likely related to the skarn horizons reported at the Mack's copper occurrence, where the magnetite-rich mineralization is restricted to 'narrow limey bands' that strike northeast and dip south to southeast (Deklerk, R. and Traynor, S., 2005).


MINERALIZATION

In 1980, thirteen rock samples were collected from the AH and NAT targets (Archer and Onasick, 1980). Two rock samples were taken in 1986 from the current King property and nine more were collected in 2010. Noteworthy results include moderately anomalous gold values (up to 287 ppb), moderately anomalous copper values (up to 7220 ppm), strongly anomalous arsenic values (exceeding 17%) and weakly anomalous antimony values (up to 36 ppm). Maps illustrating the sample locations and thematic results from this work can be found in Smith (2011).

In 2015, another seventeen rock samples were collected from the AH target and the surrounding area. The 2015 rock sample locations are plotted on Figure 7. Rock Sample Descriptions and Certificates of Analysis for the 2015 samples are provided in Appendices III and IV respectively.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals laboratories in Whitehorse, YT and North Vancouver, BC, respectively. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay followed by atomic absorption spectroscopy (Au-AA24).

Rock samples collected in 2015 included: rusty weathering, cindery basalt; augite-phyric andesite with minor fine grained interstitial magnetite, limonite and chalcopyrite; aphanitic basalt with disseminated fine grained pyrite and lesser chalcopyrite; and volcanic breccia with trace chalcopyrite and arsenopyrite in a limonite matrix. The best rock sample consisted of a weakly-mineralized augite-phyric andesite, which yielded an elevated gold (0.109 g/t) value, but near background values for all other elements of interest.



STREAM SEDIMENT AND SOIL GEOCHEMISTRY

Prior to Strategic Metal's exploration, the King property received only reconnaissance-scale soil and stream sediment sampling. Since 2010, Strategic Metals has conducted grid soil sampling. Programs run intermittently between 1967 and 2014 yielded encouraging values to peaks of 1430 ppb gold, 512 ppm copper, greater than 1% arsenic and 18 ppm antimony (Burrell, 2015).

In 2015, Strategic Metals collected 362 grid soil samples in order to expand coverage over the magnetic high south of the AH target. The 2015 sample locations are shown on Figure 8, while 2010 through 2015 results for gold, copper, arsenic and antimony are illustrated thematically on Figures 9 to 12, respectively. Certificates of Analysis for the 2015 samples are provided in Appendix IV.

Soil samples were collected in 2015 from 20 to 110 cm deep holes dug by hand-held auger. All samples were placed into individually pre-numbered Kraft paper bags. Sample sites are marked by aluminum tags inscribed with the sample number and affixed to 0.5 m wooden lath that were driven into the ground. Sample locations were recorded using hand-held GPS units.


Samples were sent to ALS Minerals in Whitehorse, where they were dried, screened to -180 microns. The fine fractions were then sent to ALS Minerals in North Vancouver, where they were analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analyzed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for soil samples are listed in Table I.


Table I –Soil Geochemical Thresholds


Element	Anomalous Thresholds			
	Weak	Moderate	Strong	Peak
Gold (ppb)	$0 \leq 20$	$\geq 20 \leq 50$	≥ 50	1430
Copper (ppm)	$0 \leq 20$	$\geq 20 \leq 50$	≥ 50	512
Arsenic (ppm)	$0 \leq 50$	$\geq 50 \leq 100$	≥ 100	10000
Antimony (ppm)	$0 \leq 2$	$\geq 2 \leq 5$	≥ 5	18


To date, five multi-element geochemical targets have been outlined on the King property (AH, NAT, Spock, Khan and Karl) as shown on Figures 9 to 12. The targets vary in size, and their shapes suggest the distribution of anomalous metals in some of them may have been modified by glacial and glaciofluvial transport. In many areas, subdued geochemical response is likely a result of difficult sampling conditions such as deep overburden cover, swamps or frozen ground.


The AH target lies in the southern part of the property. It is an irregularly shaped area covering about 0.5 sq. km, which is defined by coincident, moderately to strongly anomalous gold and copper values with some moderately to strongly anomalous arsenic, but low antimony values. The AH target hosts the peak gold- and copper-in-soil values on the property (1430 ppb and 512 ppm, respectively).











The NAT target is located near the eastern claim boundary. It is characterized by coincident moderately anomalous copper (up to 400 ppm) and weakly anomalous arsenic (up to 82 ppm) values with background gold and antimony results.

The Spock target lies on the north side of Kirkland Creek. It is comprised of weakly to strongly anomalous arsenic values (up to 2080 ppm), extending 600 m north from the historical creek-bank showing. Gold results are background in this anomaly, while copper values range from background to weakly anomalous (up to 109.5 ppm) and antimony values are background to moderately anomalous (up to 18 ppm).

The Khan target is located slightly northwest of the Spock target. It is a northeast-trending anomaly that is open to extension to the northeast. The Khan target features background to moderately anomalous copper (up to 230 ppm) and weakly to strongly anomalous arsenic values (up to 1520 ppm). A single strongly anomalous gold value (417 ppb) lies within this anomaly, but all other gold and antimony results are near background.

The Karl target is a narrow, 870 m long area of weakly to strongly anomalous arsenic (up to 256 ppm) values that lies 1400 m east of the NAT target. Copper, gold and antimony results are low within the Karl target. This target parallels the secondary glacial direction on the property.

In addition, soil sampling has identified several isolated strong, single-element anomalies in widely separated parts of the property.

Grid soil sampling completed in 2015 returned mostly subdued values for all elements of interest, except for a few sporadic gold and copper point-anomalies. A soil sample collected in 2015, southeast of the AH target, yielded a very strongly anomalous gold value (264 ppb), with background values of copper, arsenic and antimony.



GEOPHYSICS

Regional Geophysical Compilation

In 2014, the YGS contracted Mira Geoscience Ltd. to perform an inversion of magnetic and gravity data over parts of southern Yukon (Mira Geoscience, 2014). Figure 13 illustrates the total magnetic intensity in the vicinity of the King property. The King property and the Mack's copper skarn occurrence lie along the same large, northeasterly oriented magnetic high.


Property-scale Geophysical Surveys

The 2010 helicopter-borne geophysical survey flown over the King property showed: 1) a pronounced bulbous magnetic high in the southeast corner of the claim block, 2) bands of northeast-trending magnetic highs and lows on the remainder of the property; and 3) more subtle northwesterly-striking magnetic lows that cut the other features (Figure 14). The bulbous magnetic high correlates with part of the much larger magnetic high delineated by the Mira survey. The banded northeast linear features are interpreted to represent either variably magnetic layering in volcanic stratigraphy or demagnetized fault zones that cut uniformly magnetic



LITTLE SALMON/CARMACKS
CATEGORY B FIRST NATION LAND

SURVEYED MINERAL LEASE
LOTS 15 TO 21 & 27 TO 30 QUAD 115H/09




STRATEGIC METALS LTD.

FIGURE 13


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

REGIONAL – TOTAL MAGNETIC INTENSITY KING PROPERTY



FILE: .../King/Figures/F_13-Regional_TMI.wor

DATE: OCTOBER 2015



stratigraphy. The bulbous magnetic high and banded northeast-trending magnetic highs and lows are bisected by northwest-trending magnetic low linears, which are thought to be cross-faults (Smith, 2011).

The five targets on the property have distinct geophysical signatures. The AH target lies within the bulbous magnetic high, while the NAT target lies on its northern edge. The Spock target covers a northwest-trending break in a northeast-trending magnetic bands and, the Karl and Khan targets occur along linear northeasterly-trending magnetic lows.

DISCUSSION AND CONCLUSIONS

The King property is located in an underexplored part of the Stikina Terrane in south-central Yukon. Stikina Terrane hosts a number of porphyry copper-gold deposits including Minto and Carmacks Copper in Yukon and Red Chris, Galore Creek, Shaft Creek, Kemess, Huckleberry and Prosperity in British Columbia. It also hosts several important epithermal gold veins such as those at the Premier Mine, Snip Mine and Brucejack Deposit.

Geological mapping, geochemical sampling and geophysical surveying on the King property have identified a number of prospective targets, which may be related to buried copper-gold porphyry-style mineralization or structurally controlled epithermal-style gold veins. Limited prospecting has not adequately explained the elevated metal response in soil.

Soil sampling in 2015 was hampered by difficult ground conditions, relating to swamps and permafrost, and returned only a few single point-anomalies for gold and copper.

Further work on the King property is recommended, due to the size and tenor of the geochemical and geophysical anomalies. Future exploration should include systematic hand pitting and prospecting in areas with strongly anomalous soil geochemical response. An induced polarization geophysical survey should be conducted over the AH target. Track-mounted reverse circulation (RC) or percussion rotary air blast (RAB) drilling is recommended as a cost-effective technique to explore in areas with deep overburden cover, swamps or permafrost. A self-propelled RC or RAB drill would be well suited to the gentle topography and relatively open forest; however, the drilling would have to be completed while the ground is frozen to avoid problems while navigating in swampy terrain.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton, B.Sc., GIT

REFERENCES

- Archer, A. and Cathro, R.
1972 South Yukon Joint Venture Final Report; private report.
- Archer, A and Onasick, E.
1980 Final Report for Nat Joint Venture; private report.
- Burrell, H.
2015 Assessment report describing geochemical sampling at the King property; prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Ltd.
- Carne, R.C.
1986 Daily traverse reports from Nordac Resources Limited 1986 field season; private data.
- Colpron, M. and Nelson, J. L.
2011 A digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and British Columbia Geology Survey, BCGS GeoFile 2011-11
http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf
- Darney, R.J.
1967 Report on the Geology and Geochemistry of the AH Mineral Claims; Report prepared for Atlas Explorations Limited, Assessment Report 017949
- Deklerk, R. and Traynor, S. (compilers)
2005 Yukon Minfile 2005 – A Database of Mineral Occurrences; Yukon Geological Survey, CD-ROM.
- Duk-Rodkin,
1999 Glacial Limits Map of Yukon Territory; Geoscience Map 1999-2; Geological Survey of Canada, Open File 3694.
- Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C. and Durham, C.C.
1986 Regional stream sediment and water geochemical reconnaissance data (115H); Geological Survey of Canada, Open File 1219.
- Gordey, S.P. and Makepeace, A.J. (compilers)
2003 Yukon digital geology, version 2.0; Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Mira Geoscience
2014 Geologically-constrained inversion of magnetic and gravity data over parts of the Yukon-Tanana Terrane and Whitehorse Trough; Yukon Geological Survey, Miscellaneous Report MR-10.

Sanchez, M., Allan, M., Hart, C. and Mortensen, J.

- 2014 Extracting ore-deposit-controlling structures from aeromagnetic, gravimetric, topographic, and regional geologic data in western Yukon and eastern Alaska; Interpretation, Vol. 2, No. 4, p SJ75-SJ102.

Smith, H.

- 2011 Assessment report describing geochemical sampling and airborne surveys at the King property; prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Ltd.

Templeman-Kluit, D.J.

- 1974 Reconnaissance Geology of Aishihik Lake area (115H), Yukon Territory; Geological Survey of Canada, Open File 17-1975.

White, D., Colpron, M., Buffett, G., and Roberts, B.

- 2006 Structural constraints for oil and gas assessment in the Whitehorse Trough: New results from seismic profiling; Yukon Exploration and Geology 2005, p. 315-323.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.
2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia, and Northwest Territories
3. I am a Geoscientist in Training (G.I.T.) with the Association of Professional Engineers and Geoscientists of British Columbia.
4. I supervised the field program and have interpreted all data resulting from this work.

A handwritten signature in blue ink, appearing to be 'J. Morton', with a long horizontal line extending to the right.

J. Morton, B.Sc., GIT

APPENDIX II
STATEMENT OF EXPENDITURES

Statement of Expenditures
184 King Mineral Claims
November 10, 2015

Labour

D. Eaton (geologist) 5 hours April to September at \$120/hr	\$ 630.00
H. Burrell (geologist) 22 hours April to September at \$106/hr	2,448.60
J. Morton (geologist) 99 3/4 hours April to September at \$82/hr	8,588.48
J. Thomson-Gladish (field assistant) 2 1/2 hours April to September at \$57/hr	149.63
L. Martin-Berry (field assistant) 16 hours April to September at \$49/hr	823.20
R. Burke (field assistant) 53 1/2 hours April to September at \$49/hr	2,752.58
J. Irwin (field assistant) 8 hours April to September at \$49/hr	411.60
A. Soucy-Fradette (field assistant) 2 1/2 hours April to September at \$45/hr	118.13
M. Kulla (field assistant) 72 3/4 hours April to September at \$43/hr	3,284.66
J. Mariacher (office) 8 1/2 hours April to September at \$90/hr	803.25
D. Huston (expedite) 6 hours April to September at \$92/hr	579.60
L. Corbett (expedite) 9 hours April to September at \$81/hr	765.45
D. Arnold-Wallinger (expedite) 6 1/2 hours April to September at \$85/hr	580.13
L. Smith (expedite) 13 1/2 hours April to September at \$69/hr	978.08
S. Newman (office) 7 1/2 hours April to September at \$64/hr	<u>504.00</u>
	23,417.39

Expenses (including management)

Field room and board – 34 mandays @ \$180/manday	6,915.60
Capital Helicopters – 5 hours Bell 206B at \$1,050/hr plus fuel	6,504.62
ALS Chemex	<u>11,878.84</u>
	25,299.06

Total	<u>\$48,716.45</u>
-------	--------------------

379 samples at \$48,716.45= \$128.54/sample

APPENDIX III
ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions		Property: King		
Sample Number:	K283812	UTM:	442396 mE	Nad83, Zone 8
Elevation:	764 m	UTM:	6839928 mN	
Comments: Outcrop grab of rusty to brown weathering, medium to pale green clast-supported volcanic breccia, with mm- to cm-scale angular clasts of basalt and sparse limonite and sericite within the matrix.				
Sample Number:	K283813	UTM:	440597 mE	Nad83, Zone 8
Elevation:	837 m	UTM:	6841129 mN	
Comments: Outcrop grab of rusty to brown weathering, medium grey-green aphanitic basalt with disseminated very fine grained pyrite and lesser chalcopyrite throughout. Collected on a ~30 metre diameter knoll about 35 metres from soil station ZZ43589				
Sample Number:	K283814	UTM:	440602 mE	Nad83, Zone 8
Elevation:	846 m	UTM:	6841110 mN	
Comments: Composite sample of tan to rusty brown weathering, pale green basalt? Fragments, collected from a 30 cm deep pit. No rep.				
Sample Number:	K283815	UTM:	440602 mE	Nad83, Zone 8
Elevation:	849 m	UTM:	6841109 mN	
Comments: Specimen sample of orange to brown weathering, silicified feldspar-phyric basalt, with feldspars altered to dark brown oxide and 'smeared' sericite on fracture surfaces. Collected from a 30 cm deep pit.				
Sample Number:	K283816	UTM:	442390 mE	Nad83, Zone 8
Elevation:	812 m	UTM:	6839903 mN	
Comments: Outcrop grab of rock with the same lithology as sample K283812, with outside surfaces coated with live limonite, and some clasts containing very fine grained pyrite, trace chalcopyrite and arsenopyrite.				
Sample Number:	K283817	UTM:	442117 mE	Nad83, Zone 8
Elevation:	781 m	UTM:	6839920 mN	
Comments: Outcrop grab of rock with the same lithology as sample K283812. No rep.				

Rock Sample Descriptions		Property: King		
Sample Number:	K283818	UTM:	442200 mE	Nad83, Zone 8
Elevation:	800 m	UTM:	6839290 mN	
Comments: Outcrop sample of crumbly, brown to orange, clay altered, pale green basalt, removed from a ~10 cm seam. No rep.				
Sample Number:	K283819	UTM:	442226 mE	Nad83, Zone 8
Elevation:	799 m	UTM:	6839248 mN	
Comments: Outcrop sample of rockl with the same lithology as sample K283819. No rep.				
Sample Number:	K283820	UTM:	442702 mE	Nad83, Zone 8
Elevation:	771 m	UTM:	6838878 mN	
Comments: Outcrop sample of rusty brown weathering, crumbly and brecciated feldspar-phyric medium green basalt, with feldspars altered to clay.				
Sample Number:	K283821	UTM:	442747 mE	Nad83, Zone 8
Elevation:	m	UTM:	6838981 mN	
Comments: Outcrop sample of orange to brown weathering, crumbly/powdery, pervasively clay and chlorite altered, equigranular medium green basalt, with smears of sericite and carbonate on fracture surfaces.				
Sample Number:	K283822	UTM:	442827 mE	Nad83, Zone 8
Elevation:	779 m	UTM:	6839034 mN	
Comments: Outcrop sample of rock with the same lithology as sample K283821. No rep.				
Sample Number:	K283823	UTM:	442942 mE	Nad83, Zone 8
Elevation:	756 m	UTM:	6839359 mN	
Comments: Outcrop sample of orange to brown weathering, crumbly aphanitic basalt, with a rusty tarnish.				

Rock Sample Descriptions		Property: King		
Sample Number:	K283824	UTM:	442323 mE	Nad83, Zone 8
Elevation:	806 m	UTM:	6839083 mN	
Comments: Outcrop sample of orange to brown weathering, clay-altered pale green basalt(?)m with medium grained limonite disseminated throughout. Removed as a 20 x 15 x 15 cm clast in a volcanic tuff.				
Sample Number:	K283825	UTM:	441224 mE	Nad83, Zone 8
Elevation:	826 m	UTM:	6840805 mN	
Comments: Float grab of orange to brown weathering, dark green sericite-altered aphanitic basalt, slightly magnetic and with a rusty tarnish. Collected from a 70 cm deep pit in a 10 x 20 metre vegetation anomaly.				
Sample Number:	K283826	UTM:	441204 mE	Nad83, Zone 8
Elevation:	808 m	UTM:	6840659 mN	
Comments: Float grab of a rock with the same lithology as sample K283825. No rep.				
Sample Number:	K283827	UTM:	441360 mE	Nad83, Zone 8
Elevation:	816 m	UTM:	6840776 mN	
Comments: Float grab of a tan weathering, dark green augite-phyric coarse grained andesite(?) with trace interstitial very fine grained limonite, magnetite and chalcopyrite throughout. Moderately magnetic.				
Sample Number:	K283828	UTM:	441339 mE	Nad83, Zone 8
Elevation:	819 m	UTM:	6840786 mN	
Comments: Float grab of a rock with the same lithology as K283827, but with slightly more chalcopyrite. No rep.				

APPENDIX IV
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: **1**
Total # Pages: **6 (A - D)**
Plus Appendix Pages
Finalized Date: **6 - AUG - 2015**
Account: **MTT**

CERTIFICATE WH15106378

Project: KING

This report is for 161 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI - 21	Received Sample Weight
LOG - 22	Sample login - Rcd w/o BarCode
SCR - 41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME - MS41	51 anal. aqua regia ICPMS
Au - ICP21	Au 30g FA ICP - AES Finish ICP - AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ19827		0.16	0.04	0.18	0.4	<0.2	<10	20	<0.05	0.02	0.32	0.01	4.03	1.6	2	0.09
ZZ19828		0.20	0.05	0.89	4.6	<0.2	<10	100	0.18	0.06	0.82	0.07	12.95	5.8	13	0.37
ZZ19829		0.32	0.07	1.12	8.5	<0.2	<10	120	0.25	0.08	0.80	0.08	16.40	8.3	17	0.63
ZZ19830		0.17	0.04	0.35	0.4	<0.2	<10	50	0.11	0.03	0.67	0.19	5.46	1.0	3	0.19
ZZ19737		0.26	0.06	1.42	5.1	<0.2	<10	130	0.43	0.10	0.68	0.08	16.90	7.4	23	0.61
ZZ19739		0.22	0.04	1.53	5.6	<0.2	<10	120	0.49	0.10	0.66	0.09	19.55	9.3	25	0.77
ZZ19740		0.27	0.07	1.88	18.0	<0.2	<10	180	0.68	0.13	0.60	0.11	24.7	11.1	28	1.04
ZZ19741		0.30	0.04	2.02	2.6	<0.2	<10	100	0.25	0.07	0.93	0.04	13.85	10.2	20	0.39
ZZ19742		0.23	0.06	0.75	1.6	<0.2	<10	90	0.17	0.06	0.31	0.08	9.20	4.5	10	0.39
ZZ19743		0.29	0.04	0.48	2.1	<0.2	<10	60	0.13	0.05	0.36	0.11	6.25	3.0	6	0.30
ZZ19744		0.19	0.09	1.47	3.8	<0.2	<10	210	0.52	0.11	0.77	0.08	21.2	11.3	22	0.85
ZZ19745		0.13	0.05	0.23	1.2	<0.2	10	70	0.07	0.02	3.37	0.23	2.33	1.7	4	0.16
ZZ19746		0.26	0.02	1.56	3.9	<0.2	<10	90	0.28	0.06	0.81	0.09	10.65	8.0	14	0.27
ZZ19747		0.25	0.08	1.15	10.3	<0.2	<10	120	0.45	0.09	0.82	0.16	21.4	8.4	15	0.93
ZZ19748		0.29	0.05	1.04	5.5	<0.2	<10	140	0.39	0.07	0.73	0.05	20.7	6.6	15	0.41
ZZ19749		0.27	0.02	1.20	4.5	<0.2	<10	140	0.32	0.07	0.30	0.03	13.55	5.7	16	0.53
ZZ19750		0.30	0.03	1.30	5.5	<0.2	<10	180	0.40	0.08	0.49	0.03	18.70	6.3	20	0.52
ZZ44738		0.26	0.05	0.43	11.7	<0.2	<10	150	0.15	0.03	1.53	0.25	6.11	10.0	3	0.14
ZZ44739		0.23	0.07	1.07	7.3	<0.2	<10	110	0.23	0.06	0.85	0.14	13.25	7.2	12	0.57
ZZ44740		0.22	0.10	1.57	8.9	<0.2	<10	170	0.38	0.09	0.62	0.15	12.55	9.1	19	0.72
ZZ44741		0.41	0.07	1.08	15.0	<0.2	<10	100	0.35	0.09	0.69	0.12	16.55	9.3	12	0.69
ZZ44742		0.39	0.05	0.94	3.2	<0.2	<10	130	0.24	0.06	0.42	0.06	12.35	5.5	14	0.57
ZZ44743		0.26	0.04	1.16	3.3	<0.2	<10	120	0.30	0.07	0.43	0.05	15.70	6.1	17	0.51
ZZ74251		0.21	0.07	1.37	5.9	<0.2	<10	140	0.39	0.10	0.90	0.11	23.9	8.8	24	0.68
ZZ74252		0.16	0.01	0.15	0.3	<0.2	<10	20	<0.05	0.02	0.25	0.01	3.80	1.3	1	<0.05
ZZ74253		0.21	0.06	0.68	3.0	<0.2	<10	80	0.21	0.06	0.39	0.09	9.79	4.1	9	0.36
ZZ74254		0.30	0.02	1.04	4.2	<0.2	<10	120	0.22	0.06	0.35	0.04	11.70	5.6	14	0.49
ZZ74255		0.17	0.03	0.38	1.1	<0.2	<10	50	0.13	0.03	0.38	0.05	6.23	2.9	5	0.20
ZZ74256		0.24	0.02	1.49	5.8	<0.2	<10	100	0.31	0.09	0.38	0.05	13.05	6.8	19	0.52
ZZ74257		0.20	0.05	0.60	1.5	<0.2	<10	90	0.14	0.06	0.49	0.04	8.09	4.6	6	0.28
ZZ74258		0.19	0.01	0.75	6.0	<0.2	<10	60	0.15	0.06	0.14	0.04	6.36	4.8	11	0.55
ZZ74259		0.23	0.02	1.16	4.7	<0.2	<10	90	0.21	0.07	0.35	0.02	10.40	5.0	19	0.51
ZZ74260		0.24	0.02	0.99	9.4	<0.2	<10	120	0.36	0.07	0.38	0.07	13.80	8.6	13	0.53
ZZ74261		0.28	0.02	1.19	4.3	<0.2	<10	80	0.27	0.07	0.25	0.04	10.55	6.2	16	0.43
ZZ74262		0.27	0.01	1.19	3.8	<0.2	<10	80	0.20	0.08	0.29	0.04	12.90	6.3	20	0.54
ZZ74263		0.25	0.03	0.77	3.7	<0.2	<10	80	0.14	0.06	0.35	0.07	6.57	4.7	11	0.44
ZZ74264		0.30	0.03	0.19	0.4	<0.2	<10	20	<0.05	0.03	0.13	0.03	3.74	1.1	2	0.10
ZZ74266		0.24	0.03	1.50	4.7	<0.2	<10	150	0.32	0.11	0.38	0.10	13.50	7.4	21	0.52
ZZ74267		0.18	0.05	1.80	4.4	<0.2	<10	250	0.35	0.11	0.38	0.12	13.85	8.8	21	1.02
ZZ74268		0.25	0.02	0.68	5.8	<0.2	<10	110	0.22	0.06	0.53	0.03	12.60	4.6	11	0.28



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ19827		4.8	0.51	1.21	<0.05	<0.02	0.01	<0.005	0.02	1.8	0.5	0.07	50	0.12	0.06
ZZ19828		16.8	1.47	3.41	<0.05	0.03	0.04	0.013	0.04	6.3	5.4	0.33	233	0.38	0.04
ZZ19829		15.8	2.02	4.07	0.05	0.05	0.06	0.019	0.06	8.2	7.6	0.42	310	0.58	0.03
ZZ19830		20.0	0.25	1.41	<0.05	0.02	0.02	<0.005	0.03	2.7	0.9	0.08	21	0.09	0.05
ZZ19737		20.7	1.88	4.79	0.05	0.04	0.02	0.023	0.06	8.7	11.0	0.45	349	0.61	0.03
ZZ19739		22.0	2.13	5.00	0.05	0.05	0.02	0.020	0.08	8.6	10.3	0.42	409	0.73	0.04
ZZ19740		41.7	2.81	6.14	0.08	0.02	0.07	0.030	0.10	15.9	15.4	0.60	376	1.01	0.03
ZZ19741		63.6	2.32	5.19	0.05	0.06	0.01	0.020	0.07	6.9	8.8	0.61	465	0.21	0.04
ZZ19742		13.6	0.91	2.73	<0.05	<0.02	0.01	0.009	0.05	4.4	3.9	0.18	222	0.35	0.03
ZZ19743		12.5	0.75	1.96	<0.05	<0.02	0.01	0.006	0.04	2.9	2.7	0.13	162	0.38	0.03
ZZ19744		27.8	1.98	5.04	0.05	0.02	0.02	0.019	0.07	9.3	8.5	0.38	1080	0.59	0.03
ZZ19745		14.2	0.29	0.64	<0.05	0.03	0.05	<0.005	0.03	1.3	0.8	0.23	310	0.54	0.03
ZZ19746		25.2	2.20	4.73	0.05	0.04	0.01	0.018	0.10	5.9	7.0	0.47	315	0.46	0.04
ZZ19747		29.8	2.19	3.91	0.06	0.07	0.08	0.020	0.07	10.8	6.5	0.38	241	0.51	0.03
ZZ19748		24.9	1.84	3.62	0.07	0.07	0.06	0.020	0.06	11.5	7.0	0.37	464	0.35	0.04
ZZ19749		10.8	1.78	3.76	<0.05	<0.02	0.02	0.016	0.05	6.3	7.0	0.24	313	0.56	0.02
ZZ19750		17.0	1.96	4.10	0.05	0.07	0.03	0.019	0.06	9.0	8.2	0.33	310	0.57	0.03
ZZ44738		29.7	1.04	1.39	<0.05	0.02	0.05	<0.005	0.03	3.2	1.3	0.13	2040	0.86	0.04
ZZ44739		24.8	1.75	3.81	0.05	0.05	0.12	0.018	0.05	6.4	6.0	0.32	510	0.40	0.03
ZZ44740		16.9	2.52	5.28	<0.05	0.03	0.02	0.022	0.06	6.2	6.5	0.35	674	0.68	0.02
ZZ44741		29.1	1.95	3.73	0.05	0.05	0.11	0.021	0.05	8.0	5.9	0.39	512	0.41	0.02
ZZ44742		14.3	1.32	3.17	<0.05	0.02	0.01	0.014	0.05	6.1	6.5	0.29	308	0.38	0.04
ZZ44743		14.4	1.53	3.94	<0.05	0.02	0.01	0.015	0.05	7.3	7.9	0.32	232	0.39	0.03
ZZ74251		21.1	2.11	4.62	0.06	0.06	0.03	0.020	0.11	12.0	12.1	0.52	387	0.74	0.03
ZZ74252		4.0	0.38	0.81	<0.05	<0.02	<0.01	<0.005	0.03	1.7	0.5	0.05	33	0.06	0.07
ZZ74253		11.3	0.99	2.52	<0.05	<0.02	0.02	0.010	0.05	4.4	3.9	0.17	223	0.49	0.03
ZZ74254		12.8	1.52	3.47	<0.05	<0.02	0.01	0.013	0.05	5.6	6.6	0.25	316	0.54	0.03
ZZ74255		10.8	0.75	1.57	<0.05	<0.02	0.01	0.006	0.03	2.7	1.4	0.08	125	0.19	0.04
ZZ74256		19.8	2.16	4.76	<0.05	0.07	0.01	0.019	0.05	6.4	8.9	0.34	216	0.69	0.02
ZZ74257		13.0	0.95	2.36	<0.05	<0.02	0.02	0.007	0.04	3.6	2.6	0.12	367	0.61	0.04
ZZ74258		10.0	1.83	3.14	<0.05	0.02	0.02	0.012	0.03	3.3	4.6	0.19	128	0.71	0.02
ZZ74259		12.7	1.81	4.04	<0.05	0.06	0.01	0.015	0.07	5.4	7.8	0.32	169	0.55	0.02
ZZ74260		16.4	2.36	3.26	<0.05	0.07	0.03	0.024	0.08	5.9	4.1	0.20	355	0.74	0.02
ZZ74261		11.6	1.99	4.05	<0.05	0.08	0.01	0.014	0.05	5.0	5.5	0.30	180	0.59	0.03
ZZ74262		9.2	1.78	3.85	<0.05	0.07	0.01	0.014	0.09	6.6	7.8	0.36	286	0.54	0.02
ZZ74263		14.2	1.39	2.90	<0.05	<0.02	0.02	0.012	0.05	3.1	5.2	0.20	158	0.57	0.03
ZZ74264		8.3	0.34	0.96	<0.05	<0.02	0.01	<0.005	0.03	1.7	0.5	0.05	25	0.79	0.03
ZZ74266		18.0	1.97	4.77	<0.05	0.06	0.02	0.017	0.06	5.9	8.5	0.30	427	0.98	0.02
ZZ74267		22.9	2.22	5.89	0.05	0.06	0.02	0.021	0.07	7.1	7.8	0.30	785	0.84	0.03
ZZ74268		12.5	1.48	2.22	0.05	0.03	0.03	0.013	0.04	6.4	4.1	0.18	210	0.55	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ19827		1.7	420	3.3	1.0	<0.001	0.02	0.14	0.3	<0.2	<0.2	20.5	<0.01	0.01	<0.2
ZZ19828		7.9	690	4.0	3.7	<0.001	0.03	0.32	2.7	0.3	0.3	54.5	<0.01	0.02	0.8
ZZ19829		10.0	730	5.4	6.3	<0.001	0.03	0.53	4.4	0.3	0.3	62.1	<0.01	0.02	1.5
ZZ19830		3.4	440	2.2	1.5	<0.001	0.05	0.18	0.6	0.2	<0.2	37.4	<0.01	0.01	<0.2
ZZ19737		14.5	250	5.5	7.0	<0.001	0.03	0.47	4.2	0.6	0.4	57.6	<0.01	0.02	1.7
ZZ19739		15.6	210	6.0	9.1	<0.001	0.01	0.54	4.3	0.4	0.4	38.4	<0.01	0.02	1.8
ZZ19740		21.5	310	11.6	9.1	<0.001	0.01	1.01	7.1	1.0	0.5	51.7	<0.01	0.03	1.8
ZZ19741		11.7	320	2.7	6.9	<0.001	0.01	0.20	7.9	0.4	0.3	38.4	<0.01	0.01	1.6
ZZ19742		6.6	350	2.5	5.4	<0.001	0.01	0.22	1.7	0.2	0.2	21.8	<0.01	0.01	0.6
ZZ19743		4.9	310	1.9	4.3	<0.001	0.02	0.21	0.9	0.2	<0.2	25.8	<0.01	0.01	0.2
ZZ19744		15.5	540	5.3	11.0	0.001	0.02	0.46	3.4	0.7	0.4	52.5	<0.01	0.02	0.6
ZZ19745		5.7	700	1.1	1.5	0.001	0.16	0.43	0.4	0.3	<0.2	145.0	<0.01	0.01	<0.2
ZZ19746		8.8	220	2.8	9.3	<0.001	0.02	0.27	5.7	0.7	0.3	51.4	<0.01	0.01	0.7
ZZ19747		11.3	700	6.2	8.5	0.001	0.06	0.49	5.6	0.7	0.4	64.1	<0.01	0.02	2.5
ZZ19748		11.0	310	4.3	5.8	0.001	0.02	0.33	5.6	0.7	0.3	61.9	<0.01	0.02	1.9
ZZ19749		11.1	370	3.8	6.5	<0.001	0.01	0.26	3.3	0.3	0.3	33.7	<0.01	0.02	0.8
ZZ19750		12.5	310	4.6	7.3	<0.001	0.01	0.28	4.4	0.4	0.4	39.8	<0.01	0.01	2.4
ZZ44738		8.1	600	1.9	1.2	<0.001	0.09	0.47	0.6	0.4	<0.2	98.2	<0.01	0.03	<0.2
ZZ44739		8.5	660	3.4	5.9	0.001	0.05	0.40	4.7	0.6	0.3	50.6	<0.01	0.01	0.9
ZZ44740		10.5	270	5.2	8.8	<0.001	0.01	0.60	4.0	0.2	0.4	34.7	<0.01	0.01	1.1
ZZ44741		9.3	630	4.1	10.0	<0.001	0.04	0.49	5.1	0.4	0.3	57.4	<0.01	0.03	1.6
ZZ44742		8.9	350	3.2	5.3	<0.001	0.01	0.27	3.1	<0.2	0.2	30.3	<0.01	0.01	0.9
ZZ44743		10.4	320	3.8	5.9	<0.001	0.01	0.21	2.9	0.3	0.3	27.6	<0.01	0.01	1.2
ZZ74251		15.8	850	5.1	10.0	0.001	0.03	0.36	4.6	0.5	0.4	53.7	<0.01	0.02	2.4
ZZ74252		1.0	370	0.2	1.0	<0.001	0.01	0.09	0.3	<0.2	<0.2	20.0	<0.01	0.01	<0.2
ZZ74253		6.4	350	3.1	5.1	<0.001	0.02	0.22	1.5	0.2	0.2	25.7	<0.01	0.01	0.2
ZZ74254		8.3	320	3.4	7.1	<0.001	0.01	0.23	2.8	<0.2	0.3	26.9	<0.01	0.02	1.1
ZZ74255		3.4	250	1.4	1.9	<0.001	0.02	0.13	0.9	0.2	<0.2	25.9	<0.01	0.02	0.3
ZZ74256		10.7	120	4.9	6.2	<0.001	0.01	0.34	3.3	0.2	0.4	26.3	<0.01	0.02	1.5
ZZ74257		3.4	360	1.8	3.4	<0.001	0.02	0.13	0.8	0.3	<0.2	30.6	<0.01	0.02	<0.2
ZZ74258		5.5	110	3.6	5.3	<0.001	0.01	0.27	2.2	<0.2	0.3	17.7	<0.01	0.02	0.8
ZZ74259		9.2	100	4.2	10.0	<0.001	0.01	0.26	2.9	0.3	0.4	26.4	<0.01	0.02	1.5
ZZ74260		8.4	500	6.2	8.3	<0.001	0.01	0.42	5.0	0.2	0.3	38.9	<0.01	0.02	2.0
ZZ74261		8.1	80	4.1	5.4	<0.001	0.01	0.29	3.0	<0.2	0.4	19.3	<0.01	0.02	1.3
ZZ74262		9.6	330	3.9	9.8	<0.001	0.01	0.22	2.9	0.3	0.4	21.5	<0.01	0.02	1.9
ZZ74263		7.2	250	2.7	6.5	<0.001	0.01	0.25	1.8	0.3	0.2	27.0	<0.01	0.01	0.5
ZZ74264		6.1	330	4.6	1.8	0.002	0.01	0.08	0.2	0.3	<0.2	13.7	<0.01	<0.01	<0.2
ZZ74266		13.0	190	6.3	7.5	<0.001	0.01	0.31	3.1	<0.2	0.4	26.9	<0.01	0.02	1.4
ZZ74267		12.9	210	5.8	11.8	<0.001	0.01	0.29	3.7	0.3	0.5	28.9	<0.01	0.02	1.5
ZZ74268		7.0	310	4.0	3.9	<0.001	0.01	0.30	2.8	0.3	0.2	47.5	<0.01	0.02	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ19827		<0.02	0.08	17	<0.05	0.72	11	<0.5	<0.001
ZZ19828		0.04	0.90	40	0.07	3.80	29	0.9	0.001
ZZ19829		0.07	1.03	48	0.11	5.31	51	1.7	0.003
ZZ19830		0.03	0.24	6	<0.05	1.51	10	0.8	<0.001
ZZ19737		0.08	2.20	44	0.20	4.91	42	1.5	0.001
ZZ19739		0.09	0.50	49	0.20	5.03	49	1.7	0.001
ZZ19740		0.11	0.74	57	0.24	13.70	63	1.1	0.004
ZZ19741		0.04	0.37	68	0.07	6.85	35	2.3	0.003
ZZ19742		0.04	0.26	24	0.12	2.35	31	<0.5	<0.001
ZZ19743		0.02	0.18	18	0.08	1.36	24	<0.5	<0.001
ZZ19744		0.07	0.87	48	0.16	6.09	46	0.5	0.001
ZZ19745		0.02	0.39	6	0.05	1.06	32	0.9	0.004
ZZ19746		0.04	0.32	55	0.06	7.07	34	1.3	<0.001
ZZ19747		0.09	1.30	47	0.08	9.24	52	2.3	0.002
ZZ19748		0.06	0.52	43	0.10	11.00	35	2.1	0.005
ZZ19749		0.06	0.35	41	0.13	3.21	24	<0.5	0.001
ZZ19750		0.06	0.52	47	0.13	6.02	30	2.5	0.001
ZZ44738		0.06	2.24	19	<0.05	2.70	25	0.9	<0.001
ZZ44739		0.06	0.63	39	0.09	5.69	48	1.5	0.001
ZZ44740		0.08	0.30	63	0.14	3.23	50	0.9	<0.001
ZZ44741		0.08	0.68	47	0.09	7.21	55	1.7	0.003
ZZ44742		0.06	0.52	33	0.10	3.84	31	0.5	<0.001
ZZ44743		0.06	0.40	39	0.13	3.36	31	0.6	<0.001
ZZ74251		0.08	0.91	48	0.16	8.48	42	1.8	0.001
ZZ74252		<0.02	0.15	12	<0.05	0.70	11	<0.5	<0.001
ZZ74253		0.04	0.29	24	0.08	2.42	21	<0.5	<0.001
ZZ74254		0.05	0.30	39	0.11	2.62	26	0.5	0.001
ZZ74255		0.02	0.21	23	0.05	1.72	14	<0.5	<0.001
ZZ74256		0.09	0.32	53	0.15	3.10	29	2.7	<0.001
ZZ74257		0.04	0.30	26	0.09	1.61	13	<0.5	<0.001
ZZ74258		0.04	0.19	48	0.07	1.46	23	0.8	<0.001
ZZ74259		0.07	0.31	48	0.14	2.52	26	2.2	<0.001
ZZ74260		0.08	0.39	52	0.08	3.01	41	2.5	0.001
ZZ74261		0.06	0.26	51	0.11	2.32	22	2.5	<0.001
ZZ74262		0.07	0.32	45	0.17	3.15	31	2.7	<0.001
ZZ74263		0.05	0.22	36	0.12	1.49	22	<0.5	<0.001
ZZ74264		<0.02	0.07	10	<0.05	0.61	9	<0.5	<0.001
ZZ74266		0.10	0.27	50	0.15	2.50	39	2.1	<0.001
ZZ74267		0.11	0.29	57	0.15	3.44	48	2.4	<0.001
ZZ74268		0.05	0.27	38	0.09	4.09	24	1.0	<0.001



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ74269		0.26	0.01	0.97	8.5	<0.2	<10	110	0.36	0.08	0.41	0.02	18.35	6.2	17	0.41
ZZ74270		0.29	0.02	3.11	29.3	<0.2	<10	80	0.88	0.05	0.66	0.03	58.8	18.2	9	0.39
ZZ74271		0.28	0.04	4.17	14.7	<0.2	<10	150	0.56	0.04	2.00	0.06	12.40	9.3	3	0.45
ZZ74272		0.25	0.02	2.25	5.3	<0.2	<10	100	0.41	0.09	0.53	0.04	17.35	9.6	22	0.26
ZZ74273		0.22	0.01	1.93	7.8	<0.2	<10	90	0.43	0.07	0.51	0.04	17.00	10.0	16	0.62
ZZ74274		0.21	0.02	1.30	9.4	<0.2	<10	180	0.56	0.10	0.44	0.03	25.7	8.3	22	0.52
ZZ74275		0.22	0.02	1.25	6.7	<0.2	<10	190	0.31	0.08	0.36	0.04	13.05	7.3	18	0.40
ZZ74276		0.23	0.03	1.32	4.9	<0.2	<10	140	0.36	0.08	0.55	0.04	20.0	6.4	22	0.62
ZZ74277		0.23	0.01	1.19	6.8	<0.2	<10	130	0.34	0.08	0.28	0.02	12.50	4.7	15	0.40
ZZ74278		0.20	0.01	1.06	7.3	<0.2	<10	110	0.30	0.06	0.22	0.03	14.30	5.4	15	0.62
ZZ74279		0.29	0.05	1.00	13.2	<0.2	<10	110	0.36	0.08	0.53	0.05	19.00	4.7	14	0.83
ZZ74280		0.19	0.08	1.18	13.4	<0.2	<10	140	0.38	0.09	0.90	0.04	20.4	8.1	14	0.85
ZZ74281		0.32	0.07	1.21	5.2	<0.2	<10	110	0.34	0.09	0.75	0.12	22.1	7.6	21	0.76
ZZ74282		0.25	0.09	1.35	7.7	<0.2	<10	110	0.35	0.09	0.92	0.14	18.80	10.3	21	1.51
ZZ74283		0.28	0.13	1.35	5.7	<0.2	<10	130	0.47	0.11	1.05	0.15	22.9	7.0	26	0.75
ZZ74284		0.31	0.12	1.39	8.2	<0.2	<10	140	0.54	0.10	0.80	0.17	21.8	8.6	24	0.72
ZZ74285		0.26	0.10	1.24	5.4	<0.2	<10	100	0.36	0.10	0.81	0.07	16.45	6.4	21	0.91
ZZ74286		0.28	0.04	1.37	5.1	<0.2	<10	120	0.30	0.10	0.54	0.05	17.65	6.8	23	0.69
ZZ74287		0.35	0.02	1.28	4.3	<0.2	<10	100	0.31	0.07	0.44	0.03	16.30	6.8	21	0.67
ZZ74288		0.35	0.05	1.96	11.9	<0.2	<10	170	0.70	0.11	0.56	0.04	30.9	10.9	31	1.11
ZZ74289		0.41	0.10	1.40	11.3	<0.2	<10	150	0.53	0.11	1.23	0.09	23.6	10.2	27	1.27
ZZ74290		0.30	0.11	1.24	13.8	<0.2	<10	130	0.45	0.09	0.87	0.13	20.3	11.0	18	0.40
ZZ74291		0.15	0.05	1.13	3.7	<0.2	<10	120	0.19	0.08	0.47	0.05	12.45	5.9	18	0.49
ZZ74292		0.31	0.06	1.26	8.1	<0.2	<10	100	0.43	0.08	0.77	0.08	18.55	6.4	18	0.66
ZZ74293		0.29	0.03	1.34	4.5	<0.2	<10	110	0.31	0.09	0.43	0.06	14.30	6.8	22	0.63
ZZ74294		0.32	0.05	1.13	3.7	<0.2	<10	80	0.26	0.08	0.56	0.05	15.95	5.3	20	0.62
ZZ74295		0.18	0.08	0.97	3.5	<0.2	<10	120	0.34	0.07	0.78	0.06	18.35	7.2	13	0.84
ZZ74296		0.23	0.15	1.38	5.3	<0.2	<10	160	0.55	0.13	1.21	0.12	25.1	8.7	19	0.90
ZZ74297		0.33	0.11	1.36	6.1	<0.2	<10	130	0.49	0.12	0.79	0.04	24.7	6.8	18	1.23
ZZ74298		0.21	0.03	1.64	7.9	<0.2	<10	110	0.44	0.08	0.64	0.04	22.6	9.3	26	0.54
ZZ74299		0.32	0.01	1.04	5.2	<0.2	<10	110	0.25	0.07	0.29	0.05	11.45	6.6	14	0.30
ZZ74300		0.41	0.04	1.38	5.0	<0.2	<10	170	0.34	0.10	0.53	0.07	17.15	6.5	23	0.65
ZZ74301		0.30	0.03	1.09	7.2	<0.2	<10	130	0.41	0.07	1.05	0.04	19.70	6.4	20	0.51
ZZ74302		0.26	0.02	1.08	3.4	<0.2	<10	110	0.22	0.06	0.29	0.05	10.80	4.4	19	0.37
ZZ74303		0.26	0.02	1.10	8.1	<0.2	<10	130	0.32	0.07	0.41	0.03	11.95	5.4	16	0.45
ZZ74304		0.34	0.06	4.11	5.6	<0.2	<10	90	0.39	0.03	5.98	0.06	12.00	16.3	2	0.29
ZZ74305		0.26	0.06	1.97	5.3	<0.2	10	130	0.32	0.03	3.85	0.14	12.85	11.1	5	0.41
ZZ74320		0.27	0.04	0.32	3.3	<0.2	<10	60	0.11	0.03	0.66	0.11	5.78	3.2	3	0.16
ZZ74321		0.31	0.03	1.16	3.8	<0.2	<10	120	0.23	0.07	0.32	0.07	11.90	6.7	18	0.60
ZZ74322		0.44	0.05	1.58	7.3	<0.2	<10	110	0.46	0.10	0.41	0.06	16.40	8.7	28	1.05



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ74269		14.6	2.16	3.27	0.06	0.12	0.04	0.019	0.06	10.9	5.7	0.28	310	0.72	0.03
ZZ74270		47.2	5.16	11.25	0.17	0.10	0.03	0.054	0.09	38.2	12.3	1.08	1340	0.62	0.01
ZZ74271		15.6	3.23	13.10	0.08	0.40	0.18	0.047	0.14	5.4	10.5	0.89	780	0.47	0.07
ZZ74272		14.7	2.54	6.68	0.05	0.14	0.01	0.025	0.02	8.0	8.1	0.58	593	0.47	0.03
ZZ74273		19.2	2.93	5.47	<0.05	0.04	0.04	0.027	0.04	7.8	9.3	0.54	355	0.64	0.03
ZZ74274		20.3	2.37	4.47	0.05	0.10	0.19	0.024	0.05	12.0	6.6	0.37	396	1.23	0.02
ZZ74275		20.3	2.09	4.02	<0.05	0.06	0.02	0.021	0.06	6.3	6.6	0.29	508	0.93	0.03
ZZ74276		10.0	1.91	4.08	0.05	0.03	0.01	0.019	0.07	9.6	10.4	0.46	202	0.35	0.02
ZZ74277		12.4	1.86	3.48	<0.05	0.05	0.03	0.018	0.06	6.0	5.0	0.23	137	0.62	0.02
ZZ74278		10.8	1.90	2.95	<0.05	0.03	0.03	0.016	0.04	6.2	4.6	0.20	227	0.68	0.02
ZZ74279		19.3	1.67	3.20	0.05	0.09	0.14	0.017	0.05	9.5	5.6	0.32	138	0.51	0.02
ZZ74280		28.5	2.13	3.84	0.05	0.06	0.07	0.021	0.06	9.9	5.9	0.35	715	0.65	0.03
ZZ74281		31.3	2.03	4.11	0.07	0.07	0.04	0.022	0.12	11.0	10.8	0.47	238	0.55	0.03
ZZ74282		26.9	2.48	4.42	0.07	0.09	0.05	0.022	0.10	9.6	10.1	0.54	329	0.63	0.03
ZZ74283		49.4	2.10	4.85	0.06	0.09	0.07	0.029	0.09	12.8	15.6	0.59	218	0.60	0.03
ZZ74284		42.3	2.08	4.82	0.06	0.06	0.06	0.028	0.08	11.9	13.5	0.48	345	1.00	0.03
ZZ74285		27.0	1.96	4.19	0.06	0.05	0.03	0.023	0.09	8.0	13.2	0.51	229	0.61	0.03
ZZ74286		15.2	1.92	4.55	0.05	0.04	0.01	0.019	0.10	9.3	10.3	0.44	234	0.45	0.02
ZZ74287		12.2	1.73	3.95	0.05	0.06	0.01	0.020	0.08	7.8	10.2	0.40	242	0.71	0.02
ZZ74288		44.8	3.16	6.36	0.07	0.12	0.05	0.035	0.10	17.3	15.7	0.59	374	1.25	0.02
ZZ74289		46.4	2.67	4.71	0.06	0.09	0.10	0.027	0.10	12.8	11.0	0.52	465	0.94	0.03
ZZ74290		46.8	2.62	4.10	0.05	0.06	0.06	0.024	0.06	10.1	6.9	0.40	240	0.91	0.02
ZZ74291		11.8	1.62	3.67	<0.05	<0.02	0.02	0.014	0.06	6.2	6.9	0.32	356	0.47	0.03
ZZ74292		28.4	2.15	4.15	<0.05	0.07	0.03	0.025	0.06	9.5	10.5	0.39	204	0.70	0.02
ZZ74293		13.8	1.84	4.33	<0.05	0.02	0.01	0.019	0.06	6.9	9.8	0.42	259	0.81	0.02
ZZ74294		9.2	1.67	3.79	0.05	0.06	0.01	0.018	0.10	8.1	11.3	0.44	212	0.44	0.03
ZZ74295		28.0	1.46	3.40	0.05	0.07	0.05	0.017	0.05	9.1	5.1	0.31	427	0.35	0.03
ZZ74296		54.1	1.73	4.48	0.06	0.08	0.11	0.026	0.07	12.5	6.9	0.40	574	0.52	0.03
ZZ74297		40.8	1.78	4.34	0.05	0.07	0.10	0.024	0.07	12.3	7.3	0.43	202	0.62	0.03
ZZ74298		19.0	2.61	4.73	0.06	0.11	0.03	0.025	0.08	11.2	10.1	0.54	285	0.76	0.07
ZZ74299		13.7	1.83	3.48	<0.05	0.02	0.02	0.017	0.05	5.2	5.5	0.23	395	0.92	0.03
ZZ74300		14.9	2.00	4.62	<0.05	0.02	0.01	0.019	0.11	9.2	8.9	0.38	335	0.62	0.02
ZZ74301		19.3	2.02	3.76	0.06	0.09	0.06	0.021	0.06	10.7	7.0	0.32	347	1.07	0.03
ZZ74302		8.0	1.58	3.84	<0.05	0.09	0.01	0.015	0.03	6.2	7.6	0.32	135	0.48	0.01
ZZ74303		15.7	1.82	3.56	<0.05	0.07	0.04	0.018	0.08	5.5	4.8	0.22	226	0.58	0.02
ZZ74304		58.3	4.34	9.80	0.05	0.14	0.03	0.036	0.08	6.1	16.4	1.73	1040	0.14	0.10
ZZ74305		49.2	3.08	6.61	0.05	0.14	0.10	0.035	0.15	7.0	8.2	0.95	930	0.43	0.02
ZZ74320		17.2	1.11	1.42	<0.05	0.03	0.02	<0.005	0.02	3.1	1.3	0.08	253	0.17	0.04
ZZ74321		11.4	1.61	4.07	<0.05	0.02	0.01	0.017	0.08	6.3	7.1	0.30	491	0.47	0.02
ZZ74322		24.3	2.41	5.25	<0.05	0.03	0.02	0.029	0.09	8.9	10.7	0.46	298	1.01	0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ74269		10.3	190	5.1	5.8	<0.001	<0.01	0.37	5.1	0.5	0.3	47.8	<0.01	0.02	3.0
ZZ74270		10.1	170	2.9	6.4	<0.001	0.01	0.52	19.6	2.4	0.3	18.9	<0.01	0.01	3.1
ZZ74271		3.2	160	2.1	3.2	<0.001	<0.01	0.10	8.6	0.7	0.5	45.0	<0.01	<0.01	0.8
ZZ74272		12.2	110	4.4	1.7	<0.001	<0.01	0.26	6.4	0.3	0.5	23.2	<0.01	0.02	2.0
ZZ74273		9.7	210	4.1	4.1	<0.001	0.01	0.31	5.6	0.5	0.4	35.1	<0.01	0.02	1.7
ZZ74274		16.5	230	6.2	5.9	<0.001	<0.01	0.43	6.7	0.6	0.4	81.7	<0.01	0.03	3.3
ZZ74275		11.3	230	5.1	6.6	<0.001	<0.01	0.29	3.4	0.3	0.4	42.1	<0.01	0.02	1.5
ZZ74276		13.5	480	4.2	7.1	<0.001	0.01	0.22	3.9	0.5	0.4	39.5	<0.01	0.01	2.1
ZZ74277		8.9	180	4.6	7.3	<0.001	<0.01	0.29	3.4	<0.2	0.3	34.4	<0.01	0.01	1.8
ZZ74278		8.4	160	4.4	5.8	<0.001	<0.01	0.31	3.5	0.2	0.3	28.5	<0.01	0.02	1.7
ZZ74279		7.6	570	5.8	4.4	0.001	0.01	0.51	4.0	0.3	0.3	49.1	<0.01	<0.01	2.6
ZZ74280		9.4	690	5.7	6.8	0.001	0.05	0.44	4.8	0.6	0.3	62.6	<0.01	0.01	1.8
ZZ74281		14.5	620	4.7	12.1	<0.001	0.01	0.34	4.8	0.6	0.4	48.0	<0.01	0.01	2.5
ZZ74282		16.6	620	4.9	11.0	0.001	0.02	0.50	6.6	0.8	0.3	55.1	<0.01	0.02	2.1
ZZ74283		18.0	630	6.1	8.3	0.001	0.03	0.68	6.2	0.9	0.4	61.0	<0.01	0.02	2.1
ZZ74284		20.5	300	6.2	7.1	<0.001	0.02	0.81	5.7	0.9	0.4	63.5	<0.01	0.03	1.8
ZZ74285		16.5	340	9.6	9.3	0.001	0.02	0.57	4.6	0.7	0.3	57.1	<0.01	0.03	1.5
ZZ74286		13.1	230	5.5	15.6	<0.001	0.01	0.29	4.1	0.4	0.4	37.1	<0.01	0.02	1.8
ZZ74287		13.0	240	4.1	10.4	<0.001	0.01	0.34	3.8	0.2	0.4	32.1	<0.01	0.01	2.0
ZZ74288		22.7	240	8.4	8.5	<0.001	0.01	0.79	9.9	1.0	0.4	52.2	<0.01	0.03	3.6
ZZ74289		21.2	480	7.8	7.9	<0.001	0.01	1.14	8.6	0.7	0.4	69.5	<0.01	0.04	2.9
ZZ74290		12.7	580	6.4	6.1	0.001	0.02	0.50	5.3	0.5	0.3	58.2	<0.01	0.02	1.9
ZZ74291		10.0	360	4.0	7.7	<0.001	0.01	0.21	2.6	0.3	0.3	30.1	<0.01	0.01	1.0
ZZ74292		13.0	180	6.6	5.9	<0.001	0.02	0.62	4.8	0.6	0.3	41.8	<0.01	0.02	1.9
ZZ74293		13.2	310	4.9	6.6	<0.001	0.01	0.26	3.2	0.4	0.4	31.1	<0.01	0.02	1.2
ZZ74294		11.2	380	4.4	8.7	<0.001	0.01	0.23	3.5	0.3	0.4	37.5	<0.01	0.01	2.2
ZZ74295		9.4	630	5.1	5.1	0.001	0.05	0.40	5.0	0.7	0.3	60.8	<0.01	0.01	2.2
ZZ74296		14.7	730	7.8	9.9	0.002	0.11	0.57	6.6	0.9	0.4	81.2	<0.01	0.02	1.9
ZZ74297		11.8	670	7.6	10.4	0.001	0.04	0.51	6.5	0.6	0.4	69.0	<0.01	0.03	2.8
ZZ74298		16.4	160	5.9	9.2	<0.001	0.01	0.35	7.2	0.5	0.4	71.1	<0.01	0.01	3.0
ZZ74299		8.9	270	4.4	6.5	<0.001	<0.01	0.28	2.7	0.2	0.3	34.0	<0.01	0.01	1.1
ZZ74300		12.3	450	5.1	11.1	<0.001	0.01	0.24	3.7	0.5	0.4	38.0	<0.01	0.01	1.3
ZZ74301		13.9	230	4.9	6.6	<0.001	0.01	0.40	5.1	0.5	0.3	71.8	<0.01	0.03	2.2
ZZ74302		9.1	120	4.1	4.2	<0.001	<0.01	0.18	2.7	<0.2	0.4	20.7	<0.01	0.02	1.7
ZZ74303		9.4	280	5.1	8.0	<0.001	<0.01	0.40	4.0	<0.2	0.3	38.7	<0.01	0.03	1.9
ZZ74304		3.4	460	0.9	2.4	<0.001	0.01	0.07	10.4	0.6	0.4	154.0	<0.01	0.01	0.2
ZZ74305		4.3	660	1.4	3.4	<0.001	0.03	0.32	10.5	0.7	0.3	58.5	<0.01	0.02	0.3
ZZ74320		4.1	550	1.3	1.0	<0.001	0.05	0.19	0.8	0.2	<0.2	31.5	<0.01	0.02	0.2
ZZ74321		9.2	250	4.0	15.0	<0.001	<0.01	0.19	2.7	<0.2	0.4	22.3	<0.01	0.03	1.1
ZZ74322		18.9	280	8.0	14.2	<0.001	<0.01	0.45	5.2	0.4	0.4	32.5	<0.01	0.03	2.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ74269		0.07	0.75	48	0.09	8.91	28	4.7	0.007
ZZ74270		0.04	0.39	80	0.15	57.6	55	2.9	0.002
ZZ74271		0.03	0.49	34	0.05	13.30	46	12.1	0.004
ZZ74272		0.06	0.31	64	0.15	5.33	27	4.6	<0.001
ZZ74273		0.07	0.36	64	0.09	4.11	37	1.3	0.003
ZZ74274		0.08	0.73	54	0.11	6.25	36	3.9	0.006
ZZ74275		0.08	0.39	52	0.09	2.85	32	2.1	<0.001
ZZ74276		0.07	0.60	44	0.19	5.98	32	1.2	0.001
ZZ74277		0.07	0.40	44	0.10	2.68	24	1.9	<0.001
ZZ74278		0.06	0.33	44	0.08	2.75	25	1.3	0.006
ZZ74279		0.06	0.78	45	0.08	6.78	34	2.9	0.001
ZZ74280		0.08	1.17	46	0.13	7.85	42	1.7	0.004
ZZ74281		0.11	0.78	47	0.28	8.43	37	2.4	0.004
ZZ74282		0.13	0.68	55	0.09	10.25	44	2.9	0.001
ZZ74283		0.13	0.76	46	0.19	10.85	51	3.1	0.003
ZZ74284		0.12	0.71	48	0.24	9.80	44	2.2	0.003
ZZ74285		0.11	1.09	46	0.21	5.47	39	1.9	0.002
ZZ74286		0.09	0.57	47	0.17	5.83	35	1.5	<0.001
ZZ74287		0.08	0.67	41	0.16	4.60	29	2.1	<0.001
ZZ74288		0.11	0.83	63	0.20	13.10	48	4.8	0.003
ZZ74289		0.12	0.54	56	0.19	13.10	48	3.6	0.005
ZZ74290		0.06	1.06	53	0.09	8.22	41	2.1	0.001
ZZ74291		0.06	0.33	40	0.13	3.09	29	0.6	0.001
ZZ74292		0.08	0.37	45	0.24	7.15	35	2.3	0.003
ZZ74293		0.07	0.43	44	0.16	3.52	32	0.7	0.002
ZZ74294		0.09	0.92	40	0.24	4.56	30	1.8	0.002
ZZ74295		0.06	0.91	40	0.08	8.17	37	2.2	0.004
ZZ74296		0.11	2.00	52	0.09	13.00	54	2.3	0.002
ZZ74297		0.10	1.60	53	0.08	10.85	50	2.1	0.006
ZZ74298		0.09	0.67	69	0.13	7.26	35	4.0	0.009
ZZ74299		0.06	0.30	47	0.10	2.32	28	0.7	<0.001
ZZ74300		0.07	0.72	48	0.14	5.15	39	0.9	0.002
ZZ74301		0.07	0.48	47	0.11	8.10	31	3.0	0.003
ZZ74302		0.06	0.31	45	0.12	2.62	29	3.0	0.001
ZZ74303		0.08	0.37	44	0.09	2.85	29	2.3	0.001
ZZ74304		0.02	0.12	95	<0.05	16.15	67	2.5	0.002
ZZ74305		0.03	0.18	75	0.08	14.60	55	4.2	0.002
ZZ74320		0.03	0.51	19	<0.05	2.41	14	1.0	<0.001
ZZ74321		0.07	0.30	42	0.17	2.60	39	0.7	0.001
ZZ74322		0.12	0.56	54	0.23	4.90	53	1.4	0.002



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ74323		0.32	0.08	1.07	5.7	<0.2	<10	80	0.28	0.06	0.85	0.07	14.25	7.0	15	0.62
ZZ74324		0.29	0.12	1.67	5.5	<0.2	<10	160	0.54	0.11	0.77	0.10	15.80	7.9	24	0.68
ZZ74325		0.52	0.08	1.36	9.7	<0.2	<10	100	0.40	0.07	1.70	0.10	16.25	9.7	21	0.84
ZZ74326		0.27	0.08	1.12	11.2	<0.2	<10	120	0.39	0.07	1.00	0.04	17.00	6.2	15	0.78
ZZ74327		0.26	0.22	0.67	4.5	<0.2	<10	70	0.24	0.05	0.79	0.05	10.70	3.7	8	0.50
ZZ74328		0.23	0.12	1.23	17.0	<0.2	<10	120	0.51	0.10	1.27	0.12	20.6	11.3	19	0.56
ZZ74329		0.26	0.10	1.25	5.7	<0.2	<10	120	0.44	0.10	0.89	0.15	19.55	6.4	17	1.28
ZZ74330		0.25	0.11	1.45	18.2	<0.2	<10	160	0.47	0.12	1.10	0.17	21.5	15.2	20	1.21
ZZ74331		0.26	0.14	1.45	14.7	<0.2	<10	160	0.54	0.12	0.97	0.25	22.5	10.7	20	1.36
ZZ74332		0.36	0.03	1.12	2.5	<0.2	<10	130	0.21	0.08	0.35	0.03	10.25	4.6	17	0.70
ZZ74333		0.31	0.03	1.36	5.0	<0.2	<10	160	0.42	0.09	0.49	0.06	17.35	7.6	23	0.49
ZZ74334		0.33	0.02	0.60	2.2	<0.2	<10	30	0.12	0.02	1.23	0.04	7.32	4.5	3	0.09
ZZ74335		0.45	0.04	1.40	5.4	<0.2	<10	130	0.33	0.09	0.95	0.07	17.90	7.5	22	0.51
ZZ74172		0.07	0.04	0.54	2.2	<0.2	<10	110	0.15	0.04	1.23	0.05	8.03	3.1	9	0.23
ZZ74173		0.22	0.09	1.08	6.5	<0.2	<10	120	0.38	0.08	1.80	0.06	17.95	5.8	18	0.62
ZZ74174		0.24	0.02	1.28	5.5	<0.2	<10	150	0.36	0.07	0.56	0.03	21.8	7.9	23	0.49
ZZ74175		0.21	0.09	1.31	14.8	<0.2	<10	160	0.57	0.09	0.54	0.05	28.0	9.2	25	0.63
ZZ74176		0.33	0.03	1.57	7.5	<0.2	<10	170	0.44	0.07	0.58	0.04	19.45	8.0	24	0.47
ZZ74177		0.27	0.04	3.16	6.0	<0.2	<10	70	0.26	0.02	2.79	0.05	6.75	29.4	81	0.31
ZZ74178		0.19	0.05	3.69	7.5	<0.2	<10	30	0.18	0.01	2.39	0.03	4.48	6.3	2	0.42
ZZ74179		0.20	0.03	1.21	3.1	<0.2	<10	60	0.19	0.07	0.39	0.05	9.42	5.1	18	0.46
ZZ74180		0.17	0.02	1.61	3.5	<0.2	<10	210	0.33	0.07	0.40	0.10	15.00	8.7	19	0.65
ZZ74181		0.16	0.06	2.38	2.1	<0.2	10	100	0.25	0.04	2.52	0.10	11.20	16.3	5	0.45
ZZ74182		0.17	0.03	1.94	3.9	<0.2	<10	100	0.28	0.08	0.53	0.01	16.20	5.4	28	0.64
ZZ74183		0.22	0.03	1.54	3.3	<0.2	<10	50	0.25	0.08	0.28	0.04	14.15	5.7	25	0.52
ZZ74184		0.16	0.03	0.92	2.1	<0.2	<10	70	0.18	0.05	0.31	0.02	9.48	4.4	16	0.28
ZZ74185		0.19	0.02	1.52	3.0	<0.2	<10	100	0.29	0.07	0.46	0.12	10.50	5.6	17	0.40
ZZ74186		0.21	0.05	3.12	3.4	<0.2	<10	110	0.23	0.01	1.57	0.05	12.40	14.0	4	0.43
ZZ74187		0.23	0.06	0.95	6.2	<0.2	<10	140	0.27	0.08	0.44	0.03	17.75	5.8	16	0.40
ZZ74188		0.28	0.07	1.59	7.0	<0.2	<10	180	0.42	0.14	0.62	0.05	25.4	9.5	31	0.87
ZZ74189		0.23	0.08	1.51	9.8	<0.2	<10	120	0.43	0.11	0.69	0.07	21.8	10.5	22	0.90
ZZ74190		0.23	0.03	1.46	4.8	<0.2	<10	80	0.26	0.07	0.35	0.04	13.00	6.9	17	0.39
ZZ74191		0.21	0.06	1.81	7.0	<0.2	<10	130	0.36	0.07	0.85	0.03	19.00	12.6	27	0.68
ZZ74192		0.20	0.08	1.36	4.3	<0.2	<10	120	0.29	0.09	0.62	0.06	18.55	7.9	22	0.59
ZZ74193		0.20	0.06	1.54	5.1	<0.2	<10	130	0.27	0.12	0.47	0.02	15.90	7.9	27	0.78
ZZ74194		0.18	0.04	1.31	4.3	<0.2	<10	110	0.30	0.10	0.50	0.03	19.55	6.9	22	0.65
ZZ74195		0.22	0.02	1.55	7.5	<0.2	<10	90	0.30	0.10	0.35	0.04	11.75	6.8	20	0.57
ZZ74196		0.24	0.05	1.54	7.1	<0.2	<10	140	0.36	0.12	0.44	0.04	15.85	6.9	26	0.50
ZZ74197		0.22	0.03	1.49	10.2	<0.2	<10	140	0.35	0.12	0.37	0.05	13.20	7.2	25	0.53
ZZ74198		0.17	0.06	1.30	5.1	<0.2	<10	130	0.29	0.13	0.25	0.10	11.05	6.2	18	0.60



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ74323		24.5	1.77	3.84	0.05	0.06	0.06	0.018	0.06	8.0	6.5	0.42	281	0.32	0.02
ZZ74324		32.3	2.30	6.09	<0.05	0.03	0.03	0.023	0.11	9.5	9.3	0.39	545	0.78	0.01
ZZ74325		42.6	2.60	4.79	0.05	0.09	0.07	0.025	0.07	9.9	9.8	0.59	457	0.78	0.02
ZZ74326		29.7	2.36	3.88	0.05	0.07	0.06	0.019	0.06	9.7	6.2	0.36	230	0.41	0.02
ZZ74327		22.9	1.19	2.58	<0.05	0.04	0.05	0.011	0.05	6.0	3.6	0.21	197	0.23	0.03
ZZ74328		39.0	2.56	4.28	0.06	0.07	0.10	0.025	0.06	11.3	7.1	0.42	688	0.45	0.02
ZZ74329		33.9	1.61	4.33	0.05	0.06	0.13	0.025	0.09	10.8	7.5	0.44	261	0.48	0.02
ZZ74330		37.1	3.14	4.82	0.06	0.07	0.09	0.024	0.08	11.4	7.8	0.49	1640	2.10	0.02
ZZ74331		48.3	2.38	5.00	0.06	0.07	0.11	0.027	0.10	12.4	7.9	0.47	630	1.15	0.02
ZZ74332		10.9	1.39	4.55	<0.05	<0.02	0.01	0.013	0.06	5.8	7.3	0.31	218	0.56	0.02
ZZ74333		18.1	1.96	4.54	0.05	0.05	0.01	0.018	0.06	9.2	8.0	0.37	481	0.61	0.03
ZZ74334		19.0	1.07	2.29	<0.05	0.03	0.01	0.011	0.09	4.4	1.9	0.25	300	0.17	0.03
ZZ74335		16.3	2.04	4.76	0.05	0.06	0.03	0.021	0.12	10.2	10.8	0.49	306	0.36	0.03
ZZ74172		24.8	1.00	2.10	<0.05	0.03	0.03	0.008	0.04	4.3	2.9	0.16	158	0.23	0.03
ZZ74173		22.3	1.87	3.90	0.05	0.10	0.05	0.021	0.09	10.7	8.7	0.36	248	0.96	0.03
ZZ74174		23.8	2.09	4.53	0.06	0.07	0.02	0.020	0.08	12.4	9.7	0.52	338	0.51	0.03
ZZ74175		36.4	2.77	5.13	0.09	0.14	0.14	0.032	0.07	23.5	6.6	0.43	560	1.25	0.02
ZZ74176		20.9	2.40	5.15	0.05	0.07	0.05	0.024	0.07	10.2	7.9	0.46	368	0.91	0.02
ZZ74177		228	6.37	10.30	0.08	0.25	0.05	0.040	0.11	4.4	13.0	1.92	1280	0.33	0.02
ZZ74178		54.3	1.84	9.88	<0.05	0.14	0.13	0.023	0.21	2.0	3.0	0.41	312	0.21	0.05
ZZ74179		11.4	1.77	4.94	<0.05	<0.02	0.01	0.016	0.05	5.3	6.1	0.33	174	0.70	0.02
ZZ74180		16.2	2.45	5.51	<0.05	0.04	0.02	0.019	0.10	6.5	8.6	0.44	683	0.87	0.02
ZZ74181		32.3	4.43	8.32	0.05	0.04	0.07	0.043	0.10	5.5	12.5	1.25	1250	0.50	0.01
ZZ74182		27.9	1.96	5.90	0.05	0.14	0.01	0.025	0.07	9.2	9.9	0.40	129	0.38	0.02
ZZ74183		16.8	1.87	4.74	<0.05	0.07	<0.01	0.016	0.05	8.2	10.2	0.46	175	0.50	0.01
ZZ74184		19.0	1.18	3.01	<0.05	0.05	0.01	0.012	0.04	5.1	4.7	0.22	208	0.48	0.04
ZZ74185		11.8	1.97	5.02	<0.05	0.05	0.01	0.019	0.08	5.7	6.6	0.38	262	0.54	0.03
ZZ74186		54.9	4.11	10.05	0.06	0.16	0.06	0.032	0.05	7.3	14.6	1.45	1140	0.22	0.02
ZZ74187		12.2	1.72	3.33	0.08	0.04	0.03	0.018	0.04	7.6	6.0	0.27	277	0.46	0.03
ZZ74188		20.8	2.37	5.36	0.09	0.06	0.04	0.020	0.08	12.8	12.0	0.55	392	0.91	0.03
ZZ74189		34.1	2.61	4.83	0.10	0.12	0.03	0.027	0.17	11.3	8.8	0.50	476	0.49	0.02
ZZ74190		18.8	1.95	4.28	0.07	0.04	0.01	0.018	0.05	5.4	6.0	0.34	215	0.77	0.03
ZZ74191		51.6	3.12	6.00	0.11	0.16	0.08	0.027	0.05	12.3	9.1	0.81	611	1.15	0.03
ZZ74192		19.3	2.12	4.53	0.09	0.06	0.03	0.019	0.06	10.0	9.7	0.53	285	0.40	0.03
ZZ74193		12.8	2.09	5.09	0.08	0.07	0.01	0.022	0.11	8.3	12.1	0.50	288	0.50	0.02
ZZ74194		18.4	1.83	4.14	0.09	0.07	0.01	0.018	0.11	9.6	9.4	0.42	300	0.33	0.02
ZZ74195		17.7	2.32	5.03	0.08	0.12	0.01	0.022	0.08	6.2	10.7	0.40	220	0.95	0.02
ZZ74196		18.0	2.15	4.77	0.07	0.07	0.09	0.022	0.09	7.3	11.5	0.45	280	1.08	0.02
ZZ74197		17.2	2.14	5.21	0.07	0.10	0.02	0.022	0.06	6.5	11.5	0.41	234	1.48	0.02
ZZ74198		10.3	2.02	5.49	0.06	0.02	0.02	0.018	0.11	5.4	7.7	0.25	486	0.97	0.02



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ74323		9.6	590	24.4	7.7	<0.001	0.03	0.33	4.4	0.4	0.3	48.9	<0.01	0.03	1.2
ZZ74324		14.1	290	7.1	13.3	<0.001	<0.01	0.41	3.8	0.4	0.5	48.7	<0.01	0.03	1.0
ZZ74325		15.8	370	5.8	7.4	0.001	0.01	0.55	7.2	0.5	0.3	74.4	<0.01	0.03	1.8
ZZ74326		10.1	630	4.7	7.6	<0.001	0.05	0.44	5.0	0.6	0.3	62.4	<0.01	0.03	1.7
ZZ74327		6.1	630	73.9	5.6	0.001	0.04	0.40	2.4	0.4	0.2	42.1	<0.01	0.01	0.6
ZZ74328		13.4	720	7.2	6.5	0.001	0.07	0.47	5.8	0.7	0.4	79.1	<0.01	0.04	1.6
ZZ74329		11.1	630	6.1	13.6	0.001	0.04	0.50	5.8	0.6	0.4	67.8	<0.01	0.03	2.0
ZZ74330		13.5	840	7.2	11.4	0.001	0.07	0.53	6.1	0.8	0.4	83.3	<0.01	0.04	1.7
ZZ74331		16.3	700	7.1	15.8	0.001	0.07	0.60	7.0	0.8	0.4	76.3	<0.01	0.04	2.0
ZZ74332		8.2	200	4.3	12.4	<0.001	<0.01	0.12	2.4	<0.2	0.4	24.5	<0.01	0.03	0.9
ZZ74333		14.6	220	5.3	7.0	<0.001	<0.01	0.22	3.9	0.5	0.4	32.8	<0.01	0.03	2.1
ZZ74334		3.2	490	0.7	2.7	<0.001	0.01	0.07	3.6	0.3	<0.2	48.3	<0.01	0.01	0.2
ZZ74335		12.7	440	4.8	9.6	<0.001	<0.01	0.21	4.5	0.5	0.4	51.6	<0.01	0.03	2.2
ZZ74172		6.7	650	3.1	3.3	<0.001	0.05	0.30	1.1	0.5	0.2	66.6	<0.01	0.03	0.2
ZZ74173		14.7	160	8.8	10.5	<0.001	0.01	0.42	4.6	0.4	0.4	131.5	<0.01	0.03	2.3
ZZ74174		13.7	420	3.9	6.0	<0.001	<0.01	0.20	5.5	0.4	0.4	39.7	<0.01	0.02	2.9
ZZ74175		20.5	270	7.7	4.9	0.001	<0.01	0.80	8.7	1.1	0.5	62.6	<0.01	0.05	3.2
ZZ74176		15.5	170	4.9	5.7	<0.001	<0.01	0.36	6.9	0.5	0.4	55.2	<0.01	0.05	2.5
ZZ74177		22.6	200	1.4	5.5	<0.001	<0.01	0.15	40.3	0.8	0.4	79.2	<0.01	0.02	1.0
ZZ74178		2.0	80	0.8	2.4	<0.001	<0.01	0.10	8.6	0.4	0.2	70.0	<0.01	0.02	0.2
ZZ74179		8.3	200	3.6	6.3	<0.001	<0.01	0.33	2.6	<0.2	0.4	19.6	<0.01	0.02	0.7
ZZ74180		11.1	230	4.0	18.0	<0.001	<0.01	0.27	4.4	<0.2	0.4	23.5	<0.01	0.03	1.5
ZZ74181		5.7	510	2.2	5.6	<0.001	0.01	0.70	9.0	0.6	0.2	64.2	<0.01	0.02	0.4
ZZ74182		11.6	450	4.7	6.5	<0.001	<0.01	0.21	6.0	0.6	0.5	30.4	0.01	0.04	3.2
ZZ74183		12.6	100	9.6	5.3	<0.001	<0.01	0.24	3.2	0.2	0.5	23.8	<0.01	0.03	2.1
ZZ74184		8.4	200	2.5	4.1	<0.001	<0.01	0.16	2.7	0.3	0.3	16.7	<0.01	0.02	1.2
ZZ74185		8.8	280	3.8	7.5	<0.001	<0.01	0.23	3.2	0.2	0.4	23.8	<0.01	0.03	1.3
ZZ74186		3.5	280	1.3	4.4	0.001	0.01	0.07	15.3	1.1	0.4	45.2	<0.01	0.02	0.4
ZZ74187		9.7	370	4.4	4.2	<0.001	0.01	0.37	3.7	0.3	0.3	46.2	<0.01	0.02	2.0
ZZ74188		21.4	630	6.2	11.1	<0.001	0.01	0.43	5.0	0.4	0.5	39.3	<0.01	0.02	3.5
ZZ74189		16.6	270	5.4	14.1	<0.001	0.01	0.46	7.7	0.4	0.4	42.6	<0.01	0.02	2.8
ZZ74190		10.2	110	3.5	4.9	<0.001	0.01	0.27	4.7	0.2	0.3	28.0	<0.01	0.02	1.5
ZZ74191		19.7	210	4.2	6.6	<0.001	0.01	1.24	10.6	0.8	0.4	58.2	<0.01	0.02	2.3
ZZ74192		14.1	480	4.1	6.1	<0.001	0.01	0.30	6.0	0.6	0.4	41.9	<0.01	<0.01	2.3
ZZ74193		14.1	300	5.5	18.1	<0.001	0.01	0.30	4.1	0.4	0.5	32.2	<0.01	0.02	2.5
ZZ74194		14.3	350	4.2	12.7	<0.001	<0.01	0.29	4.4	0.3	0.4	32.4	<0.01	0.01	2.5
ZZ74195		12.9	150	6.2	9.5	<0.001	0.01	0.42	4.1	0.2	0.4	29.3	<0.01	0.02	1.7
ZZ74196		16.9	280	5.6	8.6	<0.001	0.01	0.44	4.6	0.3	0.4	39.2	<0.01	0.02	2.1
ZZ74197		15.2	140	8.3	9.5	<0.001	0.01	0.76	4.1	0.3	0.4	33.8	<0.01	0.03	1.7
ZZ74198		9.1	530	6.7	13.4	<0.001	0.01	0.36	2.4	0.2	0.4	22.7	<0.01	0.03	0.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ74323		0.07	0.57	42	0.06	7.38	50	1.8	0.002
ZZ74324		0.09	0.57	55	0.23	5.36	54	0.9	0.001
ZZ74325		0.10	0.59	58	0.11	11.70	43	3.1	0.003
ZZ74326		0.08	0.94	49	0.08	8.61	45	2.3	0.007
ZZ74327		0.06	0.61	32	0.05	5.58	33	1.5	0.002
ZZ74328		0.08	1.32	60	0.10	11.55	52	2.3	0.008
ZZ74329		0.10	1.06	49	0.10	9.41	58	2.1	0.003
ZZ74330		0.13	1.46	65	0.10	10.80	75	1.8	0.004
ZZ74331		0.13	1.46	57	0.10	12.30	71	2.2	0.004
ZZ74332		0.07	0.42	38	0.14	2.35	25	0.6	<0.001
ZZ74333		0.06	0.75	50	0.17	5.40	31	1.9	0.001
ZZ74334		0.02	0.19	30	<0.05	5.23	15	1.6	0.001
ZZ74335		0.07	0.63	48	0.22	7.71	40	2.3	0.002
ZZ74172		0.03	1.14	26	0.06	3.07	22	1.2	0.001
ZZ74173		0.10	0.51	43	0.08	8.18	36	3.3	0.003
ZZ74174		0.06	0.52	51	0.13	10.55	32	2.3	0.002
ZZ74175		0.09	0.66	62	0.08	26.4	46	5.4	0.005
ZZ74176		0.07	0.60	60	0.13	7.87	36	2.4	0.002
ZZ74177		0.02	0.15	186	<0.05	12.05	67	8.9	0.003
ZZ74178		0.02	0.08	45	<0.05	12.15	27	3.7	<0.001
ZZ74179		0.05	0.26	47	0.13	2.50	30	0.6	0.001
ZZ74180		0.06	0.27	49	0.10	3.50	44	1.3	0.001
ZZ74181		0.02	0.20	63	0.06	13.20	106	1.0	<0.001
ZZ74182		0.08	0.65	65	0.09	5.97	23	5.2	0.001
ZZ74183		0.06	0.36	53	0.13	3.05	46	2.4	0.004
ZZ74184		0.04	0.21	34	0.09	2.76	20	1.9	0.022
ZZ74185		0.06	0.24	43	0.12	3.62	41	1.6	<0.001
ZZ74186		<0.02	0.13	83	<0.05	29.9	66	3.5	0.003
ZZ74187		0.06	0.51	43	0.12	4.72	35	1.4	0.002
ZZ74188		0.09	0.59	53	0.23	8.82	47	2.3	0.002
ZZ74189		0.10	0.39	60	0.10	11.25	38	4.2	0.003
ZZ74190		0.05	0.36	49	0.09	2.86	24	1.7	<0.001
ZZ74191		0.07	0.59	78	0.07	20.4	44	5.4	0.007
ZZ74192		0.06	0.59	50	0.12	8.72	40	2.0	0.002
ZZ74193		0.10	0.80	49	0.22	4.91	36	2.5	0.003
ZZ74194		0.09	0.57	42	0.14	6.43	33	2.3	0.002
ZZ74195		0.08	0.36	55	0.13	3.02	32	4.1	0.002
ZZ74196		0.08	0.56	48	0.20	4.25	35	2.6	0.003
ZZ74197		0.11	0.45	53	0.16	3.20	38	3.6	0.002
ZZ74198		0.07	0.26	56	0.20	1.88	53	0.6	<0.001



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ74199		0.13	0.08	0.82	3.7	<0.2	<10	90	0.22	0.07	2.07	0.27	11.75	6.1	11	0.52
ZZ74134		0.29	0.03	0.98	5.0	<0.2	<10	80	0.22	0.08	0.31	0.04	12.70	5.0	19	0.44
ZZ74135		0.22	0.03	1.33	5.8	<0.2	<10	130	0.31	0.09	0.43	0.03	14.40	7.0	22	0.56
ZZ74136		0.16	0.10	1.99	2.3	<0.2	<10	30	0.32	0.03	5.28	0.19	21.0	9.6	2	0.18
ZZ74137		0.17	0.08	1.78	10.6	<0.2	<10	110	0.43	0.10	0.73	0.21	19.00	9.4	16	1.11
ZZ74138		0.22	0.06	3.22	4.1	<0.2	<10	230	0.36	0.05	1.48	0.14	13.85	15.2	13	0.26
ZZ74139		0.21	0.03	4.12	2.4	<0.2	<10	150	0.34	0.05	1.93	0.17	9.47	9.2	15	0.29
ZZ74140		0.22	0.02	0.79	1.8	<0.2	<10	80	0.14	0.07	0.28	0.06	7.98	4.2	9	0.33
ZZ74141		0.27	0.03	0.65	1.8	<0.2	<10	70	0.11	0.04	0.77	0.11	7.88	3.8	7	0.32
ZZ74142		0.10	0.01	0.18	0.4	<0.2	<10	40	<0.05	0.02	1.13	0.12	4.10	1.4	2	0.09
ZZ74143		0.30	0.03	1.47	3.4	<0.2	<10	90	0.26	0.09	0.32	0.03	13.90	6.7	20	0.44
ZZ74144		0.25	0.04	1.38	4.5	<0.2	<10	140	0.33	0.11	0.68	0.04	22.1	7.3	25	0.62
ZZ74145		0.24	0.01	1.51	6.3	<0.2	<10	120	0.27	0.08	0.42	0.05	12.60	9.5	18	0.53
ZZ74146		0.24	0.02	1.06	5.6	<0.2	<10	80	0.21	0.09	0.27	0.04	10.00	5.5	17	0.52
ZZ74147		0.17	0.11	1.74	5.5	<0.2	<10	180	0.39	0.13	0.51	0.13	16.90	10.9	24	0.88
DD010602		0.25	0.05	1.38	6.8	<0.2	<10	130	0.30	0.02	11.45	0.13	32.3	13.7	6	0.70
DD010603		0.21	0.07	1.46	19.6	<0.2	<10	230	0.36	0.06	0.78	0.14	20.5	11.4	10	0.46
DD010604		0.18	0.02	0.20	0.1	<0.2	<10	10	<0.05	0.02	0.13	0.03	2.33	0.9	1	0.08
DD010605		0.14	0.07	1.24	13.0	<0.2	<10	130	0.31	0.08	0.88	0.06	16.95	8.7	13	0.61
DD010606		0.20	0.07	1.56	5.2	<0.2	<10	60	0.35	0.08	5.10	0.12	20.7	7.9	21	0.35
DD010607		0.20	0.06	3.15	3.7	<0.2	<10	160	0.24	0.05	3.00	0.09	9.51	11.3	16	0.34
DD010608		0.25	0.01	1.56	2.8	<0.2	<10	60	0.24	0.09	0.40	0.04	14.75	5.8	28	0.49
DD010609		0.20	0.05	3.54	2.7	<0.2	<10	230	0.22	0.04	1.18	0.13	7.40	18.5	57	0.48
DD010610		0.28	0.02	2.12	2.8	<0.2	<10	120	0.23	0.07	0.48	0.06	11.85	11.0	28	0.44
DD010611		0.31	0.03	2.16	5.7	<0.2	<10	120	0.28	0.08	0.60	0.08	8.60	13.4	42	0.49
DD010612		0.22	0.06	1.13	3.7	<0.2	<10	140	0.24	0.08	0.54	0.03	15.90	6.2	18	0.36
DD010613		0.33	0.04	1.35	11.3	<0.2	<10	140	0.57	0.10	0.36	0.02	32.2	7.9	19	0.66
DD010614		0.29	0.04	1.35	4.8	<0.2	<10	120	0.37	0.08	0.40	0.04	17.00	7.1	23	0.57
DD010615		0.30	0.04	0.97	7.0	<0.2	<10	120	0.31	0.07	0.32	0.04	14.70	6.0	18	0.59
DD010616		0.14	0.14	1.25	3.2	<0.2	<10	240	0.41	0.09	1.23	0.12	14.00	8.5	19	0.58
DD010617		0.21	0.09	1.13	4.3	<0.2	<10	130	0.39	0.09	0.92	0.10	17.60	7.6	19	0.50
DD010618		0.30	0.03	1.55	6.7	<0.2	<10	130	0.47	0.09	0.60	0.05	15.50	7.5	23	0.43
DD010619		0.27	0.04	1.41	8.0	<0.2	<10	130	0.38	0.10	0.44	0.07	14.75	7.9	23	0.86
DD010620		0.27	0.06	1.39	6.7	<0.2	<10	120	0.37	0.10	0.84	0.07	13.85	6.6	25	0.55
DD010621		0.24	0.06	1.46	18.7	<0.2	<10	140	0.65	0.14	0.55	0.07	23.7	11.3	33	0.68
DD010622		0.28	0.09	1.12	10.2	<0.2	<10	140	0.41	0.08	2.36	0.19	20.8	9.3	16	0.84
DD010623		0.12	0.08	0.91	3.2	<0.2	<10	160	0.29	0.08	2.38	0.18	14.40	6.0	17	0.44
DD010624		0.23	0.10	1.11	6.2	<0.2	<10	80	0.36	0.09	0.70	0.11	17.35	7.2	22	0.54
DD010625		0.35	0.07	1.45	13.4	<0.2	<10	140	0.39	0.10	0.62	0.06	19.70	9.7	25	0.72
DD010626		0.15	0.20	1.87	5.3	<0.2	<10	250	0.72	0.13	0.71	0.40	29.7	13.5	24	0.75



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ74199		45.4	1.38	2.42	0.07	0.03	0.04	0.013	0.06	5.1	3.3	0.30	743	0.36	0.03
ZZ74134		17.3	1.54	3.48	0.07	<0.02	0.02	0.014	0.06	6.7	6.4	0.25	157	1.05	0.03
ZZ74135		18.4	2.06	4.04	0.07	0.05	0.02	0.018	0.09	7.2	7.4	0.34	383	0.92	0.02
ZZ74136		10.1	3.42	7.65	0.09	0.06	0.39	0.055	0.06	9.7	7.4	0.82	931	0.48	0.01
ZZ74137		33.7	2.53	5.46	0.09	0.09	0.04	0.025	0.11	9.9	5.2	0.43	741	0.48	0.04
ZZ74138		104.5	3.49	9.37	0.10	0.25	0.03	0.024	0.20	5.7	7.0	0.99	1190	0.36	0.05
ZZ74139		24.5	2.59	9.49	0.09	0.21	0.02	0.019	0.26	4.3	6.4	0.58	646	0.28	0.03
ZZ74140		18.9	1.18	3.01	0.05	0.02	0.01	0.008	0.03	3.9	4.2	0.16	242	0.40	0.03
ZZ74141		12.2	1.01	2.21	0.06	0.02	0.02	0.010	0.05	3.7	4.2	0.24	179	0.18	0.04
ZZ74142		8.3	0.35	0.84	0.05	<0.02	0.02	<0.005	0.03	1.9	0.5	0.09	73	0.17	0.05
ZZ74143		21.6	1.92	4.86	0.07	0.09	0.02	0.016	0.04	7.1	7.1	0.35	201	0.47	0.02
ZZ74144		40.6	1.96	4.51	0.10	0.06	0.03	0.019	0.09	10.8	10.8	0.47	406	0.49	0.03
ZZ74145		19.9	2.34	5.10	0.07	0.06	0.02	0.020	0.06	5.3	6.7	0.38	677	1.06	0.02
ZZ74146		17.0	1.60	3.61	0.06	0.07	0.01	0.014	0.05	4.9	7.7	0.29	162	0.76	0.03
ZZ74147		23.4	2.29	6.01	0.07	0.02	0.02	0.023	0.06	7.9	11.4	0.43	716	1.18	0.02
DD010602		96.0	3.79	4.91	0.11	0.12	0.10	0.031	0.08	15.8	6.4	0.76	1760	0.59	0.01
DD010603		26.7	3.90	5.38	0.10	0.08	0.08	0.031	0.05	11.1	6.4	0.54	2840	1.33	0.03
DD010604		7.3	0.29	0.96	<0.05	<0.02	0.01	<0.005	0.02	1.1	0.4	0.04	17	<0.05	0.04
DD010605		37.2	2.19	3.87	0.08	0.06	0.10	0.020	0.06	8.7	5.2	0.41	723	0.55	0.03
DD010606		75.1	2.17	4.97	0.09	0.11	0.05	0.019	0.06	11.0	9.0	0.51	191	0.47	0.03
DD010607		97.2	3.32	7.41	0.10	0.12	0.04	0.030	0.07	6.0	8.9	0.71	391	0.17	0.09
DD010608		14.4	1.93	4.92	0.06	0.09	0.02	0.016	0.04	7.4	7.0	0.36	142	0.95	0.02
DD010609		135.0	4.50	8.39	0.08	0.13	0.09	0.035	0.13	4.0	9.8	1.26	1390	0.27	0.05
DD010610		27.5	2.54	6.35	0.06	0.05	0.02	0.021	0.07	5.4	7.6	0.57	391	0.77	0.03
DD010611		53.4	3.14	6.49	<0.05	0.04	0.01	0.026	0.13	3.8	10.1	0.81	855	1.09	0.01
DD010612		10.1	1.77	3.89	<0.05	0.04	0.02	0.018	0.05	8.2	8.9	0.42	525	0.70	0.02
DD010613		19.0	2.36	4.27	0.05	0.16	0.06	0.025	0.07	13.6	5.8	0.31	399	0.70	0.02
DD010614		18.1	2.01	4.47	<0.05	0.07	0.02	0.020	0.10	9.8	9.1	0.42	381	0.54	0.01
DD010615		11.8	1.69	3.33	<0.05	<0.02	0.03	0.016	0.08	7.1	5.5	0.27	399	0.75	0.02
DD010616		35.4	1.73	4.24	<0.05	0.03	0.02	0.017	0.05	7.0	6.4	0.36	1380	0.58	0.02
DD010617		38.0	1.86	3.81	0.05	0.06	0.07	0.020	0.08	10.6	9.4	0.46	341	0.49	0.03
DD010618		20.4	2.35	4.99	<0.05	0.07	0.02	0.023	0.05	8.0	8.3	0.43	299	0.91	0.02
DD010619		18.8	2.15	4.49	<0.05	0.03	0.02	0.020	0.08	7.7	10.8	0.45	357	0.71	0.01
DD010620		22.0	2.11	4.45	<0.05	0.06	0.01	0.021	0.10	7.8	10.9	0.46	206	0.54	0.02
DD010621		40.0	2.72	5.29	<0.05	0.08	0.05	0.030	0.08	9.8	13.9	0.60	571	1.81	0.02
DD010622		37.4	2.38	3.98	0.06	0.08	0.10	0.023	0.06	11.4	7.0	0.48	600	0.63	0.02
DD010623		27.0	1.39	3.06	0.05	0.04	0.05	0.015	0.06	7.6	7.2	0.40	440	0.26	0.02
DD010624		32.4	1.81	4.29	<0.05	0.08	0.06	0.022	0.07	9.4	12.2	0.49	261	0.58	0.02
DD010625		32.5	2.51	4.71	0.05	0.06	0.04	0.025	0.06	10.8	11.1	0.56	470	0.91	0.03
DD010626		44.9	2.65	6.83	0.05	0.08	0.04	0.030	0.08	13.7	7.9	0.40	1900	2.71	0.02



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ74199		10.7	510	3.2	14.7	<0.001	0.09	0.32	1.9	0.4	0.2	87.5	<0.01	0.01	0.3
ZZ74134		11.7	200	4.5	6.7	<0.001	0.01	0.30	2.6	<0.2	0.3	27.4	<0.01	0.02	0.6
ZZ74135		13.4	370	4.6	10.6	<0.001	0.01	0.35	3.7	0.3	0.4	38.9	<0.01	0.01	1.7
ZZ74136		1.5	490	1.4	3.0	<0.001	0.03	0.68	8.3	1.1	0.2	26.4	<0.01	<0.01	0.5
ZZ74137		11.4	840	4.9	14.8	<0.001	0.03	0.40	7.3	0.5	0.4	47.6	<0.01	0.02	2.4
ZZ74138		11.1	460	2.9	7.7	<0.001	0.02	0.13	10.6	0.7	0.5	65.0	<0.01	0.01	0.9
ZZ74139		8.5	300	2.3	8.1	<0.001	0.01	0.11	8.3	0.3	0.4	53.1	<0.01	<0.01	0.8
ZZ74140		5.6	250	2.8	2.6	<0.001	0.01	0.13	1.4	<0.2	0.3	20.7	<0.01	0.01	0.6
ZZ74141		5.2	370	2.0	3.9	<0.001	0.04	0.16	2.1	<0.2	0.2	44.9	<0.01	<0.01	0.4
ZZ74142		2.3	540	0.6	1.1	0.001	0.08	0.11	0.2	<0.2	<0.2	51.3	<0.01	<0.01	<0.2
ZZ74143		11.3	120	4.4	6.6	<0.001	0.01	0.23	3.7	0.2	0.5	19.9	<0.01	<0.01	1.6
ZZ74144		15.9	470	4.9	9.3	<0.001	0.01	0.31	4.8	0.5	0.4	37.8	<0.01	0.01	2.7
ZZ74145		11.4	240	4.4	10.1	<0.001	0.01	0.30	4.4	0.2	0.4	35.8	<0.01	0.02	1.4
ZZ74146		11.5	180	5.3	7.9	<0.001	0.01	0.34	2.4	0.2	0.3	23.3	<0.01	0.02	1.3
ZZ74147		14.7	360	9.0	9.6	<0.001	0.01	0.40	3.5	0.2	0.5	37.5	<0.01	0.02	1.0
DD010602		4.3	400	3.1	4.6	<0.001	0.03	0.77	13.4	1.2	0.2	116.0	<0.01	<0.01	0.3
DD010603		8.5	370	4.1	4.3	<0.001	0.02	0.42	8.0	1.0	0.3	46.8	<0.01	0.02	1.3
DD010604		1.3	200	0.6	1.2	<0.001	0.01	0.05	0.2	<0.2	<0.2	12.2	<0.01	<0.01	<0.2
DD010605		11.0	710	4.4	6.3	<0.001	0.06	0.39	5.2	0.6	0.3	60.8	<0.01	0.01	1.2
DD010606		15.2	300	3.6	5.6	<0.001	0.04	0.37	7.0	1.2	0.4	101.5	<0.01	0.01	1.6
DD010607		12.3	560	2.5	6.2	0.001	0.04	0.35	11.6	1.1	0.4	113.5	<0.01	<0.01	0.8
DD010608		14.4	70	4.9	6.5	<0.001	<0.01	0.24	4.1	0.2	0.4	25.3	<0.01	0.02	1.9
DD010609		15.7	180	2.3	7.9	<0.001	0.01	0.17	37.9	0.7	0.4	61.0	<0.01	<0.01	0.9
DD010610		14.7	110	3.5	9.8	<0.001	0.01	0.18	6.6	0.2	0.4	23.3	<0.01	0.01	1.0
DD010611		16.0	250	3.1	19.5	<0.001	0.01	0.20	10.0	0.4	0.3	38.6	<0.01	0.03	0.8
DD010612		9.9	420	4.1	4.5	<0.001	0.01	0.22	4.1	0.4	0.3	55.0	<0.01	0.03	1.5
DD010613		12.8	250	6.0	7.8	<0.001	<0.01	0.39	6.8	0.8	0.4	45.4	<0.01	0.04	3.6
DD010614		12.9	270	4.2	12.3	<0.001	<0.01	0.33	5.1	0.3	0.4	28.8	<0.01	0.02	2.6
DD010615		10.4	260	4.3	11.0	<0.001	<0.01	0.33	3.2	0.2	0.3	29.6	<0.01	0.03	1.1
DD010616		13.3	290	4.7	6.2	<0.001	0.03	0.30	2.9	0.9	0.4	80.7	<0.01	0.03	0.7
DD010617		15.4	430	3.9	7.1	0.001	0.02	0.39	5.3	0.7	0.3	61.1	<0.01	0.02	1.4
DD010618		14.3	140	5.1	6.0	<0.001	<0.01	0.30	4.8	0.4	0.4	41.1	<0.01	0.04	1.7
DD010619		17.2	360	5.9	10.1	<0.001	0.01	0.49	3.6	0.4	0.3	32.9	<0.01	0.02	1.5
DD010620		13.4	160	5.2	13.2	<0.001	0.01	0.45	4.5	0.5	0.4	39.7	<0.01	0.03	1.9
DD010621		24.4	290	10.6	6.1	<0.001	<0.01	1.87	7.2	0.7	0.4	60.9	<0.01	0.06	2.5
DD010622		16.2	660	5.7	5.9	<0.001	0.01	0.65	6.7	0.6	0.3	87.3	<0.01	0.04	2.2
DD010623		13.1	730	3.5	5.5	0.001	0.10	0.62	2.6	0.9	0.3	106.5	<0.01	0.02	0.6
DD010624		14.6	340	5.3	5.7	<0.001	0.02	0.72	5.7	0.6	0.3	41.8	<0.01	0.03	1.7
DD010625		18.7	330	6.0	7.9	<0.001	0.01	0.71	6.9	0.6	0.4	42.3	<0.01	0.03	2.0
DD010626		17.4	320	9.8	9.6	<0.001	<0.01	0.45	6.6	0.7	0.6	46.8	<0.01	0.03	2.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ74199		0.05	0.80	28	0.05	4.40	49	1.0	<0.001
ZZ74134		0.06	0.30	36	0.12	3.72	23	<0.5	0.001
ZZ74135		0.08	0.38	47	0.12	3.88	30	1.7	0.002
ZZ74136		0.02	0.19	19	0.11	22.9	52	1.5	0.001
ZZ74137		0.09	0.85	57	0.08	9.89	63	2.8	0.002
ZZ74138		0.04	0.27	73	<0.05	16.85	66	6.9	0.001
ZZ74139		0.04	0.24	77	0.08	7.91	41	7.5	0.002
ZZ74140		0.04	0.16	33	0.07	1.55	21	0.6	0.002
ZZ74141		0.03	0.43	25	0.05	2.09	16	0.7	0.003
ZZ74142		<0.02	0.35	11	<0.05	0.86	8	<0.5	0.001
ZZ74143		0.07	0.32	53	0.10	3.72	25	3.2	<0.001
ZZ74144		0.09	0.57	47	0.33	8.87	31	2.3	0.004
ZZ74145		0.08	0.33	58	0.10	2.97	30	2.1	0.001
ZZ74146		0.05	0.28	38	0.14	2.31	23	2.8	0.004
ZZ74147		0.10	0.45	55	0.22	3.48	58	0.6	0.001
DD010602		0.02	0.38	48	<0.05	24.3	55	2.2	0.001
DD010603		0.07	0.44	62	0.07	18.45	48	2.5	0.003
DD010604		<0.02	0.10	8	<0.05	0.43	6	<0.5	<0.001
DD010605		0.07	0.99	45	0.06	9.36	45	1.6	0.002
DD010606		0.06	0.46	48	0.14	17.60	30	3.6	0.003
DD010607		0.03	0.38	91	0.06	13.10	53	4.1	0.002
DD010608		0.07	0.36	53	0.16	3.86	27	3.3	0.001
DD010609		0.02	0.24	177	<0.05	17.40	54	3.9	0.003
DD010610		0.05	0.26	75	0.08	4.08	31	1.7	<0.001
DD010611		0.05	0.31	81	0.12	2.90	49	1.6	0.001
DD010612		0.05	1.10	43	0.12	5.06	28	1.3	0.001
DD010613		0.09	0.70	52	0.08	8.44	37	5.5	0.003
DD010614		0.06	0.47	50	0.12	8.41	33	2.5	0.001
DD010615		0.08	0.38	42	0.10	3.54	34	0.5	0.006
DD010616		0.06	0.69	43	0.13	4.82	31	1.1	0.001
DD010617		0.07	0.49	44	0.10	11.00	38	2.0	0.003
DD010618		0.06	0.45	58	0.18	5.76	31	2.5	0.001
DD010619		0.08	0.52	47	0.16	4.94	39	1.3	0.001
DD010620		0.08	0.45	49	0.13	4.87	42	2.4	<0.001
DD010621		0.15	0.75	56	0.23	6.35	62	2.7	0.006
DD010622		0.11	0.55	54	0.09	12.20	49	3.4	0.002
DD010623		0.05	1.72	31	0.24	6.98	33	1.5	0.002
DD010624		0.11	0.41	44	0.14	8.62	44	2.5	0.003
DD010625		0.09	0.46	57	0.13	10.40	48	2.0	0.005
DD010626		0.09	0.99	65	0.06	10.30	141	3.1	0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
DD010627		0.27	0.07	1.40	5.7	<0.2	<10	140	0.38	0.07	2.36	0.13	16.40	8.7	17	0.52



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
DD010627		31.9	2.39	4.99	<0.05	0.08	0.08	0.023	0.05	8.7	8.7	0.56	520	0.67	0.02	0.75



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 6 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
DD010627		12.7	410	4.6	5.5	<0.001	0.01	0.38	6.3	0.6	0.4	91.6	<0.01	0.02	2.0	0.041



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 6 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106378

Sample Description	Method Analyte Units LOR	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
DD010627		0.08	0.46	55	0.09	10.15	42	3.0	0.003



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6 - AUG - 2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15106378

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: **1**
Total # Pages: **7 (A - D)**
Plus Appendix Pages
Finalized Date: **4 - AUG - 2015**
Account: **MTT**

CERTIFICATE WH15106379

Project: KING

This report is for 202 Soil samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI - 21	Received Sample Weight
LOG - 22	Sample login - Rcd w/o BarCode
SCR - 41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS
Au-ICP21	Au 30g FA ICP-AES Finish ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ28101		0.13	0.05	0.81	5.4	<0.2	<10	140	0.33	0.06	0.86	0.11	14.65	4.9	12	0.35
ZZ28102		0.28	0.04	0.89	8.0	<0.2	<10	110	0.40	0.08	0.46	0.03	18.20	5.8	16	0.45
ZZ28103		0.16	0.03	1.01	3.9	<0.2	<10	120	0.23	0.07	0.33	0.09	8.81	5.2	12	0.55
ZZ28104		0.17	0.02	1.29	3.7	<0.2	<10	140	0.25	0.09	0.30	0.09	9.67	6.1	20	0.61
ZZ28105		0.16	0.08	0.96	13.5	<0.2	<10	100	0.31	0.09	0.59	0.08	17.50	8.0	13	0.83
ZZ28106		0.17	0.07	1.04	8.7	<0.2	<10	110	0.36	0.09	0.76	0.07	17.85	6.8	13	0.98
ZZ28107		0.24	0.04	1.64	3.8	<0.2	<10	150	0.34	0.18	0.41	0.04	13.45	8.0	21	0.49
ZZ28108		0.20	0.05	1.32	3.6	<0.2	<10	150	0.26	0.08	0.61	0.04	14.45	6.2	20	0.66
ZZ28109		0.23	0.06	1.48	5.3	<0.2	<10	150	0.39	0.09	1.03	0.06	19.80	8.4	24	0.56
ZZ28110		0.18	0.04	1.51	5.6	<0.2	<10	100	0.37	0.10	0.52	0.05	18.60	7.8	25	0.60
ZZ28111		0.20	0.03	2.00	8.3	<0.2	<10	150	0.39	0.06	0.57	0.03	13.15	9.3	18	0.41
ZZ28112		0.19	0.03	1.26	4.9	<0.2	<10	150	0.29	0.11	0.41	0.05	12.25	5.9	21	0.50
ZZ28113		0.20	0.04	1.53	10.2	<0.2	<10	150	0.53	0.09	0.47	0.03	20.8	7.8	26	0.63
ZZ28114		0.21	0.10	1.41	6.7	<0.2	<10	140	0.39	0.11	0.77	0.06	19.10	9.1	24	0.75
ZZ28115		0.30	0.11	1.16	11.0	<0.2	<10	150	0.49	0.11	3.28	0.20	21.4	7.7	22	0.76
ZZ28116		0.23	0.03	1.26	9.6	<0.2	<10	130	0.53	0.10	0.52	0.04	20.4	8.3	19	0.53
ZZ28117		0.14	0.04	1.19	4.8	<0.2	<10	130	0.33	0.08	0.54	0.03	18.35	6.5	22	0.41
ZZ28118		0.25	0.07	1.14	4.9	<0.2	<10	100	0.35	0.09	0.59	0.06	19.20	5.9	23	0.87
ZZ28119		0.21	0.02	1.32	4.9	<0.2	<10	110	0.35	0.09	0.47	0.02	16.70	6.2	22	0.50
ZZ28120		0.15	0.04	1.75	7.2	<0.2	<10	150	0.53	0.13	0.50	0.16	14.25	10.7	24	0.88
ZZ28121		0.25	0.04	1.34	6.2	<0.2	<10	100	0.39	0.10	0.48	0.04	16.50	7.4	23	0.67
ZZ28122		0.22	0.04	1.50	5.4	<0.2	<10	140	0.40	0.12	0.49	0.05	16.35	8.9	26	0.70
ZZ28123		0.16	0.10	1.39	6.0	<0.2	<10	160	0.40	0.11	0.90	0.08	21.0	9.6	26	0.65
ZZ28124		0.22	0.06	1.04	6.5	<0.2	<10	100	0.29	0.08	0.91	0.05	14.25	5.5	13	0.78
ZZ28125		0.20	0.09	1.26	13.0	<0.2	<10	130	0.55	0.11	0.85	0.05	21.3	8.0	18	0.86
ZZ101001		0.36	0.05	1.48	6.6	<0.2	<10	180	0.41	0.12	0.54	0.07	15.50	9.2	21	0.59
ZZ101002		0.30	0.04	1.17	5.2	<0.2	<10	160	0.44	0.09	0.55	0.04	21.2	6.7	19	0.44
ZZ101003		0.41	0.03	1.49	7.3	<0.2	<10	150	0.61	0.09	0.40	0.03	23.7	6.9	21	0.67
ZZ101004		0.26	0.05	1.47	4.3	<0.2	<10	250	0.41	0.11	0.48	0.04	13.65	8.4	22	0.68
ZZ101005		0.38	0.02	0.95	4.6	<0.2	<10	110	0.29	0.06	0.63	0.04	13.25	5.3	16	0.30
ZZ101006		0.37	0.12	1.14	9.0	<0.2	<10	120	0.34	0.11	0.72	0.10	17.30	7.3	14	0.73
ZZ101007		0.20	0.13	1.36	9.0	<0.2	<10	160	0.51	0.13	0.94	0.08	19.90	10.6	18	0.58
ZZ101008		0.21	0.09	0.78	5.7	<0.2	<10	120	0.22	0.05	0.83	0.23	8.42	7.5	8	0.33
ZZ101009		0.36	0.03	1.58	6.4	<0.2	<10	110	0.41	0.12	0.46	0.06	19.80	8.8	29	0.76
ZZ101010		0.43	0.09	1.93	18.0	<0.2	<10	150	0.54	0.15	0.63	0.08	18.65	10.9	28	1.00
ZZ101011		0.21	0.07	1.07	6.5	<0.2	<10	90	0.27	0.09	0.73	0.09	15.45	6.0	14	0.89
ZZ101012		0.25	0.07	0.91	8.0	<0.2	<10	110	0.38	0.09	0.59	0.13	19.90	8.7	13	0.92
ZZ101013		0.42	0.05	1.40	8.5	<0.2	<10	110	0.41	0.10	0.46	0.04	19.70	9.0	22	0.73
ZZ101014		0.39	0.07	1.46	5.3	<0.2	<10	140	0.44	0.11	0.45	0.07	15.40	10.2	25	0.68
ZZ101015		0.25	0.02	0.24	2.2	<0.2	<10	40	0.08	0.02	0.25	0.04	4.82	1.8	2	0.18



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ28101		21.4	1.43	2.87	<0.05	0.04	0.06	0.015	0.05	9.2	5.2	0.26	389	0.49	0.03
ZZ28102		19.7	1.84	3.29	0.06	0.10	0.06	0.017	0.05	13.7	5.1	0.26	237	0.61	0.02
ZZ28103		16.8	1.61	3.53	<0.05	0.02	0.02	0.015	0.05	4.7	5.9	0.25	262	0.53	0.02
ZZ28104		14.2	1.97	4.63	<0.05	0.06	0.01	0.014	0.05	5.2	7.7	0.34	255	0.53	0.01
ZZ28105		19.0	2.00	3.31	<0.05	0.05	0.08	0.018	0.06	9.0	6.1	0.33	813	0.62	0.02
ZZ28106		20.5	1.88	3.57	<0.05	0.07	0.07	0.020	0.09	9.3	7.2	0.40	272	0.57	0.02
ZZ28107		19.5	2.03	5.36	<0.05	0.04	0.02	0.024	0.07	6.8	9.7	0.44	340	0.66	0.01
ZZ28108		14.5	1.80	4.38	<0.05	0.03	0.02	0.018	0.07	7.5	11.6	0.49	315	0.44	0.03
ZZ28109		89.4	2.22	4.80	0.05	0.08	0.05	0.021	0.10	11.3	19.3	0.54	398	0.44	0.02
ZZ28110		22.8	2.05	4.77	<0.05	0.06	0.02	0.020	0.12	10.3	13.6	0.51	253	0.62	0.02
ZZ28111		24.1	3.08	5.50	<0.05	0.13	0.02	0.026	0.10	6.0	7.9	0.49	274	0.74	0.05
ZZ28112		10.9	1.71	4.77	<0.05	0.07	0.01	0.016	0.07	6.7	7.9	0.36	272	0.59	0.01
ZZ28113		22.2	2.25	4.95	0.05	0.14	0.03	0.026	0.07	11.5	12.9	0.49	259	0.95	0.02
ZZ28114		24.6	2.20	4.89	0.06	0.09	0.04	0.024	0.07	10.7	10.9	0.59	428	0.75	0.03
ZZ28115		37.8	2.37	4.18	0.05	0.10	0.10	0.024	0.07	12.5	11.3	0.52	349	0.80	0.03
ZZ28116		32.3	2.20	4.09	<0.05	0.07	0.02	0.024	0.06	8.0	8.2	0.35	318	0.85	0.03
ZZ28117		15.8	1.78	3.93	<0.05	0.04	0.02	0.017	0.05	9.8	10.1	0.44	380	0.37	0.03
ZZ28118		15.8	1.87	4.03	0.06	0.09	0.05	0.018	0.09	11.1	10.6	0.46	258	0.48	0.03
ZZ28119		10.5	1.84	4.34	<0.05	0.08	0.01	0.020	0.07	8.5	10.5	0.48	278	0.50	0.03
ZZ28120		21.4	2.25	6.00	<0.05	0.06	0.02	0.028	0.07	7.2	12.2	0.47	494	1.75	0.02
ZZ28121		14.8	1.93	4.29	0.05	0.06	0.02	0.018	0.10	9.6	11.3	0.43	207	0.45	0.02
ZZ28122		16.3	2.03	4.84	<0.05	0.05	0.01	0.021	0.11	9.5	11.5	0.46	402	0.53	0.02
ZZ28123		38.5	2.20	4.79	0.06	0.05	0.03	0.021	0.11	11.8	12.5	0.56	401	0.53	0.03
ZZ28124		21.8	1.64	3.64	0.05	0.07	0.07	0.019	0.08	8.0	6.2	0.38	134	0.38	0.02
ZZ28125		35.5	2.54	4.37	0.06	0.09	0.08	0.023	0.06	12.4	7.4	0.42	200	0.70	0.02
ZZ101001		20.9	2.11	5.23	<0.05	0.03	0.02	0.020	0.08	8.2	10.5	0.37	575	0.91	0.02
ZZ101002		17.9	1.86	4.00	0.05	0.08	0.03	0.017	0.05	12.9	8.6	0.37	219	0.46	0.02
ZZ101003		12.9	2.34	4.44	<0.05	0.12	0.04	0.025	0.06	11.0	6.6	0.35	287	0.82	0.02
ZZ101004		20.7	1.95	5.29	<0.05	0.02	0.01	0.021	0.05	6.7	7.9	0.37	569	0.46	0.02
ZZ101005		11.6	1.63	3.23	<0.05	0.05	0.02	0.016	0.03	6.2	5.6	0.32	221	0.47	0.03
ZZ101006		39.2	1.62	3.94	0.05	0.05	0.12	0.021	0.05	9.5	6.8	0.39	497	0.42	0.03
ZZ101007		43.3	2.26	4.48	0.05	0.06	0.16	0.029	0.08	10.8	6.9	0.45	488	0.50	0.02
ZZ101008		36.5	1.04	2.89	<0.05	0.02	0.06	0.012	0.05	4.7	3.4	0.23	528	0.35	0.04
ZZ101009		12.4	2.16	5.35	<0.05	0.06	0.01	0.022	0.07	11.1	9.9	0.46	344	0.60	0.02
ZZ101010		30.5	3.10	6.73	0.05	0.05	0.06	0.029	0.09	10.4	10.3	0.60	484	0.84	0.02
ZZ101011		17.8	1.64	3.89	<0.05	0.04	0.06	0.019	0.07	8.6	6.4	0.36	219	0.57	0.02
ZZ101012		22.5	1.92	3.33	0.05	0.07	0.07	0.018	0.08	10.9	5.6	0.34	328	0.48	0.02
ZZ101013		18.5	2.28	4.75	<0.05	0.05	0.03	0.025	0.09	9.5	9.3	0.45	393	0.74	0.01
ZZ101014		19.7	2.12	5.15	<0.05	0.04	0.02	0.025	0.07	8.0	9.1	0.40	657	0.84	0.01
ZZ101015		5.9	0.42	1.15	<0.05	<0.02	0.01	<0.005	0.03	2.5	1.6	0.07	74	0.10	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ28101		11.0	450	4.0	4.5	<0.001	0.02	0.33	3.4	0.6	0.2	68.5	<0.01	0.02	0.8
ZZ28102		11.0	170	4.6	5.2	<0.001	<0.01	0.40	5.0	0.8	0.3	46.9	<0.01	0.03	2.7
ZZ28103		7.3	180	3.7	6.8	<0.001	<0.01	0.23	2.4	<0.2	0.3	28.0	<0.01	0.02	0.8
ZZ28104		10.3	150	4.4	6.9	<0.001	<0.01	0.23	2.8	0.2	0.4	23.9	<0.01	0.02	1.3
ZZ28105		8.4	710	4.6	9.7	0.001	0.02	0.35	4.6	0.3	0.3	46.3	<0.01	0.03	1.8
ZZ28106		7.5	630	5.3	9.5	<0.001	0.03	0.32	4.7	0.4	0.3	68.6	<0.01	0.03	2.2
ZZ28107		11.7	160	4.6	14.8	<0.001	<0.01	0.17	3.8	0.2	0.4	32.3	<0.01	0.02	1.3
ZZ28108		11.0	390	3.7	7.2	<0.001	0.01	0.20	4.0	0.6	0.3	48.0	<0.01	0.02	1.2
ZZ28109		16.7	240	4.6	11.6	<0.001	0.01	0.43	5.6	0.7	0.4	54.0	<0.01	0.03	1.9
ZZ28110		16.7	250	4.5	9.9	<0.001	0.01	0.32	4.7	0.4	0.4	38.6	<0.01	0.02	2.1
ZZ28111		18.3	230	3.3	7.0	<0.001	<0.01	0.27	6.5	0.4	0.3	59.1	<0.01	0.02	1.7
ZZ28112		11.0	160	5.7	11.1	<0.001	<0.01	0.31	3.4	0.5	0.4	32.4	<0.01	0.03	1.6
ZZ28113		16.5	160	5.9	6.6	<0.001	<0.01	0.68	6.1	0.5	0.4	45.6	<0.01	0.04	2.7
ZZ28114		17.8	460	5.5	7.0	<0.001	0.01	0.44	6.1	0.6	0.4	68.4	<0.01	0.03	2.5
ZZ28115		18.1	640	7.7	5.1	<0.001	0.01	0.69	6.8	0.8	0.4	124.0	<0.01	0.03	2.7
ZZ28116		13.1	190	6.5	5.3	<0.001	<0.01	0.57	5.5	0.4	0.3	41.9	<0.01	0.04	1.9
ZZ28117		13.6	580	4.0	4.2	<0.001	0.01	0.23	3.9	0.5	0.3	38.6	<0.01	0.03	2.1
ZZ28118		15.4	780	3.7	9.4	<0.001	<0.01	0.28	4.8	0.3	0.4	43.3	<0.01	0.03	3.1
ZZ28119		13.1	210	4.0	7.1	<0.001	0.01	0.26	4.2	0.5	0.4	35.7	<0.01	0.02	2.2
ZZ28120		15.7	230	8.9	9.5	0.001	0.02	0.41	4.4	0.2	0.5	38.4	<0.01	0.04	1.5
ZZ28121		14.2	270	4.8	12.4	<0.001	0.01	0.26	4.2	0.3	0.4	27.6	<0.01	0.02	2.0
ZZ28122		15.9	240	5.4	11.8	<0.001	0.02	0.27	4.5	0.3	0.5	29.9	<0.01	0.03	2.3
ZZ28123		18.0	670	5.3	10.0	<0.001	0.03	0.36	5.1	1.0	0.4	52.5	<0.01	0.04	2.3
ZZ28124		8.2	460	5.2	7.9	0.001	0.06	0.33	4.4	0.3	0.3	66.3	<0.01	0.02	1.6
ZZ28125		11.7	680	6.6	8.7	<0.001	0.03	0.49	6.4	0.7	0.4	64.8	<0.01	0.02	2.7
ZZ101001		13.3	320	7.0	11.4	<0.001	0.02	0.37	4.0	0.2	0.4	54.8	<0.01	0.03	1.2
ZZ101002		13.4	220	4.7	5.0	<0.001	0.01	0.29	4.9	0.3	0.4	40.2	<0.01	0.02	3.0
ZZ101003		11.2	240	5.7	8.2	<0.001	0.01	0.25	5.1	0.2	0.5	41.8	<0.01	0.03	3.5
ZZ101004		13.0	270	5.3	7.6	<0.001	0.02	0.16	3.3	0.3	0.5	33.6	<0.01	0.02	1.0
ZZ101005		8.0	170	3.6	2.8	<0.001	0.02	0.29	3.9	0.3	0.3	66.6	<0.01	0.03	1.4
ZZ101006		8.5	670	4.5	11.6	<0.001	0.06	0.40	5.3	0.4	0.3	51.3	<0.01	0.02	1.5
ZZ101007		11.9	690	5.8	7.0	0.001	0.08	0.56	7.2	0.7	0.4	64.7	<0.01	0.04	1.5
ZZ101008		6.8	840	2.1	5.9	<0.001	0.06	0.23	2.5	0.3	0.2	61.4	<0.01	0.02	0.4
ZZ101009		13.8	250	5.4	9.1	<0.001	0.01	0.28	5.0	0.3	0.5	25.3	<0.01	0.02	2.7
ZZ101010		14.9	300	6.9	12.8	<0.001	0.02	0.52	7.6	0.3	0.5	46.0	<0.01	0.03	2.3
ZZ101011		7.5	750	4.8	10.7	0.001	0.06	0.30	4.0	0.3	0.3	56.4	<0.01	0.02	1.2
ZZ101012		9.0	660	6.0	8.8	0.001	0.05	0.43	4.5	0.3	0.3	57.6	<0.01	0.03	2.5
ZZ101013		13.0	300	6.1	9.1	<0.001	0.01	0.41	5.7	0.3	0.4	34.0	<0.01	0.03	2.2
ZZ101014		13.9	280	5.7	7.4	<0.001	0.01	0.32	4.3	0.2	0.5	29.5	<0.01	0.03	2.1
ZZ101015		1.9	420	0.8	1.9	0.001	0.04	0.08	0.6	<0.2	<0.2	16.7	<0.01	0.01	0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ28101		0.05	0.64	36	0.08	7.95	32	1.2	0.001
ZZ28102		0.07	0.58	44	0.09	11.00	32	3.5	0.001
ZZ28103		0.08	0.23	38	0.09	2.49	30	0.9	<0.001
ZZ28104		0.08	0.24	50	0.15	2.25	44	2.3	<0.001
ZZ28105		0.07	0.86	44	0.08	6.99	45	1.6	0.005
ZZ28106		0.08	0.85	43	0.07	7.64	46	2.0	0.002
ZZ28107		0.10	0.33	51	0.13	2.82	39	1.4	<0.001
ZZ28108		0.07	3.05	43	0.15	5.29	35	1.2	0.002
ZZ28109		0.08	0.43	52	0.14	10.00	40	3.1	0.002
ZZ28110		0.10	0.82	47	0.18	6.31	40	2.1	0.001
ZZ28111		0.06	0.45	78	0.06	4.31	38	4.2	0.001
ZZ28112		0.08	0.41	47	0.16	3.65	48	2.4	<0.001
ZZ28113		0.08	0.73	49	0.16	8.70	37	5.0	0.045
ZZ28114		0.08	0.65	52	0.17	9.09	45	3.4	0.004
ZZ28115		0.11	0.57	49	0.18	11.25	52	4.1	0.005
ZZ28116		0.08	0.42	47	0.14	5.76	35	2.3	0.002
ZZ28117		0.05	0.89	44	0.14	7.49	33	1.4	0.005
ZZ28118		0.10	0.70	44	0.15	9.20	34	3.0	0.002
ZZ28119		0.06	0.72	43	0.13	5.15	34	2.9	0.001
ZZ28120		0.11	0.60	57	0.21	3.84	58	2.2	0.001
ZZ28121		0.10	0.59	44	0.16	6.25	43	1.9	0.001
ZZ28122		0.11	0.59	49	0.22	5.63	47	1.9	0.001
ZZ28123		0.08	1.21	51	0.22	9.66	46	1.8	0.002
ZZ28124		0.07	0.87	43	0.08	5.92	39	1.8	0.002
ZZ28125		0.08	1.50	54	0.08	11.65	47	2.6	0.004
ZZ101001		0.08	1.48	55	0.12	4.51	46	1.0	0.001
ZZ101002		0.07	0.63	46	0.11	9.69	33	2.8	0.002
ZZ101003		0.09	0.63	51	0.07	4.70	34	3.9	<0.001
ZZ101004		0.08	0.30	52	0.26	3.20	24	0.7	<0.001
ZZ101005		0.05	0.85	42	0.09	3.58	23	1.6	<0.001
ZZ101006		0.09	1.17	44	0.08	8.49	66	1.7	0.003
ZZ101007		0.09	1.25	57	0.10	11.50	67	1.9	0.004
ZZ101008		0.05	0.77	21	<0.05	4.21	57	0.8	0.001
ZZ101009		0.09	0.71	56	0.21	6.13	55	2.2	0.001
ZZ101010		0.11	1.13	73	0.12	7.37	95	1.8	0.003
ZZ101011		0.08	0.86	42	0.13	5.82	52	1.2	0.002
ZZ101012		0.07	1.10	46	0.08	8.34	50	2.5	0.001
ZZ101013		0.10	0.56	52	0.21	5.55	43	1.7	0.002
ZZ101014		0.08	0.45	53	0.16	3.88	46	1.5	0.006
ZZ101015		0.02	0.25	13	<0.05	1.52	9	<0.5	0.001



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ101016		0.33	0.02	1.50	10.9	<0.2	<10	110	0.41	0.08	0.51	0.06	11.65	8.5	19	0.65
ZZ101017		0.24	0.05	1.25	5.0	<0.2	<10	150	0.24	0.10	0.52	0.07	11.00	7.6	19	0.74
ZZ101018		0.33	0.10	1.40	8.3	<0.2	<10	170	0.48	0.12	0.79	0.11	19.95	10.2	23	0.72
ZZ101019		0.27	0.09	1.35	4.6	<0.2	<10	130	0.32	0.11	0.55	0.13	12.25	9.0	21	0.96
ZZ101020		0.21	0.06	0.84	7.9	<0.2	<10	80	0.26	0.07	0.65	0.08	14.70	4.6	14	0.67
ZZ101021		0.32	0.04	1.26	6.7	<0.2	<10	140	0.43	0.08	0.53	0.02	19.10	7.5	21	0.55
ZZ101022		0.29	0.11	1.37	5.6	<0.2	<10	190	0.42	0.11	0.86	0.09	20.8	9.1	24	0.63
ZZ101023		0.27	0.03	1.56	7.3	<0.2	<10	130	0.36	0.11	0.57	0.11	11.45	8.2	24	0.60
ZZ101024		0.20	0.09	1.06	33.1	<0.2	<10	190	0.42	0.12	1.02	0.08	21.2	18.9	15	0.96
ZZ101025		0.23	0.09	1.16	7.6	<0.2	<10	150	0.36	0.12	0.63	0.16	20.6	11.0	14	1.12
ZZ101026		0.30	0.03	1.68	10.0	<0.2	<10	160	0.51	0.08	0.64	0.07	21.2	10.3	18	0.65
ZZ101027		0.29	0.04	1.20	4.0	<0.2	<10	180	0.29	0.08	0.44	0.16	10.15	6.7	15	0.61
ZZ101028		0.29	0.03	2.04	6.7	<0.2	<10	180	0.41	0.12	0.29	0.12	12.50	8.7	19	0.55
ZZ101029		0.46	0.04	1.26	5.1	<0.2	<10	160	0.39	0.09	0.62	0.03	19.15	6.9	22	0.49
ZZ101030		0.51	0.04	1.50	6.4	<0.2	<10	190	0.44	0.11	0.44	0.05	18.75	8.7	25	0.63
ZZ101031		0.34	0.04	1.33	5.0	<0.2	<10	170	0.47	0.09	0.50	0.03	18.15	7.7	24	0.37
ZZ101032		0.29	0.04	1.10	6.0	<0.2	<10	160	0.42	0.08	0.55	0.07	14.40	5.2	16	0.31
ZZ101033		0.36	0.03	1.19	5.8	<0.2	<10	160	0.40	0.09	0.46	0.03	17.75	5.7	19	0.40
ZZ101034		0.39	0.03	1.06	4.2	<0.2	<10	90	0.33	0.07	0.55	0.03	20.4	6.7	21	0.46
ZZ101051		0.28	0.03	0.29	2.0	<0.2	<10	40	0.07	0.03	0.53	0.04	5.55	2.1	3	0.18
ZZ101052		0.33	0.02	1.07	19.8	<0.2	<10	80	0.44	0.08	0.35	0.05	25.9	8.0	17	0.51
ZZ101053		0.60	0.04	0.89	3.9	<0.2	<10	90	0.24	0.06	0.35	0.04	10.65	4.0	14	0.45
ZZ101054		0.39	0.07	1.65	6.4	<0.2	<10	170	0.51	0.11	0.44	0.15	20.4	11.5	24	0.87
ZZ101055		0.38	0.06	0.59	4.9	<0.2	<10	70	0.20	0.04	0.37	0.08	9.82	3.6	8	0.27
ZZ101056		0.26	0.07	0.79	4.5	<0.2	<10	140	0.32	0.06	0.94	0.13	14.85	5.0	12	0.34
ZZ101057		0.40	0.04	1.04	11.5	<0.2	<10	110	0.36	0.08	0.65	0.10	20.3	7.5	18	0.68
ZZ101058		0.24	0.06	0.28	0.6	<0.2	<10	40	0.07	0.02	0.65	0.06	4.60	1.4	3	0.09
ZZ101059		0.27	0.13	1.32	24.4	<0.2	<10	150	0.42	0.13	1.08	0.12	18.05	9.4	17	0.63
ZZ101060		0.39	0.03	1.05	10.2	<0.2	<10	80	0.29	0.05	0.34	0.02	16.35	6.1	13	0.64
ZZ101061		0.38	0.02	0.99	4.7	<0.2	<10	70	0.23	0.04	0.30	0.03	10.55	5.3	9	0.47
ZZ101062		0.31	0.02	0.22	0.3	<0.2	<10	10	<0.05	0.02	0.41	0.01	6.75	1.9	2	0.05
ZZ101063		0.30	0.02	0.93	3.7	<0.2	<10	50	0.16	0.07	0.22	0.04	9.16	4.3	16	0.38
ZZ101064		0.29	0.02	1.05	6.3	<0.2	<10	140	0.26	0.06	0.23	0.05	9.47	5.9	16	0.63
ZZ101065		0.42	0.07	1.02	3.4	<0.2	<10	80	0.26	0.07	0.34	0.03	14.25	5.2	19	0.41
ZZ101066		0.52	0.02	1.36	5.1	<0.2	<10	120	0.35	0.09	0.43	0.04	19.25	6.8	24	0.62
ZZ101067		0.34	0.03	0.85	1.2	<0.2	<10	60	0.13	0.04	0.34	0.05	8.03	2.8	11	0.19
ZZ101068		0.39	0.02	1.48	3.5	<0.2	<10	70	0.34	0.07	0.46	0.04	14.55	6.2	23	0.33
DD021610		0.19	0.03	3.66	2.9	<0.2	<10	80	0.22	0.03	4.97	0.08	9.82	16.5	32	0.29
DD021611		0.20	0.02	1.64	3.1	<0.2	<10	80	0.25	0.08	0.40	0.03	12.30	6.2	24	0.45
DD021612		0.17	0.02	0.36	0.5	<0.2	<10	60	0.06	0.02	0.59	0.03	5.63	1.9	3	0.07



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ101016		24.3	2.58	4.86	<0.05	0.07	0.04	0.024	0.05	5.6	6.9	0.34	226	0.64	0.02
ZZ101017		14.6	1.83	4.81	<0.05	0.02	0.01	0.018	0.08	5.9	7.0	0.31	555	0.80	0.02
ZZ101018		23.0	2.40	4.87	0.05	0.08	0.05	0.025	0.08	10.6	10.8	0.48	417	0.54	0.02
ZZ101019		17.1	1.77	5.41	<0.05	0.02	0.02	0.021	0.06	6.6	10.7	0.36	375	0.82	0.02
ZZ101020		11.1	1.56	3.10	0.05	0.06	0.04	0.018	0.06	8.2	5.9	0.33	195	0.41	0.02
ZZ101021		19.5	2.04	4.37	0.05	0.05	0.03	0.020	0.06	11.8	10.7	0.42	244	0.43	0.02
ZZ101022		30.5	1.92	4.71	0.05	0.03	0.03	0.020	0.06	12.0	11.1	0.48	434	0.46	0.02
ZZ101023		14.8	2.04	5.40	<0.05	0.05	0.01	0.024	0.06	6.3	13.7	0.47	256	0.79	0.02
ZZ101024		17.6	3.97	3.65	0.06	0.06	0.06	0.021	0.05	10.8	5.6	0.37	1400	3.82	0.02
ZZ101025		39.0	1.83	4.15	0.05	0.06	0.07	0.022	0.06	11.1	5.8	0.39	1260	1.00	0.03
ZZ101026		20.9	2.74	5.19	<0.05	0.04	0.05	0.032	0.05	8.3	7.8	0.44	437	0.56	0.02
ZZ101027		19.8	1.71	4.14	<0.05	0.03	0.02	0.018	0.06	5.9	6.4	0.24	484	0.49	0.03
ZZ101028		22.0	2.57	7.01	<0.05	<0.02	0.01	0.025	0.05	7.0	10.6	0.46	296	0.91	0.02
ZZ101029		16.5	1.96	4.46	0.05	0.07	0.04	0.021	0.06	11.3	10.6	0.48	269	0.36	0.03
ZZ101030		13.6	2.21	4.95	<0.05	0.04	0.02	0.023	0.07	10.0	9.0	0.41	365	0.82	0.03
ZZ101031		13.6	1.99	4.41	<0.05	0.09	0.01	0.020	0.06	8.6	10.9	0.41	460	0.44	0.02
ZZ101032		28.1	1.86	3.81	<0.05	0.03	0.02	0.017	0.06	6.9	6.8	0.28	342	0.72	0.02
ZZ101033		14.4	1.82	3.89	<0.05	0.11	0.02	0.017	0.06	8.9	8.7	0.31	322	0.70	0.02
ZZ101034		11.8	1.75	3.69	0.05	0.05	0.01	0.016	0.07	10.7	10.9	0.43	240	0.29	0.03
ZZ101051		12.0	0.61	1.20	<0.05	0.02	0.02	0.005	0.02	2.5	1.3	0.09	66	0.34	0.05
ZZ101052		25.4	2.58	3.65	<0.05	0.10	0.11	0.026	0.08	10.2	6.1	0.29	331	0.70	0.02
ZZ101053		11.8	1.34	2.92	<0.05	0.02	0.01	0.014	0.04	5.0	6.6	0.27	190	0.38	0.03
ZZ101054		29.5	2.52	5.56	<0.05	0.04	0.03	0.026	0.08	10.2	11.3	0.41	787	0.93	0.02
ZZ101055		13.7	1.12	2.18	<0.05	<0.02	0.04	0.009	0.05	4.9	3.1	0.16	330	0.35	0.03
ZZ101056		31.8	1.37	2.79	<0.05	0.02	0.03	0.012	0.04	7.8	4.6	0.25	676	0.50	0.04
ZZ101057		25.5	2.30	3.64	<0.05	0.08	0.08	0.021	0.08	9.9	7.5	0.40	414	0.62	0.02
ZZ101058		11.0	0.45	1.04	<0.05	0.02	0.02	<0.005	0.03	2.1	0.5	0.07	40	0.10	0.05
ZZ101059		37.9	2.69	4.15	<0.05	0.05	0.15	0.025	0.07	8.9	7.3	0.44	1420	0.58	0.03
ZZ101060		12.0	1.92	3.20	<0.05	0.04	0.03	0.019	0.05	6.8	6.4	0.33	359	0.49	0.02
ZZ101061		13.0	1.64	3.21	<0.05	0.02	0.02	0.017	0.06	3.9	4.6	0.24	361	0.34	0.03
ZZ101062		5.2	0.71	1.35	<0.05	<0.02	0.01	<0.005	0.03	2.8	0.9	0.08	47	0.05	0.04
ZZ101063		8.5	1.84	3.39	<0.05	0.08	0.01	0.014	0.07	4.7	6.4	0.26	141	0.55	0.02
ZZ101064		15.2	1.94	3.33	<0.05	0.04	0.02	0.015	0.08	4.5	5.5	0.25	342	0.49	0.02
ZZ101065		10.7	1.67	3.57	<0.05	0.06	0.01	0.015	0.08	6.6	6.7	0.32	226	0.49	0.02
ZZ101066		13.6	2.00	4.39	<0.05	0.10	0.01	0.018	0.11	7.9	9.8	0.43	304	0.47	0.02
ZZ101067		11.4	0.94	2.69	<0.05	<0.02	0.01	0.009	0.03	4.2	4.9	0.22	149	0.15	0.03
ZZ101068		18.5	1.95	4.52	<0.05	0.09	0.01	0.017	0.06	9.4	8.7	0.45	284	0.55	0.03
DD021610		84.6	3.82	9.17	<0.05	0.18	0.02	0.031	0.14	4.3	11.8	1.23	683	0.18	0.03
DD021611		17.9	2.13	5.25	<0.05	0.09	<0.01	0.016	0.03	6.3	10.0	0.48	303	0.44	0.02
DD021612		11.0	0.63	1.31	<0.05	0.02	<0.01	<0.005	0.03	2.5	1.3	0.09	104	0.14	0.07



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ101016		10.7	210	4.6	5.1	<0.001	0.02	0.47	5.7	<0.2	0.3	37.6	<0.01	0.03	1.7
ZZ101017		9.2	210	5.4	10.5	<0.001	0.02	0.28	2.7	0.2	0.4	28.0	<0.01	0.03	1.3
ZZ101018		16.4	400	6.7	8.3	<0.001	0.03	0.51	6.5	0.5	0.4	56.3	<0.01	0.03	2.5
ZZ101019		9.7	280	5.6	7.5	<0.001	0.03	0.24	3.5	0.2	0.5	31.9	<0.01	0.03	1.0
ZZ101020		7.2	650	4.3	5.8	<0.001	0.03	0.31	3.7	0.2	0.3	41.2	<0.01	0.01	1.8
ZZ101021		15.2	470	4.2	5.7	<0.001	0.02	0.29	6.1	0.5	0.4	40.3	<0.01	0.03	2.7
ZZ101022		16.0	590	5.7	5.5	<0.001	0.03	0.34	4.5	0.6	0.4	60.2	<0.01	0.03	1.5
ZZ101023		13.3	190	6.1	5.8	<0.001	0.02	0.39	4.0	0.2	0.4	36.8	<0.01	0.02	1.4
ZZ101024		7.8	720	6.2	5.3	0.001	0.05	0.52	5.0	0.4	0.4	74.9	<0.01	0.03	2.2
ZZ101025		10.0	630	6.4	8.8	0.001	0.03	0.31	4.7	0.5	0.4	64.1	<0.01	0.02	2.7
ZZ101026		10.9	250	5.1	7.0	<0.001	0.02	0.34	6.5	0.2	0.4	37.1	<0.01	0.03	1.6
ZZ101027		8.3	290	4.0	6.6	<0.001	0.02	0.21	2.8	<0.2	0.3	32.8	<0.01	0.02	1.1
ZZ101028		11.2	260	5.6	5.1	<0.001	0.02	0.27	3.9	<0.2	0.5	34.3	<0.01	0.04	0.8
ZZ101029		12.6	280	4.4	5.3	0.001	0.02	0.21	5.1	0.5	0.4	40.3	<0.01	0.03	2.8
ZZ101030		13.2	310	5.6	8.4	<0.001	0.01	0.26	4.9	<0.2	0.5	33.7	<0.01	0.03	2.5
ZZ101031		12.1	310	5.6	5.2	<0.001	<0.01	0.18	3.9	0.4	0.4	42.1	<0.01	0.03	2.2
ZZ101032		10.2	270	5.3	6.3	<0.001	<0.01	0.27	3.4	<0.2	0.3	47.2	<0.01	0.02	0.8
ZZ101033		10.4	180	5.8	5.9	<0.001	<0.01	0.30	4.4	0.2	0.4	46.0	<0.01	0.03	2.3
ZZ101034		11.5	540	3.7	7.5	<0.001	<0.01	0.18	3.8	0.3	0.3	40.5	<0.01	0.02	2.2
ZZ101051		2.2	440	1.1	1.7	<0.001	0.03	0.14	0.9	0.2	<0.2	32.8	<0.01	0.02	0.2
ZZ101052		10.1	200	5.8	8.6	<0.001	<0.01	0.71	6.9	0.4	0.3	35.4	<0.01	0.03	2.4
ZZ101053		7.8	300	3.5	3.7	<0.001	<0.01	0.23	2.3	0.2	0.2	28.9	<0.01	0.02	0.6
ZZ101054		14.4	260	46.1	9.9	<0.001	<0.01	0.37	4.9	0.5	0.4	34.9	<0.01	0.04	1.5
ZZ101055		5.2	380	4.7	3.3	<0.001	<0.01	0.23	1.5	<0.2	0.2	24.7	<0.01	0.02	0.2
ZZ101056		10.4	620	3.1	3.5	<0.001	0.02	0.35	2.0	0.6	0.2	58.9	<0.01	0.03	0.4
ZZ101057		12.0	720	5.8	6.1	<0.001	<0.01	0.54	5.7	0.5	0.3	53.4	<0.01	0.02	2.1
ZZ101058		2.8	500	1.1	1.0	<0.001	0.02	0.16	0.5	<0.2	<0.2	35.6	<0.01	0.02	<0.2
ZZ101059		10.7	840	5.6	9.1	0.001	0.07	0.41	5.5	0.6	0.3	71.3	<0.01	0.05	0.9
ZZ101060		7.7	470	4.0	6.7	<0.001	<0.01	0.36	3.3	0.2	0.3	31.3	<0.01	0.02	1.6
ZZ101061		4.8	290	1.8	6.0	<0.001	<0.01	0.16	3.2	<0.2	0.2	18.0	<0.01	0.02	0.5
ZZ101062		1.2	710	0.4	0.8	<0.001	0.01	<0.05	0.3	<0.2	<0.2	21.2	<0.01	0.01	<0.2
ZZ101063		6.7	100	4.2	9.1	<0.001	<0.01	0.20	2.2	<0.2	0.3	18.8	<0.01	0.02	1.3
ZZ101064		7.4	220	3.9	11.2	<0.001	<0.01	0.20	3.0	<0.2	0.3	27.5	<0.01	0.02	1.1
ZZ101065		8.7	300	25.3	7.4	<0.001	<0.01	0.20	3.0	<0.2	0.3	24.7	<0.01	0.02	1.8
ZZ101066		12.6	340	6.9	13.4	<0.001	<0.01	0.18	4.4	0.3	0.4	33.5	<0.01	0.02	2.5
ZZ101067		5.1	240	3.1	2.3	<0.001	<0.01	0.05	1.4	<0.2	0.2	23.2	<0.01	0.02	0.2
ZZ101068		11.2	150	3.4	5.0	<0.001	<0.01	0.14	4.9	0.4	0.4	28.7	<0.01	0.02	1.8
DD021610		11.9	310	1.6	4.6	<0.001	0.01	0.06	20.1	0.7	0.3	61.4	<0.01	0.02	0.7
DD021611		10.0	120	3.9	3.7	<0.001	<0.01	0.16	3.8	<0.2	0.4	20.3	<0.01	0.02	1.5
DD021612		2.0	410	0.6	1.0	<0.001	0.02	<0.05	0.7	<0.2	<0.2	37.6	<0.01	0.02	<0.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ101016		0.08	0.39	63	0.07	3.22	39	2.4	0.001
ZZ101017		0.09	0.41	51	0.21	2.48	52	0.9	<0.001
ZZ101018		0.09	0.84	54	0.13	9.21	43	2.7	0.005
ZZ101019		0.09	0.42	49	0.16	3.15	48	0.8	0.001
ZZ101020		0.06	1.32	38	0.10	5.85	37	2.1	0.001
ZZ101021		0.08	0.64	49	0.19	11.40	32	1.6	0.002
ZZ101022		0.07	0.88	46	0.16	8.75	43	1.2	0.003
ZZ101023		0.09	0.40	51	0.19	3.12	37	1.8	0.001
ZZ101024		0.09	1.15	57	0.10	7.92	41	1.7	0.004
ZZ101025		0.09	1.33	50	0.07	8.38	45	1.4	0.004
ZZ101026		0.08	0.41	64	0.12	5.58	43	1.1	0.001
ZZ101027		0.07	0.28	44	0.11	2.83	58	1.0	<0.001
ZZ101028		0.10	0.36	64	0.12	2.78	52	0.5	0.001
ZZ101029		0.07	0.64	46	0.12	7.79	31	2.3	0.001
ZZ101030		0.07	0.60	54	0.16	5.46	33	1.5	0.001
ZZ101031		0.05	0.47	49	0.11	5.06	43	2.9	0.001
ZZ101032		0.05	0.55	45	0.09	3.03	32	0.8	0.002
ZZ101033		0.06	0.52	45	0.08	5.13	36	3.1	0.002
ZZ101034		0.06	0.54	43	0.24	7.61	31	1.7	0.002
ZZ101051		0.03	0.26	15	<0.05	1.70	9	0.7	<0.001
ZZ101052		0.08	0.44	56	0.06	5.39	34	3.2	0.002
ZZ101053		0.05	0.38	34	0.13	2.46	23	0.5	<0.001
ZZ101054		0.10	0.45	59	0.14	6.56	74	1.3	0.001
ZZ101055		0.03	0.21	27	0.07	3.38	27	<0.5	0.001
ZZ101056		0.03	9.69	30	0.22	6.83	22	0.8	0.001
ZZ101057		0.09	0.44	50	0.13	7.32	54	2.5	0.002
ZZ101058		<0.02	0.15	13	<0.05	1.23	8	0.6	<0.001
ZZ101059		0.10	1.01	51	0.07	8.61	78	1.5	0.003
ZZ101060		0.06	0.39	44	0.06	3.51	31	1.6	0.001
ZZ101061		0.03	0.17	39	0.05	2.39	26	0.5	<0.001
ZZ101062		<0.02	0.13	24	<0.05	1.12	13	<0.5	<0.001
ZZ101063		0.07	0.24	49	0.06	1.78	25	2.6	<0.001
ZZ101064		0.07	0.23	49	0.07	1.94	29	1.3	<0.001
ZZ101065		0.06	0.42	43	0.11	3.29	30	2.1	<0.001
ZZ101066		0.08	0.44	47	0.12	4.43	36	3.1	0.002
ZZ101067		0.04	0.19	27	0.08	1.74	18	<0.5	<0.001
ZZ101068		0.04	0.48	51	0.08	8.11	28	3.2	0.001
DD021610		0.03	0.13	123	<0.05	12.60	46	4.7	0.001
DD021611		0.06	0.29	58	0.07	2.63	38	2.7	0.001
DD021612		<0.02	0.38	19	<0.05	1.31	11	0.6	<0.001



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
DD021613		0.25	0.01	1.01	5.7	<0.2	<10	110	0.22	0.07	0.32	0.05	11.25	4.2	15	0.39
DD021614		0.18	0.02	0.40	0.7	<0.2	<10	40	0.05	0.02	0.39	0.01	4.18	1.2	3	0.18
DD021615		0.12	0.06	0.98	10.6	<0.2	<10	120	0.34	0.08	1.41	0.16	16.05	7.8	13	0.62
DD021616		0.15	0.03	0.30	0.4	<0.2	<10	40	0.06	0.03	0.67	0.06	3.63	1.9	3	0.08
DD021617		0.16	0.01	1.84	0.8	<0.2	<10	80	0.14	0.03	0.60	0.03	6.73	7.9	10	0.22
DD021618		0.14	0.15	1.80	2.7	<0.2	20	60	0.17	0.02	4.50	0.11	6.27	17.6	10	0.21
DD021619		0.12	0.03	0.22	0.3	<0.2	<10	50	<0.05	0.02	2.18	0.05	5.23	1.7	2	<0.05
DD021620		0.08	0.05	0.17	0.6	<0.2	10	90	0.05	0.02	3.92	0.22	1.59	1.4	2	0.10
DD021621		0.11	0.08	0.52	1.9	<0.2	<10	100	0.23	0.05	0.69	0.15	10.30	4.7	8	0.33
DD021622		0.29	0.07	1.49	4.2	<0.2	<10	110	0.47	0.08	0.58	0.05	24.5	8.2	23	0.44
DD021623		0.20	0.01	0.54	2.1	<0.2	<10	40	0.14	0.03	0.37	0.02	7.14	2.4	7	0.19
DD021624		0.14	0.07	0.48	1.2	<0.2	<10	60	0.09	0.04	0.91	0.31	5.52	2.6	5	0.22
DD021625		0.15	0.12	1.04	4.6	<0.2	<10	210	0.30	0.07	1.19	0.25	13.15	7.6	15	0.38
DD021626		0.18	0.04	0.62	1.4	<0.2	<10	80	0.09	0.03	0.58	0.04	6.83	4.1	8	0.27
DD021627		0.20	0.01	0.18	0.3	<0.2	<10	30	<0.05	0.01	0.25	0.05	3.98	1.2	1	0.06
DD021628		0.09	0.03	0.25	0.5	<0.2	<10	60	<0.05	0.01	1.99	0.10	2.93	1.2	2	0.10
DD021629		0.12	0.03	0.31	0.4	<0.2	<10	40	0.07	0.03	0.50	0.03	5.73	1.6	2	0.10
DD021630		0.09	0.04	0.61	2.6	<0.2	<10	80	0.15	0.03	1.85	0.15	8.57	4.0	7	0.30
DD021631		0.15	0.02	0.15	0.2	<0.2	<10	20	<0.05	0.02	0.14	0.02	3.42	1.0	1	0.07
DD021632		0.14	0.03	0.31	0.7	<0.2	<10	40	0.12	0.06	0.29	0.05	4.13	1.9	3	0.16
DD021633		0.24	0.09	1.16	9.1	<0.2	<10	120	0.32	0.05	0.85	0.13	17.85	10.6	14	0.84
DD021634		0.09	0.07	0.32	1.2	<0.2	<10	110	0.08	0.03	2.23	0.15	4.45	3.1	3	0.12
DD021635		0.28	0.04	1.78	5.2	<0.2	<10	100	0.32	0.10	0.43	0.11	11.40	10.9	22	0.84
DD021636		0.18	0.02	0.20	0.7	<0.2	<10	30	<0.05	0.02	0.60	0.04	4.92	1.9	2	0.07
DD021637		0.18	0.04	0.85	1.3	<0.2	<10	90	0.21	0.06	1.00	0.11	13.85	3.3	14	0.46
DD021638		0.28	0.02	0.58	2.6	<0.2	<10	60	0.14	0.04	0.31	0.03	5.77	3.2	8	0.32
DD021639		0.12	0.02	0.71	2.0	<0.2	<10	70	0.16	0.06	0.38	0.05	8.49	3.9	9	0.34
DD021640		0.16	0.05	0.82	3.2	<0.2	<10	110	0.23	0.05	0.54	0.08	13.85	5.2	13	0.34
DD021641		0.16	0.02	0.20	0.4	<0.2	<10	60	0.05	0.02	0.35	0.06	4.37	1.7	2	0.06
DD021642		0.16	0.05	0.95	3.6	<0.2	<10	110	0.24	0.09	1.06	0.14	14.95	8.4	17	0.56
DD021643		0.13	0.01	0.15	0.2	<0.2	<10	20	<0.05	0.02	0.26	0.03	3.88	1.3	2	0.06
DD021644		0.35	0.06	1.42	4.7	<0.2	<10	160	0.51	0.12	0.49	0.11	14.50	8.8	22	0.57
DD021645		0.42	0.02	0.51	1.7	<0.2	<10	60	0.10	0.05	0.26	0.07	4.79	2.8	7	0.28
DD021646		0.35	0.04	1.32	3.2	<0.2	<10	140	0.34	0.09	0.52	0.04	16.30	5.9	16	0.36
DD021647		0.30	0.08	0.85	2.6	<0.2	<10	130	0.34	0.08	0.56	0.12	18.40	7.2	13	0.40
DD021648		0.41	0.08	1.14	5.1	<0.2	<10	170	0.43	0.11	1.40	0.08	20.5	7.8	19	0.41
DD021649		0.38	0.09	0.76	3.1	<0.2	<10	120	0.38	0.08	0.70	0.23	13.45	6.6	12	0.43
DD021650		0.28	0.13	1.22	25.1	<0.2	<10	140	0.38	0.08	1.06	0.16	20.3	15.2	17	0.57
DD021746		0.29	0.07	1.30	4.9	<0.2	<10	180	0.31	0.08	0.84	0.05	16.95	7.5	21	0.52
DD021747		0.29	0.13	1.34	20.8	<0.2	<10	130	0.43	0.09	1.09	0.22	21.7	11.6	19	1.41



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021613		10.7	1.76	3.68	<0.05	0.04	0.02	0.014	0.05	5.4	6.0	0.22	188	0.62	0.02
DD021614		13.2	0.33	1.17	<0.05	0.03	0.01	0.005	0.02	2.0	2.1	0.13	42	0.19	0.05
DD021615		29.2	2.14	3.35	<0.05	0.06	0.09	0.019	0.07	8.0	5.8	0.40	1430	0.51	0.02
DD021616		24.7	0.55	1.14	<0.05	<0.02	0.01	<0.005	0.06	1.9	1.5	0.09	153	0.09	0.04
DD021617		19.2	2.01	4.61	<0.05	0.04	0.01	0.015	0.06	2.5	4.3	0.43	300	0.13	0.05
DD021618		60.4	3.56	5.00	<0.05	0.09	0.07	0.026	0.07	2.6	6.2	1.29	840	0.52	0.04
DD021619		16.0	0.44	0.92	<0.05	<0.02	0.01	<0.005	0.02	2.5	0.4	0.13	91	0.18	0.05
DD021620		35.9	0.24	0.40	<0.05	0.03	0.05	0.005	0.02	0.8	0.6	0.30	257	0.53	0.01
DD021621		19.1	1.03	2.11	<0.05	0.02	0.01	0.009	0.05	3.6	2.9	0.18	581	0.27	0.04
DD021622		32.3	2.08	4.69	0.05	0.05	0.03	0.022	0.08	14.5	12.9	0.52	309	0.39	0.03
DD021623		12.8	0.89	1.90	<0.05	0.02	0.01	0.008	0.03	4.1	2.9	0.18	121	0.16	0.05
DD021624		18.8	0.55	1.70	<0.05	<0.02	0.03	<0.005	0.04	2.9	1.6	0.12	91	0.70	0.03
DD021625		67.8	1.78	3.17	<0.05	0.02	0.02	<0.005	0.04	6.8	4.7	0.29	400	0.47	0.05
DD021626		14.9	1.01	2.22	<0.05	<0.02	0.01	<0.005	0.05	3.3	3.4	0.25	192	0.16	0.04
DD021627		5.2	0.31	0.82	<0.05	<0.02	<0.01	<0.005	0.03	1.9	0.6	0.06	49	0.07	0.05
DD021628		8.3	0.25	0.62	<0.05	0.02	0.03	<0.005	0.03	1.5	0.4	0.20	76	0.21	0.05
DD021629		12.7	0.38	1.34	<0.05	0.03	0.01	0.010	0.02	2.6	0.9	0.08	26	0.12	0.05
DD021630		34.5	0.95	2.02	<0.05	0.06	0.06	0.009	0.04	4.4	2.9	0.25	185	0.38	0.03
DD021631		2.6	0.26	0.81	<0.05	<0.02	0.01	<0.005	0.04	1.5	0.3	0.04	20	0.05	0.04
DD021632		12.0	0.48	1.06	<0.05	0.05	0.01	0.036	0.03	1.9	0.9	0.07	75	0.12	0.05
DD021633		41.6	2.41	3.95	0.07	0.10	0.06	0.020	0.09	9.6	5.5	0.41	618	0.48	0.03
DD021634		21.1	0.44	0.97	<0.05	0.04	0.04	0.012	0.02	2.2	0.4	0.13	871	0.65	0.04
DD021635		21.2	2.61	6.02	<0.05	0.06	0.01	0.040	0.08	5.7	9.2	0.51	444	0.60	0.01
DD021636		7.0	0.46	1.09	<0.05	<0.02	0.01	0.006	0.03	2.3	0.5	0.07	106	0.13	0.05
DD021637		15.8	0.93	3.07	0.05	0.06	0.03	0.020	0.04	7.1	5.6	0.33	102	0.20	0.03
DD021638		10.5	0.83	2.05	<0.05	0.02	0.01	0.011	0.04	2.7	3.1	0.15	141	0.30	0.05
DD021639		11.6	0.96	2.66	<0.05	0.02	0.01	0.011	0.05	4.7	3.2	0.18	190	0.28	0.04
DD021640		23.6	1.22	2.81	<0.05	<0.02	0.02	0.009	0.05	6.9	5.4	0.24	337	0.27	0.03
DD021641		8.5	0.40	0.85	<0.05	0.02	<0.01	0.009	0.02	2.0	0.6	0.07	140	0.08	0.06
DD021642		18.2	1.44	3.22	0.05	0.03	0.03	0.027	0.07	7.1	6.8	0.37	795	0.67	0.04
DD021643		4.5	0.29	0.74	<0.05	0.02	<0.01	0.010	0.03	1.8	0.7	0.06	39	0.07	0.06
DD021644		27.6	1.98	5.15	<0.05	0.07	0.02	0.032	0.05	6.9	5.9	0.32	480	0.98	0.03
DD021645		8.0	0.81	2.33	<0.05	0.02	0.01	0.018	0.05	2.3	2.9	0.14	91	0.46	0.03
DD021646		13.7	2.10	4.21	<0.05	0.08	0.01	0.042	0.04	8.1	6.9	0.27	330	0.75	0.04
DD021647		31.1	1.18	2.66	0.05	0.04	0.01	0.030	0.04	9.0	4.5	0.24	475	0.32	0.06
DD021648		35.6	1.74	3.77	0.06	0.06	0.05	0.035	0.06	11.9	7.6	0.40	406	0.65	0.03
DD021649		42.7	1.18	2.77	0.05	0.03	0.03	0.022	0.04	7.9	5.3	0.21	638	0.36	0.05
DD021650		42.2	3.07	4.20	0.07	0.04	0.13	0.007	0.06	10.4	6.9	0.41	1390	0.85	0.02
DD021746		16.0	1.81	4.24	0.05	0.03	0.02	0.020	0.06	8.3	8.0	0.39	293	0.41	0.03
DD021747		40.8	2.85	4.26	0.07	0.06	0.10	0.009	0.08	10.6	7.1	0.49	716	0.92	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
DD021613		7.5	170	4.5	8.0	<0.001	<0.01	0.24	2.9	0.3	0.3	31.1	<0.01	0.02	1.1
DD021614		1.5	380	0.9	1.2	0.001	0.05	0.06	1.1	<0.2	<0.2	26.5	<0.01	0.02	0.2
DD021615		8.4	660	4.7	12.0	0.001	0.06	0.34	4.3	0.8	0.3	87.5	<0.01	0.03	1.1
DD021616		2.6	510	0.6	2.3	<0.001	0.01	<0.05	0.7	<0.2	<0.2	35.0	<0.01	0.02	<0.2
DD021617		5.2	200	1.1	4.2	<0.001	<0.01	<0.05	5.7	<0.2	0.2	158.5	<0.01	0.02	0.3
DD021618		11.2	640	2.5	4.4	0.001	0.11	0.79	11.9	0.8	<0.2	189.0	<0.01	0.01	0.2
DD021619		1.7	520	0.5	0.6	<0.001	0.08	0.11	0.2	<0.2	<0.2	98.9	<0.01	0.02	<0.2
DD021620		3.4	890	0.5	0.7	0.001	0.30	0.26	0.2	0.2	<0.2	174.5	<0.01	0.02	<0.2
DD021621		6.4	500	2.0	6.5	<0.001	0.02	0.16	1.2	0.2	<0.2	51.5	<0.01	0.02	0.2
DD021622		14.8	290	3.9	8.2	<0.001	0.01	0.22	6.7	0.6	0.4	43.5	<0.01	0.02	1.6
DD021623		3.5	290	1.4	2.2	<0.001	<0.01	0.13	1.9	0.2	<0.2	31.1	<0.01	0.01	0.4
DD021624		8.2	570	4.3	2.6	<0.001	0.06	0.13	0.4	0.3	<0.2	50.6	<0.01	<0.01	<0.2
DD021625		18.5	830	4.1	3.2	<0.001	0.05	0.48	2.4	1.4	0.2	86.7	<0.01	<0.01	0.4
DD021626		5.3	400	2.5	3.5	<0.001	0.01	0.06	2.1	0.3	0.2	33.9	<0.01	<0.01	0.5
DD021627		1.6	410	0.5	1.4	<0.001	0.01	<0.05	0.3	<0.2	<0.2	16.8	<0.01	<0.01	<0.2
DD021628		2.6	560	0.9	1.3	0.001	0.08	0.05	0.3	0.3	<0.2	112.0	<0.01	<0.01	<0.2
DD021629		2.3	600	0.8	0.9	0.002	0.04	0.06	0.5	0.2	<0.2	28.8	0.01	0.01	<0.2
DD021630		6.1	660	2.5	3.8	0.004	0.20	0.27	2.3	0.9	<0.2	71.6	<0.01	0.01	0.4
DD021631		1.0	320	0.3	1.3	0.001	<0.01	<0.05	0.2	<0.2	<0.2	12.9	<0.01	<0.01	<0.2
DD021632		2.2	160	1.8	2.5	0.004	0.01	<0.05	0.6	0.2	<0.2	15.6	0.01	0.06	0.2
DD021633		12.3	600	4.6	11.2	0.001	0.01	0.34	7.3	0.8	0.3	47.4	<0.01	0.01	1.7
DD021634		4.5	660	6.4	1.0	0.002	0.10	0.18	0.5	0.4	<0.2	89.2	0.01	0.02	<0.2
DD021635		12.1	170	5.1	19.6	0.003	<0.01	0.18	5.1	0.3	0.5	26.3	0.01	0.05	1.5
DD021636		2.6	450	0.7	1.1	0.001	0.02	<0.05	0.4	0.3	<0.2	28.5	<0.01	0.01	<0.2
DD021637		7.6	730	3.8	4.2	0.001	0.09	0.25	2.7	0.7	0.2	54.0	0.01	0.02	1.3
DD021638		5.7	230	2.5	4.3	0.001	0.01	0.10	1.4	0.2	<0.2	21.9	<0.01	<0.01	0.5
DD021639		5.9	380	3.0	5.6	0.001	0.01	0.05	1.6	0.4	0.2	22.0	<0.01	0.02	0.5
DD021640		8.9	440	4.9	4.9	<0.001	0.01	0.10	2.4	0.5	0.2	34.4	<0.01	<0.01	0.7
DD021641		2.1	460	0.4	0.9	0.001	0.02	<0.05	0.3	<0.2	<0.2	23.4	<0.01	0.02	<0.2
DD021642		10.2	680	4.1	7.8	0.002	0.03	0.09	2.6	0.5	0.3	59.3	0.01	0.03	0.8
DD021643		1.6	370	0.4	1.1	0.001	0.01	<0.05	0.3	<0.2	<0.2	17.4	<0.01	0.02	<0.2
DD021644		16.7	160	6.6	7.8	0.002	0.01	0.23	3.4	0.5	0.5	39.9	0.01	0.04	1.6
DD021645		3.6	290	2.2	8.7	0.002	0.01	0.05	1.0	<0.2	0.2	25.5	0.01	0.02	0.2
DD021646		10.2	320	4.3	4.3	0.002	0.01	0.15	3.8	0.5	0.5	41.9	0.01	0.05	1.6
DD021647		13.1	490	17.0	4.6	0.004	0.02	0.22	2.6	0.8	0.2	38.7	0.01	0.06	0.8
DD021648		14.6	510	14.3	5.4	0.002	0.05	0.26	3.8	1.0	0.4	90.7	0.01	0.05	1.1
DD021649		17.8	480	6.3	3.5	0.001	0.02	0.21	3.0	0.8	0.2	46.2	0.01	0.04	0.7
DD021650		14.4	730	5.9	9.9	<0.001	0.06	0.59	7.2	0.8	0.3	75.4	<0.01	<0.01	1.5
DD021746		13.6	330	8.5	7.0	<0.001	0.02	0.20	3.9	0.4	0.4	52.8	<0.01	<0.01	1.5
DD021747		17.1	780	24.6	13.6	<0.001	0.08	0.55	6.4	1.0	0.4	72.7	<0.01	<0.01	1.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41 TI ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Au-ICP21 Au ppm 0.001
DD021613		0.06	0.35	47	0.08	2.62	30	1.8	0.004
DD021614		0.02	0.30	9	<0.05	1.32	14	0.9	<0.001
DD021615		0.08	0.90	43	0.06	7.43	51	1.6	0.001
DD021616		<0.02	0.17	17	<0.05	2.28	11	<0.5	<0.001
DD021617		0.02	0.13	62	<0.05	2.86	26	1.6	<0.001
DD021618		0.02	0.69	89	<0.05	8.92	49	2.0	<0.001
DD021619		0.02	0.29	13	<0.05	1.02	8	0.6	<0.001
DD021620		0.02	1.71	6	<0.05	0.86	11	1.1	0.002
DD021621		0.03	0.58	28	0.05	2.01	32	<0.5	<0.001
DD021622		0.07	1.44	52	0.10	11.55	40	1.7	0.001
DD021623		0.03	0.35	24	0.05	2.99	14	0.7	<0.001
DD021624		0.02	0.20	14	0.05	1.68	16	<0.5	0.001
DD021625		0.04	2.03	43	0.11	7.28	19	1.2	0.002
DD021626		0.02	0.53	26	0.05	2.16	16	0.6	<0.001
DD021627		<0.02	0.17	9	<0.05	1.02	7	<0.5	<0.001
DD021628		<0.02	0.37	6	<0.05	0.81	12	1.0	0.001
DD021629		0.03	0.13	13	<0.05	1.19	11	0.6	<0.001
DD021630		0.07	1.01	22	0.06	5.56	33	1.9	<0.001
DD021631		<0.02	0.05	8	<0.05	0.69	5	<0.5	<0.001
DD021632		0.05	0.13	14	0.06	1.01	9	0.5	<0.001
DD021633		0.10	0.40	62	0.07	11.75	45	3.3	0.002
DD021634		0.04	0.26	12	<0.05	1.90	23	1.0	NSS
DD021635		0.09	0.31	69	0.13	3.02	56	1.5	0.001
DD021636		0.02	0.19	15	<0.05	1.34	11	<0.5	<0.001
DD021637		0.07	1.15	27	0.11	5.03	30	2.0	0.001
DD021638		0.04	0.16	21	0.09	1.47	15	0.6	<0.001
DD021639		0.04	0.22	26	0.08	4.16	26	0.5	<0.001
DD021640		0.03	0.52	33	0.08	5.77	24	0.5	<0.001
DD021641		0.02	0.41	13	<0.05	1.00	7	<0.5	<0.001
DD021642		0.06	0.44	38	0.11	4.67	27	0.7	0.001
DD021643		<0.02	0.12	9	<0.05	0.91	6	<0.5	<0.001
DD021644		0.08	0.36	53	0.17	3.70	32	2.1	0.001
DD021645		0.04	0.17	23	0.24	1.03	13	<0.5	<0.001
DD021646		0.08	0.68	50	0.08	4.01	29	2.3	<0.001
DD021647		0.06	0.69	32	0.11	7.64	18	0.6	0.001
DD021648		0.07	1.29	42	0.21	11.15	29	1.4	0.004
DD021649		0.05	0.54	29	0.09	8.60	25	1.0	0.001
DD021650		0.06	1.16	55	0.15	11.55	59	1.8	0.003
DD021746		0.05	0.43	45	0.30	5.77	38	1.2	0.001
DD021747		0.12	1.40	59	0.09	11.10	63	2.0	0.003



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
DD021748		0.48	0.07	0.97	6.9	<0.2	<10	100	0.31	0.04	0.53	0.03	20.4	7.4	13	0.44
DD021749		0.48	0.09	1.50	6.6	<0.2	<10	130	0.33	0.09	0.73	0.04	21.2	9.8	25	0.80
DD021750		0.31	0.08	0.71	2.8	<0.2	<10	80	0.21	0.04	0.74	0.07	11.90	4.5	9	0.51
CC140055		0.06	0.03	0.30	0.7	<0.2	<10	90	<0.05	0.02	2.60	0.11	4.73	2.1	3	0.09
CC140056		0.18	0.02	0.25	0.6	<0.2	<10	20	<0.05	<0.01	0.40	<0.01	5.66	1.9	3	0.12
CC140057		0.24	0.03	0.63	1.3	<0.2	<10	70	0.12	0.03	0.45	0.02	6.37	2.9	8	0.33
CC140058		0.09	0.03	0.28	0.8	<0.2	<10	100	<0.05	<0.01	2.37	0.09	3.63	2.2	3	0.10
CC140059		0.12	0.02	1.46	2.3	<0.2	<10	60	0.18	0.07	0.25	0.03	7.56	5.4	14	0.56
CC140060		0.19	0.03	0.51	0.7	<0.2	<10	40	0.06	0.03	0.26	0.04	4.93	2.1	3	0.15
CC140061		0.11	0.06	0.90	1.6	<0.2	10	120	0.14	0.04	1.30	0.15	7.40	5.6	10	0.29
CC140062		0.14	0.06	1.57	27.1	<0.2	<10	200	0.40	0.10	0.89	0.07	19.30	11.0	17	0.86
CC140063		0.17	0.02	0.73	4.0	<0.2	<10	70	0.20	0.05	0.63	0.04	11.45	3.9	10	0.32
CC140064		0.16	0.04	0.51	1.1	<0.2	<10	80	0.15	0.04	0.39	0.05	6.68	3.3	7	0.28
CC140065		0.17	0.02	0.34	0.8	<0.2	<10	50	0.08	0.03	0.29	0.03	5.79	2.1	5	0.18
CC140066		0.18	0.03	0.21	0.4	<0.2	<10	70	<0.05	0.03	0.40	0.04	5.10	2.0	2	0.06
CC140067		0.10	0.01	0.53	0.7	<0.2	<10	20	0.07	0.03	0.17	0.01	3.23	1.8	4	0.18
CC140068		0.11	0.03	0.24	0.2	<0.2	<10	10	<0.05	0.02	0.13	0.01	1.98	1.0	2	0.07
CC140069		0.16	0.01	0.16	0.3	<0.2	<10	30	<0.05	0.01	0.29	0.02	2.44	0.8	1	0.07
CC140070		0.19	0.01	0.98	3.3	<0.2	<10	70	0.19	0.07	0.27	0.03	10.45	3.7	18	0.26
DD008270		0.27	0.05	1.99	9.1	<0.2	<10	110	0.39	0.07	0.95	0.08	16.45	13.1	16	0.74
DD008271		0.17	0.03	1.51	3.1	<0.2	<10	190	0.25	0.09	0.48	0.28	10.10	8.1	18	0.65
DD008272		0.13	0.10	0.29	0.3	<0.2	<10	30	0.09	0.02	0.76	0.24	5.05	0.5	1	0.07
DD008273		0.24	0.10	1.87	5.5	<0.2	<10	120	0.21	0.10	0.36	0.16	8.40	10.0	16	0.65
DD008274		0.22	0.03	0.27	0.4	<0.2	<10	40	0.07	0.02	0.76	0.08	5.19	1.5	5	0.16
DD008275		0.14	0.02	0.17	0.2	<0.2	<10	40	<0.05	0.01	0.44	0.02	3.15	1.1	2	0.05
DD008276		0.29	0.02	1.31	8.6	<0.2	<10	120	0.36	0.09	0.36	0.05	14.70	6.6	21	0.48
DD008277		0.23	0.05	1.60	5.4	<0.2	<10	140	0.29	0.08	0.45	0.05	13.65	9.2	20	0.62
DD008278		0.27	0.03	1.40	4.2	<0.2	<10	140	0.25	0.09	0.49	0.04	16.05	6.8	24	0.51
DD008279		0.27	0.03	1.09	3.4	<0.2	<10	90	0.29	0.07	0.45	0.03	18.80	6.2	19	0.46
DD008280		0.23	0.02	1.13	4.0	<0.2	<10	100	0.19	0.08	0.44	0.03	12.00	5.1	19	0.44
DD008281		0.22	0.05	1.14	3.6	<0.2	<10	120	0.25	0.08	0.75	0.03	17.10	6.0	21	0.56
DD008282		0.29	0.05	1.73	6.2	<0.2	<10	150	0.33	0.09	0.36	0.17	10.50	8.5	18	0.67
DD008283		0.28	0.03	1.95	9.4	<0.2	<10	120	0.49	0.10	0.58	0.05	28.0	11.2	29	1.01
DD008284		0.27	0.02	1.51	2.6	<0.2	<10	110	0.23	0.07	0.38	0.02	15.65	6.4	18	0.43
ZZ21201		0.22	0.14	3.14	4.5	<0.2	<10	260	0.39	0.05	0.82	0.14	22.0	12.3	5	0.28
ZZ21202		0.22	0.04	1.28	6.2	<0.2	<10	100	0.25	0.08	0.17	0.03	10.25	5.3	20	0.49
ZZ21203		0.24	0.01	1.29	4.5	<0.2	<10	110	0.25	0.07	0.36	0.02	14.70	5.9	21	0.45
ZZ21204		0.17	0.02	1.09	2.7	<0.2	<10	90	0.19	0.07	0.33	0.03	12.60	5.2	19	0.30
ZZ21205		0.27	0.02	1.19	3.3	<0.2	<10	100	0.22	0.09	0.37	0.05	14.30	6.0	20	0.60
ZZ21206		0.16	0.02	2.37	3.3	<0.2	<10	90	0.26	0.07	0.55	0.03	11.80	9.5	17	0.36



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
DD021748		22.6	1.69	3.55	0.06	0.02	0.06	<0.005	0.04	11.0	5.3	0.27	471	0.51	0.04
DD021749		27.5	2.21	5.15	0.05	0.04	0.06	0.009	0.09	10.3	12.9	0.55	393	0.71	0.03
DD021750		26.5	1.02	2.42	<0.05	<0.02	0.03	<0.005	0.05	6.2	4.1	0.21	291	0.41	0.05
CC140055		18.8	0.41	0.98	<0.05	<0.02	0.04	<0.005	0.02	2.2	0.5	0.17	381	0.41	0.04
CC140056		5.1	0.50	1.20	<0.05	<0.02	0.01	<0.005	0.03	2.5	1.2	0.10	80	0.08	0.04
CC140057		12.1	0.83	2.37	<0.05	<0.02	<0.01	<0.005	0.06	3.1	2.8	0.16	94	0.15	0.05
CC140058		18.6	0.36	0.87	<0.05	<0.02	0.04	<0.005	0.03	1.9	0.5	0.18	317	0.60	0.03
CC140059		19.7	1.49	4.52	<0.05	0.05	0.02	0.015	0.04	3.1	5.8	0.25	144	0.72	0.02
CC140060		15.8	0.56	1.46	<0.05	0.02	0.01	0.005	0.04	2.1	2.4	0.08	108	0.22	0.05
CC140061		65.9	1.22	2.78	<0.05	0.04	0.01	0.011	0.06	3.2	4.6	0.31	298	0.22	0.06
CC140062		45.6	3.70	4.83	0.06	0.09	0.08	0.026	0.09	9.8	6.9	0.51	1120	0.81	0.03
CC140063		15.1	1.29	2.46	<0.05	0.04	0.03	0.010	0.04	6.0	3.5	0.18	167	0.40	0.03
CC140064		18.0	0.70	1.89	<0.05	<0.02	0.01	0.006	0.03	3.1	2.5	0.14	151	0.26	0.05
CC140065		12.7	0.55	1.43	<0.05	<0.02	0.01	0.005	0.03	2.7	1.6	0.09	111	0.18	0.04
CC140066		16.2	0.47	1.02	<0.05	0.02	<0.01	<0.005	0.02	2.2	1.0	0.08	39	0.11	0.06
CC140067		6.3	0.59	1.84	<0.05	<0.02	0.01	<0.005	0.03	1.5	2.0	0.08	46	0.14	0.03
CC140068		4.7	0.33	1.02	<0.05	<0.02	0.01	<0.005	0.03	0.9	0.9	0.04	26	0.10	0.04
CC140069		4.3	0.24	0.68	<0.05	<0.02	<0.01	<0.005	0.02	1.1	0.4	0.05	29	0.09	0.06
CC140070		8.7	1.46	3.43	<0.05	0.02	0.01	0.011	0.05	5.2	6.0	0.27	100	0.60	0.02
DD008270		45.7	3.32	6.07	0.05	0.10	0.06	0.028	0.09	8.6	9.4	0.75	695	0.40	0.02
DD008271		17.3	2.12	5.23	<0.05	0.03	0.02	0.019	0.04	4.7	7.6	0.32	839	0.69	0.02
DD008272		67.8	0.11	0.86	<0.05	0.03	0.04	<0.005	0.04	3.0	0.6	0.07	20	0.09	0.05
DD008273		19.4	2.88	6.96	<0.05	0.06	0.01	0.022	0.08	4.0	9.8	0.46	267	0.96	0.01
DD008274		10.7	0.43	1.33	<0.05	0.02	0.02	<0.005	0.02	2.3	1.4	0.09	46	0.14	0.05
DD008275		6.6	0.32	0.79	<0.05	<0.02	0.01	<0.005	0.03	1.4	0.6	0.06	49	0.08	0.07
DD008276		16.5	2.08	4.46	<0.05	0.09	0.01	0.021	0.06	7.2	10.1	0.40	196	0.86	0.02
DD008277		22.3	2.24	5.25	<0.05	0.09	0.02	0.021	0.08	7.0	7.2	0.37	414	0.66	0.02
DD008278		11.5	1.83	4.50	<0.05	0.07	0.01	0.018	0.07	7.1	8.9	0.39	309	0.62	0.03
DD008279		32.5	1.60	3.71	0.05	0.06	0.01	0.016	0.07	9.5	8.2	0.34	268	0.32	0.04
DD008280		9.7	1.53	3.91	<0.05	0.04	0.01	0.014	0.06	5.8	6.8	0.33	216	0.47	0.02
DD008281		15.6	1.72	3.99	0.05	0.04	0.01	0.018	0.09	8.1	10.2	0.45	182	0.33	0.04
DD008282		21.1	2.25	5.56	<0.05	<0.02	0.02	0.021	0.05	5.0	7.7	0.32	350	0.75	0.02
DD008283		33.5	2.84	5.69	0.05	0.07	0.02	0.031	0.12	12.1	9.1	0.42	385	0.85	0.04
DD008284		19.8	1.91	4.76	<0.05	0.11	0.01	0.016	0.09	6.8	7.6	0.40	202	0.28	0.02
ZZ21201		21.5	3.77	10.90	0.05	0.18	0.05	0.042	0.11	8.0	9.3	0.73	1220	0.67	0.02
ZZ21202		14.3	1.99	4.31	<0.05	0.06	0.01	0.017	0.04	5.2	8.0	0.32	142	0.86	0.02
ZZ21203		12.4	1.74	3.94	<0.05	0.10	0.01	0.018	0.08	6.7	7.7	0.33	233	0.51	0.02
ZZ21204		7.7	1.53	3.91	<0.05	0.05	0.01	0.013	0.07	5.8	7.2	0.34	246	0.66	0.01
ZZ21205		12.9	1.73	4.07	<0.05	0.02	0.01	0.016	0.12	6.6	7.3	0.33	370	0.58	0.02
ZZ21206		26.0	2.67	7.06	<0.05	0.25	0.01	0.023	0.04	5.3	8.1	0.48	318	0.41	0.04



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
DD021748		10.9	420	4.1	4.7	<0.001	0.01	0.33	4.5	0.7	0.2	40.4	<0.01	<0.01	1.2
DD021749		17.9	540	7.6	8.5	<0.001	0.02	0.40	6.0	0.6	0.4	52.4	<0.01	<0.01	2.5
DD021750		11.3	530	2.5	5.0	<0.001	0.03	0.29	2.2	0.4	0.2	44.0	<0.01	<0.01	0.4
CC140055		3.8	820	0.9	0.9	<0.001	0.18	0.09	0.3	0.4	<0.2	120.0	<0.01	<0.01	<0.2
CC140056		2.2	500	0.9	1.9	<0.001	0.02	<0.05	0.6	<0.2	<0.2	21.8	<0.01	<0.01	<0.2
CC140057		4.7	290	2.2	9.4	<0.001	0.01	<0.05	1.4	0.2	0.2	26.7	<0.01	<0.01	0.3
CC140058		4.1	770	0.8	1.3	<0.001	0.15	0.10	0.3	0.4	<0.2	116.0	<0.01	<0.01	<0.2
CC140059		10.8	140	4.0	5.5	0.001	0.02	0.17	2.9	0.2	0.3	15.8	<0.01	0.01	0.8
CC140060		3.1	130	1.1	1.9	0.001	0.02	0.07	0.8	<0.2	<0.2	17.2	<0.01	0.01	0.3
CC140061		8.9	420	1.4	3.8	0.001	0.04	0.10	3.0	0.2	0.2	66.6	<0.01	0.01	0.3
CC140062		11.8	740	5.8	13.1	0.001	0.05	0.41	8.2	0.7	0.3	69.0	<0.01	0.02	1.7
CC140063		7.2	220	3.2	3.3	<0.001	0.03	0.22	2.6	0.2	0.2	35.6	<0.01	0.01	1.0
CC140064		5.9	350	1.7	2.0	<0.001	0.03	0.12	0.9	0.2	0.2	29.8	<0.01	<0.01	<0.2
CC140065		3.3	360	1.1	2.0	<0.001	0.02	0.08	0.7	0.2	<0.2	20.6	<0.01	<0.01	0.4
CC140066		1.9	640	0.5	0.9	<0.001	0.05	0.10	0.4	<0.2	<0.2	27.6	<0.01	<0.01	<0.2
CC140067		2.5	210	1.1	1.5	<0.001	0.02	0.05	0.6	<0.2	<0.2	15.0	<0.01	<0.01	<0.2
CC140068		1.2	150	1.6	1.0	<0.001	0.02	<0.05	0.2	<0.2	<0.2	11.0	<0.01	<0.01	<0.2
CC140069		1.4	270	0.3	0.9	<0.001	0.03	<0.05	0.2	<0.2	<0.2	18.4	<0.01	<0.01	<0.2
CC140070		8.4	130	4.7	5.9	<0.001	0.02	0.20	2.1	<0.2	0.3	23.1	<0.01	0.01	1.0
DD008270		12.3	460	4.9	10.9	<0.001	0.04	0.28	9.6	0.5	0.4	43.8	<0.01	0.01	1.5
DD008271		10.6	170	5.2	4.5	<0.001	0.02	0.25	2.9	<0.2	0.4	28.8	<0.01	0.02	0.8
DD008272		2.2	310	18.7	0.9	0.001	0.11	0.25	0.8	0.3	<0.2	30.9	<0.01	<0.01	<0.2
DD008273		9.4	280	5.1	12.3	<0.001	0.02	0.26	4.0	<0.2	0.4	31.4	<0.01	0.02	0.9
DD008274		3.0	430	1.2	1.4	0.001	0.08	0.12	0.7	0.3	<0.2	36.0	<0.01	0.01	0.2
DD008275		1.5	370	0.4	0.9	0.001	0.04	0.08	0.2	<0.2	<0.2	34.7	<0.01	0.01	<0.2
DD008276		12.8	140	7.0	10.0	<0.001	0.02	0.50	3.5	0.2	0.4	31.2	<0.01	0.02	1.6
DD008277		11.5	210	5.3	13.7	<0.001	0.02	0.27	4.3	0.3	0.4	32.8	<0.01	0.01	1.6
DD008278		12.3	250	5.4	7.0	<0.001	0.02	0.20	3.3	0.3	0.4	32.5	<0.01	0.01	2.1
DD008279		12.0	320	3.6	6.2	<0.001	0.03	0.18	3.7	0.3	0.3	30.6	<0.01	0.01	2.1
DD008280		8.9	220	4.1	6.3	<0.001	0.02	0.18	2.6	0.2	0.4	28.3	<0.01	0.01	1.3
DD008281		11.5	410	4.0	8.4	0.001	0.03	0.16	3.5	0.6	0.3	56.8	<0.01	0.01	1.8
DD008282		11.1	280	5.4	5.7	<0.001	0.02	0.31	2.9	0.2	0.4	33.2	<0.01	0.02	0.7
DD008283		18.0	150	5.8	13.8	<0.001	0.02	0.36	7.1	0.4	0.5	53.3	<0.01	0.02	3.3
DD008284		9.5	110	3.0	8.3	<0.001	0.02	0.15	5.2	0.3	0.3	22.5	<0.01	0.01	1.7
ZZ21201		4.0	310	2.9	7.5	<0.001	0.03	0.15	9.4	0.9	0.4	43.0	<0.01	0.01	0.8
ZZ21202		12.3	110	5.2	6.0	<0.001	0.02	0.29	2.6	0.2	0.3	22.9	<0.01	0.02	1.4
ZZ21203		9.7	220	4.1	9.3	<0.001	0.02	0.19	3.5	0.2	0.3	26.2	<0.01	0.01	2.1
ZZ21204		8.8	140	4.6	7.7	<0.001	0.02	0.15	2.5	<0.2	0.4	25.0	<0.01	0.01	1.3
ZZ21205		10.0	340	4.3	13.9	0.001	0.02	0.19	2.9	<0.2	0.4	26.3	<0.01	0.01	1.4
ZZ21206		9.6	80	3.2	4.1	<0.001	0.02	0.15	7.9	0.3	0.4	25.9	<0.01	0.01	1.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
DD021748		0.04	0.50	42	0.10	10.20	26	1.0	0.001
DD021749		0.08	0.58	51	0.17	7.44	49	1.9	0.003
DD021750		0.04	0.36	24	0.07	5.86	20	0.7	0.001
CC140055		<0.02	0.74	10	<0.05	1.27	9	1.0	NSS
CC140056		<0.02	0.07	14	<0.05	1.13	10	<0.5	<0.001
CC140057		0.02	0.18	20	<0.05	1.51	14	0.5	<0.001
CC140058		<0.02	0.36	10	<0.05	1.33	21	1.2	0.002
CC140059		0.04	0.20	48	0.10	1.75	28	1.8	<0.001
CC140060		0.02	0.09	15	<0.05	1.15	11	0.9	<0.001
CC140061		0.02	0.26	35	<0.05	4.01	18	1.6	<0.001
CC140062		0.09	0.89	59	0.08	11.55	50	2.3	0.003
CC140063		0.04	0.29	33	0.07	4.23	18	1.3	0.001
CC140064		0.03	0.79	19	<0.05	1.69	13	<0.5	<0.001
CC140065		0.02	0.14	15	0.05	1.40	8	<0.5	0.001
CC140066		<0.02	0.68	14	<0.05	1.16	7	0.7	<0.001
CC140067		<0.02	0.08	19	0.11	0.64	9	<0.5	0.264
CC140068		<0.02	0.07	10	<0.05	0.43	4	<0.5	<0.001
CC140069		<0.02	0.09	7	<0.05	0.53	4	<0.5	<0.001
CC140070		0.06	0.24	42	0.11	2.15	22	0.7	0.001
DD008270		0.09	0.55	75	0.08	11.35	50	2.9	0.002
DD008271		0.06	0.20	59	0.19	2.27	57	1.0	<0.001
DD008272		0.07	0.54	7	<0.05	4.69	3	1.3	0.001
DD008273		0.07	0.23	79	0.05	1.95	57	2.2	0.004
DD008274		0.02	0.49	16	<0.05	1.47	9	0.7	0.002
DD008275		<0.02	1.81	11	<0.05	0.64	6	0.5	0.001
DD008276		0.07	0.39	49	0.14	3.75	31	3.1	0.002
DD008277		0.07	0.39	59	0.09	3.94	33	2.9	0.002
DD008278		0.06	0.42	48	0.13	3.70	31	2.7	0.001
DD008279		0.05	0.60	40	0.13	7.66	23	2.3	0.001
DD008280		0.05	0.28	41	0.15	2.63	24	1.3	0.001
DD008281		0.07	0.63	43	0.15	5.12	28	1.4	0.002
DD008282		0.08	0.29	56	0.09	2.24	55	<0.5	0.002
DD008283		0.11	0.57	60	0.13	7.70	36	2.4	0.004
DD008284		0.04	0.27	55	0.08	4.91	21	3.6	0.006
ZZ21201		0.05	0.33	37	<0.05	20.7	54	4.2	0.002
ZZ21202		0.08	0.28	53	0.12	2.41	25	2.2	0.002
ZZ21203		0.06	0.34	43	0.18	3.26	26	3.0	0.001
ZZ21204		0.07	0.27	43	0.11	2.54	21	1.9	0.001
ZZ21205		0.07	0.30	43	0.14	2.93	26	0.7	0.002
ZZ21206		0.05	0.24	79	0.07	4.67	22	8.3	0.001



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ21207		0.36	0.02	1.19	4.4	<0.2	<10	90	0.31	0.07	0.59	0.02	22.8	6.7	22	0.54
ZZ21208		0.22	0.03	1.51	5.9	<0.2	<10	170	0.49	0.10	0.47	0.05	21.4	7.5	21	0.78
ZZ21209		0.16	0.05	1.76	3.8	<0.2	<10	170	0.34	0.10	0.50	0.05	15.85	8.5	23	0.77
ZZ21210		0.17	0.04	1.73	6.7	<0.2	<10	160	0.36	0.13	0.44	0.13	14.60	9.1	22	0.62
ZZ21211		0.17	0.04	1.38	3.4	<0.2	<10	90	0.27	0.10	0.28	0.08	11.40	6.4	18	0.61
ZZ21212		0.20	0.02	0.93	3.3	<0.2	<10	150	0.20	0.10	0.29	0.04	11.55	4.5	16	0.33
ZZ21213		0.23	0.02	1.74	12.6	<0.2	<10	90	0.39	0.09	0.54	0.02	32.5	6.7	24	0.41
ZZ21214		0.18	0.02	0.65	1.8	<0.2	<10	40	0.09	0.05	0.13	0.03	4.82	2.8	9	0.27
ZZ21215		0.23	0.08	1.09	4.4	<0.2	<10	150	0.32	0.07	2.50	0.13	20.0	6.1	17	0.47
ZZ21216		0.16	0.03	2.49	2.7	<0.2	<10	60	0.32	0.10	0.31	0.08	13.45	7.7	16	0.57
ZZ21217		0.22	0.02	1.97	3.7	<0.2	<10	60	0.33	0.04	0.46	0.04	22.1	5.7	4	0.32
ZZ21218		0.19	0.03	2.11	4.0	<0.2	<10	40	0.28	0.06	0.50	0.02	16.40	6.2	19	0.30
ZZ21219		0.25	0.03	0.80	5.9	<0.2	<10	180	0.26	0.07	0.58	0.07	20.3	5.2	12	0.41
ZZ21220		0.20	0.04	1.55	6.2	<0.2	<10	130	0.31	0.09	0.48	0.07	11.95	6.1	15	0.52
ZZ21221		0.19	0.07	1.58	3.7	<0.2	<10	250	0.31	0.11	0.50	0.09	13.65	8.0	23	0.72
ZZ21222		0.26	0.03	1.25	4.6	<0.2	<10	140	0.34	0.08	0.52	0.05	22.0	6.0	21	0.47
ZZ21223		0.19	0.01	2.14	4.0	<0.2	<10	170	0.17	0.03	0.44	0.08	5.81	8.9	10	0.30
ZZ21224		0.17	0.05	0.73	2.4	<0.2	<10	70	0.22	0.04	0.53	0.08	13.65	4.5	8	0.31
ZZ34184		0.29	0.02	1.12	3.6	<0.2	<10	90	0.25	0.07	0.28	0.11	11.30	5.7	14	0.49
ZZ34185		0.28	0.02	1.10	2.9	<0.2	<10	130	0.23	0.09	0.38	0.07	13.60	5.4	20	0.45
ZZ34186		0.34	0.04	2.01	5.7	<0.2	<10	70	0.19	0.04	1.34	0.06	14.30	5.2	9	0.23
ZZ34187		0.14	0.06	1.68	2.7	<0.2	<10	70	0.23	0.07	0.40	0.10	10.55	5.8	15	0.25
ZZ34188		0.20	0.01	0.98	1.0	<0.2	<10	40	0.11	0.05	0.23	0.04	7.02	3.7	8	0.34
ZZ34189		0.34	0.01	0.63	2.1	<0.2	<10	30	0.12	0.03	0.22	0.02	7.67	2.8	7	0.21
ZZ34190		0.17	0.01	0.42	0.6	<0.2	<10	20	0.05	0.02	0.11	0.02	1.99	2.4	4	0.16
ZZ34191		0.32	0.02	1.82	2.6	<0.2	<10	40	0.22	0.02	2.05	0.04	12.25	7.5	3	0.10
ZZ34192		0.25	0.01	0.27	0.4	<0.2	<10	10	<0.05	0.02	0.10	0.01	1.86	1.1	2	0.09
ZZ34193		0.45	0.03	0.94	2.6	<0.2	<10	110	0.19	0.06	0.36	0.03	10.45	4.5	14	0.38
ZZ34194		0.36	0.04	1.27	4.7	<0.2	<10	130	0.33	0.06	0.36	0.03	14.45	5.2	18	0.36
ZZ34195		0.26	0.11	0.98	12.8	<0.2	<10	120	0.33	0.09	1.00	0.17	16.60	7.7	13	0.50
ZZ34196		0.22	0.15	0.60	9.2	<0.2	<10	190	0.45	0.05	2.54	0.75	10.25	9.8	10	0.53
ZZ34197		0.34	0.10	1.31	4.4	<0.2	<10	140	0.49	0.11	0.75	0.13	22.9	7.3	18	1.22
ZZ34198		0.35	0.14	1.06	8.4	<0.2	<10	140	0.39	0.09	1.07	0.37	17.65	7.4	15	0.72
ZZ34199		0.38	0.06	1.12	4.2	<0.2	<10	130	0.21	0.08	0.72	0.05	15.10	5.4	20	0.50
ZZ34200		0.39	0.05	0.67	2.2	<0.2	<10	70	0.19	0.04	0.37	0.04	8.89	3.3	10	0.38
ZZ34248		0.25	0.10	0.99	5.6	<0.2	<10	110	0.35	0.08	1.19	0.16	18.10	7.8	14	0.54
ZZ34249		0.36	0.07	0.95	6.4	<0.2	<10	110	0.34	0.08	0.89	0.10	18.75	6.9	15	0.78
ZZ34250		0.35	0.04	1.68	10.7	<0.2	<10	90	0.48	0.10	0.47	0.05	26.6	9.0	28	0.86
ZZ34497		0.32	0.03	0.28	2.2	<0.2	<10	60	0.07	0.03	1.37	0.14	5.64	2.3	3	0.15
ZZ34498		0.44	0.05	1.49	6.4	<0.2	<10	200	0.40	0.07	0.60	0.14	13.60	8.7	16	0.73



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ21207		16.1	1.85	3.86	0.06	0.06	0.02	0.017	0.07	10.8	8.1	0.43	256	0.51	0.03
ZZ21208		22.7	2.06	4.96	0.05	0.05	0.02	0.026	0.10	11.0	8.6	0.34	674	0.68	0.03
ZZ21209		17.2	1.95	5.54	<0.05	0.07	0.01	0.020	0.08	7.2	8.2	0.42	355	0.53	0.02
ZZ21210		18.0	2.36	6.34	<0.05	0.11	0.01	0.023	0.04	6.7	8.8	0.41	521	0.97	0.02
ZZ21211		15.2	1.82	5.35	<0.05	0.08	<0.01	0.018	0.04	5.5	8.1	0.32	196	0.74	0.01
ZZ21212		19.6	1.51	3.59	<0.05	0.06	0.01	0.013	0.05	5.7	6.1	0.25	304	0.56	0.02
ZZ21213		15.6	2.45	5.45	<0.05	0.14	0.01	0.023	0.09	11.9	9.5	0.45	299	0.64	0.05
ZZ21214		8.2	1.05	2.51	<0.05	<0.02	0.01	0.008	0.05	2.3	4.1	0.15	97	0.34	0.03
ZZ21215		20.3	1.72	3.98	0.05	0.06	0.02	0.016	0.05	10.3	7.2	0.39	279	1.14	0.04
ZZ21216		38.1	2.35	7.34	<0.05	0.18	<0.01	0.020	0.02	6.3	8.3	0.41	196	0.70	0.03
ZZ21217		5.5	3.55	7.28	0.06	0.05	0.02	0.032	0.04	11.1	5.8	0.58	573	0.36	0.01
ZZ21218		21.2	2.02	6.18	0.05	0.20	0.01	0.017	0.03	8.0	10.0	0.49	203	0.45	0.03
ZZ21219		13.8	1.56	2.70	<0.05	0.02	0.02	0.014	0.04	7.0	4.0	0.19	452	0.57	0.03
ZZ21220		13.3	2.21	5.48	<0.05	0.06	0.03	0.021	0.07	5.6	7.5	0.31	258	0.83	0.02
ZZ21221		24.6	2.11	5.65	<0.05	0.06	0.01	0.021	0.11	7.1	9.2	0.35	821	0.58	0.02
ZZ21222		17.2	1.81	4.04	<0.05	0.04	0.02	0.017	0.06	11.6	8.8	0.39	342	0.37	0.02
ZZ21223		22.3	2.56	6.40	<0.05	0.07	0.01	0.020	0.07	2.5	7.0	0.47	372	0.24	0.03
ZZ21224		27.6	1.07	2.24	<0.05	0.02	0.01	0.009	0.05	9.3	4.2	0.21	332	0.27	0.05
ZZ34184		21.8	1.65	4.06	<0.05	0.02	0.01	0.015	0.06	5.3	6.1	0.23	229	0.66	0.02
ZZ34185		9.9	1.65	3.92	<0.05	0.03	0.01	0.014	0.09	6.9	6.3	0.29	357	0.49	0.02
ZZ34186		15.5	1.40	5.45	<0.05	0.06	0.03	0.013	0.04	5.9	6.3	0.42	320	0.26	0.08
ZZ34187		14.5	1.84	5.28	<0.05	0.05	0.01	0.016	0.03	4.7	8.8	0.38	272	0.42	0.02
ZZ34188		11.4	1.25	3.59	<0.05	0.02	0.01	0.009	0.02	3.3	4.7	0.21	105	0.33	0.03
ZZ34189		7.3	0.97	2.38	<0.05	0.02	<0.01	0.009	0.03	3.7	3.3	0.18	145	0.24	0.04
ZZ34190		4.2	1.06	2.46	<0.05	<0.02	0.01	0.005	0.02	1.0	2.1	0.11	78	0.21	0.02
ZZ34191		22.2	1.68	4.86	<0.05	0.12	0.03	0.017	0.06	5.5	5.2	0.70	529	0.16	0.05
ZZ34192		3.8	0.43	1.36	<0.05	<0.02	<0.01	<0.005	0.03	0.9	1.2	0.05	25	0.14	0.03
ZZ34193		9.8	1.27	3.34	<0.05	0.02	0.01	0.010	0.05	5.2	6.6	0.25	236	0.33	0.03
ZZ34194		14.0	1.82	3.94	<0.05	0.02	0.02	0.019	0.04	6.7	5.9	0.26	208	0.84	0.03
ZZ34195		35.0	2.17	3.31	0.05	0.04	0.16	0.020	0.06	8.4	5.3	0.34	559	0.56	0.02
ZZ34196		90.3	1.35	1.44	<0.05	0.13	0.14	0.011	0.03	6.4	1.9	0.23	3330	2.38	0.02
ZZ34197		44.0	1.60	4.71	0.06	0.07	0.09	0.024	0.07	11.5	7.5	0.43	224	0.45	0.03
ZZ34198		52.9	1.75	3.59	0.05	0.06	0.09	0.018	0.07	9.4	5.6	0.35	924	0.90	0.03
ZZ34199		16.8	1.68	3.59	<0.05	0.04	0.02	0.016	0.06	7.9	8.4	0.42	284	0.33	0.03
ZZ34200		10.3	0.96	2.54	0.10	0.02	<0.01	0.010	0.05	4.9	4.3	0.18	117	0.21	0.05
ZZ34248		46.0	1.58	3.14	0.10	0.03	0.03	0.017	0.06	9.0	5.2	0.31	822	0.54	0.03
ZZ34249		28.0	1.82	3.33	0.10	0.04	0.07	0.018	0.07	9.4	5.9	0.35	307	0.43	0.03
ZZ34250		30.9	2.46	5.25	0.10	0.23	0.01	0.024	0.13	12.6	11.1	0.43	200	0.65	0.02
ZZ34497		16.3	0.64	1.17	0.08	<0.02	<0.01	<0.005	0.03	2.6	0.9	0.14	257	0.14	0.05
ZZ34498		18.8	2.47	4.88	0.09	0.02	0.04	0.021	0.06	6.0	6.7	0.42	375	0.70	0.03



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ21207		13.5	400	3.9	5.8	<0.001	0.02	0.19	4.1	0.5	0.4	38.9	<0.01	0.01	2.6
ZZ21208		14.8	240	6.3	14.5	<0.001	0.02	0.25	4.5	0.3	0.4	37.4	<0.01	0.02	2.2
ZZ21209		14.8	270	5.5	13.6	<0.001	0.02	0.19	3.7	0.2	0.5	35.6	<0.01	0.01	1.5
ZZ21210		13.9	170	7.4	5.3	<0.001	<0.01	0.35	3.9	0.2	0.5	30.3	<0.01	0.02	1.7
ZZ21211		10.1	150	5.0	5.4	<0.001	<0.01	0.25	2.3	<0.2	0.4	22.8	<0.01	0.02	1.2
ZZ21212		7.6	170	5.6	6.9	<0.001	<0.01	0.22	2.3	0.2	0.4	25.3	<0.01	0.01	1.3
ZZ21213		12.2	170	3.9	6.9	<0.001	<0.01	0.25	5.1	0.5	0.4	27.8	<0.01	0.01	3.3
ZZ21214		4.3	120	1.6	4.7	<0.001	<0.01	0.14	1.0	<0.2	0.2	12.6	<0.01	<0.01	0.4
ZZ21215		11.1	1010	3.5	4.6	<0.001	0.04	0.31	4.2	0.7	0.3	94.8	<0.01	<0.01	2.2
ZZ21216		10.6	170	3.9	3.1	<0.001	<0.01	0.20	3.3	<0.2	0.5	22.1	<0.01	0.01	1.2
ZZ21217		2.1	340	1.6	4.5	<0.001	<0.01	0.30	4.2	0.6	0.3	9.8	<0.01	<0.01	0.8
ZZ21218		9.6	90	2.7	3.6	<0.001	<0.01	0.22	3.9	0.3	0.5	21.4	0.01	0.02	1.8
ZZ21219		6.6	390	4.0	4.2	0.001	0.01	0.28	2.8	0.2	0.2	48.0	<0.01	0.02	0.6
ZZ21220		7.9	190	5.0	6.6	<0.001	0.01	0.26	3.4	<0.2	0.4	33.3	<0.01	0.01	1.4
ZZ21221		11.6	230	5.4	17.0	<0.001	<0.01	0.26	3.3	0.2	0.5	37.6	<0.01	0.01	1.5
ZZ21222		11.2	370	4.6	6.3	<0.001	<0.01	0.22	3.6	0.4	0.4	37.1	<0.01	0.01	2.0
ZZ21223		5.8	160	1.4	6.1	<0.001	<0.01	0.09	8.3	<0.2	0.3	33.5	<0.01	<0.01	0.4
ZZ21224		6.7	400	2.0	4.0	<0.001	0.01	0.19	2.7	0.4	<0.2	33.6	<0.01	<0.01	0.3
ZZ34184		7.1	240	3.9	7.5	<0.001	<0.01	0.19	2.1	0.2	0.3	24.5	<0.01	0.01	0.8
ZZ34185		9.1	320	4.3	10.9	<0.001	<0.01	0.21	2.4	0.2	0.4	28.2	<0.01	0.01	1.3
ZZ34186		4.9	460	1.5	2.3	<0.001	0.01	0.10	2.5	0.4	0.2	48.2	<0.01	<0.01	0.8
ZZ34187		8.1	280	2.5	2.4	<0.001	0.01	0.16	3.3	0.2	0.3	22.9	0.01	0.01	0.8
ZZ34188		4.9	180	1.7	2.2	<0.001	<0.01	0.11	1.4	<0.2	0.2	16.9	<0.01	0.01	0.5
ZZ34189		3.8	180	1.1	2.2	<0.001	<0.01	0.09	1.6	<0.2	<0.2	13.1	<0.01	0.01	0.6
ZZ34190		2.0	130	0.5	1.7	<0.001	<0.01	0.07	0.5	<0.2	<0.2	8.6	<0.01	<0.01	<0.2
ZZ34191		2.5	450	0.6	1.6	<0.001	0.02	0.06	7.0	0.3	0.2	82.9	<0.01	<0.01	0.2
ZZ34192		1.2	120	0.3	1.1	<0.001	<0.01	0.05	0.4	<0.2	<0.2	10.9	<0.01	<0.01	<0.2
ZZ34193		7.1	350	2.7	5.8	<0.001	<0.01	0.12	1.9	0.2	0.3	25.0	<0.01	0.01	0.9
ZZ34194		10.0	180	21.0	4.7	<0.001	<0.01	0.26	3.4	0.2	0.3	42.5	<0.01	0.01	3.1
ZZ34195		8.6	680	6.5	8.4	0.002	0.09	0.43	4.4	0.6	0.3	55.7	<0.01	0.02	1.2
ZZ34196		15.0	1410	2.2	4.3	0.009	0.33	0.77	1.9	1.2	<0.2	122.0	0.01	0.03	0.5
ZZ34197		11.4	660	6.6	11.0	0.002	0.07	0.51	6.0	0.6	0.4	62.5	<0.01	0.01	2.1
ZZ34198		12.0	770	9.5	10.5	0.004	0.12	0.57	4.1	0.5	0.3	76.6	<0.01	0.01	1.1
ZZ34199		10.2	590	3.6	5.3	0.001	0.01	0.26	3.2	0.5	0.3	45.8	<0.01	0.02	1.4
ZZ34200		6.2	310	2.4	4.1	<0.001	<0.01	0.16	1.9	0.4	0.2	27.4	<0.01	0.01	0.5
ZZ34248		13.6	690	4.7	7.8	0.001	0.04	0.42	3.3	0.7	0.3	77.4	<0.01	0.01	0.6
ZZ34249		10.0	590	5.5	8.3	0.001	0.05	0.49	5.0	0.6	0.3	58.0	<0.01	0.02	1.5
ZZ34250		17.3	100	7.2	13.1	<0.001	<0.01	0.52	6.9	0.8	0.4	28.7	<0.01	0.03	3.5
ZZ34497		2.7	630	1.0	1.5	0.001	0.06	0.14	0.6	0.2	<0.2	60.2	<0.01	0.01	<0.2
ZZ34498		10.2	320	4.4	8.5	<0.001	0.03	0.31	4.0	0.2	0.3	45.6	<0.01	0.02	0.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5	ppm 0.001
ZZ21207		0.05	0.70	46	0.13	8.30	29	2.0	0.003
ZZ21208		0.10	0.82	48	0.14	6.52	29	1.9	0.001
ZZ21209		0.08	0.73	46	0.29	4.08	32	2.2	0.001
ZZ21210		0.09	0.31	57	0.15	2.89	47	3.7	0.001
ZZ21211		0.10	0.26	48	0.11	2.11	30	2.7	0.001
ZZ21212		0.07	0.29	42	0.12	2.45	23	2.3	0.002
ZZ21213		0.05	0.35	45	0.14	8.38	32	4.5	<0.001
ZZ21214		0.04	0.11	28	0.06	0.93	14	0.6	0.001
ZZ21215		0.06	1.33	42	0.11	7.44	27	2.2	0.003
ZZ21216		0.05	0.28	66	0.08	2.93	34	6.7	0.002
ZZ21217		0.04	0.25	27	0.07	15.55	54	1.6	0.001
ZZ21218		0.06	0.39	58	0.13	4.04	25	6.2	0.001
ZZ21219		0.05	0.29	38	0.09	3.29	24	0.6	0.001
ZZ21220		0.08	0.31	57	0.10	2.51	28	2.4	0.002
ZZ21221		0.09	0.30	54	0.13	3.11	40	2.0	0.005
ZZ21222		0.06	0.70	45	0.16	7.26	31	1.3	0.001
ZZ21223		0.02	0.14	79	<0.05	2.83	37	2.5	0.001
ZZ21224		0.05	0.80	28	0.05	8.22	17	0.5	0.001
ZZ34184		0.06	0.23	44	0.12	1.98	38	0.8	0.001
ZZ34185		0.07	0.31	43	0.13	3.04	30	0.8	0.002
ZZ34186		0.03	0.21	29	0.15	3.72	24	1.5	0.003
ZZ34187		0.04	0.25	49	0.13	2.15	29	1.8	0.001
ZZ34188		0.03	0.14	40	0.06	1.43	24	1.0	0.010
ZZ34189		0.02	0.15	20	0.05	2.71	14	0.9	<0.001
ZZ34190		<0.02	0.07	33	<0.05	0.49	15	<0.5	<0.001
ZZ34191		<0.02	0.16	44	<0.05	6.36	23	2.5	0.001
ZZ34192		<0.02	0.05	15	<0.05	0.37	6	<0.5	<0.001
ZZ34193		0.05	0.28	35	0.11	2.28	19	0.6	0.001
ZZ34194		0.05	1.13	43	0.07	2.86	24	0.6	0.001
ZZ34195		0.07	0.99	47	0.08	8.06	53	1.5	0.004
ZZ34196		0.09	1.54	19	0.05	10.90	87	3.7	0.004
ZZ34197		0.10	1.30	53	0.09	10.25	53	2.1	0.003
ZZ34198		0.09	1.46	40	0.07	8.81	51	1.5	0.004
ZZ34199		0.06	0.60	41	0.15	5.30	32	1.3	0.003
ZZ34200		0.04	0.28	26	0.07	3.10	18	0.5	0.001
ZZ34248		0.06	1.11	39	0.08	7.93	31	0.9	0.002
ZZ34249		0.07	0.87	50	0.08	9.15	43	1.6	0.008
ZZ34250		0.10	0.42	55	0.16	9.78	34	7.5	0.003
ZZ34497		0.02	0.26	15	<0.05	1.52	18	<0.5	0.001
ZZ34498		0.07	0.34	56	0.10	3.89	47	0.7	0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ34499		0.37	0.09	1.01	5.0	<0.2	<10	160	0.45	0.09	0.66	0.09	19.75	7.6	19	0.42
ZZ34500		0.26	0.09	0.92	3.5	<0.2	<10	120	0.33	0.08	0.76	0.28	14.30	6.8	17	0.39



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ34499		36.7	1.68	3.68	0.10	0.02	0.04	0.016	0.05	10.7	7.9	0.33	402	0.46	0.03	0.91
ZZ34500		38.0	1.39	3.14	0.09	0.02	0.01	0.013	0.05	7.2	6.4	0.31	305	0.27	0.04	0.88



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ34499		17.3	460	4.8	4.8	<0.001	0.03	0.32	3.2	0.5	0.3	46.6	<0.01	0.02	1.0	0.056
ZZ34500		14.7	510	4.3	4.0	0.001	0.04	0.29	2.7	0.5	0.3	47.8	<0.01	0.02	0.9	0.057



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106379

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
		Tl	U	V	W	Y	Zn	Zr	Au
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ34499		0.05	1.24	40	0.16	8.58	29	0.7	0.001
ZZ34500		0.04	1.05	32	0.16	5.18	22	0.8	0.001



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4 - AUG - 2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15106379

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: **1**
Total # Pages: **2 (A - D)**
Plus Appendix Pages
Finalized Date: **4 - AUG - 2015**
Account: **MTT**

CERTIFICATE WH15106736

Project: KING

This report is for 17 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-JUL-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-06	Double Bagging Coarse Rejects
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS
Au-AA24	Au 50g FA AA finish AAS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106736

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm
		0.02	0.005	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
K283812		1.37	<0.005	0.23	2.95	32.3	<0.2	<10	250	0.19	0.02	1.30	0.05	8.29	6.1	5
K283813		1.55	0.006	0.06	1.89	226	<0.2	<10	50	0.14	0.12	1.33	0.03	11.95	20.3	9
K283814		1.50	0.006	0.03	2.72	453	<0.2	<10	80	0.28	0.09	1.62	0.01	8.42	11.1	6
K283815		1.58	<0.005	0.09	0.99	16.7	<0.2	<10	740	0.83	0.06	3.48	0.08	27.4	12.5	51
K283816		1.42	<0.005	0.09	3.01	5.8	<0.2	<10	160	0.18	0.03	0.79	0.04	8.92	13.7	4
K283817		1.37	<0.005	0.04	3.41	9.1	<0.2	<10	140	0.48	0.03	1.16	0.10	17.80	26.3	7
K283818		0.74	<0.005	0.13	4.00	11.0	<0.2	<10	100	0.34	0.12	1.96	0.24	11.65	16.9	10
K283819		0.58	0.005	0.17	7.56	12.3	<0.2	<10	110	0.32	0.21	3.72	0.04	7.91	4.1	<1
K283820		1.15	<0.005	0.06	3.25	13.2	<0.2	<10	130	0.29	0.02	1.82	0.13	14.40	6.2	<1
K283821		1.29	<0.005	0.52	1.99	4.4	<0.2	<10	70	0.31	0.02	4.18	0.09	15.15	8.9	<1
K283822		1.06	<0.005	0.12	3.29	30.2	<0.2	<10	190	0.23	0.03	1.73	0.14	9.87	4.3	<1
K283823		1.00	<0.005	0.06	3.21	7.4	<0.2	<10	150	0.31	0.02	1.20	0.12	12.50	7.3	<1
K283824		1.23	0.006	0.10	5.07	13.3	<0.2	<10	20	0.39	0.05	3.45	0.04	7.29	2.0	2
K283825		1.71	0.013	0.06	3.76	7.5	<0.2	<10	150	0.14	0.01	2.44	0.02	7.20	17.3	19
K283826		1.13	0.008	0.05	3.34	2.7	<0.2	<10	110	0.11	0.01	2.20	0.08	4.87	17.0	20
K283827		1.22	0.109	0.10	3.37	3.0	<0.2	<10	80	0.10	0.01	2.26	0.06	6.31	14.5	4
K283828		0.98	0.065	0.09	2.65	1.9	<0.2	<10	80	0.12	0.01	1.84	0.06	4.63	13.1	4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 4 - AUG - 2015
Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106736

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05
K283812		0.44	20.6	3.31	9.14	0.13	0.47	0.15	0.024	0.18	3.4	7.0	0.96	671	1.14
K283813		1.08	196.5	4.16	7.16	0.10	0.47	0.01	0.013	0.18	5.0	6.2	0.74	315	2.52
K283814		0.86	138.0	3.38	7.09	0.09	0.32	0.01	0.030	0.09	3.6	3.5	0.26	193	3.31
K283815		2.01	15.7	6.58	6.60	0.07	0.35	0.01	0.048	0.20	13.7	4.0	0.50	1020	0.35
K283816		0.40	21.1	4.68	9.90	0.08	0.29	0.14	0.023	0.08	3.3	11.0	1.64	1090	0.37
K283817		0.15	202	6.97	13.75	0.22	0.85	0.01	0.044	0.05	6.5	16.2	2.52	1040	0.34
K283818		0.33	27.4	4.66	10.65	0.14	0.46	0.13	0.034	0.20	4.5	7.8	1.15	726	0.84
K283819		2.07	25.8	3.39	9.97	0.09	0.25	0.11	0.033	0.31	2.9	3.3	0.40	171	0.87
K283820		0.21	8.9	4.03	10.00	0.20	0.61	0.14	0.033	0.11	6.1	7.3	0.89	904	0.85
K283821		0.39	60.2	3.55	7.84	0.06	0.11	<0.01	0.029	0.19	6.7	9.1	0.60	1080	0.12
K283822		0.28	12.5	5.14	8.19	0.08	0.49	0.23	0.025	0.13	4.1	4.6	0.51	762	2.00
K283823		0.21	8.3	3.79	10.45	0.10	0.40	0.23	0.026	0.15	4.7	14.0	1.20	640	0.49
K283824		0.62	7.0	2.55	10.45	0.13	0.27	0.04	0.013	0.09	3.4	1.1	0.23	145	2.17
K283825		0.48	142.5	3.94	8.14	0.10	0.08	0.01	0.012	0.07	3.0	5.5	0.20	300	0.38
K283826		0.30	95.7	4.44	7.74	0.06	0.04	0.01	0.010	0.09	2.1	2.0	0.35	507	0.46
K283827		0.25	438	4.32	8.49	0.07	0.06	0.22	0.016	0.10	2.3	3.4	0.47	380	0.34
K283828		0.23	405	4.10	7.08	0.06	0.07	0.12	0.014	0.10	1.9	2.9	0.42	371	0.38



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106736

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01
K283812		0.07	3.3	690	6.0	4.8	0.001	0.13	0.51	9.6	0.7	0.4	47.7	<0.01	0.01
K283813		0.09	13.5	1110	1.0	7.6	0.003	1.27	0.51	3.9	1.3	0.3	39.0	<0.01	0.08
K283814		0.10	5.5	900	0.9	3.0	0.005	0.25	0.39	5.5	2.0	0.2	74.4	<0.01	0.12
K283815		0.12	15.4	870	5.3	8.3	0.001	0.02	0.40	12.8	0.6	0.8	165.5	<0.01	0.01
K283816		<0.05	3.4	680	2.4	2.3	0.001	0.28	0.10	7.3	0.8	0.4	31.6	<0.01	0.06
K283817		0.09	10.7	1160	1.5	1.5	0.001	0.05	0.24	21.8	1.3	1.1	26.2	<0.01	0.02
K283818		<0.05	5.3	760	4.4	3.0	<0.001	0.09	0.07	11.9	1.9	0.7	75.9	<0.01	0.28
K283819		<0.05	0.9	630	4.6	4.8	0.001	0.42	0.17	11.6	3.5	0.8	132.0	<0.01	0.49
K283820		0.21	0.9	870	3.2	1.5	0.001	0.03	0.08	5.7	0.6	0.6	113.0	<0.01	0.01
K283821		<0.05	<0.2	800	2.0	4.0	<0.001	<0.01	0.46	3.6	0.6	0.2	34.2	<0.01	<0.01
K283822		<0.05	0.6	830	3.7	4.1	0.004	1.39	0.10	3.5	0.6	0.4	219	<0.01	0.01
K283823		<0.05	0.3	870	2.0	3.0	<0.001	0.03	0.13	4.4	0.5	0.5	60.6	<0.01	0.01
K283824		0.71	0.6	600	5.2	1.5	<0.001	0.06	0.13	4.9	1.0	0.5	130.5	0.01	0.10
K283825		<0.05	10.4	750	0.9	2.5	0.009	0.21	<0.05	3.3	0.6	0.2	179.5	<0.01	0.01
K283826		<0.05	7.6	490	0.8	2.8	0.007	0.07	0.05	5.1	0.6	<0.2	90.4	<0.01	<0.01
K283827		<0.05	3.6	570	0.7	3.2	0.002	0.01	<0.05	5.2	0.7	<0.2	84.7	<0.01	0.21
K283828		<0.05	3.3	370	0.6	3.2	0.001	0.02	<0.05	5.2	0.5	<0.2	66.2	<0.01	0.12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - AUG - 2015
 Account: MTT

Project: KING

CERTIFICATE OF ANALYSIS WH15106736

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ti	Ti	U	V	W	Y	Zn
		%	ppm	ppm	ppm	ppm	ppm	ppm
		0.005	0.02	0.05	1	0.05	0.05	2
								0.5
K283812		0.136	0.10	0.39	83	<0.05	11.45	61
K283813		0.283	0.04	0.90	128	0.14	10.35	15
K283814		0.099	0.04	0.39	56	<0.05	7.48	15
K283815		0.097	0.03	0.89	206	0.09	12.05	76
K283816		0.031	0.02	0.15	67	<0.05	8.44	97
K283817		0.508	<0.02	0.47	174	0.10	30.9	107
K283818		0.095	0.02	0.38	91	<0.05	12.55	57
K283819		0.101	0.03	0.29	60	<0.05	6.01	12
K283820		0.200	0.03	1.60	35	0.08	12.50	67
K283821		<0.005	0.04	0.08	23	<0.05	13.60	73
K283822		0.013	0.15	1.77	32	<0.05	7.83	47
K283823		0.011	0.04	0.48	27	<0.05	10.70	60
K283824		0.209	0.04	0.33	39	<0.05	2.00	12
K283825		0.056	<0.02	0.15	213	<0.05	5.08	23
K283826		0.089	<0.02	0.07	255	<0.05	4.94	36
K283827		0.132	<0.02	0.07	257	<0.05	7.27	24
K283828		0.100	<0.02	0.06	229	<0.05	5.18	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: KING

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4 - AUG - 2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15106736

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
BAG - 06 CRU - 31 CRU - QC LOG - 21
PUL - 31 PUL - QC SPL - 21 WEI - 21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au - AA24 ME-MS41