

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8

Telephone: 604-688-2568

Fax: 604-688-2578

ASSESSMENT REPORT

describing

SOIL GEOCHEMICAL SAMPLING

Field work performed June 15 to June 21, 2015

at the

BLIND PROPERTY

Blind 1-80 YD33751 - YD33830
81-120 YD110859 - YD110898

NTS 105A/01

Latitude 60°06'N; Longitude 128°05'W

in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

For

STRATEGIC METALS LTD.

by

A. Mitchell, B.Sc. GIT

November 2015

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
GEOLOGY	2
SOIL GEOCHEMISTRY	3
DEPOSIT MODEL	4
DISCUSSION AND CONCLUSIONS	5
REFERENCES	6

APPENDICES

I	STATEMENT OF QUALIFICATIONS
II	STATEMENT OF EXPENDITURES
III	CERTIFICATES OF ANALYSIS
IV	SURFICIAL GEOLOGY KEY

FIGURES

<u>No.</u>	<u>Description</u>	<u>Follows Page</u>
1	Property Location	1
2	Claim Locations	1
3	Residual Total Field Magnetics	1
4	Tectonic Setting	2
5	Geology	3
6	Soil Sample Locations	3
7	Gold Geochemistry	3
8	Arsenic Geochemistry	3
9	Silver Geochemistry	3
10	Copper Geochemistry	3
11	Molybdenum Geochemistry	3
12	Zinc Geochemistry	3

TABLES

I	Lithological Units	3
II	Soil Geochemical Thresholds	4

INTRODUCTION

The Blind property covers a pronounced, north-south trending magnetic low that resembles the magnetic signature at Banyan Gold Corp.'s Hyland Gold property, which is located approximately 50 km to the north. The magnetic low at the Blind property is associated with scattered elevated gold-, silver-, arsenic-, molybdenum-, copper- and zinc-in-soil values. The Blind property is wholly owned by Strategic Metals Ltd.

This report describes soil sampling completed between June 15 and 21, 2015 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author interpreted all results from this work, and his Statement of Qualifications is in Appendix I. A Statement of Expenditures is in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Blind property consists of 120 contiguous mineral claims, located in southeastern Yukon at latitude 60°06' north and longitude 128°05' west on NTS map sheet 105A/01 (Figure 1). The property covers an area of about 2400 hectares (24 km²). The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

<u>Claim Name</u>	<u>Grant Number</u>	<u>Expiry Date</u>
Blind 1-80	YD33751 - YD33830	March 9, 2022*
81-120	YD110859 -YD110898	March 9, 2020*

* Expiry dates include 2015 work that has been filed for assessment credit, but has not yet been accepted.

The community of Watson Lake is located 40 km west of the Blind property and is the nearest supply centre. The closest road access is from the Alaska Highway, which at its nearest point is 10 km southwest of the property. The Alaska Highway is usable in all seasons by two wheel drive vehicles.

Access to the property was provided by a Bell 206B helicopter operated by Trans North Helicopters from its year-round base in Watson Lake.

HISTORY AND PREVIOUS WORK

The Hyland River, which lies eight kilometres west of the Blind property, has been explored intermittently for placer gold since 1872 (Yukon Geological Survey, 2015). Placer dredging leases were held on the lower Hyland River (to the west and southwest of the Blind property) by Coho Exploration Ltd. in 1968. These leases were optioned to Brycon Exploration and Colorado Corp. (King Resources) in 1969 and 1970 (Figure 3). No information has been found in regard to placer activities or results obtained (Yukon Geological Survey, 2015).

STRATEGIC METALS LTD.

FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION


BLIND PROPERTY

0 200 km

FILE: P:\2015\Moraine\F1_Property_Location.wor


DATE: NOVEMBER 2015

- Road
- Community
- Parks and protected areas



T.N.
0°47'
Grid north
20°25'
Magnetic north


Annual change decreasing 19.6"/y West



STRATEGIC METALS LTD.



FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS
BLIND PROPERTY



FILE:..2015/Blind

DATE: NOVEMBER 2015



 Historical placer gold workings

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RESIDUAL TOTAL FIELD MAGNETICS

BLIND PROPERTY

0 10 km

UTM Zone 9, NAD83, NTS sheets 105A & 095D

FILE: .../2015/Blind

DATE: NOVEMBER 2015

The Yukon Geological Survey has compiled data from residual total field aeromagnetic surveys that have been flown at various times over much of Yukon (Yukon Geological Survey, 2015). This compilation demarcated a large, north-south elongated magnetic low, the core of which is covered by the Blind property (Figure 3).

In 2010, Strategic Metals collected 449 soil samples at 100 by 450 m spacings across the original 80 Blind claims. This work yielded scattered elevated gold-, silver-, arsenic-, molybdenum-, copper- and zinc-in-soil values. Later that year, Strategic Metals staked an additional 40 claims to the west (Eaton and Mitchell, 2011).

In 2011, Precipitate Gold Corp. optioned the Blind property from Strategic Metals. Later that year, Precipitate collected 572 soil samples from the property. These samples returned isolated, non-coincident point anomalies, with peak values of 95 ppb gold, 3.02 ppm silver, 613 ppm copper, 32.7 ppm molybdenum and 675 ppm zinc (Eaton, 2011).

GEOMORPHOLOGY AND CLIMATE

The Blind property is drained by creeks that flow into the Hyland River, which ultimately connects to the Arctic Ocean via the Liard and Mackenzie rivers.

Local elevations on the property range from 750 to 1050 m above sea level. Topographic relief is gentle to moderate. The property lies entirely below treeline and is heavily forested. Vegetation primarily comprises black spruce and lodgepole pine with an understory of low shrubs and moss.


Much of the overburden in the region is associated with the most recent Cordilleran ice sheet, the McConnell glaciation, which is believed to have covered south and central Yukon between 26,500 and 10,000 years ago (Yukon Geological Survey, 2015). The area was covered by the Liard Lobe of the ice sheet, which moved in an eastward to north-eastward direction. Bedrock on the property is capped by glacial, glaciofluvial and fluvial material. Drumlins on the property reflect the direction of ice movement (Klassen, 1978).

The climate in the Blind area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. The property is mostly snow free from mid-May to late October.

GEOLOGY

The Geological Survey of Canada performed geological mapping in the vicinity of the Blind property (NTS map sheets 105A and 095D) at 1:250,000 scale in the late 1960s (Gabrielse, 1967 and Gabrielse and Blusson, 1969). In 2003, Gordey and Makepeace completed a compilation of Yukon-wide geology and updated lithological unit names in the Blind property area. The following geological descriptions are based on the published maps.

The Blind property is located within Selwyn Basin (Figure 4), a tectonic element comprised of deep water clastic rocks, chert and minor carbonate accumulated along the North American



YA	Yakutat
PW	Prince William
CG	Chugach
PR	Pacific Rim
CR	Crescent
KY	Koyukuk, Nyak, Togiak
PE	Peninsular
AX	Alexander
WR	Wrangellia
KS	Kluane, Windy, Coast
AG	Angayucham/Tozitna/Innoko
AA	Arctic-Alaska, Hammond
RB	Coldfoot, Ruby, Seward
FW	Farewell
KB	Kilbuck

Outboard

Insular

Northern Alaska

MT	Methow
CD	Cadwallader
BR	Bridge River
CC	Cache Creek
HA	Harrison
CK	Chilliwack
ST	Stikinia
QN	Quesnellia
OK	Okanagan
YT	Yukon-Tanana
SM	Slide Mountain

Intermontane

CA	Cassiar
NAb	North America - basinal
NAp	North America - platform
NAc	North America - craton & cover

Taken from Colpron, M. and Nelson, J.L., 2011

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING BLIND PROPERTY

FILE: 2015

DATE: NOVEMBER 2015

continental margin during Paleozoic time (Pigage, 2004). Local surface geology is mapped as Quaternary unconsolidated glacial, glaciofluvial and glacio-lacustrine deposits (Figure 5). The nearest exposed units are situated 10 km to the east. Those exposures consist of Upper Proterozoic to Lower Cambrian Hyland Group and Vampire Formation, which are overlain by Upper Cambrian and Ordovician Rabbitkettle Formation. The units are described in Table I.


Table I – Lithological Units (after Gordey and Makepeace, 2003)


Unit Name	Map Name	Age	Description
Quaternary	Q	Quaternary	Unconsolidated glacial, glaciofluvial and glaciolacustrine deposits; fluviatile silt, sand, and gravel, and local volcanic ash, in part with cover of soil and organic deposits.
Rabbitkettle Formation	COR1	Upper Cambrian and Ordovician	Thin bedded, wavy banded, silty limestone and grey lustrous calcareous phyllite; limestone intraclast breccia and conglomerate; massive to laminated, grey quartzose siltstone and chert and rare black slate; local mafic flows, breccia, and tuff.
Vampire Formation	uPCV	Upper Proterozoic to Lower Cambrian	Dark brown weathering, thin-bedded, argillaceous fine-grained sandstone and siltstone, minor interbedded medium- to coarse grained white to light grey orthoquartzite; phyllite, slate, and argillite.
Hyland Group	PCH (undifferentiated)	Upper Proterozoic to Lower Cambrian	Consists upwards of coarse turbiditic clastics, limestone and fine clastics typified by maroon and green shale; may include younger units; includes scattered mafic volcanic rocks.


SOIL GEOCHEMISTRY


In 2010, Strategic Metals collected 449 soil samples at 100 by 450 m spacings across the original 80 Blind claims. In 2011, Precipitate Gold took 572 soil samples at 100 by 225 m spacings between Strategic Metals' lines and on newer claims staked to the west.


In 2015, a total of 408 grid soil samples were taken at 100 m intervals along lines that filled in the previously sampled grid on the property. Locations for 2015 soil samples are plotted on Figure 6. Thematic results from historical and 2015 programs for gold, silver, copper, molybdenum and zinc underlain by surficial geology are plotted on Figures 7 to 11, respectively.














All soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Most of the soil samples were collected from 20 to 60 cm deep holes using hand-held augers. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals in Whitehorse where they were dried, screened to -180 microns, dissolved in aqua regia and then shipped to North Vancouver where they were analyzed for 50 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analyzed for gold by fire assay with inductively coupled plasma-atomic emission spectroscopy finish (Au-ICP21). Certificates of Analysis are given in Appendix III, while the Surficial Geology Key is provided in Appendix IV.

Table II lists anomalous thresholds and peak values used to describe the soil sample results in the following paragraphs.

Table II – Soil Geochemical Thresholds

Element	Weak	Moderate	Strong	Historical Peaks	2015 Peaks
Gold (ppb)	$\geq 10 < 20$	$\geq 20 < 50$	≥ 50	185	84
Arsenic (ppm)	$\geq 5 < 10$	$\geq 10 < 20$	≥ 20	47	47.6
Silver (ppm)	$\geq 0.5 < 1$	$\geq 1 < 2$	≥ 2	3.3	3.3
Copper (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	≥ 100	613	183
Molybdenum (ppm)	$\geq 2 < 5$	$\geq 5 < 10$	≥ 10	33	8.5
Zinc (ppm)	$\geq 50 < 100$	$\geq 100 < 200$	≥ 200	675	525

Three subtle east-west trending arsenic anomalies occur in the central and southern parts of the property. Two of these anomalies are underlain by fluvial and/or glaciofluvial deposits, while the third is underlain by a blanket of morainal till. Some of these arsenic-in-soil trends contain sporadic gold and silver support; however, most soil responses across the property are isolated, non-coincident and moderately to strongly anomalous for gold, silver, copper, molybdenum and zinc. A string of moderately to strongly anomalous gold results occurs in the southeastern part of the property, while a point anomaly with moderate to strong coincident gold (14 ppb), silver (2.89 ppm) and copper (613 ppm) values sits in the western part of it. The lack of continuity is not surprising given the strongly glaciated and often swampy terrain. Results for all elements of interest appear to improve in the western half of the property.

DEPOSIT MODEL

Strategic Metals exploration at the Blind property is mainly directed toward gold. The property is centred on a strong magnetic low that closely resembles the magnetic signature of the Hyland Gold deposit located 50 km to the north. The mineralization at the Hyland Gold property is thought to be related to a buried Middle or Late Cretaceous granitic intrusion. Sedimentary rocks at the Hyland Gold property comprise predominantly quartzite and phyllite with interbedded grit, limestone, and potassium-feldspar pebble conglomerate of the Hyland Group. The styles of mineralization include silica stockwork veining along with silica-sulphide replacement of graphitic argillites and limestone. The Hyland Gold deposit has a drill inferred resource of 12.5 million tonnes grading 0.9 g/t gold (361,692 ounces) and 5.59 g/t silver (2,248,948 ounces) – Armitage and Gray 2012.

DISCUSSION AND CONCLUSIONS

Strategic Metals' exploration program in 2015 was designed to provide more detailed geochemical data over a pronounced aeromagnetic low, similar in size and intensity to a feature that marks the nearby Hyland Gold deposit. Soil sampling at the Blind property has returned scattered, strongly anomalous gold values; however, glacial and glaciofluvial deposits complicate geochemical interpretation, because they may hide mineralization and likely spread anomalous soils well beyond their source areas.

Due to encouraging soil geochemical and magnetic results, the Blind property warrants further exploration. Infill soil sampling should be done over the entire property to better define anomalous trends. Detailed soil sample grids at 50 by 50 m spacings should be established around the most strongly anomalous gold values in the western and southeastern parts of the property. Traditional follow up techniques like geological mapping and prospecting will likely be ineffective due to overburden cover and, thus, if soil geochemical trends can be established, self-propelled reverse circulation (RC) or rotary air blast (RAB) drilling should be done to test for bedrock mineralization. Detailed geomorphological studies should be conducted to better understand the direction and nature of glacial and glaciofluvial transportation on the property.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



A. Mitchell, B.Sc. GIT

REFERENCES

- Armitage, A. and Gray, P.
 2012 Technical Report on the Hyland Gold Property in the Yukon Territory, Canada; Report prepared for Banyan Coast Capital Corp.
- Eaton, S.
 2011 Soil Geochemical Sampling at the Blind Property; Report prepared for Precipitate Gold Corp. and Strategic Metals Ltd.
- Eaton, S. and Mitchell, A.
 2011 Soil Geochemical Sampling at the Blind Property; Report prepared for Precipitate Gold Corp. and Strategic Metals Ltd.
- Gabrielse, H.
 1967 Geology of Watson Lake map sheet, Yukon Territory; Geological Survey of Canada, Preliminary map 19-1966.
- Gabrielse, H. and Blusson, S.L.
 1969 Geology of Coal River map sheet, Yukon Territory and District of Mackenzie (95D); Geological Survey of Canada, Paper 68-38, 22 p.
- Gordey, S.P. and Makepeace, A.J.
 2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).
- Klassen, R.W.
 1978 Surficial geology of NTS 105A-1,2 and 104P-15,16, Blind Lake, Yukon Territory; Geological Survey of Canada Open File 594.
- Colpron, M. and Nelson, J. L.
 2011 A digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and BC Geology Survey, BCGS GeoFile 2011-11
http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf
- Pigage, L.C.
 2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.
- Yukon Geological Survey
 2015 Placer Database Search – Hyland River; Yukon Geological Survey; available at:
<http://apps.gov.yk.ca/ymcs/f?p=116:1:846714768650710>
- 2015 Mapmaker Online - geophysics: residual total field layer; available at:
<http://mapservices.gov.yk.ca/YGS/SL/>

- 2015 Geoprocess File Summary Report for Watson Lake Map Area NTS 105A; available at: http://emrlibrary.gov.yk.ca/ygs/Geoprocess_files/NTS%20105/NTS%20105A/105a.pdf.

APPENDIX I
STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Andrew Mitchell, geoscientist in training, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2010 with a B.Sc. in Earth and Environmental Sciences.
2. From 2010 to present, I have been actively engaged in mineral exploration in Yukon Territory.
3. I am a Geoscientist in Training (GIT) with the Association of Professional Engineers and Geoscientists of British Columbia.
4. I have interpreted all data resulting from this work.



A. Mitchell, B.Sc. GIT

APPENDIX II
STATEMENT OF EXPENDITURES

Statement of Expenditures
Blind 1-120 Mineral Claims
November 17, 2015

Labour

H. Burrell (geologist) 14 hours April to September at \$106/hr	\$ 1,558.20
A. Mitchell (geologist) 5 hours April to September at \$79/hr	414.75
L. Vinnedge (field assistant) 57 hours April to September at \$51/hr	3,052.35
A. Soucy-Fradette (field assistant) 56 hours April to September at \$45/hr	2,646.00
C. Hughes (field assistant) 59 3/4 hours April to September at \$43/hr	2,697.71
D. Arnold-Wallinger (expedite) 5 hours April to September at \$85/hr	446.25
L. Corbett (expedite) 11 hours April to September at \$81/hr	935.55
L. Smith (expedite) 12 hours April to September at \$69/hr	869.40
S. Newman (office) 5 hours April to September at \$64/hr	<u>336.00</u>
	12,956.21

Expenses (including management)

Field room and board – 2 3 1/2 mandays @ \$180/manday	4,779.90
Trans North Helicopters – 3.7 hours Bell 206B at \$990/hr plus fuel	4,537.58
ALS Chemex	<u>7,567.98</u>
	16,885.46

Total	<u>\$29,841.67</u>
-------	--------------------

408 samples at \$29,841.67= \$73.14/sample

APPENDIX III
CERTIFICATES OF ANALYSIS



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: **1**
Total # Pages: **6 (A - D)**
Plus Appendix Pages
Finalized Date: **4 - JUL - 2015**
Account: **MTT**

CERTIFICATE WH15090629

Project: BLIND

This report is for 198 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2015.

The following have access to data associated with this certificate:

SARAH DRECHSLER

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI - 21	Received Sample Weight
LOG - 22	Sample login - Rcd w/o BarCode
SCR - 41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ97501		0.27	0.15	1.59	9.7	<0.2	<10	230	0.53	0.21	0.08	0.29	29.4	11.6	33	0.86
ZZ97502		0.35	0.06	1.31	8.2	<0.2	<10	140	0.37	0.18	0.06	0.25	27.5	8.2	27	0.70
ZZ97503		0.27	0.11	1.40	6.4	<0.2	<10	380	0.41	0.17	0.18	0.43	28.2	8.3	27	0.74
ZZ97504		0.20	0.25	1.18	6.3	<0.2	<10	310	0.37	0.21	0.16	1.66	25.1	5.6	24	0.60
ZZ97505		0.26	0.29	1.04	3.8	<0.2	<10	470	0.33	0.14	0.23	0.41	25.4	6.4	22	0.41
ZZ97506		0.25	0.15	1.00	6.3	<0.2	<10	210	0.26	0.14	0.16	0.12	27.8	4.5	21	0.54
ZZ97507		0.35	0.24	0.73	5.0	<0.2	<10	410	0.29	0.10	0.13	0.22	25.0	3.3	14	0.27
ZZ97508		0.20	0.08	1.10	9.6	<0.2	<10	200	0.35	0.18	0.09	0.39	24.9	4.5	22	0.56
ZZ97509		0.25	1.35	1.32	5.8	<0.2	<10	260	0.52	0.15	0.09	0.63	27.8	5.5	24	0.71
ZZ97510		0.29	0.04	0.53	4.7	<0.2	<10	170	0.21	0.10	0.05	0.17	20.4	1.9	12	0.28
ZZ97511		0.31	0.21	1.48	7.2	<0.2	<10	150	0.46	0.17	0.09	0.12	29.2	6.1	28	0.91
ZZ97512		0.24	0.10	0.87	3.8	<0.2	<10	150	0.25	0.13	0.09	0.11	28.2	3.6	17	0.60
ZZ97513		0.24	0.18	1.42	6.8	<0.2	<10	160	0.53	0.17	0.11	0.25	27.0	6.8	28	0.92
ZZ97514		0.23	0.04	1.25	5.0	<0.2	<10	140	0.35	0.15	0.10	0.07	28.9	5.4	25	0.78
ZZ97515		0.23	0.39	1.50	4.3	<0.2	<10	180	0.44	0.16	0.10	0.34	25.6	5.7	25	0.83
ZZ97516		0.29	0.79	1.70	5.7	<0.2	<10	360	0.47	0.20	0.11	0.07	30.3	5.5	31	1.04
ZZ97517		0.30	1.26	1.57	4.4	<0.2	<10	320	0.47	0.20	0.10	0.28	29.7	6.7	32	0.90
ZZ97518		0.20	0.75	1.52	8.0	<0.2	<10	240	0.46	0.19	0.12	0.39	27.9	6.4	31	0.63
ZZ97519		0.26	0.77	1.59	6.1	<0.2	<10	210	0.49	0.22	0.13	0.53	28.4	8.8	33	0.89
ZZ97520		0.29	0.24	0.53	2.7	<0.2	<10	220	0.16	0.13	0.09	0.56	24.9	1.9	12	0.25
ZZ97521		0.21	0.30	1.46	7.6	<0.2	<10	330	0.54	0.21	0.38	1.49	25.5	10.5	30	0.89
ZZ97522		0.33	0.04	1.12	4.4	<0.2	<10	120	0.23	0.17	0.08	0.10	29.9	3.7	22	0.68
ZZ97523		0.34	0.02	0.31	2.6	<0.2	<10	90	0.19	0.06	0.05	0.13	22.1	2.7	7	0.15
ZZ97524		0.28	0.08	0.84	5.6	<0.2	<10	140	0.26	0.12	0.09	0.44	20.6	3.2	17	0.51
ZZ97525		0.30	0.07	0.59	4.4	<0.2	<10	140	0.22	0.09	0.06	0.10	19.05	2.5	11	0.38
ZZ97526		0.22	0.17	1.06	2.7	<0.2	<10	170	0.58	0.18	0.10	0.28	27.4	5.8	16	0.75
ZZ97527		0.24	0.13	0.95	5.1	<0.2	<10	120	0.25	0.11	0.06	0.15	35.4	4.1	18	0.54
ZZ97528		0.28	0.22	1.20	9.2	<0.2	<10	600	0.36	0.21	0.12	0.27	27.9	4.2	27	0.63
ZZ97529		0.29	0.18	1.38	8.0	<0.2	<10	320	0.50	0.12	0.03	0.08	24.8	4.4	21	0.44
ZZ97530		0.32	0.05	0.93	5.7	<0.2	<10	200	0.37	0.12	0.09	0.17	29.0	5.5	15	0.48
ZZ97531		0.23	0.78	0.96	3.2	<0.2	<10	640	0.48	0.16	1.25	2.07	27.3	7.8	19	0.44
ZZ97532		0.23	0.05	0.97	7.2	<0.2	<10	230	0.38	0.13	0.17	0.47	32.8	6.7	19	0.58
ZZ97533		0.33	0.16	0.75	3.2	<0.2	<10	160	0.22	0.15	0.08	0.32	25.2	2.2	15	0.49
ZZ97534		0.26	0.15	1.07	6.0	<0.2	<10	130	0.39	0.20	0.14	0.55	25.9	3.4	22	0.69
ZZ97535		0.35	0.70	0.56	12.4	<0.2	<10	1260	0.28	0.09	0.11	0.92	22.6	4.1	13	0.22
ZZ97537		0.21	0.06	1.22	4.3	<0.2	<10	120	0.27	0.17	0.11	0.14	32.8	4.4	23	0.78
ZZ97538		0.26	0.03	0.44	3.6	<0.2	<10	110	0.16	0.09	0.07	0.11	21.2	2.4	10	0.32
ZZ97539		0.30	0.02	0.67	1.4	<0.2	<10	230	0.11	0.10	0.17	0.06	22.6	2.0	13	0.51
ZZ97540		0.31	0.17	0.93	6.6	<0.2	<10	280	0.29	0.15	0.22	0.26	28.5	4.6	20	0.52
ZZ97541		0.27	0.17	0.99	6.4	<0.2	<10	260	0.32	0.16	0.13	0.24	27.6	5.7	21	0.59



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ97501		15.4	2.52	4.25	0.06	0.15	0.03	0.026	0.05	15.3	18.1	0.42	218	1.15	0.01
ZZ97502		9.7	2.19	3.82	0.07	0.05	0.01	0.019	0.04	14.4	13.9	0.31	184	1.06	0.01
ZZ97503		12.1	2.60	5.16	0.05	0.06	0.01	0.024	0.07	15.1	18.4	0.37	179	1.68	0.01
ZZ97504		7.1	2.59	5.57	0.05	<0.02	0.05	0.022	0.05	13.4	15.6	0.23	218	1.12	0.01
ZZ97505		10.0	2.05	4.34	0.05	0.05	0.01	0.018	0.07	13.6	12.5	0.31	185	1.02	<0.01
ZZ97506		7.4	2.02	4.23	0.07	0.02	0.01	0.013	0.06	14.4	16.8	0.32	137	0.95	<0.01
ZZ97507		25.7	1.66	2.32	0.06	0.03	0.02	0.013	0.06	13.8	10.2	0.17	88	1.08	<0.01
ZZ97508		13.1	2.39	3.89	0.06	0.02	0.02	0.019	0.05	13.4	16.2	0.25	111	1.63	<0.01
ZZ97509		11.8	2.22	4.34	0.06	0.02	0.05	0.022	0.05	14.4	14.8	0.24	129	0.93	0.01
ZZ97510		8.5	1.42	2.27	0.05	<0.02	0.01	0.012	0.03	10.8	5.3	0.09	54	0.75	<0.01
ZZ97511		9.1	2.28	4.36	0.07	0.10	0.02	0.019	0.06	15.2	19.5	0.35	136	0.84	<0.01
ZZ97512		5.6	1.49	3.45	0.05	0.03	0.02	0.012	0.04	14.6	10.5	0.22	100	0.62	<0.01
ZZ97513		6.6	2.42	4.92	0.06	0.04	0.03	0.024	0.05	14.1	18.7	0.28	133	0.72	0.01
ZZ97514		7.9	1.88	4.17	0.06	0.08	0.01	0.018	0.04	15.1	16.4	0.33	128	0.59	0.01
ZZ97515		11.4	2.16	4.61	0.05	0.07	0.03	0.023	0.04	13.2	16.9	0.25	122	0.65	0.01
ZZ97516		30.5	2.27	5.54	0.06	0.10	0.14	0.022	0.07	15.6	16.0	0.37	130	0.94	<0.01
ZZ97517		8.5	2.42	6.01	0.06	0.10	0.03	0.024	0.06	15.3	13.4	0.32	158	0.53	0.01
ZZ97518		16.9	2.91	5.25	0.05	0.10	0.05	0.027	0.06	14.6	18.0	0.34	169	1.23	<0.01
ZZ97519		9.8	2.97	5.82	0.06	0.11	0.04	0.029	0.05	14.9	19.0	0.36	235	0.94	0.01
ZZ97520		8.9	1.19	3.20	<0.05	0.02	0.01	0.009	0.04	13.3	4.6	0.09	55	0.86	<0.01
ZZ97521		10.2	3.20	5.76	0.06	0.04	0.03	0.028	0.07	13.3	19.9	0.41	567	1.17	0.01
ZZ97522		6.0	1.86	4.65	0.06	0.02	0.01	0.016	0.04	15.7	13.8	0.27	107	0.64	0.01
ZZ97523		8.0	0.71	1.00	<0.05	0.02	0.02	<0.005	0.02	11.1	3.6	0.08	88	0.48	<0.01
ZZ97524		8.1	1.67	3.05	<0.05	0.02	0.02	0.015	0.04	10.9	10.9	0.17	76	1.16	<0.01
ZZ97525		10.4	1.14	1.97	<0.05	0.02	0.03	0.010	0.03	9.8	6.7	0.11	53	1.03	<0.01
ZZ97526		7.1	1.74	4.68	<0.05	0.04	0.02	0.016	0.04	14.1	9.9	0.18	209	0.77	0.01
ZZ97527		7.2	1.64	2.82	0.05	0.07	0.03	0.015	0.04	18.5	12.8	0.25	102	0.78	0.01
ZZ97528		20.1	2.18	4.59	0.05	0.09	0.12	0.025	0.10	16.0	14.3	0.22	125	1.67	0.01
ZZ97529		119.0	2.57	2.83	<0.05	0.06	0.02	0.021	0.07	14.3	13.6	0.11	74	1.59	0.01
ZZ97530		25.1	1.57	2.55	0.05	0.06	0.02	0.016	0.05	15.6	13.4	0.18	90	1.14	0.01
ZZ97531		53.4	1.47	3.04	0.05	0.02	0.15	0.018	0.05	13.5	21.5	0.34	310	0.78	0.01
ZZ97532		22.8	1.77	2.75	0.06	0.05	0.02	0.017	0.05	16.8	13.0	0.31	157	1.09	0.01
ZZ97533		6.0	1.19	3.50	<0.05	<0.02	0.02	0.012	0.03	13.3	8.0	0.14	53	0.68	0.01
ZZ97534		7.2	2.27	4.71	<0.05	0.03	0.02	0.019	0.04	13.3	12.7	0.20	125	0.86	0.01
ZZ97535		30.0	1.52	1.73	<0.05	<0.02	0.05	0.014	0.06	12.4	6.9	0.10	93	5.04	0.01
ZZ97537		5.2	1.79	4.93	0.05	0.05	0.01	0.016	0.04	17.0	14.6	0.31	124	0.67	0.01
ZZ97538		7.9	1.01	1.89	<0.05	0.03	0.01	0.007	0.04	11.1	5.1	0.10	67	0.77	0.01
ZZ97539		2.3	0.82	2.63	<0.05	0.02	0.01	0.006	0.03	11.9	9.8	0.20	74	0.29	0.01
ZZ97540		10.4	1.81	3.24	0.05	0.02	0.01	0.017	0.06	14.8	15.0	0.31	129	0.95	0.01
ZZ97541		10.4	2.14	4.18	0.05	0.02	0.01	0.017	0.06	14.6	14.7	0.27	160	1.38	0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ97501		28.9	420	11.2	11.5	<0.001	0.01	0.60	2.5	0.8	0.5	11.8	0.01	0.04	6.5
ZZ97502		20.3	660	10.7	8.2	<0.001	0.01	0.54	2.3	0.6	0.5	6.2	0.01	0.02	4.6
ZZ97503		19.3	910	9.9	13.8	<0.001	0.01	0.49	2.0	0.4	0.6	16.4	<0.01	0.02	4.1
ZZ97504		13.7	2340	11.0	8.6	<0.001	0.02	0.42	1.6	0.3	0.7	11.0	<0.01	0.02	2.3
ZZ97505		17.3	810	7.9	8.8	<0.001	0.01	0.39	1.7	0.3	0.6	17.7	<0.01	0.02	3.4
ZZ97506		14.3	950	7.7	9.9	<0.001	0.01	0.37	1.5	0.2	0.5	13.3	<0.01	0.02	3.7
ZZ97507		12.9	1260	6.6	6.3	0.001	0.02	0.55	1.5	1.1	0.3	48.9	<0.01	0.02	3.2
ZZ97508		16.4	1860	9.5	8.9	<0.001	0.02	0.60	1.6	0.6	0.4	14.8	<0.01	0.02	3.1
ZZ97509		15.4	1340	8.1	9.3	<0.001	0.01	0.40	1.8	0.7	0.5	13.5	<0.01	0.01	1.9
ZZ97510		7.1	1140	5.4	5.9	<0.001	0.01	0.33	0.9	0.3	0.2	12.2	<0.01	0.01	2.4
ZZ97511		19.6	640	9.1	14.0	<0.001	0.01	0.42	2.1	0.4	0.6	8.5	<0.01	0.02	5.1
ZZ97512		11.8	600	6.4	13.2	<0.001	0.01	0.25	1.3	<0.2	0.4	10.2	<0.01	0.01	3.6
ZZ97513		19.0	1200	10.3	14.9	<0.001	0.01	0.34	1.8	0.3	0.6	11.9	<0.01	0.01	4.4
ZZ97514		15.8	410	9.0	11.7	<0.001	0.01	0.31	1.8	<0.2	0.5	10.1	<0.01	0.01	4.7
ZZ97515		14.9	1710	8.4	12.3	<0.001	0.01	0.29	2.0	0.3	0.5	10.5	0.01	0.01	4.1
ZZ97516		19.0	540	11.7	13.1	<0.001	0.01	0.35	2.5	0.8	0.7	14.8	<0.01	0.02	4.7
ZZ97517		15.5	1040	10.9	11.7	<0.001	0.01	0.23	2.9	0.5	0.8	10.3	0.01	0.01	4.5
ZZ97518		18.9	950	10.3	9.6	<0.001	0.01	0.53	2.2	0.8	0.6	13.1	<0.01	0.03	4.8
ZZ97519		21.4	1100	11.2	11.8	<0.001	0.01	0.38	2.2	0.6	0.7	13.3	0.01	0.02	5.1
ZZ97520		6.8	700	7.0	5.3	<0.001	0.01	0.32	0.9	0.4	0.5	10.6	<0.01	0.01	2.9
ZZ97521		18.8	1940	11.4	14.0	<0.001	0.02	0.45	2.0	0.4	0.6	27.0	<0.01	0.01	3.3
ZZ97522		11.5	340	9.1	10.8	<0.001	0.01	0.27	1.6	0.3	0.6	7.9	<0.01	<0.01	4.1
ZZ97523		7.1	180	3.3	2.4	<0.001	0.01	0.34	0.8	0.3	<0.2	6.2	<0.01	0.01	2.4
ZZ97524		12.3	820	7.0	7.9	<0.001	0.01	0.49	1.3	0.4	0.3	10.6	<0.01	0.02	2.7
ZZ97525		12.1	280	6.0	5.2	0.001	0.01	0.39	1.1	0.4	0.2	8.1	<0.01	0.02	2.9
ZZ97526		12.6	770	9.2	11.6	<0.001	0.01	0.26	1.5	0.4	0.5	9.3	<0.01	0.02	3.1
ZZ97527		15.3	280	5.8	7.0	<0.001	0.01	0.44	1.5	0.3	0.3	7.5	<0.01	0.02	4.7
ZZ97528		15.5	1720	8.9	13.1	<0.001	0.08	0.60	2.0	2.6	0.5	40.6	<0.01	0.05	4.3
ZZ97529		24.4	600	8.0	8.1	<0.001	0.09	0.60	2.7	1.1	0.3	40.8	0.01	0.03	3.5
ZZ97530		32.1	1120	6.9	8.5	<0.001	0.02	0.49	1.6	1.0	0.3	16.6	<0.01	0.03	3.9
ZZ97531		30.7	780	8.3	6.1	0.004	0.05	0.37	1.8	1.7	0.4	98.3	<0.01	0.02	0.6
ZZ97532		25.1	740	7.4	7.9	<0.001	0.01	0.59	1.8	0.8	0.3	15.6	<0.01	0.03	4.5
ZZ97533		8.1	300	8.0	6.5	<0.001	0.01	0.27	1.2	0.3	0.4	8.4	<0.01	0.02	2.9
ZZ97534		10.7	1020	10.2	10.0	<0.001	0.01	0.37	1.5	0.3	0.6	11.8	<0.01	0.02	3.4
ZZ97535		29.9	700	6.8	4.5	0.001	0.07	4.35	1.7	1.8	0.2	61.4	<0.01	0.05	1.9
ZZ97537		13.6	410	9.4	9.7	<0.001	0.01	0.30	1.8	0.2	0.6	9.9	<0.01	0.02	4.6
ZZ97538		7.3	470	5.1	6.8	<0.001	0.01	0.38	0.9	0.4	0.2	10.1	<0.01	0.01	2.7
ZZ97539		6.6	110	4.8	9.1	<0.001	0.01	0.12	1.0	<0.2	0.3	10.1	<0.01	0.01	2.7
ZZ97540		17.7	680	7.6	9.4	<0.001	0.01	0.45	1.6	0.4	0.4	14.5	<0.01	0.03	3.7
ZZ97541		17.6	1110	8.9	9.2	<0.001	0.01	0.59	1.7	0.6	0.5	11.8	<0.01	0.03	3.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
ZZ97501		0.11	0.65	41	0.29	3.42	73	6.0
ZZ97502		0.09	0.56	36	0.24	3.23	59	2.2
ZZ97503		0.08	0.50	49	0.28	3.35	92	2.4
ZZ97504		0.08	0.42	52	0.34	2.42	145	0.6
ZZ97505		0.06	0.47	40	0.16	2.90	87	2.0
ZZ97506		0.06	0.43	38	0.34	2.94	53	1.0
ZZ97507		0.06	0.68	26	0.08	3.86	63	1.0
ZZ97508		0.08	0.53	42	0.34	2.86	78	0.7
ZZ97509		0.07	0.61	38	0.21	3.68	81	<0.5
ZZ97510		0.04	0.36	25	0.19	1.86	34	0.6
ZZ97511		0.09	0.63	38	0.34	3.33	54	3.4
ZZ97512		0.07	0.41	27	0.18	2.69	37	1.1
ZZ97513		0.07	0.50	41	0.24	2.63	65	1.9
ZZ97514		0.09	0.47	36	0.22	2.93	48	2.5
ZZ97515		0.07	0.46	40	0.19	2.75	113	2.4
ZZ97516		0.12	0.74	49	0.23	4.88	54	3.7
ZZ97517		0.08	0.58	47	0.23	4.44	130	4.7
ZZ97518		0.08	0.69	51	0.28	3.45	116	4.2
ZZ97519		0.09	0.54	51	0.32	2.94	135	4.5
ZZ97520		0.05	0.31	30	0.13	1.72	50	0.8
ZZ97521		0.07	0.98	53	0.26	3.19	125	1.5
ZZ97522		0.07	0.45	38	0.19	2.61	46	0.9
ZZ97523		0.03	0.39	11	0.06	3.27	24	0.5
ZZ97524		0.06	0.44	35	0.15	2.12	63	0.8
ZZ97525		0.05	0.37	20	0.12	2.32	27	0.8
ZZ97526		0.07	0.44	33	0.26	3.35	61	1.7
ZZ97527		0.07	0.47	25	0.16	2.90	40	2.1
ZZ97528		0.10	0.55	41	0.39	3.42	72	3.3
ZZ97529		0.06	0.56	31	0.15	2.62	47	2.1
ZZ97530		0.06	0.50	28	0.14	3.70	111	2.5
ZZ97531		0.05	2.44	25	0.13	8.84	90	0.6
ZZ97532		0.06	0.58	25	0.24	5.82	79	2.1
ZZ97533		0.06	0.46	26	0.20	2.46	38	0.6
ZZ97534		0.06	0.51	43	0.31	2.71	58	1.2
ZZ97535		0.17	0.91	59	0.13	4.79	174	<0.5
ZZ97537		0.09	0.48	37	0.40	2.81	63	1.7
ZZ97538		0.04	0.36	19	0.10	1.93	34	0.9
ZZ97539		0.06	0.32	20	0.33	1.78	38	0.8
ZZ97540		0.07	0.49	27	0.22	4.14	56	1.0
ZZ97541		0.07	0.46	40	0.20	3.23	73	0.8



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ97542		0.24	0.66	1.26	7.1	<0.2	<10	210	0.36	0.19	0.18	0.20	29.1	5.7	26	0.80
ZZ97543		0.29	0.14	1.11	5.3	<0.2	<10	160	0.39	0.14	0.13	0.18	26.0	5.1	20	0.80
ZZ97544		0.23	0.04	1.57	4.3	<0.2	<10	200	1.07	0.18	0.09	0.08	28.1	5.5	19	1.36
ZZ97545		0.36	0.03	1.69	7.5	<0.2	<10	150	0.56	0.20	0.05	0.06	40.3	5.3	28	1.23
ZZ97546		0.28	0.10	0.81	3.8	<0.2	<10	130	0.28	0.13	0.10	0.09	31.4	3.2	14	0.71
ZZ97547		0.25	0.10	0.86	3.7	<0.2	<10	100	0.23	0.12	0.05	0.06	26.5	2.2	13	0.58
ZZ97548		0.27	0.05	1.10	5.3	<0.2	<10	140	0.35	0.17	0.15	0.10	47.0	5.1	23	0.74
ZZ97549		0.41	0.25	1.58	7.3	<0.2	<10	380	0.70	0.25	0.57	0.80	45.2	10.4	31	0.93
ZZ97550		0.28	0.06	1.14	5.0	<0.2	<10	120	0.29	0.15	0.11	0.07	40.0	4.9	25	0.74
ZZ97551		0.22	0.06	0.96	9.3	<0.2	<10	70	0.22	0.19	0.06	0.18	31.6	3.7	21	0.64
ZZ97552		0.26	0.05	0.81	4.7	<0.2	<10	100	0.21	0.14	0.05	0.10	30.9	1.9	16	0.57
ZZ97553		0.42	0.06	0.51	3.8	<0.2	<10	320	0.21	0.09	0.23	0.09	17.20	2.4	10	0.33
ZZ97554		0.32	0.11	1.13	5.1	<0.2	<10	90	0.25	0.13	0.05	0.10	24.8	3.6	24	0.66
ZZ97555		0.27	0.10	1.03	4.3	<0.2	<10	120	0.28	0.15	0.05	0.09	34.6	3.0	19	0.67
ZZ97556		0.27	0.30	0.70	4.0	<0.2	<10	430	0.34	0.12	0.47	0.42	22.1	3.4	13	0.72
ZZ97557		0.28	0.93	1.02	5.2	<0.2	<10	250	0.27	0.17	0.06	0.14	36.2	3.4	19	0.71
ZZ97558		0.29	0.55	1.11	5.6	<0.2	<10	150	0.32	0.13	0.05	0.10	28.0	4.4	21	0.62
ZZ97559		0.39	0.16	0.56	4.7	<0.2	<10	200	0.17	0.12	0.04	0.16	20.5	1.4	10	0.43
ZZ97560		0.27	0.37	0.85	3.6	<0.2	<10	150	0.18	0.16	0.06	0.12	25.9	2.4	15	0.76
ZZ97561		0.22	1.59	1.47	8.3	<0.2	<10	170	0.51	0.22	0.13	0.40	29.7	5.6	26	1.13
ZZ97562		0.27	0.41	1.31	7.8	<0.2	<10	100	0.43	0.22	0.07	0.25	25.9	5.4	25	0.94
ZZ97563		0.29	0.08	1.25	7.3	<0.2	<10	140	0.42	0.17	0.04	0.36	28.8	6.9	22	0.82
ZZ97564		0.32	0.20	1.42	7.5	<0.2	<10	140	0.55	0.21	0.06	0.30	31.8	7.8	28	0.85
ZZ97565		0.33	0.20	1.16	7.1	<0.2	<10	160	0.39	0.15	0.11	0.09	21.3	7.2	30	0.54
ZZ97566		0.27	0.37	1.66	6.0	<0.2	<10	380	0.61	0.24	0.13	0.30	26.3	9.6	32	0.80
ZZ97567		0.25	0.35	0.72	7.5	<0.2	<10	220	0.27	0.18	0.05	0.23	25.3	3.4	18	0.53
ZZ97568		0.37	0.13	0.77	9.5	<0.2	<10	160	0.30	0.17	0.05	0.08	24.0	3.8	19	0.50
ZZ97569		0.33	0.16	1.34	6.0	<0.2	<10	150	0.44	0.42	0.06	0.18	29.9	6.9	27	0.78
ZZ97570		0.32	0.45	0.79	4.7	<0.2	<10	430	0.45	0.14	0.89	1.01	17.45	5.6	14	0.76
ZZ97571		0.42	0.93	1.55	11.5	<0.2	<10	580	0.63	0.19	0.19	0.90	28.4	9.6	26	1.23
ZZ97572		0.35	0.15	0.72	8.1	<0.2	<10	190	0.22	0.19	0.08	0.33	27.5	3.3	16	0.53
ZZ97573		0.30	0.22	0.96	9.3	<0.2	<10	110	0.26	0.19	0.06	0.61	25.0	4.1	24	0.64
ZZ97574		0.25	0.64	2.19	7.0	<0.2	<10	370	0.67	0.17	0.09	0.66	23.1	13.8	39	0.90
ZZ97575		0.25	0.34	1.67	8.0	<0.2	<10	210	0.70	0.23	0.06	0.27	27.3	7.5	33	0.99
ZZ97576		0.38	0.09	0.83	4.1	<0.2	<10	180	0.35	0.14	0.19	0.10	33.2	5.7	18	0.62
ZZ97577		0.50	0.12	0.68	5.8	<0.2	<10	160	0.34	0.13	0.22	0.12	34.9	5.1	17	0.55
ZZ97578		0.38	0.03	0.99	6.8	<0.2	<10	110	0.32	0.19	0.09	0.30	29.2	4.6	20	0.93
ZZ97579		0.33	0.16	1.24	7.9	<0.2	<10	160	0.58	0.18	0.09	0.28	24.9	6.7	23	0.66
ZZ97580		0.24	0.23	1.06	6.7	<0.2	<10	180	0.38	0.15	0.05	0.26	30.6	5.1	19	0.51
ZZ97581		0.30	0.08	0.90	4.4	<0.2	<10	160	0.31	0.16	0.09	0.21	24.1	3.9	18	0.66



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ97542		8.8	2.25	5.16	0.05	0.05	0.02	0.020	0.05	15.2	16.5	0.35	158	0.85	0.01
ZZ97543		9.2	1.89	3.58	<0.05	0.03	0.02	0.021	0.05	13.5	17.3	0.31	135	0.85	0.01
ZZ97544		11.6	2.00	5.21	<0.05	0.05	0.03	0.019	0.05	13.8	24.6	0.26	187	0.75	0.01
ZZ97545		12.9	2.46	5.31	0.06	0.10	0.02	0.026	0.03	20.6	21.7	0.33	147	0.94	0.01
ZZ97546		6.1	1.40	3.58	<0.05	<0.02	0.02	0.012	0.05	16.4	12.3	0.19	84	0.63	0.01
ZZ97547		7.5	1.39	3.30	<0.05	0.04	0.02	0.010	0.03	13.7	8.8	0.15	66	1.19	0.01
ZZ97548		12.9	1.89	3.88	0.07	0.02	0.03	0.016	0.06	24.6	15.5	0.39	169	0.57	0.01
ZZ97549		24.5	2.63	4.90	0.07	0.03	0.05	0.031	0.09	24.1	21.4	0.48	441	0.72	0.01
ZZ97550		8.6	1.85	4.20	0.06	0.02	0.02	0.019	0.04	20.5	15.1	0.35	143	0.80	0.01
ZZ97551		9.9	2.54	4.41	0.05	0.06	0.02	0.016	0.04	16.5	10.5	0.21	129	1.25	0.01
ZZ97552		5.1	1.78	4.13	0.05	0.04	0.01	0.011	0.03	16.3	6.7	0.14	65	0.71	<0.01
ZZ97553		9.8	1.02	1.78	<0.05	<0.02	0.03	0.009	0.03	8.7	7.3	0.13	82	0.69	<0.01
ZZ97554		8.6	1.80	3.18	<0.05	0.04	0.03	0.018	0.03	13.2	13.8	0.22	85	0.70	0.01
ZZ97555		7.3	1.69	3.75	0.05	0.02	0.03	0.015	0.04	17.7	12.7	0.22	77	0.73	0.01
ZZ97556		41.1	1.26	2.17	0.05	0.04	0.15	0.014	0.05	11.7	12.4	0.23	98	1.02	<0.01
ZZ97557		10.8	1.74	3.67	0.05	0.02	0.04	0.013	0.05	18.9	12.6	0.26	97	1.29	0.01
ZZ97558		10.4	1.84	3.31	<0.05	0.05	0.03	0.017	0.04	14.6	13.4	0.28	119	1.13	0.01
ZZ97559		11.1	0.96	2.39	<0.05	<0.02	0.03	0.010	0.06	11.0	2.9	0.07	37	1.16	0.01
ZZ97560		8.7	1.13	4.19	<0.05	<0.02	0.02	0.011	0.04	13.5	7.2	0.20	74	0.70	0.01
ZZ97561		14.5	2.61	5.57	0.05	0.06	0.05	0.029	0.06	15.0	18.9	0.31	138	1.50	0.01
ZZ97562		9.8	2.37	5.71	0.06	0.06	0.04	0.023	0.04	13.6	20.3	0.31	134	1.38	0.01
ZZ97563		14.2	2.39	3.79	0.06	0.05	0.02	0.020	0.05	14.7	16.9	0.25	140	1.61	<0.01
ZZ97564		9.0	2.35	4.69	0.06	<0.02	0.02	0.022	0.05	16.4	18.8	0.37	187	1.00	<0.01
ZZ97565		9.4	2.09	3.74	0.07	0.07	0.01	0.019	0.05	10.9	12.0	0.32	165	0.97	<0.01
ZZ97566		9.4	2.82	5.71	0.06	0.10	0.03	0.032	0.06	13.7	23.0	0.36	205	1.15	0.01
ZZ97567		11.1	2.15	4.58	0.06	0.02	0.02	0.016	0.05	13.4	6.1	0.15	94	1.19	<0.01
ZZ97568		12.2	2.11	3.87	0.07	0.07	0.01	0.015	0.05	12.6	9.0	0.20	108	1.43	<0.01
ZZ97569		8.7	2.50	5.47	0.06	0.08	0.02	0.020	0.06	15.6	20.3	0.38	198	1.38	0.01
ZZ97570		42.6	1.55	2.41	0.07	0.05	0.16	0.017	0.06	10.0	12.8	0.25	275	1.11	<0.01
ZZ97571		37.0	2.99	5.26	0.07	0.03	0.05	0.027	0.10	16.1	22.1	0.72	181	4.22	<0.01
ZZ97572		14.3	1.92	4.21	0.06	<0.02	0.02	0.012	0.04	14.1	6.8	0.18	98	1.57	<0.01
ZZ97573		11.9	2.43	4.57	0.06	0.03	0.04	0.020	0.05	12.8	11.6	0.26	135	1.92	<0.01
ZZ97574		26.4	2.71	5.27	0.07	0.08	0.05	0.028	0.09	12.8	18.5	0.38	205	1.30	0.01
ZZ97575		9.9	2.71	5.60	0.06	0.09	0.03	0.029	0.06	14.1	16.7	0.33	192	1.13	<0.01
ZZ97576		10.0	1.51	3.31	0.07	<0.02	0.03	0.015	0.04	16.9	11.5	0.27	173	0.55	0.01
ZZ97577		12.8	1.55	2.47	0.06	0.03	0.03	0.015	0.04	18.8	11.3	0.30	192	0.81	0.01
ZZ97578		10.2	2.07	4.07	0.05	<0.02	0.02	0.019	0.06	15.2	13.3	0.28	140	1.05	0.01
ZZ97579		10.2	2.39	3.71	0.07	0.06	0.04	0.023	0.05	12.6	21.2	0.30	147	1.03	0.01
ZZ97580		12.6	2.37	3.31	0.06	0.04	0.03	0.019	0.05	16.0	13.9	0.24	107	1.69	0.01
ZZ97581		10.4	1.72	3.85	0.06	0.05	0.01	0.015	0.04	11.9	10.5	0.23	87	0.82	0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ97542		17.2	830	9.7	10.0	<0.001	0.01	0.35	2.0	0.5	0.6	13.2	<0.01	0.03	4.3
ZZ97543		21.8	550	7.7	10.9	<0.001	0.01	0.38	1.8	0.5	0.4	10.5	<0.01	0.02	3.5
ZZ97544		14.8	490	21.2	15.2	<0.001	0.01	0.24	1.8	0.5	0.5	9.8	<0.01	0.02	3.4
ZZ97545		18.1	260	10.6	8.9	<0.001	0.01	0.47	2.5	0.5	0.7	7.2	<0.01	0.02	6.1
ZZ97546		12.2	510	6.4	10.0	<0.001	0.01	0.33	1.4	0.2	0.4	10.1	<0.01	0.01	3.2
ZZ97547		7.8	320	7.2	6.8	<0.001	0.01	0.44	1.1	0.4	0.4	7.7	<0.01	0.02	3.2
ZZ97548		21.0	390	9.2	8.4	<0.001	0.01	0.48	2.5	0.4	0.5	13.8	<0.01	0.01	5.9
ZZ97549		38.5	830	13.4	12.8	<0.001	0.02	0.66	3.6	1.1	0.6	37.6	<0.01	0.03	2.5
ZZ97550		17.0	430	8.7	8.6	<0.001	0.01	0.41	2.4	0.4	0.5	10.5	<0.01	0.02	5.0
ZZ97551		14.1	1500	10.2	10.2	<0.001	0.01	0.64	1.7	0.5	0.4	6.9	<0.01	0.03	4.7
ZZ97552		6.8	1170	7.7	9.7	<0.001	0.01	0.32	1.2	0.3	0.4	6.1	<0.01	0.02	3.9
ZZ97553		9.9	360	5.3	4.7	<0.001	0.01	0.32	1.0	0.5	0.2	18.7	<0.01	0.02	1.2
ZZ97554		14.4	330	7.3	8.4	<0.001	0.01	0.44	1.6	0.2	0.4	6.0	<0.01	0.02	3.5
ZZ97555		11.4	260	7.5	9.2	<0.001	0.01	0.38	1.6	0.5	0.4	6.8	<0.01	0.03	4.3
ZZ97556		19.6	700	8.2	6.9	0.004	0.05	0.62	1.9	1.7	0.2	45.3	<0.01	0.02	1.5
ZZ97557		14.4	330	7.9	9.4	<0.001	0.02	0.66	1.8	0.5	0.4	14.6	<0.01	0.02	4.2
ZZ97558		16.0	360	7.7	8.5	<0.001	0.01	0.59	1.7	0.4	0.4	8.7	<0.01	0.02	4.2
ZZ97559		7.5	380	7.2	6.8	<0.001	0.03	0.49	1.0	0.6	0.3	16.5	<0.01	0.03	1.5
ZZ97560		8.6	390	8.0	9.9	<0.001	0.02	0.23	0.7	0.2	0.5	7.3	<0.01	0.01	0.2
ZZ97561		15.8	1360	11.6	13.1	<0.001	0.02	0.48	2.1	0.6	0.6	12.4	<0.01	0.03	4.5
ZZ97562		15.2	450	11.0	9.8	<0.001	0.01	0.46	2.1	0.6	0.6	8.2	<0.01	0.02	4.4
ZZ97563		35.2	610	9.6	7.7	<0.001	0.02	0.68	2.0	0.9	0.4	11.7	<0.01	0.02	4.5
ZZ97564		20.4	440	11.1	11.2	<0.001	0.01	0.48	2.5	0.3	0.6	8.5	<0.01	0.02	4.6
ZZ97565		21.4	390	8.2	8.9	<0.001	0.01	0.51	2.1	0.5	0.4	11.8	<0.01	0.02	3.9
ZZ97566		21.9	860	10.5	10.9	<0.001	0.02	0.51	2.5	0.4	0.6	15.0	0.01	0.02	5.0
ZZ97567		10.2	1060	9.2	8.0	<0.001	0.02	0.57	1.4	0.4	0.5	14.6	<0.01	0.02	3.3
ZZ97568		12.2	740	8.7	10.5	<0.001	0.02	0.56	1.6	0.7	0.4	10.2	<0.01	0.03	4.0
ZZ97569		18.2	370	11.1	12.6	<0.001	0.01	0.50	2.3	0.4	0.6	8.9	<0.01	0.02	5.0
ZZ97570		19.6	890	8.9	8.3	0.005	0.07	0.61	2.0	2.3	0.3	61.5	<0.01	0.02	1.1
ZZ97571		29.3	1070	13.8	10.9	<0.001	0.03	1.25	2.5	1.0	0.5	29.1	<0.01	0.04	4.2
ZZ97572		11.1	920	8.9	6.4	<0.001	0.02	0.68	1.5	0.7	0.4	14.1	<0.01	0.02	3.1
ZZ97573		13.7	1220	9.5	8.4	<0.001	0.01	0.89	1.7	0.6	0.4	9.9	<0.01	0.03	4.1
ZZ97574		42.1	1060	9.2	11.2	<0.001	0.10	0.54	3.4	1.0	0.6	38.9	0.03	0.02	3.9
ZZ97575		21.8	940	12.4	13.6	<0.001	0.01	0.48	2.6	0.3	0.6	8.6	<0.01	0.02	5.7
ZZ97576		15.2	410	9.3	7.2	<0.001	0.01	0.35	2.0	0.3	0.4	14.7	<0.01	0.01	3.4
ZZ97577		18.9	590	8.3	4.4	<0.001	0.01	0.58	2.2	0.6	0.3	17.5	<0.01	0.02	5.2
ZZ97578		15.8	750	11.0	9.2	<0.001	0.02	0.46	1.6	0.6	0.5	11.1	<0.01	0.02	2.1
ZZ97579		20.0	910	9.6	10.5	<0.001	0.01	0.60	1.9	0.3	0.4	8.4	<0.01	0.02	4.7
ZZ97580		20.3	370	9.8	9.0	<0.001	0.02	0.82	1.7	0.8	0.3	10.0	<0.01	0.02	4.4
ZZ97581		12.5	530	9.9	9.0	<0.001	0.02	0.37	1.6	0.4	0.5	9.6	<0.01	0.01	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ97542		0.08	0.53	42	0.48	4.22	71	2.0
ZZ97543		0.07	0.49	28	0.20	3.81	58	1.2
ZZ97544		0.09	0.43	30	0.16	5.73	67	1.3
ZZ97545		0.10	0.64	42	0.32	4.30	50	3.5
ZZ97546		0.06	0.40	22	0.17	3.04	39	0.5
ZZ97547		0.07	0.40	24	0.15	1.92	30	1.4
ZZ97548		0.08	0.53	24	0.17	6.28	51	0.9
ZZ97549		0.08	1.84	33	0.19	13.45	118	0.8
ZZ97550		0.07	0.57	32	0.21	4.72	46	1.1
ZZ97551		0.06	0.49	43	0.29	2.55	52	2.2
ZZ97552		0.05	0.39	36	0.27	2.17	29	1.5
ZZ97553		0.04	0.43	17	0.10	2.98	21	<0.5
ZZ97554		0.07	0.38	33	0.26	1.90	31	1.3
ZZ97555		0.09	0.49	29	0.17	2.71	34	0.9
ZZ97556		0.10	1.51	21	0.11	8.93	59	1.1
ZZ97557		0.10	0.58	32	0.18	3.41	42	0.7
ZZ97558		0.08	0.51	31	0.19	2.68	42	1.8
ZZ97559		0.08	0.39	26	0.40	2.15	30	<0.5
ZZ97560		0.08	0.47	28	0.30	2.36	32	<0.5
ZZ97561		0.10	0.71	45	0.32	4.20	70	2.0
ZZ97562		0.09	0.59	40	0.37	2.64	57	2.2
ZZ97563		0.08	0.58	29	0.18	4.34	86	1.8
ZZ97564		0.08	0.63	35	0.30	3.87	69	0.7
ZZ97565		0.06	0.45	39	0.30	2.83	46	3.1
ZZ97566		0.08	0.58	49	0.31	3.51	80	3.4
ZZ97567		0.07	0.44	44	0.26	2.25	44	0.8
ZZ97568		0.08	0.44	39	0.23	2.18	41	2.6
ZZ97569		0.08	0.53	43	0.24	2.75	95	3.4
ZZ97570		0.11	2.11	22	0.16	9.22	74	1.5
ZZ97571		0.17	1.00	50	0.19	3.72	162	1.6
ZZ97572		0.08	0.56	38	0.91	3.24	47	<0.5
ZZ97573		0.09	0.62	44	0.34	2.38	58	1.3
ZZ97574		0.08	0.61	52	0.28	4.05	141	3.3
ZZ97575		0.09	0.59	44	0.32	2.75	95	4.0
ZZ97576		0.06	0.60	22	0.18	5.05	48	<0.5
ZZ97577		0.06	0.64	18	0.15	6.89	45	1.4
ZZ97578		0.08	0.55	29	0.31	3.26	56	<0.5
ZZ97579		0.07	0.57	33	0.31	3.37	95	2.3
ZZ97580		0.08	0.50	28	0.15	2.95	86	1.6
ZZ97581		0.08	0.48	31	0.29	3.89	49	1.7



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ97582		0.24	0.21	0.93	5.2	<0.2	<10	200	0.29	0.22	0.08	0.28	22.7	3.2	19	0.65
ZZ97583		0.31	0.16	1.04	6.5	<0.2	<10	140	0.29	0.17	0.05	0.11	23.5	3.4	20	0.90
ZZ97584		0.27	0.48	1.73	8.3	<0.2	<10	180	0.73	0.27	0.05	0.13	25.6	6.7	32	1.30
ZZ97585		0.37	0.13	1.06	6.4	<0.2	<10	510	0.61	0.18	0.06	0.14	36.9	4.3	19	0.92
ZZ97586		0.31	1.26	1.08	5.7	<0.2	<10	160	0.30	0.15	0.08	0.17	31.0	4.8	22	0.80
ZZ97587		0.29	0.21	0.66	3.9	<0.2	<10	300	0.26	0.11	0.09	0.17	30.1	3.3	13	0.51
ZZ97588		0.42	0.09	0.86	5.3	<0.2	<10	180	0.36	0.12	0.08	0.16	36.0	5.0	17	0.48
ZZ97589		0.27	0.55	0.82	4.2	<0.2	<10	220	0.32	0.12	0.08	0.48	22.1	2.6	15	0.48
ZZ97590		0.34	0.20	0.95	4.5	<0.2	<10	180	0.27	0.12	0.04	0.15	26.4	3.7	16	0.50
ZZ97591		0.26	0.67	0.96	4.0	<0.2	<10	560	0.38	0.19	0.15	1.98	24.4	10.0	19	0.67
ZZ97592		0.28	0.71	1.06	4.4	<0.2	<10	330	0.37	0.16	0.17	0.52	25.7	5.7	21	0.48
ZZ97593		0.34	0.23	1.03	6.0	<0.2	<10	160	0.43	0.16	0.10	0.33	34.7	4.7	19	0.65
ZZ97594		0.27	0.18	1.50	5.4	<0.2	<10	320	0.44	0.19	0.21	0.20	29.6	6.3	26	0.75
ZZ97595		0.32	0.62	0.92	3.5	<0.2	<10	410	0.28	0.15	0.10	0.85	22.4	4.4	17	0.49
ZZ97596		0.25	0.38	0.90	6.3	<0.2	<10	180	0.28	0.20	0.15	0.49	24.4	3.6	21	0.54
ZZ97597		0.32	0.74	1.28	7.2	<0.2	<10	430	0.40	0.22	0.15	1.35	26.9	5.2	25	1.28
ZZ97598		0.25	0.79	1.18	4.4	<0.2	<10	170	0.31	0.22	0.11	0.37	24.8	2.9	23	0.85
ZZ97599		0.33	0.23	0.75	6.8	<0.2	<10	350	0.30	0.78	0.10	0.71	30.1	4.1	13	0.31
ZZ97600		0.32	0.24	1.16	6.7	<0.2	<10	120	0.30	0.17	0.14	0.14	24.2	4.9	25	0.69
ZZ97601		0.25	0.18	1.07	6.7	<0.2	<10	290	0.35	0.20	0.22	0.44	28.8	6.8	23	0.71
ZZ97602		0.25	0.29	1.10	6.3	<0.2	<10	180	0.35	0.16	0.10	0.38	36.0	4.7	21	0.61
ZZ97603		0.25	0.13	0.36	2.7	<0.2	<10	280	0.18	0.07	0.19	0.16	16.05	2.3	7	0.17
ZZ97604		0.36	0.18	1.09	5.0	<0.2	<10	150	0.33	0.13	0.08	0.16	37.4	4.1	19	0.59
ZZ97605		0.33	1.37	1.19	3.9	<0.2	<10	560	0.59	0.19	0.63	2.79	24.6	9.4	21	0.64
ZZ97606		0.26	1.11	0.76	3.9	<0.2	<10	700	0.36	0.18	0.20	6.06	25.0	11.6	15	0.47
ZZ97607		0.30	0.24	1.14	4.5	<0.2	<10	440	0.42	0.18	0.19	2.02	24.5	7.4	22	0.58
ZZ97608		0.34	0.43	0.82	5.0	<0.2	<10	210	0.27	0.19	0.18	0.21	27.3	3.6	17	0.69
ZZ97609		0.43	0.43	0.87	4.8	<0.2	<10	340	0.46	0.13	0.45	0.67	26.7	5.4	17	0.48
ZZ97610		0.34	0.16	0.82	3.4	<0.2	<10	160	0.32	0.18	0.07	0.08	22.8	3.6	14	0.76
ZZ97611		0.31	0.15	1.02	7.7	<0.2	<10	140	0.33	0.19	0.10	0.12	26.2	4.9	22	0.64
ZZ97612		0.25	0.11	0.97	3.5	<0.2	<10	270	0.41	0.18	0.22	0.37	24.0	7.2	23	0.61
ZZ97613		0.29	0.15	0.79	3.4	<0.2	<10	260	0.33	0.14	0.20	0.31	27.8	5.6	17	0.62
ZZ97614		0.27	0.12	0.61	5.0	<0.2	<10	240	0.26	0.12	0.06	0.09	22.2	2.7	10	0.27
ZZ97615		0.32	0.16	0.56	4.7	<0.2	<10	250	0.30	0.11	0.10	0.17	21.1	3.0	9	0.29
ZZ97616		0.32	0.49	0.54	4.1	<0.2	<10	310	0.27	0.11	0.11	0.34	22.0	3.5	10	0.24
ZZ97617		0.32	0.89	1.51	6.9	<0.2	<10	860	0.86	0.20	0.86	0.87	26.3	8.2	21	1.12
ZZ97618		0.27	0.81	1.47	8.7	<0.2	<10	820	1.16	0.22	1.07	1.34	27.4	8.5	20	1.23
ZZ97619		0.35	0.96	0.89	2.9	<0.2	<10	300	0.35	0.15	0.12	0.97	24.6	3.9	17	0.47
ZZ97620		0.28	0.13	1.20	6.0	<0.2	<10	160	0.35	0.19	0.13	0.32	25.5	4.9	23	0.58
ZZ97621		0.31	0.31	0.88	5.1	<0.2	<10	280	0.37	0.16	0.21	0.23	23.9	4.4	16	0.55



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ97582		4.4	2.01	5.61	0.06	0.04	0.01	0.016	0.03	11.8	9.4	0.16	87	1.09	0.01
ZZ97583		7.4	1.88	4.33	0.06	0.06	0.01	0.015	0.04	12.2	13.5	0.23	95	1.26	0.01
ZZ97584		14.1	3.32	7.38	0.08	0.06	0.02	0.031	0.06	13.1	28.4	0.33	139	1.36	0.01
ZZ97585		18.6	2.05	3.71	0.07	0.04	0.02	0.020	0.06	18.7	10.9	0.22	107	2.59	<0.01
ZZ97586		7.5	2.00	3.80	0.06	0.07	0.04	0.020	0.04	15.9	13.0	0.28	128	1.36	0.01
ZZ97587		8.2	1.24	2.60	0.06	<0.02	0.05	0.013	0.05	15.7	7.4	0.18	77	1.24	<0.01
ZZ97588		13.3	1.64	2.73	0.07	0.02	0.03	0.016	0.04	18.3	11.3	0.26	134	1.17	<0.01
ZZ97589		14.6	1.49	3.58	0.05	0.02	0.03	0.012	0.03	11.8	7.2	0.16	66	1.20	<0.01
ZZ97590		10.5	1.56	2.94	0.05	0.05	0.01	0.015	0.04	13.8	12.7	0.22	86	0.83	<0.01
ZZ97591		13.1	1.99	4.93	0.08	0.02	0.03	0.018	0.07	12.6	10.7	0.21	322	0.96	<0.01
ZZ97592		11.5	1.83	4.55	0.06	0.05	0.02	0.014	0.07	13.3	14.7	0.32	172	0.83	<0.01
ZZ97593		9.5	1.93	3.63	0.07	0.06	0.02	0.017	0.05	18.2	16.9	0.28	120	1.04	0.01
ZZ97594		10.5	2.16	5.43	0.06	0.05	0.02	0.022	0.04	15.1	15.4	0.40	137	0.81	0.01
ZZ97595		9.5	1.63	3.97	0.05	0.02	0.02	0.013	0.05	11.8	10.7	0.23	148	0.97	<0.01
ZZ97596		11.7	2.14	4.74	0.06	0.05	0.02	0.015	0.07	12.9	7.8	0.21	145	1.21	0.01
ZZ97597		16.5	2.39	5.56	0.07	0.04	0.02	0.022	0.07	14.2	16.9	0.28	139	1.77	0.01
ZZ97598		12.4	1.72	4.84	0.05	0.08	0.05	0.019	0.04	12.8	13.7	0.20	69	0.87	<0.01
ZZ97599		44.9	1.98	2.51	0.06	0.04	0.03	0.017	0.05	16.8	6.5	0.17	66	2.42	<0.01
ZZ97600		7.5	2.05	3.70	0.05	0.03	0.03	0.020	0.04	12.6	14.5	0.33	121	0.90	<0.01
ZZ97601		8.1	2.39	4.58	0.06	0.04	0.01	0.019	0.05	15.0	16.3	0.33	273	1.12	<0.01
ZZ97602		12.7	2.12	3.46	0.06	0.03	0.04	0.015	0.05	18.9	17.3	0.30	112	0.94	<0.01
ZZ97603		15.5	0.66	1.22	<0.05	<0.02	0.02	0.006	0.04	8.7	3.5	0.08	106	0.80	<0.01
ZZ97604		13.3	1.89	3.10	<0.05	0.03	0.03	0.016	0.04	19.4	14.9	0.29	112	0.74	<0.01
ZZ97605		46.6	1.90	3.72	0.06	0.02	0.10	0.021	0.09	12.6	18.0	0.29	494	1.42	<0.01
ZZ97606		19.3	1.76	3.36	0.05	<0.02	0.02	0.018	0.08	12.9	8.2	0.16	1200	2.31	<0.01
ZZ97607		10.2	2.04	4.51	0.05	<0.02	0.01	0.023	0.07	12.4	14.6	0.32	369	1.23	<0.01
ZZ97608		10.4	1.62	4.08	0.05	<0.02	0.02	0.014	0.06	14.2	7.5	0.22	96	1.40	<0.01
ZZ97609		42.6	1.59	2.54	<0.05	0.04	0.10	0.017	0.06	14.1	11.9	0.28	179	1.62	<0.01
ZZ97610		7.1	1.27	3.58	<0.05	0.05	0.01	0.008	0.06	11.8	11.3	0.18	72	0.79	<0.01
ZZ97611		11.0	2.34	4.00	0.05	0.08	0.01	0.020	0.05	13.6	14.1	0.29	136	1.37	<0.01
ZZ97612		6.6	2.32	4.99	0.05	0.04	0.01	0.016	0.08	12.4	13.9	0.28	260	0.61	<0.01
ZZ97613		11.0	1.57	3.28	0.05	0.02	0.01	0.014	0.08	14.3	15.2	0.28	221	0.82	<0.01
ZZ97614		18.3	1.22	1.79	<0.05	0.02	0.02	0.011	0.07	12.1	6.1	0.16	42	1.58	<0.01
ZZ97615		23.5	1.08	1.58	0.06	0.02	0.03	0.012	0.07	11.3	4.3	0.10	59	1.67	<0.01
ZZ97616		22.2	1.24	1.83	<0.05	<0.02	0.03	0.011	0.07	11.8	4.6	0.13	65	1.80	<0.01
ZZ97617		64.7	2.05	3.65	0.06	0.09	0.23	0.032	0.12	13.3	18.3	0.27	281	1.91	<0.01
ZZ97618		74.4	2.56	3.51	0.07	0.09	0.21	0.027	0.13	14.1	16.7	0.29	443	2.04	<0.01
ZZ97619		10.3	1.67	4.00	<0.05	0.02	0.02	0.014	0.07	13.1	10.6	0.16	160	1.33	<0.01
ZZ97620		9.8	2.30	4.84	0.06	0.05	0.01	0.019	0.06	13.4	14.3	0.28	141	1.33	<0.01
ZZ97621		17.3	1.58	3.46	0.05	<0.02	0.03	0.013	0.07	12.7	12.1	0.27	116	1.11	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ97582		8.2	520	11.3	10.5	<0.001	0.01	0.32	1.3	0.2	0.7	9.6	<0.01	0.02	3.3
ZZ97583		10.7	300	8.7	10.1	<0.001	0.01	0.43	1.6	0.2	0.5	6.2	<0.01	0.01	3.8
ZZ97584		16.6	440	15.1	13.4	<0.001	0.02	0.51	2.4	0.4	0.8	8.3	<0.01	0.02	4.9
ZZ97585		16.0	410	12.3	9.2	<0.001	0.05	0.80	2.1	0.9	0.4	17.7	<0.01	0.02	4.9
ZZ97586		14.1	460	8.5	9.9	<0.001	0.01	0.41	1.8	0.5	0.5	8.4	<0.01	0.01	5.0
ZZ97587		12.2	510	7.0	7.8	<0.001	0.02	0.63	1.5	0.4	0.3	13.5	<0.01	0.02	3.1
ZZ97588		17.7	320	7.3	7.0	<0.001	0.01	0.55	1.9	0.5	0.3	10.2	<0.01	0.02	4.9
ZZ97589		8.8	650	6.9	7.5	<0.001	0.02	0.45	1.3	0.5	0.4	11.3	<0.01	0.01	2.9
ZZ97590		12.5	350	6.4	7.2	<0.001	0.01	0.43	1.5	0.2	0.3	6.2	<0.01	0.01	3.8
ZZ97591		12.4	2100	10.2	12.0	<0.001	0.02	0.38	1.7	0.4	0.6	13.3	<0.01	0.01	2.8
ZZ97592		13.8	1360	8.9	10.3	<0.001	0.01	0.29	1.8	0.3	0.5	13.2	<0.01	0.01	3.8
ZZ97593		15.5	560	7.9	10.7	<0.001	0.01	0.43	1.8	0.3	0.4	10.0	<0.01	0.02	5.4
ZZ97594		19.0	680	10.3	7.4	<0.001	0.01	0.27	2.3	0.3	0.6	13.6	<0.01	0.02	4.6
ZZ97595		10.3	610	7.6	7.5	<0.001	0.01	0.32	1.4	<0.2	0.5	8.5	<0.01	0.01	2.9
ZZ97596		10.7	1620	9.8	11.7	<0.001	0.01	0.45	1.6	0.3	0.5	13.0	<0.01	0.02	3.9
ZZ97597		15.9	2360	12.3	11.8	<0.001	0.01	0.61	2.2	0.3	0.7	15.3	<0.01	0.03	4.2
ZZ97598		10.0	1020	13.3	11.0	<0.001	0.02	0.26	1.8	0.2	0.7	9.9	<0.01	0.01	4.3
ZZ97599		17.5	2240	9.7	7.2	0.001	0.04	0.79	1.6	1.5	0.2	35.9	<0.01	0.03	4.0
ZZ97600		16.0	810	9.5	7.9	<0.001	0.01	0.42	1.7	0.5	0.4	10.1	<0.01	0.01	3.8
ZZ97601		16.1	1520	10.1	10.4	<0.001	0.02	0.41	1.9	0.4	0.5	14.8	<0.01	0.02	4.5
ZZ97602		16.8	1400	8.0	8.2	<0.001	0.02	0.50	1.8	0.5	0.4	11.5	<0.01	0.02	4.8
ZZ97603		7.9	440	4.8	3.6	0.001	0.02	0.35	0.8	0.6	0.2	23.0	<0.01	0.01	1.3
ZZ97604		15.1	580	7.3	6.9	<0.001	0.01	0.48	1.7	0.3	0.3	8.6	<0.01	<0.01	4.6
ZZ97605		30.9	860	11.0	9.7	0.006	0.04	0.55	2.3	0.8	0.5	34.4	<0.01	0.02	1.8
ZZ97606		16.1	1880	10.8	10.6	<0.001	0.02	0.50	1.3	0.4	0.4	15.7	<0.01	0.01	1.0
ZZ97607		15.9	2810	9.5	10.3	<0.001	0.01	0.33	1.8	0.4	0.6	14.3	<0.01	0.02	2.2
ZZ97608		11.0	1560	9.4	12.3	<0.001	0.02	0.33	1.5	0.3	0.5	17.9	<0.01	0.01	3.2
ZZ97609		22.6	930	7.0	5.3	0.002	0.02	0.69	2.2	1.2	0.3	34.6	<0.01	0.01	2.3
ZZ97610		9.3	230	11.4	12.0	<0.001	0.01	0.22	1.3	<0.2	0.5	7.9	<0.01	<0.01	3.4
ZZ97611		14.7	890	8.7	9.9	<0.001	0.01	0.48	1.7	0.4	0.4	10.3	<0.01	0.02	4.4
ZZ97612		13.1	1360	12.2	13.1	<0.001	0.01	0.29	1.7	0.2	0.7	16.7	<0.01	0.02	3.6
ZZ97613		12.8	760	8.0	10.5	<0.001	0.01	0.29	1.6	0.3	0.4	16.3	<0.01	0.01	3.9
ZZ97614		10.4	440	8.3	4.9	0.001	0.06	0.59	1.1	0.6	0.2	15.5	<0.01	0.01	2.7
ZZ97615		11.8	470	7.5	5.0	0.001	0.03	0.57	1.2	0.6	0.2	19.1	<0.01	0.01	2.1
ZZ97616		11.6	730	7.0	5.7	<0.001	0.02	0.57	1.1	0.7	0.2	18.0	<0.01	0.02	1.5
ZZ97617		30.7	1060	13.2	12.0	0.008	0.08	0.72	3.4	1.8	0.4	63.8	<0.01	0.04	2.0
ZZ97618		40.9	1560	15.6	12.2	0.006	0.07	0.73	3.4	2.4	0.4	65.7	<0.01	0.03	1.8
ZZ97619		8.0	1220	8.3	9.6	<0.001	0.02	0.31	1.3	0.6	0.5	13.0	<0.01	0.03	2.6
ZZ97620		13.5	970	10.2	8.3	<0.001	0.01	0.38	1.8	0.5	0.6	10.8	<0.01	0.01	3.9
ZZ97621		14.4	760	8.5	9.2	<0.001	0.02	0.40	1.6	0.4	0.4	19.5	<0.01	0.01	2.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ97582		0.07	0.35	51	0.26	1.79	44	1.4
ZZ97583		0.11	0.46	36	0.26	2.20	41	2.0
ZZ97584		0.14	0.59	55	0.33	2.90	88	2.5
ZZ97585		0.13	0.69	45	0.15	5.11	56	1.7
ZZ97586		0.09	0.49	32	0.24	3.02	42	2.7
ZZ97587		0.08	0.53	24	0.16	3.61	41	<0.5
ZZ97588		0.07	0.57	24	0.19	4.57	52	1.1
ZZ97589		0.06	0.58	33	0.17	2.89	52	0.7
ZZ97590		0.06	0.41	24	0.14	2.35	40	2.0
ZZ97591		0.07	0.58	36	0.22	3.20	129	0.6
ZZ97592		0.07	0.55	35	0.22	3.73	85	2.0
ZZ97593		0.08	0.58	29	0.20	3.23	59	2.1
ZZ97594		0.09	0.63	39	0.28	4.88	65	1.9
ZZ97595		0.06	0.37	36	0.46	2.53	65	0.9
ZZ97596		0.06	0.48	45	0.57	2.55	66	2.1
ZZ97597		0.14	0.66	62	0.35	4.07	138	1.7
ZZ97598		0.08	0.60	36	0.43	3.06	45	2.9
ZZ97599		0.07	0.62	30	0.17	3.79	89	2.0
ZZ97600		0.09	0.54	34	0.29	3.26	48	0.9
ZZ97601		0.07	0.49	42	0.22	4.03	75	1.6
ZZ97602		0.07	0.58	31	0.21	3.21	57	1.1
ZZ97603		0.04	0.99	14	0.06	2.76	29	<0.5
ZZ97604		0.07	0.52	28	0.20	3.34	45	0.9
ZZ97605		0.09	2.06	32	0.12	8.71	95	0.6
ZZ97606		0.07	0.55	30	0.20	3.02	126	<0.5
ZZ97607		0.06	0.51	34	0.30	3.31	142	0.5
ZZ97608		0.08	0.53	33	0.35	4.10	53	0.5
ZZ97609		0.07	1.21	26	0.12	7.92	69	1.0
ZZ97610		0.06	0.40	27	0.21	2.39	39	1.5
ZZ97611		0.07	0.50	40	0.26	3.03	66	3.0
ZZ97612		0.06	0.39	43	0.34	3.01	132	1.8
ZZ97613		0.07	0.56	27	0.36	4.85	63	0.7
ZZ97614		0.08	0.39	22	0.06	2.49	40	0.7
ZZ97615		0.08	0.47	20	0.07	3.78	42	0.6
ZZ97616		0.07	0.45	21	0.08	3.74	51	<0.5
ZZ97617		0.16	1.37	38	0.10	16.70	97	2.3
ZZ97618		0.12	4.19	35	0.14	19.15	102	2.4
ZZ97619		0.07	0.39	35	0.16	2.26	70	0.6
ZZ97620		0.08	0.48	46	0.26	2.78	84	2.0
ZZ97621		0.08	0.53	32	0.30	4.19	57	<0.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt. kg	Ag ppm	Al %	As ppm	Au ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ97622		0.30	0.29	0.89	5.2	<0.2	<10	250	0.39	0.14	0.13	0.27	23.9	5.6	15	0.49
ZZ97623		0.34	0.25	0.91	7.2	<0.2	<10	190	0.44	0.14	0.12	0.39	20.2	6.0	16	0.48
ZZ97624		0.29	0.23	0.71	4.0	<0.2	<10	190	0.30	0.17	0.13	0.21	25.9	3.6	14	0.58
ZZ97625		0.35	0.16	0.52	3.4	<0.2	<10	140	0.21	0.16	0.08	0.15	24.4	2.9	11	0.47
ZZ97626		0.34	0.13	0.91	5.3	<0.2	<10	320	0.35	0.20	0.16	0.12	22.6	3.0	16	0.68
ZZ97627		0.40	0.15	1.05	5.8	<0.2	<10	140	0.38	0.17	0.09	0.14	23.4	5.3	21	0.65
ZZ94929		0.15	0.30	0.71	6.1	<0.2	<10	530	0.29	0.16	0.21	0.27	15.85	4.5	10	0.28
ZZ94930		0.15	0.19	1.25	3.7	<0.2	<10	340	0.35	0.15	0.16	0.22	24.0	4.6	21	0.71
ZZ94931		0.19	0.03	0.90	8.7	<0.2	<10	170	0.34	0.23	0.12	0.42	27.9	4.1	19	0.70
ZZ94932		0.26	0.25	1.13	7.4	<0.2	<10	400	0.53	0.17	0.43	0.28	28.0	7.1	26	0.33
ZZ94933		0.21	0.05	0.97	6.1	<0.2	<10	120	0.32	0.19	0.10	0.35	24.4	4.0	20	0.61
ZZ94934		0.18	0.13	0.74	2.6	<0.2	<10	260	0.20	0.16	0.13	0.26	24.0	4.7	17	0.47
ZZ94935		0.22	0.31	1.10	4.4	<0.2	<10	660	0.54	0.17	0.41	0.57	25.1	10.0	18	0.57
ZZ94936		0.13	0.09	0.43	1.2	<0.2	<10	220	0.16	0.13	0.10	0.56	21.4	4.2	11	0.28
ZZ94937		0.23	0.10	0.66	4.3	<0.2	<10	130	0.24	0.11	0.09	0.12	24.6	2.8	13	0.42
ZZ94938		0.14	0.93	1.98	4.8	<0.2	<10	1130	0.98	0.20	1.05	0.96	51.2	18.0	26	0.88
ZZ94939		0.25	0.15	1.01	3.1	<0.2	<10	170	0.32	0.14	0.11	0.18	24.2	4.3	18	0.62
ZZ94940		0.19	0.69	0.78	5.0	<0.2	<10	170	0.30	0.12	0.10	0.12	24.5	3.9	15	0.51
ZZ94941		0.14	0.83	0.67	3.5	<0.2	<10	1120	0.34	0.18	0.18	0.43	23.5	2.5	16	0.56
ZZ94942		0.14	0.82	1.03	5.7	<0.2	<10	550	0.41	0.21	0.17	0.17	25.1	3.7	22	0.68
ZZ94943		0.18	0.72	0.66	6.2	<0.2	<10	200	0.23	0.22	0.05	0.17	24.9	2.2	17	0.66
ZZ94944		0.19	0.06	1.05	5.0	<0.2	<10	200	0.30	0.21	0.07	0.22	23.1	3.1	18	0.45
ZZ94945		0.19	0.08	1.27	4.1	<0.2	<10	190	0.44	0.18	0.07	0.57	21.7	5.8	21	0.67
ZZ94946		0.13	1.06	1.32	12.1	<0.2	<10	860	0.44	0.20	0.19	5.19	38.7	10.0	25	1.09
ZZ94947		0.27	0.79	1.18	2.9	<0.2	<10	700	0.52	0.22	0.20	1.88	26.9	10.6	25	0.63
ZZ94948		0.16	0.17	0.59	6.2	<0.2	<10	320	0.34	0.12	0.11	0.45	25.1	5.5	12	0.40
ZZ94949		0.18	0.37	0.93	6.3	<0.2	<10	180	0.33	0.17	0.12	0.27	30.5	4.4	18	0.46
ZZ94950		0.15	0.35	0.97	4.1	<0.2	<10	230	0.34	0.19	0.13	0.29	29.6	4.1	19	0.57
ZZ94951		0.28	0.27	1.00	5.8	<0.2	<10	260	0.30	0.17	0.14	0.28	32.7	4.2	19	0.52
ZZ94952		0.15	0.34	0.80	6.6	<0.2	<10	200	0.24	0.19	0.11	0.39	31.0	3.9	18	0.54
ZZ94953		0.28	0.25	0.66	4.2	<0.2	<10	160	0.31	0.12	0.08	0.32	25.3	3.1	13	0.38
ZZ94954		0.17	0.32	0.48	3.3	<0.2	<10	200	0.15	0.13	0.08	0.18	23.8	2.5	12	0.37
ZZ94955		0.32	0.09	1.21	5.1	<0.2	<10	170	0.46	0.20	0.15	0.15	31.4	5.7	24	0.92
ZZ94956		0.33	0.18	0.62	3.4	<0.2	<10	130	0.20	0.10	0.10	0.09	27.9	3.0	13	0.39
ZZ94957		0.18	1.24	1.06	3.7	<0.2	<10	440	0.42	0.15	0.17	0.41	28.0	5.6	19	0.65
ZZ94958		0.17	1.75	1.26	9.0	<0.2	<10	170	0.46	0.18	0.15	0.30	31.3	5.7	23	0.77
ZZ94959		0.22	1.90	1.43	13.8	<0.2	<10	250	0.46	0.22	0.14	0.29	26.9	4.4	29	0.76
ZZ94960		0.28	3.31	1.50	5.1	<0.2	<10	590	0.55	0.21	0.23	2.43	28.7	7.1	27	0.84
ZZ94961		0.18	0.96	1.30	8.1	<0.2	<10	180	0.44	0.22	0.10	1.35	26.7	4.4	25	0.80
ZZ94962		0.12	0.22	0.60	2.9	<0.2	<10	420	0.25	0.15	0.17	1.90	25.4	5.1	14	0.30



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ97622		16.2	1.65	3.35	0.05	0.02	0.02	0.015	0.06	12.6	12.1	0.21	186	1.64	<0.01
ZZ97623		26.8	1.92	2.85	<0.05	0.05	0.02	0.017	0.06	10.8	10.9	0.23	92	1.85	<0.01
ZZ97624		9.2	1.35	3.43	0.05	0.03	0.01	0.011	0.06	13.4	7.3	0.19	89	0.98	<0.01
ZZ97625		8.5	1.18	3.17	<0.05	<0.02	0.01	0.009	0.05	12.4	5.0	0.12	80	0.81	<0.01
ZZ97626		17.4	1.40	3.44	<0.05	<0.02	0.04	0.014	0.05	11.7	11.0	0.22	75	0.93	<0.01
ZZ97627		10.3	2.10	3.72	0.05	0.04	0.01	0.018	0.05	12.2	12.8	0.26	132	1.05	<0.01
ZZ94929		19.4	1.42	2.68	<0.05	0.02	0.02	0.014	0.06	9.4	5.9	0.12	120	2.72	<0.01
ZZ94930		6.6	1.61	4.29	<0.05	0.03	0.01	0.020	0.03	12.8	12.9	0.24	88	1.42	<0.01
ZZ94931		9.9	2.13	4.77	<0.05	<0.02	0.01	0.019	0.04	14.7	10.3	0.19	106	1.74	<0.01
ZZ94932		8.8	2.15	3.52	<0.05	0.05	0.04	0.020	0.05	14.0	15.9	0.37	260	1.61	0.01
ZZ94933		7.0	2.10	4.21	0.05	0.03	0.01	0.016	0.04	12.8	9.5	0.18	112	1.02	<0.01
ZZ94934		5.4	1.46	3.97	<0.05	0.03	0.01	0.012	0.04	12.5	9.7	0.22	151	0.91	<0.01
ZZ94935		21.7	1.56	3.04	0.07	0.03	0.04	0.017	0.07	12.2	13.0	0.19	553	1.53	<0.01
ZZ94936		4.1	0.95	2.50	0.06	<0.02	0.01	0.005	0.05	11.2	4.1	0.10	472	0.63	<0.01
ZZ94937		6.2	1.30	2.69	0.06	0.02	0.01	0.010	0.04	12.9	7.2	0.17	86	0.78	<0.01
ZZ94938		35.6	2.27	4.59	0.10	0.05	0.17	0.028	0.08	23.3	17.9	0.35	1040	1.00	<0.01
ZZ94939		6.6	1.57	3.70	0.07	0.03	0.01	0.010	0.04	12.7	11.3	0.23	105	0.60	<0.01
ZZ94940		7.8	1.43	2.59	0.07	0.02	0.02	0.014	0.04	12.7	8.8	0.18	112	0.68	<0.01
ZZ94941		44.4	1.51	3.58	0.07	<0.02	0.03	0.012	0.07	13.2	4.0	0.11	88	2.61	<0.01
ZZ94942		7.3	2.23	4.79	0.08	0.04	0.02	0.015	0.05	13.0	10.5	0.20	101	0.77	<0.01
ZZ94943		14.8	1.93	3.71	0.07	0.05	0.02	0.012	0.05	13.6	4.3	0.12	73	1.61	<0.01
ZZ94944		5.3	1.77	5.11	0.07	0.05	0.01	0.013	0.03	12.2	7.3	0.13	79	1.00	<0.01
ZZ94945		5.4	2.04	4.81	0.07	0.08	0.01	0.016	0.03	11.5	14.6	0.18	140	0.89	<0.01
ZZ94946		25.7	3.42	5.94	0.09	<0.02	0.03	0.019	0.14	22.6	21.3	0.52	327	5.54	<0.01
ZZ94947		8.2	2.40	5.50	0.09	0.02	0.01	0.022	0.09	14.2	14.5	0.32	388	0.90	<0.01
ZZ94948		22.1	1.52	2.16	0.06	<0.02	0.01	0.011	0.07	13.3	10.7	0.19	180	2.16	<0.01
ZZ94949		8.3	1.92	3.91	0.08	0.02	0.01	0.014	0.06	16.0	13.4	0.25	112	0.97	<0.01
ZZ94950		13.2	1.60	4.37	0.06	<0.02	0.02	0.013	0.07	15.7	7.5	0.25	104	1.07	<0.01
ZZ94951		13.8	1.92	4.19	0.06	0.02	0.02	0.016	0.05	17.5	13.0	0.29	99	1.16	<0.01
ZZ94952		15.8	1.91	4.10	0.07	0.03	0.01	0.008	0.05	17.1	8.4	0.22	95	1.60	<0.01
ZZ94953		10.6	1.47	2.53	0.07	0.05	0.01	0.011	0.03	13.3	8.3	0.14	70	0.81	<0.01
ZZ94954		7.5	1.07	2.75	0.06	<0.02	0.01	0.007	0.03	12.5	3.9	0.13	66	0.86	<0.01
ZZ94955		7.8	1.90	4.11	0.07	0.06	0.01	0.015	0.06	16.3	15.0	0.34	173	0.64	<0.01
ZZ94956		7.3	1.12	2.07	0.07	<0.02	0.01	0.006	0.03	14.3	6.9	0.18	93	0.57	<0.01
ZZ94957		8.5	1.84	3.74	0.07	0.04	0.02	0.017	0.05	14.4	12.1	0.21	198	0.80	<0.01
ZZ94958		12.5	2.20	3.80	0.09	0.05	0.03	0.018	0.04	16.4	16.4	0.31	151	1.09	<0.01
ZZ94959		12.4	3.12	4.35	0.07	0.04	0.05	0.026	0.04	14.0	18.0	0.27	149	1.17	<0.01
ZZ94960		11.1	2.43	5.36	0.09	0.05	0.03	0.022	0.06	14.8	16.2	0.29	163	0.79	<0.01
ZZ94961		18.9	2.55	4.83	0.07	<0.02	0.03	0.024	0.04	14.2	13.4	0.23	119	1.33	<0.01
ZZ94962		17.0	1.28	3.32	0.05	<0.02	0.02	0.012	0.05	13.7	6.2	0.10	354	1.40	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ97622		13.7	1100	8.6	9.9	<0.001	0.02	0.44	1.5	0.6	0.4	15.3	<0.01	0.02	2.7
ZZ97623		18.0	1770	8.5	8.2	<0.001	0.02	0.72	1.7	0.8	0.3	14.5	<0.01	0.02	3.8
ZZ97624		10.2	750	8.5	10.7	<0.001	0.02	0.30	1.4	0.3	0.5	12.9	<0.01	0.01	3.4
ZZ97625		7.8	380	9.4	9.1	<0.001	0.01	0.29	0.9	0.2	0.5	10.1	<0.01	0.01	1.1
ZZ97626		11.7	490	11.0	7.6	<0.001	0.01	0.28	1.4	0.3	0.5	17.9	<0.01	0.01	1.4
ZZ97627		14.6	780	10.0	9.4	<0.001	0.01	0.37	1.6	0.3	0.5	10.8	<0.01	0.01	3.8
ZZ94929		11.3	400	7.0	6.0	<0.001	0.02	0.57	1.1	0.4	0.3	17.0	<0.01	0.01	1.1
ZZ94930		13.1	270	9.0	7.3	<0.001	0.01	0.27	1.6	0.3	0.6	9.9	<0.01	<0.01	3.1
ZZ94931		12.5	1220	13.2	10.1	<0.001	0.01	0.56	1.6	0.4	0.6	10.0	<0.01	0.02	3.0
ZZ94932		20.0	680	9.4	4.6	0.002	0.02	0.27	2.6	0.7	0.5	24.1	<0.01	0.01	3.1
ZZ94933		11.0	1540	10.9	9.8	<0.001	0.01	0.44	1.6	0.4	0.5	9.4	<0.01	0.01	3.8
ZZ94934		9.8	470	7.2	9.1	<0.001	0.01	0.29	1.4	0.2	0.5	11.9	<0.01	0.01	3.4
ZZ94935		20.6	800	9.1	10.3	0.002	0.02	0.47	2.0	0.6	0.3	30.3	<0.01	0.01	1.5
ZZ94936		5.7	660	6.1	6.8	<0.001	0.01	0.18	0.9	0.2	0.4	8.7	<0.01	0.01	1.8
ZZ94937		9.5	630	4.9	8.0	<0.001	0.01	0.33	1.1	0.2	0.3	9.6	<0.01	0.01	2.5
ZZ94938		35.5	1130	8.3	8.7	0.009	0.06	0.44	2.8	3.1	0.5	63.2	<0.01	0.02	1.3
ZZ94939		12.7	900	6.4	11.1	<0.001	0.01	0.26	1.4	0.3	0.4	11.1	<0.01	0.01	3.0
ZZ94940		11.9	1080	5.9	7.4	<0.001	0.02	0.37	1.3	0.5	0.3	11.4	<0.01	0.02	3.0
ZZ94941		13.6	2260	9.6	9.8	<0.001	0.07	0.91	0.8	2.2	0.5	179.0	<0.01	0.05	<0.2
ZZ94942		11.7	2980	9.2	9.9	<0.001	0.02	0.32	1.7	0.3	0.6	14.2	<0.01	0.02	3.7
ZZ94943		9.2	1640	9.3	9.5	<0.001	0.03	0.50	1.4	0.9	0.5	19.8	<0.01	0.02	3.6
ZZ94944		8.3	650	9.0	6.7	<0.001	0.01	0.30	1.3	0.2	0.6	7.6	<0.01	0.01	3.2
ZZ94945		10.8	1120	8.7	9.3	<0.001	0.01	0.32	1.6	0.5	0.6	7.0	<0.01	0.01	3.2
ZZ94946		16.7	1210	17.6	12.1	0.001	0.05	2.96	1.6	1.0	0.6	39.8	<0.01	0.04	1.9
ZZ94947		13.8	2810	10.2	9.3	<0.001	0.01	0.29	2.1	0.4	0.7	16.7	<0.01	0.01	3.0
ZZ94948		15.1	700	7.8	8.2	<0.001	0.03	0.88	1.3	1.0	0.2	29.5	<0.01	0.02	2.5
ZZ94949		12.3	1500	7.5	9.8	<0.001	0.02	0.37	1.5	0.4	0.4	13.0	<0.01	0.02	3.6
ZZ94950		13.0	1030	8.0	12.5	<0.001	0.02	0.37	1.6	0.5	0.5	16.9	<0.01	0.01	1.6
ZZ94951		13.8	1620	7.7	11.5	<0.001	0.02	0.46	1.7	0.8	0.4	25.9	<0.01	0.02	3.9
ZZ94952		11.5	1780	9.5	9.3	<0.001	0.02	0.58	1.6	0.5	0.4	14.7	<0.01	0.02	3.6
ZZ94953		8.8	990	6.1	6.5	<0.001	0.01	0.41	1.2	0.5	0.3	13.9	<0.01	0.01	3.2
ZZ94954		8.5	460	5.0	9.6	<0.001	0.01	0.39	0.9	0.3	0.4	7.4	<0.01	0.02	1.4
ZZ94955		17.3	800	8.1	15.3	<0.001	0.01	0.32	2.1	0.3	0.5	11.8	<0.01	0.01	4.8
ZZ94956		10.2	470	4.4	5.9	<0.001	0.01	0.33	1.2	0.3	0.2	8.2	<0.01	0.01	2.7
ZZ94957		12.9	3740	7.3	11.0	<0.001	0.02	0.36	2.0	0.4	0.4	16.9	<0.01	0.01	3.6
ZZ94958		18.2	2090	8.6	10.8	<0.001	0.01	0.51	2.1	0.5	0.4	12.4	<0.01	0.02	4.8
ZZ94959		16.0	3600	9.8	9.3	<0.001	0.02	0.58	1.9	0.8	0.4	13.3	<0.01	0.03	3.7
ZZ94960		16.5	4280	9.7	11.5	<0.001	0.01	0.32	2.6	0.5	0.6	17.4	<0.01	0.01	4.2
ZZ94961		14.7	2750	10.1	8.9	<0.001	0.02	0.52	1.8	1.0	0.5	11.7	<0.01	0.03	2.4
ZZ94962		9.1	1120	6.8	5.1	<0.001	0.02	0.37	1.1	1.0	0.5	20.6	<0.01	0.01	1.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ97622		0.08	0.51	30	0.19	3.37	83	0.5
ZZ97623		0.06	0.76	31	0.23	4.02	83	1.7
ZZ97624		0.07	0.47	28	0.23	3.33	49	1.1
ZZ97625		0.05	0.35	25	0.16	2.29	47	<0.5
ZZ97626		0.07	0.60	29	0.16	4.03	38	<0.5
ZZ97627		0.07	0.41	33	0.21	2.50	66	1.8
ZZ94929		0.08	0.41	34	0.10	1.82	43	<0.5
ZZ94930		0.08	0.39	44	0.19	2.57	127	1.1
ZZ94931		0.08	0.46	51	0.31	2.61	69	<0.5
ZZ94932		0.05	0.80	36	0.26	6.69	78	1.5
ZZ94933		0.08	0.43	42	0.31	2.46	62	1.5
ZZ94934		0.06	0.36	35	0.65	2.53	51	1.3
ZZ94935		0.09	0.90	27	0.16	4.84	81	0.8
ZZ94936		0.04	0.25	18	0.13	1.54	46	<0.5
ZZ94937		0.05	0.36	22	0.18	2.21	35	0.5
ZZ94938		0.11	2.31	35	0.22	15.30	75	1.3
ZZ94939		0.06	0.37	29	0.24	2.43	56	1.1
ZZ94940		0.05	0.39	23	0.25	2.65	44	0.8
ZZ94941		0.10	1.48	40	0.25	5.44	115	<0.5
ZZ94942		0.06	0.49	40	0.39	3.11	59	1.4
ZZ94943		0.08	0.49	38	0.27	2.06	50	1.8
ZZ94944		0.06	0.37	47	0.27	1.80	54	2.2
ZZ94945		0.08	0.39	44	0.21	1.91	101	3.0
ZZ94946		0.18	0.78	61	0.11	2.02	223	<0.5
ZZ94947		0.07	0.45	41	0.28	3.41	150	1.0
ZZ94948		0.08	0.59	20	0.08	2.91	57	0.7
ZZ94949		0.06	0.47	34	0.19	2.96	53	0.9
ZZ94950		0.08	0.57	32	0.28	3.60	67	<0.5
ZZ94951		0.08	0.62	35	0.25	3.98	72	0.9
ZZ94952		0.08	0.44	38	0.28	2.85	67	1.0
ZZ94953		0.04	0.40	25	0.14	2.74	46	1.8
ZZ94954		0.05	0.38	21	0.28	2.43	34	<0.5
ZZ94955		0.10	0.55	33	0.30	3.93	60	2.1
ZZ94956		0.04	0.38	18	0.13	3.15	28	<0.5
ZZ94957		0.06	0.47	28	0.26	3.62	68	1.2
ZZ94958		0.09	0.56	36	0.26	4.39	67	1.9
ZZ94959		0.08	0.58	60	0.42	3.25	56	1.6
ZZ94960		0.08	0.52	41	0.33	4.08	176	1.9
ZZ94961		0.09	0.62	48	0.31	2.98	125	<0.5
ZZ94962		0.05	0.36	27	0.18	2.17	163	<0.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.2	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1	ME-MS41 Cs ppm 0.05
ZZ94963		0.14	0.68	0.98	5.3	<0.2	<10	710	0.32	0.23	0.26	1.85	28.6	5.4	22	0.77
ZZ94964		0.28	0.22	1.27	5.3	<0.2	<10	180	0.45	0.20	0.16	0.42	24.6	5.4	25	0.65
ZZ94965		0.30	0.18	0.41	2.5	<0.2	<10	110	0.16	0.13	0.06	0.45	27.5	2.3	10	0.24
ZZ94966		0.20	0.03	0.37	2.0	<0.2	<10	170	0.15	0.08	0.05	0.41	14.25	4.0	8	0.35
ZZ94967		0.24	0.19	1.22	7.8	<0.2	<10	250	0.42	0.23	0.15	1.08	29.2	7.1	28	0.81
ZZ94968		0.15	0.15	0.82	5.5	<0.2	<10	500	0.25	0.15	0.16	0.24	22.5	5.3	19	0.44
ZZ94969		0.14	0.12	0.84	5.4	<0.2	<10	190	0.34	0.15	0.11	0.24	18.15	5.3	16	0.49
ZZ94970		0.13	0.26	1.04	5.0	<0.2	<10	1010	0.49	0.26	0.55	4.32	39.6	16.6	20	0.33
ZZ94971		0.11	0.52	0.75	9.5	<0.2	<10	700	0.43	0.14	0.44	0.72	22.5	7.0	14	0.20
ZZ94972		0.21	1.18	1.19	6.3	<0.2	<10	420	0.69	0.19	0.22	1.47	27.8	12.5	21	0.72
ZZ94973		0.22	0.16	0.81	3.3	<0.2	<10	140	0.23	0.12	0.11	0.27	30.7	3.3	16	0.47
ZZ94974		0.25	0.20	0.70	4.2	<0.2	<10	140	0.18	0.10	0.09	0.18	24.1	3.0	13	0.55
ZZ94975		0.26	0.31	1.11	5.6	<0.2	<10	210	0.36	0.16	0.08	0.44	27.3	4.3	19	0.69
ZZ94976		0.29	0.11	0.96	3.8	<0.2	<10	130	0.25	0.14	0.08	0.11	25.9	3.0	19	0.65
ZZ94977		0.31	0.11	1.04	5.7	<0.2	<10	220	0.36	0.16	0.08	0.18	26.5	4.3	18	0.55
ZZ94978		0.29	0.10	1.35	6.6	<0.2	<10	140	0.39	0.18	0.10	0.16	24.6	4.9	27	0.89
ZZ94979		0.20	0.17	0.50	7.7	<0.2	<10	290	0.22	0.17	0.12	0.68	24.0	5.0	11	0.25
ZZ94980		0.17	0.09	1.13	8.6	<0.2	<10	180	0.34	0.18	0.17	0.33	27.6	6.3	25	0.74
ZZ94981		0.27	0.11	1.04	3.9	<0.2	<10	280	0.31	0.12	0.08	0.12	19.90	3.0	16	0.65
ZZ94982		0.22	0.14	0.87	5.5	<0.2	<10	260	0.30	0.11	0.07	0.17	26.2	3.1	16	0.56
ZZ94983		0.20	0.12	0.57	7.1	<0.2	<10	320	0.25	0.15	0.10	0.39	24.8	3.7	12	0.34
ZZ94984		0.14	0.24	0.56	6.6	<0.2	<10	200	0.21	0.18	0.10	0.39	20.5	3.9	14	0.36
ZZ94985		0.16	1.04	0.85	5.2	<0.2	<10	540	0.33	0.13	0.21	1.49	33.1	4.3	17	0.43
ZZ94986		0.23	0.47	0.89	4.0	<0.2	<10	230	0.37	0.12	0.12	0.12	31.2	3.7	15	0.54
ZZ94987		0.29	0.16	1.33	5.4	<0.2	<10	140	0.37	0.21	0.12	0.11	26.3	4.0	26	0.87
ZZ94988		0.24	0.13	0.97	3.2	<0.2	<10	250	0.34	0.21	0.16	0.04	26.8	2.5	18	0.76
ZZ94989		0.20	0.06	1.06	8.1	<0.2	<10	140	0.28	0.21	0.03	0.14	25.9	5.2	17	0.62
ZZ94990		0.24	0.05	0.83	9.8	<0.2	<10	160	0.32	0.20	0.04	0.16	33.1	3.2	16	0.56
ZZ94991		0.26	0.14	1.38	7.3	<0.2	<10	110	0.38	0.24	0.06	0.13	25.4	3.9	28	0.92
ZZ94992		0.12	0.28	1.27	11.6	<0.2	<10	100	0.41	0.27	0.06	0.32	25.3	5.9	29	1.06
ZZ94993		0.26	0.26	0.95	5.5	<0.2	<10	130	0.37	0.20	0.07	0.26	27.3	5.1	21	0.76
ZZ94994		0.22	0.15	1.65	7.9	<0.2	<10	150	0.64	0.23	0.06	0.22	29.2	7.6	31	1.05
ZZ94995		0.17	0.11	0.62	6.2	<0.2	<10	50	0.16	0.18	0.07	0.18	27.3	3.9	18	0.97
ZZ94996		0.17	0.42	1.61	9.5	<0.2	<10	1250	1.11	0.28	1.19	0.59	22.6	18.5	21	1.46
ZZ94997		0.17	0.06	0.59	8.6	<0.2	<10	130	0.25	0.20	0.03	0.27	20.0	2.8	13	0.48
ZZ94998		0.20	0.06	0.70	5.3	<0.2	<10	320	0.39	0.15	0.19	0.17	32.1	5.6	15	0.66
ZZ94999		0.18	0.04	0.72	8.9	<0.2	<10	70	0.14	0.26	0.04	0.13	20.8	1.9	14	0.55
ZZ95000		0.15	0.06	0.77	6.9	<0.2	<10	120	0.25	0.20	0.07	0.29	25.9	3.4	16	0.62



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ94963		19.1	2.00	5.53	0.07	<0.02	0.05	0.019	0.06	15.4	15.2	0.27	192	1.54	<0.01
ZZ94964		6.8	2.34	4.78	0.07	0.07	0.01	0.021	0.04	12.9	12.8	0.27	139	1.03	<0.01
ZZ94965		8.6	1.10	2.61	0.06	<0.02	0.01	0.005	0.06	14.8	3.4	0.08	66	0.88	<0.01
ZZ94966		7.9	0.77	1.88	<0.05	<0.02	0.01	0.006	0.03	7.3	3.5	0.10	360	0.96	<0.01
ZZ94967		9.5	3.04	5.48	0.08	0.03	0.01	0.019	0.07	15.3	19.9	0.38	195	1.12	<0.01
ZZ94968		7.1	1.70	3.81	0.06	<0.02	0.02	0.012	0.05	11.7	10.7	0.21	424	1.09	<0.01
ZZ94969		7.7	1.40	2.96	0.07	0.04	0.31	0.012	0.04	9.7	7.1	0.14	262	0.91	0.01
ZZ94970		50.7	2.35	3.82	0.09	0.02	0.02	0.024	0.15	22.4	14.4	0.32	774	2.22	<0.01
ZZ94971		31.3	1.55	2.61	<0.05	0.02	0.02	0.017	0.11	12.2	6.5	0.17	603	4.74	0.01
ZZ94972		33.1	2.24	4.35	<0.05	<0.02	0.02	0.022	0.07	14.3	14.0	0.29	385	1.90	0.01
ZZ94973		7.4	1.22	3.41	<0.05	<0.02	0.01	0.011	0.04	16.2	9.5	0.21	91	0.76	<0.01
ZZ94974		8.0	1.27	2.58	<0.05	<0.02	0.01	0.010	0.03	12.6	9.5	0.17	67	1.38	<0.01
ZZ94975		15.9	1.80	4.19	<0.05	<0.02	0.02	0.015	0.04	14.5	13.3	0.23	101	1.24	<0.01
ZZ94976		9.4	1.34	4.27	<0.05	0.02	0.01	0.015	0.03	13.6	13.2	0.21	81	0.84	<0.01
ZZ94977		20.0	1.60	3.39	<0.05	<0.02	0.01	0.014	0.04	14.2	11.4	0.23	93	1.63	<0.01
ZZ94978		7.9	2.16	4.27	<0.05	0.02	0.02	0.019	0.04	12.9	14.8	0.32	110	0.93	<0.01
ZZ94979		41.8	1.71	2.99	<0.05	<0.02	0.01	0.013	0.05	14.0	3.6	0.09	105	3.08	<0.01
ZZ94980		6.3	2.33	4.68	<0.05	0.03	0.01	0.017	0.06	14.2	15.5	0.34	194	0.89	<0.01
ZZ94981		23.4	1.15	3.28	<0.05	<0.02	0.04	0.013	0.06	11.3	9.2	0.18	72	1.14	<0.01
ZZ94982		19.2	1.50	3.12	<0.05	<0.02	0.02	0.013	0.04	14.2	9.4	0.19	72	1.94	<0.01
ZZ94983		23.5	1.58	2.82	<0.05	<0.02	0.01	0.013	0.05	13.7	4.9	0.11	66	2.12	<0.01
ZZ94984		31.6	1.81	3.26	<0.05	0.02	0.02	0.013	0.05	11.8	3.4	0.09	79	2.86	<0.01
ZZ94985		14.9	1.80	3.19	<0.05	<0.02	0.02	0.017	0.07	17.4	9.0	0.22	125	1.69	<0.01
ZZ94986		6.9	1.46	3.04	<0.05	<0.02	0.02	0.014	0.04	16.1	10.3	0.18	71	0.85	<0.01
ZZ94987		7.2	2.04	4.79	<0.05	0.02	0.02	0.021	0.05	13.8	16.2	0.29	104	0.69	<0.01
ZZ94988		6.3	1.29	4.59	<0.05	0.02	0.01	0.014	0.04	13.9	11.3	0.23	76	0.47	<0.01
ZZ94989		12.6	2.50	3.88	<0.05	<0.02	0.01	0.017	0.05	12.3	11.3	0.20	94	1.42	<0.01
ZZ94990		15.5	2.52	3.98	<0.05	0.04	0.01	0.016	0.05	16.8	6.6	0.14	76	1.62	<0.01
ZZ94991		6.9	3.08	6.04	<0.05	0.06	0.02	0.022	0.04	13.0	16.7	0.27	98	0.99	<0.01
ZZ94992		12.2	3.59	5.95	<0.05	<0.02	0.03	0.023	0.06	12.9	15.2	0.27	146	1.39	<0.01
ZZ94993		7.3	1.99	4.41	<0.05	0.02	0.01	0.015	0.06	14.0	11.0	0.19	130	0.96	<0.01
ZZ94994		10.3	2.82	5.21	<0.05	0.02	0.01	0.025	0.05	14.8	18.0	0.32	188	0.97	0.01
ZZ94995		6.6	1.74	4.41	<0.05	<0.02	<0.01	0.011	0.05	14.1	5.3	0.17	138	1.00	<0.01
ZZ94996		32.8	2.81	4.15	0.07	0.07	0.13	0.027	0.16	9.9	15.9	0.29	660	1.71	0.01
ZZ94997		11.9	2.03	3.49	<0.05	<0.02	0.01	0.013	0.05	10.0	2.9	0.08	68	1.66	<0.01
ZZ94998		16.3	1.61	2.28	0.05	0.04	0.03	0.013	0.07	16.3	9.6	0.26	223	1.01	<0.01
ZZ94999		5.2	1.74	4.99	<0.05	<0.02	<0.01	0.011	0.03	10.6	3.7	0.11	78	0.95	<0.01
ZZ95000		5.9	2.13	4.82	<0.05	<0.02	<0.01	0.012	0.06	13.1	6.1	0.17	106	1.11	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 4 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ94963		14.6	1540	10.6	10.0	<0.001	0.02	0.46	1.7	0.9	0.7	30.4	<0.01	0.03	2.2
ZZ94964		12.4	610	9.4	7.7	<0.001	0.01	0.30	1.7	0.4	0.6	11.1	<0.01	0.01	3.5
ZZ94965		7.0	320	5.8	9.3	<0.001	0.01	0.33	0.9	0.4	0.4	7.0	<0.01	0.01	2.8
ZZ94966		5.4	240	3.9	7.1	<0.001	0.01	0.31	0.8	0.4	0.2	7.3	<0.01	0.01	1.2
ZZ94967		15.9	1250	11.3	11.5	<0.001	0.02	0.50	1.9	0.5	0.6	12.2	<0.01	0.03	4.0
ZZ94968		12.5	550	6.8	9.5	<0.001	0.02	0.41	1.2	0.3	0.4	14.2	<0.01	0.02	1.5
ZZ94969		9.8	1270	5.9	9.1	<0.001	0.02	0.39	1.2	0.3	0.3	7.5	<0.01	0.02	2.2
ZZ94970		24.7	2150	16.0	9.1	<0.001	0.05	1.16	2.3	1.8	0.5	69.8	<0.01	0.04	1.5
ZZ94971		24.8	1270	9.2	5.6	0.001	0.02	2.04	1.9	0.9	0.3	26.3	<0.01	0.05	1.2
ZZ94972		23.3	1720	12.0	14.3	<0.001	0.02	0.55	2.1	0.7	0.5	21.6	<0.01	0.03	3.1
ZZ94973		11.1	510	6.4	8.2	<0.001	0.01	0.27	1.1	0.4	0.4	11.2	<0.01	0.02	1.7
ZZ94974		10.7	400	5.9	7.7	<0.001	0.01	0.34	1.2	0.4	0.3	11.8	<0.01	0.02	2.9
ZZ94975		14.1	560	8.6	9.5	<0.001	0.01	0.41	1.8	0.3	0.5	15.3	<0.01	0.02	2.5
ZZ94976		9.6	320	7.4	10.7	<0.001	<0.01	0.31	1.6	0.4	0.6	12.9	<0.01	0.01	3.3
ZZ94977		15.2	470	7.2	7.9	<0.001	0.01	0.49	1.7	0.6	0.4	16.8	<0.01	0.02	2.7
ZZ94978		15.2	710	9.1	9.8	<0.001	0.01	0.37	2.0	0.5	0.5	8.2	<0.01	0.02	3.1
ZZ94979		16.1	1900	9.9	6.0	<0.001	0.02	0.98	1.2	1.2	0.3	16.8	<0.01	0.05	1.2
ZZ94980		16.4	1550	8.9	11.1	<0.001	0.01	0.34	1.9	0.3	0.5	11.6	<0.01	0.02	4.2
ZZ94981		12.4	630	5.6	13.6	<0.001	0.01	0.34	1.9	0.6	0.4	20.2	<0.01	0.02	1.8
ZZ94982		11.8	610	6.7	10.9	<0.001	0.01	0.54	1.6	0.6	0.3	22.9	<0.01	0.02	3.0
ZZ94983		11.5	2120	8.6	9.4	<0.001	0.01	0.70	1.3	0.9	0.3	19.2	<0.01	0.03	2.8
ZZ94984		13.7	2280	10.2	7.1	<0.001	0.03	0.83	1.3	1.0	0.4	15.0	<0.01	0.03	2.2
ZZ94985		15.0	2780	7.6	8.7	<0.001	0.02	0.57	1.7	0.6	0.3	25.7	<0.01	0.03	2.6
ZZ94986		12.1	1560	7.3	9.5	<0.001	0.01	0.26	1.5	0.2	0.3	14.0	<0.01	0.02	3.5
ZZ94987		12.6	710	10.7	9.9	<0.001	0.01	0.24	1.8	0.4	0.6	9.1	<0.01	0.02	2.6
ZZ94988		8.0	230	12.4	8.6	<0.001	0.01	0.13	1.6	0.3	0.6	13.4	<0.01	0.01	3.9
ZZ94989		14.1	1450	12.2	12.0	<0.001	0.01	0.43	1.6	0.4	0.4	8.4	<0.01	0.02	3.5
ZZ94990		11.1	1540	12.4	12.2	<0.001	0.02	0.68	1.5	0.7	0.4	12.8	<0.01	0.02	4.2
ZZ94991		11.7	530	12.8	11.0	<0.001	0.01	0.37	1.7	0.3	0.7	7.2	<0.01	0.02	4.6
ZZ94992		16.1	1170	15.7	12.5	<0.001	0.03	0.62	1.8	0.3	0.7	9.0	<0.01	0.02	3.1
ZZ94993		11.9	410	11.1	12.2	<0.001	0.01	0.35	1.6	0.2	0.6	9.1	<0.01	0.02	4.1
ZZ94994		17.8	680	13.4	12.8	<0.001	0.01	0.42	2.3	0.3	0.7	8.0	<0.01	0.02	4.8
ZZ94995		10.5	590	8.0	10.1	<0.001	0.01	0.45	1.3	0.2	0.5	7.0	<0.01	0.02	2.4
ZZ94996		31.5	810	20.6	13.1	0.002	0.10	0.64	3.9	1.8	0.5	84.1	<0.01	0.03	2.5
ZZ94997		10.5	1250	11.2	10.5	<0.001	0.03	0.58	1.3	0.5	0.4	13.2	<0.01	0.02	2.9
ZZ94998		18.4	490	8.9	5.7	<0.001	0.01	0.60	2.2	0.5	0.3	16.8	<0.01	0.02	5.0
ZZ94999		7.1	1180	11.8	6.7	<0.001	0.01	0.34	1.0	0.2	0.6	5.7	<0.01	0.02	2.3
ZZ95000		9.8	1050	10.9	11.8	<0.001	0.01	0.33	1.4	0.2	0.6	8.0	<0.01	0.02	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 6 (A - D)
 Plus Appendix Pages
 Finalized Date: 4 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090629

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
ZZ94963		0.09	0.67	48	0.44	4.03	229	0.6
ZZ94964		0.06	0.41	43	0.23	2.82	114	2.5
ZZ94965		0.05	0.32	23	0.15	1.76	41	0.6
ZZ94966		0.04	0.28	17	0.10	1.83	34	<0.5
ZZ94967		0.07	0.51	54	0.39	3.34	116	1.5
ZZ94968		0.06	0.36	37	0.23	1.81	47	<0.5
ZZ94969		0.05	0.40	28	0.16	1.92	48	1.1
ZZ94970		0.08	0.74	35	0.25	7.09	298	0.8
ZZ94971		0.08	0.54	54	0.07	3.83	98	0.9
ZZ94972		0.09	1.01	38	0.26	5.08	172	0.7
ZZ94973		0.06	0.41	23	0.16	2.54	40	<0.5
ZZ94974		0.06	0.42	22	0.16	2.50	31	0.5
ZZ94975		0.10	0.50	37	0.25	2.85	52	<0.5
ZZ94976		0.07	0.49	32	0.14	2.62	48	1.0
ZZ94977		0.11	0.59	31	0.23	3.51	59	<0.5
ZZ94978		0.09	0.57	38	0.28	3.18	64	0.6
ZZ94979		0.06	0.47	37	0.11	3.12	96	<0.5
ZZ94980		0.07	0.48	41	0.28	3.54	60	1.5
ZZ94981		0.13	0.64	30	0.13	3.63	40	0.5
ZZ94982		0.11	0.68	33	0.13	3.37	52	0.5
ZZ94983		0.07	0.47	29	0.14	2.71	62	0.7
ZZ94984		0.09	0.47	38	0.20	2.64	79	0.8
ZZ94985		0.09	0.67	31	0.17	4.58	67	<0.5
ZZ94986		0.05	0.47	24	0.46	3.49	30	0.5
ZZ94987		0.09	0.61	35	0.44	3.11	55	0.6
ZZ94988		0.09	0.59	32	0.22	3.24	26	0.8
ZZ94989		0.08	0.43	34	0.17	2.62	49	0.8
ZZ94990		0.09	0.53	48	0.16	2.76	52	2.0
ZZ94991		0.10	0.49	48	0.31	2.39	53	2.6
ZZ94992		0.10	0.50	53	0.38	2.41	72	0.6
ZZ94993		0.08	0.47	38	0.22	2.53	64	1.1
ZZ94994		0.09	0.61	43	0.38	2.72	91	1.3
ZZ94995		0.08	0.42	35	0.24	2.15	53	<0.5
ZZ94996		0.14	2.40	29	0.11	23.8	79	2.1
ZZ94997		0.10	0.48	38	0.17	2.56	48	0.5
ZZ94998		0.08	0.61	21	0.09	6.62	63	2.1
ZZ94999		0.09	0.34	49	0.35	1.64	31	<0.5
ZZ95000		0.07	0.37	43	0.22	2.24	52	0.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: BLIND

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-JUL-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15090629

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: **1**
Total # Pages: **7 (A - D)**
Plus Appendix Pages
Finalized Date: **7 - JUL - 2015**
Account: **MTT**

CERTIFICATE WH15090634

Project: BLIND

This report is for 210 Soil samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2015.

The following have access to data associated with this certificate:

SARAH DRECHSLER

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI - 21	Received Sample Weight
LOG - 22	Sample login - Rcd w/o BarCode
SCR - 41	Screen to -180um and save both

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION
ME-MS41	51 anal. aqua regia ICPMS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ97751		0.22	0.25	1.48	8.1	<0.2	<10	290	0.41	0.24	0.11	0.29	28.2	4.6	23	0.81
ZZ97752		0.15	0.03	0.51	3.1	<0.2	<10	70	0.11	0.12	0.05	0.19	35.1	1.3	9	0.51
ZZ97753		0.24	0.25	1.85	9.2	<0.2	<10	190	0.51	0.23	0.10	0.19	37.3	7.0	34	1.12
ZZ97754		0.21	0.21	1.24	8.3	<0.2	<10	190	0.26	0.18	0.22	0.37	33.5	3.6	23	0.97
ZZ97755		0.19	0.04	0.61	4.7	<0.2	<10	90	0.11	0.20	0.09	0.32	30.1	2.0	14	0.71
ZZ97756		0.14	0.50	1.36	3.9	<0.2	<10	310	0.53	0.21	0.15	1.01	32.1	5.2	23	0.69
ZZ97757		0.16	0.32	0.98	7.9	<0.2	<10	290	0.32	0.18	0.16	0.63	28.7	3.2	20	0.53
ZZ97758		0.27	0.14	0.84	7.6	<0.2	<10	170	0.30	0.18	0.09	1.25	34.7	5.0	17	0.45
ZZ97759		0.17	0.16	0.55	1.4	<0.2	<10	290	0.14	0.14	0.99	0.45	17.50	1.5	12	0.28
ZZ97760		0.16	0.41	0.53	5.1	<0.2	<10	230	0.18	0.12	0.10	0.69	30.5	2.3	10	0.32
ZZ97761		0.32	0.26	2.14	7.4	<0.2	<10	530	0.62	0.22	0.22	0.46	34.6	8.8	38	1.08
ZZ97762		0.20	0.52	0.66	5.2	<0.2	<10	330	0.30	0.19	0.15	0.66	38.1	5.4	13	0.40
ZZ97763		0.25	0.26	1.27	3.8	<0.2	<10	430	0.29	0.19	0.27	0.35	33.0	6.0	25	0.74
ZZ97764		0.15	1.15	0.61	1.2	<0.2	<10	480	0.21	0.12	0.30	2.04	24.0	2.1	13	0.62
ZZ97765		0.33	0.04	0.80	5.9	<0.2	<10	150	0.16	0.17	0.05	0.07	37.1	1.9	14	0.60
ZZ97766		0.22	0.06	0.84	8.3	<0.2	<10	330	0.44	0.17	0.06	0.14	42.3	5.7	14	0.51
ZZ97767		0.21	0.20	0.51	2.6	<0.2	<10	290	0.24	0.20	0.06	0.11	38.3	1.3	10	1.34
ZZ97768		0.21	0.05	0.72	4.8	<0.2	<10	140	0.19	0.14	0.06	0.10	32.3	2.0	13	0.50
ZZ97769		0.20	0.11	0.78	3.3	<0.2	<10	150	0.19	0.11	0.10	0.17	28.6	2.4	14	0.55
ZZ97770		0.24	0.04	0.82	5.4	<0.2	<10	150	0.21	0.13	0.04	0.11	32.4	2.6	14	0.49
ZZ97771		0.23	0.06	1.15	6.8	<0.2	<10	170	0.34	0.19	0.09	0.12	33.4	4.0	21	0.87
ZZ97772		0.25	0.20	1.58	9.5	<0.2	<10	190	0.60	0.23	0.14	0.19	30.7	7.0	30	1.17
ZZ97773		0.17	0.18	1.06	5.9	<0.2	<10	130	0.25	0.19	0.14	0.12	35.3	4.1	23	0.79
ZZ97774		0.17	0.03	0.78	5.3	<0.2	<10	140	0.27	0.11	0.04	0.09	29.9	3.4	14	0.54
ZZ97775		0.29	0.04	0.59	4.6	<0.2	<10	120	0.24	0.13	0.04	0.09	24.2	2.4	10	0.53
ZZ97776		0.16	0.05	0.81	4.5	<0.2	<10	90	0.20	0.20	0.07	0.61	30.3	3.8	21	0.95
ZZ97777		0.26	0.13	1.22	8.8	<0.2	<10	140	0.39	0.20	0.11	0.34	32.7	4.9	24	0.78
ZZ97778		0.23	0.40	1.30	5.0	<0.2	<10	660	0.87	0.20	0.27	0.76	31.2	7.1	19	0.93
ZZ97779		0.25	0.13	1.34	5.7	<0.2	<10	130	0.29	0.22	0.12	0.16	30.7	4.0	27	0.83
ZZ97780		0.23	0.08	1.00	6.3	<0.2	<10	120	0.26	0.18	0.10	0.18	29.2	3.4	20	0.68
ZZ97781		0.17	0.12	1.16	7.0	<0.2	<10	110	0.26	0.18	0.11	0.22	31.4	4.3	24	0.71
ZZ97782		0.15	0.08	0.42	2.8	<0.2	<10	130	0.19	0.14	0.05	0.29	28.6	1.7	8	0.44
ZZ97783		0.23	0.10	1.07	6.7	<0.2	<10	360	0.43	0.21	0.12	0.38	31.2	3.2	19	0.60
ZZ97784		0.23	0.11	0.50	6.1	<0.2	<10	280	0.25	0.11	0.07	0.30	28.1	2.8	9	0.30
ZZ97785		0.18	0.14	0.56	3.3	<0.2	<10	260	0.21	0.16	0.13	0.53	31.0	2.7	12	0.47
ZZ97786		0.17	0.41	1.33	8.3	<0.2	<10	700	0.87	0.22	0.24	0.80	30.0	14.7	22	0.80
ZZ97787		0.30	0.12	1.72	7.0	<0.2	<10	190	0.70	0.21	0.08	0.20	27.0	7.9	31	0.91
ZZ97788		0.19	0.04	1.18	8.6	<0.2	<10	100	0.38	0.20	0.07	0.12	26.9	4.5	27	0.70
ZZ97789		0.17	0.05	0.77	5.1	<0.2	<10	210	0.22	0.17	0.06	0.11	30.0	2.8	17	0.43
ZZ97790		0.15	0.07	1.00	4.5	<0.2	<10	190	0.40	0.17	0.08	0.16	25.5	5.5	21	0.63



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ97751		15.1	2.18	5.10	<0.05	<0.02	0.03	0.021	0.07	14.2	18.8	0.27	126	1.47	<0.01
ZZ97752		2.8	0.77	3.49	<0.05	<0.02	0.02	0.006	0.04	17.0	2.7	0.08	40	0.64	<0.01
ZZ97753		8.8	3.01	5.08	<0.05	0.03	0.02	0.029	0.05	19.2	23.3	0.45	196	1.20	<0.01
ZZ97754		6.8	1.80	4.34	<0.05	0.02	0.06	0.016	0.07	17.2	16.8	0.34	110	1.15	<0.01
ZZ97755		3.3	0.92	4.36	<0.05	<0.02	0.01	0.009	0.04	15.9	5.3	0.16	83	1.07	<0.01
ZZ97756		9.5	2.14	5.57	<0.05	<0.02	0.04	0.023	0.07	16.6	15.2	0.26	170	1.15	<0.01
ZZ97757		8.5	2.08	3.80	<0.05	<0.02	0.02	0.018	0.07	15.0	11.9	0.22	104	1.34	<0.01
ZZ97758		16.9	2.41	3.62	<0.05	<0.02	0.02	0.018	0.07	18.1	6.9	0.19	122	1.84	<0.01
ZZ97759		8.5	0.63	2.61	<0.05	<0.02	0.03	0.010	0.03	9.1	5.4	0.15	72	0.68	<0.01
ZZ97760		15.9	1.41	2.47	<0.05	<0.02	0.04	0.010	0.05	16.6	3.0	0.10	61	1.96	<0.01
ZZ97761		24.2	3.26	5.90	<0.05	0.06	0.05	0.037	0.08	17.9	23.7	0.50	195	1.49	<0.01
ZZ97762		24.6	1.64	2.91	<0.05	<0.02	0.02	0.014	0.08	22.3	5.4	0.13	114	3.27	<0.01
ZZ97763		6.9	1.81	4.83	<0.05	0.02	0.02	0.018	0.05	17.0	15.4	0.37	177	0.62	<0.01
ZZ97764		23.0	0.67	2.77	<0.05	<0.02	0.03	0.010	0.06	12.9	3.3	0.10	65	1.07	<0.01
ZZ97765		5.8	1.26	4.07	<0.05	<0.02	0.01	0.009	0.05	18.6	4.0	0.14	61	0.91	<0.01
ZZ97766		22.6	2.16	2.44	<0.05	0.02	0.03	0.017	0.07	20.7	8.8	0.19	91	1.46	<0.01
ZZ97767		8.4	0.66	2.49	0.05	<0.02	0.01	0.006	0.09	18.5	1.6	0.05	55	0.62	<0.01
ZZ97768		6.9	1.36	3.18	<0.05	<0.02	0.01	0.010	0.04	16.5	5.0	0.14	56	0.75	<0.01
ZZ97769		8.1	1.26	2.71	<0.05	<0.02	0.03	0.011	0.05	14.9	8.4	0.19	70	0.92	<0.01
ZZ97770		7.8	1.56	2.95	<0.05	<0.02	0.01	0.013	0.04	16.5	6.4	0.14	63	1.23	<0.01
ZZ97771		6.7	2.10	4.58	<0.05	0.02	0.01	0.017	0.05	17.0	16.9	0.27	110	1.17	<0.01
ZZ97772		9.8	3.00	5.09	<0.05	<0.02	0.02	0.027	0.09	15.9	21.7	0.38	243	0.98	<0.01
ZZ97773		5.9	1.81	4.74	<0.05	<0.02	0.01	0.014	0.07	18.4	12.3	0.34	145	0.68	<0.01
ZZ97774		10.3	1.54	2.26	<0.05	0.02	0.01	0.011	0.05	15.0	8.0	0.18	75	1.24	<0.01
ZZ97775		9.9	1.21	2.11	<0.05	<0.02	0.01	0.009	0.06	12.0	3.6	0.09	62	1.06	<0.01
ZZ97776		5.8	2.17	6.01	<0.05	<0.02	0.01	0.013	0.06	15.5	5.5	0.16	138	1.00	<0.01
ZZ97777		10.3	2.23	3.89	<0.05	0.02	0.03	0.019	0.05	16.6	13.3	0.33	162	1.02	<0.01
ZZ97778		21.3	1.98	4.27	<0.05	<0.02	0.02	0.020	0.08	15.4	12.6	0.20	166	0.98	<0.01
ZZ97779		7.7	2.28	6.01	<0.05	0.04	0.02	0.022	0.05	15.6	15.9	0.33	117	0.69	<0.01
ZZ97780		6.3	1.87	4.10	<0.05	<0.02	0.01	0.016	0.04	15.0	11.9	0.25	101	0.86	<0.01
ZZ97781		6.8	2.13	4.81	<0.05	<0.02	0.01	0.016	0.05	16.3	13.7	0.33	133	1.06	<0.01
ZZ97782		7.5	0.83	2.31	<0.05	<0.02	0.01	0.009	0.05	14.5	2.5	0.07	41	1.00	<0.01
ZZ97783		9.6	1.82	5.07	<0.05	<0.02	0.02	0.018	0.04	16.3	8.6	0.19	109	0.97	<0.01
ZZ97784		21.3	1.25	1.87	<0.05	<0.02	0.02	0.010	0.05	15.3	2.9	0.08	44	2.48	<0.01
ZZ97785		7.0	1.10	3.33	<0.05	<0.02	0.02	0.009	0.07	16.0	4.7	0.15	89	1.06	<0.01
ZZ97786		41.4	2.50	3.53	<0.05	<0.02	0.06	0.026	0.12	14.4	13.2	0.23	635	2.10	<0.01
ZZ97787		13.2	2.42	4.79	<0.05	0.13	0.03	0.028	0.06	14.1	16.9	0.36	170	0.94	<0.01
ZZ97788		6.1	2.94	5.41	<0.05	<0.02	0.01	0.022	0.04	14.0	13.7	0.27	176	1.01	<0.01
ZZ97789		4.9	1.67	4.22	<0.05	0.02	0.01	0.015	0.04	15.9	8.2	0.19	87	0.78	<0.01
ZZ97790		8.7	2.31	5.04	<0.05	0.03	0.01	0.017	0.04	13.5	14.6	0.21	125	0.93	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ97751		14.9	410	13.5	11.7	<0.001	0.01	0.37	1.8	0.5	0.6	13.1	<0.01	0.02	1.9
ZZ97752		5.0	230	6.4	12.9	<0.001	0.01	0.18	0.7	0.2	0.5	6.8	<0.01	0.01	2.2
ZZ97753		22.4	460	12.0	12.6	<0.001	0.01	0.48	2.3	0.4	0.6	10.0	<0.01	0.02	6.3
ZZ97754		14.6	820	10.3	12.9	<0.001	0.01	0.36	1.8	0.6	0.5	18.3	<0.01	0.02	4.7
ZZ97755		5.7	180	8.9	10.1	<0.001	0.01	0.22	1.0	0.2	0.6	8.4	<0.01	0.02	2.1
ZZ97756		12.1	1720	11.1	13.0	<0.001	0.02	0.29	1.6	0.4	0.7	13.2	<0.01	0.02	1.9
ZZ97757		11.7	2030	8.6	8.7	<0.001	0.01	0.45	1.3	0.5	0.5	13.7	<0.01	0.02	1.7
ZZ97758		16.6	1450	13.2	10.7	<0.001	0.03	0.66	1.4	0.6	0.4	12.4	<0.01	0.02	2.5
ZZ97759		6.7	360	6.6	3.9	<0.001	0.05	0.16	0.9	0.7	0.3	38.6	<0.01	0.01	1.2
ZZ97760		12.8	1560	7.3	8.7	<0.001	0.02	0.63	0.9	0.5	0.3	14.6	<0.01	0.02	1.5
ZZ97761		40.4	860	11.5	13.0	<0.001	0.01	0.60	2.8	0.8	0.7	18.4	<0.01	0.03	6.0
ZZ97762		17.8	1000	12.7	10.9	<0.001	0.04	0.72	1.3	0.8	0.4	28.2	<0.01	0.05	2.8
ZZ97763		15.0	660	9.2	8.6	<0.001	0.01	0.22	1.9	0.3	0.6	16.4	<0.01	0.01	3.9
ZZ97764		7.6	320	5.5	9.8	<0.001	0.03	0.14	0.6	0.3	0.4	18.4	<0.01	0.02	0.3
ZZ97765		6.3	240	8.6	13.0	<0.001	0.01	0.30	1.1	0.4	0.5	8.5	<0.01	0.02	2.6
ZZ97766		17.4	430	10.9	10.1	0.001	0.02	0.61	1.7	0.6	0.3	15.4	<0.01	0.01	5.5
ZZ97767		4.3	380	11.0	18.0	<0.001	0.01	0.17	0.3	0.3	0.4	16.7	<0.01	<0.01	<0.2
ZZ97768		7.2	480	7.1	10.5	<0.001	0.01	0.35	1.1	0.3	0.4	9.1	<0.01	0.02	3.2
ZZ97769		9.9	700	5.8	8.7	<0.001	0.01	0.36	1.1	0.4	0.3	13.7	<0.01	0.02	2.7
ZZ97770		10.5	240	7.1	11.4	<0.001	0.01	0.53	1.2	0.3	0.3	12.1	<0.01	0.03	3.1
ZZ97771		12.2	410	10.0	17.0	<0.001	0.01	0.36	1.6	0.3	0.5	9.6	<0.01	0.02	4.6
ZZ97772		20.7	1100	12.3	20.0	<0.001	0.01	0.43	2.1	0.4	0.6	12.0	<0.01	0.03	3.5
ZZ97773		12.4	630	10.5	14.7	<0.001	0.01	0.27	1.7	0.3	0.6	11.1	<0.01	0.01	3.6
ZZ97774		12.2	270	7.4	9.4	<0.001	0.02	0.55	1.3	0.6	0.3	9.4	<0.01	0.01	3.5
ZZ97775		8.4	280	7.3	10.4	<0.001	0.02	0.42	1.0	0.6	0.3	9.1	<0.01	0.02	2.0
ZZ97776		9.5	1340	10.3	15.2	<0.001	0.01	0.41	1.3	0.4	0.7	8.8	<0.01	0.02	2.0
ZZ97777		17.7	580	9.9	8.9	<0.001	0.01	0.56	1.7	0.6	0.5	10.4	<0.01	0.02	4.9
ZZ97778		18.2	720	13.2	18.0	<0.001	0.02	0.29	1.0	0.5	0.6	24.5	<0.01	0.01	0.3
ZZ97779		12.1	390	12.4	14.1	<0.001	<0.01	0.29	1.9	0.4	0.8	9.5	<0.01	0.02	4.5
ZZ97780		11.5	400	8.5	12.6	<0.001	0.01	0.34	1.4	0.2	0.5	8.1	<0.01	0.02	3.0
ZZ97781		13.6	530	9.5	12.5	<0.001	0.01	0.35	1.7	0.3	0.6	9.2	<0.01	0.02	3.5
ZZ97782		6.6	310	7.8	10.2	<0.001	0.01	0.30	0.6	0.3	0.3	9.5	<0.01	0.01	0.7
ZZ97783		10.0	850	9.8	7.5	<0.001	0.01	0.38	1.4	0.4	0.7	13.2	<0.01	0.02	1.6
ZZ97784		11.9	730	7.0	6.0	0.001	0.03	0.74	1.0	0.9	0.2	15.6	<0.01	0.03	2.0
ZZ97785		8.6	550	6.0	11.5	<0.001	0.01	0.29	0.7	0.3	0.4	10.6	<0.01	0.02	0.4
ZZ97786		26.1	1090	12.9	12.2	0.001	0.03	0.64	2.0	1.1	0.4	24.8	<0.01	0.03	1.0
ZZ97787		22.0	580	11.9	13.5	<0.001	0.01	0.48	2.4	0.5	0.6	9.1	<0.01	0.03	6.7
ZZ97788		13.6	1800	10.4	9.4	<0.001	<0.01	0.44	1.6	0.3	0.6	7.5	<0.01	0.02	3.4
ZZ97789		9.5	1900	8.6	9.6	<0.001	<0.01	0.30	1.3	0.2	0.5	11.2	<0.01	0.02	3.5
ZZ97790		12.8	1160	10.3	10.7	<0.001	0.01	0.34	1.5	0.4	0.6	9.8	<0.01	0.02	3.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41 Ti ppm 0.02	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5
ZZ97751		0.10	0.68	48	0.23	3.60	54	<0.5
ZZ97752		0.05	0.29	23	0.12	1.96	22	<0.5
ZZ97753		0.10	0.64	46	0.32	3.18	72	1.8
ZZ97754		0.10	0.57	43	0.23	5.06	60	0.8
ZZ97755		0.07	0.37	37	0.30	1.86	31	<0.5
ZZ97756		0.08	0.57	43	0.32	3.30	111	<0.5
ZZ97757		0.07	0.51	40	0.25	3.36	69	<0.5
ZZ97758		0.08	0.47	35	0.18	3.27	106	<0.5
ZZ97759		0.04	0.44	15	0.15	1.93	20	0.5
ZZ97760		0.11	0.39	24	0.08	2.73	59	<0.5
ZZ97761		0.13	0.74	59	0.31	6.05	127	3.0
ZZ97762		0.14	0.47	39	0.13	3.71	71	0.5
ZZ97763		0.09	0.58	40	0.75	4.02	80	0.9
ZZ97764		0.06	0.73	22	0.11	2.63	31	<0.5
ZZ97765		0.09	0.42	39	0.21	2.39	26	<0.5
ZZ97766		0.08	0.62	21	0.07	5.50	51	0.8
ZZ97767		0.07	0.39	16	0.23	3.26	19	<0.5
ZZ97768		0.06	0.37	28	0.17	2.40	26	0.6
ZZ97769		0.06	0.41	23	0.12	2.53	39	<0.5
ZZ97770		0.08	0.43	29	0.13	2.63	38	<0.5
ZZ97771		0.08	0.44	39	0.21	2.82	53	0.9
ZZ97772		0.10	0.55	44	0.30	3.69	109	0.5
ZZ97773		0.08	0.50	38	0.21	3.75	50	<0.5
ZZ97774		0.07	0.41	21	0.10	2.80	40	0.9
ZZ97775		0.07	0.39	21	0.10	2.47	34	<0.5
ZZ97776		0.08	0.41	53	0.33	2.22	75	<0.5
ZZ97777		0.10	0.63	36	0.29	3.49	60	0.7
ZZ97778		0.09	0.96	38	0.20	8.34	65	<0.5
ZZ97779		0.09	0.49	47	0.24	3.03	56	1.6
ZZ97780		0.07	0.42	35	0.25	2.76	50	<0.5
ZZ97781		0.08	0.45	42	0.25	2.88	52	0.6
ZZ97782		0.05	0.30	18	0.09	2.07	31	<0.5
ZZ97783		0.06	0.62	44	0.31	3.29	61	<0.5
ZZ97784		0.07	0.42	26	0.07	2.91	57	<0.5
ZZ97785		0.06	0.37	24	0.23	2.52	41	<0.5
ZZ97786		0.09	1.56	34	0.13	10.30	93	<0.5
ZZ97787		0.10	0.75	38	0.24	3.62	92	5.4
ZZ97788		0.07	0.42	56	0.39	2.28	54	0.7
ZZ97789		0.05	0.34	34	0.28	1.91	41	0.7
ZZ97790		0.06	0.41	42	0.17	2.39	69	1.7



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ95806		0.34	0.32	1.13	6.6	<0.2	<10	580	0.71	0.18	0.86	0.61	31.1	10.5	21	0.47
ZZ95807		0.29	0.22	0.89	6.8	<0.2	<10	450	0.46	0.17	0.35	0.73	39.7	9.9	18	0.49
ZZ95808		0.28	0.52	1.16	5.7	<0.2	<10	390	0.48	0.17	0.14	3.58	27.1	11.6	23	0.55
ZZ95809		0.28	0.36	1.03	8.1	<0.2	<10	570	0.41	0.19	0.29	0.89	31.9	5.3	22	0.95
ZZ95810		0.20	0.19	1.34	5.6	<0.2	<10	460	0.48	0.18	0.26	0.44	27.2	6.6	25	0.66
ZZ95811		0.34	0.58	1.29	7.2	<0.2	<10	420	0.49	0.17	0.15	0.48	26.2	7.5	23	0.58
ZZ95812		0.28	0.31	1.40	8.4	<0.2	<10	260	0.45	0.19	0.13	0.46	27.2	6.9	27	0.64
ZZ95813		0.21	0.07	1.19	3.9	<0.2	<10	110	0.28	0.18	0.07	0.14	27.7	3.2	24	0.77
ZZ95814		0.20	0.50	1.29	3.8	<0.2	<10	700	0.62	0.16	0.41	0.47	30.6	6.8	22	0.74
ZZ95815		0.20	0.38	1.58	9.7	<0.2	<10	140	0.55	0.21	0.09	0.28	24.1	6.3	32	0.83
ZZ95816		0.23	0.17	0.64	6.0	<0.2	<10	350	0.26	0.13	0.11	0.38	27.0	4.3	16	0.38
ZZ95817		0.15	1.04	1.30	9.5	<0.2	<10	320	0.56	0.19	0.19	0.58	26.5	5.3	26	0.68
ZZ95818		0.11	1.32	1.56	5.3	<0.2	<10	1660	0.62	0.18	0.42	0.34	17.05	7.4	29	1.03
ZZ95819		0.21	0.04	0.86	3.1	<0.2	<10	180	0.26	0.11	0.08	0.06	25.9	3.4	18	0.49
ZZ95820		0.33	0.07	1.67	5.8	<0.2	<10	210	0.60	0.16	0.07	0.09	30.5	5.7	31	0.80
ZZ95821		0.22	0.03	0.68	3.9	<0.2	<10	120	0.21	0.08	0.04	0.07	19.25	2.9	17	0.35
ZZ95822		0.27	0.18	0.83	3.9	<0.2	<10	410	0.28	0.13	0.10	0.08	24.4	2.6	17	0.52
ZZ95823		0.18	1.29	1.22	5.0	<0.2	<10	290	0.35	0.18	0.06	0.11	24.4	4.5	26	0.66
ZZ95824		0.24	0.12	1.21	7.0	<0.2	<10	150	0.30	0.17	0.08	0.08	31.4	4.9	27	0.65
ZZ95825		0.23	0.76	1.45	6.6	<0.2	<10	200	0.53	0.16	0.05	0.15	22.4	3.3	23	0.47
ZZ95826		0.26	0.20	0.93	7.9	<0.2	<10	110	0.31	0.16	0.06	0.17	25.4	3.5	21	0.62
ZZ95827		0.26	0.05	0.84	5.3	<0.2	<10	160	0.33	0.11	0.11	0.35	24.7	5.0	18	0.46
ZZ95828		0.22	0.76	0.82	4.3	<0.2	<10	850	0.50	0.12	0.80	1.61	25.6	3.6	16	0.50
ZZ95829		0.28	0.04	1.30	7.2	<0.2	<10	150	0.49	0.16	0.10	0.10	30.4	6.0	27	0.75
ZZ95830		0.37	0.04	0.78	2.9	<0.2	<10	130	0.27	0.10	0.09	0.06	25.2	2.7	16	0.46
ZZ95831		0.32	0.08	1.08	6.4	<0.2	<10	120	0.46	0.16	0.12	0.14	29.8	4.6	21	0.82
ZZ95832		0.29	0.05	0.77	3.1	<0.2	<10	110	0.30	0.11	0.09	0.06	45.0	3.5	16	0.49
ZZ95833		0.23	0.05	1.32	3.7	<0.2	<10	170	0.45	0.21	0.16	0.08	32.0	5.0	25	0.88
ZZ95834		0.34	0.03	0.82	4.3	<0.2	<10	100	0.26	0.12	0.10	0.08	27.8	3.4	17	0.52
ZZ95835		0.37	0.11	1.42	5.7	<0.2	<10	180	0.52	0.18	0.11	0.14	31.3	5.4	27	0.88
ZZ95836		0.28	0.04	1.02	3.6	<0.2	<10	120	0.28	0.13	0.08	0.10	27.9	3.9	20	0.63
ZZ95837		0.40	0.05	0.75	4.6	<0.2	<10	110	0.31	0.10	0.06	0.10	18.35	2.5	15	0.50
ZZ95838		0.29	0.10	1.08	5.5	<0.2	<10	250	0.46	0.15	0.27	0.19	29.1	5.6	21	0.82
ZZ95839		0.20	0.37	1.06	5.7	<0.2	<10	200	0.40	0.17	0.12	0.43	29.2	4.1	20	0.67
ZZ95840		0.25	0.12	1.02	6.3	<0.2	<10	130	0.40	0.13	0.08	0.19	33.8	5.0	20	0.68
ZZ95841		0.35	0.05	0.98	4.3	<0.2	<10	130	0.30	0.15	0.17	0.07	32.2	4.1	21	0.65
ZZ95842		0.24	0.19	1.05	4.1	<0.2	<10	90	0.35	0.16	0.10	0.12	33.7	3.8	20	0.81
ZZ95843		0.24	0.87	1.29	6.1	<0.2	<10	150	0.44	0.15	0.07	0.12	28.4	3.6	20	0.85
ZZ95844		0.29	0.05	0.56	4.6	<0.2	<10	130	0.29	0.11	0.20	0.08	44.6	5.2	15	0.40
ZZ95845		0.32	0.09	1.14	6.5	<0.2	<10	230	0.51	0.21	0.35	0.24	48.0	8.5	27	0.87



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ95806		39.3	2.39	3.43	0.05	0.05	0.11	0.028	0.08	16.0	18.0	0.42	418	2.39	<0.01
ZZ95807		52.6	2.04	2.84	0.05	0.03	0.10	0.023	0.09	21.5	16.1	0.37	209	3.40	<0.01
ZZ95808		9.2	2.32	4.43	<0.05	<0.02	0.02	0.021	0.05	14.3	17.2	0.24	230	1.23	<0.01
ZZ95809		27.5	2.06	3.90	0.05	<0.02	0.08	0.019	0.07	17.1	24.9	0.35	235	2.91	<0.01
ZZ95810		14.1	2.09	5.42	<0.05	0.02	0.01	0.023	0.07	14.7	17.5	0.33	138	2.24	<0.01
ZZ95811		17.2	2.19	4.00	<0.05	0.02	0.03	0.020	0.06	14.0	14.1	0.26	149	2.14	<0.01
ZZ95812		13.2	2.94	4.61	<0.05	0.05	0.02	0.027	0.06	14.2	18.5	0.32	187	2.09	<0.01
ZZ95813		5.3	2.11	5.74	<0.05	0.03	0.02	0.016	0.03	14.7	9.8	0.18	118	0.72	<0.01
ZZ95814		29.5	1.73	4.05	0.05	0.03	0.03	0.022	0.06	15.9	14.0	0.26	353	0.79	<0.01
ZZ95815		11.7	3.37	6.21	<0.05	<0.02	0.05	0.028	0.06	12.9	23.7	0.31	155	1.32	<0.01
ZZ95816		14.5	1.56	2.83	0.05	0.02	0.02	0.016	0.05	14.6	8.9	0.18	89	1.54	<0.01
ZZ95817		14.3	2.64	4.72	0.05	0.03	0.02	0.026	0.06	13.7	19.8	0.30	138	1.19	<0.01
ZZ95818		183.5	2.07	5.59	<0.05	<0.02	0.23	0.026	0.17	9.2	20.2	0.17	993	1.35	0.01
ZZ95819		7.5	1.31	3.26	<0.05	0.04	0.01	0.013	0.04	13.5	11.5	0.22	101	0.59	<0.01
ZZ95820		19.8	2.22	4.74	<0.05	0.08	0.02	0.024	0.04	15.8	17.6	0.33	134	0.77	<0.01
ZZ95821		15.2	1.24	2.13	<0.05	0.06	0.02	0.010	0.02	10.2	6.8	0.15	89	1.14	<0.01
ZZ95822		19.9	1.20	2.79	<0.05	<0.02	0.14	0.013	0.07	12.7	7.9	0.16	86	0.60	<0.01
ZZ95823		10.7	2.45	5.69	<0.05	0.05	0.03	0.017	0.04	13.1	16.0	0.21	121	0.82	<0.01
ZZ95824		7.6	2.42	5.75	<0.05	0.02	0.01	0.016	0.04	16.8	15.1	0.33	147	1.11	<0.01
ZZ95825		41.3	2.18	3.54	<0.05	0.05	0.08	0.027	0.05	11.6	10.3	0.11	84	2.03	<0.01
ZZ95826		27.4	2.08	3.59	<0.05	0.03	0.02	0.020	0.05	13.6	11.4	0.20	122	1.12	<0.01
ZZ95827		9.8	1.60	2.65	<0.05	<0.02	0.02	0.016	0.04	13.0	9.3	0.20	143	1.31	<0.01
ZZ95828		36.0	1.01	2.25	0.05	0.07	0.21	0.019	0.06	13.7	9.6	0.21	62	1.85	<0.01
ZZ95829		13.0	2.05	3.75	<0.05	0.08	0.02	0.020	0.06	15.5	13.6	0.33	165	0.93	<0.01
ZZ95830		7.6	1.10	2.57	<0.05	0.03	0.01	0.013	0.03	13.2	9.2	0.19	75	0.55	<0.01
ZZ95831		9.8	1.68	4.18	<0.05	0.04	0.02	0.019	0.06	15.4	17.1	0.29	121	0.79	<0.01
ZZ95832		6.4	1.22	3.33	0.05	0.02	0.02	0.011	0.04	23.4	11.7	0.25	109	0.44	<0.01
ZZ95833		6.6	1.82	4.90	<0.05	0.02	0.01	0.017	0.06	16.7	17.0	0.38	162	0.57	<0.01
ZZ95834		6.0	1.44	3.15	<0.05	0.02	0.02	0.012	0.04	14.6	9.5	0.22	115	0.61	<0.01
ZZ95835		11.7	2.02	4.84	<0.05	0.04	0.02	0.019	0.08	16.5	18.2	0.35	165	0.98	<0.01
ZZ95836		6.4	1.62	3.65	<0.05	<0.02	0.01	0.015	0.05	14.4	14.7	0.30	121	0.67	<0.01
ZZ95837		7.4	1.31	2.54	<0.05	0.04	0.01	0.012	0.03	9.5	8.7	0.16	65	0.88	<0.01
ZZ95838		11.4	1.73	3.41	0.05	<0.02	0.03	0.016	0.05	14.8	14.9	0.31	148	1.06	<0.01
ZZ95839		7.6	2.11	4.21	<0.05	<0.02	0.02	0.020	0.05	15.2	14.3	0.23	122	1.51	<0.01
ZZ95840		9.8	1.79	3.18	<0.05	0.02	0.02	0.020	0.03	17.0	11.3	0.24	114	0.80	<0.01
ZZ95841		6.9	1.53	3.77	<0.05	<0.02	0.02	0.014	0.04	16.3	12.6	0.32	112	0.48	<0.01
ZZ95842		5.6	1.65	4.54	0.05	0.03	0.02	0.016	0.03	17.4	16.4	0.26	105	0.70	<0.01
ZZ95843		10.9	1.95	3.97	<0.05	0.04	0.07	0.020	0.04	14.6	16.3	0.23	101	2.71	<0.01
ZZ95844		8.5	1.32	2.12	0.05	0.02	0.04	0.013	0.03	22.5	8.2	0.22	230	0.44	<0.01
ZZ95845		16.7	2.20	3.95	0.06	0.05	0.04	0.022	0.08	24.1	16.4	0.45	430	0.82	0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ95806		35.1	790	13.2	5.5	0.001	0.02	0.95	3.4	0.9	0.4	48.8	<0.01	0.03	3.0
ZZ95807		25.8	1100	9.3	7.5	0.002	0.01	0.92	2.8	1.2	0.3	35.8	<0.01	0.05	4.8
ZZ95808		15.9	1630	9.0	11.2	<0.001	0.01	0.49	1.6	0.3	0.5	10.9	<0.01	0.03	3.4
ZZ95809		20.2	830	12.7	9.3	0.002	0.01	1.01	2.0	1.4	0.5	27.8	<0.01	0.02	2.9
ZZ95810		20.9	860	10.1	11.4	<0.001	0.01	0.49	1.9	0.6	0.7	15.0	<0.01	0.02	3.0
ZZ95811		21.7	820	9.4	10.7	<0.001	0.01	0.63	1.8	0.6	0.5	11.9	<0.01	0.03	4.0
ZZ95812		23.6	1070	10.5	10.5	<0.001	0.01	0.75	1.9	0.4	0.6	9.9	<0.01	0.03	4.5
ZZ95813		8.7	820	9.7	9.7	<0.001	<0.01	0.31	1.6	0.3	0.8	6.7	<0.01	0.02	4.0
ZZ95814		21.5	510	9.2	11.2	0.002	0.01	0.31	3.0	1.3	0.5	27.4	<0.01	0.01	3.4
ZZ95815		19.3	1350	11.2	12.3	<0.001	0.01	0.69	1.8	0.3	0.7	8.3	<0.01	0.04	2.0
ZZ95816		14.2	700	7.5	7.0	<0.001	0.01	0.65	1.4	0.4	0.3	11.9	<0.01	0.02	3.9
ZZ95817		17.4	3910	9.9	9.9	<0.001	0.01	0.60	1.9	1.1	0.5	24.3	<0.01	0.02	3.9
ZZ95818		43.2	750	9.3	21.5	0.001	0.07	0.52	2.4	1.7	0.6	62.0	<0.01	0.05	0.9
ZZ95819		10.6	200	6.3	8.0	<0.001	<0.01	0.27	1.3	0.3	0.4	8.3	<0.01	0.01	3.3
ZZ95820		19.5	470	9.2	10.3	<0.001	0.01	0.43	2.3	0.4	0.5	7.6	<0.01	0.01	5.6
ZZ95821		12.6	180	5.6	4.8	<0.001	<0.01	0.54	1.1	0.4	0.2	7.2	<0.01	0.01	3.3
ZZ95822		11.5	450	7.2	7.5	0.002	0.01	0.27	1.2	0.9	0.3	13.2	<0.01	0.01	0.7
ZZ95823		11.5	360	9.4	10.7	<0.001	0.01	0.39	1.4	0.2	0.7	7.6	<0.01	0.01	3.2
ZZ95824		14.7	450	8.7	14.1	<0.001	0.01	0.38	1.8	0.4	0.6	8.9	<0.01	0.02	4.0
ZZ95825		21.2	1870	8.2	9.6	<0.001	0.02	0.72	1.9	1.0	0.4	12.5	0.01	0.04	4.8
ZZ95826		14.6	1210	9.6	9.3	<0.001	0.02	0.61	1.6	1.0	0.4	24.2	<0.01	0.02	3.4
ZZ95827		17.7	530	6.8	6.2	<0.001	<0.01	0.54	1.3	0.7	0.3	13.4	<0.01	0.02	2.7
ZZ95828		28.3	800	9.1	7.3	0.008	0.09	1.70	2.1	3.4	0.3	69.1	<0.01	0.03	1.4
ZZ95829		21.4	490	8.9	9.1	<0.001	<0.01	0.54	2.5	0.6	0.5	9.7	<0.01	0.03	6.2
ZZ95830		11.8	330	6.3	6.3	<0.001	<0.01	0.33	1.3	0.3	0.3	9.3	<0.01	0.01	3.5
ZZ95831		19.3	550	9.1	12.5	<0.001	<0.01	0.47	2.0	0.4	0.5	11.4	<0.01	0.01	5.3
ZZ95832		13.1	340	6.3	7.4	<0.001	<0.01	0.28	1.6	0.3	0.4	9.6	<0.01	0.01	5.9
ZZ95833		15.6	570	8.9	15.6	<0.001	<0.01	0.27	1.9	0.2	0.6	11.5	<0.01	0.01	4.7
ZZ95834		11.5	390	6.8	7.2	<0.001	<0.01	0.32	1.3	0.2	0.4	9.1	<0.01	0.01	3.6
ZZ95835		19.6	480	10.9	14.7	<0.001	<0.01	0.57	2.2	0.4	0.6	11.6	<0.01	0.02	5.0
ZZ95836		12.3	330	7.3	11.7	<0.001	<0.01	0.32	1.5	0.2	0.4	8.4	<0.01	0.01	3.5
ZZ95837		10.5	310	5.7	6.7	<0.001	<0.01	0.46	1.3	0.4	0.3	7.6	<0.01	0.02	2.7
ZZ95838		19.0	430	9.0	7.9	0.001	0.01	0.46	1.6	0.6	0.4	18.6	<0.01	0.02	1.6
ZZ95839		12.3	2290	9.7	12.8	<0.001	<0.01	0.48	1.4	0.4	0.5	11.8	<0.01	0.02	2.5
ZZ95840		21.7	490	7.8	8.8	<0.001	<0.01	0.50	1.7	0.3	0.4	8.0	<0.01	0.01	5.0
ZZ95841		14.6	610	8.2	9.2	<0.001	<0.01	0.23	1.7	0.5	0.5	12.0	<0.01	0.01	2.5
ZZ95842		12.3	450	9.0	12.9	<0.001	<0.01	0.26	1.6	0.4	0.6	8.8	<0.01	0.01	5.0
ZZ95843		12.1	490	8.6	13.6	<0.001	<0.01	0.64	1.6	1.3	0.5	12.2	<0.01	0.01	3.9
ZZ95844		14.9	530	7.0	3.3	<0.001	<0.01	0.40	1.8	0.5	0.3	14.5	<0.01	0.01	5.7
ZZ95845		27.9	580	11.4	10.2	<0.001	<0.01	0.59	3.1	0.5	0.5	22.4	<0.01	0.03	7.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 3 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ95806		0.10	0.72	37	0.39	11.75	125	1.6
ZZ95807		0.11	1.42	30	0.10	9.08	105	1.2
ZZ95808		0.07	0.49	43	0.26	3.21	159	0.8
ZZ95809		0.12	1.08	45	0.21	6.89	121	0.5
ZZ95810		0.10	0.54	53	0.32	3.47	82	0.7
ZZ95811		0.09	0.59	44	0.22	3.41	106	1.0
ZZ95812		0.09	0.52	44	0.27	3.14	112	2.0
ZZ95813		0.07	0.38	49	0.26	1.99	50	1.3
ZZ95814		0.09	2.67	37	0.20	8.07	64	1.3
ZZ95815		0.08	0.55	60	0.27	2.34	66	0.5
ZZ95816		0.06	0.51	30	0.14	2.95	49	1.2
ZZ95817		0.08	0.64	49	0.37	3.99	82	1.3
ZZ95818		0.17	1.44	44	0.13	5.62	78	0.6
ZZ95819		0.06	0.37	29	0.19	2.37	42	1.8
ZZ95820		0.09	0.68	41	0.26	3.35	54	3.5
ZZ95821		0.06	0.38	24	0.13	2.09	37	2.6
ZZ95822		0.07	0.49	23	0.13	3.22	31	<0.5
ZZ95823		0.07	0.35	53	0.29	1.73	53	1.9
ZZ95824		0.08	0.44	50	0.41	2.31	53	0.8
ZZ95825		0.08	0.66	56	0.25	2.78	66	2.3
ZZ95826		0.08	0.45	33	0.21	2.62	49	1.3
ZZ95827		0.07	0.46	27	0.21	2.91	74	<0.5
ZZ95828		0.14	2.37	42	0.08	9.67	94	1.9
ZZ95829		0.10	0.73	32	0.27	4.90	55	4.0
ZZ95830		0.06	0.44	20	0.17	3.12	34	1.6
ZZ95831		0.09	0.52	30	0.19	3.92	64	2.1
ZZ95832		0.06	0.45	20	0.16	3.45	34	1.1
ZZ95833		0.09	0.46	38	0.24	3.46	73	1.0
ZZ95834		0.06	0.38	27	0.16	2.86	41	0.9
ZZ95835		0.11	0.59	43	0.21	4.19	74	1.7
ZZ95836		0.06	0.40	28	0.15	2.70	49	0.8
ZZ95837		0.06	0.40	25	0.12	2.73	31	2.0
ZZ95838		0.09	0.64	29	0.16	5.46	47	<0.5
ZZ95839		0.08	0.51	31	0.22	2.80	93	<0.5
ZZ95840		0.07	0.45	22	0.19	3.49	43	0.8
ZZ95841		0.07	0.57	28	0.26	5.01	48	<0.5
ZZ95842		0.07	0.44	28	0.22	3.02	43	1.3
ZZ95843		0.12	0.61	34	0.17	2.81	46	1.7
ZZ95844		0.04	0.51	16	0.16	6.93	35	0.9
ZZ95845		0.10	0.62	27	0.19	9.40	67	2.4



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ95846		0.27	0.26	1.14	5.0	<0.2	<10	240	0.36	0.17	0.27	0.39	27.0	3.6	23	1.11
ZZ95847		0.36	0.05	1.03	4.0	<0.2	<10	90	0.29	0.18	0.07	0.11	30.5	2.7	18	0.69
ZZ95848		0.40	0.03	0.44	3.5	<0.2	<10	130	0.19	0.08	0.08	0.07	25.9	2.1	9	0.33
ZZ95849		0.29	0.02	1.11	9.9	<0.2	<10	120	0.36	0.20	0.05	0.15	22.9	3.6	24	0.65
ZZ95850		0.24	0.03	0.31	4.0	<0.2	<10	70	0.15	0.07	0.02	0.07	10.20	1.2	7	0.30
ZZ95851		0.31	0.02	0.45	4.6	<0.2	<10	100	0.21	0.09	0.04	0.09	18.25	1.5	8	0.32
ZZ95852		0.33	0.03	0.28	3.0	<0.2	<10	140	0.20	0.07	0.07	0.08	18.55	1.7	7	0.20
ZZ95853		0.33	0.20	0.84	4.9	<0.2	<10	460	0.45	0.13	0.48	0.77	25.6	6.9	17	0.47
ZZ95854		0.16	0.36	1.12	6.0	<0.2	<10	640	0.68	0.16	0.63	0.60	27.7	6.7	20	0.85
ZZ95855		0.29	0.03	0.75	6.2	<0.2	<10	180	0.38	0.13	0.10	0.18	37.4	5.1	16	0.41
ZZ95856		0.32	0.03	1.04	5.2	<0.2	<10	120	0.30	0.12	0.06	0.21	35.9	4.4	19	0.56
ZZ95857		0.23	0.48	1.00	3.1	<0.2	<10	710	0.50	0.14	1.26	1.74	25.2	6.8	18	0.47
ZZ95858		0.29	0.49	0.83	7.3	<0.2	<10	620	0.51	0.14	1.03	4.32	24.9	10.4	17	0.50
ZZ95859		0.23	0.17	0.87	4.5	<0.2	<10	110	0.23	0.18	0.09	0.14	28.9	3.1	17	0.91
ZZ95860		0.22	0.47	1.20	5.4	<0.2	<10	110	0.34	0.17	0.13	0.29	36.5	5.0	23	1.40
ZZ95861		0.20	0.26	1.21	4.4	<0.2	<10	140	0.40	0.16	0.11	0.76	26.5	5.0	23	0.73
ZZ95862		0.31	0.08	1.54	8.3	<0.2	<10	150	0.48	0.18	0.05	0.10	28.0	5.4	29	0.84
ZZ95863		0.26	0.33	1.78	6.6	<0.2	<10	190	0.92	0.21	0.13	0.40	30.5	7.6	30	1.07
ZZ95864		0.25	0.28	0.61	4.8	<0.2	<10	190	0.27	0.19	0.10	0.86	27.3	4.2	16	0.51
ZZ95865		0.31	0.38	1.14	6.4	<0.2	<10	210	0.41	0.16	0.12	0.20	36.4	5.5	22	0.74
ZZ95866		0.29	0.31	1.24	4.6	<0.2	<10	520	0.69	0.17	0.26	0.45	31.2	12.9	20	0.90
ZZ95867		0.22	0.06	1.15	6.9	<0.2	<10	150	0.33	0.13	0.07	0.23	26.3	4.3	21	0.66
ZZ95868		0.23	0.86	1.05	4.0	<0.2	<10	460	0.55	0.17	0.20	3.95	24.5	11.8	23	0.69
ZZ95869		0.21	0.16	0.83	3.0	<0.2	<10	160	0.27	0.13	0.11	0.13	30.3	3.5	16	0.54
ZZ95870		0.23	0.23	1.55	4.2	<0.2	<10	170	0.60	0.18	0.12	0.24	28.5	12.1	30	0.92
ZZ95871		0.23	0.13	1.36	7.1	<0.2	<10	310	0.67	0.20	0.13	0.25	33.7	7.6	25	1.16
ZZ95872		0.30	0.18	1.69	8.2	<0.2	<10	180	0.67	0.21	0.09	0.26	32.8	7.2	34	1.07
ZZ95873		0.34	0.09	1.22	8.8	<0.2	<10	150	0.43	0.17	0.17	0.15	34.5	5.2	25	0.81
ZZ95874		0.39	0.16	1.65	8.7	<0.2	<10	190	0.60	0.19	0.12	0.15	30.3	5.7	30	1.01
ZZ95875		0.22	0.25	1.39	9.3	<0.2	<10	180	0.38	0.21	0.18	0.24	31.6	5.7	28	0.72
ZZ95876		0.26	0.08	1.51	6.9	<0.2	<10	610	0.49	0.17	0.18	0.25	35.4	8.7	24	0.71
ZZ95877		0.31	0.30	1.11	6.1	<0.2	<10	190	0.27	0.18	0.15	0.39	37.6	4.3	24	0.80
ZZ95878		0.21	0.45	1.28	7.8	<0.2	<10	130	0.28	0.22	0.12	0.37	31.4	4.6	28	0.83
ZZ95879		0.25	0.09	1.02	5.1	<0.2	<10	130	0.24	0.16	0.12	0.23	33.0	3.6	20	0.63
ZZ95880		0.27	0.03	0.99	6.3	<0.2	<10	100	0.22	0.16	0.10	0.23	42.5	4.4	22	0.65
ZZ95881		0.23	0.70	1.26	47.6	<0.2	<10	1220	0.90	0.16	0.14	1.32	37.9	5.7	31	0.55
ZZ95882		0.26	0.35	1.96	8.6	<0.2	<10	460	0.82	0.18	0.07	0.33	39.7	12.0	31	0.79
ZZ95883		0.18	0.28	1.10	11.7	<0.2	<10	520	0.43	0.22	0.28	1.36	30.5	10.1	19	0.33
ZZ95884		0.20	0.45	1.12	7.8	<0.2	<10	470	0.43	0.19	0.33	0.38	34.0	9.7	23	0.57
ZZ95885		0.23	0.68	0.95	6.7	<0.2	<10	840	0.39	0.21	0.28	1.63	38.5	16.5	16	0.34



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ95846		9.5	1.83	4.24	<0.05	<0.02	0.07	0.019	0.04	13.5	15.0	0.22	102	0.76	<0.01
ZZ95847		4.1	1.65	5.29	0.05	0.03	0.01	0.016	0.03	15.8	9.7	0.19	84	0.69	<0.01
ZZ95848		8.1	0.86	1.66	<0.05	<0.02	0.03	0.009	0.02	13.3	5.7	0.13	81	0.66	<0.01
ZZ95849		8.5	2.80	5.48	<0.05	0.04	0.02	0.020	0.05	11.9	13.7	0.24	112	1.43	<0.01
ZZ95850		7.7	1.03	1.50	<0.05	<0.02	0.01	0.007	0.02	5.5	2.2	0.05	33	0.86	<0.01
ZZ95851		6.2	1.08	1.95	<0.05	0.02	0.01	0.010	0.03	9.4	5.3	0.08	38	0.78	<0.01
ZZ95852		8.9	0.67	1.01	<0.05	<0.02	0.02	0.007	0.03	9.3	2.8	0.07	58	0.57	<0.01
ZZ95853		17.3	1.60	2.72	<0.05	<0.02	0.09	0.017	0.04	12.9	12.2	0.24	303	1.14	0.01
ZZ95854		25.1	1.80	3.23	0.05	0.04	0.20	0.020	0.05	14.0	17.2	0.25	221	0.90	0.01
ZZ95855		13.0	1.61	2.52	0.05	<0.02	0.03	0.013	0.04	18.9	9.5	0.23	156	1.22	<0.01
ZZ95856		9.4	1.89	3.43	<0.05	0.03	0.02	0.016	0.03	18.4	13.2	0.27	110	1.08	<0.01
ZZ95857		17.4	1.36	2.87	0.05	0.04	0.11	0.019	0.04	13.0	15.3	0.34	401	0.69	0.01
ZZ95858		20.4	1.82	2.71	0.05	0.03	0.14	0.021	0.04	12.5	14.8	0.30	1680	2.65	0.01
ZZ95859		6.0	1.40	4.43	<0.05	<0.02	0.02	0.012	0.04	14.8	12.9	0.23	120	0.55	<0.01
ZZ95860		8.5	2.59	4.59	0.05	<0.02	0.03	0.018	0.06	18.7	18.5	0.39	161	0.95	<0.01
ZZ95861		4.8	2.20	4.86	<0.05	0.05	0.02	0.018	0.04	13.6	15.0	0.26	156	0.99	<0.01
ZZ95862		10.7	2.36	4.61	<0.05	0.06	0.03	0.025	0.05	14.3	16.4	0.35	143	1.20	<0.01
ZZ95863		18.7	2.70	5.72	0.05	0.02	0.03	0.033	0.09	15.6	18.2	0.37	273	1.55	<0.01
ZZ95864		7.6	1.70	4.16	<0.05	<0.02	0.01	0.015	0.06	14.3	6.0	0.16	155	1.35	<0.01
ZZ95865		9.5	2.03	4.28	0.05	0.04	0.02	0.018	0.05	18.5	16.7	0.35	156	1.10	<0.01
ZZ95866		11.1	1.92	4.49	<0.05	<0.02	0.03	0.021	0.06	16.1	14.7	0.25	553	0.97	0.01
ZZ95867		11.0	1.98	3.72	<0.05	0.03	0.02	0.018	0.05	13.8	14.4	0.29	99	1.34	<0.01
ZZ95868		5.7	2.43	5.06	<0.05	0.02	0.02	0.022	0.07	12.5	16.0	0.25	449	1.06	<0.01
ZZ95869		4.4	1.41	3.94	<0.05	0.02	0.01	0.011	0.04	15.9	10.6	0.20	118	0.60	<0.01
ZZ95870		7.0	2.56	5.75	<0.05	0.07	0.03	0.026	0.05	14.4	15.5	0.34	337	0.90	<0.01
ZZ95871		8.8	2.45	6.00	<0.05	<0.02	0.01	0.023	0.06	17.4	20.7	0.34	194	1.25	<0.01
ZZ95872		10.1	2.83	5.77	<0.05	0.04	0.03	0.030	0.07	16.6	19.8	0.38	185	0.93	<0.01
ZZ95873		9.1	2.30	4.12	0.05	0.02	0.03	0.023	0.05	17.6	19.2	0.38	143	1.05	<0.01
ZZ95874		10.7	2.51	5.50	<0.05	0.05	0.03	0.025	0.06	15.8	21.9	0.36	141	1.08	<0.01
ZZ95875		9.1	2.63	4.77	<0.05	0.04	0.03	0.025	0.04	16.4	20.4	0.39	187	1.16	<0.01
ZZ95876		14.4	2.43	3.93	<0.05	0.02	0.02	0.027	0.07	17.9	21.1	0.36	150	1.60	<0.01
ZZ95877		6.1	2.11	4.66	<0.05	<0.02	0.01	0.019	0.05	19.1	16.6	0.34	158	1.24	<0.01
ZZ95878		9.4	2.57	5.59	<0.05	<0.02	0.04	0.021	0.05	16.2	16.4	0.37	155	1.73	<0.01
ZZ95879		7.8	1.80	3.59	<0.05	<0.02	0.02	0.014	0.06	17.2	12.9	0.29	121	0.92	<0.01
ZZ95880		11.1	2.11	3.61	<0.05	<0.02	0.03	0.016	0.05	21.6	12.5	0.31	174	0.98	<0.01
ZZ95881		49.3	3.77	4.51	0.05	0.02	0.05	0.056	0.10	21.6	9.8	0.12	66	8.58	<0.01
ZZ95882		33.8	2.20	4.74	<0.05	0.08	0.03	0.028	0.07	20.4	19.4	0.30	151	2.56	0.01
ZZ95883		21.4	2.54	3.68	<0.05	0.03	0.01	0.023	0.14	16.9	13.7	0.30	437	3.11	<0.01
ZZ95884		35.0	2.49	4.04	0.05	<0.02	0.02	0.021	0.11	18.6	16.5	0.38	352	2.33	<0.01
ZZ95885		73.4	2.29	2.95	0.05	0.03	0.03	0.024	0.14	22.2	15.5	0.27	378	2.49	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ95846		15.0	1160	8.8	10.4	0.005	0.01	0.30	0.8	1.2	0.5	18.6	<0.01	0.01	0.3
ZZ95847		8.1	320	10.4	9.7	<0.001	<0.01	0.21	1.4	0.2	0.7	7.2	<0.01	0.01	3.7
ZZ95848		7.6	270	4.8	3.7	<0.001	<0.01	0.33	1.0	0.6	0.2	9.3	<0.01	0.01	2.7
ZZ95849		11.3	650	9.3	14.9	<0.001	<0.01	0.54	1.5	0.4	0.6	8.4	<0.01	0.03	3.1
ZZ95850		4.8	420	4.5	5.4	<0.001	<0.01	0.35	0.7	0.3	0.2	5.5	<0.01	0.01	1.2
ZZ95851		5.9	180	5.1	7.0	<0.001	<0.01	0.34	0.8	0.3	0.2	6.8	<0.01	0.01	2.3
ZZ95852		5.8	250	3.8	2.5	<0.001	<0.01	0.31	0.8	0.4	0.2	8.6	<0.01	0.01	1.4
ZZ95853		19.5	610	7.8	6.5	0.002	<0.01	0.47	1.7	1.4	0.3	32.9	<0.01	0.02	1.1
ZZ95854		33.0	770	10.0	10.6	0.007	0.03	0.63	2.5	2.7	0.4	48.0	<0.01	0.02	1.7
ZZ95855		17.9	370	6.9	5.0	<0.001	<0.01	0.76	1.7	0.6	0.3	12.6	<0.01	0.02	3.2
ZZ95856		17.1	200	8.0	7.2	<0.001	<0.01	0.50	1.7	0.4	0.4	9.1	<0.01	0.01	8.7
ZZ95857		26.5	700	10.2	5.9	0.016	0.05	0.57	2.0	3.1	0.3	70.4	<0.01	0.02	1.4
ZZ95858		42.4	840	9.2	5.2	0.015	0.03	0.88	2.0	4.6	0.3	62.3	<0.01	0.03	1.5
ZZ95859		10.0	250	8.4	9.6	<0.001	<0.01	0.23	1.4	0.3	0.5	10.8	<0.01	0.01	2.6
ZZ95860		18.1	1070	7.7	14.7	<0.001	<0.01	0.37	1.8	0.6	0.5	12.5	<0.01	0.02	3.5
ZZ95861		12.6	500	8.5	12.4	<0.001	<0.01	0.30	1.5	0.3	0.6	9.6	<0.01	0.01	3.8
ZZ95862		18.5	220	10.7	10.7	<0.001	<0.01	0.51	2.2	0.4	0.6	7.4	<0.01	0.02	5.2
ZZ95863		23.6	850	12.3	17.5	<0.001	<0.01	0.45	2.4	1.0	0.7	11.8	<0.01	0.02	3.2
ZZ95864		12.2	1000	9.9	12.2	<0.001	<0.01	0.44	1.3	0.5	0.5	10.0	<0.01	0.02	3.1
ZZ95865		20.8	410	8.4	10.3	<0.001	<0.01	0.46	2.0	0.5	0.5	11.0	<0.01	0.02	5.2
ZZ95866		15.1	690	10.2	15.4	<0.001	<0.01	0.27	2.0	0.5	0.5	18.4	<0.01	0.01	1.7
ZZ95867		16.9	400	7.4	11.7	<0.001	<0.01	0.55	1.5	0.6	0.4	9.5	<0.01	0.02	3.4
ZZ95868		14.8	2190	9.8	13.1	<0.001	<0.01	0.34	1.7	0.4	0.6	16.0	<0.01	0.02	3.1
ZZ95869		10.5	430	6.1	13.4	<0.001	0.01	0.26	1.3	0.3	0.5	9.2	<0.01	0.01	3.7
ZZ95870		18.6	950	9.1	15.4	<0.001	<0.01	0.27	2.4	0.4	0.7	10.1	0.01	0.01	5.1
ZZ95871		19.3	850	12.1	18.2	<0.001	<0.01	0.39	2.0	0.4	0.7	11.5	<0.01	0.03	3.4
ZZ95872		22.8	630	11.4	17.8	<0.001	<0.01	0.45	2.7	0.4	0.7	9.7	<0.01	0.02	5.9
ZZ95873		20.7	780	9.4	11.1	<0.001	<0.01	0.47	1.8	0.7	0.5	12.2	<0.01	0.02	5.0
ZZ95874		21.0	740	11.3	15.8	<0.001	<0.01	0.44	2.6	0.6	0.7	10.8	<0.01	0.02	5.3
ZZ95875		19.7	820	11.2	6.7	<0.001	<0.01	0.45	2.0	0.6	0.5	13.3	<0.01	0.02	5.5
ZZ95876		32.6	590	8.7	13.3	0.001	0.01	0.73	2.0	0.8	0.4	15.4	<0.01	0.03	4.2
ZZ95877		14.2	550	8.0	12.3	<0.001	<0.01	0.40	1.7	0.4	0.5	12.2	<0.01	0.02	5.2
ZZ95878		15.1	930	9.9	11.4	<0.001	0.01	0.52	1.5	0.6	0.6	11.3	<0.01	0.03	1.5
ZZ95879		14.3	650	8.0	8.7	<0.001	<0.01	0.43	1.5	0.3	0.4	11.0	<0.01	0.01	3.0
ZZ95880		16.7	620	9.1	8.8	<0.001	0.01	0.63	1.7	0.3	0.4	11.5	<0.01	0.02	3.5
ZZ95881		79.0	3860	16.4	14.3	0.001	0.09	2.76	4.2	2.6	0.5	97.6	<0.01	0.09	3.8
ZZ95882		88.7	580	10.9	11.8	<0.001	0.07	1.29	3.8	1.2	0.6	50.4	<0.01	0.03	6.5
ZZ95883		19.8	510	12.2	14.1	<0.001	0.01	1.21	1.5	0.5	0.4	32.3	<0.01	0.05	2.9
ZZ95884		26.4	1670	9.7	12.2	<0.001	0.02	1.07	2.1	0.8	0.5	31.2	<0.01	0.05	2.8
ZZ95885		35.0	1820	18.0	11.6	<0.001	0.05	1.46	2.4	0.9	0.3	96.7	<0.01	0.05	3.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 4 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ95846		0.11	0.96	27	0.17	5.89	45	<0.5
ZZ95847		0.07	0.39	36	0.26	2.14	34	1.6
ZZ95848		0.05	0.44	15	0.09	3.98	22	<0.5
ZZ95849		0.07	0.38	58	0.26	1.96	47	1.7
ZZ95850		0.04	0.24	18	0.07	1.30	18	<0.5
ZZ95851		0.05	0.31	20	0.11	1.98	21	0.7
ZZ95852		0.03	0.41	12	0.06	3.30	18	<0.5
ZZ95853		0.07	1.45	24	0.12	7.95	79	<0.5
ZZ95854		0.12	1.80	28	0.15	13.35	89	1.3
ZZ95855		0.06	0.49	23	0.12	5.84	58	<0.5
ZZ95856		0.07	0.43	27	0.16	2.92	47	1.4
ZZ95857		0.09	1.34	23	0.08	8.51	122	1.2
ZZ95858		0.11	1.23	34	0.09	9.72	272	1.1
ZZ95859		0.07	0.44	29	0.22	2.40	41	<0.5
ZZ95860		0.09	0.43	28	0.40	3.19	60	<0.5
ZZ95861		0.06	0.40	41	0.22	2.11	121	2.0
ZZ95862		0.12	0.55	40	0.28	2.98	50	2.7
ZZ95863		0.12	0.89	43	0.33	4.76	101	0.7
ZZ95864		0.07	0.39	34	0.22	2.49	63	0.7
ZZ95865		0.10	0.53	33	0.24	5.04	58	1.9
ZZ95866		0.09	0.64	39	0.26	6.02	67	<0.5
ZZ95867		0.08	0.44	35	0.27	2.45	51	1.4
ZZ95868		0.08	0.43	41	0.20	2.72	277	1.2
ZZ95869		0.06	0.37	27	0.17	2.65	48	0.8
ZZ95870		0.09	0.50	44	0.23	3.42	96	3.5
ZZ95871		0.09	0.54	47	0.25	4.92	83	0.7
ZZ95872		0.12	0.60	46	0.27	3.90	104	2.2
ZZ95873		0.10	0.61	34	0.31	5.31	54	0.7
ZZ95874		0.12	0.55	42	0.26	4.66	70	2.4
ZZ95875		0.10	0.58	41	0.36	4.74	70	1.9
ZZ95876		0.09	0.68	34	0.70	5.28	106	0.7
ZZ95877		0.08	0.51	39	0.25	3.38	73	0.7
ZZ95878		0.09	0.61	50	0.28	3.32	74	<0.5
ZZ95879		0.07	0.44	29	0.18	3.17	46	<0.5
ZZ95880		0.08	0.55	29	0.36	3.64	51	<0.5
ZZ95881		0.23	6.53	102	0.31	15.25	525	1.1
ZZ95882		0.18	1.54	71	0.21	7.31	184	4.3
ZZ95883		0.07	0.48	47	0.12	2.15	147	1.1
ZZ95884		0.09	0.67	40	0.23	5.54	96	0.5
ZZ95885		0.13	1.20	33	0.06	6.91	160	1.3



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ95886		0.19	0.75	1.21	5.7	<0.2	<10	210	0.41	0.45	0.18	0.40	32.1	5.0	22	0.73
ZZ95888		0.23	0.06	1.00	4.0	<0.2	<10	260	0.27	0.12	0.15	0.09	33.8	3.6	19	0.61
ZZ95889		0.30	0.14	1.10	4.6	<0.2	<10	220	0.31	0.12	0.07	0.14	28.2	3.3	19	0.64
ZZ95890		0.29	0.56	1.66	6.2	<0.2	<10	200	0.50	0.19	0.17	0.29	33.8	5.8	32	0.95
ZZ95891		0.28	0.09	0.87	3.0	<0.2	<10	340	0.23	0.12	0.22	0.06	34.8	3.4	18	0.53
ZZ95892		0.24	0.76	1.32	6.2	<0.2	<10	380	0.51	0.21	0.23	1.33	29.8	6.4	29	0.60
ZZ95893		0.24	1.26	1.36	5.5	<0.2	<10	520	0.50	0.20	0.17	1.59	28.6	4.1	28	0.68
ZZ95894		0.15	0.71	0.90	2.6	<0.2	<10	310	0.22	0.16	0.13	0.45	26.8	3.1	19	0.56
ZZ95895		0.20	0.08	1.62	5.2	<0.2	<10	170	0.40	0.15	0.08	0.08	27.5	5.2	28	0.88
ZZ95896		0.20	1.25	1.05	6.7	<0.2	<10	330	0.26	0.21	0.13	0.36	30.2	2.8	23	0.68
ZZ95897		0.21	1.13	1.05	5.6	<0.2	<10	460	0.38	0.18	0.11	2.27	30.4	4.0	23	0.54
ZZ95898		0.22	0.35	0.79	6.6	<0.2	<10	480	0.32	0.13	0.12	0.53	27.0	2.5	16	0.45
ZZ95899		0.24	0.22	1.25	5.7	<0.2	<10	540	0.36	0.18	0.16	0.62	30.7	4.3	24	0.68
ZZ95900		0.23	0.58	1.04	3.6	<0.2	<10	190	0.26	0.22	0.11	0.46	28.9	3.0	24	0.74
ZZ95901		0.33	0.98	1.31	5.2	<0.2	<10	1750	0.51	0.20	0.63	1.03	28.6	8.9	26	0.84
ZZ95902		0.23	0.22	0.78	5.6	<0.2	<10	600	0.36	0.12	0.38	0.18	30.4	4.4	17	0.38
ZZ95903		0.23	0.21	1.02	4.1	<0.2	<10	460	0.30	0.16	0.22	1.76	29.8	7.2	21	0.55
ZZ95904		0.17	1.07	0.99	6.3	<0.2	<10	1540	0.44	0.20	0.60	1.60	33.0	9.2	20	0.62
ZZ95905		0.35	0.28	1.22	7.3	<0.2	<10	550	0.25	0.14	0.18	0.93	30.2	3.9	23	0.69
ZZ95906		0.33	0.39	1.12	7.0	<0.2	<10	340	0.29	0.18	0.11	0.78	28.4	4.7	25	0.84
ZZ95907		0.36	0.69	1.05	4.0	<0.2	<10	380	0.23	0.19	0.14	0.60	32.8	3.9	20	1.03
ZZ95908		0.36	0.10	0.59	4.0	<0.2	<10	200	0.23	0.11	0.06	0.46	25.0	2.8	12	0.38
ZZ95909		0.29	0.61	1.04	5.6	<0.2	<10	230	0.36	0.16	0.20	0.29	35.2	6.6	23	0.66
ZZ95910		0.24	0.21	0.98	4.8	<0.2	<10	210	0.27	0.15	0.17	0.27	33.1	5.2	20	0.63
ZZ95911		0.20	0.29	1.25	7.0	<0.2	<10	170	0.36	0.22	0.21	0.26	38.9	6.0	29	0.89
ZZ95912		0.26	0.08	1.17	6.4	<0.2	<10	180	0.41	0.16	0.16	0.30	34.5	4.8	23	0.79
ZZ95913		0.33	0.07	0.98	3.9	<0.2	<10	190	0.27	0.14	0.12	0.63	30.6	3.5	17	0.63
ZZ95914		0.24	0.04	1.11	7.6	<0.2	<10	390	0.39	0.14	0.15	0.37	24.9	5.2	20	0.64
ZZ95915		0.24	1.02	1.10	9.3	<0.2	<10	170	0.31	0.19	0.12	0.46	28.3	3.7	25	0.84
ZZ95916		0.20	0.46	0.95	3.2	<0.2	<10	1180	0.50	0.12	1.15	1.29	22.4	5.0	15	0.51
ZZ95917		0.28	0.13	1.29	6.7	<0.2	<10	170	0.41	0.16	0.12	0.12	33.6	5.4	24	0.81
ZZ95918		0.18	0.16	1.55	8.7	<0.2	<10	170	0.52	0.22	0.11	0.21	30.5	5.5	31	1.00
ZZ95919		0.24	0.46	0.97	5.0	<0.2	<10	270	0.47	0.17	0.47	1.04	25.9	7.1	18	0.76
ZZ95920		0.21	1.07	1.02	3.4	<0.2	<10	500	0.42	0.16	0.26	4.51	28.0	10.7	19	0.71
ZZ95921		0.22	0.70	1.35	8.9	<0.2	<10	640	0.52	0.21	0.22	1.08	33.3	6.5	28	0.64
ZZ95922		0.21	0.48	0.94	6.1	<0.2	<10	610	0.42	0.17	0.21	1.90	29.0	5.4	20	0.70
ZZ95923		0.25	0.30	1.35	7.3	<0.2	<10	190	0.46	0.20	0.20	0.27	30.0	6.4	26	0.85
ZZ95924		0.34	0.10	1.29	9.3	<0.2	<10	220	0.55	0.17	0.16	0.81	33.0	10.3	20	0.81
ZZ95925		0.36	0.15	1.29	5.4	<0.2	<10	230	0.37	0.17	0.20	0.13	33.4	4.0	24	0.76
ZZ95926		0.37	0.12	1.24	5.5	<0.2	<10	250	0.52	0.16	0.13	0.08	34.0	5.6	20	1.20



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ95886		9.6	2.02	4.22	<0.05	<0.02	0.03	0.018	0.05	16.7	16.7	0.26	122	0.94	<0.01
ZZ95888		11.7	1.53	3.28	<0.05	0.02	0.02	0.015	0.04	17.5	13.7	0.29	110	0.91	<0.01
ZZ95889		14.7	1.67	3.71	<0.05	<0.02	0.02	0.018	0.04	15.2	14.9	0.25	93	1.25	<0.01
ZZ95890		15.2	2.60	5.26	<0.05	0.02	0.03	0.028	0.06	17.4	21.4	0.41	184	1.01	0.01
ZZ95891		14.2	1.15	3.00	<0.05	<0.02	0.02	0.013	0.04	18.3	10.7	0.26	93	0.54	<0.01
ZZ95892		11.7	2.83	5.83	<0.05	0.04	0.02	0.026	0.07	15.7	14.9	0.30	238	1.17	<0.01
ZZ95893		7.4	2.56	5.91	<0.05	0.03	0.04	0.026	0.05	15.1	13.0	0.22	147	0.81	<0.01
ZZ95894		5.0	1.64	4.09	<0.05	0.02	0.03	0.014	0.04	14.0	8.4	0.19	118	0.53	<0.01
ZZ95895		7.4	2.17	4.89	<0.05	0.08	0.03	0.024	0.04	14.3	18.1	0.32	131	0.71	<0.01
ZZ95896		8.3	2.01	5.08	<0.05	0.02	0.04	0.019	0.06	16.3	9.4	0.20	74	0.85	<0.01
ZZ95897		18.4	2.06	5.01	<0.05	0.04	0.03	0.020	0.07	17.0	13.3	0.17	104	1.25	<0.01
ZZ95898		62.3	1.87	3.22	<0.05	0.04	0.04	0.021	0.08	15.6	6.7	0.11	49	2.59	<0.01
ZZ95899		26.4	2.38	5.87	<0.05	0.02	0.02	0.020	0.09	16.6	15.8	0.24	170	1.62	<0.01
ZZ95900		5.6	2.00	5.24	<0.05	0.04	0.02	0.015	0.05	15.2	11.1	0.17	118	0.69	<0.01
ZZ95901		70.2	2.00	4.68	0.05	<0.02	0.39	0.025	0.07	15.4	17.1	0.34	553	1.34	<0.01
ZZ95902		46.2	1.56	2.76	<0.05	0.02	0.09	0.015	0.09	16.4	11.1	0.22	144	1.46	<0.01
ZZ95903		17.0	1.77	3.96	<0.05	0.02	0.01	0.018	0.08	15.3	17.5	0.29	329	0.92	<0.01
ZZ95904		55.0	2.03	3.96	0.05	<0.02	0.12	0.022	0.06	17.8	15.5	0.20	271	1.63	<0.01
ZZ95905		18.9	1.84	4.16	<0.05	0.05	0.02	0.018	0.10	15.7	20.4	0.39	109	1.48	<0.01
ZZ95906		8.8	2.28	4.79	<0.05	0.03	0.02	0.023	0.08	14.8	15.9	0.29	162	1.33	0.01
ZZ95907		9.3	1.71	4.94	<0.05	0.03	0.03	0.014	0.06	16.8	13.9	0.28	106	0.90	<0.01
ZZ95908		16.0	1.21	2.34	<0.05	<0.02	0.02	0.010	0.06	13.2	5.3	0.14	67	1.34	<0.01
ZZ95909		9.5	2.07	4.12	0.05	0.04	0.02	0.019	0.08	18.3	15.1	0.32	191	1.43	<0.01
ZZ95910		6.0	1.95	4.33	<0.05	<0.02	0.01	0.017	0.05	17.0	13.0	0.28	179	0.71	<0.01
ZZ95911		6.7	2.72	5.55	0.05	0.02	0.01	0.020	0.07	19.9	18.3	0.40	203	0.88	<0.01
ZZ95912		6.4	2.06	4.58	<0.05	0.04	0.02	0.020	0.05	17.7	17.2	0.34	140	0.96	<0.01
ZZ95913		6.0	1.53	3.95	<0.05	0.03	0.02	0.013	0.04	16.1	12.8	0.24	110	0.97	<0.01
ZZ95914		8.1	1.95	3.78	<0.05	0.02	0.01	0.019	0.04	12.9	15.0	0.25	125	1.36	<0.01
ZZ95915		5.7	2.59	4.74	<0.05	<0.02	0.06	0.021	0.04	14.7	14.0	0.29	143	1.39	<0.01
ZZ95916		51.9	1.09	2.48	0.05	0.06	0.20	0.014	0.08	12.1	13.3	0.23	140	1.11	0.01
ZZ95917		9.1	2.28	4.40	<0.05	0.05	0.02	0.021	0.04	17.2	18.0	0.35	140	0.96	<0.01
ZZ95918		10.6	3.17	6.10	<0.05	0.06	0.02	0.028	0.05	15.8	23.1	0.36	148	1.23	0.01
ZZ95919		22.7	1.84	3.63	<0.05	0.02	0.07	0.020	0.09	13.7	21.6	0.24	206	1.21	<0.01
ZZ95920		9.8	1.82	4.09	<0.05	<0.02	0.02	0.018	0.10	14.1	13.0	0.25	951	1.49	<0.01
ZZ95921		11.5	2.82	4.93	<0.05	0.02	0.02	0.025	0.07	17.1	20.1	0.36	189	1.25	<0.01
ZZ95922		14.6	2.01	4.04	<0.05	0.02	0.03	0.018	0.08	15.1	12.7	0.26	147	1.35	<0.01
ZZ95923		11.4	2.52	5.33	<0.05	<0.02	0.03	0.022	0.07	15.5	19.4	0.39	163	1.19	<0.01
ZZ95924		15.5	2.46	3.87	<0.05	0.02	0.02	0.027	0.06	16.3	21.6	0.30	209	1.26	<0.01
ZZ95925		10.8	1.95	4.68	0.05	0.02	0.05	0.020	0.05	17.0	17.9	0.35	99	0.80	<0.01
ZZ95926		10.2	1.91	4.28	<0.05	0.03	0.01	0.021	0.06	17.6	25.4	0.30	126	1.15	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ95886		14.5	2340	8.9	12.8	<0.001	0.01	0.47	1.5	0.5	0.5	15.8	<0.01	0.02	2.8
ZZ95888		13.0	460	6.2	8.2	<0.001	<0.01	0.41	1.6	0.4	0.4	18.1	<0.01	0.01	4.0
ZZ95889		12.7	520	6.5	11.6	<0.001	<0.01	0.49	1.5	0.5	0.4	20.0	<0.01	0.01	2.4
ZZ95890		19.1	790	10.2	11.1	<0.001	<0.01	0.44	2.3	0.5	0.6	14.3	<0.01	0.02	5.6
ZZ95891		11.9	630	6.8	5.8	<0.001	<0.01	0.29	1.3	0.5	0.4	16.7	<0.01	0.01	1.4
ZZ95892		16.1	3400	11.2	9.9	<0.001	0.01	0.45	2.1	0.5	0.7	15.8	<0.01	0.03	5.3
ZZ95893		10.6	4830	10.4	11.3	<0.001	0.01	0.37	2.2	0.3	0.7	14.1	<0.01	0.02	5.0
ZZ95894		9.0	2280	7.2	9.6	<0.001	<0.01	0.21	1.4	<0.2	0.5	11.2	<0.01	<0.01	3.2
ZZ95895		16.7	480	8.4	10.4	<0.001	<0.01	0.35	2.0	0.3	0.6	8.4	<0.01	0.02	5.0
ZZ95896		9.0	3070	9.6	13.7	<0.001	0.01	0.30	1.6	0.6	0.6	16.8	<0.01	0.02	3.7
ZZ95897		12.7	2460	9.4	11.5	<0.001	0.01	0.57	1.8	0.4	0.6	23.5	<0.01	0.03	4.2
ZZ95898		16.4	2470	7.5	11.3	<0.001	0.06	0.93	1.8	2.4	0.3	49.0	<0.01	0.05	3.5
ZZ95899		12.8	1670	9.0	14.8	<0.001	0.01	0.61	1.9	1.0	0.6	23.4	<0.01	0.04	5.1
ZZ95900		7.4	1710	10.7	11.3	<0.001	<0.01	0.26	1.5	0.2	0.7	10.1	<0.01	0.01	3.9
ZZ95901		26.6	760	9.8	9.5	0.007	0.03	0.81	2.6	2.4	0.5	61.7	<0.01	0.02	1.1
ZZ95902		20.6	740	7.2	7.3	0.001	0.01	0.64	1.9	1.3	0.3	36.0	<0.01	0.03	3.0
ZZ95903		16.3	1030	7.9	11.6	<0.001	0.01	0.43	1.7	0.5	0.5	19.4	<0.01	0.02	3.6
ZZ95904		28.2	920	10.4	9.1	0.002	0.02	0.76	1.8	1.1	0.4	42.9	<0.01	0.05	0.9
ZZ95905		15.1	670	6.2	10.2	<0.001	0.01	0.59	1.7	0.4	0.4	16.8	<0.01	0.01	4.6
ZZ95906		13.8	1220	8.3	11.4	<0.001	<0.01	0.48	1.7	0.3	0.6	9.8	<0.01	0.02	4.6
ZZ95907		11.1	480	10.2	10.7	<0.001	<0.01	0.34	1.5	0.3	0.6	13.0	<0.01	0.01	4.6
ZZ95908		12.1	420	5.8	6.4	<0.001	0.01	0.59	1.1	0.5	0.3	11.4	<0.01	0.02	2.3
ZZ95909		19.5	1190	7.9	11.7	<0.001	0.01	0.53	2.0	0.7	0.5	14.9	<0.01	0.03	5.6
ZZ95910		12.8	1830	7.9	12.5	<0.001	0.01	0.32	1.6	0.4	0.5	13.2	<0.01	0.01	4.4
ZZ95911		16.3	2030	10.7	14.1	<0.001	0.01	0.41	2.1	0.3	0.6	14.5	<0.01	0.02	6.3
ZZ95912		16.8	860	8.0	14.3	<0.001	<0.01	0.32	1.8	0.3	0.5	11.4	<0.01	0.02	5.3
ZZ95913		11.9	620	7.3	9.9	<0.001	<0.01	0.28	1.4	0.3	0.4	11.0	<0.01	0.02	3.5
ZZ95914		22.7	450	8.1	6.5	<0.001	<0.01	0.46	1.7	0.5	0.4	12.1	<0.01	0.02	3.2
ZZ95915		13.5	1450	10.3	10.7	<0.001	<0.01	0.40	1.7	0.5	0.5	10.2	<0.01	0.03	3.2
ZZ95916		23.1	740	6.5	8.2	0.020	0.22	0.48	2.3	3.5	0.3	86.6	<0.01	0.02	1.8
ZZ95917		18.4	810	8.0	11.7	<0.001	<0.01	0.39	1.8	0.4	0.5	10.7	<0.01	0.02	5.2
ZZ95918		16.6	1290	10.4	14.0	<0.001	<0.01	0.47	2.0	0.3	0.7	10.2	<0.01	0.03	5.4
ZZ95919		23.1	660	11.0	12.5	0.002	0.01	0.49	1.7	1.0	0.4	26.9	<0.01	0.01	2.4
ZZ95920		16.0	2450	8.0	14.6	<0.001	<0.01	0.32	1.8	0.5	0.5	19.5	<0.01	0.01	2.7
ZZ95921		21.3	3970	10.2	9.9	<0.001	<0.01	0.54	2.4	0.6	0.5	16.8	<0.01	0.03	4.5
ZZ95922		15.8	2330	8.6	13.3	<0.001	<0.01	0.35	1.9	0.8	0.4	22.4	<0.01	0.02	4.1
ZZ95923		19.6	710	11.0	12.1	<0.001	<0.01	0.39	1.8	0.4	0.6	15.1	<0.01	0.02	2.7
ZZ95924		35.8	700	8.2	12.5	<0.001	<0.01	0.43	2.0	0.5	0.4	14.5	<0.01	0.03	3.8
ZZ95925		15.8	670	10.1	7.7	<0.001	<0.01	0.24	2.2	0.6	0.6	13.9	<0.01	0.01	4.6
ZZ95926		15.0	470	10.9	15.1	<0.001	<0.01	0.30	1.7	0.3	0.5	12.1	<0.01	0.02	4.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ95886		0.07	0.55	35	0.36	3.45	71	<0.5
ZZ95888		0.09	0.50	29	0.15	3.60	43	0.9
ZZ95889		0.09	0.54	33	0.13	2.83	60	<0.5
ZZ95890		0.10	0.80	43	0.34	5.08	106	1.2
ZZ95891		0.06	0.64	24	0.13	5.43	37	<0.5
ZZ95892		0.06	0.60	52	0.33	3.38	144	2.1
ZZ95893		0.07	0.66	47	0.47	3.16	103	1.8
ZZ95894		0.05	0.40	30	0.28	2.53	59	0.8
ZZ95895		0.08	0.47	41	0.23	2.64	70	3.1
ZZ95896		0.08	0.46	41	0.36	2.77	69	1.1
ZZ95897		0.08	0.74	45	0.26	3.04	167	2.3
ZZ95898		0.09	0.73	37	0.20	3.95	93	2.2
ZZ95899		0.11	0.70	58	0.17	3.42	117	1.3
ZZ95900		0.07	0.37	51	0.25	2.07	75	1.7
ZZ95901		0.12	1.71	44	0.19	9.62	81	<0.5
ZZ95902		0.06	0.65	31	0.11	6.77	63	0.9
ZZ95903		0.07	0.76	32	0.24	4.77	130	1.0
ZZ95904		0.08	3.24	37	0.22	10.05	86	<0.5
ZZ95905		0.11	0.58	41	0.21	4.58	76	2.1
ZZ95906		0.09	0.48	48	0.29	2.84	74	1.7
ZZ95907		0.10	0.47	36	0.26	2.71	47	1.3
ZZ95908		0.07	0.43	26	0.14	2.51	48	<0.5
ZZ95909		0.07	0.54	35	0.53	4.59	71	2.1
ZZ95910		0.06	0.46	34	0.40	3.61	72	0.7
ZZ95911		0.07	0.60	45	0.37	5.24	95	1.2
ZZ95912		0.07	0.52	36	0.27	4.60	83	1.9
ZZ95913		0.08	0.39	32	0.17	2.95	87	1.3
ZZ95914		0.09	0.42	48	0.17	2.96	85	1.2
ZZ95915		0.09	0.60	50	0.36	3.38	63	0.6
ZZ95916		0.11	5.20	26	0.06	9.78	80	2.4
ZZ95917		0.10	0.49	39	0.29	3.36	58	2.4
ZZ95918		0.10	0.62	57	0.37	2.94	73	2.9
ZZ95919		0.11	0.87	30	0.10	5.54	144	0.8
ZZ95920		0.10	0.47	32	0.37	3.63	194	0.6
ZZ95921		0.08	0.60	44	0.31	5.46	120	0.8
ZZ95922		0.09	0.66	33	0.22	5.87	81	1.2
ZZ95923		0.10	0.53	46	0.31	4.49	77	<0.5
ZZ95924		0.10	0.50	31	0.37	5.58	127	1.0
ZZ95925		0.09	0.70	36	0.17	5.80	48	1.1
ZZ95926		0.10	0.46	36	0.18	3.64	57	1.6



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ95927		0.23	0.18	1.38	6.8	<0.2	<10	140	0.47	0.18	0.10	0.22	28.0	4.9	25	0.79
ZZ95928		0.19	0.09	1.30	5.1	<0.2	<10	150	0.39	0.20	0.14	0.54	31.4	6.0	25	0.77
ZZ95929		0.28	0.17	1.37	6.4	<0.2	<10	200	0.52	0.18	0.08	0.30	35.6	4.7	24	0.76
ZZ95930		0.28	0.13	1.22	6.9	<0.2	<10	230	0.38	0.15	0.09	0.32	34.7	4.3	20	0.68
ZZ95931		0.31	0.08	1.23	6.7	<0.2	<10	210	0.43	0.16	0.15	0.11	32.3	4.4	22	0.79
ZZ95932		0.25	0.16	0.74	7.0	<0.2	<10	250	0.29	0.15	0.08	0.19	32.0	2.2	11	0.36
ZZ95933		0.28	0.34	1.11	4.4	<0.2	<10	320	0.59	0.23	0.19	2.37	27.0	11.5	22	1.05
ZZ95934		0.27	0.18	1.19	7.4	<0.2	<10	120	0.29	0.20	0.14	0.23	38.2	4.5	24	1.25
ZZ95935		0.25	0.13	1.22	4.4	<0.2	<10	130	0.34	0.17	0.08	0.15	34.9	3.6	22	0.77
ZZ95936		0.26	0.10	1.56	7.9	<0.2	<10	250	0.44	0.23	0.22	0.17	33.1	4.3	26	1.09
ZZ95937		0.27	0.14	0.83	5.4	<0.2	<10	220	0.20	0.21	0.33	0.69	29.1	2.9	20	0.61
ZZ95938		0.25	0.15	1.07	7.7	<0.2	<10	480	0.31	0.21	0.21	0.28	30.1	4.0	21	0.80
ZZ95939		0.28	0.13	0.66	7.7	<0.2	<10	250	0.33	0.18	0.07	0.31	25.9	3.3	14	0.59
ZZ95940		0.26	0.09	0.82	7.3	<0.2	<10	230	0.40	0.21	0.14	0.21	26.1	3.6	17	0.60
ZZ95941		0.34	0.03	0.89	4.5	<0.2	<10	250	0.46	0.13	0.17	0.09	31.0	4.3	15	0.77
ZZ95942		0.34	0.06	1.29	6.4	<0.2	<10	120	0.42	0.18	0.09	0.07	31.3	4.3	24	0.92
ZZ95943		0.27	1.89	2.63	10.2	<0.2	<10	1300	2.73	0.37	0.63	0.12	49.8	18.9	30	4.33
ZZ95944		0.24	0.07	0.77	4.4	<0.2	<10	100	0.34	0.19	0.05	0.20	27.5	3.6	14	0.71
ZZ95945		0.23	0.04	0.62	8.6	<0.2	<10	150	0.27	0.20	0.04	0.26	37.0	4.0	12	0.65
ZZ95946		0.31	0.07	0.99	6.4	<0.2	<10	80	0.30	0.20	0.06	0.13	26.8	3.0	21	0.66
ZZ95947		0.27	0.05	0.98	5.5	<0.2	<10	130	0.29	0.15	0.06	0.10	36.6	4.0	20	0.63
ZZ95948		0.30	0.05	1.34	7.5	<0.2	<10	120	0.34	0.22	0.05	0.10	33.6	4.6	27	0.92
ZZ95949		0.30	0.04	0.95	7.1	<0.2	<10	220	0.42	0.17	0.07	0.16	41.2	5.6	16	0.60
ZZ95950		0.30	0.04	1.05	7.9	<0.2	<10	170	0.36	0.19	0.09	0.19	37.6	4.2	20	0.69
ZZ95951		0.28	0.08	0.93	4.8	<0.2	<10	300	0.37	0.16	0.25	0.04	37.6	4.6	23	0.75
ZZ95952		0.24	0.12	1.15	5.2	<0.2	<10	130	0.38	0.13	0.09	0.09	32.5	5.2	21	0.71
ZZ95953		0.21	0.11	1.63	6.7	<0.2	<10	160	0.37	0.21	0.14	0.08	34.0	4.7	31	1.07
ZZ95954		0.26	0.09	1.83	4.6	<0.2	<10	150	0.54	0.21	0.09	0.17	30.9	6.0	35	1.05
ZZ95955		0.27	0.53	1.39	3.6	<0.2	<10	900	0.68	0.20	0.18	0.80	30.1	5.0	21	0.74
ZZ95956		0.25	0.10	1.33	6.9	<0.2	<10	240	0.40	0.18	0.22	0.23	36.0	5.2	26	0.76
ZZ95957		0.26	0.14	0.87	7.3	<0.2	<10	250	0.33	0.14	0.10	0.31	29.5	3.8	14	0.45
ZZ95958		0.18	1.08	1.91	14.0	<0.2	<10	1320	0.92	0.24	1.07	1.58	29.8	11.5	26	1.57
ZZ95959		0.30	0.23	1.34	6.0	<0.2	<10	160	0.40	0.20	0.17	0.21	34.1	4.9	26	0.99
ZZ95960		0.23	0.08	0.99	5.8	<0.2	<10	120	0.21	0.19	0.11	0.23	32.4	3.2	20	0.68
ZZ95961		0.37	0.11	1.13	5.2	<0.2	<10	110	0.21	0.20	0.11	0.11	32.3	3.1	22	1.01
ZZ95962		0.29	0.05	1.18	5.1	<0.2	<10	220	0.44	0.14	0.11	0.15	41.6	4.2	18	0.98
ZZ95963		0.30	0.05	0.38	6.1	<0.2	<10	160	0.23	0.11	0.03	0.16	17.70	2.0	8	0.47
ZZ95964		0.26	0.26	1.98	8.6	<0.2	<10	240	0.68	0.21	0.09	0.48	35.0	8.7	39	1.16
ZZ95965		0.28	0.05	1.15	7.0	<0.2	<10	120	0.23	0.20	0.07	0.08	32.8	3.8	22	0.93
ZZ95966		0.35	0.04	0.66	4.8	<0.2	<10	170	0.31	0.12	0.04	0.10	22.3	3.2	11	0.48



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ95927		7.6	2.49	5.03	<0.05	<0.02	0.02	0.025	0.05	14.7	16.8	0.27	183	1.04	<0.01
ZZ95928		6.3	2.47	5.73	0.05	0.02	0.01	0.020	0.05	16.2	15.8	0.28	308	0.94	<0.01
ZZ95929		12.5	2.15	4.21	<0.05	0.03	0.02	0.020	0.06	18.5	15.8	0.31	121	1.11	<0.01
ZZ95930		14.5	2.02	4.20	<0.05	<0.02	0.02	0.018	0.05	18.1	13.7	0.24	98	1.87	<0.01
ZZ95931		12.0	1.99	4.18	<0.05	0.03	0.03	0.018	0.06	16.8	15.4	0.33	145	1.16	<0.01
ZZ95932		18.1	1.48	2.62	<0.05	<0.02	0.02	0.014	0.06	17.0	5.6	0.14	49	2.27	<0.01
ZZ95933		20.1	2.26	5.24	<0.05	<0.02	0.02	0.021	0.08	13.7	14.7	0.21	883	1.62	0.01
ZZ95934		7.6	2.15	5.17	<0.05	0.02	0.02	0.015	0.06	19.3	15.5	0.37	164	1.07	<0.01
ZZ95935		5.3	1.99	5.23	<0.05	0.03	0.02	0.017	0.04	17.7	13.7	0.23	116	0.75	<0.01
ZZ95936		13.2	2.35	6.37	0.05	<0.02	0.03	0.022	0.07	17.0	15.7	0.37	119	1.12	<0.01
ZZ95937		10.6	1.31	5.05	<0.05	<0.02	0.02	0.016	0.04	14.8	15.0	0.24	79	1.25	<0.01
ZZ95938		7.9	1.98	4.89	<0.05	<0.02	0.03	0.018	0.07	15.5	16.5	0.30	107	1.24	<0.01
ZZ95939		9.5	1.66	3.23	<0.05	<0.02	0.02	0.013	0.08	13.0	7.2	0.14	64	1.52	<0.01
ZZ95940		9.2	2.07	4.54	<0.05	<0.02	0.02	0.015	0.07	13.2	9.8	0.21	115	1.29	<0.01
ZZ95941		9.4	1.64	2.72	<0.05	<0.02	0.02	0.013	0.05	15.3	16.5	0.24	114	0.86	<0.01
ZZ95942		6.8	2.23	4.83	<0.05	<0.02	0.01	0.017	0.05	16.1	17.2	0.33	138	0.92	<0.01
ZZ95943		52.0	4.15	6.02	0.14	0.12	0.24	0.045	0.19	20.1	35.0	0.29	887	1.92	0.01
ZZ95944		7.1	1.91	3.84	<0.05	0.02	0.01	0.011	0.06	13.5	5.4	0.12	89	0.82	<0.01
ZZ95945		14.1	2.10	3.27	<0.05	<0.02	0.01	0.015	0.07	18.4	3.8	0.12	75	1.48	<0.01
ZZ95946		6.0	2.58	4.96	<0.05	<0.02	0.02	0.015	0.05	13.6	10.4	0.16	108	0.76	<0.01
ZZ95947		5.7	2.12	4.16	<0.05	<0.02	0.01	0.016	0.04	18.8	11.5	0.23	120	0.80	<0.01
ZZ95948		6.9	2.66	5.29	0.05	0.02	0.01	0.024	0.05	16.5	13.2	0.25	139	1.05	<0.01
ZZ95949		15.7	2.21	3.10	0.06	0.03	0.01	0.016	0.06	20.0	12.6	0.21	105	1.12	<0.01
ZZ95950		9.9	2.51	4.23	0.06	<0.02	0.01	0.017	0.07	18.4	10.2	0.20	136	1.05	<0.01
ZZ95951		15.0	1.78	3.06	0.05	<0.02	0.01	0.016	0.04	19.3	13.5	0.32	169	0.68	0.01
ZZ95952		10.1	1.71	2.71	0.05	0.03	0.02	0.019	0.05	16.8	13.2	0.25	118	0.83	<0.01
ZZ95953		6.6	2.60	6.18	0.06	0.05	0.01	0.024	0.05	17.5	20.5	0.37	126	0.96	<0.01
ZZ95954		6.7	2.73	6.84	0.05	0.05	0.01	0.027	0.06	16.1	19.7	0.30	207	0.67	0.01
ZZ95955		32.1	1.65	4.38	<0.05	<0.02	0.05	0.020	0.14	15.3	8.3	0.22	91	1.40	0.01
ZZ95956		10.0	2.38	5.48	0.05	0.02	0.01	0.020	0.08	18.4	14.3	0.38	169	1.39	0.01
ZZ95957		22.6	2.04	2.73	<0.05	0.02	0.02	0.018	0.07	15.6	7.6	0.15	77	2.53	<0.01
ZZ95958		40.7	4.20	4.91	0.08	0.07	0.30	0.032	0.12	13.2	22.4	0.24	542	5.83	0.01
ZZ95959		9.5	2.19	5.39	0.06	<0.02	0.01	0.022	0.07	17.4	19.7	0.38	146	0.93	0.01
ZZ95960		6.3	1.84	5.31	0.05	<0.02	0.01	0.014	0.06	16.6	8.8	0.23	111	1.25	0.01
ZZ95961		7.7	1.51	5.60	0.05	<0.02	0.01	0.013	0.05	16.6	11.3	0.29	95	0.70	0.01
ZZ95962		13.0	1.95	3.24	0.06	<0.02	0.02	0.017	0.06	20.3	13.2	0.23	105	0.99	0.01
ZZ95963		13.7	1.20	1.87	<0.05	<0.02	<0.01	0.009	0.05	9.1	1.8	0.05	43	1.73	<0.01
ZZ95964		12.8	3.20	5.77	0.05	0.06	0.02	0.028	0.06	16.8	18.1	0.43	246	1.13	0.01
ZZ95965		6.6	1.98	5.14	0.05	<0.02	0.01	0.016	0.06	16.9	14.3	0.31	115	1.03	<0.01
ZZ95966		14.5	1.34	2.03	<0.05	<0.02	0.02	0.011	0.06	11.0	6.3	0.11	69	1.10	<0.01



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRATEGIC METALS LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - C
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
															0.005
ZZ95927		13.6	1290	9.3	11.3	<0.001	<0.01	0.34	1.8	0.3	0.6	8.6	<0.01	0.02	2.7
ZZ95928		12.4	1790	9.0	12.2	<0.001	<0.01	0.29	1.9	0.4	0.7	10.0	<0.01	0.01	4.6
ZZ95929		17.2	610	8.5	13.2	<0.001	<0.01	0.40	2.0	0.6	0.5	10.6	<0.01	0.01	5.1
ZZ95930		14.5	620	9.3	13.3	<0.001	<0.01	0.42	1.7	0.6	0.5	12.0	<0.01	0.02	3.4
ZZ95931		16.3	670	8.8	12.9	<0.001	<0.01	0.38	1.9	0.3	0.5	12.2	<0.01	0.02	4.5
ZZ95932		10.7	740	9.1	7.6	<0.001	0.02	0.60	1.1	0.8	0.3	16.0	<0.01	0.03	3.1
ZZ95933		15.1	1390	13.6	24.7	<0.001	<0.01	0.30	1.8	0.3	0.6	13.8	<0.01	0.02	2.1
ZZ95934		14.8	670	10.3	15.8	<0.001	<0.01	0.36	1.9	0.4	0.6	11.6	<0.01	0.02	5.6
ZZ95935		10.3	410	9.4	13.5	<0.001	<0.01	0.27	1.7	0.3	0.6	7.8	<0.01	0.01	4.9
ZZ95936		16.6	610	13.7	13.7	<0.001	<0.01	0.33	2.4	0.5	0.7	16.4	<0.01	0.02	3.7
ZZ95937		15.1	450	11.0	6.7	0.002	<0.01	0.19	1.5	0.7	0.6	25.3	<0.01	0.01	1.3
ZZ95938		14.3	410	11.6	11.1	<0.001	<0.01	0.38	1.6	0.3	0.6	19.9	<0.01	0.02	1.5
ZZ95939		12.6	500	10.0	15.0	<0.001	<0.01	0.50	1.3	0.5	0.4	14.7	<0.01	0.02	2.6
ZZ95940		12.1	300	10.6	12.1	<0.001	<0.01	0.42	1.4	0.4	0.5	16.2	<0.01	0.03	2.2
ZZ95941		13.8	360	8.3	9.2	<0.001	<0.01	0.32	1.6	0.4	0.3	14.8	<0.01	0.01	3.1
ZZ95942		13.4	360	10.5	12.9	<0.001	<0.01	0.31	1.9	0.3	0.6	8.8	<0.01	0.01	4.7
ZZ95943		41.1	1420	37.2	23.5	0.001	0.08	0.49	5.6	3.5	0.7	73.2	0.01	0.03	2.9
ZZ95944		9.2	660	11.4	12.8	<0.001	<0.01	0.28	1.2	0.2	0.5	9.1	<0.01	0.01	4.2
ZZ95945		14.2	720	13.0	13.9	<0.001	<0.01	0.64	1.3	0.8	0.3	17.9	<0.01	0.02	3.0
ZZ95946		8.3	520	10.7	10.9	<0.001	<0.01	0.33	1.2	0.2	0.6	6.9	<0.01	0.02	2.8
ZZ95947		11.0	730	7.9	12.9	<0.001	<0.01	0.34	1.4	0.3	0.5	9.6	<0.01	0.01	4.4
ZZ95948		13.0	560	11.7	12.0	<0.001	0.01	0.46	2.0	0.4	0.6	8.5	<0.01	0.03	4.6
ZZ95949		18.3	330	10.4	9.6	<0.001	0.01	0.61	1.8	0.4	0.3	12.1	<0.01	0.02	5.4
ZZ95950		11.8	1970	12.2	16.9	<0.001	0.01	0.45	1.9	0.5	0.4	11.2	<0.01	0.02	4.9
ZZ95951		18.3	760	9.1	5.2	<0.001	<0.01	0.49	2.2	0.4	0.4	17.6	<0.01	0.01	4.0
ZZ95952		20.4	430	7.4	8.1	<0.001	0.01	0.49	1.7	0.3	0.3	9.3	<0.01	0.01	4.9
ZZ95953		15.4	550	11.4	12.0	<0.001	<0.01	0.38	2.4	0.4	0.8	10.8	<0.01	0.03	5.2
ZZ95954		13.6	760	10.8	13.4	<0.001	<0.01	0.35	2.6	0.2	0.9	8.6	0.01	0.01	5.2
ZZ95955		20.2	670	10.2	14.0	<0.001	0.02	0.41	1.3	0.8	0.5	20.7	<0.01	0.02	0.4
ZZ95956		16.0	1050	10.1	13.4	<0.001	0.01	0.44	2.1	0.5	0.7	17.0	<0.01	0.02	4.2
ZZ95957		16.6	1550	8.5	10.6	<0.001	0.03	0.80	1.6	1.0	0.3	15.8	<0.01	0.02	3.3
ZZ95958		29.0	1970	17.8	16.5	0.012	0.15	0.82	3.1	3.2	0.5	62.1	<0.01	0.02	1.4
ZZ95959		16.0	620	10.3	15.8	<0.001	<0.01	0.36	2.2	0.4	0.6	12.6	<0.01	0.02	4.4
ZZ95960		10.2	780	9.5	13.7	<0.001	0.01	0.39	1.5	0.3	0.6	9.8	<0.01	0.02	2.1
ZZ95961		11.1	330	11.2	16.0	<0.001	<0.01	0.27	1.8	0.2	0.7	9.5	<0.01	0.02	2.6
ZZ95962		16.3	450	9.5	10.4	<0.001	0.01	0.47	1.8	0.7	0.4	13.3	<0.01	0.01	3.9
ZZ95963		10.6	390	8.3	9.9	<0.001	0.02	0.76	1.1	0.7	0.2	16.5	<0.01	0.01	1.9
ZZ95964		24.9	1180	11.7	13.4	<0.001	0.01	0.60	3.3	0.6	0.7	10.7	<0.01	0.02	5.9
ZZ95965		12.5	280	10.2	13.6	<0.001	<0.01	0.46	1.7	0.5	0.6	8.9	<0.01	0.02	2.8
ZZ95966		10.5	250	7.2	6.4	<0.001	0.01	0.55	1.3	0.4	0.2	10.3	<0.01	0.02	2.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.05	ppm 0.05	ppm 2	ppm 0.5
ZZ95927		0.07	0.46	44	0.26	2.83	90	<0.5
ZZ95928		0.08	0.45	46	0.25	3.16	107	1.2
ZZ95929		0.09	0.64	37	0.26	4.84	65	1.5
ZZ95930		0.10	0.50	39	0.18	3.42	63	0.7
ZZ95931		0.11	0.53	39	0.22	4.99	51	1.2
ZZ95932		0.10	0.44	28	0.09	3.20	46	0.7
ZZ95933		0.10	0.75	44	0.21	2.74	132	<0.5
ZZ95934		0.12	0.58	43	0.28	4.12	57	1.2
ZZ95935		0.07	0.43	38	0.21	2.51	53	1.7
ZZ95936		0.13	0.76	48	0.28	5.86	62	0.7
ZZ95937		0.07	0.58	32	0.34	3.51	41	<0.5
ZZ95938		0.09	0.52	39	0.25	3.59	65	<0.5
ZZ95939		0.10	0.45	28	0.18	2.85	51	<0.5
ZZ95940		0.08	0.51	41	0.24	2.95	56	<0.5
ZZ95941		0.07	0.66	17	0.10	5.63	39	<0.5
ZZ95942		0.09	0.57	38	0.23	3.24	48	0.7
ZZ95943		0.24	4.04	32	0.14	58.5	83	2.8
ZZ95944		0.07	0.37	29	0.16	2.63	48	0.9
ZZ95945		0.09	0.48	29	0.11	3.20	59	<0.5
ZZ95946		0.07	0.33	43	0.21	1.59	53	0.6
ZZ95947		0.07	0.44	37	0.18	2.38	58	0.7
ZZ95948		0.09	0.55	45	0.29	2.86	51	1.0
ZZ95949		0.08	0.48	26	0.12	3.63	66	1.6
ZZ95950		0.07	0.47	42	0.26	3.36	67	0.7
ZZ95951		0.06	0.76	27	0.18	7.13	40	<0.5
ZZ95952		0.07	0.47	25	0.18	3.21	43	1.6
ZZ95953		0.10	0.55	54	0.28	3.81	55	2.8
ZZ95954		0.09	0.54	58	0.24	2.82	93	2.9
ZZ95955		0.09	1.03	35	0.15	6.98	64	<0.5
ZZ95956		0.09	0.56	54	0.24	4.46	64	0.7
ZZ95957		0.08	0.52	35	0.10	3.63	74	0.9
ZZ95958		0.16	1.99	48	0.18	22.8	72	1.5
ZZ95959		0.10	0.56	44	0.25	4.16	81	0.8
ZZ95960		0.07	0.41	46	0.28	2.58	52	<0.5
ZZ95961		0.10	0.48	40	0.24	2.97	40	<0.5
ZZ95962		0.10	0.60	24	0.12	4.85	52	<0.5
ZZ95963		0.08	0.44	27	0.08	2.65	48	<0.5
ZZ95964		0.10	0.74	55	0.29	4.02	98	2.9
ZZ95965		0.09	0.46	44	0.26	2.64	42	<0.5
ZZ95966		0.06	0.42	21	0.08	3.10	36	<0.5



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

Project: BLIND

Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7-JUL-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ95967		0.28	0.07	0.53	5.7	<0.2	<10	160	0.31	0.14	0.05	0.19	21.9	3.0	11	0.64
ZZ95968		0.24	0.06	1.25	7.3	<0.2	<10	150	0.36	0.16	0.11	0.13	29.9	5.0	24	0.87
ZZ95969		0.22	0.06	1.14	7.2	<0.2	<10	160	0.36	0.17	0.05	0.11	32.9	4.9	19	0.94
ZZ95970		0.24	0.11	1.23	4.8	<0.2	<10	160	0.26	0.19	0.13	0.13	33.2	4.2	23	0.95
ZZ95971		0.27	0.14	1.77	6.2	<0.2	<10	210	0.51	0.22	0.09	0.15	36.8	5.4	31	1.09
ZZ95972		0.23	0.09	1.56	7.6	<0.2	<10	180	0.51	0.22	0.15	0.16	32.6	4.0	27	0.93
ZZ95973		0.23	0.09	0.95	6.1	<0.2	<10	130	0.22	0.19	0.07	0.08	29.5	2.7	19	0.58
ZZ95974		0.24	0.14	0.99	3.5	<0.2	<10	160	0.23	0.29	0.10	0.13	34.1	2.7	18	1.11
ZZ95975		0.27	0.12	1.28	6.5	<0.2	<10	120	0.27	0.21	0.07	0.16	27.5	3.1	27	0.85
ZZ95976		0.34	0.65	1.71	9.1	<0.2	<10	1360	1.06	0.29	0.60	0.94	32.6	11.7	26	1.14

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - B
Total # Pages: 7 (A - D)
Plus Appendix Pages
Finalized Date: 7 - JUL - 2015
Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ95967		11.4	1.51	2.35	<0.05	<0.02	<0.01	0.014	0.07	10.8	3.9	0.09	61	1.42	<0.01
ZZ95968		10.8	2.11	3.83	0.06	<0.02	0.01	0.020	0.06	15.3	15.7	0.36	152	0.93	0.01
ZZ95969		12.2	2.52	3.68	0.05	<0.02	0.01	0.018	0.08	15.9	12.1	0.24	102	0.99	0.01
ZZ95970		6.1	1.99	5.53	0.05	<0.02	0.01	0.014	0.07	17.0	14.4	0.33	130	0.67	0.01
ZZ95971		9.9	2.40	5.63	0.06	0.03	0.01	0.025	0.05	18.8	13.7	0.29	128	0.83	0.01
ZZ95972		6.9	2.62	5.58	0.06	0.03	0.02	0.025	0.06	16.6	15.9	0.31	120	0.79	0.01
ZZ95973		7.7	1.86	3.90	<0.05	<0.02	0.01	0.013	0.04	15.3	9.1	0.20	79	1.10	0.01
ZZ95974		7.5	1.31	5.17	0.05	<0.02	<0.01	0.013	0.07	17.4	7.1	0.21	88	0.52	<0.01
ZZ95975		6.7	2.58	5.20	0.05	<0.02	0.02	0.019	0.05	14.0	13.8	0.24	106	0.94	<0.01
ZZ95976		44.7	2.07	4.18	0.08	0.08	0.27	0.036	0.17	15.3	19.2	0.30	122	1.25	<0.01



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

Project: BLIND

Total # Pages: 7 (A - D)

Plus Appendix Pages

Finalized Date: 7 -JUL- 2015

Account: MTT

CERTIFICATE OF ANALYSIS WH15090634
--

[illegible]

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 7 - D
 Total # Pages: 7 (A - D)
 Plus Appendix Pages
 Finalized Date: 7 - JUL - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15090634

Sample Description	Method Analyte Units LOR	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Tl	U	V	W	Y	Zn	Zr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.05	1	0.05	0.05	2	0.5
ZZ95967		0.08	0.48	24	0.09	2.91	46	0.5
ZZ95968		0.09	0.52	33	0.26	3.83	53	<0.5
ZZ95969		0.09	0.46	29	0.13	3.46	55	0.7
ZZ95970		0.08	0.48	39	0.26	3.23	59	0.7
ZZ95971		0.09	0.62	45	0.25	3.15	84	1.6
ZZ95972		0.09	0.70	44	0.38	4.23	56	0.6
ZZ95973		0.07	0.43	37	0.23	2.70	32	<0.5
ZZ95974		0.09	0.43	34	0.27	2.68	39	<0.5
ZZ95975		0.08	0.43	52	0.29	2.10	43	0.7
ZZ95976		0.15	2.09	42	0.14	26.3	128	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: BLIND

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7 - JUL - 2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15090634

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS41



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 6 (A)
Plus Appendix Pages
Finalized Date: 15 - NOV - 2015
Account: MTT

CERTIFICATE WH15170894

Project: BLIND

This report is for 198 Soil samples submitted to our lab in Whitehorse, YT, Canada on 5-NOV-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 15 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170894

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ97501		0.002
ZZ97502		0.001
ZZ97503		0.001
ZZ97504		<0.001
ZZ97505		<0.001
ZZ97506		<0.001
ZZ97507		0.004
ZZ97508		0.001
ZZ97509		0.001
ZZ97510		0.001
ZZ97511		0.001
ZZ97512		<0.001
ZZ97513		<0.001
ZZ97514		<0.001
ZZ97515		0.001
ZZ97516		0.003
ZZ97517		<0.001
ZZ97518		0.001
ZZ97519		<0.001
ZZ97520		0.004
ZZ97521		<0.001
ZZ97522		<0.001
ZZ97523		0.001
ZZ97524		<0.001
ZZ97525		<0.001
ZZ97526		<0.001
ZZ97527		<0.001
ZZ97528		0.003
ZZ97529		0.001
ZZ97530		0.001
ZZ97531		0.002
ZZ97532		0.001
ZZ97533		0.001
ZZ97534		0.001
ZZ97535		0.001
ZZ97537		0.001
ZZ97538		<0.001
ZZ97539		<0.001
ZZ97540		<0.001
ZZ97541		<0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 15 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170894

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ97542		<0.001
ZZ97543		<0.001
ZZ97544		<0.001
ZZ97545		0.001
ZZ97546		<0.001
ZZ97547		<0.001
ZZ97548		<0.001
ZZ97549		0.001
ZZ97550		0.001
ZZ97551		0.003
ZZ97552		<0.001
ZZ97553		<0.001
ZZ97554		0.001
ZZ97555		0.002
ZZ97556		0.005
ZZ97557		0.001
ZZ97558		0.001
ZZ97559		0.001
ZZ97560		0.002
ZZ97561		0.001
ZZ97562		0.001
ZZ97563		0.001
ZZ97564		0.004
ZZ97565		0.001
ZZ97566		<0.001
ZZ97567		0.001
ZZ97568		<0.001
ZZ97569		0.003
ZZ97570		0.004
ZZ97571		0.003
ZZ97572		0.002
ZZ97573		0.001
ZZ97574		0.002
ZZ97575		<0.001
ZZ97576		0.001
ZZ97577		0.002
ZZ97578		0.001
ZZ97579		0.001
ZZ97580		0.001
ZZ97581		<0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 15 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170894

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ97582		<0.001
ZZ97583		0.001
ZZ97584		0.002
ZZ97585		0.001
ZZ97586		0.012
ZZ97587		0.001
ZZ97588		0.001
ZZ97589		0.001
ZZ97590		0.001
ZZ97591		0.002
ZZ97592		<0.001
ZZ97593		<0.001
ZZ97594		<0.001
ZZ97595		0.001
ZZ97596		<0.001
ZZ97597		0.001
ZZ97598		0.001
ZZ97599		0.003
ZZ97600		0.001
ZZ97601		<0.001
ZZ97602		0.001
ZZ97603		0.002
ZZ97604		0.002
ZZ97605		0.008
ZZ97606		0.001
ZZ97607		0.001
ZZ97608		0.001
ZZ97609		0.006
ZZ97610		<0.001
ZZ97611		0.001
ZZ97612		<0.001
ZZ97613		<0.001
ZZ97614		0.003
ZZ97615		0.002
ZZ97616		0.002
ZZ97617		0.006
ZZ97618		0.007
ZZ97619		<0.001
ZZ97620		0.001
ZZ97621		0.002



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 15 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170894

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ97622		0.001
ZZ97623		0.002
ZZ97624		0.001
ZZ97625		<0.001
ZZ97626		0.002
ZZ97627		<0.001
ZZ94929		<0.001
ZZ94930		<0.001
ZZ94931		0.005
ZZ94932		0.002
ZZ94933		0.004
ZZ94934		<0.001
ZZ94935		0.001
ZZ94936		0.001
ZZ94937		0.003
ZZ94938		0.004
ZZ94939		0.001
ZZ94940		0.003
ZZ94941		0.003
ZZ94942		0.001
ZZ94943		0.002
ZZ94944		<0.001
ZZ94945		<0.001
ZZ94946		0.002
ZZ94947		0.002
ZZ94948		0.002
ZZ94949		<0.001
ZZ94950		0.001
ZZ94951		0.002
ZZ94952		0.001
ZZ94953		0.001
ZZ94954		0.084
ZZ94955		0.001
ZZ94956		0.004
ZZ94957		0.001
ZZ94958		0.002
ZZ94959		0.001
ZZ94960		<0.001
ZZ94961		0.002
ZZ94962		0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 15 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170894

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ94963		0.003
ZZ94964		<0.001
ZZ94965		<0.001
ZZ94966		<0.001
ZZ94967		0.031
ZZ94968		<0.001
ZZ94969		0.002
ZZ94970		0.002
ZZ94971		<0.001
ZZ94972		0.002
ZZ94973		<0.001
ZZ94974		<0.001
ZZ94975		0.003
ZZ94976		<0.001
ZZ94977		0.001
ZZ94978		0.001
ZZ94979		0.001
ZZ94980		0.001
ZZ94981		0.002
ZZ94982		0.026
ZZ94983		<0.001
ZZ94984		<0.001
ZZ94985		0.001
ZZ94986		0.013
ZZ94987		0.002
ZZ94988		<0.001
ZZ94989		<0.001
ZZ94990		0.001
ZZ94991		<0.001
ZZ94992		<0.001
ZZ94993		<0.001
ZZ94994		0.001
ZZ94995		0.001
ZZ94996		0.008
ZZ94997		0.001
ZZ94998		0.002
ZZ94999		0.002
ZZ95000		<0.001



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

Project: BLIND

Total # Appendix Pages: 1
Finalized Date: 15-NOV-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15170894

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 FND-02



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 1
Total # Pages: 7 (A)
Plus Appendix Pages
Finalized Date: 14 - NOV - 2015
Account: MTT

CERTIFICATE WH15170897

Project: BLIND

This report is for 210 Soil samples submitted to our lab in Whitehorse, YT, Canada on 5-NOV-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL

JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES


ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 7 (A)
 Plus Appendix Pages
 Finalized Date: 14 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170897

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ97751		0.001
ZZ97752		<0.001
ZZ97753		0.001
ZZ97754		0.001
ZZ97755		<0.001
ZZ97756		<0.001
ZZ97757		<0.001
ZZ97758		<0.001
ZZ97759		0.003
ZZ97760		<0.001
ZZ97761		0.001
ZZ97762		0.001
ZZ97763		<0.001
ZZ97764		0.003
ZZ97765		<0.001
ZZ97766		0.001
ZZ97767		<0.001
ZZ97768		<0.001
ZZ97769		0.001
ZZ97770		<0.001
ZZ97771		<0.001
ZZ97772		0.002
ZZ97773		<0.001
ZZ97774		<0.001
ZZ97775		<0.001
ZZ97776		<0.001
ZZ97777		<0.001
ZZ97778		<0.001
ZZ97779		<0.001
ZZ97780		<0.001
ZZ97781		<0.001
ZZ97782		0.001
ZZ97783		<0.001
ZZ97784		<0.001
ZZ97785		<0.001
ZZ97786		0.001
ZZ97787		0.003
ZZ97788		<0.001
ZZ97789		<0.001
ZZ97790		<0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 3 - A
 Total # Pages: 7 (A)
 Plus Appendix Pages
 Finalized Date: 14 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170897

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ95806		0.003
ZZ95807		0.006
ZZ95808		0.001
ZZ95809		0.003
ZZ95810		0.001
ZZ95811		0.002
ZZ95812		0.001
ZZ95813		0.001
ZZ95814		0.001
ZZ95815		0.001
ZZ95816		0.027
ZZ95817		0.002
ZZ95818		0.016
ZZ95819		0.001
ZZ95820		0.003
ZZ95821		0.003
ZZ95822		0.002
ZZ95823		0.002
ZZ95824		<0.001
ZZ95825		0.006
ZZ95826		0.001
ZZ95827		0.001
ZZ95828		0.003
ZZ95829		0.003
ZZ95830		0.001
ZZ95831		0.001
ZZ95832		<0.001
ZZ95833		0.001
ZZ95834		0.001
ZZ95835		0.001
ZZ95836		0.004
ZZ95837		0.001
ZZ95838		0.002
ZZ95839		<0.001
ZZ95840		0.001
ZZ95841		0.001
ZZ95842		<0.001
ZZ95843		0.001
ZZ95844		0.001
ZZ95845		0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 4 - A
 Total # Pages: 7 (A)
 Plus Appendix Pages
 Finalized Date: 14 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170897

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ95846		0.001
ZZ95847		<0.001
ZZ95848		0.003
ZZ95849		0.001
ZZ95850		0.004
ZZ95851		0.001
ZZ95852		0.001
ZZ95853		0.002
ZZ95854		0.003
ZZ95855		0.002
ZZ95856		0.001
ZZ95857		0.001
ZZ95858		0.001
ZZ95859		0.001
ZZ95860		<0.001
ZZ95861		<0.001
ZZ95862		0.002
ZZ95863		0.001
ZZ95864		0.001
ZZ95865		0.001
ZZ95866		0.001
ZZ95867		0.002
ZZ95868		<0.001
ZZ95869		<0.001
ZZ95870		0.001
ZZ95871		<0.001
ZZ95872		0.001
ZZ95873		0.002
ZZ95874		0.001
ZZ95875		0.002
ZZ95876		0.002
ZZ95877		<0.001
ZZ95878		0.002
ZZ95879		<0.001
ZZ95880		0.001
ZZ95881		0.001
ZZ95882		0.001
ZZ95883		0.002
ZZ95884		0.002
ZZ95885		0.004



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRATEGIC METALS LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS ST
 VANCOUVER BC V6B 1L8

Page: 5 - A
 Total # Pages: 7 (A)
 Plus Appendix Pages
 Finalized Date: 14 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170897

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ95886		0.004
ZZ95888		0.002
ZZ95889		0.003
ZZ95890		0.002
ZZ95891		0.003
ZZ95892		0.001
ZZ95893		0.001
ZZ95894		<0.001
ZZ95895		<0.001
ZZ95896		0.001
ZZ95897		0.002
ZZ95898		0.004
ZZ95899		0.003
ZZ95900		<0.001
ZZ95901		0.007
ZZ95902		0.005
ZZ95903		0.002
ZZ95904		0.003
ZZ95905		0.002
ZZ95906		<0.001
ZZ95907		0.001
ZZ95908		0.001
ZZ95909		0.001
ZZ95910		<0.001
ZZ95911		<0.001
ZZ95912		0.001
ZZ95913		<0.001
ZZ95914		0.003
ZZ95915		0.002
ZZ95916		<0.001
ZZ95917		0.001
ZZ95918		0.002
ZZ95919		<0.001
ZZ95920		0.001
ZZ95921		0.001
ZZ95922		0.001
ZZ95923		0.001
ZZ95924		0.001
ZZ95925		0.006
ZZ95926		0.001



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Page: 6 - A
 Total # Pages: 7 (A)
 Plus Appendix Pages
 Finalized Date: 14 - NOV - 2015
 Account: MTT

Project: BLIND

CERTIFICATE OF ANALYSIS WH15170897

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ95927		0.001
ZZ95928		<0.001
ZZ95929		0.001
ZZ95930		0.001
ZZ95931		0.001
ZZ95932		0.002
ZZ95933		0.006
ZZ95934		0.001
ZZ95935		<0.001
ZZ95936		0.002
ZZ95937		0.001
ZZ95938		<0.001
ZZ95939		0.001
ZZ95940		0.003
ZZ95941		0.001
ZZ95942		<0.001
ZZ95943		0.007
ZZ95944		0.001
ZZ95945		0.001
ZZ95946		<0.001
ZZ95947		0.002
ZZ95948		0.001
ZZ95949		0.001
ZZ95950		0.001
ZZ95951		0.001
ZZ95952		0.001
ZZ95953		<0.001
ZZ95954		0.001
ZZ95955		<0.001
ZZ95956		0.002
ZZ95957		0.001
ZZ95958		0.004
ZZ95959		0.001
ZZ95960		0.001
ZZ95961		0.001
ZZ95962		0.002
ZZ95963		<0.001
ZZ95964		0.001
ZZ95965		<0.001
ZZ95966		0.001



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

Project: BLIND

Finalized Date: 14-NOV-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15170897

Sample Description	Method Analyte Units LOR	Au - ICP21 Au ppm 0.001
ZZ95967		<0.001
ZZ95968		<0.001
ZZ95969		<0.001
ZZ95970		<0.001
ZZ95971		0.002
ZZ95972		0.001
ZZ95973		0.001
ZZ95974		<0.001
ZZ95975		<0.001
ZZ95976		0.003

***** See Appendix Page for comments regarding this certificate *****



2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

Project: BLIND

Total # Appendix Pages: 1
Finalized Date: 14-NOV-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15170897

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:


Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 FND-02

APPENDIX IV
SURFICIAL GEOLOGY KEY

Simplified Key to Yukon Terrain Classification System & Surficial Geology Map Labels

Based on the Terrain Classification System for British Columbia (Howes & Kenk, 1997).

Yukon custom modifications written in *italicized text* and highlighted by asterisks (*).



TEXTURE - up to 3 lower case letters in front of surficial material, *in order of decreasing dominance* *

a	blocks (>256 mm, angular)
b	boulders (>256 mm, rounded)
k	cobble (64-256 mm, rounded)
p	pebbles (2-64 mm, rounded)
s	sand (0.062 - 2 mm)
z	silt (0.002 - 0.062 mm)
c	clay (<0.002 mm)
m	mud (mix of silt and clay)
d	mixed fragments (>2 mm, rounded and angular)
g	gravel (>2 mm, rounded; mix of b, k, p)
x	angular fragments (>2 mm; mix of r & a)
r	rubble (2-256 mm, angular particles)
y	shells (shells or shell fragments)
e	fibric organic (poorly decomposed)
u	mesic organic (intermediate decomposition)
h	humic organic (highly decomposed)

SURFICIAL MATERIAL - first single upper case letter shown in map unit. (Upper case letter immediately following surficial material is the glacial or activity **QUALIFIER**.)

A	Anthropogenic
C	Colluvium
D	Weathered Bedrock
E	Eolian
F	Fluvial (FA = Active Fluvial)
FG	Glaciofluvial
I	Ice (Glacier)
L	Lacustrine
LG	Glaciolacustrine
M	Morainal (till)
O	Organic
R	Bedrock
U	Undifferentiated materials (<i>UG = Glacial Drift</i>) *
V	Volcanic

* H Water bodies

* S Snow patches

SURFACE EXPRESSION - up to 3 lower case letters following surficial material

* a	<i>apron</i> (BC steepness codes "j", "a", "k" and "s" not used)
b	blanket (>1 m thick)
c	cone(s)
d	depression(s)
f	fan(s)
h	hummock(s)
* l	<i>delta</i>
m	rolling
p	plain
r	ridge(s)
t	terrace(s)
u	undulating
v	veneer (0.1 - 1 m thick)
w	mantle of variable thickness
x	thin veneer (2 - 20 cm thick)

COMPONENT DELIMITERS - separators for up to 4 components that may be included in a map unit label. All components are listed before process(es), e.g.

sgFGptM.dsmMbM/xsCv\zclGpM-XsV

.	components on either side of the "." symbol are of approximately equal proportion
/	the component in front of the "/" symbol is more extensive than the one that follows
//	the component in front of the "//" symbol is considerably more extensive than the one that follows
\	the component(s) in front of the "\" symbol stratigraphically overlies the component(s) that follows

* **AGE** - single upper case letter following surface expression

H	Holocene
>H	pre-Holocene
N	Neoglacial
<M	Postglacial
M	McConnell (late Wisconsinan)
>M	pre-McConnell
S	Laurentide, Tutsieta (late Wisconsinan)
L	Laurentide, maximum (late Wisconsinan)
G	Gladstone (early Wisconsinan)
>G	pre-Gladstone
R	Reid (Illinoian)
>R	pre-Reid (Pliocene - early Pleistocene)
P	Pleistocene undifferentiated
Q	Quaternary
>Q	pre-Quaternary
T	Tertiary
U	undifferentiated

GEOMORPHOLOGICAL PROCESS - up to 3 upper case letters following dash "-". Lower case letters indicate subclasses.

-V	Gully erosion
-B	Braided floodplain
-I	Irregularly sinuous floodplain
-J	Anastomosing floodplain
-M	Meandering floodplain
-A	Snow avalanches
-F	Slow landslide (subclasses: g = rock creep)
-R	Rapid landslide (subclasses: b = rockfall; d = debris flow)
* -L	<i>Undifferentiated landslide</i> (subclasses: s = slide; u = slump)
-C	Cryoturbation
-N	Nivation
-S	Solifluction
-Z	General periglacial processes (<i>subclass: c = cryoplanation</i>)
* -X	<i>Permafrost</i> (<i>subclasses: s = sheetwash; n = pingo; l = seg. ice</i>)
-E	Glacial meltwater channels
-H	Kettled
* -T	<i>Glacial ice-contact</i>
* -U	<i>Inundation</i> (<i>subclass: b = beaver damming</i>)