

Summary of Geological Field Work- 2015
A Geological and Geochemical, and Trenching Report
Of the V14 Zone
On the East Fork Gold Project
NTS 115 N2, Yukon

Including the following Quartz Claims:

Fox, Git, Pud, Rag, Ran, Red, Say, Scot, See, Well, Wind, Womp, Won, Wine. et al claims

Work done May 15 to Aug 10 2015

Whitehorse Mining Division

NTS 115 N2 Lat 63*04'Long 140*59'

By

Glenn S. Hartley P. Geol.

Hartley and Associated Ltd

For

Whitehorse Mining Recorder

Jan 2016



Photo 1: Sample 14-15-B, sulphide bearing Quartz assaying 7.9 oz Au per ton. This is extremely important because it represents the discovery of a new occurrence of high grade gold mineralizaion in association with a granitic intrusive. This zone thought to exceed 1.2 km in length.

The East Fork Gold Project 2015

Table of Contents

1.0 Executive Summary	4
2.0 Location and Access	4
3.0 Physiography	5
4.0 Claims	5
5.0 History	6
6.0 Regional Geology	6
7.0 Work Performed in 2015	6
<i>The V-14 zone</i>	6
<i>The V14-15-1 trench</i>	7
<i>Chip sample data</i>	7
<i>Grab sample data</i>	8
<i>The V14-15-2 trench</i>	9
<i>Chip sample data</i>	10
<i>Lithological sample data</i>	10
<i>Work on other zones</i>	11
<i>The V15 zone</i>	11
<i>The V2 North extension zone</i>	12
<i>Road access to V1 and V3 zones</i>	12
8.0 Summary of Exploration Costs	13
9.0 Conclusions and Recommendations	14
10.0 Statement of Qualifications	15

List of Photos

Photo 1 Sample 14-15-B	2
Photo 2 Altered intrusive from trench V14-15-1	6
Photo 3 Structurally complex 38 cm Quartz vein V14-15-1	7
Photo 4 Quartz boulders found prior to trenching at V14-15-2	8
Photo 5 The V14-14-2 trench looking north	9
Photo 6 Wet conditions at the V15 zone	11

List of Appendices

Appendix 1	Property location map
Appendix 2	List of project claims
Appendix 3	Assay reports

Maps

Map 1 East Fork Project Data Compilation map. Plate 1. scale 1:10000
Map 2 Map showing relative positions of V2 North soil anomaly

The East Fork Gold Project 2015

1.0 Executive Summary

The East Fork Project (formerly named the Longline Project in earlier reports) is located approximately 140 km southwest of Dawson City. The area is accessible by fixed wing aircraft from Dawson or by winter road from the Alaska Highway.

The area is recognized as a Lode and Placer Gold Target. The immediate area of the claims has produced approximately 70000 oz of placer gold since discovery in 1975.

The key project claims were staked by the writer in 1983. The project now consists of 234 Quartz claims, all owned 100 percent by Hartley and Associates Ltd. Two quartz veins, V1 and V2, on the property, were partially high graded by Sikanni Oilfield during 1995 and 1996, production was approximately 4500 oz .

The Hartley claims, have been optioned at various times to Sikanni oil field construction, Barramundi Gold, Newmont mining, and Mountain Rio Exploration.

A total of 5 Million dollars in exploration costs has been incurred on the project, and 12000 meters of PQ and NQ legacy core are in racks on the Property.

Barramundi (1996 through 2000) conducted grid soil sampling, geophysical surveys and drilling of the exposed V2 zone as well as regional reconnaissance. For unknown reasons, numerous gold in soil anomalies, in the Barramundi data were unrecognized or followed up.

In 2007 Mountain Rio drilled the HV zone and estimated that a total of 3.3 mill grams of Gold and 1.0 mill grams of Silver exist in the property in two zones, V2 and HV to a maximum depth of 50m from surface. Three additional mineralized zones remained untested.

In 2014 Hartley and Associates reinterpreted the Barramundi gold in soil data, and conducted a program of trenching sampling and geological mapping on the property, Five new mineralized zones were discovered, resulting in a doubling of the known zones to 10. The interpreted mineralized strike length now exceeds 4000 meters

In 2015 Hartley and Associates continued follow up trenching to further define the geometry the V14 mineralization, development of access to the V15 and V2 west soils anomalies, and reestablishment of access trails to the V1 and V3 veins .

This report contains a summary compilation of previous assay data and previously known soil data anomalies as Map 1.

2.0 Location and Access

The East Fork Project is located in NTS 115N2, central Yukon, immediately east of the Alaska Yukon border, approximately 140 km southwest of Dawson City, and some 65km north of the community of Beaver Creek. The area is accessible by fixed wing aircraft from Dawson or by winter road from the Alaska Highway.

The East Fork Gold Project 2015

3.0 Physiography

The region is not glaciated. Outcrops are restricted to heights of land where boulders and felsenmeer predominate. Elevations range from 1353 m on Moosehorn summit to 670 m in creek valleys in the southern portion of the property. Thick residual soils cover the intermediate slopes, swamp bog covers the low areas. The area is designated as a continuous permafrost zone.

4.0 Claim status

The East Fork property consists of 234 quartz claims, covering approximately 5000 hectares. The claims are owned 100 percent by Hartley and Associates Ltd. Claim ownership and current status are shown in Appendix 2.

5.0 History of the Area

The area has a long history of Artisanal gold mining. The names of the original miners are unknown. The author personally observed a prospector's cabin built on lower Kenyon creek during placer evaluation conducted in 1976. The cabin was at least 50 years old by its condition, and the condition of various tools left at the site.

The Moosehorn summit was staked in 1970 by Quintana Minerals and again by A. Harmon and M. Kenyon during the period 1972 to 1974. The Harmon claims became the property of Great Bear Mining. The Kenyon claims were optioned to Claymore Resources. Both companies conducted geophysics and diamond drilling near Moosehorn summit. These claims were allowed to lapse.

During 1982 Glenn Hartley recognized the vein occurrence, here described as V1 and staked the surrounding claims in the Swamp creek valley. Beginning in the mid-1980s, Hartley and G. Almborg has conducted geological, geophysical, and geochemical programs, and air track drilling. The V1, V2 and HV mineralized structures, as well as several other gold occurrences were discovered by the air track drilling programs during 1993 and 1994. The key claims of the land package have been held continuously since the 1982.

The claims have been optioned at various times to Sikanni Oil Field Construction, Barramundi Gold, Newmont Mining, and Mountain Rio Exploration.

Sikanni, became interested in the lode gold while placer mining on Swamp Creek. A small gravity recovery mill was constructed and operated sporadically during 1995. Approximately 4000 tons of vein material was processed, yielding an estimated 4 to 5 thousand oz of crude gold. High grading ceased in mid 1996.

In 1996 the claims were optioned to Barramundi Gold. Prospecting along roads and trails was followed up with contract grid soil sampling and geophysical surveys. Limited diamond drilling was conducted in 1998 and 1999. The V2 vein was drilled at 20m centers with PQ diameter core.

In the Barramundi annual report to shareholders, dated May 18, 2001 Bam reported that drilling V2 zone had defined a resource of 21,288 tonnes grading 42.8 g/tonne (1.42 oz per ton) AU. The average width of the zone was 0.55m.

Open pit mining would remove 711,181 tonnes of waste rock and the overall strip ratio was 33:1.

In 2000, the property was joint ventured with Newmont Exploration. The Joint venture, drilled 5 NQ holes, only one tested the defined mineralized system in the immediate Swamp creek area. The drill program was focused north of the known mineralization to test the area between the known mineralized zones in Swamp creek and a Newmont property immediately northwest in Alaska. Newmont dropped the option in 2001.

In 2005 the Property was optioned to Mountain Rio Exploration. Beginning in 2006, Mtn Rio drilled 24 NQ holes in the HV and V2 zones. A resource estimate of 2.8 million grams AU and 1.0 million grams Ag was recognized.

An additional 12 holes were drilled at the V2 zone location in 2007. In the final report dated June 6, 2008 (Kassos and Kluczny), indicate that the sum of the V2 and H zones is 3.3 million grams Au and 1.1 million grams Ag at a combined grade of 6 grams per tonne, to a depth of 50 m.

6.0 Regional Geology

The Property is underlain by strongly weathered to massive foliated to nonfoliated grey biotite hornblende granodiorite of the Klotassin Batholith (Tempelman-Kluit 1974). This generally uniform lithological unit contains metasedimentary remnants and is intruded by porphyritic diorite, rhyolite and mafic dykes. This unit has been described by Tempelman-Kluit in 1974 and in Yukon assessment reports 061387 (Claymore 1974), Report 092880 (Hartley 1990), Report 093282 (Hartley 1994) and Report 093950 (Barramundi 1998). A detailed description of project lithology can be found in Barramundi Gold's 1998 report by S. Sears.


7.0 Work performed in 2015

In early 2015, the author continued to trench the area of the V4-1 zone, (See Map 1), where trenching in 2014 exposed a structurally complex zone of rusty silicified Granite, that appears to intrude the Granodiorite country rocks. The contact zone appears strongly bleached, friable, and kaolinized.



Photo 2: Altered intrusive from trench V14-15-1. Note the chalcodonic veinlet. Widespread silicification is present.

The East Fork Gold Project 2015



Map 1: East Fork Property Compilation Map

The East Fork Gold Project 2015

7.1 The V14 Zone

Location: 0502763E, 6988510N The V14 zone was initially trenched in 2014 as follow-up to a small untested gold in soils anomaly, recorded in 1996. The trench V14 -1 yielded a structurally complex zone, dipping 35 degrees east, of rusty altered granodiorite assaying 609 ppb Au over 1.4 meters, no quartz was present in the sample, however quartz was noted in the area. A second trench 100m south yielded friable granodiorite and quartz with strong manganese staining assaying 1559 ppb Au over 20 cm and 961ppb Au over a 1 meter true width.

7.1.1 The V14-2015-1 Trench

In 2015 the V14 zone was trenched at 90 degrees to the orientation of the 2014 trench, in order to understand the geometry of the alteration zone with respect to the apparent vein structure and a possible granitic intrusive at this location.

A Quartz vein 38cm (15inches) thick was encountered in Trench V14-15-1, Strike 0 degrees, dip 30 degrees east. The vein appears brecciated and recemented with quartz and Fe oxide. The footwall of the vein is an extremely altered zone of iron oxides in a fine grained host rock possibly a hornfels. Strong yellow oxides in fractures parallel to the vein were noted, Strong black manganese staining occurs in vertical fractures in these footwall rocks. The lower contact of the vein with the footwall appears irregular. The section was chip sampled as follows:



Photo 3: Structurally complex 38 cm quartz vein in trench V14-15-1 near younger intrusive

The East Fork Gold Project 2015

a. Chip sample Data Trench V14-15-1

All measurements are true thickness “above base” assays are shown in ppb Au

V14-15-1 68-78 cm:	Sheared greenish fine grained intrusive, rusty fractures, no sulphides	5 ppb Au
V14-15-1 30-68 cm:	Quartz vein as shown above, very few sulphides, possibly arsenopyrite	241 ppb Au
V14-15-1 20-30 cm	Sheared very rusty foot wall rocks, strong yellow stains on fractures	246 ppb Au
V14-15-1 10-20 cm	As above with manganese stain on vertical fractures, some yellow oxides:	101 ppb Au
V14-15-1 0-10 cm	Rusty footwall rocks as above no yellow oxide staining	21 ppb Au



Photo 4: Quartz boulders located near the site of trench 14-1-2, these samples are some of the highest grades ever found on the property.

b. Grab samples

Five grab samples were collected from frozen surface soil and mud, approximately 30 to 45 meters north along strike, of the vein location chip sampled above.

Visual inspection of these samples from the frozen muck, appeared well mineralized. The vegetated matt in the area was stripped to allow the surface to thaw in preparation for additional trenching.

Grab sample descriptions and assay values.

V14-15-A Massive grey to white Quartz boulder very hard crystalline, with fine grained bands of arsenopyrite and clots of sphalerite to 0.5 cm, yellow oxide coating along fractures, slickensides present.....	45.3 grams Au/tonne
V14-15-B Hard grey quartz fine grained arsenopyrite as above.....	246.4 grams Au/tonne
V14-15-C Massive white quartz, chalky look, grey sulphides and black oxides.....	5.0 grams Au/tonne.
V14-15-D Brownish quartz possibly galena and stibnite as a network.....	10.3 grams Au/tonne
V14-15-E Brownish quartz grey sulphides, fractured, healed with quartz.....	32.8 grams Au/tonne

Complete assay information for the first phase of trenching and the grab samples can be found in the appendix as:” WH15000078.1 ”

The East Fork Gold Project 2015

7.2 The V14-15-2 Trench

Following the discovery of well mineralized quartz float along strike of the V14-15-1 trench, the decision was made to extend the V14-15-1 trench an additional 50 meters, as the V14-15-2 trench.



Photo 5: The V14-15-2 trench looking north

7.2.1 The V14-15-2 Chip samples

The trench encountered blocky hornfels-like rusty fine grained rocks (foreground of photo) then grey to white, extremely friable to sandy, strongly kaolinized, granodiorite (mid picture to end of trench). Several grey to white chalky sub parallel quartz veins trend along the strike of the trench.

Three vertical one meter sections were chosen for chip sampling, arbitrarily chosen for best exposures. The one meter sections were located at 29 m, 41m and 43 m from the south end of the trench (the location of chip sample series V14-15-1) and labelled as V 14-4-C, V14-4-B and V14-4-A. Samples were collected as 20 centimeter aggregates to measure grade and true thickness of the observed mineralization..

The East Fork Gold Project 2015

7.2.2 Trench V14-15-2 Chip sample descriptions and assay values

A. This section, V14-4-A was located 43m north of chip sample V14-15-1

V14-4-5-A	80-100 cm above base altered friable granodiorite black manganese stain, silica as 2cm bands at top and bottom of interval.....	0.49 ppm Au
V14-4-4-A	60-80 cm above base, rusty friable granodiorite, one 5cm quartz vein.....	4.0 ppm Au
V14-4-3-A	40-60 cm above base, as above some quartz, manganese on fractures	1.48 ppm Au
V14-4-2-A	20-40 cm above base Quartz vein, grey sulphides.....	3.95ppm Au
V14-4-1-A	0-20 cm above base rusty friable granodiorite with Quartz fragments.....	2.4 ppm Au

B. This section V14-4-B was located 41m north of chip sample V14-15-1

V14-4-5-B	80-100 cm above base, 4cm qtz vein in friable granodiorite.....	2.74 ppm Au
V14-4-4-B	60-80 cm above base, rusty, friable, small quartz fragments.....	2.28 ppm Au
V14-4-3-B	40-60 cm above base, rusty friable thick manganese fractures.....	0.53 ppm Au
V14-4-2-B	20-40 cm above base, 10 cm quartz vein, with arsenopyrite.....	206.7 gms/ tonne Au
V14-4-1-B	0-20 cm above base, friable gdn, rusty with manganese fractures.....	3.94 ppm Au

C. This section V14-4-C was located 29m north of chip sample V14-15-1

V14-4-5-C	80-100 cm above base, 10 cm grey quartz, with yellow oxides below, then 10 cm friable granodiorite, limonitic with manganese oxides on fractures.....	3.89 ppm Au
V14-4-4-C	60-80 cm above base, grey quartz strong yellow oxides,rusty fractures.....	3.70 ppm Au
V14-4-3-C	40-60 cm above base, qtz vein, grey fg sulphides, limonitic	16.8 gms/tonne Au
V14-4-2-C	20-40 cm above base, 10 cm qtz, fine grained arseno, bleuish	29.9 gms/tonne Au
V14-4-1-C	0-20 cm above base, friable, limonitic, granodiorite	0.43 ppm Au.

7.2.3 Trench V14-15-2 lithological grab sample descriptions and assay values

BZ-14-A	Fine grained grey biotite granite or quartz monzonite with quartz phenos in a fine grained rusty ground mass.....	21 ppb Au
BZ-14-B	As above, similar.....	30 ppb Au
BZ-14-C	Fine grained limonitic mass with two 2cm quartz veins, one on either side.....	107 ppb Au
GG-14-A	Grey med to coarse grained granite ,much biotite plag no limonite.....	22 ppb Au
GG-14-B	As above with trace limonite.....	12 ppb Au

The East Fork Gold Project 2015

7.3 Work on other zones

7.3.1 The V15 zone

Location: 0502780E, 6988300N First identified during 2014 analysis of the legacy geochemical data, this zone was not trenched during 2015. The zones location is interpreted from the linear alignment of several discrete gold in soils anomalies. Strike length extends at least 1 km, soil values are in the order of 200 to 300 ppb. The geochemical response appears to be associated with a well-defined, southerly striking linear surface feature. The zone lies, along the east slope of the Swamp creek valley, topographically below and parallel to the V14 zone. Access is complicated by steep topography and/or wet terrain.

The exact location of the most anomalous soil sample, on the same grid line and below the V14 zone, was determined by location of the 17 year old grid pickets placed by Barramundi Gold. An equipment trail to the anomaly was attempted and partially established, but soft wet ground made access difficult. Strongly altered rocks and quartz fragments in the deep mud at this location were noted.

Access will be a priority in 2016, a short stack road will be built to the anomalous location.




Photo 6: Wet conditions at the V15 gold in soils anomaly, Flagging indicates original sample location

The East Fork Gold Project 2015

7.3.2 The V2 North extension zone

Location: 0501800E, 6990100N Identified during the analysis of the Barramundi legacy geochemical data, this location has not yet been trenched. The zone is defined as a chevron shaped strong gold in soils anomaly positioned topographically above, and approximately 350m to the north of the V2 mineralized vein system. The shape of the anomaly and its position relative to stream topography suggests that it is a shallow dipping structure that has been partially incised by the creek. Barramundi soil data from report #93950 indicates at least 3 values of several hundred ppb gold in soils in this anomaly.

In 2015 Barramundi pickets from 1998 were located on the soil lines and the position of the anomaly re-established and flagged. An equipment trail was partially constructed over difficult terrain during the 2015 season, to be continued in 2016.



Map1: Showing the relative position of the V2 North anomaly and the V2, and V3 zones

7.3.3 Road access to the V1 and V3 mineralized structures and property improvement done in 2015

Due to the considerable growth rate of deciduous trees on the property, Cat work was necessary to re-establish road access to the V1 and V3 mineralized structures. Mineralized material from both zones may be test milled in 2016.

Suggestions from Air charter operators in 2015 prompted a program of brush clearing along the west side of the airstrip to insure an increased level of safety for service flights to and from the property.

The East Fork Gold Project 2015

8.0 Summary of Exploration Costs

Personnel

1. Geologist G. Hartley P. Geol	45 days @ \$750.00/day.....	33,750.00
	Total	33,750.00

Air Charter

Great River Air	6571.64
-----------------------	---------

Equipment Rental

Terex dozer rental 48hr at 300.00/hr.....	14400.00
Cat 235 Excavator rental 20hr at 250.00/hr.....	5000.00
Quad rental 45days, at 100/day.....	4500.00
Sat phone rental	1000.00
Camp costs (45 man days).....	4500.00

Assay Costs

ACME Labs.....	2600.00
----------------	---------

Truck travel in the Yukon

500kmx 6 trips Dawson Whitehorse 1.00per km.....	3000.00
--	---------

\$75,321.64

The East Fork Gold Project 2015

9.0 Conclusions and Recommendations

The exploration trenching conducted in 2015, defined the location of some of the highest grade gold mineralization ever located on the property. The associated gold in soils anomaly has a strike length exceeding 1.2 kilometers. It must be noted that conventional surface sampling of soils conducted in 1998, did not indicate positively at this location. A single deep auger soil sample had defined the anomaly some 2 years earlier, but was ignored by, then on site exploration crews

That same deep auger soil sample program of 1996 returned wide spread strongly positive results topographically below and along the east side of the Swamp creek valley. Of a total of 22 auger soil samples that were completed in the area between the V14 structure and Swamp creek, 6 holes or greater than 25% returned strongly anomalous gold values. The area is overlain by thick swampy overburden.

It is strongly recommended that a detailed program of overburden drilling and soil sampling at the bedrock soil interface be conducted on the eastern valley slope of Swamp and Soya Creeks to better define the 1996 anomalies.

It is also strongly recommended that trenching be conducted along strike in both directions to fully define the mineralization in the V14 and V15 zones. These zones are known to extend approximately 1 km north of the known trenches.

This trenching program also encountered an intrusive granitic body with associated silicification. Although weakly mineralized, the association of a few grams AU within the alteration zone and much richer values, occurring in association with silicification is common, indicative and typical of all porphyry gold deposits

.It should be noted that the three one meter chip sampled sections collected from the 14-15-2 trench, yielded:

- A. 80 cm of 2.95 grams per tonnes Au
- B. 1 meter of 43 grams per tonne Au
- C. 1 meter of 10 grams per tonne Au

Porphyry Gold deposits typically grade 1.0 to 1.5 grams per tonne AU over greater widths.

This zone, the parallel V15 zone, and other anomalies in this immediate area, could yield significant mineralized widths and must be further defined by a program of deep soil sampling and diamond drilled as soon as possible.

Work should continue to define and develop the V2 north zone. This new zone in close proximity could add significantly to the known 79000 oz Au already established at V2.

New zones discovered by the 2014 exploration program: SB, RT, CT, RDT, and RT Extension, should be prioritized for further work.

Trenching to define the surface expression of high grade mineralization encountered in diamond drill holes LL99-04 and LL99-07 should be conducted as soon as possible.

10. Statement of Qualifications


I, Glenn S. Hartley of Edmonton do here by state:

1. I am a graduate of the University of Alberta, Edmonton
2. I hold a BSc in Geology (1977)
3. I am a Member of APEGA since 1982
4. I have been employed in my profession since 1970

Signed _____ Glenn S. Hartley P.Geol. _____ January 22nd 2016

Appendix 1

The East Fork Gold Project 2015



Scale 1:1000000

East Fork Property Location Map

Appendix 2

The East Fork Gold Project 2015



Claim Status Report

10 November 2015

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s	Grouping	Permit
R FOX 1 - 4	YB36935 - YB36938	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R GIT 1 - 2	YA77840 - YA77841	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R GIT 5 - 6	YA77844 - YA77845	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R LIN 1 - 10	YB54408 - YB54417	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R PUD 1 - 2	YB38074 - YB38075	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R RAG 1 - 8	YA95122 - YA95129	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R RAN 1 - 4	YB06123 - YB06126	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R RAN 5 - 8	YC18046 - YC18049	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	F HW07487	
R RED 1 - 8	YA95130 - YA95137	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R SAY 1 - 3	YB38169 - YB38171	2023/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R SCOT 1 - 54	YB54544 - YB54597	2021/12/31	Hartley & Associates Ltd.	100.00	115K15, 115N02	HW07487	
R SCOT 55 - 56	YB54598 - YB54599	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	F HW07487	
R SCOT 57 - 91	YB54600 - YB54634	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R SCOT 96 - 97	YB54639 - YB54640	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R SCOT 98 - 99	YB54641 - YB54642	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	F HW07487	
R SCOT 100 - 111	YB54643 - YB54654	2021/12/31	Hartley & Associates Ltd.	100.00	115K15, 115N02	HW07487	
R SEE 1 - 6	YB38076 - YB38081	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R WELL 1 - 6	YB12664 - YB12669	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R WELL 7 - 10	YC18050 - YC18053	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	F HW07487	
R WIND 1 - 22	YB27350 - YB27371	2024/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R WINE 1 - 8	YB12670 - YB12677	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R WOMP 1 - 20	YB38198 - YB38217	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	
R WOMP 24 - 29	YC18040 - YC18045	2020/12/31	Hartley & Associates Ltd.	100.00	115N02	F HW07487	
R WON 1 - 7	YB12678 - YB12684	2021/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	

Total claims selected : 234

Left column indicator legend:

- R - Indicates the claim is on one or more pending renewal(s).
- P - Indicates the claim is pending.

Right column indicator legend:

- L - Indicates the Quartz Lease.
- F - Indicates Full Quartz fraction (25+ acres)
- P - Indicates Partial Quartz fraction (<25 acres)

- D - Indicates Placer Discovery
- C - Indicates Placer Codiscovery
- B - Indicates Placer Fraction

The East Fork Gold Project 2015



Claim Status Report

10 November 2015

Claim Name and Nbr.	Grant No.	Expiry Date	Registered Owner	% Owned	NTS #'s	Grouping	Permit
R WON 8	YB38172	2020/12/31	Hartley & Associates Ltd.	100.00	115N02	HW07487	

Criteria(s) used for search:

CLAIM DISTRICT: 1000004 CLAIM STATUS: ACTIVE & PENDING OWNER(S): HARTLEY & ASSOCIATES LTD.
REGULATION TYPE: QUARTZ

Left column indicator legend:

- R - Indicates the claim is on one or more pending renewal(s).
- P - Indicates the claim is pending.

Right column indicator legend:

- L - Indicates the Quartz Lease.
- F - Indicates Full Quartz fraction (25+ acres)
- P - Indicates Partial Quartz fraction (<25 acres)

Total claims selected : 234

- D - Indicates Placer Discovery
- C - Indicates Placer Codiscovery
- B - Indicates Placer Fraction

Page 2 of 2

Appendix 3

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2 CANADA

Submitted By: Glenn Hartley
Receiving Lab: Canada-Whitehorse
Received: July 10, 2015
Report Date: July 28, 2015
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI1500078.1

CLIENT JOB INFORMATION

Project: NONE GIVEN
Shipment ID:
P.O. Number
Number of Samples: 10

SAMPLE DISPOSAL

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES


Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	10	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA450	10	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ300	10	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN
BAT01	10	Batch charge of <20 samples			WHI
FA550	5	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2
CANADA

CC:



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: July 28, 2015

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI15000078.1

Method	Analyte	Unit	WGHT	FA450	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
			Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V	Ca	P			
		MDL	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
V14-15-1-0-10	Rock		0.80	0.021	<1	2	27	41	<0.3	<1	3	814	1.51	343	16	14	1.2	<3	<3	14	0.17	0.044			
V14-15-1-10-20	Rock		1.40	0.101	<1	5	26	30	<0.3	1	4	945	1.65	357	17	12	1.1	<3	<3	13	0.14	0.040			
V14-15-1-20-30	Rock		1.24	0.246	<1	3	25	58	0.4	1	3	798	2.24	1126	17	14	2.4	4	<3	19	0.14	0.036			
V14-15-1-30-68	Rock		3.41	0.241	<1	<1	76	44	0.6	<1	1	230	1.23	494	4	5	1.0	<3	<3	9	0.06	0.012			
V14-15-1-68-78	Rock		0.72	<0.005	<1	3	8	36	<0.3	2	4	449	1.96	30	19	15	<0.5	<3	<3	26	0.23	0.042			
V14-15-A	Rock		1.12	>10	<1	12	>10000	808	14.8	<1	<1	53	0.91	7177	<2	6	22.0	456	<3	6	0.03	0.003			
V14-15-B	Rock		0.66	>10	<1	<1	1436	998	34.0	<1	<1	36	0.96	8608	<2	3	26.3	75	<3	6	0.03	0.002			
V14-15-C	Rock		0.79	>10	2	43	>10000	18	19.8	<1	<1	258	0.43	532	<2	10	<0.5	25	<3	16	<0.01	0.004			
V14-15-D	Rock		0.85	>10	<1	125	>10000	317	>100	<1	<1	56	0.49	779	<2	4	10.3	172	<3	7	<0.01	0.003			
V14-15-E	Rock		0.85	>10	7	58	>10000	15	43.2	<1	<1	43	0.44	2343	<2	25	0.8	114	<3	7	0.01	0.003			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T8G 1V2 CANADA

Project: NONE GIVEN
Report Date: July 28, 2015

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI15000078.1

Method Analyte Unit MDL	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	FA550
	La ppm 1	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 20	Al % 0.01	Na % 0.01	K % 0.01	W ppm 2	S % 0.05	Hg ppm 1	Tl ppm 5	Ga ppm 5	Sc ppm 5	Au gm/t 0.9	
V14-15-1-0-10	Rock	34	1	0.09	183	<0.001	<20	0.43	<0.01	0.23	<2	<0.05	<1	<5	<5	<5	
V14-15-1-10-20	Rock	35	1	0.06	224	<0.001	<20	0.40	<0.01	0.23	<2	<0.05	<1	<5	<5	<5	
V14-15-1-20-30	Rock	35	2	0.07	232	0.001	<20	0.44	<0.01	0.24	<2	<0.05	<1	<5	<5	<5	
V14-15-1-30-68	Rock	10	3	0.05	51	0.002	<20	0.23	<0.01	0.10	<2	<0.05	<1	<5	<5	<5	
V14-15-1-68-78	Rock	24	3	0.34	280	0.125	<20	1.02	0.04	0.52	<2	<0.05	<1	<5	8	<5	
V14-15-A	Rock	1	2	<0.01	338	<0.001	<20	0.03	<0.01	0.02	<2	0.32	<1	<5	<5	<5	45.3
V14-15-B	Rock	<1	2	<0.01	242	<0.001	<20	0.03	<0.01	0.02	<2	0.36	<1	<5	<5	<5	248.4
V14-15-C	Rock	<1	2	<0.01	83	0.001	<20	0.04	<0.01	0.02	<2	<0.05	<1	<5	<5	<5	5.0
V14-15-D	Rock	<1	<1	<0.01	189	<0.001	<20	0.03	<0.01	0.02	<2	0.51	<1	6	<5	<5	10.3
V14-15-E	Rock	<1	2	<0.01	1071	<0.001	<20	0.02	<0.01	0.01	<2	0.10	<1	<5	<5	<5	32.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Hartley Associates**
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: July 28, 2015

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI15000078.1

Method	WGHT	FA450	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V	Ca	P		
Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%		
MDL	0.01	0.005	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001		
Pulp Duplicates																						
V14-15-E	Rock	0.85	>10	7	58	>10000	15	43.2	<1	<1	43	0.44	2343	<2	25	0.8	114	<3	7	0.01	0.003	
REP V14-15-E	QC			7	57	>10000	14	44.0	<1	<1	43	0.44	2351	<2	25	0.8	113	<3	7	0.01	0.004	
Core Reject Duplicates																						
V14-15-C	Rock	0.79	>10	2	43	>10000	18	19.8	<1	<1	258	0.43	532	<2	10	<0.5	25	<3	16	<0.01	0.004	
DUP V14-15-C	QC		>10	2	52	>10000	15	22.2	<1	<1	248	0.37	531	<2	11	0.5	28	<3	18	<0.01	0.004	
Reference Materials																						
STD AGPROOF	Standard																					
STD AGPROOF	Standard																					
STD DS10	Standard			13	149	152	359	1.8	77	13	890	2.83	49	6	67	2.5	10	11	45	1.08	0.076	
STD OREAS45EA	Standard			2	740	9	28	<0.3	410	58	435	23.74	6	10	4	<0.5	6	<3	319	0.03	0.031	
STD OXD108	Standard		0.404																			
STD OXI121	Standard		1.762																			
STD OXN117	Standard		7.518																			
STD SP49	Standard																					
STD SP49	Standard																					
STD SQ70	Standard																					
STD SQ70	Standard																					
STD OXD108 Expected			0.414																			
STD OXN117 Expected			7.679																			
STD OXI121 Expected			1.834																			
STD DS10 Expected			14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073		
STD OREAS45EA Expected			1.39	709	14.3	28.9	0.26	381	52	400	23.51	9	10.7	3.5				303	0.036	0.029		
STD AGPROOF Expected																						
STD SP49 Expected																						
STD SQ70 Expected																						
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval, preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Hartley Associates**
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: July 28, 2015

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI15000078.1

Method Analyte Unit MDL	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	FA550
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	S %	Hg ppm	Tl ppm	Ga ppm	Sc ppm	Au gm/t
	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	0.9
Pulp Duplicates																
V14-15-E	Rock	<1	2	<0.01	1071	<0.001	<20	0.02	<0.01	0.01	<2	0.10	<1	<5	<5	32.8
REP V14-15-E	QC	<1	2	<0.01	1076	<0.001	<20	0.02	<0.01	0.01	<2	0.10	<1	<5	<5	25.7
Core Reject Duplicates																
V14-15-C	Rock	<1	2	<0.01	83	0.001	<20	0.04	<0.01	0.02	<2	<0.05	<1	<5	<5	5.0
DUP V14-15-C	QC	<1	2	<0.01	95	0.001	<20	0.03	<0.01	0.01	<2	0.05	<1	<5	<5	<5
Reference Materials																
STD AGPROOF	Standard															<0.9
STD AGPROOF	Standard															<0.9
STD DS10	Standard	16	56	0.78	436	0.075	<20	1.03	0.07	0.34	3	0.29	<1	9	6	<5
STD OREAS45EA	Standard	8	936	0.10	149	0.103	<20	3.44	0.02	0.05	<2	<0.05	<1	<5	13	88
STD OXD108	Standard															
STD OXI121	Standard															
STD OXN117	Standard															
STD SP49	Standard															17.8
STD SP49	Standard															18.1
STD SQ70	Standard															40.6
STD SQ70	Standard															40.1
STD OXD108 Expected																
STD OXN117 Expected																
STD OXI121 Expected																
STD DS10 Expected		17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.29	0.3	5.1	4.3	2.8
STD OREAS45EA Expected		6.57	849	0.095	148	0.0875		3.13	0.02	0.053		0.036		11.7	78	
STD AGPROOF Expected																0
STD SP49 Expected																18.34
STD SQ70 Expected																39.62
BLK	Blank															
BLK	Blank															
BLK	Blank															<0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: July 28, 2015

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI15000078.1

		AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	FA550	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc	Au
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm	gm/t
		1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	0.9
BLK	Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5	<0.9
BLK	Blank																
Prep Wash																	
ROCK-WHI	Prep Blank	5	2	0.45	53	0.065	<20	0.93	0.08	0.09	<2	<0.05	<1	<5	<5	<5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015

2nd set of assays



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2 CANADA

Submitted By: Glenn Hartley
Receiving Lab: Canada-Whitehorse
Received: August 18, 2015
Report Date: September 09, 2015
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI15000153.1

CLIENT JOB INFORMATION

Project: NONE GIVEN
Shipment ID:
P.O. Number
Number of Samples: 20

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2
CANADA

CC:

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	20	Crush, split and pulverize 250 g rock to 200 mesh			
FA450	20	50g Lead Collection Fire Assay Fusion - AAS Finish	50	Completed	VAN
AQ300	20	1:1:1 Aqua Regia digestion ICP-ES analysis	0.5	Completed	VAN
FA550	3	Lead collection fire assay 50G fusion - Grav finish	50	Completed	VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Hartley Associates**
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: September 09, 2015

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI15000153.1

Method	Analyte	Unit	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	FA650
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc
MDL			ppm	ppm	%	ppm	%	ppm	%	%	ppm	%	ppm	ppm	ppm	ppm	gm/t
V14-4-1A	Rock		41	6	0.08	211	0.001	<20	0.44	<0.01	0.18	<2	<0.05	<1	<5	<5	6
V14-4-2A	Rock		<1	4	<0.01	148	<0.001	<20	0.03	<0.01	0.01	<2	0.15	<1	<5	<5	<5
V14-4-3A	Rock		49	5	0.05	445	<0.001	<20	0.36	<0.01	0.21	<2	<0.05	<1	<5	<5	<5
V14-4-4A	Rock		54	6	0.10	281	<0.001	<20	0.53	<0.01	0.23	<2	<0.05	<1	<5	<5	7
V14-4-5A	Rock		39	5	0.27	416	0.031	<20	1.09	0.02	0.39	<2	<0.05	<1	<5	5	8
V14-4-1B	Rock		33	4	0.04	446	0.002	<20	0.31	<0.01	0.21	<2	<0.05	<1	<5	<5	<5
V14-4-2B	Rock		9	3	<0.01	806	<0.001	<20	0.12	<0.01	0.11	<2	0.18	<1	<5	<5	206.6
V14-4-3B	Rock		37	4	0.20	275	0.004	<20	0.83	0.01	0.25	<2	<0.05	<1	<5	<5	6
V14-4-4B	Rock		28	3	0.02	1209	<0.001	<20	0.22	<0.01	0.19	<2	<0.05	<1	<5	<5	<5
V14-4-5B	Rock		28	4	0.12	279	<0.001	<20	0.50	<0.01	0.19	<2	<0.05	<1	<5	<5	<5
V14-4-1C	Rock		27	4	0.50	286	0.087	<20	1.30	0.04	0.44	<2	<0.05	<1	<5	11	6
V14-4-2C	Rock		9	3	0.13	87	<0.001	<20	0.30	<0.01	0.10	<2	<0.05	<1	<5	<5	29.9
V14-4-3C	Rock		<1	5	0.05	28	<0.001	<20	0.07	<0.01	0.01	<2	<0.05	<1	<5	<5	16.8
V14-4-4C	Rock		2	7	0.02	47	0.001	<20	0.08	<0.01	0.03	<2	<0.05	<1	<5	<5	<5
V14-4-5C	Rock		22	4	0.16	129	0.003	<20	0.49	<0.01	0.18	<2	<0.05	<1	<5	<5	<5
BZ-14A	Rock		36	2	0.03	134	<0.001	<20	0.30	<0.01	0.21	<2	<0.05	<1	<5	<5	<5
BZ-14B	Rock		33	2	0.02	178	<0.001	<20	0.35	<0.01	0.26	<2	<0.05	<1	<5	<5	<5
BZ-14C	Rock		19	3	0.02	63	<0.001	<20	0.21	<0.01	0.15	<2	<0.05	<1	<5	<5	<5
GG14A	Rock		21	4	0.31	232	0.103	<20	0.90	0.04	0.45	<2	<0.05	<1	<5	17	<5
GG14B	Rock		26	4	0.32	230	0.071	<20	0.96	0.04	0.44	<2	<0.05	1	<5	13	<5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: September 09, 2015

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI15000153.1

Method Analyte Unit MDL	WGHT	FA450	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300
	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Th	Sr	Cd	Sb	Bi	V	Ca	P	
	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	
Pulp Duplicates		0.01	0.005	1	1	3	1	0.3	1	1	2	0.01	2	2	1	0.5	3	3	1	0.01	0.001
V14-4-4A	Rock	1.54	4.070	<1	12	268	265	1.2	3	7	1051	3.63	2252	14	14	3.6	10	<3	85	0.23	0.081
REP V14-4-4A	QC			<1	12	257	262	1.4	3	7	1034	3.58	2232	14	14	3.3	4	<3	84	0.22	0.060
GG14B	Rock	0.39	0.012	<1	<1	19	52	<0.3	<1	2	309	1.96	74	18	17	<0.5	<3	<3	25	0.21	0.043
REP GG14B	QC		0.011																		
Core Reject Duplicates																					
BZ-14B	Rock	0.51	0.030	<1	<1	17	38	<0.3	<1	4	801	1.77	178	16	8	0.6	<3	<3	10	0.12	0.041
DUP BZ-14B	QC		0.032	<1	<1	16	37	<0.3	<1	4	783	1.74	176	17	8	0.5	<3	<3	9	0.11	0.042
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard			14	145	148	388	1.7	73	11	917	2.75	48	6	65	2.4	5	11	44	1.06	0.074
STD OREAS45EA	Standard			2	735	13	28	<0.3	394	55	423	22.93	10	12	4	<0.5	9	<3	314	0.03	0.030
STD OXD108	Standard		0.423																		
STD OXI121	Standard		1.810																		
STD OXN117	Standard		7.753																		
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected			14.69	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	43.7	7.5	67.1	2.49	8.23	11.65	43	1.0625	0.073	
STD OREAS45EA Expected			1.6	709	14.3	31.4	0.26	381	52	400	23.51	10	10.7	3.5					303	0.036	0.029
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<1	<1	4	<1	<0.3	<1	<1	<2	<0.01	5	<2	<1	<0.5	<3	<3	<1	<0.01	<0.001
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: Hartley Associates
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: September 09, 2015

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI15000153.1

Method Analyte Unit MDL	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	FA550
	La ppm	Cr ppm	Mg %	Ba ppm	Ti %	B ppm	Al %	Na %	K %	W ppm	S %	Hg ppm	Tl ppm	Ga ppm	Sc ppm	Au gm/t
Pulp Duplicates	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	0.9
V14-4-4A Rock	54	6	0.10	281	<0.001	<20	0.53	<0.01	0.23	<2	<0.05	<1	<5	<5	7	
REP V14-4-4A QC	54	6	0.09	275	<0.001	<20	0.52	<0.01	0.23	<2	<0.05	<1	<5	<5	7	
GG14B Rock	26	4	0.32	230	0.071	<20	0.96	0.04	0.44	<2	<0.05	1	<5	13	<5	
REP GG14B QC																
Core Reject Duplicates																
BZ-14B Rock	33	2	0.02	178	<0.001	<20	0.35	<0.01	0.26	<2	<0.05	<1	<5	<5	<5	
DUP BZ-14B QC	32	2	0.02	164	<0.001	<20	0.28	<0.01	0.22	<2	<0.05	<1	<5	<5	<5	
Reference Materials																
STD AGPROOF Standard																<0.9
STD DS10 Standard	15	56	0.78	427	0.074	<20	1.03	0.07	0.33	3	0.29	<1	8	15	<5	
STD OREAS45EA Standard	7	918	0.10	144	0.097	<20	3.32	0.02	0.05	<2	<0.05	<1	<5	15	88	
STD OXD108 Standard																
STD OXI121 Standard																
STD OXN117 Standard																
STD SP49 Standard																18.5
STD SQ70 Standard																38.9
STD OXD108 Expected																
STD OXN117 Expected																
STD OXI121 Expected																
STD DS10 Expected	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.29	0.3	5.1	4.3	2.8	
STD OREAS45EA Expected	7.06	849	0.095	148	0.0984		3.13	0.02	0.053		0.036			12.4	78	
STD AGPROOF Expected																0
STD SP49 Expected																18.34
STD SQ70 Expected																39.62
BLK Blank																
BLK Blank																
BLK Blank	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.01	<0.01	<2	<0.05	<1	<5	<5	<5	
BLK Blank																<0.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

The East Fork Gold Project 2015



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Hartley Associates**
7302 118A St
Edmonton AB T6G 1V2 CANADA

Project: NONE GIVEN
Report Date: September 09, 2015

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI15000153.1

	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	AQ300	FA500
	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	S	Hg	Tl	Ga	Sc	Au
	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	%	ppm	ppm	ppm	ppm	gm/t
Prep Wash	1	1	0.01	1	0.001	20	0.01	0.01	0.01	2	0.05	1	5	5	5	0.5
ROCK-WHI	5	2	0.50	55	0.068	<20	0.95	0.07	0.09	<2	<0.05	<1	<5	13	<5	
ROCK-WHI	5	2	0.44	54	0.070	<20	0.92	0.07	0.08	<2	<0.05	<1	<5	13	<5	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

