



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 1
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

CERTIFICATE WH15113506

Project: SUM15-01
P.O. No.: SUM15-01_1
This report is for 314 Soil samples submitted to our lab in Whitehorse, YT, Canada on 30-JUL-2015.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

THOMAS BRANSON

SUMAC MINES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: THOMAS BRANSON
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 2 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S232201		0.49	<0.005	<0.2	1.59	10	<10	80	<0.5	<2	0.13	<0.5	10	24	17	2.81
S232202		0.45	0.005	<0.2	1.54	8	<10	100	0.7	<2	0.28	<0.5	8	28	18	2.29
S232203		0.51	<0.005	<0.2	1.41	9	<10	80	<0.5	2	0.13	<0.5	7	22	21	2.91
S232204		0.45	<0.005	0.4	2.80	12	<10	110	0.8	2	0.16	<0.5	8	40	17	3.73
S232205		0.56	<0.005	<0.2	1.42	10	<10	60	0.5	<2	0.25	<0.5	6	23	23	2.72
S232206		0.43	<0.005	<0.2	2.61	9	<10	130	2.0	<2	0.25	<0.5	14	44	28	3.20
S232207		0.47	<0.005	0.2	2.25	10	<10	90	1.0	<2	0.37	0.7	13	52	22	3.24
S232208		0.49	<0.005	<0.2	1.15	7	<10	50	<0.5	<2	0.15	<0.5	5	24	11	2.16
S232209		0.52	<0.005	<0.2	1.61	6	<10	150	0.5	<2	0.34	<0.5	9	39	20	2.78
S232210		0.58	0.013	0.2	2.25	12	<10	170	0.8	2	0.32	<0.5	14	53	54	3.02
S232211		0.58	<0.005	<0.2	1.72	12	<10	120	<0.5	<2	0.29	<0.5	9	35	29	2.28
S232212		0.46	<0.005	0.2	1.68	6	<10	130	<0.5	<2	0.34	<0.5	12	33	40	2.33
S232213		0.31	0.006	<0.2	1.86	17	<10	80	<0.5	2	0.16	<0.5	7	33	25	3.77
S232214		0.41	0.007	<0.2	1.98	17	<10	90	0.5	3	0.25	<0.5	14	36	55	2.93
S232215		0.51	0.012	<0.2	1.62	16	<10	90	<0.5	2	0.23	<0.5	10	35	58	2.81
S232216		0.39	0.011	0.2	2.23	15	<10	110	0.6	<2	0.28	<0.5	12	41	103	2.93
S232217		0.54	<0.005	<0.2	1.62	14	<10	80	<0.5	<2	0.22	<0.5	9	36	77	2.41
S232218		0.38	0.008	<0.2	1.93	12	<10	90	0.5	2	0.22	<0.5	10	38	44	2.82
S232219		0.34	0.006	0.2	1.88	13	<10	90	0.5	<2	0.14	<0.5	9	33	28	3.18
S232220		0.46	<0.005	<0.2	1.87	14	<10	70	<0.5	<2	0.13	<0.5	7	32	29	3.80
S232221		0.43	0.012	<0.2	1.58	10	<10	80	<0.5	<2	0.20	<0.5	9	34	31	2.84
S232222		0.48	0.005	<0.2	2.01	18	<10	100	0.6	2	0.24	<0.5	13	40	48	3.10
S232223		0.54	0.013	<0.2	1.94	19	<10	90	0.5	<2	0.31	<0.5	9	41	44	2.62
S232224		0.38	<0.005	<0.2	2.28	10	<10	160	0.9	2	0.23	<0.5	10	38	24	3.81
S232225		0.43	<0.005	<0.2	2.08	9	<10	150	0.7	<2	0.26	<0.5	9	35	21	3.41
S232226		0.40	<0.005	<0.2	2.72	7	<10	140	0.6	<2	0.36	<0.5	14	37	22	3.56
S232227		0.42	0.008	<0.2	2.11	9	<10	110	0.7	<2	0.25	<0.5	10	35	21	3.73
S232228		0.44	<0.005	<0.2	2.34	13	<10	130	0.6	<2	0.18	<0.5	12	40	20	4.42
S232229		0.40	<0.005	0.3	2.14	12	<10	120	0.5	<2	0.17	<0.5	10	33	23	3.35
S232230		0.47	<0.005	0.3	1.73	11	<10	90	<0.5	<2	0.15	<0.5	7	29	18	3.57
S232231		0.42	<0.005	0.2	1.28	7	<10	160	0.5	<2	0.23	<0.5	11	25	24	3.15
S232232		0.41	<0.005	<0.2	1.98	8	<10	140	0.7	<2	0.21	<0.5	8	35	23	3.35
S232233		0.43	<0.005	<0.2	2.02	10	<10	100	1.0	2	0.20	<0.5	10	36	25	3.41
S232234		0.42	0.006	<0.2	2.26	10	<10	90	0.5	<2	0.14	<0.5	10	37	24	3.56
S232235		0.40	<0.005	<0.2	2.09	11	<10	130	0.9	<2	0.24	<0.5	13	36	32	3.52
S232236		0.34	0.011	<0.2	1.96	9	<10	90	0.8	4	0.28	<0.5	10	35	28	3.20
S232237		0.39	0.005	0.2	2.39	10	<10	120	0.7	<2	0.31	<0.5	11	37	27	3.32
S232238		0.46	0.005	<0.2	2.37	9	<10	100	0.7	<2	0.20	<0.5	12	39	27	3.21
S232239		0.46	<0.005	<0.2	2.53	10	<10	100	0.6	<2	0.21	<0.5	12	38	27	3.07
S232240		0.34	<0.005	<0.2	2.35	4	<10	140	0.6	<2	0.27	<0.5	13	46	25	3.76



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 2 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
S232201		10	<1	0.06	10	0.30	664	1	0.02	13	440	21	0.01	2	2
S232202		10	<1	0.09	10	0.43	384	<1	0.02	21	420	22	0.01	<2	3
S232203		10	<1	0.05	10	0.26	285	2	0.01	14	320	16	0.01	<2	2
S232204		10	<1	0.05	10	0.45	262	1	0.01	20	330	11	0.02	<2	4
S232205		10	<1	0.05	10	0.28	188	1	0.01	15	320	12	0.02	<2	2
S232206		10	<1	0.15	50	0.71	553	<1	0.01	34	450	22	0.02	<2	6
S232207		10	<1	0.14	10	0.82	692	1	0.01	32	490	22	0.02	<2	4
S232208		10	<1	0.13	10	0.37	225	1	0.01	12	290	10	0.01	<2	2
S232209		10	<1	0.19	20	0.72	461	<1	0.01	27	610	8	0.02	<2	3
S232210		10	1	0.20	20	0.96	326	<1	0.01	52	780	11	0.01	<2	5
S232211		10	<1	0.10	10	0.57	178	<1	0.01	18	700	8	0.02	<2	3
S232212		10	<1	0.07	10	0.52	496	<1	0.02	18	870	11	0.04	<2	3
S232213		10	<1	0.05	10	0.34	247	1	0.01	16	300	12	0.02	<2	3
S232214		10	<1	0.11	10	0.58	527	<1	0.02	25	450	7	0.03	<2	4
S232215		10	<1	0.11	10	0.53	317	<1	0.01	23	440	5	0.02	<2	3
S232216		10	1	0.13	10	0.61	388	<1	0.02	26	650	10	0.05	<2	4
S232217		10	<1	0.18	10	0.62	249	<1	0.01	22	400	6	0.03	<2	3
S232218		10	<1	0.18	10	0.57	276	<1	0.01	23	510	4	0.05	<2	3
S232219		10	<1	0.12	10	0.42	330	1	0.01	19	500	9	0.03	3	3
S232220		10	<1	0.10	10	0.42	198	1	0.01	17	250	10	0.01	<2	3
S232221		10	<1	0.17	10	0.50	254	<1	0.01	20	390	4	0.02	<2	3
S232222		10	<1	0.19	10	0.64	406	<1	0.01	25	400	6	0.01	<2	4
S232223		10	<1	0.12	10	0.64	261	<1	0.01	23	730	16	0.04	2	3
S232224		10	<1	0.06	10	0.62	438	1	0.01	24	550	10	0.04	<2	3
S232225		10	<1	0.05	10	0.58	402	1	0.01	23	550	9	0.04	<2	3
S232226		10	<1	0.08	10	0.92	442	<1	0.03	32	680	6	0.03	<2	4
S232227		10	1	0.06	10	0.67	413	1	0.01	23	880	5	0.07	<2	2
S232228		10	<1	0.06	10	0.85	454	1	0.01	29	660	9	0.06	<2	3
S232229		10	<1	0.07	10	0.60	324	1	0.01	24	590	8	0.06	2	3
S232230		10	<1	0.07	10	0.45	330	1	0.01	17	510	6	0.04	<2	2
S232231		10	<1	0.06	10	0.32	1275	2	0.01	17	830	9	0.07	2	1
S232232		10	<1	0.05	10	0.53	394	1	0.01	21	520	12	0.05	<2	2
S232233		10	<1	0.06	10	0.56	412	1	0.01	25	470	17	0.04	<2	2
S232234		10	<1	0.08	10	0.71	454	1	0.01	23	680	7	0.07	<2	3
S232235		10	<1	0.08	10	0.64	663	1	0.01	28	710	14	0.06	<2	3
S232236		10	<1	0.07	10	0.61	448	1	0.01	23	420	22	0.04	<2	3
S232237		10	<1	0.07	10	0.78	474	<1	0.01	27	550	12	0.05	3	3
S232238		10	1	0.07	10	0.68	494	<1	0.01	28	420	11	0.03	2	3
S232239		10	<1	0.07	10	0.68	512	<1	0.01	29	480	11	0.04	2	3
S232240		10	<1	0.06	10	0.91	448	1	0.02	31	920	7	0.06	<2	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 2 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S232201		<20	0.10	<10	<10	77	<10	47
S232202		<20	0.11	<10	<10	59	<10	63
S232203		<20	0.11	<10	<10	84	<10	60
S232204		<20	0.13	<10	<10	93	<10	59
S232205		<20	0.09	<10	<10	80	<10	52
S232206		20	0.11	<10	10	65	<10	75
S232207		<20	0.09	<10	10	66	<10	101
S232208		<20	0.11	<10	<10	62	<10	45
S232209		<20	0.10	<10	<10	57	<10	75
S232210		<20	0.15	<10	<10	62	<10	67
S232211		<20	0.10	<10	<10	51	<10	51
S232212		<20	0.10	<10	<10	57	<10	55
S232213		<20	0.14	<10	<10	101	<10	62
S232214		<20	0.12	<10	<10	64	<10	62
S232215		<20	0.12	<10	<10	63	<10	52
S232216		<20	0.12	<10	<10	67	<10	59
S232217		<20	0.12	<10	<10	53	<10	46
S232218		<20	0.12	<10	<10	61	<10	45
S232219		<20	0.09	<10	<10	71	<10	54
S232220		<20	0.16	<10	<10	104	<10	49
S232221		<20	0.13	<10	<10	63	<10	47
S232222		<20	0.15	<10	<10	68	<10	58
S232223		<20	0.09	<10	<10	55	<10	61
S232224		<20	0.13	<10	<10	90	<10	97
S232225		<20	0.12	<10	<10	81	<10	85
S232226		<20	0.18	<10	<10	77	<10	70
S232227		<20	0.13	<10	<10	80	<10	75
S232228		<20	0.17	<10	<10	93	<10	75
S232229		<20	0.09	<10	<10	75	<10	54
S232230		<20	0.10	<10	<10	82	<10	64
S232231		<20	0.08	<10	<10	81	<10	79
S232232		<20	0.09	<10	<10	79	<10	80
S232233		<20	0.10	<10	<10	74	<10	81
S232234		<20	0.07	<10	<10	80	<10	66
S232235		<20	0.10	<10	<10	80	<10	121
S232236		<20	0.11	<10	<10	74	<10	83
S232237		<20	0.11	<10	<10	73	<10	74
S232238		<20	0.11	<10	<10	73	<10	70
S232239		<20	0.10	<10	<10	68	<10	66
S232240		<20	0.08	<10	<10	78	<10	78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 3 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S232241		0.43	<0.005	<0.2	2.29	8	<10	90	0.6	<2	0.21	<0.5	11	33	25	2.65
S232242		0.47	<0.005	<0.2	1.95	8	<10	90	0.5	2	0.17	<0.5	10	32	25	3.12
S232243		0.47	0.005	<0.2	2.12	11	<10	70	0.6	<2	0.16	<0.5	10	31	21	2.85
S232244		0.44	<0.005	<0.2	1.78	7	<10	100	<0.5	<2	0.20	<0.5	9	33	22	3.04
S232245		0.45	<0.005	<0.2	1.82	11	<10	90	<0.5	<2	0.14	<0.5	7	32	20	3.08
S232246		0.44	<0.005	<0.2	2.37	6	<10	120	0.6	<2	0.25	<0.5	12	34	26	2.76
S232247		0.39	<0.005	<0.2	1.80	6	<10	90	<0.5	<2	0.22	<0.5	10	28	22	2.52
S232248		0.39	<0.005	<0.2	1.70	6	<10	110	<0.5	2	0.22	<0.5	9	27	22	2.56
S232249		0.40	<0.005	<0.2	1.83	5	<10	120	<0.5	<2	0.33	<0.5	9	32	20	2.69
S232250		0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	1	0.03
S232251		0.56	<0.005	<0.2	2.77	4	<10	180	1.4	<2	0.63	<0.5	14	38	25	3.59
S232252		0.43	<0.005	<0.2	1.76	6	<10	130	0.6	<2	0.38	<0.5	11	33	30	2.72
S231501		0.65	<0.005	0.2	1.71	11	<10	130	0.6	<2	0.30	<0.5	7	35	22	2.44
S231502		0.63	<0.005	0.5	1.84	14	<10	140	0.7	3	0.27	<0.5	8	37	23	2.84
S231503		0.34	<0.005	0.2	1.41	5	<10	110	0.5	4	0.28	<0.5	7	28	15	1.82
S231504		0.61	0.007	0.2	1.84	6	<10	120	0.6	2	0.42	<0.5	9	43	16	2.37
S231505		0.52	<0.005	0.2	1.67	10	<10	110	<0.5	<2	0.23	<0.5	10	30	17	2.50
S231506		0.36	<0.005	0.5	1.49	9	<10	120	0.5	<2	0.34	<0.5	9	30	16	2.16
S231507		0.43	<0.005	0.4	1.59	23	<10	130	0.9	3	0.37	<0.5	17	31	22	4.03
S231508		0.65	<0.005	0.4	1.81	6	<10	120	0.6	3	0.33	<0.5	7	32	16	2.23
S231509		0.67	<0.005	0.2	2.06	7	<10	110	1.3	4	0.31	<0.5	6	39	24	2.52
S231510		0.42	0.006	<0.2	1.18	6	<10	90	<0.5	<2	0.35	<0.5	7	25	18	1.95
S231511		0.44	<0.005	<0.2	1.77	5	<10	130	0.5	<2	0.33	<0.5	6	34	21	2.06
S231512		0.43	<0.005	0.2	1.11	13	<10	80	<0.5	<2	0.28	<0.5	9	22	12	2.58
S231513		0.44	<0.005	0.2	1.11	6	<10	70	<0.5	<2	0.24	<0.5	9	22	20	2.01
S231514		0.41	<0.005	0.5	2.15	8	<10	160	0.9	<2	0.28	<0.5	12	34	30	2.70
S231515		0.49	<0.005	0.2	2.20	11	<10	140	0.7	<2	0.26	<0.5	9	35	20	3.32
S231516		0.42	0.008	0.2	2.47	12	<10	170	0.8	<2	0.34	<0.5	14	42	24	3.77
S231517		0.49	<0.005	<0.2	1.96	6	<10	130	1.0	<2	0.32	<0.5	10	29	17	3.05
S231518		0.38	<0.005	0.2	2.14	13	<10	130	0.8	<2	0.19	<0.5	10	33	23	3.78
S231519		0.44	<0.005	0.2	2.29	22	<10	120	0.7	<2	0.27	<0.5	12	42	27	3.78
S231520		0.48	0.024	0.2	1.79	10	<10	90	0.6	<2	0.22	<0.5	9	34	23	2.79
S231521		0.47	0.012	<0.2	1.83	23	<10	110	0.6	<2	0.23	<0.5	14	38	29	3.30
S231522		0.52	<0.005	<0.2	2.00	13	<10	160	0.8	2	0.33	<0.5	13	39	24	3.26
S231523		0.32	<0.005	<0.2	0.31	<2	<10	20	<0.5	<2	0.20	<0.5	4	7	7	1.72
S231524		0.33	<0.005	<0.2	0.50	3	<10	40	<0.5	<2	0.11	<0.5	6	8	6	0.90
S231525		0.31	<0.005	<0.2	0.60	3	<10	50	<0.5	<2	0.10	<0.5	7	12	11	1.24
S231526		0.43	<0.005	<0.2	1.46	15	<10	80	<0.5	2	0.16	<0.5	8	28	16	3.33
S231527		0.62	0.009	<0.2	1.61	8	<10	130	0.6	<2	0.29	<0.5	9	33	27	2.68
S231528		0.56	0.005	<0.2	1.33	9	<10	90	<0.5	2	0.20	<0.5	6	25	19	2.27



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 3 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S232241		10	<1	0.07	10	0.60	417	<1	0.01	24	400	10	0.02	<2	3	20
S232242		10	<1	0.06	10	0.52	464	1	0.01	19	640	11	0.05	2	2	19
S232243		10	1	0.08	10	0.53	447	1	0.01	20	600	13	0.05	<2	2	16
S232244		10	<1	0.06	10	0.54	407	<1	0.01	23	490	7	0.03	2	2	18
S232245		10	<1	0.06	10	0.44	348	1	0.01	18	550	11	0.03	<2	2	17
S232246		<10	<1	0.07	10	0.63	464	<1	0.01	26	510	9	0.03	<2	3	23
S232247		10	1	0.05	10	0.53	301	<1	0.01	21	420	8	0.02	<2	2	21
S232248		10	<1	0.05	10	0.53	383	<1	0.01	18	540	7	0.03	2	2	27
S232249		10	<1	0.05	10	0.66	292	<1	0.01	21	760	7	0.03	<2	2	33
S232250		<10	1	<0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	0.02	<2	<1	1
S232251		10	<1	0.10	30	1.41	732	<1	0.01	26	1020	11	0.01	<2	7	64
S232252		10	1	0.06	10	0.73	393	<1	0.01	21	950	7	0.01	3	3	43
S231501		10	<1	0.07	20	0.55	175	<1	0.01	21	680	26	0.02	3	4	25
S231502		10	1	0.08	10	0.54	215	1	0.01	21	830	33	0.03	4	3	24
S231503		<10	<1	0.07	10	0.44	440	<1	0.01	16	600	21	0.02	3	3	24
S231504		10	<1	0.10	10	0.74	230	<1	0.01	25	680	27	0.01	<2	4	32
S231505		10	1	0.08	10	0.48	607	1	0.01	19	270	34	<0.01	2	3	26
S231506		10	<1	0.09	10	0.44	600	1	0.02	19	720	23	0.04	<2	2	29
S231507		10	1	0.08	20	0.38	1045	2	0.02	17	1020	29	0.06	<2	3	33
S231508		10	<1	0.09	10	0.54	442	<1	0.01	19	500	16	0.01	2	3	28
S231509		10	<1	0.08	30	0.54	268	<1	0.01	20	570	23	0.01	2	4	24
S231510		<10	<1	0.09	20	0.43	277	<1	0.01	14	940	9	0.01	<2	3	21
S231511		10	1	0.10	20	0.52	164	<1	0.01	15	660	11	0.02	<2	4	25
S231512		10	<1	0.06	10	0.35	451	<1	0.01	11	830	8	0.02	<2	2	22
S231513		<10	1	0.07	10	0.34	310	<1	0.01	11	760	8	0.02	2	2	19
S231514		10	<1	0.12	30	0.49	725	1	0.01	18	950	15	0.05	<2	3	28
S231515		10	<1	0.14	20	0.64	516	1	0.01	19	500	15	0.01	<2	4	26
S231516		10	<1	0.15	20	0.73	800	1	0.01	24	670	44	0.01	<2	5	35
S231517		10	<1	0.14	30	0.58	596	1	0.01	18	880	17	<0.01	4	4	45
S231518		10	1	0.10	20	0.55	458	1	0.01	20	490	15	0.03	2	3	26
S231519		10	1	0.11	10	0.65	303	1	0.01	27	640	10	0.02	<2	4	26
S231520		10	<1	0.19	10	0.59	289	<1	0.01	21	440	8	0.03	2	3	23
S231521		10	<1	0.16	10	0.57	379	<1	0.01	28	650	8	0.03	2	4	31
S231522		10	<1	0.20	20	0.71	541	1	0.01	26	890	6	0.02	<2	4	76
S231523		<10	<1	0.03	<10	0.12	112	<1	0.02	3	780	<2	<0.01	2	1	14
S231524		<10	<1	0.04	<10	0.12	218	<1	0.02	4	360	2	0.01	2	1	11
S231525		<10	<1	0.05	<10	0.16	270	<1	0.02	5	290	2	0.01	<2	1	13
S231526		10	<1	0.10	10	0.38	350	2	0.01	14	330	11	0.01	<2	3	19
S231527		10	1	0.16	30	0.59	486	1	0.01	19	670	12	0.04	<2	3	27
S231528		10	<1	0.10	10	0.42	291	1	0.01	13	260	8	0.01	2	3	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 3 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S232241		<20	0.10	<10	<10	61	<10	58
S232242		<20	0.09	<10	<10	70	<10	65
S232243		<20	0.09	<10	<10	59	<10	58
S232244		<20	0.10	<10	<10	69	<10	59
S232245		<20	0.09	<10	<10	80	<10	64
S232246		<20	0.11	<10	<10	62	<10	60
S232247		<20	0.10	<10	<10	58	<10	56
S232248		<20	0.09	<10	<10	64	<10	51
S232249		<20	0.10	<10	<10	63	<10	64
S232250		<20	<0.01	<10	<10	<1	<10	<2
S232251		<20	0.05	<10	<10	70	<10	61
S232252		<20	0.10	<10	<10	61	<10	64
S231501		<20	0.08	<10	<10	51	<10	73
S231502		<20	0.07	<10	<10	61	<10	77
S231503		<20	0.07	<10	<10	41	<10	59
S231504		<20	0.09	<10	<10	51	<10	91
S231505		<20	0.10	<10	<10	61	<10	77
S231506		<20	0.08	<10	<10	53	<10	74
S231507		<20	0.06	<10	<10	66	<10	63
S231508		<20	0.09	<10	<10	46	<10	68
S231509		20	0.07	<10	10	48	<10	65
S231510		<20	0.09	<10	<10	45	<10	47
S231511		<20	0.12	<10	<10	48	<10	58
S231512		<20	0.11	<10	<10	83	<10	50
S231513		<20	0.10	<10	<10	54	<10	44
S231514		<20	0.08	<10	<10	56	<10	65
S231515		<20	0.15	<10	<10	72	<10	79
S231516		<20	0.15	<10	<10	80	<10	102
S231517		30	0.13	<10	<10	58	<10	69
S231518		<20	0.12	<10	<10	82	<10	76
S231519		<20	0.17	<10	<10	79	<10	65
S231520		<20	0.12	<10	<10	56	<10	53
S231521		<20	0.13	<10	<10	66	<10	71
S231522		<20	0.14	<10	<10	64	<10	78
S231523		<20	0.09	<10	<10	65	<10	25
S231524		<20	0.06	<10	<10	29	<10	16
S231525		<20	0.08	<10	<10	41	<10	25
S231526		<20	0.18	<10	<10	100	<10	54
S231527		<20	0.13	<10	<10	56	<10	75
S231528		<20	0.13	<10	<10	61	<10	56



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 4 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231529		0.56	<0.005	<0.2	1.37	9	<10	130	0.5	<2	0.27	<0.5	8	24	25	1.78
S231530		0.52	0.005	0.2	1.86	9	<10	110	1.2	<2	0.42	<0.5	7	31	16	2.98
S231531		0.44	0.008	<0.2	1.23	6	<10	60	0.6	<2	0.22	<0.5	7	30	15	2.24
S231532		0.60	0.011	<0.2	1.62	9	<10	110	0.8	2	0.32	<0.5	10	33	19	2.55
S231533		0.33	0.008	<0.2	2.09	11	<10	80	0.6	2	0.15	<0.5	10	35	21	3.24
S231534		0.42	0.005	0.3	1.85	14	<10	90	0.7	3	0.30	0.6	8	32	18	3.33
S231535		0.51	0.007	0.6	1.60	25	<10	100	0.5	2	0.33	1.6	8	29	16	2.20
S231536		0.49	0.008	<0.2	1.33	11	<10	80	0.7	5	0.22	1.8	10	28	23	2.37
S231537		0.49	0.005	0.4	1.95	12	<10	130	0.8	3	0.26	0.6	11	35	21	2.88
S231538		0.50	0.007	<0.2	1.62	9	<10	120	0.6	<2	0.23	<0.5	9	30	18	2.45
S231539		0.49	0.005	<0.2	1.91	12	<10	110	0.9	<2	0.21	<0.5	11	34	25	2.54
S231540		0.54	0.005	<0.2	1.61	8	<10	70	0.7	2	0.14	<0.5	7	26	18	2.73
S231541		0.57	0.005	<0.2	2.16	9	<10	90	1.1	2	0.25	<0.5	11	36	25	2.68
S231542		0.44	0.011	<0.2	1.65	6	<10	80	1.0	<2	0.28	<0.5	9	32	24	2.32
S231543		0.44	0.006	<0.2	1.50	7	<10	70	<0.5	2	0.16	<0.5	6	23	17	2.41
S231544		0.50	0.005	0.2	1.94	8	<10	120	0.6	3	0.51	<0.5	7	43	16	2.77
S231545		0.45	<0.005	<0.2	1.49	10	<10	50	<0.5	<2	0.12	<0.5	4	23	15	2.93
S231546		0.71	<0.005	<0.2	1.04	7	<10	50	0.5	<2	0.20	<0.5	8	27	11	2.08
S231547		0.78	0.009	0.2	1.98	12	<10	160	0.5	2	0.39	<0.5	8	44	29	2.64
S231548		0.51	0.005	<0.2	1.85	14	<10	130	<0.5	3	0.29	<0.5	16	32	21	3.19
S231549		0.59	0.006	<0.2	1.18	13	<10	90	0.6	2	0.26	<0.5	11	20	22	2.20
S231550		0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	<1	0.03
S231551		0.51	0.020	<0.2	1.60	12	<10	120	<0.5	2	0.35	<0.5	14	32	26	2.94
S231552		0.44	<0.005	0.2	1.85	11	<10	110	0.5	<2	0.20	<0.5	8	36	44	3.46
S231553		0.53	0.026	<0.2	2.08	11	<10	100	0.5	<2	0.20	<0.5	10	38	42	3.66
S231554		0.59	0.027	<0.2	2.04	16	<10	110	0.6	2	0.36	<0.5	15	42	218	3.34
S231555		0.51	0.014	0.5	2.67	15	<10	150	0.8	3	0.22	<0.5	10	41	297	3.04
S231556		0.38	0.011	<0.2	2.14	24	<10	130	0.5	<2	0.21	<0.5	14	36	110	2.96
S231557		0.64	0.006	<0.2	1.55	15	<10	90	<0.5	<2	0.20	<0.5	9	31	59	2.54
S231558		0.37	0.009	0.2	1.21	11	<10	90	<0.5	<2	0.23	<0.5	8	22	46	1.84
S231559		0.44	0.028	<0.2	2.27	16	<10	130	0.6	2	0.23	<0.5	11	40	38	3.10
S231560		0.50	<0.005	<0.2	1.18	7	<10	80	<0.5	<2	0.21	<0.5	7	23	24	2.08
S231561		0.44	<0.005	0.2	1.48	5	<10	100	<0.5	<2	0.22	<0.5	14	30	26	1.92
S231562		0.61	0.017	<0.2	1.67	9	<10	160	<0.5	<2	0.61	<0.5	15	39	41	2.45
S231563		0.55	0.023	<0.2	1.89	15	<10	180	<0.5	3	0.53	<0.5	13	50	45	2.56
S231564		0.36	0.009	<0.2	1.46	10	<10	140	<0.5	<2	0.25	<0.5	10	52	25	2.40
S231565		0.67	0.008	<0.2	1.98	8	<10	190	<0.5	3	0.35	<0.5	14	55	27	2.86
S231566		0.44	0.005	<0.2	2.22	11	<10	220	0.7	3	0.42	<0.5	21	69	42	3.53
S231567		0.45	<0.005	<0.2	2.24	13	<10	150	1.3	3	0.50	<0.5	14	47	36	3.37
S231568		0.58	0.005	0.2	2.27	13	<10	120	1.2	<2	0.19	<0.5	11	38	27	3.23



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 4 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231529		10	<1	0.10	20	0.34	491	1	0.01	12	950	9	0.05	<2	1	24
S231530		10	<1	0.09	20	0.42	245	1	0.01	17	740	15	0.04	<2	3	36
S231531		10	<1	0.09	10	0.44	316	<1	0.01	18	290	11	0.01	<2	3	20
S231532		10	<1	0.10	20	0.52	611	<1	0.01	22	440	13	0.01	<2	3	29
S231533		10	<1	0.07	10	0.46	318	<1	0.01	26	370	24	0.02	2	3	14
S231534		10	<1	0.07	10	0.44	282	1	0.01	23	480	40	0.03	2	2	23
S231535		10	<1	0.10	20	0.41	375	2	0.02	17	740	52	0.03	<2	2	27
S231536		10	<1	0.08	20	0.39	889	2	0.01	18	580	104	0.01	<2	2	20
S231537		10	<1	0.08	10	0.55	482	1	0.01	25	450	38	0.01	<2	3	23
S231538		10	<1	0.07	10	0.48	325	<1	0.01	23	510	11	<0.01	<2	3	19
S231539		10	<1	0.10	20	0.54	479	<1	0.01	26	580	27	0.01	<2	3	18
S231540		10	<1	0.04	10	0.32	200	<1	0.01	17	300	16	0.01	<2	2	13
S231541		10	<1	0.08	10	0.56	364	<1	0.01	30	620	12	0.01	<2	3	18
S231542		10	<1	0.07	40	0.50	374	<1	0.01	24	590	13	0.01	<2	4	25
S231543		10	<1	0.06	10	0.33	207	<1	0.01	14	340	15	0.01	<2	2	17
S231544		10	<1	0.12	10	0.58	500	1	0.01	25	560	14	0.04	2	4	42
S231545		10	<1	0.04	10	0.19	168	1	0.01	13	280	16	0.01	2	2	14
S231546		10	<1	0.11	10	0.41	445	1	0.01	15	270	13	0.01	2	2	20
S231547		10	<1	0.18	20	0.83	265	<1	0.01	34	820	11	0.01	<2	4	28
S231548		10	<1	0.12	20	0.61	1285	1	0.01	17	520	14	0.01	2	3	25
S231549		10	<1	0.15	20	0.40	723	<1	0.01	10	600	13	0.01	2	2	24
S231550		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	20	<2	0.01	<2	<1	1
S231551		10	<1	0.14	20	0.71	622	1	0.01	18	750	11	0.02	<2	3	35
S231552		10	<1	0.07	10	0.49	233	1	0.01	21	380	6	0.03	<2	3	23
S231553		10	<1	0.12	10	0.57	302	1	0.01	24	440	5	0.04	2	3	21
S231554		10	<1	0.13	10	0.63	335	1	0.02	26	760	7	0.01	<2	5	36
S231555		10	<1	0.13	20	0.63	288	<1	0.01	27	770	11	0.06	<2	4	24
S231556		10	<1	0.10	10	0.57	714	1	0.01	25	630	5	0.04	<2	3	26
S231557		10	<1	0.08	10	0.53	297	1	0.01	19	570	8	0.04	<2	3	24
S231558		<10	<1	0.06	10	0.34	271	1	0.02	14	570	4	0.05	<2	2	23
S231559		10	<1	0.12	10	0.66	327	<1	0.01	28	380	7	0.03	2	4	22
S231560		10	<1	0.06	10	0.33	239	<1	0.01	13	540	5	0.04	<2	2	18
S231561		10	<1	0.09	10	0.41	774	<1	0.02	16	840	7	0.06	<2	2	21
S231562		10	<1	0.22	10	0.69	772	1	0.02	22	1340	9	0.07	<2	3	47
S231563		10	<1	0.15	10	0.74	400	1	0.01	34	1360	10	0.10	4	4	37
S231564		10	<1	0.10	10	0.57	333	1	0.01	27	850	5	0.08	<2	2	25
S231565		10	<1	0.16	10	1.10	565	<1	0.01	40	650	8	0.03	<2	5	37
S231566		10	<1	0.22	20	1.16	581	<1	0.01	91	960	8	0.04	4	7	35
S231567		10	<1	0.15	20	0.72	1005	1	0.01	34	690	34	0.04	<2	4	52
S231568		10	<1	0.09	20	0.56	355	1	0.01	25	370	13	0.03	<2	3	19



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 4 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231529		<20	0.04	<10	<10	42	<10	57
S231530		<20	0.04	<10	10	47	<10	56
S231531		<20	0.09	<10	<10	52	<10	54
S231532		<20	0.09	<10	<10	58	<10	68
S231533		<20	0.09	<10	<10	63	<10	58
S231534		<20	0.08	<10	<10	65	<10	100
S231535		<20	0.06	<10	<10	53	<10	133
S231536		<20	0.08	<10	<10	55	<10	231
S231537		<20	0.10	<10	<10	67	<10	86
S231538		<20	0.09	<10	<10	59	<10	54
S231539		<20	0.09	<10	<10	56	<10	73
S231540		<20	0.08	<10	<10	63	<10	42
S231541		<20	0.10	<10	<10	60	<10	58
S231542		<20	0.09	<10	10	51	<10	60
S231543		<20	0.09	<10	<10	63	<10	49
S231544		<20	0.08	<10	10	64	<10	79
S231545		<20	0.08	<10	<10	80	<10	51
S231546		<20	0.09	<10	<10	53	<10	56
S231547		<20	0.14	<10	<10	61	<10	67
S231548		<20	0.14	<10	<10	76	<10	74
S231549		<20	0.10	<10	<10	47	<10	64
S231550		<20	<0.01	<10	<10	<1	<10	<2
S231551		<20	0.15	<10	<10	68	<10	79
S231552		<20	0.11	<10	<10	81	<10	63
S231553		<20	0.14	<10	<10	88	<10	65
S231554		<20	0.13	<10	<10	66	10	53
S231555		<20	0.11	<10	<10	65	<10	55
S231556		<20	0.10	<10	<10	65	<10	61
S231557		<20	0.09	<10	<10	58	10	47
S231558		<20	0.07	<10	<10	48	<10	37
S231559		<20	0.14	<10	<10	67	<10	57
S231560		<20	0.09	<10	<10	58	<10	40
S231561		<20	0.07	<10	<10	46	<10	42
S231562		<20	0.16	<10	<10	58	<10	65
S231563		<20	0.13	<10	<10	65	<10	73
S231564		<20	0.14	<10	<10	81	<10	52
S231565		<20	0.17	<10	<10	66	<10	69
S231566		<20	0.12	<10	<10	72	<10	62
S231567		<20	0.08	<10	10	72	<10	101
S231568		<20	0.08	<10	<10	72	<10	57



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 5 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231569		0.54	0.006	0.2	2.33	11	<10	120	0.9	<2	0.24	<0.5	11	32	27	3.14
S231570		0.55	<0.005	<0.2	0.30	<2	<10	30	<0.5	<2	0.14	<0.5	2	2	10	0.54
S231571		0.70	<0.005	0.2	2.90	15	<10	170	0.9	<2	0.18	<0.5	14	46	32	3.63
S231572		0.51	<0.005	0.3	2.92	13	<10	110	1.0	3	0.14	<0.5	13	46	37	3.83
S231573		0.44	0.005	<0.2	3.12	12	<10	120	1.0	2	0.17	<0.5	15	47	59	3.35
S231574		0.50	0.006	<0.2	2.34	14	<10	130	0.6	3	0.25	<0.5	13	53	31	3.32
S231575		0.42	0.006	<0.2	2.42	15	<10	140	0.7	2	0.25	<0.5	13	55	32	3.47
S231576		0.57	0.008	<0.2	2.21	22	<10	200	<0.5	2	0.36	<0.5	16	76	44	3.03
S231577		0.51	0.009	<0.2	2.07	10	<10	150	0.5	<2	0.29	<0.5	15	74	49	3.08
S231578		0.48	0.074	0.4	2.34	47	<10	140	0.6	6	0.36	<0.5	19	49	94	3.43
S231579		0.58	0.022	0.2	2.97	48	<10	190	0.7	2	0.47	<0.5	17	76	92	3.67
S231580		0.46	0.017	0.3	2.42	27	<10	130	0.8	<2	0.50	<0.5	14	54	63	3.12
S231581		0.41	<0.005	<0.2	1.19	6	<10	40	<0.5	<2	0.08	<0.5	4	17	19	2.00
S231582		0.43	0.005	<0.2	1.94	10	<10	110	0.5	<2	0.27	<0.5	11	40	34	2.94
S231583		0.53	0.006	<0.2	1.85	8	<10	120	0.6	<2	0.30	<0.5	11	34	32	2.55
S231584		0.43	0.007	0.3	2.18	16	<10	90	0.8	<2	0.21	<0.5	11	37	48	3.26
S231585		0.43	0.013	<0.2	2.03	22	<10	90	0.5	<2	0.20	<0.5	11	31	148	2.56
S231586		0.58	0.022	<0.2	2.06	12	<10	110	0.6	2	0.19	<0.5	11	34	148	3.36
S231587		0.48	0.012	<0.2	1.97	8	<10	100	0.5	<2	0.27	<0.5	10	35	30	2.95
S231588		0.42	0.012	0.4	1.91	9	<10	80	0.6	<2	0.18	<0.5	11	38	415	2.58
S231589		0.49	0.024	0.5	2.21	13	<10	90	0.6	<2	0.14	<0.5	11	39	674	3.25
S231590		0.48	0.027	0.4	2.16	10	<10	110	0.7	2	0.22	<0.5	11	37	163	3.04
S231591		0.53	0.011	0.2	2.38	8	<10	100	0.8	<2	0.34	<0.5	18	62	254	3.51
S231592		0.43	0.005	<0.2	2.18	8	<10	110	0.7	<2	0.16	<0.5	12	48	32	3.56
S231593		0.42	0.007	<0.2	1.72	10	<10	100	0.5	<2	0.11	<0.5	9	37	29	3.58
S231594		0.49	0.007	<0.2	2.27	8	<10	80	0.7	<2	0.14	<0.5	10	36	31	2.72
S231595		0.38	0.005	0.2	2.25	8	<10	70	0.8	<2	0.12	<0.5	7	35	33	3.01
S231596		0.56	0.005	<0.2	1.98	9	<10	100	0.6	<2	0.17	<0.5	10	34	34	2.68
S231597		0.46	0.005	<0.2	2.17	10	<10	110	0.6	<2	0.13	<0.5	12	39	27	3.53
S231598		0.61	0.006	<0.2	2.02	7	<10	70	0.5	<2	0.14	<0.5	8	36	23	2.63
S231599		0.58	0.011	<0.2	1.50	4	<10	120	<0.5	<2	0.37	<0.5	8	42	35	2.08
S231600		0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	16	7	0.03
S231601		0.46	0.007	<0.2	2.28	9	<10	180	0.7	<2	0.21	<0.5	12	58	62	2.71
S231602		0.42	0.025	<0.2	2.42	22	<10	100	0.7	<2	0.15	<0.5	18	53	98	3.09
S231603		0.36	0.008	<0.2	2.19	17	<10	120	0.5	<2	0.24	<0.5	11	42	37	3.37
S231604		0.41	0.008	<0.2	1.71	21	<10	100	<0.5	<2	0.15	<0.5	9	38	39	3.08
S231605		0.44	<0.005	<0.2	1.38	32	10	120	<0.5	<2	0.25	<0.5	42	493	25	3.85
S231606		0.59	0.006	<0.2	1.74	18	<10	180	<0.5	<2	0.40	<0.5	17	73	40	2.93
S231607		0.68	0.008	<0.2	1.97	10	<10	160	0.6	<2	0.39	<0.5	10	66	39	2.71
S231608		0.54	0.007	<0.2	2.23	7	<10	140	0.7	<2	0.41	<0.5	10	64	45	2.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 5 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231569		10	<1	0.07	10	0.50	333	<1	0.01	27	420	11	0.03	<2	3	25
S231570		<10	<1	0.05	<10	0.07	45	<1	0.03	2	490	<2	0.01	<2	<1	11
S231571		10	<1	0.11	10	0.69	314	1	0.01	35	370	12	0.02	<2	4	16
S231572		10	<1	0.07	10	0.57	434	1	0.01	33	310	33	0.02	<2	4	17
S231573		10	<1	0.10	10	0.72	301	<1	0.01	43	470	13	0.04	<2	4	16
S231574		10	<1	0.14	10	0.75	304	<1	0.01	47	430	6	0.02	<2	5	27
S231575		10	<1	0.14	10	0.78	307	<1	0.01	49	420	8	0.02	<2	5	26
S231576		10	<1	0.18	10	1.22	353	<1	0.02	105	700	6	0.04	3	5	38
S231577		10	<1	0.22	10	1.10	378	<1	0.01	54	530	5	0.03	<2	4	42
S231578		10	<1	0.16	10	0.90	528	1	0.03	44	990	10	0.13	3	3	32
S231579		10	<1	0.19	10	0.96	488	<1	0.02	71	580	8	0.06	12	6	44
S231580		10	<1	0.29	10	0.81	454	<1	0.02	38	780	12	0.07	<2	5	49
S231581		10	<1	0.06	10	0.16	105	1	0.01	11	370	13	0.03	<2	1	11
S231582		10	<1	0.16	10	0.69	359	<1	0.01	25	540	8	0.03	<2	4	30
S231583		10	<1	0.15	10	0.64	366	<1	0.01	24	770	4	0.02	<2	4	25
S231584		10	<1	0.08	10	0.52	348	<1	0.01	26	560	19	0.06	<2	2	23
S231585		10	<1	0.09	10	0.56	304	<1	0.01	23	400	2	0.04	2	3	20
S231586		10	<1	0.07	10	0.49	275	<1	0.01	24	450	7	0.04	<2	3	22
S231587		10	<1	0.10	10	0.52	325	<1	0.01	22	740	5	0.04	2	3	22
S231588		10	<1	0.14	10	0.64	324	<1	0.01	25	380	10	0.04	<2	4	25
S231589		10	<1	0.10	10	0.57	318	1	0.01	23	480	6	0.05	<2	3	21
S231590		10	<1	0.08	10	0.61	403	1	0.01	24	530	5	0.06	<2	3	24
S231591		10	<1	0.30	10	1.20	593	1	0.01	42	770	5	0.03	<2	6	59
S231592		10	<1	0.17	10	0.75	361	<1	0.01	30	420	4	0.03	<2	4	17
S231593		10	<1	0.09	10	0.53	387	2	0.01	24	410	10	0.04	2	2	14
S231594		10	<1	0.15	10	0.58	267	<1	0.01	24	330	6	0.04	2	3	14
S231595		10	<1	0.10	10	0.52	257	1	<0.01	19	450	8	0.05	2	3	13
S231596		10	<1	0.11	10	0.58	302	<1	0.01	22	320	5	0.03	<2	3	17
S231597		10	<1	0.07	10	0.56	363	1	0.01	23	320	11	0.02	2	3	15
S231598		10	<1	0.09	10	0.59	236	<1	<0.01	19	190	12	0.01	<2	4	15
S231599		<10	<1	0.20	10	0.62	221	<1	0.02	22	660	5	0.01	<2	4	30
S231600		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	12	10	<2	0.03	<2	<1	1
S231601		10	<1	0.21	10	0.85	340	<1	0.02	35	350	13	0.02	<2	5	19
S231602		10	<1	0.21	10	0.81	330	1	0.01	57	250	10	0.02	3	5	20
S231603		10	1	0.08	10	0.68	298	1	0.01	58	300	10	0.03	2	4	19
S231604		10	<1	0.04	10	0.48	332	1	0.01	33	400	7	0.04	2	2	18
S231605		<10	<1	0.05	10	7.21	644	<1	0.01	891	620	4	0.06	3	6	21
S231606		10	<1	0.30	10	1.53	320	<1	0.02	128	830	4	0.01	5	5	32
S231607		10	1	0.25	20	0.99	225	<1	0.01	45	700	4	0.01	2	6	38
S231608		10	1	0.27	10	0.91	203	<1	0.01	38	590	6	0.01	<2	6	44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 5 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231569		<20	0.09	<10	<10	69	<10	62
S231570		<20	0.03	<10	<10	17	<10	9
S231571		<20	0.12	<10	<10	73	<10	69
S231572		<20	0.10	<10	<10	80	<10	69
S231573		<20	0.10	<10	<10	71	<10	60
S231574		<20	0.14	<10	<10	77	<10	56
S231575		<20	0.15	<10	<10	79	<10	57
S231576		<20	0.15	<10	<10	70	<10	55
S231577		<20	0.19	<10	<10	77	<10	52
S231578		<20	0.11	<10	<10	70	<10	64
S231579		<20	0.15	<10	<10	86	<10	68
S231580		<20	0.12	<10	<10	70	<10	62
S231581		<20	0.06	<10	<10	61	<10	50
S231582		<20	0.13	<10	<10	68	<10	64
S231583		<20	0.12	<10	<10	54	<10	49
S231584		<20	0.10	<10	<10	71	<10	68
S231585		<20	0.10	<10	<10	51	<10	46
S231586		<20	0.10	<10	<10	68	<10	56
S231587		<20	0.11	<10	<10	59	<10	62
S231588		<20	0.11	<10	<10	55	<10	57
S231589		<20	0.11	<10	<10	70	10	53
S231590		<20	0.10	<10	<10	66	<10	60
S231591		<20	0.17	<10	<10	80	<10	73
S231592		<20	0.16	<10	<10	77	<10	61
S231593		<20	0.11	<10	<10	82	<10	66
S231594		<20	0.13	<10	<10	58	<10	46
S231595		<20	0.13	<10	<10	67	<10	42
S231596		<20	0.12	<10	<10	59	<10	43
S231597		<20	0.12	<10	<10	79	<10	77
S231598		<20	0.12	<10	<10	64	<10	45
S231599		<20	0.14	<10	<10	45	<10	36
S231600		<20	<0.01	<10	<10	<1	<10	3
S231601		<20	0.18	<10	<10	66	<10	52
S231602		<20	0.13	<10	<10	59	<10	59
S231603		<20	0.11	<10	<10	71	<10	55
S231604		<20	0.10	<10	<10	81	<10	52
S231605		<20	0.05	<10	<10	49	<10	57
S231606		<20	0.20	<10	<10	72	<10	51
S231607		<20	0.19	<10	<10	66	<10	40
S231608		<20	0.18	<10	<10	58	<10	40



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 6 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231609		0.44	0.005	0.3	0.94	9	<10	80	<0.5	<2	0.11	<0.5	5	18	22	2.41
S231610		0.48	<0.005	0.2	1.87	10	<10	60	0.8	<2	0.11	<0.5	7	30	20	2.68
S231611		0.38	0.005	0.2	2.27	9	<10	70	0.7	<2	0.16	<0.5	8	35	20	2.73
S231612		0.45	<0.005	0.4	1.86	12	<10	70	0.5	<2	0.17	<0.5	8	46	13	2.83
S231613		0.55	<0.005	<0.2	2.00	14	<10	160	0.5	<2	0.16	<0.5	9	36	20	3.80
S231614		0.52	<0.005	<0.2	1.30	11	<10	90	<0.5	<2	0.20	<0.5	7	25	11	3.05
S231615		0.44	0.005	0.6	2.39	14	<10	180	2.5	<2	0.53	<0.5	14	45	59	3.46
S231616		0.46	<0.005	<0.2	2.00	8	<10	110	0.5	<2	0.22	0.5	13	50	36	2.94
S231617		0.50	0.005	<0.2	2.19	9	<10	120	<0.5	<2	0.21	<0.5	10	48	25	3.09
S231618		0.62	<0.005	<0.2	1.90	7	<10	90	0.5	<2	0.22	<0.5	10	41	23	2.84
S231619		0.56	<0.005	<0.2	2.05	9	<10	110	<0.5	<2	0.21	<0.5	10	47	18	3.23
S231620		0.45	<0.005	0.2	1.70	9	<10	140	<0.5	<2	0.23	<0.5	12	32	20	2.56
S231621		0.53	0.006	0.2	1.85	17	<10	140	0.5	<2	0.24	<0.5	9	39	49	2.64
S231622		0.40	0.008	0.2	1.58	8	<10	140	<0.5	<2	0.43	<0.5	10	32	52	2.64
S231623		0.52	<0.005	0.2	2.27	11	<10	100	0.6	<2	0.29	<0.5	12	47	34	3.24
S231624		0.46	<0.005	0.2	1.72	7	<10	150	<0.5	<2	0.23	<0.5	10	34	22	2.96
S231625		0.60	<0.005	<0.2	1.44	7	<10	80	0.5	<2	0.27	<0.5	7	31	28	2.21
S231626		0.56	0.005	<0.2	1.90	8	<10	130	0.5	<2	0.25	<0.5	8	34	39	2.67
S231627		0.51	0.005	0.4	2.19	8	<10	170	0.6	<2	0.28	<0.5	7	39	56	2.71
S231628		0.41	<0.005	0.9	1.29	7	<10	90	0.5	<2	0.23	<0.5	5	21	98	1.96
S231629		0.37	0.008	1.0	1.54	8	<10	120	0.6	<2	0.25	0.6	7	25	138	2.22
S231630		0.18	0.005	0.9	0.99	5	<10	90	<0.5	<2	0.29	0.8	7	15	158	1.30
S231631		0.42	<0.005	0.2	1.96	10	<10	140	0.5	<2	0.16	<0.5	9	38	31	3.33
S231632		0.46	<0.005	<0.2	2.12	11	<10	130	0.7	<2	0.19	<0.5	12	43	26	3.87
S231633		0.42	0.005	<0.2	2.56	9	<10	130	0.8	<2	0.21	<0.5	14	33	41	3.29
S231634		0.46	<0.005	0.2	1.91	12	<10	100	0.7	3	0.16	<0.5	9	32	23	3.72
S231635		0.47	<0.005	<0.2	1.89	14	<10	100	0.6	<2	0.15	<0.5	8	33	26	3.73
S231636		0.48	<0.005	0.2	1.89	10	<10	110	0.7	<2	0.18	<0.5	8	31	28	3.21
S231637		0.46	<0.005	0.3	1.72	7	<10	60	0.8	<2	0.18	<0.5	8	31	23	2.63
S231638		0.39	0.006	0.2	1.97	11	<10	70	1.2	2	0.15	<0.5	9	30	25	2.78
S231639		0.54	<0.005	<0.2	2.39	11	<10	90	0.9	<2	0.18	<0.5	12	36	23	3.13
S231640		0.47	<0.005	<0.2	1.53	9	<10	70	0.7	<2	0.12	<0.5	7	26	27	2.84
S231641		0.56	<0.005	<0.2	1.24	4	<10	40	1.5	<2	0.28	<0.5	3	14	8	1.44
S231642		0.51	0.005	<0.2	1.77	6	<10	50	1.0	<2	0.18	<0.5	8	26	19	2.46
S231643		0.70	0.005	<0.2	2.36	8	<10	90	1.1	<2	0.22	0.5	11	36	23	2.97
S231644		0.57	<0.005	<0.2	2.12	7	<10	70	1.3	<2	0.29	<0.5	7	27	16	2.51
S231645		0.46	0.006	<0.2	1.98	11	<10	70	0.9	<2	0.16	<0.5	9	34	26	3.45
S231646		0.39	0.006	<0.2	1.94	12	<10	100	1.5	<2	0.16	0.5	13	33	45	3.41
S231647		0.49	<0.005	<0.2	2.64	8	<10	110	2.8	<2	0.37	<0.5	17	70	29	3.96
S231648		0.46	<0.005	<0.2	1.04	5	<10	70	0.6	<2	0.16	<0.5	8	23	26	3.21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 6 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
S231609		10	<1	0.05	10	0.15	148	2	<0.01	14	220	14	0.01	<2	2
S231610		10	1	0.06	10	0.37	235	<1	<0.01	17	300	20	0.01	<2	2
S231611		10	<1	0.07	10	0.46	306	1	0.01	20	400	20	0.02	<2	3
S231612		10	<1	0.10	10	0.76	235	1	0.01	41	270	14	0.02	<2	4
S231613		10	<1	0.08	10	0.50	365	1	<0.01	25	310	15	0.01	<2	3
S231614		10	1	0.19	10	0.45	346	1	0.01	16	470	11	0.02	<2	2
S231615		10	<1	0.12	30	0.60	1150	1	0.01	31	910	29	0.04	<2	4
S231616		10	<1	0.17	10	0.77	506	<1	0.01	28	560	7	0.02	2	4
S231617		10	<1	0.10	10	0.81	234	<1	0.01	27	320	7	0.01	<2	4
S231618		10	<1	0.09	10	0.66	271	1	0.01	23	400	8	0.02	<2	3
S231619		10	<1	0.12	10	0.70	257	<1	0.01	27	470	7	0.01	2	3
S231620		10	<1	0.12	10	0.55	391	1	0.01	19	450	6	0.01	<2	3
S231621		10	<1	0.14	10	0.66	251	1	0.01	33	500	7	0.02	<2	4
S231622		10	<1	0.19	10	0.50	466	2	0.01	21	480	9	0.04	<2	2
S231623		10	<1	0.24	10	0.77	397	1	0.01	26	460	10	0.02	2	4
S231624		10	<1	0.13	10	0.62	504	1	0.01	17	520	9	0.01	2	3
S231625		10	<1	0.13	10	0.59	265	<1	0.01	16	430	11	0.01	<2	3
S231626		10	<1	0.11	10	0.65	322	4	0.01	18	450	9	0.01	<2	4
S231627		10	<1	0.12	10	0.68	238	5	0.01	20	420	16	0.03	<2	4
S231628		<10	1	0.04	10	0.32	251	3	0.02	12	690	19	0.05	<2	1
S231629		10	<1	0.05	10	0.38	299	3	0.01	16	650	27	0.04	<2	1
S231630		<10	<1	0.04	10	0.22	302	2	0.02	8	780	13	0.05	<2	1
S231631		10	<1	0.09	10	0.59	260	2	0.01	21	390	8	0.03	3	3
S231632		10	<1	0.22	10	0.68	347	1	0.01	25	470	10	0.02	<2	4
S231633		10	1	0.06	10	0.72	328	<1	0.01	34	380	15	0.03	<2	3
S231634		10	<1	0.06	10	0.50	395	1	0.01	23	440	9	0.04	<2	3
S231635		10	<1	0.05	10	0.44	268	2	0.01	21	340	16	0.03	<2	3
S231636		10	<1	0.05	20	0.46	402	1	0.01	24	380	20	0.04	<2	2
S231637		10	<1	0.06	20	0.50	310	1	0.01	21	390	14	0.04	<2	2
S231638		10	1	0.05	20	0.49	411	1	0.01	22	580	22	0.06	<2	2
S231639		10	<1	0.08	10	0.61	452	1	0.01	26	580	10	0.05	2	3
S231640		10	<1	0.05	10	0.38	327	1	0.01	16	560	14	0.05	<2	1
S231641		10	<1	0.07	50	0.23	241	<1	0.01	8	170	12	0.01	<2	2
S231642		10	1	0.05	50	0.39	332	<1	0.01	18	400	15	0.03	2	2
S231643		10	1	0.07	20	0.62	528	1	0.01	27	500	12	0.04	2	3
S231644		10	<1	0.06	60	0.45	475	<1	0.01	20	300	16	0.02	<2	2
S231645		10	<1	0.07	20	0.56	385	1	0.01	24	370	19	0.03	<2	3
S231646		10	1	0.06	30	0.55	1040	1	0.01	25	950	25	0.09	<2	1
S231647		10	1	0.07	60	1.02	1660	1	0.02	40	730	43	0.04	2	4
S231648		10	<1	0.04	10	0.29	410	1	0.01	15	810	14	0.08	<2	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 6 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231609		<20	0.09	<10	<10	84	<10	40
S231610		<20	0.05	<10	<10	50	<10	43
S231611		<20	0.08	<10	<10	60	<10	56
S231612		<20	0.10	<10	<10	61	<10	55
S231613		<20	0.11	<10	<10	86	<10	58
S231614		<20	0.12	<10	<10	65	<10	71
S231615		<20	0.06	<10	10	73	<10	74
S231616		<20	0.14	<10	<10	63	<10	68
S231617		<20	0.11	<10	<10	69	<10	53
S231618		<20	0.09	<10	<10	62	<10	55
S231619		<20	0.11	<10	<10	74	<10	58
S231620		<20	0.10	<10	<10	63	<10	54
S231621		<20	0.11	<10	<10	62	<10	56
S231622		<20	0.08	<10	<10	56	10	44
S231623		<20	0.13	<10	<10	72	<10	54
S231624		<20	0.12	<10	<10	68	<10	57
S231625		<20	0.10	<10	<10	47	<10	44
S231626		<20	0.13	<10	<10	69	<10	47
S231627		<20	0.12	<10	<10	70	<10	53
S231628		<20	0.05	<10	<10	54	<10	38
S231629		<20	0.06	<10	<10	59	<10	45
S231630		<20	0.04	<10	<10	33	<10	32
S231631		<20	0.11	<10	<10	72	<10	76
S231632		<20	0.16	<10	<10	78	<10	79
S231633		<20	0.15	<10	<10	68	<10	64
S231634		<20	0.11	<10	<10	81	<10	83
S231635		<20	0.11	<10	<10	82	<10	77
S231636		<20	0.09	<10	<10	67	<10	99
S231637		<20	0.09	<10	<10	56	<10	63
S231638		<20	0.07	<10	<10	59	<10	95
S231639		<20	0.10	<10	<10	61	<10	70
S231640		<20	0.06	<10	<10	64	<10	90
S231641		<20	0.04	<10	<10	21	<10	80
S231642		<20	0.09	<10	<10	48	<10	80
S231643		<20	0.10	<10	<10	62	<10	78
S231644		<20	0.06	<10	<10	45	<10	97
S231645		<20	0.10	<10	<10	74	<10	114
S231646		<20	0.06	<10	<10	68	<10	127
S231647		<20	0.06	<10	<10	77	<10	140
S231648		<20	0.07	<10	<10	84	<10	83



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 7 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231649		0.40	<0.005	<0.2	1.74	8	<10	90	1.1	<2	0.19	0.6	9	31	25	2.89
S231650		0.08	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.03
S231651		0.53	<0.005	<0.2	1.75	10	<10	90	1.2	<2	0.22	0.5	9	30	23	2.81
S231652		0.48	0.006	<0.2	1.88	11	<10	110	1.0	<2	0.25	0.6	12	34	27	3.29
S231653		0.51	0.005	<0.2	2.21	14	<10	110	1.0	<2	0.23	0.5	14	37	27	3.23
S231654		0.52	<0.005	<0.2	2.06	9	<10	80	1.0	<2	0.18	<0.5	9	32	19	2.39
S231655		0.51	<0.005	<0.2	1.98	10	<10	70	1.0	<2	0.19	<0.5	10	32	23	2.79
S231656		0.54	<0.005	<0.2	1.96	13	<10	100	1.4	<2	0.23	0.6	13	35	27	3.19
S231657		0.52	<0.005	0.2	1.84	11	<10	90	1.5	<2	0.25	0.6	12	29	30	2.62
S231658		0.47	<0.005	<0.2	1.24	7	<10	50	2.2	<2	0.20	<0.5	7	18	20	2.00
S231659		0.50	0.007	<0.2	1.96	10	<10	60	1.8	<2	0.15	<0.5	9	34	18	3.17
S231660		0.49	<0.005	<0.2	1.03	4	<10	30	3.4	<2	0.22	<0.5	3	14	10	1.66
S231661		0.49	<0.005	0.2	1.34	6	<10	90	1.0	<2	0.20	<0.5	7	23	26	2.36
S231662		0.46	<0.005	<0.2	1.72	10	<10	130	0.9	<2	0.14	<0.5	10	28	30	3.31
S231663		0.42	<0.005	<0.2	1.05	6	<10	60	0.6	<2	0.16	<0.5	8	18	19	2.90
S231664		0.47	<0.005	0.6	2.01	8	<10	50	1.3	<2	0.14	<0.5	8	32	27	2.62
S231665		0.37	<0.005	0.3	2.20	12	<10	100	0.8	<2	0.21	0.6	10	39	211	3.57
S231666		0.44	0.005	0.2	1.93	7	<10	70	0.9	<2	0.16	<0.5	7	26	57	3.07
S231667		0.56	0.008	0.2	2.32	6	<10	80	1.0	2	0.17	<0.5	11	33	36	3.36
S231668		0.54	<0.005	0.2	1.79	7	<10	70	1.0	<2	0.16	<0.5	7	23	25	2.46
S231669		0.50	<0.005	0.2	2.27	9	<10	90	1.4	3	0.21	0.6	11	42	27	3.65
S231670		0.38	0.005	0.2	2.06	9	<10	60	1.5	<2	0.16	0.6	9	29	27	2.70
S231671		0.41	<0.005	<0.2	2.17	10	<10	60	0.7	2	0.15	<0.5	10	36	22	3.07
S231672		0.43	0.005	0.2	2.14	8	<10	50	0.9	<2	0.13	0.6	8	30	22	2.68
S231673		0.43	<0.005	0.2	1.56	4	<10	50	1.1	2	0.15	<0.5	8	26	14	2.44
S231674		0.55	<0.005	<0.2	1.32	7	<10	70	0.6	2	0.13	<0.5	6	22	17	2.44
S231675		0.49	0.006	<0.2	1.88	7	<10	60	1.0	<2	0.13	0.5	6	27	20	2.59
S231676		0.43	<0.005	<0.2	1.81	13	<10	110	<0.5	<2	0.16	<0.5	6	30	17	3.96
S231677		0.48	<0.005	<0.2	2.12	14	<10	140	<0.5	<2	0.25	0.5	11	37	28	4.03
S231678		0.52	<0.005	<0.2	1.05	4	<10	90	<0.5	<2	0.30	<0.5	5	18	30	2.09
S231679		0.38	<0.005	0.3	0.77	3	<10	70	<0.5	2	0.25	<0.5	4	11	37	1.50
S231680		0.31	0.043	0.7	0.72	<2	<10	80	<0.5	2	0.36	<0.5	2	12	64	0.88
S231681		0.27	0.014	1.2	1.72	6	<10	220	0.6	<2	0.67	0.8	10	26	110	2.29
S231682		0.39	0.005	0.8	1.74	5	<10	170	<0.5	<2	0.30	<0.5	10	27	55	2.49
S231683		0.45	<0.005	0.3	0.82	3	<10	80	<0.5	<2	0.22	<0.5	4	13	23	1.33
S231684		0.35	<0.005	0.7	1.70	5	<10	140	0.6	<2	0.35	<0.5	5	22	83	1.89
S231685		0.41	<0.005	0.3	1.61	5	<10	120	0.6	<2	0.33	<0.5	12	22	41	2.34
S231686		0.35	<0.005	0.2	1.32	3	<10	130	<0.5	2	0.28	<0.5	7	22	18	2.12
S231687		0.48	<0.005	0.3	1.79	6	<10	170	<0.5	<2	0.32	0.5	8	30	32	2.71
S231688		0.33	<0.005	1.0	1.26	8	<10	130	<0.5	2	0.28	0.6	6	24	81	2.00



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 7 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231649		10	<1	0.04	40	0.50	496	1	0.01	23	490	19	0.04	<2	2	19
S231650		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1	1
S231651		10	<1	0.06	30	0.51	565	1	0.01	25	590	16	0.05	3	2	19
S231652		10	<1	0.07	20	0.59	669	1	0.01	28	730	16	0.06	<2	2	22
S231653		10	<1	0.08	20	0.63	851	1	0.01	28	790	16	0.07	<2	2	21
S231654		10	<1	0.05	20	0.53	569	<1	0.01	22	290	12	0.02	<2	3	16
S231655		10	<1	0.06	20	0.52	555	1	0.01	23	490	12	0.05	<2	2	17
S231656		10	<1	0.07	20	0.57	1230	1	0.01	28	810	50	0.09	<2	2	22
S231657		10	<1	0.06	20	0.54	891	1	0.01	25	1020	26	0.11	<2	1	23
S231658		<10	1	0.06	20	0.37	503	<1	0.01	16	760	17	0.06	<2	1	18
S231659		10	<1	0.06	70	0.52	492	1	0.01	25	580	24	0.04	<2	2	13
S231660		10	<1	0.06	130	0.20	379	<1	0.01	11	520	23	0.01	<2	2	19
S231661		10	<1	0.05	20	0.33	385	1	0.01	17	730	15	0.08	<2	1	21
S231662		10	<1	0.06	10	0.42	486	2	0.01	23	470	17	0.04	<2	2	18
S231663		10	<1	0.04	10	0.31	350	<1	0.01	12	430	9	0.04	<2	1	16
S231664		10	<1	0.05	20	0.46	397	2	0.01	22	520	18	0.05	<2	2	18
S231665		10	1	0.05	20	0.61	616	2	0.02	24	500	19	0.08	2	3	20
S231666		10	1	0.05	10	0.50	398	2	0.01	19	510	18	0.05	2	2	15
S231667		10	1	0.04	20	0.63	448	1	0.02	25	450	12	0.05	<2	3	32
S231668		10	1	0.05	30	0.40	423	1	0.02	19	420	35	0.05	<2	1	15
S231669		10	<1	0.06	10	0.73	575	2	0.02	31	510	27	0.06	<2	2	30
S231670		10	1	0.04	40	0.46	448	2	0.02	23	410	46	0.05	2	2	15
S231671		10	1	0.06	10	0.55	398	2	0.02	24	380	20	0.04	2	3	14
S231672		10	<1	0.05	20	0.47	489	2	0.01	21	410	29	0.04	<2	3	13
S231673		10	1	0.08	50	0.46	494	1	0.01	14	380	11	0.03	2	3	13
S231674		10	1	0.05	20	0.33	323	2	0.01	17	410	22	0.05	3	2	13
S231675		10	1	0.04	30	0.39	327	1	0.01	21	380	36	0.04	2	2	12
S231676		10	1	0.05	10	0.43	232	8	0.02	15	360	11	0.03	<2	3	25
S231677		10	1	0.05	10	0.64	429	4	0.02	24	370	8	0.03	<2	4	29
S231678		<10	<1	0.04	10	0.33	225	5	0.03	10	490	8	0.03	<2	2	32
S231679		<10	1	0.03	10	0.18	191	3	0.03	6	740	3	0.04	<2	1	23
S231680		<10	1	0.03	20	0.11	193	3	0.04	5	960	<2	0.09	<2	2	37
S231681		10	<1	0.06	20	0.35	535	4	0.03	17	1270	12	0.14	<2	2	75
S231682		10	1	0.07	10	0.37	765	5	0.03	14	1000	8	0.08	<2	3	35
S231683		<10	1	0.04	10	0.20	123	1	0.04	7	610	<2	0.04	<2	1	22
S231684		10	1	0.08	10	0.32	284	2	0.03	13	880	9	0.06	<2	2	37
S231685		10	<1	0.08	10	0.32	892	2	0.03	15	730	7	0.03	<2	2	30
S231686		10	<1	0.12	10	0.36	347	2	0.03	12	560	6	0.04	2	2	28
S231687		10	1	0.09	10	0.56	242	1	0.02	20	580	15	0.02	<2	3	38
S231688		<10	1	0.07	10	0.37	214	2	0.02	18	420	7	0.03	2	2	32



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 7 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231649		<20	0.08	<10	<10	64	<10	103
S231650		<20	<0.01	<10	<10	<1	<10	2
S231651		<20	0.07	<10	<10	58	<10	100
S231652		<20	0.07	<10	<10	64	<10	117
S231653		<20	0.08	<10	<10	64	<10	101
S231654		<20	0.10	<10	<10	56	<10	68
S231655		<20	0.08	<10	<10	60	<10	83
S231656		<20	0.06	<10	<10	55	<10	157
S231657		<20	0.05	<10	<10	51	<10	101
S231658		<20	0.05	<10	<10	40	<10	97
S231659		<20	0.05	<10	<10	63	<10	97
S231660		<20	0.05	<10	<10	28	<10	107
S231661		<20	0.06	<10	<10	54	<10	93
S231662		<20	0.08	<10	<10	64	<10	109
S231663		<20	0.12	<10	<10	80	<10	77
S231664		<20	0.10	<10	<10	78	<10	113
S231665		<20	0.10	<10	<10	74	<10	126
S231666		<20	0.05	<10	<10	58	<10	111
S231667		<20	0.11	<10	<10	69	<10	77
S231668		<20	0.07	<10	<10	52	<10	100
S231669		<20	0.07	<10	<10	67	<10	169
S231670		<20	0.07	<10	<10	55	<10	129
S231671		<20	0.10	<10	<10	62	<10	81
S231672		<20	0.08	<10	<10	54	<10	90
S231673		<20	0.07	<10	<10	49	<10	84
S231674		<20	0.07	<10	<10	51	<10	108
S231675		<20	0.07	<10	<10	52	<10	140
S231676		<20	0.15	<10	<10	94	<10	56
S231677		<20	0.13	<10	<10	83	<10	58
S231678		<20	0.08	<10	<10	55	<10	39
S231679		<20	0.06	<10	<10	44	<10	25
S231680		<20	0.03	<10	10	18	<10	13
S231681		<20	0.05	<10	<10	52	<10	44
S231682		<20	0.07	<10	<10	62	<10	42
S231683		<20	0.05	<10	<10	34	<10	26
S231684		<20	0.05	<10	<10	44	<10	33
S231685		<20	0.07	<10	<10	60	<10	42
S231686		<20	0.07	<10	<10	46	<10	42
S231687		<20	0.10	<10	<10	62	<10	66
S231688		<20	0.08	<10	<10	46	<10	43



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 8 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231689		0.36	<0.005	0.4	1.55	6	<10	230	0.5	2	0.35	0.5	10	40	50	2.40
S231690		0.46	0.007	<0.2	2.43	9	<10	130	0.5	2	0.25	<0.5	11	47	33	3.20
S231691		0.29	NSS	0.5	2.10	7	<10	150	1.1	3	0.37	0.9	16	30	112	2.57
S231692		0.38	<0.005	0.7	2.33	7	<10	140	0.7	2	0.53	0.6	13	36	62	2.78
S231693		0.38	0.013	0.4	1.27	7	<10	140	0.7	2	0.45	<0.5	4	24	57	1.65
S231694		0.37	0.042	0.5	1.55	22	<10	110	0.5	5	0.46	<0.5	11	42	121	2.39
S231695		0.42	<0.005	<0.2	1.54	14	<10	100	<0.5	3	0.29	<0.5	15	72	18	3.20
S231696		0.45	<0.005	<0.2	2.25	18	<10	190	0.5	<2	0.30	<0.5	13	59	26	3.49
S231697		0.43	0.007	0.2	1.85	28	<10	140	0.6	2	0.36	<0.5	17	58	72	2.99
S231698		0.39	<0.005	0.4	1.60	22	<10	140	0.7	2	1.26	<0.5	17	70	82	2.81
S231699		0.31	<0.005	<0.2	0.32	5	<10	40	<0.5	<2	0.81	<0.5	4	12	19	0.79
S231700		0.08	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	<1	0.03
S231701		0.32	<0.005	<0.2	0.47	6	<10	70	<0.5	4	0.68	<0.5	4	20	30	0.82
S231702		0.40	0.009	0.5	1.96	12	<10	190	0.7	<2	0.95	0.5	11	41	75	3.14
S231703		0.32	<0.005	0.5	2.53	8	<10	140	0.8	3	0.47	0.9	11	53	47	3.46
S231704		0.42	<0.005	0.4	2.77	9	<10	200	0.9	2	0.55	<0.5	14	42	64	3.37
S231705		0.46	<0.005	<0.2	1.52	5	<10	140	<0.5	2	0.26	<0.5	9	37	20	2.31
S231706		0.31	<0.005	0.7	1.79	8	<10	130	<0.5	<2	0.27	<0.5	7	28	76	2.23
S231707		0.42	<0.005	0.3	1.61	8	<10	110	<0.5	<2	0.24	<0.5	7	29	27	2.99
S231708		0.42	<0.005	0.5	0.93	6	<10	100	<0.5	2	0.42	<0.5	11	17	34	2.00
S231709		0.34	<0.005	0.4	1.97	<2	<10	230	0.5	2	0.68	<0.5	11	34	41	2.13
S231710		0.38	<0.005	0.4	2.36	5	<10	220	0.5	<2	0.41	0.8	7	32	34	2.34
S231711		0.45	<0.005	<0.2	1.98	6	<10	90	1.8	<2	0.19	0.5	10	34	21	2.92
S231712		0.49	<0.005	<0.2	1.96	6	<10	120	0.7	3	0.29	<0.5	11	36	32	2.99
S231713		0.43	0.008	<0.2	1.91	5	<10	90	0.9	<2	0.18	<0.5	8	30	23	3.11
S231714		0.44	<0.005	<0.2	1.61	4	<10	120	<0.5	<2	0.38	<0.5	8	26	36	2.38
S231715		0.46	<0.005	<0.2	1.61	2	<10	120	0.5	<2	0.37	<0.5	8	27	31	2.61
S231716		0.28	<0.005	0.3	1.84	5	<10	130	0.8	3	0.34	<0.5	9	25	51	2.33
S231717		0.42	0.008	<0.2	1.57	11	<10	100	<0.5	3	0.17	<0.5	7	31	23	3.58
S231718		0.38	<0.005	0.4	0.96	3	<10	70	<0.5	<2	0.12	<0.5	2	12	23	1.29
S231719		0.33	<0.005	1.9	1.79	6	<10	130	<0.5	2	0.24	3.4	12	28	154	2.87
S231720		0.32	<0.005	0.2	1.01	4	<10	80	<0.5	2	0.17	0.5	4	17	66	1.65
S231721		0.41	<0.005	<0.2	1.77	7	<10	90	0.5	<2	0.15	<0.5	9	30	28	2.92
S231722		0.37	<0.005	0.2	2.33	9	<10	120	0.8	2	0.21	<0.5	11	42	35	3.55
S231723		0.28	<0.005	0.3	2.52	14	<10	120	0.8	3	0.24	0.5	14	43	38	3.90
S231724		0.44	<0.005	<0.2	1.91	7	<10	130	0.5	2	0.26	<0.5	10	31	26	2.71
S231725		0.54	<0.005	<0.2	2.15	9	<10	130	0.6	<2	0.26	<0.5	9	36	24	3.05
S231726		0.47	<0.005	<0.2	2.23	9	<10	100	0.5	2	0.22	<0.5	11	43	33	3.26
S231727		0.37	<0.005	0.6	2.74	11	<10	160	0.7	3	0.39	<0.5	10	45	50	2.98
S231728		0.48	<0.005	0.3	2.14	11	<10	100	0.8	<2	0.20	<0.5	10	47	43	2.88



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 8 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231689		10	<1	0.12	10	0.54	268	1	0.03	40	620	5	0.04	<2	3	43
S231690		10	1	0.11	10	0.71	260	1	0.02	30	390	6	0.02	2	4	27
S231691		10	1	0.08	20	0.37	614	2	0.03	32	600	6	0.04	<2	4	49
S231692		10	1	0.14	10	0.53	565	1	0.03	27	840	9	0.06	<2	3	72
S231693		<10	<1	0.08	20	0.30	174	2	0.03	24	930	3	0.06	<2	3	44
S231694		<10	1	0.09	10	0.65	344	1	0.03	58	480	5	0.03	<2	4	37
S231695		10	1	0.16	10	1.53	301	1	0.02	117	350	7	0.01	<2	4	25
S231696		10	1	0.09	10	0.98	360	1	0.02	81	320	6	0.01	2	5	28
S231697		10	<1	0.21	10	0.99	493	1	0.03	144	380	8	0.01	<2	5	29
S231698		<10	1	0.13	20	1.45	332	1	0.03	325	740	7	0.08	3	5	69
S231699		<10	1	0.03	<10	0.53	156	1	0.04	83	640	<2	0.07	<2	1	41
S231700		<10	<1	<0.01	<10	<0.01	<5	1	0.01	<1	10	<2	0.04	<2	<1	1
S231701		<10	<1	0.02	<10	0.38	266	1	0.05	50	630	3	0.06	3	1	36
S231702		10	<1	0.09	10	0.50	897	2	0.03	46	950	4	0.08	4	4	71
S231703		10	<1	0.14	10	0.74	431	2	0.03	29	660	10	0.03	2	4	63
S231704		10	<1	0.15	20	0.63	501	2	0.03	30	690	7	0.03	<2	4	71
S231705		10	<1	0.11	10	0.61	285	1	0.02	22	330	5	<0.01	<2	3	26
S231706		10	1	0.08	10	0.43	203	2	0.03	18	600	6	0.03	<2	2	32
S231707		10	<1	0.09	10	0.48	242	2	0.02	16	570	10	0.01	4	3	25
S231708		<10	1	0.03	10	0.24	742	4	0.04	9	1140	4	0.07	<2	1	46
S231709		10	<1	0.12	20	0.64	957	2	0.02	18	970	11	0.03	<2	4	66
S231710		10	<1	0.10	10	0.52	306	3	0.03	17	680	12	0.05	<2	4	46
S231711		10	1	0.08	50	0.57	691	1	0.02	24	450	14	0.02	<2	4	17
S231712		10	<1	0.05	10	0.69	447	1	0.02	24	760	11	0.03	2	3	27
S231713		10	1	0.04	20	0.46	339	1	0.02	21	460	10	0.03	<2	2	18
S231714		10	<1	0.04	10	0.58	232	2	0.02	17	1000	4	0.03	<2	2	38
S231715		10	1	0.03	10	0.53	279	1	0.02	14	1260	5	0.04	<2	2	34
S231716		10	1	0.04	20	0.45	376	2	0.02	17	1350	6	0.14	<2	2	41
S231717		10	1	0.03	10	0.42	284	2	0.01	19	460	8	0.04	2	2	18
S231718		10	1	0.02	10	0.09	66	12	0.01	7	180	9	0.01	2	1	21
S231719		10	1	0.08	10	0.33	423	13	0.02	21	450	10	0.02	<2	3	29
S231720		10	<1	0.04	10	0.21	205	6	0.02	9	450	11	0.02	<2	2	24
S231721		10	<1	0.07	10	0.42	252	3	0.01	17	270	7	0.01	<2	3	17
S231722		10	<1	0.15	10	0.73	345	2	0.02	24	350	7	0.01	<2	4	22
S231723		10	<1	0.10	10	0.68	557	4	0.02	26	420	13	0.02	<2	4	27
S231724		10	1	0.11	10	0.51	474	2	0.02	19	350	8	0.01	<2	3	25
S231725		10	<1	0.12	10	0.61	353	2	0.02	20	320	6	0.01	<2	4	24
S231726		10	<1	0.17	10	0.68	306	2	0.02	28	460	5	0.02	<2	4	22
S231727		10	1	0.09	10	0.68	283	1	0.02	41	470	19	0.03	<2	4	42
S231728		10	<1	0.15	10	0.76	313	1	0.01	55	460	12	0.03	<2	3	22



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 8 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231689		<20	0.09	<10	<10	65	<10	42
S231690		<20	0.13	<10	<10	71	<10	49
S231691		<20	0.07	<10	<10	53	<10	38
S231692		<20	0.07	<10	<10	58	<10	55
S231693		<20	0.04	<10	<10	35	<10	35
S231694		<20	0.09	<10	<10	56	<10	43
S231695		<20	0.11	<10	<10	65	<10	58
S231696		<20	0.10	<10	<10	78	<10	64
S231697		<20	0.13	<10	<10	68	<10	52
S231698		<20	0.09	<10	<10	51	<10	46
S231699		<20	0.03	<10	<10	19	<10	14
S231700		<20	<0.01	<10	<10	<1	<10	<2
S231701		<20	0.04	<10	<10	20	<10	17
S231702		<20	0.06	<10	<10	66	<10	50
S231703		<20	0.09	<10	<10	73	<10	74
S231704		<20	0.09	<10	<10	73	<10	57
S231705		<20	0.12	<10	<10	60	<10	52
S231706		<20	0.07	<10	<10	53	<10	45
S231707		<20	0.11	<10	<10	78	<10	55
S231708		<20	0.04	<10	<10	58	<10	18
S231709		<20	0.10	<10	<10	40	<10	47
S231710		<20	0.09	<10	<10	49	<10	57
S231711		<20	0.09	<10	<10	59	<10	94
S231712		<20	0.11	<10	<10	68	<10	59
S231713		<20	0.08	<10	<10	65	<10	73
S231714		<20	0.11	<10	<10	57	<10	45
S231715		<20	0.09	<10	<10	65	<10	46
S231716		<20	0.05	<10	<10	49	<10	46
S231717		<20	0.10	<10	<10	82	<10	69
S231718		<20	0.08	<10	<10	50	<10	20
S231719		<20	0.11	<10	<10	70	10	37
S231720		<20	0.07	<10	<10	47	<10	27
S231721		<20	0.12	<10	<10	69	<10	46
S231722		<20	0.16	<10	<10	76	<10	62
S231723		<20	0.13	<10	<10	95	<10	55
S231724		<20	0.11	<10	<10	62	<10	48
S231725		<20	0.12	<10	<10	66	<10	54
S231726		<20	0.13	<10	<10	71	<10	58
S231727		<20	0.09	<10	<10	60	<10	61
S231728		<20	0.08	<10	<10	62	<10	75



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 9 - A
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231729		0.44	0.011	0.2	2.25	10	<10	110	0.5	2	0.14	<0.5	12	41	64	3.29
S231730		0.41	<0.005	<0.2	2.66	10	<10	230	0.7	2	0.23	<0.5	12	152	37	3.47
S231731		0.54	<0.005	<0.2	2.04	11	<10	120	<0.5	3	0.24	<0.5	12	61	47	3.29
S231732		0.54	<0.005	<0.2	1.91	8	<10	120	0.5	2	0.41	<0.5	12	50	39	2.58
S231733		0.44	<0.005	<0.2	2.55	8	<10	150	0.6	<2	0.29	<0.5	10	55	41	3.45
S231734		0.46	<0.005	<0.2	2.59	5	<10	160	0.7	3	0.36	<0.5	14	69	70	3.13
S231735		0.41	<0.005	<0.2	1.83	8	<10	120	0.6	<2	0.15	<0.5	8	29	15	2.68
S231736		0.46	<0.005	<0.2	2.81	11	<10	140	1.1	<2	0.23	0.6	12	41	27	3.19
S231737		0.45	<0.005	0.2	1.69	13	<10	80	<0.5	<2	0.12	<0.5	6	28	19	3.42
S231738		0.35	<0.005	0.6	1.91	10	<10	110	1.0	<2	0.14	<0.5	6	32	27	3.25
S231739		0.47	<0.005	0.2	2.18	9	<10	160	0.8	<2	0.39	<0.5	11	37	27	2.93
S231740		0.38	<0.005	<0.2	1.46	4	<10	110	<0.5	<2	0.29	<0.5	7	27	22	2.35
S231741		0.47	<0.005	<0.2	1.15	4	<10	70	<0.5	<2	0.19	<0.5	6	22	21	2.42
S231742		0.40	<0.005	<0.2	1.44	6	<10	120	<0.5	<2	0.28	<0.5	5	21	30	2.00
S231743		0.51	0.021	<0.2	1.23	5	<10	70	<0.5	<2	0.24	<0.5	7	31	18	2.86
S231744		0.48	<0.005	<0.2	1.44	3	<10	90	<0.5	<2	0.32	<0.5	9	27	21	2.36
S231745		0.50	<0.005	<0.2	1.66	5	<10	130	0.5	<2	0.25	<0.5	8	27	25	2.58
S231746		0.55	<0.005	<0.2	1.57	5	<10	130	0.5	<2	0.29	<0.5	8	27	19	2.37
S231747		0.35	0.008	0.4	2.39	8	<10	210	1.0	<2	0.21	<0.5	12	30	53	2.74
S231748		0.49	<0.005	0.2	1.67	5	<10	150	<0.5	<2	0.26	0.6	9	34	15	1.97
S231749		0.51	<0.005	<0.2	1.84	4	<10	170	0.5	<2	0.44	<0.5	8	32	19	2.83
S231750		0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	1	0.03
S231751		0.58	<0.005	<0.2	1.58	2	<10	310	<0.5	<2	0.42	<0.5	8	29	17	2.43
S231752		0.51	<0.005	<0.2	1.50	4	<10	110	<0.5	<2	0.34	<0.5	7	34	29	2.71
S231753		0.35	<0.005	0.3	2.11	6	<10	210	0.6	<2	0.62	<0.5	9	28	58	2.41
S231754		0.38	<0.005	<0.2	1.53	5	<10	130	<0.5	2	0.25	<0.5	7	19	17	2.11
S231755		0.53	<0.005	0.2	1.97	6	<10	150	0.5	<2	0.32	<0.5	10	35	18	2.86
S231756		0.60	0.008	<0.2	1.19	3	<10	120	<0.5	<2	0.42	<0.5	6	29	17	2.61
S231757		0.50	<0.005	0.2	1.64	5	<10	150	<0.5	<2	0.30	<0.5	12	36	22	2.85
S231758		0.58	<0.005	0.2	1.24	5	<10	130	<0.5	<2	0.41	<0.5	7	24	16	2.48
S231759		0.61	0.018	<0.2	1.43	2	<10	240	<0.5	<2	0.51	<0.5	8	31	18	2.72
S231760		0.42	<0.005	0.7	2.84	8	<10	300	0.7	<2	0.43	<0.5	10	48	35	3.98
S231761		0.55	<0.005	0.2	1.48	4	<10	150	<0.5	<2	0.27	<0.5	7	28	18	2.38
S231762		0.41	<0.005	0.2	1.27	8	<10	80	<0.5	<2	0.15	<0.5	5	24	15	2.46



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 9 - B
Total # Pages: 9 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231729		10	1	0.11	10	0.71	272	2	0.01	35	360	7	0.02	2	4	18
S231730		10	<1	0.16	10	1.21	319	1	0.02	69	430	6	0.01	3	5	21
S231731		10	1	0.23	10	0.94	263	1	0.01	79	340	5	0.01	<2	4	26
S231732		10	<1	0.11	10	0.86	297	1	0.02	43	850	6	<0.01	<2	5	37
S231733		10	1	0.21	10	0.95	279	1	0.01	41	460	8	<0.01	<2	5	35
S231734		10	1	0.29	10	1.10	304	1	0.02	35	570	4	<0.01	<2	6	45
S231735		10	1	0.05	10	0.42	226	1	0.01	21	240	8	<0.01	<2	3	16
S231736		10	1	0.08	10	0.62	389	1	0.01	38	340	17	0.01	<2	4	20
S231737		10	<1	0.05	10	0.33	197	2	0.01	20	310	12	0.01	<2	2	15
S231738		10	1	0.06	20	0.40	228	2	0.01	21	260	14	0.01	<2	3	19
S231739		10	<1	0.07	20	0.86	577	<1	0.01	25	1000	7	0.01	<2	4	57
S231740		<10	<1	0.05	10	0.49	312	1	0.01	18	710	6	0.02	<2	3	25
S231741		10	<1	0.04	10	0.32	257	1	0.01	13	650	5	0.03	2	1	23
S231742		<10	<1	0.04	10	0.34	165	1	0.02	15	890	5	0.09	<2	1	27
S231743		10	<1	0.06	10	0.47	250	1	0.01	16	580	7	0.01	<2	2	33
S231744		<10	<1	0.06	10	0.52	317	<1	0.01	19	680	5	<0.01	<2	3	45
S231745		10	<1	0.05	10	0.50	341	1	0.01	19	590	6	0.02	<2	2	30
S231746		<10	<1	0.05	10	0.49	322	<1	0.01	18	710	5	0.01	<2	3	33
S231747		10	<1	0.04	10	0.34	1925	3	0.02	16	2070	18	0.16	<2	1	25
S231748		10	<1	0.06	10	0.55	713	3	0.01	13	650	28	0.03	<2	2	27
S231749		10	<1	0.06	10	0.66	315	2	0.01	17	840	10	0.01	<2	3	76
S231750		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	0.01	<2	<1	<1
S231751		<10	<1	0.07	10	0.65	329	1	0.01	15	960	10	<0.01	<2	3	168
S231752		10	<1	0.06	10	0.61	301	7	0.01	16	680	29	0.02	<2	3	48
S231753		10	<1	0.09	10	0.61	419	2	0.03	19	960	9	0.03	<2	4	75
S231754		10	<1	0.06	10	0.40	240	1	0.02	13	500	7	0.01	<2	2	27
S231755		10	<1	0.06	10	0.63	335	1	0.01	21	690	6	<0.01	<2	3	35
S231756		<10	<1	0.07	10	0.50	216	1	0.02	14	860	4	0.01	<2	3	40
S231757		10	<1	0.08	10	0.61	507	2	0.01	19	640	8	0.02	<2	3	33
S231758		<10	<1	0.06	10	0.40	400	1	0.02	12	890	5	0.02	<2	2	42
S231759		10	<1	0.08	20	0.75	312	<1	0.02	13	1270	4	0.01	<2	4	84
S231760		10	<1	0.09	10	0.67	883	2	0.02	22	1450	14	0.10	<2	4	52
S231761		10	<1	0.07	10	0.53	360	1	0.02	15	660	10	0.02	<2	3	39
S231762		10	1	0.07	10	0.37	227	2	0.01	13	480	12	0.01	<2	2	19



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 9 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231729		<20	0.13	<10	<10	71	<10	62
S231730		<20	0.17	<10	<10	90	<10	66
S231731		<20	0.15	<10	<10	69	<10	52
S231732		<20	0.14	<10	<10	60	<10	45
S231733		<20	0.16	<10	<10	70	<10	52
S231734		<20	0.19	<10	<10	68	<10	42
S231735		<20	0.07	<10	<10	54	<10	48
S231736		<20	0.10	<10	<10	62	<10	66
S231737		<20	0.12	<10	<10	81	<10	45
S231738		<20	0.10	<10	<10	81	<10	56
S231739		<20	0.11	<10	<10	66	<10	65
S231740		<20	0.09	<10	<10	56	<10	54
S231741		<20	0.07	<10	<10	64	<10	47
S231742		<20	0.05	<10	<10	42	<10	39
S231743		<20	0.08	<10	<10	69	<10	51
S231744		<20	0.09	<10	<10	55	<10	47
S231745		<20	0.07	<10	<10	60	<10	54
S231746		<20	0.08	<10	<10	54	<10	48
S231747		<20	0.02	<10	<10	66	<10	43
S231748		<20	0.08	<10	<10	70	<10	69
S231749		<20	0.09	<10	<10	69	<10	46
S231750		<20	<0.01	<10	<10	<1	<10	<2
S231751		<20	0.08	<10	<10	60	<10	40
S231752		<20	0.10	<10	<10	76	10	58
S231753		<20	0.08	<10	<10	60	<10	50
S231754		<20	0.08	<10	<10	55	<10	45
S231755		<20	0.11	<10	<10	69	<10	50
S231756		<20	0.11	<10	<10	68	<10	40
S231757		<20	0.11	<10	<10	77	<10	53
S231758		<20	0.09	<10	<10	71	<10	44
S231759		<20	0.10	<10	<10	70	<10	41
S231760		<20	0.07	<10	<10	97	10	70
S231761		<20	0.09	<10	<10	63	<10	51
S231762		<20	0.12	<10	<10	74	<10	53



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113506

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-21 LOG-23 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA23 ME-ICP41