



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 1
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

CERTIFICATE WH15113623

Project: SUM15-01

P.O. No.: SUM15-01_4

This report is for 331 Soil samples submitted to our lab in Whitehorse, YT, Canada on 30-JUL-2015.

The following have access to data associated with this certificate:

EQUITY ENG E-MAIL

THOMAS BRANSON

SUMAC MINES

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
LOG-23	Pulp Login - Rcvd with Barcode
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA23	Au 30g FA-AA finish	AAS
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: EQUITY EXPLORATION CONSULTANTS LTD.
ATTN: THOMAS BRANSON
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 2 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S232326		0.66	0.005	<0.2	2.21	8	<10	110	1.1	<2	0.19	<0.5	10	34	25	3.05
S232327		0.47	<0.005	<0.2	2.08	11	<10	100	1.1	<2	0.19	<0.5	11	31	31	3.33
S232328		0.56	<0.005	0.2	2.52	10	<10	130	1.1	<2	0.20	<0.5	10	40	27	3.47
S232329		0.57	<0.005	0.2	2.23	10	<10	110	1.2	<2	0.20	<0.5	9	35	26	3.45
S232330		0.49	0.005	<0.2	1.85	11	<10	90	0.8	<2	0.14	<0.5	7	31	30	3.63
S232331		0.50	<0.005	0.2	1.93	9	<10	80	1.1	2	0.24	<0.5	7	31	22	3.13
S232332		0.56	<0.005	0.2	2.56	10	<10	140	2.0	<2	0.25	<0.5	12	38	35	3.64
S232333		0.44	<0.005	0.6	2.86	17	<10	100	1.5	<2	0.17	0.9	10	41	25	4.35
S232334		0.64	<0.005	0.3	2.74	11	<10	130	1.1	4	0.28	<0.5	13	46	32	4.06
S232335		0.52	0.007	0.2	1.77	9	<10	130	1.1	3	0.39	<0.5	9	37	28	3.23
S232336		0.48	<0.005	<0.2	2.08	7	<10	70	1.0	<2	0.22	0.5	8	29	22	2.88
S232337		0.51	0.020	<0.2	2.12	4	<10	90	1.6	15	0.30	<0.5	10	35	27	2.77
S232338		0.40	0.009	0.2	1.73	10	<10	140	1.2	2	0.18	0.8	11	31	33	3.83
S232339		0.40	<0.005	<0.2	1.91	7	<10	70	0.8	<2	0.13	<0.5	8	31	19	3.26
S232340		0.38	<0.005	<0.2	2.64	11	<10	100	2.3	2	0.27	0.7	8	34	29	3.77
S232341		0.28	NSS	<0.2	1.31	6	<10	100	0.6	<2	0.20	0.6	9	21	24	2.46
S232342		0.48	<0.005	<0.2	1.64	7	<10	90	0.6	2	0.16	0.5	8	25	20	3.21
S232343		0.53	<0.005	<0.2	1.59	5	<10	70	1.3	<2	0.29	0.6	8	24	19	2.08
S232344		0.41	<0.005	<0.2	0.90	2	<10	50	<0.5	<2	0.12	<0.5	6	14	20	2.08
S232345		0.55	0.010	<0.2	2.05	7	<10	80	0.7	<2	0.18	<0.5	8	31	18	2.72
S232346		0.59	0.007	<0.2	2.01	7	<10	80	0.7	<2	0.13	<0.5	8	31	22	3.23
S232347		0.46	<0.005	<0.2	1.49	5	<10	80	0.5	<2	0.17	<0.5	7	26	20	2.47
S232253		0.48	0.008	<0.2	2.74	9	<10	60	0.7	<2	0.13	<0.5	8	31	16	3.65
S232254		0.46	0.008	0.2	2.54	11	<10	80	1.1	<2	0.14	0.5	10	30	23	3.90
S232255		0.37	<0.005	<0.2	1.90	13	<10	90	0.8	<2	0.13	<0.5	8	30	32	3.90
S232256		0.35	0.005	<0.2	1.39	8	<10	80	<0.5	<2	0.12	<0.5	6	23	22	3.07
S232257		0.42	<0.005	<0.2	2.52	11	<10	130	1.9	<2	0.31	0.5	11	36	31	3.64
S232258		0.58	<0.005	<0.2	1.44	6	<10	100	0.8	<2	0.39	<0.5	9	29	17	2.54
S232259		0.36	<0.005	<0.2	1.39	8	<10	60	0.7	<2	0.14	<0.5	6	22	25	2.85
S232260		0.44	0.006	<0.2	1.56	10	<10	100	0.6	<2	0.19	<0.5	8	26	24	3.34
S232261		0.62	<0.005	<0.2	1.82	6	<10	90	1.0	<2	0.52	<0.5	10	31	20	2.76
S232262		0.57	0.006	<0.2	2.00	10	<10	100	0.8	<2	0.16	<0.5	8	31	31	3.55
S232263		0.66	0.012	<0.2	2.00	8	<10	120	1.1	20	0.32	<0.5	10	31	28	2.83
S232264		0.47	<0.005	<0.2	1.74	10	<10	90	0.5	<2	0.15	<0.5	7	29	19	3.53
S232265		0.45	<0.005	<0.2	2.05	8	<10	110	0.7	<2	0.17	<0.5	9	30	22	2.94
S232266		0.54	<0.005	<0.2	3.37	9	<10	120	1.1	2	0.19	<0.5	11	35	23	3.84
S232267		0.61	0.005	<0.2	2.21	9	<10	110	1.0	<2	0.22	<0.5	9	32	17	3.43
S232268		0.62	<0.005	<0.2	1.89	7	<10	100	0.8	2	0.33	<0.5	9	31	16	2.97
S232269		0.42	<0.005	0.4	1.94	12	<10	100	0.6	<2	0.13	0.5	7	28	42	3.80
S232270		0.41	<0.005	0.2	2.16	6	<10	170	1.1	<2	0.41	<0.5	9	31	51	2.79



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 2 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
S232326		10	<1	0.06	20	0.57	494	1	0.01	27	560	14	0.04	<2	3
S232327		10	<1	0.06	20	0.53	776	2	0.02	26	790	19	0.05	<2	2
S232328		10	<1	0.06	20	0.62	476	1	0.01	26	410	13	0.03	<2	3
S232329		10	<1	0.07	20	0.53	442	1	0.01	26	490	17	0.13	<2	3
S232330		10	<1	0.05	10	0.42	347	2	0.01	23	370	16	0.15	<2	2
S232331		10	<1	0.06	20	0.42	303	1	0.01	21	510	20	0.10	<2	2
S232332		10	<1	0.06	30	0.57	595	1	0.01	30	510	23	0.06	<2	3
S232333		10	<1	0.09	10	0.55	491	2	0.01	26	820	29	0.07	<2	3
S232334		10	<1	0.09	20	0.65	443	1	0.01	30	450	20	0.02	<2	4
S232335		10	<1	0.07	30	0.55	501	1	0.01	23	680	14	0.01	3	3
S232336		10	<1	0.06	20	0.44	262	1	0.01	26	440	17	0.01	<2	2
S232337		10	<1	0.04	20	0.49	357	1	0.01	28	710	18	<0.01	<2	3
S232338		10	<1	0.07	20	0.35	586	2	0.01	21	580	19	0.02	<2	2
S232339		10	<1	0.05	10	0.42	267	2	0.01	21	360	17	0.01	2	2
S232340		10	<1	0.04	80	0.46	313	2	0.01	28	590	68	0.02	<2	3
S232341		10	<1	0.06	10	0.32	1115	1	0.01	18	760	17	0.06	3	1
S232342		10	<1	0.04	10	0.37	448	2	<0.01	19	350	17	0.01	<2	2
S232343		10	<1	0.05	20	0.36	375	1	0.01	19	750	7	<0.01	<2	2
S232344		<10	<1	0.03	10	0.21	214	1	0.01	10	380	6	0.02	<2	1
S232345		10	<1	0.04	10	0.46	259	1	0.01	22	350	12	<0.01	<2	3
S232346		10	<1	0.05	10	0.42	369	2	<0.01	21	520	15	0.03	2	2
S232347		10	<1	0.05	10	0.41	305	1	0.01	19	560	10	0.03	<2	2
S232253		10	<1	0.04	10	0.35	254	2	0.01	19	390	15	<0.01	<2	3
S232254		10	<1	0.04	20	0.36	315	2	0.01	23	460	17	0.01	<2	3
S232255		10	<1	0.04	20	0.41	408	3	0.01	26	440	25	0.01	<2	2
S232256		10	<1	0.03	10	0.21	149	2	<0.01	16	380	11	0.02	2	2
S232257		10	<1	0.05	40	0.64	410	2	0.02	30	740	29	0.02	<2	4
S232258		10	<1	0.05	20	0.55	338	1	0.01	21	800	9	<0.01	<2	3
S232259		10	<1	0.04	10	0.24	205	2	0.01	18	390	17	0.01	2	2
S232260		10	<1	0.04	20	0.33	228	2	0.01	22	380	14	0.01	<2	2
S232261		10	<1	0.06	20	0.65	494	2	0.01	22	960	10	0.02	<2	3
S232262		10	<1	0.03	10	0.38	292	2	<0.01	26	390	13	0.03	2	2
S232263		10	<1	0.06	20	0.57	449	1	0.01	26	710	13	0.01	<2	3
S232264		10	<1	0.03	10	0.32	218	2	0.01	18	360	12	<0.01	2	3
S232265		10	<1	0.04	10	0.40	260	1	0.01	22	300	11	<0.01	2	3
S232266		10	<1	0.06	10	0.47	316	1	0.01	26	590	13	0.02	<2	3
S232267		10	<1	0.06	20	0.55	294	2	0.01	21	460	16	<0.01	<2	3
S232268		10	<1	0.06	20	0.58	348	1	0.01	22	620	12	<0.01	<2	3
S232269		10	<1	0.05	10	0.35	269	2	0.01	18	400	11	<0.01	<2	3
S232270		10	<1	0.08	30	0.45	397	1	0.02	24	610	18	<0.01	2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 2 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S232326		<20	0.11	<10	<10	71	<10	88
S232327		<20	0.09	<10	<10	73	<10	113
S232328		<20	0.11	<10	<10	78	<10	99
S232329		<20	0.11	<10	<10	78	<10	102
S232330		<20	0.11	<10	<10	91	<10	106
S232331		<20	0.10	<10	<10	76	<10	87
S232332		<20	0.11	<10	<10	80	<10	107
S232333		<20	0.10	<10	<10	85	<10	112
S232334		<20	0.15	<10	<10	97	<10	94
S232335		<20	0.12	<10	<10	86	<10	84
S232336		<20	0.09	<10	<10	62	<10	79
S232337		<20	0.09	<10	<10	65	<10	84
S232338		<20	0.11	<10	<10	83	<10	108
S232339		<20	0.12	<10	<10	77	<10	83
S232340		<20	0.11	<10	<10	79	<10	114
S232341		<20	0.06	<10	<10	56	<10	101
S232342		<20	0.09	<10	<10	68	<10	104
S232343		<20	0.09	<10	<10	48	<10	75
S232344		<20	0.08	<10	<10	61	<10	47
S232345		<20	0.11	<10	<10	64	<10	68
S232346		<20	0.08	<10	<10	71	<10	81
S232347		<20	0.08	<10	<10	60	<10	65
S232253		<20	0.10	<10	<10	67	<10	61
S232254		<20	0.11	<10	<10	84	<10	80
S232255		<20	0.10	<10	<10	84	<10	106
S232256		<20	0.10	<10	<10	89	<10	52
S232257		<20	0.09	<10	<10	72	<10	105
S232258		<20	0.11	<10	<10	59	<10	72
S232259		<20	0.09	<10	<10	78	<10	66
S232260		<20	0.10	<10	<10	81	<10	69
S232261		<20	0.09	<10	<10	64	<10	63
S232262		<20	0.09	<10	<10	80	<10	81
S232263		<20	0.12	<10	<10	64	<10	77
S232264		<20	0.13	<10	<10	95	<10	54
S232265		<20	0.11	<10	<10	79	<10	53
S232266		<20	0.12	<10	<10	71	<10	85
S232267		<20	0.12	<10	<10	82	<10	71
S232268		<20	0.13	<10	<10	65	<10	78
S232269		<20	0.13	<10	<10	89	<10	56
S232270		<20	0.11	<10	<10	69	<10	68



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 3 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S232271		0.44	<0.005	<0.2	2.17	10	<10	130	0.8	<2	0.15	0.6	9	29	26	3.72
S232272		0.50	<0.005	<0.2	2.22	11	<10	120	0.8	<2	0.22	<0.5	9	32	33	4.05
S232273		0.48	<0.005	<0.2	2.72	12	<10	140	0.8	2	0.20	<0.5	11	41	28	4.11
S232274		0.46	<0.005	<0.2	1.99	9	<10	120	1.3	<2	0.28	<0.5	9	32	26	2.93
S232275		0.45	<0.005	<0.2	1.92	9	<10	120	1.3	<2	0.28	<0.5	9	32	25	2.88
S232276		0.41	<0.005	<0.2	1.86	12	<10	110	0.6	<2	0.17	<0.5	8	31	22	4.09
S232277		0.48	0.007	<0.2	1.87	6	<10	100	0.9	<2	0.32	<0.5	10	31	30	2.51
S232278		0.49	0.005	<0.2	2.40	11	<10	110	1.1	<2	0.16	<0.5	11	38	28	3.16
S232279		0.44	<0.005	<0.2	1.94	11	<10	80	0.8	<2	0.14	<0.5	7	36	33	3.47
S232280		0.40	0.005	<0.2	1.86	5	<10	70	0.7	<2	0.18	<0.5	9	29	19	2.25
S232281		0.37	<0.005	0.2	2.19	8	<10	90	1.0	<2	0.17	<0.5	8	33	26	3.03
S232282		0.51	0.005	<0.2	2.40	11	<10	100	0.9	<2	0.15	<0.5	9	36	24	3.54
S232283		0.40	0.009	<0.2	2.34	7	<10	110	0.8	<2	0.24	<0.5	10	34	22	2.81
S232284		0.48	0.006	<0.2	2.23	7	<10	110	1.2	<2	0.22	<0.5	10	32	24	2.59
S232285		0.45	0.005	<0.2	3.24	13	<10	220	2.4	<2	0.26	<0.5	14	46	42	3.48
S232286		0.40	<0.005	<0.2	2.10	13	<10	120	0.6	<2	0.13	<0.5	8	34	18	4.04
S232287		0.42	<0.005	<0.2	2.63	14	<10	100	0.8	3	0.14	<0.5	9	37	19	4.37
S232288		0.46	0.005	<0.2	1.61	6	<10	90	0.8	<2	0.21	<0.5	8	24	19	2.18
S232289		0.31	<0.005	0.2	2.31	12	<10	220	0.8	<2	0.23	0.9	11	36	26	4.34
S232290		0.30	<0.005	0.2	2.61	10	<10	330	1.5	<2	0.19	1.4	18	40	26	4.65
S232291		0.42	0.005	0.2	2.33	12	<10	130	1.1	<2	0.20	<0.5	8	36	25	3.56
S232292		0.37	0.006	0.2	2.39	12	<10	150	0.7	<2	0.26	<0.5	10	40	20	3.66
S232293		0.68	0.005	<0.2	1.36	3	<10	80	1.2	<2	0.38	<0.5	6	27	16	1.89
S232294		0.52	0.005	<0.2	1.44	4	<10	70	1.3	<2	0.33	<0.5	6	26	15	1.98
S232295		0.70	0.006	<0.2	1.80	5	<10	120	1.8	<2	0.37	<0.5	10	39	24	2.51
S232296		0.60	<0.005	<0.2	1.97	5	<10	110	1.8	<2	0.30	<0.5	9	33	21	2.78
S232297		0.56	<0.005	<0.2	1.42	10	<10	140	0.7	<2	0.14	<0.5	8	28	34	2.89
S232298		0.69	<0.005	<0.2	1.50	6	<10	70	2.9	<2	0.30	<0.5	7	25	20	2.28
S232299		0.58	<0.005	<0.2	1.79	8	<10	80	1.3	<2	0.16	<0.5	9	29	21	2.68
S232300		0.05	<0.005	<0.2	0.01	3	<10	<10	<0.5	<2	0.01	<0.5	<1	1	1	0.03
S232301		0.56	0.005	0.2	2.03	6	<10	140	0.8	2	0.62	<0.5	9	34	28	2.57
S232302		0.46	<0.005	0.3	2.10	12	<10	160	0.5	<2	0.28	<0.5	13	36	20	3.49
S232303		0.34	<0.005	0.2	2.40	14	<10	80	0.6	<2	0.19	<0.5	9	37	18	4.28
S232304		0.51	0.005	0.2	3.07	14	<10	150	0.6	2	0.29	<0.5	14	43	29	4.17
S232305		0.55	<0.005	0.2	2.49	12	<10	150	0.6	<2	0.21	<0.5	11	38	24	4.13
S232306		0.60	<0.005	<0.2	2.04	7	<10	90	0.7	<2	0.27	<0.5	9	35	22	3.10
S232307		0.70	<0.005	0.4	2.26	12	<10	90	1.2	<2	0.25	<0.5	10	33	42	3.53
S232308		0.47	<0.005	0.2	2.22	12	<10	130	1.0	<2	0.17	0.5	14	30	30	3.78
S232309		0.56	<0.005	<0.2	2.32	14	<10	100	0.8	<2	0.19	<0.5	9	34	26	3.68
S232310		0.53	<0.005	<0.2	1.99	13	<10	130	0.5	<2	0.15	<0.5	8	33	24	3.71



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 3 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc
		ppm 10	ppm 1	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 2	ppm 1
S232271		10	<1	0.06	10	0.39	445	3	0.01	24	510	25	<0.01	3	3
S232272		10	<1	0.06	10	0.47	331	2	0.01	22	480	19	0.01	<2	3
S232273		10	<1	0.08	20	0.59	434	2	0.01	28	740	21	0.01	<2	3
S232274		10	<1	0.07	40	0.49	463	1	0.01	22	730	16	0.01	<2	3
S232275		10	<1	0.06	40	0.47	452	1	0.01	23	730	14	0.01	<2	3
S232276		10	<1	0.05	10	0.42	221	2	0.01	21	280	19	<0.01	2	3
S232277		10	1	0.06	20	0.51	411	<1	0.01	26	700	13	0.01	<2	3
S232278		10	1	0.05	20	0.54	399	1	0.01	25	470	19	0.04	2	3
S232279		10	<1	0.05	10	0.48	299	1	<0.01	22	420	14	0.03	<2	2
S232280		<10	<1	0.05	20	0.44	376	<1	0.01	20	310	15	0.02	<2	3
S232281		10	1	0.04	20	0.51	334	<1	0.01	23	520	15	0.04	<2	2
S232282		10	1	0.04	10	0.49	343	1	0.01	25	360	16	0.02	2	3
S232283		10	<1	0.04	10	0.46	290	<1	0.01	22	610	11	0.02	2	3
S232284		10	1	0.06	30	0.48	396	<1	0.01	24	460	12	0.01	<2	3
S232285		10	1	0.07	60	0.71	498	<1	0.01	34	490	22	0.01	<2	5
S232286		10	<1	0.04	10	0.39	399	1	0.01	19	360	13	0.01	2	3
S232287		10	1	0.05	10	0.42	340	2	<0.01	20	320	19	0.01	2	3
S232288		10	1	0.04	20	0.37	283	<1	0.01	18	490	12	0.01	<2	2
S232289		10	<1	0.09	10	0.54	468	2	0.01	24	470	23	0.02	<2	3
S232290		10	<1	0.08	20	0.57	1130	1	0.01	26	620	40	0.02	<2	3
S232291		10	1	0.05	20	0.49	263	1	0.01	23	270	16	0.01	2	3
S232292		10	1	0.06	10	0.59	273	1	0.01	22	430	12	0.01	<2	4
S232293		<10	<1	0.06	20	0.43	249	<1	0.01	13	660	10	0.01	<2	4
S232294		<10	<1	0.06	30	0.38	362	<1	0.01	16	560	9	0.01	<2	3
S232295		10	<1	0.07	30	0.60	460	<1	0.01	26	890	12	0.04	<2	3
S232296		10	<1	0.06	50	0.60	497	<1	0.01	25	900	18	0.02	2	3
S232297		10	1	0.04	20	0.32	414	2	0.01	21	880	19	0.10	4	1
S232298		10	1	0.06	90	0.37	440	<1	0.01	19	910	21	0.02	<2	2
S232299		10	<1	0.04	30	0.45	359	<1	0.01	22	300	22	0.02	<2	2
S232300		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1
S232301		10	<1	0.09	40	0.61	354	2	0.02	23	650	11	0.02	<2	5
S232302		10	<1	0.08	10	0.58	787	3	0.01	20	470	16	0.01	3	3
S232303		10	<1	0.06	10	0.50	245	6	0.01	20	670	18	0.02	2	3
S232304		10	<1	0.11	10	0.80	312	2	0.01	30	490	11	0.01	<2	4
S232305		10	1	0.07	10	0.57	307	1	0.01	24	400	19	0.01	<2	4
S232306		10	<1	0.05	20	0.62	273	<1	0.01	22	330	12	0.01	<2	3
S232307		10	<1	0.09	20	0.56	310	1	0.01	21	350	17	0.01	<2	3
S232308		10	<1	0.07	10	0.40	995	2	0.01	24	990	24	0.03	4	2
S232309		10	<1	0.07	10	0.48	278	<1	0.01	24	370	14	0.02	2	3
S232310		10	1	0.05	10	0.41	314	1	0.01	19	370	16	0.02	2	3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 3 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S232271		<20	0.09	<10	<10	88	<10	134
S232272		<20	0.10	<10	<10	83	<10	86
S232273		<20	0.12	<10	<10	86	<10	96
S232274		<20	0.10	<10	<10	68	<10	74
S232275		<20	0.10	<10	<10	67	<10	72
S232276		<20	0.12	<10	<10	99	<10	65
S232277		<20	0.10	<10	<10	61	<10	65
S232278		<20	0.09	<10	<10	74	<10	79
S232279		<20	0.11	<10	<10	82	<10	75
S232280		<20	0.10	<10	<10	54	<10	69
S232281		<20	0.08	<10	<10	62	<10	97
S232282		<20	0.10	<10	<10	78	<10	86
S232283		<20	0.11	<10	<10	67	<10	62
S232284		<20	0.11	<10	<10	61	<10	67
S232285		<20	0.10	<10	<10	71	<10	94
S232286		<20	0.11	<10	<10	90	<10	93
S232287		<20	0.13	<10	<10	102	<10	71
S232288		<20	0.06	<10	<10	48	<10	75
S232289		<20	0.11	<10	<10	97	<10	167
S232290		<20	0.11	<10	<10	95	<10	298
S232291		<20	0.13	<10	<10	88	<10	84
S232292		<20	0.12	<10	<10	88	<10	76
S232293		<20	0.10	<10	<10	45	<10	65
S232294		<20	0.10	<10	<10	49	<10	65
S232295		<20	0.08	<10	<10	59	<10	85
S232296		<20	0.10	<10	<10	62	<10	95
S232297		<20	0.06	<10	<10	71	<10	77
S232298		<20	0.09	<10	<10	52	<10	125
S232299		<20	0.10	<10	<10	61	<10	97
S232300		<20	<0.01	<10	<10	<1	<10	2
S232301		<20	0.09	<10	<10	58	<10	57
S232302		<20	0.09	<10	<10	87	<10	59
S232303		<20	0.11	<10	<10	88	<10	51
S232304		<20	0.14	<10	<10	89	<10	66
S232305		<20	0.13	<10	<10	91	<10	82
S232306		<20	0.12	<10	<10	73	<10	62
S232307		<20	0.11	<10	<10	78	<10	63
S232308		<20	0.08	<10	<10	73	<10	111
S232309		<20	0.13	<10	<10	75	<10	65
S232310		<20	0.11	<10	<10	86	<10	72



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 4 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S232311		0.47	0.009	0.2	2.28	8	<10	70	0.9	<2	0.14	<0.5	8	31	22	2.70
S232312		0.52	0.006	<0.2	2.74	12	<10	100	0.9	<2	0.14	<0.5	10	32	25	3.27
S232313		0.53	<0.005	<0.2	2.07	11	<10	110	0.8	<2	0.15	<0.5	9	30	29	3.40
S232314		0.61	0.008	<0.2	1.92	13	<10	90	1.0	<2	0.23	0.5	10	39	23	3.42
S232315		0.50	<0.005	0.2	1.92	9	<10	80	0.8	<2	0.20	0.8	10	33	19	3.19
S232316		0.56	<0.005	<0.2	2.30	15	<10	150	0.7	<2	0.18	<0.5	9	34	20	4.46
S232317		0.47	<0.005	<0.2	2.02	11	<10	150	0.8	3	0.19	0.7	11	30	24	3.84
S232318		0.48	<0.005	<0.2	2.43	12	<10	110	0.7	<2	0.15	0.5	10	28	32	3.61
S232319		0.49	<0.005	<0.2	2.57	12	<10	130	0.9	2	0.12	0.8	10	30	35	3.85
S232320		0.44	<0.005	<0.2	2.33	10	<10	180	0.7	<2	0.18	0.5	11	32	20	3.85
S232321		0.59	<0.005	<0.2	1.92	8	<10	80	0.7	<2	0.16	<0.5	8	30	26	2.71
S232322		0.58	0.005	<0.2	2.19	9	<10	80	1.0	2	0.16	<0.5	8	33	24	3.07
S232323		0.48	<0.005	<0.2	2.53	9	<10	130	2.1	2	0.23	<0.5	12	36	30	2.91
S232324		0.21	<0.005	<0.2	1.96	9	<10	100	1.4	<2	0.16	0.5	8	34	33	3.29
S231951		0.58	<0.005	<0.2	2.39	10	<10	130	3.6	<2	0.29	1.0	10	38	32	3.44
S231952		0.43	<0.005	<0.2	0.62	<2	<10	70	<0.5	<2	0.19	<0.5	3	7	12	1.28
S231953		0.65	<0.005	<0.2	1.38	8	<10	90	0.7	<2	0.14	<0.5	7	24	20	2.75
S231954		0.56	<0.005	0.2	2.66	13	<10	120	0.9	3	0.18	0.8	11	39	27	4.61
S231955		0.52	<0.005	0.9	2.98	12	<10	140	1.7	2	0.17	1.1	10	38	28	4.30
S231956		0.53	<0.005	<0.2	1.27	8	<10	150	0.5	<2	0.24	0.9	8	21	25	2.65
S231957		0.72	<0.005	0.2	1.59	12	<10	120	0.8	2	0.12	0.8	9	27	27	3.86
S231958		0.73	<0.005	<0.2	2.10	9	<10	80	1.6	2	0.18	<0.5	8	31	25	2.86
S231959		0.66	<0.005	0.2	1.91	9	<10	100	2.0	3	0.23	<0.5	11	34	29	3.21
S231960		0.87	<0.005	<0.2	1.90	7	<10	110	2.2	2	0.35	0.5	9	34	25	2.94
S231961		0.80	<0.005	<0.2	1.83	6	<10	100	0.9	<2	0.21	<0.5	8	29	25	3.01
S231962		0.60	<0.005	<0.2	1.94	6	<10	90	1.2	2	0.25	<0.5	8	28	20	2.76
S231963		0.74	<0.005	<0.2	1.59	6	<10	70	1.6	2	0.26	<0.5	6	28	21	2.41
S231964		0.57	<0.005	<0.2	1.10	3	<10	210	0.5	<2	0.43	<0.5	8	18	22	2.18
S231965		0.65	0.005	<0.2	1.62	7	<10	80	1.4	2	0.23	0.5	8	29	20	2.37
S231966		0.67	<0.005	<0.2	1.72	8	<10	110	0.7	<2	0.20	<0.5	9	28	23	2.94
S231967		0.61	0.006	<0.2	1.68	4	<10	70	0.6	<2	0.18	<0.5	7	26	16	2.19
S231968		0.67	<0.005	<0.2	1.34	7	<10	60	0.5	<2	0.13	<0.5	7	25	23	2.68
S231969		0.68	<0.005	<0.2	2.36	7	<10	220	1.4	<2	0.55	<0.5	10	38	39	3.03
S231970		0.54	<0.005	<0.2	1.91	6	<10	90	0.6	<2	0.30	<0.5	9	34	15	2.86
S231971		0.52	<0.005	0.2	2.89	11	<10	150	0.8	<2	0.29	<0.5	12	45	26	3.81
S231972		0.54	<0.005	<0.2	2.16	8	<10	140	0.5	2	0.27	<0.5	10	35	15	3.04
S231973		0.47	<0.005	<0.2	2.39	9	<10	130	0.6	<2	0.29	<0.5	9	40	19	3.33
S231974		0.48	<0.005	<0.2	2.08	8	<10	170	0.5	2	0.30	<0.5	9	37	19	3.04
S231975		0.52	0.005	<0.2	2.02	7	<10	170	0.5	<2	0.29	<0.5	9	36	22	2.94
S231976		0.47	<0.005	<0.2	2.20	8	<10	70	0.8	<2	0.23	<0.5	9	33	22	2.77



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 4 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S232311		10	<1	0.05	10	0.47	304	<1	0.01	21	440	19	0.04	3	2	14
S232312		10	1	0.06	10	0.48	329	<1	0.01	31	560	16	0.06	3	3	13
S232313		10	1	0.06	10	0.46	419	1	0.01	23	490	14	0.04	3	2	17
S232314		10	<1	0.06	40	0.52	358	1	0.01	23	440	17	0.02	5	4	18
S232315		10	<1	0.08	10	0.52	411	2	0.01	20	470	18	0.03	<2	2	22
S232316		10	1	0.07	10	0.46	346	2	0.01	22	670	18	0.02	<2	2	21
S232317		10	1	0.05	10	0.38	625	2	0.01	23	500	20	0.03	3	2	19
S232318		10	<1	0.05	10	0.42	470	2	0.01	24	480	17	0.04	3	2	20
S232319		10	<1	0.05	10	0.40	423	1	0.01	24	610	18	0.05	3	2	17
S232320		10	<1	0.07	10	0.44	380	1	0.01	22	420	14	0.04	3	3	21
S232321		10	<1	0.05	10	0.49	387	1	0.01	22	380	10	0.06	4	2	15
S232322		10	1	0.05	10	0.49	367	1	0.01	23	550	9	0.06	<2	2	16
S232323		10	1	0.06	40	0.53	793	1	0.01	26	700	16	0.06	4	3	19
S232324		10	<1	0.06	30	0.45	446	2	0.01	23	560	22	0.06	2	2	17
S231951		10	1	0.09	120	0.61	740	1	0.01	34	890	33	0.06	2	3	23
S231952		<10	<1	0.03	10	0.12	138	<1	0.02	7	490	4	0.07	<2	<1	18
S231953		10	<1	0.06	10	0.31	416	1	0.01	17	590	15	0.06	<2	2	15
S231954		10	<1	0.08	20	0.58	401	1	0.01	27	430	21	0.05	3	3	17
S231955		10	<1	0.06	70	0.52	379	1	0.01	26	540	35	0.06	<2	3	21
S231956		10	<1	0.06	10	0.25	998	1	0.01	17	780	14	0.12	4	1	22
S231957		10	<1	0.06	10	0.33	638	2	0.01	22	660	26	0.06	3	2	16
S231958		10	<1	0.05	30	0.43	293	1	0.01	25	310	19	0.02	3	3	15
S231959		10	<1	0.06	60	0.46	654	1	0.01	23	530	27	0.03	2	3	22
S231960		10	<1	0.07	80	0.49	507	1	0.01	25	720	24	0.04	2	3	29
S231961		10	<1	0.05	20	0.46	349	1	0.01	21	590	13	0.05	2	2	18
S231962		10	1	0.04	30	0.43	287	1	0.01	22	710	17	0.02	<2	2	22
S231963		10	1	0.06	60	0.41	399	1	0.01	20	630	17	0.03	<2	2	18
S231964		<10	<1	0.05	10	0.30	684	1	0.02	15	960	7	0.11	3	1	34
S231965		10	<1	0.06	30	0.43	467	1	0.01	21	580	14	0.04	<2	2	17
S231966		10	1	0.05	10	0.44	394	1	0.01	21	570	11	0.06	<2	2	18
S231967		<10	<1	0.04	10	0.42	332	<1	0.01	19	340	7	0.03	2	2	15
S231968		10	1	0.05	10	0.36	302	1	0.01	17	530	8	0.06	2	1	14
S231969		10	<1	0.10	60	0.54	510	1	0.02	26	680	13	0.04	3	5	44
S231970		10	1	0.07	10	0.63	285	1	0.01	19	300	10	0.02	3	4	25
S231971		10	1	0.07	10	0.66	373	1	0.01	31	320	13	0.02	5	4	30
S231972		10	<1	0.07	10	0.62	327	1	0.01	22	280	11	0.02	3	3	22
S231973		10	1	0.08	10	0.72	305	1	0.01	26	270	10	0.02	5	4	25
S231974		10	<1	0.08	10	0.58	269	<1	0.01	23	150	9	0.01	3	4	27
S231975		10	<1	0.08	10	0.57	262	1	0.01	24	140	13	<0.01	3	4	26
S231976		10	<1	0.08	10	0.51	263	1	0.01	25	240	12	<0.01	<2	3	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 4 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S232311		<20	0.08	<10	<10	58	<10	71
S232312		<20	0.12	<10	<10	67	<10	70
S232313		<20	0.09	<10	<10	72	<10	104
S232314		<20	0.14	<10	<10	86	<10	80
S232315		<20	0.10	<10	<10	75	<10	121
S232316		<20	0.10	<10	<10	87	<10	116
S232317		<20	0.09	<10	<10	86	<10	150
S232318		<20	0.08	<10	<10	73	<10	121
S232319		<20	0.08	<10	<10	77	<10	127
S232320		<20	0.11	<10	<10	84	<10	120
S232321		<20	0.11	<10	<10	64	<10	75
S232322		<20	0.09	<10	<10	67	<10	80
S232323		<20	0.09	<10	<10	65	<10	93
S232324		<20	0.10	<10	<10	83	<10	109
S231951		<20	0.11	<10	<10	82	<10	199
S231952		<20	0.05	<10	<10	37	<10	32
S231953		<20	0.09	<10	<10	69	<10	94
S231954		<20	0.15	<10	<10	101	<10	102
S231955		<20	0.09	<10	<10	102	<10	173
S231956		<20	0.07	<10	<10	72	<10	117
S231957		<20	0.10	<10	<10	114	<10	156
S231958		<20	0.11	<10	<10	68	<10	88
S231959		<20	0.13	<10	<10	89	<10	101
S231960		<20	0.11	<10	<10	69	<10	102
S231961		<20	0.11	<10	<10	72	<10	100
S231962		<20	0.12	<10	<10	69	<10	69
S231963		<20	0.09	<10	<10	55	<10	106
S231964		<20	0.06	<10	<10	54	<10	73
S231965		<20	0.09	<10	<10	56	<10	84
S231966		<20	0.09	<10	<10	71	<10	84
S231967		<20	0.09	<10	<10	52	<10	59
S231968		<20	0.08	<10	<10	68	<10	63
S231969		<20	0.09	<10	<10	70	<10	66
S231970		<20	0.11	<10	<10	70	<10	56
S231971		<20	0.12	<10	<10	87	<10	88
S231972		<20	0.09	<10	<10	72	<10	63
S231973		<20	0.11	<10	<10	79	<10	72
S231974		<20	0.10	<10	<10	75	<10	62
S231975		<20	0.10	<10	<10	73	<10	63
S231976		<20	0.11	<10	<10	64	<10	60



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 5 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231977		0.54	<0.005	<0.2	2.15	10	<10	150	0.8	<2	0.31	<0.5	9	35	22	3.12
S231978		0.49	<0.005	<0.2	2.01	7	<10	90	0.9	2	0.27	<0.5	9	34	19	2.89
S231979		0.43	<0.005	0.2	3.11	11	<10	170	1.2	2	0.25	<0.5	14	43	22	4.05
S231980		0.36	<0.005	<0.2	1.76	10	<10	240	2.3	<2	0.32	1.2	14	27	127	2.96
S231981		0.43	<0.005	<0.2	2.27	10	<10	160	0.6	<2	0.23	<0.5	12	35	17	3.48
S231982		0.48	<0.005	<0.2	1.77	8	<10	100	0.8	<2	0.37	<0.5	7	30	16	2.80
S231983		0.51	<0.005	0.2	2.59	9	<10	90	0.8	<2	0.18	<0.5	10	37	22	3.67
S231984		0.40	<0.005	<0.2	2.36	8	<10	130	0.9	<2	0.24	<0.5	9	34	22	3.16
S231985		0.49	0.011	<0.2	2.59	12	<10	170	0.8	<2	0.22	<0.5	9	36	26	3.86
S231986		0.44	<0.005	<0.2	2.02	9	<10	210	0.8	2	0.28	<0.5	10	34	22	3.10
S231987		0.45	<0.005	<0.2	1.98	8	<10	90	0.5	2	0.16	<0.5	7	29	14	3.38
S231988		0.52	<0.005	<0.2	2.20	8	<10	170	0.8	<2	0.25	<0.5	10	34	22	2.96
S231989		0.50	<0.005	<0.2	2.27	10	<10	140	0.6	<2	0.18	<0.5	9	32	19	3.23
S231990		0.49	<0.005	0.2	1.97	11	<10	130	0.9	<2	0.18	<0.5	9	31	22	3.26
S231991		0.42	<0.005	<0.2	1.97	8	<10	110	0.5	2	0.17	<0.5	8	27	20	3.27
S231992		0.34	<0.005	0.2	1.84	5	<10	110	1.2	<2	0.29	<0.5	6	28	15	2.58
S231993		0.37	<0.005	<0.2	0.99	3	<10	70	1.3	<2	0.20	<0.5	4	14	17	1.79
S231994		0.55	<0.005	<0.2	2.68	11	<10	170	1.0	3	0.26	<0.5	13	48	27	4.22
S231995		0.43	0.013	<0.2	1.74	7	<10	120	0.7	<2	0.32	<0.5	7	28	20	2.72
S231996		0.59	<0.005	<0.2	2.57	12	<10	140	0.9	<2	0.16	<0.5	9	35	26	3.28
S231997		0.55	<0.005	<0.2	2.83	11	<10	120	0.8	2	0.22	<0.5	10	39	23	3.87
S231998		0.39	0.008	<0.2	1.48	7	<10	160	0.9	2	0.27	<0.5	13	110	39	2.07
S231999		0.43	<0.005	0.3	2.84	14	<10	110	0.9	<2	0.25	<0.5	10	38	25	3.71
S232000		0.05	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	<1	0.03
S232001		0.50	<0.005	<0.2	1.93	8	<10	150	0.7	2	0.22	<0.5	10	32	22	3.38
S232002		0.36	<0.005	<0.2	2.23	9	<10	120	0.6	3	0.16	<0.5	8	32	23	2.86
S232003		0.48	<0.005	<0.2	1.84	8	<10	110	0.5	2	0.17	<0.5	8	29	19	2.92
S232004		0.35	<0.005	<0.2	1.92	9	<10	110	0.6	<2	0.21	<0.5	7	30	16	2.69
S232005		0.54	<0.005	<0.2	1.54	7	<10	150	0.5	<2	0.26	<0.5	8	39	19	2.74
S232006		0.32	<0.005	0.4	1.93	4	<10	130	1.0	2	0.33	0.5	7	23	23	2.02
S232007		0.39	<0.005	0.3	2.98	5	<10	210	1.3	<2	0.52	<0.5	8	36	33	2.83
S232008		0.33	<0.005	<0.2	0.96	3	<10	100	<0.5	<2	0.22	<0.5	5	15	9	1.60
S231763		0.51	<0.005	<0.2	1.26	3	<10	110	<0.5	<2	0.26	<0.5	4	22	14	1.50
S231764		0.46	<0.005	<0.2	1.85	8	<10	100	0.8	<2	0.19	<0.5	8	24	20	2.38
S231765		0.34	0.012	0.4	2.80	11	<10	90	1.0	<2	0.18	<0.5	11	36	22	3.04
S231766		0.58	<0.005	<0.2	1.87	8	<10	90	1.1	<2	0.26	<0.5	7	27	18	2.65
S231767		0.34	<0.005	<0.2	1.21	7	<10	50	0.7	<2	0.10	<0.5	6	18	24	2.49
S231768		0.34	<0.005	<0.2	2.29	13	<10	110	1.0	<2	0.16	<0.5	12	33	28	3.63
S231769		0.45	<0.005	<0.2	0.98	5	<10	50	<0.5	<2	0.12	<0.5	4	15	15	1.63
S231770		0.42	<0.005	<0.2	1.28	6	<10	80	0.5	<2	0.17	<0.5	6	21	14	2.10



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 5 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231977		10	<1	0.08	10	0.53	458	1	0.01	22	310	15	<0.01	<2	3	24
S231978		10	<1	0.07	30	0.59	305	1	0.01	21	300	15	<0.01	<2	3	24
S231979		10	1	0.07	20	0.64	393	1	0.01	31	370	17	<0.01	3	4	24
S231980		10	1	0.06	100	0.39	1625	2	0.02	26	1380	20	0.06	2	1	42
S231981		10	<1	0.07	10	0.56	916	1	0.01	21	450	19	0.01	3	3	23
S231982		10	<1	0.06	40	0.52	298	1	0.01	18	560	15	<0.01	3	3	26
S231983		10	<1	0.09	10	0.59	284	1	0.01	26	420	15	0.01	5	3	20
S231984		10	<1	0.07	20	0.50	339	1	0.01	21	350	16	<0.01	3	3	26
S231985		10	<1	0.09	10	0.57	305	1	0.01	23	310	19	<0.01	4	3	23
S231986		10	<1	0.15	20	0.60	327	1	0.02	26	750	15	<0.01	3	3	31
S231987		10	<1	0.08	10	0.39	232	1	0.01	16	430	12	0.01	3	2	15
S231988		10	<1	0.07	20	0.51	446	1	0.02	22	380	13	<0.01	2	3	25
S231989		10	<1	0.07	10	0.49	296	1	0.02	20	250	11	<0.01	3	3	20
S231990		10	<1	0.08	30	0.41	411	1	0.01	21	440	17	0.01	2	3	22
S231991		10	<1	0.06	10	0.36	314	1	0.01	17	510	13	<0.01	4	2	20
S231992		10	<1	0.10	70	0.46	352	1	0.01	18	510	21	<0.01	3	3	27
S231993		10	<1	0.06	80	0.19	268	1	0.02	10	430	12	<0.01	<2	2	20
S231994		10	<1	0.09	10	0.64	475	2	0.02	30	820	20	0.02	3	3	29
S231995		10	<1	0.09	30	0.43	271	1	0.01	18	350	15	0.01	3	2	30
S231996		10	<1	0.10	10	0.50	286	1	0.01	28	370	19	0.01	3	3	17
S231997		10	<1	0.06	10	0.56	338	1	0.01	29	380	12	0.01	2	3	23
S231998		10	1	0.05	30	0.28	925	11	0.03	74	590	17	0.02	4	1	30
S231999		10	<1	0.07	10	0.55	383	1	0.01	28	510	16	0.03	3	3	22
S232000		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	0.02	<2	<1	<1
S232001		10	<1	0.06	10	0.45	418	1	0.01	19	460	14	0.01	5	3	23
S232002		10	<1	0.06	10	0.49	244	1	0.02	22	280	11	<0.01	3	3	15
S232003		10	<1	0.09	10	0.46	240	1	0.01	21	310	9	<0.01	4	3	16
S232004		10	<1	0.06	20	0.47	228	1	0.02	17	360	9	<0.01	2	3	21
S232005		10	<1	0.07	20	0.39	410	2	0.03	24	410	13	0.01	2	2	25
S232006		10	<1	0.07	40	0.24	213	1	0.03	14	730	11	0.03	2	3	32
S232007		10	1	0.10	50	0.48	379	1	0.02	23	850	11	0.04	3	6	48
S232008		<10	<1	0.05	<10	0.28	182	1	0.02	8	210	5	<0.01	3	2	19
S231763		<10	<1	0.05	20	0.34	105	<1	0.02	13	460	7	0.01	<2	3	18
S231764		10	<1	0.05	10	0.32	329	1	0.01	15	500	13	0.01	3	2	18
S231765		10	1	0.05	10	0.45	245	1	0.01	24	340	11	0.01	3	4	16
S231766		10	1	0.05	10	0.38	260	1	0.01	20	560	14	0.02	2	2	19
S231767		10	<1	0.03	10	0.21	177	1	0.01	13	400	11	0.03	3	1	11
S231768		10	<1	0.04	10	0.42	389	2	0.01	28	440	18	0.02	5	3	17
S231769		10	<1	0.03	10	0.21	105	1	0.02	9	480	8	0.03	2	1	13
S231770		10	<1	0.04	10	0.31	210	1	0.01	14	420	7	0.02	3	2	16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 5 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231977		<20	0.10	<10	<10	75	<10	71
S231978		<20	0.11	<10	<10	69	<10	66
S231979		<20	0.12	<10	<10	92	<10	132
S231980		<20	0.05	<10	<10	61	<10	160
S231981		<20	0.09	<10	<10	80	<10	108
S231982		<20	0.10	<10	<10	69	<10	74
S231983		<20	0.12	<10	<10	79	<10	77
S231984		<20	0.10	<10	<10	75	<10	67
S231985		<20	0.11	<10	<10	88	<10	76
S231986		<20	0.13	<10	<10	70	<10	62
S231987		<20	0.11	<10	<10	77	<10	55
S231988		<20	0.12	<10	<10	72	<10	64
S231989		<20	0.12	<10	<10	78	<10	59
S231990		<20	0.10	<10	<10	82	<10	75
S231991		<20	0.11	<10	<10	79	<10	70
S231992		<20	0.08	<10	<10	60	<10	79
S231993		<20	0.08	<10	<10	48	<10	58
S231994		<20	0.11	<10	<10	82	<10	119
S231995		<20	0.09	<10	<10	69	<10	66
S231996		<20	0.08	<10	<10	66	<10	85
S231997		<20	0.13	<10	<10	89	<10	81
S231998		<20	0.06	<10	<10	46	<10	67
S231999		<20	0.10	<10	<10	75	<10	85
S232000		<20	<0.01	<10	<10	<1	<10	<2
S232001		<20	0.10	<10	<10	81	<10	91
S232002		<20	0.11	<10	<10	65	<10	58
S232003		<20	0.10	<10	<10	68	<10	56
S232004		<20	0.10	<10	<10	67	<10	52
S232005		<20	0.09	<10	<10	72	<10	54
S232006		<20	0.07	<10	<10	51	<10	40
S232007		<20	0.09	<10	<10	59	<10	68
S232008		<20	0.07	<10	<10	45	<10	43
S231763		<20	0.10	<10	<10	40	<10	41
S231764		<20	0.10	<10	<10	62	<10	54
S231765		<20	0.13	<10	<10	73	<10	57
S231766		<20	0.11	<10	<10	62	<10	75
S231767		<20	0.09	<10	<10	70	<10	53
S231768		<20	0.10	<10	<10	77	<10	86
S231769		<20	0.06	<10	<10	46	<10	35
S231770		<20	0.09	<10	<10	59	<10	48



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 6 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231771		0.31	<0.005	<0.2	1.91	10	<10	70	0.9	<2	0.15	<0.5	7	25	20	3.40
S231772		0.39	0.014	<0.2	1.82	4	<10	60	1.0	<2	0.47	<0.5	6	24	26	2.22
S231773		0.32	<0.005	<0.2	1.21	7	<10	60	0.5	<2	0.10	<0.5	4	17	15	2.28
S231774		0.46	<0.005	<0.2	1.93	10	<10	70	0.6	2	0.14	<0.5	7	26	19	2.63
S231775		0.48	<0.005	0.2	2.28	10	<10	80	0.7	3	0.18	<0.5	9	31	22	3.12
S231776		0.42	<0.005	<0.2	2.77	11	<10	110	1.3	2	0.21	<0.5	12	36	30	3.68
S231777		0.32	<0.005	0.2	1.51	9	<10	60	0.5	2	0.11	<0.5	5	22	16	2.65
S231778		0.41	<0.005	<0.2	1.71	10	<10	90	0.6	<2	0.15	<0.5	9	25	21	3.06
S231779		0.39	<0.005	<0.2	3.47	17	<10	120	1.1	2	0.19	<0.5	11	37	23	4.55
S231780		0.49	0.005	<0.2	2.22	4	<10	90	1.6	<2	0.83	<0.5	7	27	26	2.09
S231781		0.45	<0.005	<0.2	2.22	8	<10	100	1.1	<2	0.23	<0.5	9	27	20	3.40
S231782		0.32	<0.005	0.2	1.99	6	<10	100	0.8	<2	0.22	<0.5	8	27	26	2.64
S231783		0.30	<0.005	<0.2	1.70	10	<10	120	0.8	<2	0.16	<0.5	9	26	21	3.15
S231784		0.28	<0.005	<0.2	1.53	10	<10	60	0.6	<2	0.15	<0.5	6	27	18	3.54
S231785		0.38	<0.005	<0.2	1.26	4	<10	80	0.9	<2	0.31	<0.5	6	20	15	1.76
S231786		0.35	0.007	0.2	1.44	3	<10	100	0.8	2	0.27	<0.5	6	21	18	1.73
S231787		0.38	<0.005	<0.2	1.04	3	<10	70	<0.5	<2	0.19	<0.5	5	15	16	1.70
S231788		0.34	<0.005	0.2	1.43	6	<10	50	0.5	<2	0.19	<0.5	5	18	18	2.43
S231789		0.43	<0.005	<0.2	2.35	23	<10	100	1.1	2	0.23	<0.5	9	34	32	4.52
S231790		0.43	<0.005	<0.2	2.33	12	<10	130	1.6	<2	0.25	<0.5	11	34	30	3.73
S231791		0.41	<0.005	<0.2	1.79	12	<10	60	0.7	<2	0.15	<0.5	8	26	29	3.53
S231792		0.31	<0.005	<0.2	1.06	7	<10	50	0.6	2	0.11	<0.5	6	17	17	2.37
S231793		0.36	<0.005	<0.2	1.40	7	<10	50	0.6	<2	0.13	<0.5	6	22	24	2.25
S231794		0.32	<0.005	<0.2	1.67	11	<10	70	0.6	<2	0.15	<0.5	7	27	31	3.28
S231795		0.44	<0.005	<0.2	2.23	10	<10	100	2.0	<2	0.30	<0.5	12	29	42	3.32
S231796		0.43	<0.005	0.2	1.29	5	<10	70	0.6	<2	0.18	<0.5	6	20	21	2.38
S231797		0.36	<0.005	<0.2	2.11	11	<10	110	0.8	2	0.21	<0.5	8	34	24	3.65
S231798		0.41	<0.005	<0.2	2.45	13	<10	100	1.0	2	0.17	<0.5	12	38	28	3.85
S231799		0.46	<0.005	<0.2	2.46	10	<10	130	0.9	2	0.23	<0.5	11	37	25	3.68
S231800		0.04	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.03
S231801		0.38	0.007	0.2	1.74	6	<10	70	1.2	3	0.36	<0.5	7	29	21	2.61
S231802		0.43	<0.005	<0.2	1.42	4	<10	80	0.9	<2	0.39	<0.5	7	25	15	2.30
S231803		0.30	<0.005	0.6	3.02	12	<10	150	1.2	<2	0.20	<0.5	11	39	30	3.68
S231804		0.43	<0.005	0.2	1.86	10	<10	80	0.6	<2	0.14	<0.5	7	23	20	3.04
S231805		0.40	0.007	<0.2	2.01	16	<10	80	<0.5	<2	0.16	<0.5	8	35	17	4.98
S231806		0.46	0.008	<0.2	2.59	15	<10	90	1.0	<2	0.19	<0.5	9	37	24	3.75
S231807		0.36	0.010	<0.2	1.98	12	<10	90	1.5	<2	0.23	<0.5	9	33	26	3.59
S231808		0.31	<0.005	<0.2	0.94	8	<10	40	<0.5	<2	0.08	<0.5	5	18	25	2.69
S231809		0.44	<0.005	<0.2	2.32	12	<10	110	1.0	<2	0.21	<0.5	9	35	27	3.67
S231810		0.46	<0.005	<0.2	2.32	10	<10	80	1.0	<2	0.17	<0.5	10	33	26	3.26



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 6 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231771		10	<1	0.04	10	0.27	207	2	0.01	16	550	12	0.03	4	2	16
S231772		10	<1	0.05	20	0.48	242	1	0.01	17	440	19	<0.01	3	2	24
S231773		10	<1	0.03	10	0.19	132	1	0.01	12	240	12	0.01	2	1	11
S231774		10	<1	0.05	10	0.32	219	1	<0.01	17	310	14	0.02	3	2	13
S231775		10	<1	0.06	10	0.42	270	1	0.01	21	380	14	0.02	<2	3	15
S231776		10	<1	0.06	20	0.57	398	1	0.02	26	490	12	0.02	2	3	22
S231777		10	<1	0.04	10	0.22	140	1	0.01	11	470	9	0.02	3	1	13
S231778		10	1	0.04	10	0.30	306	1	0.01	18	420	13	0.02	3	2	16
S231779		10	1	0.05	10	0.41	340	2	0.01	23	580	22	0.02	<2	3	19
S231780		10	<1	0.07	40	0.59	347	1	0.02	20	810	25	0.02	3	3	37
S231781		10	<1	0.05	20	0.43	230	1	0.02	24	380	15	0.01	5	3	24
S231782		10	1	0.04	10	0.35	201	1	0.01	20	570	11	0.04	4	2	20
S231783		10	<1	0.05	10	0.31	497	2	0.01	20	430	14	0.03	3	2	18
S231784		10	1	0.04	10	0.28	209	2	0.01	16	460	13	0.03	3	2	15
S231785		<10	<1	0.05	20	0.29	300	1	0.02	12	550	12	0.03	2	2	21
S231786		10	<1	0.05	20	0.32	255	1	0.02	14	590	13	0.03	2	2	22
S231787		10	1	0.04	10	0.20	163	1	0.02	9	480	7	0.01	2	1	17
S231788		10	<1	0.04	20	0.30	236	1	0.01	12	330	13	0.01	3	2	14
S231789		10	<1	0.06	20	0.49	371	3	0.01	22	600	24	0.02	4	3	22
S231790		10	<1	0.06	10	0.53	420	2	0.01	28	480	15	0.03	3	3	25
S231791		10	<1	0.03	10	0.28	204	2	0.01	18	440	13	0.02	<2	2	14
S231792		10	<1	0.04	10	0.19	204	1	0.01	12	460	14	0.03	<2	1	11
S231793		<10	<1	0.03	10	0.32	192	1	0.01	16	520	7	0.06	<2	1	14
S231794		10	<1	0.03	10	0.32	291	2	0.01	17	420	15	0.02	2	2	17
S231795		10	1	0.05	30	0.60	588	1	0.02	27	780	15	0.04	3	2	25
S231796		10	<1	0.04	10	0.34	243	1	0.02	15	560	9	0.05	2	1	18
S231797		10	1	0.05	10	0.45	258	2	0.01	23	420	14	0.03	4	3	20
S231798		10	1	0.06	10	0.58	621	2	0.01	27	760	14	0.07	4	2	19
S231799		10	<1	0.06	10	0.57	452	2	0.01	26	420	12	0.02	3	3	22
S231800		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	1	10	<2	0.02	<2	<1	<1
S231801		10	<1	0.06	40	0.46	263	1	0.01	21	620	12	0.02	<2	3	28
S231802		10	<1	0.06	30	0.45	297	1	0.02	18	740	11	0.02	2	3	28
S231803		10	<1	0.07	20	0.50	312	2	0.01	25	380	14	0.03	<2	4	22
S231804		10	<1	0.05	10	0.24	377	2	0.01	16	390	12	0.04	<2	2	17
S231805		10	<1	0.06	10	0.42	292	3	0.01	17	340	12	0.02	<2	3	19
S231806		10	<1	0.06	10	0.53	307	1	0.01	27	300	25	0.03	2	4	17
S231807		10	<1	0.07	30	0.52	490	2	0.01	25	550	27	0.05	<2	2	24
S231808		10	<1	0.03	10	0.20	243	1	0.01	14	410	11	0.04	<2	1	11
S231809		10	<1	0.05	10	0.55	311	1	0.01	26	450	11	0.05	<2	3	21
S231810		10	<1	0.07	10	0.59	475	1	0.01	27	450	15	0.05	<2	3	16



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 6 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231771		<20	0.10	<10	<10	79	<10	55
S231772		<20	0.06	<10	<10	46	<10	100
S231773		<20	0.08	<10	<10	66	<10	46
S231774		<20	0.09	<10	<10	74	<10	57
S231775		<20	0.10	<10	<10	77	<10	66
S231776		<20	0.13	<10	<10	78	<10	74
S231777		<20	0.09	<10	<10	68	<10	47
S231778		<20	0.10	<10	<10	73	<10	72
S231779		<20	0.13	<10	<10	85	<10	68
S231780		<20	0.06	<10	<10	40	<10	116
S231781		<20	0.12	<10	<10	68	<10	85
S231782		<20	0.09	<10	<10	65	<10	61
S231783		<20	0.09	<10	<10	76	<10	91
S231784		<20	0.12	<10	<10	89	<10	67
S231785		<20	0.08	<10	<10	47	<10	63
S231786		<20	0.08	<10	<10	44	<10	58
S231787		<20	0.08	<10	<10	53	<10	37
S231788		<20	0.11	<10	<10	61	<10	73
S231789		<20	0.13	<10	<10	88	<10	104
S231790		<20	0.14	<10	<10	82	<10	97
S231791		<20	0.12	<10	<10	89	<10	74
S231792		<20	0.08	<10	<10	62	<10	53
S231793		<20	0.07	<10	<10	55	<10	57
S231794		<20	0.10	<10	<10	82	<10	63
S231795		<20	0.11	<10	<10	69	<10	104
S231796		<20	0.08	<10	<10	58	<10	66
S231797		<20	0.11	<10	<10	86	<10	73
S231798		<20	0.10	<10	<10	84	<10	103
S231799		<20	0.13	<10	<10	81	<10	86
S231800		<20	<0.01	<10	<10	<1	<10	<2
S231801		<20	0.11	<10	<10	61	<10	73
S231802		<20	0.11	<10	<10	55	<10	88
S231803		<20	0.12	<10	<10	85	<10	77
S231804		<20	0.09	<10	<10	76	<10	66
S231805		<20	0.16	<10	<10	104	<10	63
S231806		<20	0.13	<10	<10	82	<10	91
S231807		<20	0.09	<10	<10	74	<10	111
S231808		<20	0.10	<10	<10	78	<10	60
S231809		<20	0.11	<10	<10	80	<10	79
S231810		<20	0.10	<10	<10	66	<10	113



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 7 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231811		0.42	<0.005	<0.2	2.41	9	<10	130	1.0	<2	0.31	<0.5	10	32	22	2.97
S231812		0.32	<0.005	0.2	1.73	10	<10	130	0.7	<2	0.28	<0.5	7	26	21	3.25
S231813		0.37	<0.005	<0.2	1.28	6	<10	70	0.6	<2	0.22	<0.5	7	18	22	2.32
S231814		0.39	<0.005	0.3	2.13	11	<10	70	0.8	<2	0.16	<0.5	6	28	17	3.83
S231815		0.64	<0.005	0.2	1.97	4	<10	170	1.2	<2	0.50	<0.5	7	35	32	2.06
S231816		0.56	<0.005	0.2	2.46	9	<10	140	1.1	<2	0.29	<0.5	9	32	20	2.88
S231817		0.42	<0.005	<0.2	2.42	14	<10	160	2.2	<2	0.30	0.6	16	38	42	3.94
S231818		0.42	<0.005	0.2	2.54	11	<10	130	0.8	<2	0.23	<0.5	10	36	23	3.20
S231819		0.32	<0.005	0.2	2.03	10	<10	90	0.9	<2	0.33	<0.5	9	31	26	3.50
S231820		0.31	<0.005	0.4	1.79	12	<10	90	1.0	<2	0.18	<0.5	9	24	30	2.64
S231821		0.26	<0.005	<0.2	2.01	10	<10	100	1.0	2	0.20	0.5	11	28	52	3.48
S231822		0.30	<0.005	0.3	2.01	11	<10	60	0.7	<2	0.15	<0.5	7	25	16	2.98
S231823		0.49	<0.005	<0.2	2.93	12	<10	150	1.3	<2	0.28	<0.5	11	40	21	3.89
S231824		0.40	<0.005	0.2	2.25	12	<10	100	0.6	<2	0.16	<0.5	7	34	17	4.21
S231825		0.37	<0.005	<0.2	1.92	12	<10	90	0.5	<2	0.14	<0.5	6	30	15	3.75
S231826		0.49	<0.005	0.2	2.85	9	<10	130	0.9	3	0.20	<0.5	11	36	20	3.76
S231827		0.33	<0.005	0.2	1.13	8	<10	50	<0.5	2	0.12	<0.5	5	20	17	3.03
S231828		0.41	<0.005	0.3	1.69	9	<10	120	0.6	<2	0.26	<0.5	9	27	19	3.37
S231829		0.49	<0.005	0.2	2.32	9	<10	110	1.0	<2	0.22	<0.5	10	33	21	3.19
S231830		0.40	<0.005	0.2	2.53	8	<10	90	0.7	<2	0.22	<0.5	10	35	19	2.90
S231831		0.35	<0.005	<0.2	1.65	9	<10	110	0.6	<2	0.23	<0.5	8	29	25	3.18
S231832		0.50	<0.005	<0.2	1.71	7	<10	110	0.5	<2	0.26	<0.5	6	29	20	2.69
S231833		0.50	<0.005	<0.2	2.33	9	<10	130	0.8	<2	0.31	<0.5	11	35	20	3.47
S231834		0.44	<0.005	0.2	2.05	11	<10	70	0.7	<2	0.16	<0.5	7	29	20	3.19
S231835		0.47	0.005	0.2	2.15	12	<10	110	0.7	<2	0.27	<0.5	8	32	19	4.07
S231836		0.48	<0.005	<0.2	2.32	12	<10	90	0.7	<2	0.20	<0.5	8	34	20	3.36
S231837		0.47	<0.005	0.2	1.99	10	<10	80	0.6	<2	0.17	<0.5	8	33	24	3.20
S231838		0.47	0.005	<0.2	2.12	14	<10	110	0.9	<2	0.20	<0.5	11	36	31	3.64
S231839		0.25	0.005	0.2	1.64	21	<10	80	0.5	<2	0.14	<0.5	7	29	27	3.58
S231840		0.31	0.007	0.2	2.08	14	<10	100	0.8	<2	0.19	<0.5	9	30	26	3.73
S231841		0.48	<0.005	0.2	1.14	6	<10	70	0.7	<2	0.19	<0.5	5	17	16	2.07
S231842		0.39	<0.005	<0.2	2.48	11	<10	110	1.0	3	0.37	<0.5	12	35	23	3.28
S231843		0.46	<0.005	<0.2	2.18	9	<10	130	1.5	<2	0.37	<0.5	12	33	20	3.51
S231844		0.39	<0.005	<0.2	1.84	8	<10	100	0.8	<2	0.19	<0.5	7	23	20	2.87
S231845		0.31	<0.005	<0.2	1.63	9	<10	60	0.5	<2	0.10	<0.5	4	22	16	2.64
S231846		0.41	<0.005	0.2	2.81	14	<10	120	2.1	<2	0.27	<0.5	14	36	26	3.92
S231847		0.34	<0.005	<0.2	1.45	7	<10	90	1.2	<2	0.36	<0.5	8	22	24	2.26
S231848		0.48	0.005	0.2	2.69	13	<10	130	1.8	<2	0.38	<0.5	13	37	31	3.37
S231849		0.48	<0.005	0.2	1.93	12	<10	100	1.0	2	0.29	<0.5	9	31	25	2.98
S231850		0.06	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	1	0.03



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 7 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231811		10	<1	0.05	10	0.51	323	<1	0.01	27	370	13	0.04	<2	3	24
S231812		10	<1	0.08	10	0.38	394	1	0.01	20	600	13	0.06	<2	2	24
S231813		10	<1	0.06	10	0.29	605	1	0.02	14	660	9	0.07	<2	1	20
S231814		10	<1	0.05	20	0.30	293	2	0.01	14	530	19	0.03	<2	2	17
S231815		10	<1	0.08	50	0.58	182	<1	0.02	24	910	15	0.02	<2	6	32
S231816		10	<1	0.06	20	0.46	368	1	0.02	22	570	13	0.03	<2	3	25
S231817		10	<1	0.07	60	0.56	1160	2	0.01	35	760	24	0.08	<2	3	27
S231818		10	<1	0.05	10	0.51	295	1	0.01	28	360	11	0.04	<2	3	18
S231819		10	<1	0.07	10	0.45	408	2	0.01	23	500	22	0.05	<2	3	27
S231820		10	<1	0.06	10	0.33	722	1	0.01	19	740	21	0.07	<2	1	17
S231821		10	<1	0.06	10	0.37	751	2	0.01	22	640	21	0.06	2	2	22
S231822		10	<1	0.05	10	0.30	249	2	0.01	16	650	13	0.05	<2	2	14
S231823		10	<1	0.09	20	0.70	491	1	0.01	27	600	16	0.03	<2	4	23
S231824		10	<1	0.07	10	0.45	266	2	0.01	18	340	12	0.03	<2	3	18
S231825		10	<1	0.07	10	0.38	231	2	0.01	16	320	10	0.02	<2	3	15
S231826		10	<1	0.06	10	0.56	266	<1	0.01	26	360	14	0.02	<2	4	21
S231827		10	<1	0.05	10	0.25	230	2	0.01	11	410	7	0.03	<2	2	14
S231828		10	<1	0.06	10	0.42	422	1	0.01	19	600	11	0.05	<2	2	24
S231829		10	<1	0.07	20	0.58	526	2	0.01	25	590	21	0.06	2	3	21
S231830		10	<1	0.05	10	0.58	267	1	0.01	32	320	11	0.03	<2	3	17
S231831		10	<1	0.06	10	0.43	343	1	0.01	20	430	13	0.05	<2	2	21
S231832		10	<1	0.06	20	0.50	259	1	0.01	17	740	12	0.03	<2	2	26
S231833		10	<1	0.07	10	0.65	434	1	0.01	24	620	12	0.03	<2	4	29
S231834		10	<1	0.05	10	0.41	257	2	0.01	18	320	14	0.03	<2	3	19
S231835		10	<1	0.06	10	0.49	293	1	0.01	25	420	14	0.04	<2	3	22
S231836		10	<1	0.05	10	0.48	261	1	0.01	22	470	13	0.04	<2	3	17
S231837		10	<1	0.05	10	0.48	269	2	0.01	21	380	11	0.03	<2	3	14
S231838		10	<1	0.06	10	0.57	610	2	0.01	27	740	18	0.07	<2	2	20
S231839		10	<1	0.04	10	0.32	234	2	0.01	19	430	14	0.04	<2	2	16
S231840		10	<1	0.04	10	0.51	320	2	0.01	21	500	19	0.03	<2	3	16
S231841		10	<1	0.04	20	0.28	304	1	0.02	10	650	12	0.03	<2	2	16
S231842		10	<1	0.06	10	0.64	358	1	0.02	29	810	17	0.01	<2	4	21
S231843		10	<1	0.09	30	0.78	545	1	0.02	26	870	25	0.02	<2	4	27
S231844		10	<1	0.05	20	0.36	361	1	0.02	16	630	16	0.02	<2	2	20
S231845		10	<1	0.03	10	0.23	176	2	0.01	11	320	14	0.02	<2	2	12
S231846		10	<1	0.07	30	0.60	639	1	0.01	27	800	24	0.02	<2	4	23
S231847		10	<1	0.05	30	0.48	453	<1	0.02	17	780	12	0.03	<2	3	26
S231848		10	<1	0.05	20	0.65	564	1	0.02	33	900	19	0.02	<2	4	25
S231849		10	<1	0.05	20	0.43	390	1	0.01	23	650	16	0.02	<2	3	20
S231850		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 7 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231811		<20	0.12	<10	<10	69	<10	73
S231812		<20	0.10	<10	<10	71	<10	78
S231813		<20	0.08	<10	<10	61	<10	64
S231814		<20	0.13	<10	<10	93	<10	56
S231815		<20	0.15	<10	<10	59	<10	90
S231816		<20	0.13	<10	<10	67	<10	69
S231817		<20	0.09	<10	<10	80	<10	152
S231818		<20	0.11	<10	<10	77	<10	91
S231819		<20	0.11	<10	<10	83	<10	94
S231820		<20	0.06	<10	<10	56	<10	83
S231821		<20	0.10	<10	<10	78	<10	116
S231822		<20	0.11	<10	<10	72	<10	63
S231823		<20	0.14	<10	<10	86	<10	97
S231824		<20	0.14	<10	<10	97	<10	64
S231825		<20	0.14	<10	<10	93	<10	59
S231826		<20	0.13	<10	<10	76	<10	67
S231827		<20	0.12	<10	<10	95	<10	50
S231828		<20	0.09	<10	<10	77	<10	86
S231829		<20	0.11	<10	<10	71	<10	83
S231830		<20	0.12	<10	<10	63	<10	75
S231831		<20	0.10	<10	<10	76	<10	72
S231832		<20	0.13	<10	<10	74	<10	59
S231833		<20	0.15	<10	<10	82	<10	64
S231834		<20	0.11	<10	<10	85	<10	70
S231835		<20	0.14	<10	<10	84	<10	69
S231836		<20	0.13	<10	<10	84	<10	57
S231837		<20	0.12	<10	<10	83	<10	62
S231838		<20	0.09	<10	<10	81	<10	101
S231839		<20	0.13	<10	<10	99	<10	74
S231840		<20	0.13	<10	<10	88	<10	89
S231841		<20	0.08	<10	<10	59	<10	48
S231842		<20	0.14	<10	<10	74	<10	74
S231843		<20	0.13	<10	<10	69	<10	102
S231844		<20	0.11	<10	<10	65	<10	58
S231845		<20	0.10	<10	<10	77	<10	48
S231846		<20	0.14	<10	<10	85	<10	114
S231847		<20	0.08	<10	<10	52	<10	58
S231848		<20	0.13	<10	<10	72	<10	90
S231849		<20	0.11	<10	<10	72	<10	83
S231850		<20	<0.01	<10	<10	<1	<10	<2



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 8 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231851		0.35	<0.005	0.2	2.27	9	<10	100	0.9	<2	0.19	<0.5	8	31	23	2.49
S231852		0.29	<0.005	<0.2	2.28	9	<10	80	1.0	<2	0.13	<0.5	8	38	28	4.21
S231853		0.51	<0.005	<0.2	2.46	9	<10	140	1.3	<2	0.29	<0.5	12	38	23	3.36
S231854		0.42	<0.005	0.2	2.02	8	<10	130	1.1	<2	0.26	<0.5	11	30	23	3.22
S231855		0.28	<0.005	0.4	2.39	9	<10	110	0.8	<2	0.21	<0.5	8	27	22	2.79
S231856		0.44	<0.005	0.4	2.69	12	<10	160	0.8	<2	0.24	<0.5	11	39	26	4.32
S231857		0.24	<0.005	0.2	1.53	7	<10	60	<0.5	<2	0.08	<0.5	4	22	17	2.80
S231858		0.43	<0.005	0.2	2.36	3	<10	150	0.5	<2	0.34	<0.5	11	37	26	2.64
S231859		0.37	<0.005	<0.2	1.71	7	<10	90	<0.5	<2	0.24	<0.5	7	32	17	2.87
S231860		0.37	<0.005	0.2	2.51	15	<10	100	0.6	<2	0.19	<0.5	9	33	24	4.52
S231861		0.43	<0.005	<0.2	2.26	9	<10	110	0.8	<2	0.29	<0.5	9	33	21	3.45
S231862		0.32	<0.005	<0.2	1.21	8	<10	80	0.7	<2	0.18	<0.5	6	18	19	2.00
S231863		0.36	<0.005	0.2	2.10	14	<10	90	0.6	<2	0.14	<0.5	7	32	14	4.27
S231864		0.29	<0.005	<0.2	1.87	14	<10	70	0.8	<2	0.15	<0.5	8	28	21	3.35
S231865		0.27	<0.005	<0.2	0.93	6	<10	50	<0.5	<2	0.12	<0.5	5	15	26	2.30
S231866		0.37	0.005	0.2	2.28	14	<10	110	2.3	<2	0.28	<0.5	13	34	35	3.42
S231867		0.40	<0.005	<0.2	2.54	11	<10	100	1.1	<2	0.15	<0.5	11	35	24	3.29
S231868		0.46	<0.005	<0.2	2.64	10	<10	120	0.7	<2	0.25	<0.5	11	37	32	3.06
S231869		0.43	<0.005	0.2	2.26	10	<10	80	0.6	2	0.25	<0.5	11	39	20	3.18
S231870		0.36	<0.005	0.2	2.57	7	<10	80	0.8	<2	0.22	<0.5	12	37	28	3.47
S231871		0.50	<0.005	0.3	2.08	14	<10	110	0.5	<2	0.21	<0.5	14	41	20	4.19
S231872		0.43	<0.005	0.2	1.78	5	<10	100	0.5	<2	0.20	<0.5	8	26	25	2.94
S231873		0.28	<0.005	0.3	1.27	13	<10	70	<0.5	<2	0.11	<0.5	5	21	16	2.84
S231874		0.39	0.005	0.3	1.41	7	<10	140	<0.5	<2	0.17	<0.5	6	22	26	2.26
S231875		0.44	<0.005	0.3	1.81	10	<10	150	0.6	<2	0.20	<0.5	5	28	19	2.99
S231876		0.22	<0.005	<0.2	3.39	11	<10	260	5.0	<2	0.57	1.2	11	39	39	3.11
S231877		0.45	<0.005	<0.2	1.26	7	<10	80	0.6	<2	0.21	<0.5	6	19	21	2.04
S231878		0.35	<0.005	<0.2	1.59	7	<10	100	1.0	<2	0.24	<0.5	7	24	21	2.29
S231879		0.40	<0.005	<0.2	1.60	11	<10	80	0.9	<2	0.22	<0.5	8	28	17	2.77
S231880		0.39	<0.005	0.2	2.23	11	<10	120	0.7	<2	0.14	<0.5	10	32	26	3.27
S231881		0.36	<0.005	0.2	2.17	10	<10	100	0.8	<2	0.21	0.5	11	33	25	2.73
S231882		0.40	<0.005	<0.2	2.21	12	<10	80	0.7	<2	0.15	<0.5	9	37	32	3.19
S231883		0.43	<0.005	<0.2	1.77	11	<10	70	0.6	<2	0.13	<0.5	7	29	26	3.14
S231884		0.42	<0.005	<0.2	2.25	10	<10	100	2.0	<2	0.24	<0.5	9	38	26	2.87
S231885		0.44	<0.005	<0.2	2.17	8	<10	90	1.0	<2	0.19	<0.5	8	31	19	2.73
S231886		0.43	<0.005	<0.2	2.29	10	<10	90	1.7	<2	0.24	<0.5	9	37	21	2.89
S231887		0.46	<0.005	<0.2	1.54	8	<10	150	0.8	<2	0.35	<0.5	9	23	22	2.31
S231888		0.39	<0.005	<0.2	1.31	8	<10	100	<0.5	<2	0.10	<0.5	7	20	23	2.65
S231889		0.44	<0.005	<0.2	0.99	4	<10	50	<0.5	<2	0.15	<0.5	5	8	12	1.19
S231890		0.41	<0.005	0.2	2.91	12	<10	80	1.1	<2	0.15	<0.5	10	40	20	3.81



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 8 - B
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231851		10	<1	0.05	20	0.50	396	1	0.01	25	430	15	0.04	<2	3	15
S231852		10	<1	0.04	10	0.46	273	2	0.01	21	510	13	0.02	<2	3	16
S231853		10	<1	0.06	20	0.75	514	1	0.01	29	650	16	0.01	<2	4	24
S231854		10	<1	0.05	30	0.48	515	1	0.02	20	780	15	0.01	<2	4	24
S231855		10	<1	0.05	20	0.43	277	1	0.02	18	590	11	0.02	<2	3	20
S231856		10	<1	0.07	20	0.58	503	2	0.01	22	480	20	0.01	<2	4	28
S231857		10	<1	0.03	10	0.19	98	2	0.01	11	470	7	0.01	<2	2	10
S231858		10	<1	0.06	20	0.71	476	9	0.02	21	620	18	0.02	4	4	30
S231859		10	<1	0.05	10	0.53	267	1	0.01	18	500	11	0.01	<2	2	21
S231860		10	<1	0.05	10	0.46	255	2	0.01	23	500	25	0.01	<2	3	22
S231861		10	<1	0.05	20	0.47	339	1	0.02	20	650	15	0.02	<2	3	22
S231862		10	<1	0.05	20	0.29	336	1	0.02	12	570	10	0.02	<2	2	19
S231863		10	<1	0.05	10	0.39	408	2	0.01	15	370	23	0.01	<2	3	16
S231864		10	<1	0.04	10	0.42	280	1	0.01	21	340	15	0.02	<2	2	15
S231865		10	<1	0.03	10	0.13	186	2	0.01	11	530	8	0.03	<2	1	13
S231866		10	<1	0.06	40	0.57	902	1	0.01	27	820	34	0.06	<2	3	23
S231867		10	<1	0.07	10	0.61	528	<1	0.01	30	600	17	0.05	<2	3	13
S231868		10	<1	0.07	10	0.66	385	1	0.01	30	380	9	0.03	<2	4	19
S231869		10	<1	0.07	20	0.74	476	1	0.01	24	430	12	0.01	<2	4	21
S231870		10	<1	0.05	10	0.72	316	1	0.01	30	410	15	0.01	<2	3	24
S231871		10	<1	0.09	10	0.62	634	3	0.01	23	490	13	0.01	2	3	21
S231872		10	<1	0.06	10	0.35	328	1	0.01	15	510	10	0.02	<2	2	19
S231873		10	<1	0.07	10	0.24	271	2	<0.01	12	660	17	0.03	<2	1	13
S231874		10	<1	0.05	20	0.27	341	1	0.01	14	240	13	0.01	<2	2	19
S231875		10	<1	0.06	20	0.38	236	1	0.01	14	210	14	0.01	<2	3	21
S231876		10	<1	0.20	410	0.55	542	<1	0.06	36	1960	16	0.02	<2	7	68
S231877		<10	1	0.04	10	0.30	259	1	0.01	12	630	13	0.01	<2	2	17
S231878		10	<1	0.05	30	0.36	332	1	0.01	15	600	15	0.03	<2	2	22
S231879		10	1	0.06	20	0.45	347	1	0.01	18	540	18	0.01	<2	3	16
S231880		10	<1	0.04	10	0.42	348	1	0.01	21	470	13	0.03	<2	2	15
S231881		10	<1	0.05	20	0.51	394	1	0.01	24	440	12	0.03	<2	3	18
S231882		10	<1	0.05	10	0.53	312	1	0.01	23	550	8	0.05	<2	3	14
S231883		10	<1	0.05	10	0.40	298	1	0.01	17	520	22	0.05	<2	2	13
S231884		10	<1	0.05	130	0.50	447	1	0.01	23	490	33	0.02	<2	4	24
S231885		10	<1	0.04	20	0.43	301	<1	0.01	21	360	13	0.03	<2	3	17
S231886		10	<1	0.06	50	0.51	342	1	0.01	23	410	17	0.02	3	4	20
S231887		10	<1	0.07	10	0.38	779	1	0.01	18	1080	13	0.08	2	1	29
S231888		10	<1	0.04	10	0.22	290	1	0.01	14	280	13	0.01	<2	2	12
S231889		<10	<1	0.03	<10	0.09	269	<1	0.02	5	590	3	0.03	<2	<1	12
S231890		10	<1	0.05	20	0.51	340	1	0.01	25	560	13	0.03	<2	3	15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 8 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231851		<20	0.10	<10	<10	59	<10	86
S231852		<20	0.08	<10	<10	94	<10	77
S231853		<20	0.13	<10	<10	76	<10	83
S231854		<20	0.12	<10	<10	86	<10	69
S231855		<20	0.10	<10	<10	65	<10	55
S231856		<20	0.14	<10	<10	94	<10	64
S231857		<20	0.08	<10	<10	74	<10	35
S231858		<20	0.09	<10	<10	74	<10	58
S231859		<20	0.11	<10	<10	76	<10	59
S231860		<20	0.14	<10	<10	102	<10	67
S231861		<20	0.10	<10	<10	73	<10	74
S231862		<20	0.08	<10	<10	52	<10	50
S231863		<20	0.14	<10	<10	96	<10	82
S231864		<20	0.12	<10	<10	78	<10	66
S231865		<20	0.09	<10	<10	69	<10	42
S231866		<20	0.10	<10	<10	78	<10	106
S231867		<20	0.10	<10	<10	69	<10	78
S231868		<20	0.12	<10	<10	71	<10	67
S231869		<20	0.15	<10	<10	80	<10	74
S231870		<20	0.14	<10	<10	71	<10	76
S231871		<20	0.14	<10	<10	98	<10	73
S231872		<20	0.10	<10	<10	75	<10	75
S231873		<20	0.10	<10	<10	83	<10	52
S231874		<20	0.08	<10	<10	69	<10	51
S231875		<20	0.10	<10	<10	86	<10	53
S231876		20	0.09	<10	<10	57	<10	113
S231877		<20	0.08	<10	<10	55	<10	44
S231878		<20	0.07	<10	<10	54	<10	58
S231879		<20	0.09	<10	<10	64	<10	76
S231880		<20	0.09	<10	<10	72	<10	74
S231881		<20	0.09	<10	<10	61	<10	76
S231882		<20	0.10	<10	<10	76	<10	72
S231883		<20	0.08	<10	<10	73	<10	81
S231884		<20	0.07	<10	<10	68	<10	106
S231885		<20	0.10	<10	<10	63	<10	77
S231886		<20	0.12	<10	<10	69	<10	79
S231887		<20	0.06	<10	<10	53	<10	84
S231888		<20	0.08	<10	<10	72	<10	62
S231889		<20	0.05	<10	<10	33	<10	25
S231890		<20	0.12	<10	<10	80	<10	88



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 9 - A
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA23 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %
		0.02	0.005	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01
S231891		0.47	<0.005	0.2	2.22	9	<10	100	0.7	<2	0.13	<0.5	8	30	21	3.31
S231892		0.40	0.006	<0.2	1.94	9	<10	160	0.5	<2	0.22	<0.5	8	29	16	3.18
S231893		0.36	<0.005	<0.2	1.32	6	<10	90	0.7	<2	0.16	<0.5	5	18	13	1.93
S231894		0.40	<0.005	<0.2	3.00	12	<10	130	0.6	<2	0.18	<0.5	9	33	18	3.38
S231895		0.35	<0.005	0.2	1.79	10	<10	150	<0.5	<2	0.19	<0.5	7	28	13	3.12
S231896		0.33	<0.005	0.3	2.60	14	<10	90	0.9	<2	0.12	<0.5	8	34	28	3.97
S231897		0.37	<0.005	0.2	1.72	7	<10	100	0.8	<2	0.22	<0.5	7	28	14	2.46
S231898		0.35	0.022	0.2	1.66	8	<10	120	0.5	<2	0.22	<0.5	6	23	15	2.07
S231899		0.47	<0.005	<0.2	1.81	8	<10	80	0.6	<2	0.16	<0.5	8	31	20	2.72
S231900		0.04	<0.005	<0.2	0.01	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	<1	<1	0.03
S231901		0.44	0.005	<0.2	1.33	5	<10	80	1.6	<2	0.34	0.7	6	27	21	2.04
S231902		0.47	0.010	<0.2	1.93	8	<10	70	0.7	<2	0.18	<0.5	8	32	26	2.77
S231903		0.50	0.005	<0.2	2.20	10	<10	90	1.0	<2	0.17	<0.5	10	33	22	3.12
S231904		0.45	<0.005	<0.2	2.10	11	<10	90	1.0	<2	0.17	<0.5	10	33	21	3.01
S231905		0.50	0.006	<0.2	1.50	9	<10	80	2.9	<2	0.27	0.5	8	26	33	2.56
S231906		0.51	0.007	<0.2	1.69	19	<10	110	2.1	<2	0.31	0.5	9	29	51	2.80
S231907		0.50	0.005	0.2	2.11	14	<10	90	0.8	<2	0.13	<0.5	9	33	25	3.68
S231908		0.49	<0.005	<0.2	2.35	12	<10	120	1.7	<2	0.22	0.6	12	33	28	3.51
S231909		0.48	<0.005	<0.2	1.70	12	<10	150	1.5	<2	0.18	0.9	11	28	22	3.53
S231910		0.51	0.005	<0.2	1.72	13	<10	110	1.1	<2	0.19	0.5	8	30	24	3.50
S231911		0.44	0.014	<0.2	1.90	19	<10	120	0.9	2	0.18	0.5	7	28	28	3.44
S231912		0.40	<0.005	0.2	1.93	10	<10	150	0.7	<2	0.14	0.7	10	31	19	3.95
S231913		0.38	<0.005	<0.2	2.36	12	<10	140	0.9	3	0.16	1.0	11	37	27	3.91
S231914		0.40	<0.005	0.3	2.02	9	<10	110	1.1	<2	0.25	<0.5	8	33	23	3.03
S231915		0.38	<0.005	<0.2	1.66	10	<10	140	0.6	<2	0.24	<0.5	8	28	17	3.14
S231916		0.36	<0.005	<0.2	1.71	7	<10	150	1.3	2	0.40	0.9	9	21	27	2.26
S231917		0.41	<0.005	<0.2	2.29	11	<10	130	0.8	2	0.21	1.4	10	36	23	3.75
S231918		0.24	0.006	0.2	1.60	6	<10	80	1.0	2	0.21	<0.5	6	24	23	2.51
S231919		0.39	<0.005	0.2	1.48	5	<10	140	0.6	<2	0.24	0.8	9	22	22	2.68
S231920		0.43	<0.005	<0.2	1.77	8	<10	90	1.4	<2	0.28	<0.5	8	29	21	2.48
S231921		0.38	<0.005	<0.2	1.60	9	<10	140	0.7	<2	0.24	<0.5	10	25	24	2.98
S231922		0.44	<0.005	<0.2	1.83	10	<10	120	0.8	<2	0.27	<0.5	9	30	23	2.79
S231923		0.44	<0.005	<0.2	1.97	11	<10	130	0.9	<2	0.25	<0.5	14	32	31	3.34
S231924		0.37	<0.005	<0.2	1.94	7	<10	100	0.7	<2	0.23	<0.5	9	31	21	2.93
S231925		0.30	<0.005	<0.2	1.42	5	<10	90	0.5	2	0.18	<0.5	8	24	20	2.83
S231926		0.42	<0.005	<0.2	1.87	10	<10	110	0.8	2	0.16	<0.5	9	31	27	3.01
S231927		0.50	<0.005	<0.2	0.73	16	<10	80	<0.5	<2	0.05	<0.5	<1	14	2	3.19
S231928		0.48	<0.005	<0.2	2.45	22	<10	120	1.5	<2	0.35	<0.5	11	39	29	4.00
S231929		0.53	0.008	<0.2	2.46	57	<10	180	1.7	<2	0.35	<0.5	17	35	69	3.68
S231930		0.55	0.006	<0.2	2.29	38	<10	90	1.7	2	0.38	0.5	12	31	42	3.78



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: 9 - B
Total # Pages: 10 (A - C)
Plus Appendix Pages
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231891		10	<1	0.05	10	0.42	242	1	<0.01	20	310	13	0.01	<2	3	15
S231892		10	<1	0.05	10	0.39	248	1	0.01	17	460	12	0.01	<2	3	22
S231893		10	<1	0.04	30	0.24	216	<1	0.01	11	420	13	0.01	<2	2	16
S231894		10	<1	0.05	10	0.41	217	1	0.01	25	570	11	0.02	<2	3	20
S231895		10	<1	0.05	10	0.37	230	1	0.01	14	320	14	0.01	2	2	20
S231896		10	<1	0.05	20	0.40	264	1	0.01	19	340	16	0.02	<2	3	14
S231897		10	1	0.09	20	0.44	250	<1	0.01	18	1050	15	0.02	<2	2	21
S231898		10	<1	0.05	10	0.35	196	<1	0.01	15	340	8	0.02	<2	2	23
S231899		10	<1	0.05	10	0.47	365	1	0.01	20	420	9	0.03	<2	2	15
S231900		<10	<1	<0.01	<10	<0.01	<5	<1	<0.01	<1	10	<2	0.02	<2	<1	<1
S231901		<10	<1	0.06	40	0.36	374	1	0.01	18	680	22	0.01	<2	3	24
S231902		10	<1	0.05	10	0.49	407	1	0.01	21	450	12	0.04	<2	2	16
S231903		10	<1	0.05	20	0.58	480	1	0.01	26	420	14	0.04	<2	3	16
S231904		10	<1	0.05	20	0.50	416	1	0.01	24	460	16	0.04	<2	3	15
S231905		10	<1	0.06	70	0.43	464	1	0.01	21	820	28	0.03	<2	2	20
S231906		10	<1	0.11	60	0.50	534	1	0.01	24	960	31	0.04	<2	2	23
S231907		10	<1	0.08	10	0.41	640	2	0.01	20	660	21	0.05	3	2	15
S231908		10	<1	0.08	30	0.52	537	1	0.01	26	650	22	0.02	2	3	17
S231909		10	<1	0.07	20	0.36	781	2	0.01	17	580	19	0.02	<2	2	20
S231910		10	<1	0.06	20	0.40	502	1	0.01	21	360	23	0.01	<2	3	17
S231911		10	<1	0.07	20	0.36	344	1	0.01	18	360	16	0.01	<2	3	18
S231912		10	<1	0.07	10	0.40	482	2	0.01	19	540	19	0.03	<2	3	17
S231913		10	<1	0.08	10	0.51	447	2	0.01	27	760	20	0.03	2	3	21
S231914		10	<1	0.09	20	0.46	398	1	0.01	23	590	13	0.02	<2	3	20
S231915		10	<1	0.08	10	0.39	335	1	0.01	20	560	13	0.03	<2	2	23
S231916		10	<1	0.09	40	0.39	849	<1	0.02	19	780	18	0.05	<2	2	35
S231917		10	<1	0.11	10	0.59	471	1	0.01	26	430	21	0.02	2	3	22
S231918		10	<1	0.05	30	0.34	282	<1	0.01	18	490	14	0.03	<2	2	20
S231919		10	<1	0.07	10	0.31	761	1	0.01	17	610	14	0.04	<2	1	24
S231920		10	<1	0.06	30	0.44	405	<1	0.01	21	670	12	0.02	<2	3	21
S231921		10	<1	0.06	10	0.35	632	1	0.02	19	720	13	0.06	<2	2	22
S231922		10	<1	0.06	10	0.45	494	1	0.01	23	630	12	0.07	<2	2	22
S231923		10	<1	0.09	10	0.48	1840	1	0.02	25	1140	20	0.08	<2	2	22
S231924		10	<1	0.05	10	0.47	345	<1	0.01	22	550	16	0.04	<2	3	19
S231925		10	<1	0.04	10	0.35	278	<1	0.02	16	520	11	0.04	<2	2	17
S231926		10	<1	0.06	10	0.48	469	1	0.01	23	490	19	0.05	<2	2	16
S231927		<10	<1	0.13	20	0.02	14	2	0.03	2	270	14	0.21	2	1	52
S231928		10	<1	0.09	20	0.63	576	1	0.02	27	690	18	0.06	<2	2	29
S231929		10	<1	0.07	20	0.63	618	1	0.02	42	650	22	0.05	<2	3	46
S231930		10	<1	0.07	30	0.54	639	3	0.01	33	680	27	0.04	<2	3	31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 9 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231891		<20	0.12	<10	<10	78	<10	62
S231892		<20	0.11	<10	<10	83	<10	61
S231893		<20	0.09	<10	<10	51	<10	47
S231894		<20	0.11	<10	<10	67	<10	52
S231895		<20	0.10	<10	<10	84	<10	68
S231896		<20	0.12	<10	<10	92	<10	87
S231897		<20	0.09	<10	<10	57	<10	66
S231898		<20	0.08	<10	<10	50	<10	47
S231899		<20	0.10	<10	<10	65	<10	68
S231900		<20	<0.01	<10	<10	<1	<10	<2
S231901		<20	0.10	<10	<10	54	<10	119
S231902		<20	0.09	<10	<10	67	<10	76
S231903		<20	0.11	<10	<10	71	<10	86
S231904		<20	0.11	<10	<10	68	<10	86
S231905		<20	0.09	<10	<10	60	<10	107
S231906		<20	0.10	<10	<10	58	<10	168
S231907		<20	0.10	<10	<10	67	<10	102
S231908		<20	0.13	<10	<10	74	<10	108
S231909		<20	0.13	<10	<10	92	<10	100
S231910		<20	0.15	<10	<10	100	<10	118
S231911		<20	0.15	<10	<10	96	<10	84
S231912		<20	0.10	<10	<10	92	<10	134
S231913		<20	0.10	<10	<10	83	<10	209
S231914		<20	0.11	<10	<10	72	<10	79
S231915		<20	0.11	<10	<10	78	<10	84
S231916		<20	0.07	<10	<10	51	<10	117
S231917		<20	0.12	<10	<10	88	<10	186
S231918		<20	0.10	<10	<10	66	<10	111
S231919		<20	0.06	<10	<10	60	<10	150
S231920		<20	0.10	<10	<10	59	<10	85
S231921		<20	0.09	<10	<10	71	<10	90
S231922		<20	0.09	<10	<10	66	<10	81
S231923		<20	0.09	<10	<10	78	<10	108
S231924		<20	0.11	<10	<10	75	<10	71
S231925		<20	0.11	<10	<10	80	<10	64
S231926		<20	0.09	<10	<10	69	<10	94
S231927		<20	<0.01	<10	<10	17	<10	6
S231928		<20	0.09	<10	<10	75	<10	113
S231929		<20	0.10	<10	<10	78	<10	131
S231930		<20	0.10	<10	<10	78	<10	156



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 10 - A
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA23 Au ppm 0.005	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01
S231931		0.57	0.005	0.2	2.55	29	<10	110	2.1	<2	0.58	<0.5	13	30	25	4.24
S231932		0.54	<0.005	<0.2	1.94	14	<10	110	0.7	<2	0.22	<0.5	9	33	25	3.67
S231933		0.57	<0.005	<0.2	2.27	12	<10	120	0.9	<2	0.19	<0.5	11	35	25	3.39
S231934		0.50	0.005	<0.2	1.99	15	<10	100	0.8	2	0.16	<0.5	9	35	30	3.94
S231935		0.48	<0.005	<0.2	2.79	12	<10	150	0.9	2	0.26	<0.5	13	39	32	3.45
S231936		0.55	0.006	<0.2	2.30	14	<10	120	0.7	<2	0.22	<0.5	11	39	27	3.83
S231937		0.54	<0.005	<0.2	2.34	11	<10	120	0.6	<2	0.17	<0.5	11	36	33	3.44
S231938		0.48	<0.005	<0.2	1.50	12	<10	90	<0.5	<2	0.17	<0.5	8	29	24	3.55
S231939		0.55	<0.005	<0.2	2.37	13	<10	90	1.1	<2	0.20	<0.5	11	35	31	3.52
S231940		0.55	0.010	<0.2	2.10	12	<10	100	1.3	<2	0.48	<0.5	12	33	26	3.27
S232325		0.23	0.006	<0.2	2.12	10	<10	100	1.5	2	0.17	<0.5	8	36	34	3.44



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 10 - B
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41 Ga ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1
S231931		10	<1	0.08	30	0.67	831	1	0.01	21	1170	17	0.04	2	5	57
S231932		10	<1	0.06	10	0.49	433	2	0.01	22	670	13	0.06	<2	2	25
S231933		10	<1	0.06	10	0.56	514	1	0.01	27	530	14	0.05	<2	2	20
S231934		10	<1	0.07	10	0.54	571	2	0.01	25	710	23	0.06	<2	2	20
S231935		10	<1	0.09	10	0.73	538	1	0.02	34	400	15	0.03	<2	4	22
S231936		10	<1	0.08	10	0.65	507	2	0.01	29	560	16	0.05	<2	3	20
S231937		10	<1	0.07	10	0.64	369	1	0.01	30	440	13	0.04	<2	3	17
S231938		10	<1	0.05	10	0.34	237	2	0.01	20	370	11	0.02	<2	2	19
S231939		10	<1	0.08	10	0.58	575	1	0.01	25	630	30	0.06	<2	2	18
S231940		10	<1	0.07	30	0.68	616	1	0.02	25	1010	14	0.02	<2	4	36
S232325		10	<1	0.07	40	0.47	472	1	0.01	23	600	24	0.05	<2	2	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
 1510-250 HOWE STREET
 VANCOUVER BC V6C 3R8

Page: 10 - C
 Total # Pages: 10 (A - C)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2015
 Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th	Ti	Ti	U	V	W	Zn
		ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
S231931		<20	0.05	<10	<10	74	<10	111
S231932		<20	0.10	<10	<10	88	<10	95
S231933		<20	0.10	<10	<10	76	<10	78
S231934		<20	0.09	<10	<10	84	<10	123
S231935		<20	0.12	<10	<10	73	<10	93
S231936		<20	0.10	<10	<10	80	<10	110
S231937		<20	0.10	<10	<10	73	<10	88
S231938		<20	0.13	<10	<10	97	<10	61
S231939		<20	0.09	<10	<10	69	<10	116
S231940		<20	0.11	<10	<10	73	<10	87
S232325		<20	0.11	<10	<10	88	<10	113



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: EQUITY EXPLORATION CONSULTANTS LTD.
1510-250 HOWE STREET
VANCOUVER BC V6C 3R8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2015
Account: EIASUM

Project: SUM15-01

CERTIFICATE OF ANALYSIS WH15113623

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-21 LOG-21d LOG-23 SCR-41
SPL-21d WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA23 ME-ICP41