

**CLIENT NAME: SELWYN CHIHONG MINING LTD  
2701 - 1055 WEST GEORGIA STREET  
VANCOUVER, BC V6E0B6  
(604) 620-6188**

**ATTENTION TO: JELLE DE BRUYCKERE**

**PROJECT: 1710**

**AGAT WORK ORDER: 15Y008625**

**SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor**

**DATE REPORTED: Sep 01, 2015**

**PAGES (INCLUDING COVER): 10**

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

**\*NOTES**



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 15Y008625

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### (201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Aug 18, 2015

DATE RECEIVED: Aug 18, 2015

DATE REPORTED: Sep 01, 2015

SAMPLE TYPE: Drill Core

Analyte: Specific Gravity  
Unit: g/cm3  
RDL: 0.01

Sample ID (AGAT ID)	
E5573960 (6874477)	2.71
E5573961 (6874478)	2.75
E5573962 (6874479)	2.69
E5573963 (6874480)	NRC
E5573964 (6874481)	2.75
E5573965 (6874482)	2.80
E5573966 (6874483)	2.80
E5573967 (6874484)	2.71
E5573968 (6874485)	2.73
E5573969 (6874486)	2.72
E5573970 (6874487)	2.72
E5573971 (6874488)	2.69
E5573972 (6874489)	2.68
E5573973 (6874490)	2.67
E5573974 (6874491)	2.70
E5573975 (6874492)	2.71
E5573976 (6874493)	2.67
E5573977 (6874494)	2.67
E5573978 (6874495)	2.65
E5573979 (6874496)	2.71
E5573980 (6874497)	2.75
E5573981 (6874498)	2.71
E5573982 (6874499)	2.69
E5573983 (6874500)	2.61
E5573984 (6874501)	2.96

Comments: RDL - Reported Detection Limit  
NRC - Sample not received

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 15Y008625

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015			DATE RECEIVED: Aug 18, 2015					DATE REPORTED: Sep 01, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%	
Sample ID (AGAT ID)	RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05	
E5573960 (6874477)		2.99	<0.00025	<0.25	0.0015	0.0238	<0.00025	<0.0005	35.6	<0.00025	0.0013	<0.00025	0.00229	0.00094	0.58	
E5573961 (6874478)		3.73	<0.00025	0.30	0.0005	0.0286	<0.00025	<0.0005	36.6	<0.00025	0.0023	<0.00025	0.00089	0.00107	0.66	
E5573962 (6874479)		1.66	<0.00025	0.59	<0.0005	0.0615	<0.00025	0.0011	18.7	0.00807	0.0018	<0.00025	0.00204	0.00277	1.07	
E5573963 (6874480)		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	
E5573964 (6874481)		1.06	<0.00025	0.64	<0.0005	0.0703	<0.00025	0.0005	24.0	0.00501	0.0021	0.00026	0.00203	0.00244	1.69	
E5573965 (6874482)		1.53	<0.00025	0.79	0.0027	0.0484	<0.00025	0.0009	6.02	0.0123	0.0008	<0.00025	0.00272	0.00502	2.37	
E5573966 (6874483)		1.58	<0.00025	0.76	<0.0005	0.0576	<0.00025	0.0011	14.0	0.0147	0.0018	<0.00025	0.00343	0.00479	2.07	
E5573967 (6874484)		1.03	<0.00025	0.33	<0.0005	0.0364	<0.00025	0.0009	31.1	0.00334	0.0021	<0.00025	0.00108	0.00204	0.70	
E5573968 (6874485)		0.51	<0.00025	0.66	<0.0005	0.0708	<0.00025	0.0006	9.54	0.00429	0.0008	<0.00025	0.00492	0.00341	1.34	
E5573969 (6874486)		0.80	<0.00025	0.44	<0.0005	0.0973	<0.00025	<0.0005	21.0	0.00265	0.0017	<0.00025	0.00325	0.00283	0.74	
E5573970 (6874487)		0.46	<0.00025	0.29	<0.0005	0.0391	<0.00025	<0.0005	25.5	0.00249	0.0014	<0.00025	0.00255	0.00242	0.71	
E5573971 (6874488)		0.53	<0.00025	0.30	<0.0005	0.0648	<0.00025	<0.0005	21.5	0.00227	0.0014	<0.00025	0.00207	0.00245	0.73	
E5573972 (6874489)		1.43	<0.00025	0.53	<0.0005	0.277	<0.00025	0.0006	15.9	0.00309	0.0023	<0.00025	0.00581	0.00558	0.83	
E5573973 (6874490)		1.53	<0.00025	<0.25	<0.0005	0.0624	<0.00025	<0.0005	36.4	0.00064	0.0016	<0.00025	0.00086	0.00378	0.43	
E5573974 (6874491)		0.81	<0.00025	0.33	<0.0005	0.0335	<0.00025	<0.0005	2.89	0.00276	0.0006	<0.00025	0.0102	0.00477	0.58	
E5573975 (6874492)		1.13	<0.00025	0.27	<0.0005	0.0360	<0.00025	<0.0005	25.8	0.00146	0.0018	<0.00025	0.00187	0.00402	0.48	
E5573976 (6874493)		1.36	<0.00025	0.70	<0.0005	0.0480	<0.00025	0.0006	10.4	<0.00025	0.0013	<0.00025	0.00775	0.0106	1.92	
E5573977 (6874494)		1.61	0.00027	0.74	<0.0005	0.0424	<0.00025	<0.0005	15.4	0.00181	0.0061	0.00057	0.00687	0.0180	0.79	
E5573978 (6874495)		0.90	<0.00025	1.73	<0.0005	0.0533	<0.00025	<0.0005	5.74	0.00168	0.0035	0.00063	0.0128	0.0193	1.05	
E5573979 (6874496)		1.19	<0.00025	3.37	<0.0005	0.0964	0.00032	<0.0005	16.9	<0.00025	0.0024	0.00048	0.00624	0.00562	2.39	
E5573980 (6874497)		0.40	<0.00025	<0.25	<0.0005	0.0012	<0.00025	<0.0005	36.9	<0.00025	<0.0005	<0.00025	0.00033	0.00043	0.09	
E5573981 (6874498)		0.94	<0.00025	2.81	<0.0005	0.106	<0.00025	<0.0005	22.1	<0.00025	0.0030	0.00033	0.00420	0.00294	2.01	
E5573982 (6874499)		2.41	<0.00025	3.96	0.0024	0.0784	0.00033	<0.0005	11.5	<0.00025	0.0047	0.00065	0.0158	0.00894	4.03	
E5573983 (6874500)		3.83	<0.00025	3.56	<0.0005	0.0479	0.00025	<0.0005	5.43	<0.00025	0.0037	0.00069	0.0194	0.00793	2.12	
E5573984 (6874501)		0.04	0.0205	3.31	<0.0005	0.0763	<0.00025	0.0015	1.34	0.0105	0.0018	0.00166	0.00186	1.07	5.50	

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 15Y008625

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

**Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)**

DATE SAMPLED: Aug 18, 2015		DATE RECEIVED: Aug 18, 2015					DATE REPORTED: Sep 01, 2015					SAMPLE TYPE: Drill Core			
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
E5573960 (6874477)		<0.0025	<0.0005	0.10	0.0011	0.0007	0.21	0.0901	0.00043	<0.05	0.00196	0.0510	0.0035	<0.0050	0.724
E5573961 (6874478)		<0.0025	<0.0005	0.16	0.0018	0.0005	0.14	0.0633	0.00028	<0.05	0.00121	0.151	0.0057	<0.0050	0.967
E5573962 (6874479)		<0.0025	0.0005	0.33	0.0013	<0.0005	0.10	0.0296	0.00109	<0.05	0.00390	0.0731	0.728	<0.0050	3.09
E5573963 (6874480)	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5573964 (6874481)		<0.0025	0.0007	0.27	0.0014	0.0006	0.12	0.0384	0.00161	0.06	0.00320	0.0754	0.436	<0.0050	3.27
E5573965 (6874482)		<0.0025	0.0006	0.39	<0.0010	0.0006	0.11	0.0195	0.00203	<0.05	0.00622	0.0745	1.05	<0.0050	5.44
E5573966 (6874483)		<0.0025	0.0008	0.39	0.0016	0.0006	0.11	0.0264	0.00153	<0.05	0.00618	0.0564	1.72	<0.0050	5.65
E5573967 (6874484)		<0.0025	0.0006	0.16	0.0019	<0.0005	0.10	0.0379	0.00062	<0.05	0.00228	0.0289	0.345	<0.0050	1.76
E5573968 (6874485)		<0.0025	<0.0005	0.34	<0.0010	0.0005	0.11	0.0201	0.00169	<0.05	0.00484	0.0662	0.368	<0.0050	2.55
E5573969 (6874486)		<0.0025	0.0007	0.22	0.0013	<0.0005	0.10	0.0286	0.00135	<0.05	0.00334	0.0451	0.491	<0.0050	1.52
E5573970 (6874487)		<0.0025	0.0006	0.12	0.0012	<0.0005	0.09	0.0323	0.00086	<0.05	0.00247	0.0297	0.237	<0.0050	1.62
E5573971 (6874488)		<0.0025	<0.0005	0.14	0.0011	<0.0005	0.08	0.0309	0.00091	<0.05	0.00351	0.0502	0.213	<0.0050	1.47
E5573972 (6874489)		<0.0025	<0.0005	0.28	0.0018	0.0005	0.10	0.0223	0.00308	<0.05	0.00730	0.580	0.273	<0.0050	1.65
E5573973 (6874490)		<0.0025	<0.0005	0.10	0.0014	0.0005	0.12	0.0375	0.00124	<0.05	0.00253	0.0903	0.0734	<0.0050	0.705
E5573974 (6874491)		<0.0025	<0.0005	0.15	<0.0010	<0.0005	0.05	0.0072	0.00162	<0.05	0.00363	0.0601	0.133	<0.0050	0.929
E5573975 (6874492)		<0.0025	<0.0005	0.15	0.0014	<0.0005	0.07	0.0314	0.00129	<0.05	0.00337	0.0874	0.105	<0.0050	0.825
E5573976 (6874493)		<0.0025	<0.0005	0.38	<0.0010	0.0005	0.12	0.0252	0.00407	<0.05	0.00926	0.225	0.0287	<0.0050	2.21
E5573977 (6874494)		<0.0025	<0.0005	0.39	0.0059	0.0005	0.13	0.0225	0.00601	<0.05	0.0112	1.61	0.0078	<0.0050	1.02
E5573978 (6874495)		<0.0025	<0.0005	0.92	0.0023	0.0014	0.27	0.0097	0.0111	<0.05	0.0214	1.39	0.0043	0.0062	1.24
E5573979 (6874496)		<0.0025	0.0010	2.63	0.0013	0.0030	0.50	0.0367	<0.00025	<0.05	0.00544	0.103	0.0053	0.0135	3.01
E5573980 (6874497)		<0.0025	<0.0005	<0.05	<0.0010	<0.0005	1.86	0.0055	<0.00025	<0.05	0.00028	0.0080	<0.0005	<0.0050	0.121
E5573981 (6874498)		<0.0025	<0.0005	2.32	0.0018	0.0028	0.55	0.0481	0.00086	<0.05	0.00518	0.0327	0.0030	0.0114	2.50
E5573982 (6874499)		<0.0025	<0.0005	2.76	0.0030	0.0026	0.50	0.0228	0.00595	<0.05	0.0173	1.54	0.0073	0.0143	4.84
E5573983 (6874500)		<0.0025	<0.0005	2.32	0.0023	0.0013	0.50	0.0085	0.00379	<0.05	0.0184	0.250	0.0044	0.0115	2.53
E5573984 (6874501)		<0.0025	0.0020	1.24	<0.0010	0.0011	0.26	0.110	0.00357	2.09	0.00228	0.0218	4.28	<0.0050	6.03

**Certified By:**



## Certificate of Analysis

AGAT WORK ORDER: 15Y008625

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015		DATE RECEIVED: Aug 18, 2015					DATE REPORTED: Sep 01, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5573960 (6874477)		<0.0005	<0.0005	<0.0050	<0.0025	0.0184	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00579	<0.0005	0.0008
E5573961 (6874478)		<0.0005	<0.0005	<0.0050	<0.0025	0.0193	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00846	<0.0005	0.0014
E5573962 (6874479)		0.0013	<0.0005	<0.0050	<0.0025	0.0097	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0196	<0.0005	0.0010
E5573963 (6874480)		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5573964 (6874481)		<0.0005	<0.0005	<0.0050	<0.0025	0.0142	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0203	<0.0005	0.0010
E5573965 (6874482)		0.0007	<0.0005	<0.0050	<0.0025	0.0036	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0353	<0.0005	0.0005
E5573966 (6874483)		0.0009	<0.0005	<0.0050	<0.0025	0.0080	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0356	<0.0005	0.0010
E5573967 (6874484)		<0.0005	<0.0005	<0.0050	<0.0025	0.0166	<0.0050	<0.0050	<0.0025	<0.05	0.0026	<0.0025	0.0200	<0.0005	0.0011
E5573968 (6874485)		0.0009	<0.0005	<0.0050	<0.0025	0.0063	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0247	<0.0005	0.0006
E5573969 (6874486)		<0.0005	<0.0005	<0.0050	<0.0025	0.0122	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0237	<0.0005	0.0011
E5573970 (6874487)		0.0020	<0.0005	<0.0050	<0.0025	0.0150	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0190	<0.0005	0.0008
E5573971 (6874488)		<0.0005	<0.0005	<0.0050	<0.0025	0.0123	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0214	0.0005	0.0009
E5573972 (6874489)		<0.0005	<0.0005	<0.0050	<0.0025	0.0120	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0336	<0.0005	0.0023
E5573973 (6874490)		<0.0005	<0.0005	<0.0050	<0.0025	0.0253	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0225	<0.0005	0.0011
E5573974 (6874491)		<0.0005	<0.0005	<0.0050	<0.0025	0.0027	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0140	<0.0005	0.0005
E5573975 (6874492)		<0.0005	<0.0005	<0.0050	<0.0025	0.0145	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0284	<0.0005	0.0011
E5573976 (6874493)		<0.0005	<0.0005	<0.0050	<0.0025	0.0101	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0868	<0.0005	0.0015
E5573977 (6874494)		<0.0005	<0.0005	<0.0050	<0.0025	0.0144	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0096	0.119	<0.0005	0.0078
E5573978 (6874495)		<0.0005	<0.0005	<0.0050	<0.0025	0.0069	<0.0050	<0.0050	<0.0025	0.09	<0.0025	0.0076	0.219	<0.0005	0.0038
E5573979 (6874496)		<0.0005	0.0008	<0.0050	<0.0025	0.0126	<0.0050	<0.0050	<0.0025	0.18	<0.0025	<0.0025	0.0220	<0.0005	0.0015
E5573980 (6874497)		<0.0005	<0.0005	<0.0050	<0.0025	0.421	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5573981 (6874498)		<0.0005	0.0006	<0.0050	<0.0025	0.0220	<0.0050	<0.0050	<0.0025	0.15	<0.0025	<0.0025	0.0101	0.0007	0.0017
E5573982 (6874499)		0.0019	0.0009	<0.0050	<0.0025	0.0137	<0.0050	<0.0050	<0.0025	0.16	<0.0025	0.0027	0.113	<0.0005	0.0038
E5573983 (6874500)		<0.0005	0.0008	<0.0050	<0.0025	0.0458	<0.0050	<0.0050	<0.0025	0.18	<0.0025	<0.0025	0.138	<0.0005	0.0027
E5573984 (6874501)		0.0320	<0.0005	<0.0050	<0.0025	0.0163	<0.0050	<0.0050	<0.0025	0.11	0.0037	<0.0025	0.00217	0.0010	0.0009

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 15Y008625

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

## Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015		DATE RECEIVED: Aug 18, 2015		DATE REPORTED: Sep 01, 2015		SAMPLE TYPE: Drill Core
Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion		
Unit:	%	%	%	%		
RDL:	0.00025	0.0025	0.005	0.005		
Sample ID (AGAT ID)						
E5573960 (6874477)	0.0112	<0.0025	-	-		
E5573961 (6874478)	0.0156	<0.0025	-	-		
E5573962 (6874479)	3.13	<0.0025	-	-		
E5573963 (6874480)	NRC	NRC	NRC	NRC		
E5573964 (6874481)	2.02	<0.0025	-	-		
E5573965 (6874482)	4.92	<0.0025	-	-		
E5573966 (6874483)	>5	<0.0025	-	5.48		
E5573967 (6874484)	1.45	<0.0025	-	-		
E5573968 (6874485)	1.83	<0.0025	-	-		
E5573969 (6874486)	1.04	<0.0025	-	-		
E5573970 (6874487)	1.47	<0.0025	-	-		
E5573971 (6874488)	1.31	<0.0025	-	-		
E5573972 (6874489)	1.26	<0.0025	-	-		
E5573973 (6874490)	0.310	<0.0025	-	-		
E5573974 (6874491)	1.12	<0.0025	-	-		
E5573975 (6874492)	0.594	<0.0025	-	-		
E5573976 (6874493)	0.0778	0.0026	-	-		
E5573977 (6874494)	0.249	0.0031	-	-		
E5573978 (6874495)	0.182	0.0049	-	-		
E5573979 (6874496)	0.0128	0.0056	-	-		
E5573980 (6874497)	0.00045	<0.0025	-	-		
E5573981 (6874498)	0.00136	0.0047	-	-		
E5573982 (6874499)	0.00153	0.0077	-	-		
E5573983 (6874500)	0.00151	0.0074	-	-		
E5573984 (6874501)	4.24	<0.0025	-	-		

Comments: RDL - Reported Detection Limit  
NRC - Sample not received

6874477-6874501 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### (201-049) Specific Gravity by Pycnometer

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Specific Gravity	6874477	2.71	2.72	0.4%												

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Ag	6874477	< 0.00025	< 0.00025	0.0%												
Al	6874477	< 0.25	< 0.25	0.0%												
As	6874477	0.00152	0.00178	15.8%												
Ba	6874477	0.0238	0.0227	4.7%												
Be	6874477	< 0.00025	< 0.00025	0.0%												
Bi	6874477	< 0.0005	< 0.0005	0.0%												
Ca	6874477	35.6	35.6	0.0%												
Cd	6874477	< 0.00025	< 0.00025	0.0%												
Ce	6874477	0.0013	0.0014	7.4%												
Co	6874477	< 0.00025	< 0.00025	0.0%												
Cr	6874477	0.00229	0.00238	3.9%												
Cu	6874477	0.00094	0.00104	10.1%												
Fe	6874477	0.58	0.58	0.0%												
Ga	6874477	< 0.0025	< 0.0025	0.0%												
In	6874477	< 0.0005	< 0.0005	0.0%												
K	6874477	0.10	0.10	0.0%												
La	6874477	0.0011	0.0011	0.0%												
Li	6874477	0.0007	0.0007	0.0%												
Mg	6874477	0.206	0.203	1.5%												
Mn	6874477	0.0901	0.0882	2.1%												
Mo	6874477	0.00043	0.00039	9.8%												
Na	6874477	< 0.05	< 0.05	0.0%												
Ni	6874477	0.00196	0.00197	0.5%												
P	6874477	0.0510	0.0543	6.3%												
Pb	6874477	0.00349	0.00376	7.4%												
Rb	6874477	< 0.0050	< 0.0050	0.0%												
S	6874477	0.724	0.808	11.0%												



**AGAT** Laboratories

**Quality Assurance - Replicate**

**AGAT WORK ORDER: 15Y008625**

**PROJECT: 1710**

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

**CLIENT NAME: SELWYN CHIHONG MINING LTD**

**ATTENTION TO: JELLE DE BRUYCKERE**

Sb	6874477	< 0.0005	< 0.0005	0.0%											
Sc	6874477	< 0.0005	< 0.0005	0.0%											
Se	6874477	< 0.0050	< 0.0050	0.0%											
Sn	6874477	< 0.0025	< 0.0025	0.0%											
Sr	6874477	0.0184	0.0175	5.0%											
Ta	6874477	< 0.0050	< 0.0050	0.0%											
Te	6874477	< 0.0050	< 0.0050	0.0%											
Th	6874477	< 0.0025	< 0.0025	0.0%											
Ti	6874477	< 0.05	< 0.05	0.0%											
Tl	6874477	< 0.0025	< 0.0025	0.0%											
U	6874477	< 0.0025	< 0.0025	0.0%											
V	6874477	0.00579	0.00597	3.1%											
W	6874477	< 0.0005	< 0.0005	0.0%											
Y	6874477	0.0008	0.0008	0.0%											
Zn	6874477	0.0112	0.00928	18.8%											
Zr	6874477	< 0.0025	< 0.0025	0.0%											





**AGAT** Laboratories

**Quality Assurance - Certified Reference materials**

**AGAT WORK ORDER: 15Y008625**

**PROJECT: 1710**

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

**CLIENT NAME: SELWYN CHIHONG MINING LTD**

**ATTENTION TO: JELLE DE BRUYCKERE**

**(201-049) Specific Gravity by Pycnometer**

CRM #1					CRM #2 (ref.CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Specific Gravity	2.65	2.69	101%	95% - 110%												

**Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)**

CRM #1 (ref.CDN-ME-1303)					CRM #2 (ref.CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Ag	0.0152	0.0157	103%	90% - 110%	0.0274	0.0275	100%	90% - 110%								
Cu	0.344	0.343	100%	90% - 110%	0.790	0.79	100%	90% - 110%								
Pb	1.22	1.24	102%	90% - 110%	0.8010	0.7881	98%	90% - 110%								
Zn	0.931	0.94	101%	90% - 110%	2.380	2.374	100%	90% - 110%								

## Method Summary

**CLIENT NAME:** SELWYN CHIHONG MINING LTD

**AGAT WORK ORDER:** 15Y008625

**PROJECT:** 1710

**ATTENTION TO:** JELLE DE BRUYCKERE

**SAMPLING SITE:**
**SAMPLED BY:**

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
<b>Solid Analysis</b>			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES