

**CLIENT NAME: SELWYN CHIHONG MINING LTD**  
**2701 - 1055 WEST GEORGIA STREET**  
**VANCOUVER, BC V6E0B6**  
**(604) 620-6188**

**ATTENTION TO: JELLE DE BRUYCKERE**

**PROJECT: 1710**

**AGAT WORK ORDER: 15Y008643**

**SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor**

**DATE REPORTED: Sep 02, 2015**

**PAGES (INCLUDING COVER): 12**

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

**\*NOTES**



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### (201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Aug 18, 2015

DATE RECEIVED: Aug 18, 2015

DATE REPORTED: Sep 02, 2015

SAMPLE TYPE: Drill Core

Analyte: Specific Gravity  
Unit: g/cm3  
RDL: 0.01

Sample ID (AGAT ID)	
E5574460 (6874620)	2.76
E5574461 (6874621)	2.86
E5574462 (6874622)	2.84
E5574463 (6874623)	2.69
E5574464 (6874624)	2.77
E5574465 (6874625)	2.76
E5574466 (6874626)	2.81
E5574467 (6874627)	2.77
E5574468 (6874628)	2.76
E5574469 (6874629)	2.75
E5574470 (6874630)	2.71
E5574471 (6874631)	2.73
E5574472 (6874632)	2.71
E5574473 (6874633)	2.69
E5574474 (6874634)	2.76
E5574475 (6874635)	2.78
E5574476 (6874636)	2.78
E5574477 (6874637)	2.75
E5574478 (6874638)	2.71
E5574479 (6874639)	2.68
E5574480 (6874640)	2.76
E5574481 (6874641)	2.70
E5574482 (6874642)	2.69
E5574483 (6874643)	2.66
E5574484 (6874644)	2.65
E5574485 (6874645)	2.77
E5574486 (6874646)	2.78
E5574487 (6874647)	2.77
E5574488 (6874648)	2.71
E5574489 (6874649)	2.76
E5574490 (6874650)	3.01

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### (201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Aug 18, 2015

DATE RECEIVED: Aug 18, 2015

DATE REPORTED: Sep 02, 2015

SAMPLE TYPE: Drill Core

Comments: RDL - Reported Detection Limit

**Certified By:**



## Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015			DATE RECEIVED: Aug 18, 2015					DATE REPORTED: Sep 02, 2015				SAMPLE TYPE: Drill Core			
	Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
E5574460 (6874620)		2.94	<0.00025	0.78	<0.0005	0.138	<0.00025	<0.0005	29.0	<0.00025	0.0024	<0.00025	0.00242	0.00288	1.40
E5574461 (6874621)		0.69	<0.00025	0.66	<0.0005	0.0324	<0.00025	<0.0005	20.3	<0.00025	0.0018	<0.00025	0.00346	0.00538	5.63
E5574462 (6874622)		0.99	<0.00025	0.82	<0.0005	0.0351	<0.00025	0.0016	4.23	0.0151	0.0018	0.00031	0.00608	0.00635	1.40
E5574463 (6874623)		1.13	<0.00025	1.13	<0.0005	0.0472	<0.00025	0.0009	5.52	0.00141	0.0019	0.00043	0.0111	0.00920	1.84
E5574464 (6874624)		1.21	<0.00025	0.53	<0.0005	0.0191	<0.00025	<0.0005	1.05	0.00892	0.0008	<0.00025	0.0123	0.00353	0.89
E5574465 (6874625)		1.28	<0.00025	0.42	<0.0005	0.0131	<0.00025	<0.0005	6.29	0.00671	0.0008	<0.00025	0.0148	0.00335	1.11
E5574466 (6874626)		2.37	<0.00025	0.26	<0.0005	0.0148	<0.00025	<0.0005	33.6	0.00273	0.0016	<0.00025	0.00149	0.00224	0.97
E5574467 (6874627)		1.01	<0.00025	0.28	<0.0005	0.0173	<0.00025	0.0008	10.1	0.00470	0.0007	<0.00025	0.0113	0.00222	0.65
E5574468 (6874628)		0.93	<0.00025	0.40	<0.0005	0.0124	<0.00025	<0.0005	2.18	0.00281	0.0006	<0.00025	0.0128	0.00307	0.79
E5574469 (6874629)		0.85	<0.00025	0.58	<0.0005	0.0232	<0.00025	<0.0005	6.84	0.00618	0.0011	<0.00025	0.0121	0.00369	0.82
E5574470 (6874630)		0.78	<0.00025	<0.25	<0.0005	0.0044	<0.00025	0.0007	36.0	0.00091	0.0019	<0.00025	0.00109	0.00236	0.55
E5574471 (6874631)		0.87	<0.00025	<0.25	<0.0005	0.0041	<0.00025	0.0012	36.0	0.00079	0.0018	<0.00025	0.00122	0.00279	0.57
E5574472 (6874632)		1.02	<0.00025	0.47	<0.0005	0.0129	<0.00025	0.0005	9.33	0.00262	0.0016	0.00031	0.00939	0.00655	0.71
E5574473 (6874633)		1.66	<0.00025	0.25	<0.0005	0.0077	<0.00025	<0.0005	4.46	0.00034	0.0006	<0.00025	0.0168	0.00288	0.43
E5574474 (6874634)		1.49	<0.00025	<0.25	<0.0005	0.0034	<0.00025	<0.0005	28.8	0.00143	0.0014	<0.00025	0.00167	0.00255	0.44
E5574475 (6874635)		1.94	<0.00025	<0.25	<0.0005	0.0959	<0.00025	<0.0005	38.4	0.00068	0.0018	<0.00025	0.00101	0.00208	0.34
E5574476 (6874636)		1.84	<0.00025	<0.25	<0.0005	0.0096	<0.00025	<0.0005	36.7	<0.00025	0.0019	<0.00025	0.00141	0.00335	0.37
E5574477 (6874637)		1.61	<0.00025	0.39	<0.0005	0.0078	<0.00025	<0.0005	6.64	0.00104	0.0012	<0.00025	0.0169	0.00582	1.38
E5574478 (6874638)		0.85	<0.00025	1.14	<0.0005	0.0274	<0.00025	<0.0005	9.58	0.00098	0.0018	0.00039	0.00893	0.00908	1.94
E5574479 (6874639)		1.77	<0.00025	0.97	<0.0005	0.0548	<0.00025	<0.0005	14.4	<0.00025	0.0027	0.00045	0.0131	0.0142	1.44
E5574480 (6874640)		0.57	<0.00025	<0.25	<0.0005	<0.0005	<0.00025	<0.0005	37.2	<0.00025	<0.0005	<0.00025	0.00052	0.00025	<0.05
E5574481 (6874641)		2.39	<0.00025	0.44	<0.0005	0.0082	<0.00025	<0.0005	14.2	0.00028	0.0032	0.00029	0.00724	0.00733	0.57
E5574482 (6874642)		1.88	<0.00025	0.58	<0.0005	0.0055	<0.00025	<0.0005	17.0	0.00070	0.0034	0.00035	0.00894	0.0102	0.61
E5574483 (6874643)		1.65	0.00029	1.05	<0.0005	0.0171	<0.00025	<0.0005	12.9	0.00317	0.0035	0.00064	0.00989	0.0267	1.05
E5574484 (6874644)		1.26	0.00040	2.09	0.0017	0.0378	<0.00025	<0.0005	3.14	0.00489	0.0023	0.00122	0.0153	0.0314	1.88
E5574485 (6874645)		1.50	0.00029	2.56	0.0007	0.0288	0.00028	<0.0005	6.99	<0.00025	0.0049	0.00047	0.0297	0.0240	4.87
E5574486 (6874646)		1.98	<0.00025	3.87	<0.0005	0.0525	0.00043	<0.0005	10.6	<0.00025	0.0038	0.00045	0.0153	0.00706	2.22
E5574487 (6874647)		2.64	<0.00025	2.23	<0.0005	0.0530	0.00025	<0.0005	23.9	<0.00025	0.0025	0.00027	0.00361	0.00223	2.58
E5574488 (6874648)		2.09	<0.00025	3.27	<0.0005	0.0589	0.00030	<0.0005	19.4	<0.00025	0.0030	0.00043	0.00545	0.00349	2.03
E5574489 (6874649)		2.28	<0.00025	3.42	<0.0005	0.0590	0.00026	<0.0005	15.7	<0.00025	0.0041	0.00042	0.00870	0.00796	3.62
E5574490 (6874650)		0.04	0.0193	2.98	0.0016	0.0754	<0.00025	0.0016	1.29	0.0103	0.0014	0.00139	0.00182	1.01	5.34

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015		DATE RECEIVED: Aug 18, 2015				DATE REPORTED: Sep 02, 2015				SAMPLE TYPE: Drill Core					
Sample ID (AGAT ID)	Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
	RDL:	0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
E5574460 (6874620)		<0.0025	0.0013	0.43	0.0022	0.0006	0.25	0.0475	0.00093	<0.05	0.00375	0.0546	0.0407	<0.0050	1.22
E5574461 (6874621)		<0.0025	<0.0005	0.32	0.0014	0.0005	0.14	0.0345	0.00159	<0.05	0.00489	0.0596	0.0288	<0.0050	6.36
E5574462 (6874622)		<0.0025	0.0005	0.40	0.0012	<0.0005	0.09	0.0151	0.00206	<0.05	0.00687	0.0962	2.19	<0.0050	4.58
E5574463 (6874623)		<0.0025	<0.0005	0.54	0.0012	0.0005	0.13	0.0126	0.00364	<0.05	0.00982	0.0948	0.132	<0.0050	2.41
E5574464 (6874624)		<0.0025	0.0006	0.25	<0.0010	<0.0005	0.05	0.0075	0.00186	<0.05	0.00454	0.0739	1.94	<0.0050	2.38
E5574465 (6874625)		<0.0025	<0.0005	0.18	<0.0010	<0.0005	0.06	0.0161	0.00160	<0.05	0.00371	0.0482	0.765	<0.0050	2.68
E5574466 (6874626)		<0.0025	0.0007	0.13	0.0015	0.0008	0.14	0.0505	0.00102	<0.05	0.00242	0.0492	0.275	<0.0050	1.92
E5574467 (6874627)		<0.0025	<0.0005	0.13	<0.0010	<0.0005	0.05	0.0178	0.00074	<0.05	0.00214	0.0298	0.650	<0.0050	2.01
E5574468 (6874628)		<0.0025	<0.0005	0.18	<0.0010	<0.0005	<0.05	0.0098	0.00173	<0.05	0.00351	0.0473	0.319	<0.0050	1.37
E5574469 (6874629)		<0.0025	<0.0005	0.30	<0.0010	<0.0005	0.07	0.0156	0.00230	<0.05	0.00508	0.0641	1.86	<0.0050	2.17
E5574470 (6874630)		<0.0025	0.0006	0.11	0.0016	<0.0005	0.09	0.0417	0.00096	<0.05	0.00233	0.0438	0.146	<0.0050	0.742
E5574471 (6874631)		<0.0025	<0.0005	0.11	0.0016	<0.0005	0.09	0.0378	0.00092	<0.05	0.00235	0.0406	0.144	<0.0050	0.913
E5574472 (6874632)		<0.0025	0.0007	0.23	0.0013	<0.0005	0.07	0.0142	0.00263	<0.05	0.00547	0.198	0.186	<0.0050	1.13
E5574473 (6874633)		<0.0025	<0.0005	0.11	<0.0010	<0.0005	<0.05	0.0096	0.00149	<0.05	0.00265	0.0402	0.0191	<0.0050	0.322
E5574474 (6874634)		<0.0025	<0.0005	0.07	0.0012	<0.0005	0.07	0.0383	0.00034	<0.05	0.00148	0.0341	0.137	<0.0050	0.671
E5574475 (6874635)		<0.0025	<0.0005	0.08	0.0017	0.0009	0.08	0.0462	0.00085	<0.05	0.00168	0.0232	0.0524	<0.0050	0.519
E5574476 (6874636)		<0.0025	<0.0005	0.12	0.0017	<0.0005	0.08	0.0450	0.00096	<0.05	0.00247	0.0399	0.0149	<0.0050	0.432
E5574477 (6874637)		<0.0025	<0.0005	0.20	<0.0010	<0.0005	0.06	0.0138	0.00201	<0.05	0.00422	0.0634	0.836	<0.0050	1.81
E5574478 (6874638)		<0.0025	<0.0005	0.60	0.0013	0.0006	0.15	0.0263	0.00549	<0.05	0.0117	0.189	0.0654	<0.0050	2.34
E5574479 (6874639)		<0.0025	<0.0005	0.50	0.0017	0.0006	0.18	0.0427	0.00645	<0.05	0.0134	0.635	0.0123	<0.0050	1.62
E5574480 (6874640)		<0.0025	<0.0005	<0.05	<0.0010	<0.0005	1.69	0.0024	<0.00025	<0.05	<0.00025	0.0079	<0.0005	<0.0050	0.104
E5574481 (6874641)		<0.0025	<0.0005	0.23	0.0032	<0.0005	0.08	0.0237	0.00395	<0.05	0.00562	0.970	0.0034	<0.0050	0.477
E5574482 (6874642)		<0.0025	0.0009	0.30	0.0032	0.0005	0.11	0.0261	0.00531	<0.05	0.00858	0.799	0.0037	<0.0050	0.703
E5574483 (6874643)		<0.0025	<0.0005	0.54	0.0024	0.0008	0.17	0.0259	0.00958	<0.05	0.0165	0.467	0.0050	<0.0050	1.40
E5574484 (6874644)		<0.0025	0.0006	1.04	0.0016	0.0013	0.27	0.0168	0.0190	<0.05	0.0321	0.325	0.0100	0.0060	2.30
E5574485 (6874645)		<0.0025	<0.0005	1.39	0.0044	0.0015	0.32	0.0143	0.00160	<0.05	0.0256	2.56	0.0343	0.0072	5.26
E5574486 (6874646)		<0.0025	0.0009	2.44	0.0021	0.0036	0.54	0.0196	0.00103	<0.05	0.00869	0.945	0.0047	0.0129	2.46
E5574487 (6874647)		<0.0025	<0.0005	1.55	0.0016	0.0028	0.44	0.0636	<0.00025	<0.05	0.00254	0.0263	0.0044	0.0082	2.97
E5574488 (6874648)		<0.0025	0.0006	2.52	0.0019	0.0040	0.64	0.0474	0.00099	<0.05	0.00593	0.0431	0.0056	0.0127	2.29
E5574489 (6874649)		<0.0025	<0.0005	2.67	0.0030	0.0039	0.58	0.0286	0.00390	<0.05	0.0114	1.64	0.0094	0.0130	4.22
E5574490 (6874650)		<0.0025	0.0018	1.16	<0.0010	0.0010	0.24	0.115	0.00224	2.01	0.00192	0.0316	3.92	<0.0050	5.58

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

## Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015		DATE RECEIVED: Aug 18, 2015					DATE REPORTED: Sep 02, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5574460 (6874620)		<0.0005	<0.0005	<0.0050	<0.0025	0.0169	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0262	<0.0005	0.0014
E5574461 (6874621)		<0.0005	<0.0005	<0.0050	<0.0025	0.0127	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0287	<0.0005	0.0011
E5574462 (6874622)		<0.0005	<0.0005	<0.0050	<0.0025	0.0041	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0451	<0.0005	0.0011
E5574463 (6874623)		<0.0005	<0.0005	<0.0050	<0.0025	0.0049	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.0682	<0.0005	0.0015
E5574464 (6874624)		<0.0005	<0.0005	<0.0050	<0.0025	0.0022	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0236	<0.0005	0.0006
E5574465 (6874625)		<0.0005	<0.0005	<0.0050	<0.0025	0.0045	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0207	<0.0005	0.0008
E5574466 (6874626)		<0.0005	<0.0005	<0.0050	<0.0025	0.0211	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0177	<0.0005	0.0011
E5574467 (6874627)		<0.0005	<0.0005	<0.0050	<0.0025	0.0055	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0122	<0.0005	0.0005
E5574468 (6874628)		<0.0005	<0.0005	<0.0050	<0.0025	0.0027	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0152	<0.0005	0.0005
E5574469 (6874629)		<0.0005	<0.0005	<0.0050	<0.0025	0.0049	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0259	<0.0005	0.0008
E5574470 (6874630)		<0.0005	<0.0005	<0.0050	<0.0025	0.0193	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0221	<0.0005	0.0014
E5574471 (6874631)		<0.0005	<0.0005	<0.0050	<0.0025	0.0179	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0225	<0.0005	0.0014
E5574472 (6874632)		0.0008	<0.0005	<0.0050	<0.0025	0.0055	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0271	<0.0005	0.0016
E5574473 (6874633)		<0.0005	<0.0005	<0.0050	<0.0025	0.0034	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0105	<0.0005	0.0007
E5574474 (6874634)		<0.0005	<0.0005	<0.0050	<0.0025	0.0141	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0173	<0.0005	0.0010
E5574475 (6874635)		0.0006	<0.0005	<0.0050	<0.0025	0.0172	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0174	<0.0005	0.0014
E5574476 (6874636)		<0.0005	<0.0005	<0.0050	<0.0025	0.0202	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0254	<0.0005	0.0014
E5574477 (6874637)		0.0007	<0.0005	<0.0050	<0.0025	0.0055	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0211	<0.0005	0.0013
E5574478 (6874638)		0.0019	<0.0005	<0.0050	<0.0025	0.0081	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.103	<0.0005	0.0016
E5574479 (6874639)		0.0020	<0.0005	<0.0050	<0.0025	0.0126	<0.0050	<0.0050	<0.0025	0.06	<0.0025	0.0048	0.137	<0.0005	0.0029
E5574480 (6874640)		<0.0005	<0.0005	<0.0050	<0.0025	0.462	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5574481 (6874641)		<0.0005	<0.0005	<0.0050	<0.0025	0.0116	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0036	0.0563	<0.0005	0.0046
E5574482 (6874642)		0.0008	<0.0005	<0.0050	<0.0025	0.0151	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0068	0.0910	<0.0005	0.0049
E5574483 (6874643)		0.0011	<0.0005	<0.0050	<0.0025	0.0144	<0.0050	<0.0050	<0.0025	0.06	<0.0025	0.0088	0.167	<0.0005	0.0041
E5574484 (6874644)		0.0049	<0.0005	<0.0050	<0.0025	0.0052	<0.0050	<0.0050	<0.0025	0.12	<0.0025	0.0057	0.287	<0.0005	0.0023
E5574485 (6874645)		0.0020	0.0007	<0.0050	<0.0025	0.0099	<0.0050	<0.0050	<0.0025	0.11	<0.0025	0.0033	0.117	<0.0005	0.0076
E5574486 (6874646)		0.0008	0.0007	<0.0050	<0.0025	0.0092	<0.0050	<0.0050	<0.0025	0.22	<0.0025	<0.0025	0.0409	<0.0005	0.0034
E5574487 (6874647)		<0.0005	0.0005	<0.0050	<0.0025	0.0167	<0.0050	<0.0050	<0.0025	0.13	<0.0025	<0.0025	0.00727	<0.0005	0.0015
E5574488 (6874648)		<0.0005	0.0006	<0.0050	<0.0025	0.0154	<0.0050	<0.0050	<0.0025	0.19	<0.0025	<0.0025	0.00841	<0.0005	0.0018
E5574489 (6874649)		0.0010	0.0008	<0.0050	<0.0025	0.0183	<0.0050	<0.0050	<0.0025	0.20	<0.0025	<0.0025	0.0459	<0.0005	0.0040
E5574490 (6874650)		0.0270	<0.0005	<0.0050	<0.0025	0.0149	<0.0050	<0.0050	<0.0025	0.10	<0.0025	<0.0025	0.00203	<0.0005	0.0009

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015      DATE RECEIVED: Aug 18, 2015      DATE REPORTED: Sep 02, 2015      SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion
	Unit:	%	%	%	%
	RDL:	0.00025	0.0025	0.005	0.005
E5574460 (6874620)		0.132	<0.0025	-	-
E5574461 (6874621)		0.00932	<0.0025	-	-
E5574462 (6874622)		>5	<0.0025	-	5.81
E5574463 (6874623)		0.581	0.0027	-	-
E5574464 (6874624)		2.82	<0.0025	-	-
E5574465 (6874625)		2.95	<0.0025	-	-
E5574466 (6874626)		1.58	<0.0025	-	-
E5574467 (6874627)		2.70	<0.0025	-	-
E5574468 (6874628)		1.38	<0.0025	-	-
E5574469 (6874629)		2.18	<0.0025	-	-
E5574470 (6874630)		0.393	<0.0025	-	-
E5574471 (6874631)		0.377	<0.0025	-	-
E5574472 (6874632)		0.984	<0.0025	-	-
E5574473 (6874633)		0.148	<0.0025	-	-
E5574474 (6874634)		0.655	<0.0025	-	-
E5574475 (6874635)		0.348	<0.0025	-	-
E5574476 (6874636)		0.0891	<0.0025	-	-
E5574477 (6874637)		0.388	<0.0025	-	-
E5574478 (6874638)		0.273	0.0032	-	-
E5574479 (6874639)		0.0255	0.0041	-	-
E5574480 (6874640)		0.00069	<0.0025	-	-
E5574481 (6874641)		0.0466	<0.0025	-	-
E5574482 (6874642)		0.0988	0.0025	-	-
E5574483 (6874643)		0.329	0.0047	-	-
E5574484 (6874644)		0.484	0.0080	-	-
E5574485 (6874645)		0.0333	0.0051	-	-
E5574486 (6874646)		0.00929	0.0069	-	-
E5574487 (6874647)		0.00252	0.0037	-	-
E5574488 (6874648)		0.00323	0.0057	-	-
E5574489 (6874649)		0.00061	0.0060	-	-
E5574490 (6874650)		4.05	<0.0025	-	-

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 15Y008643

PROJECT: 1710

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

### Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

DATE SAMPLED: Aug 18, 2015

DATE RECEIVED: Aug 18, 2015

DATE REPORTED: Sep 02, 2015

SAMPLE TYPE: Drill Core

Comments: RDL - Reported Detection Limit

6874620-6874650 As, Sb values may be low due to digestion losses.

**Certified By:**





**CLIENT NAME: SELWYN CHIHONG MINING LTD**

**ATTENTION TO: JELLE DE BRUYCKERE**

## (201-049) Specific Gravity by Pycnometer

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Specific Gravity	6874620	2.76	2.77	0.4%												

## Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)

Parameter	REPLICATE #1				REPLICATE #2				REPLICATE #3							
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD				
Ag	6874620	< 0.00025	< 0.00025	0.0%	6874640	< 0.00025	< 0.00025	0.0%	6874649	< 0.00025	< 0.00025	0.0%				
Al	6874620	0.78	0.78	0.0%	6874640	< 0.25	< 0.25	0.0%	6874649	3.42	3.40	0.6%				
As	6874620	< 0.0005	0.0009		6874640	< 0.0005	< 0.0005	0.0%	6874649	< 0.0005	< 0.0005	0.0%				
Ba	6874620	0.138	0.137	0.7%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.0590	0.0591	0.2%				
Be	6874620	< 0.00025	< 0.00025	0.0%	6874640	< 0.00025	< 0.00025	0.0%	6874649	0.00026	0.00027	3.8%				
Bi	6874620	< 0.0005	< 0.0005	0.0%	6874640	< 0.0005	< 0.0005	0.0%	6874649	< 0.0005	< 0.0005	0.0%				
Ca	6874620	29.0	28.8	0.7%	6874640	37.2	37.8	1.6%	6874649	15.7	15.8	0.6%				
Cd	6874620	0.00024	0.00031	25.5%	6874640	< 0.00025	< 0.00025	0.0%	6874649	< 0.00025	< 0.00025	0.0%				
Ce	6874620	0.0024	0.0026	8.0%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.0041	0.0041	0.0%				
Co	6874620	< 0.00025	0.00034		6874640	< 0.00025	< 0.00025	0.0%	6874649	0.00042	0.00063					
Cr	6874620	0.00242	0.0158		6874640	0.00052	0.00061	15.9%	6874649	0.00870	0.00830	4.7%				
Cu	6874620	0.00288	0.00277	3.9%	6874640	0.00025	0.00037		6874649	0.00796	0.00791	0.6%				
Fe	6874620	1.40	1.44	2.8%	6874640	< 0.05	< 0.05	0.0%	6874649	3.62	3.60	0.6%				
Ga	6874620	< 0.0025	< 0.0025	0.0%	6874640	< 0.0025	< 0.0025	0.0%	6874649	< 0.0025	< 0.0025	0.0%				
In	6874620	0.0013	< 0.0005		6874640	< 0.0005	< 0.0005	0.0%	6874649	< 0.0005	0.0007					
K	6874620	0.43	0.43	0.0%	6874640	< 0.05	< 0.05	0.0%	6874649	2.67	2.69	0.7%				
La	6874620	0.0022	0.0022	0.0%	6874640	< 0.0010	< 0.0010	0.0%	6874649	0.0030	0.0030	0.0%				
Li	6874620	0.00063	0.00066	4.7%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.0039	0.0039	0.0%				
Mg	6874620	0.251	0.244	2.8%	6874640	1.69	1.69	0.0%	6874649	0.58	0.59	1.7%				
Mn	6874620	0.0475	0.0467	1.7%	6874640	0.00241	0.00279	14.6%	6874649	0.0286	0.0311	8.4%				
Mo	6874620	0.00093	0.00112	18.5%	6874640	< 0.00025	< 0.00025	0.0%	6874649	0.00390	0.00377	3.4%				
Na	6874620	< 0.05	< 0.05	0.0%	6874640	< 0.05	< 0.05	0.0%	6874649	< 0.05	< 0.05	0.0%				
Ni	6874620	0.00375	0.00945		6874640	< 0.00025	< 0.00025	0.0%	6874649	0.0114	0.0108	5.4%				
P	6874620	0.0546	0.0503	8.2%	6874640	0.0079	0.0058		6874649	1.64	1.66	1.2%				
Pb	6874620	0.0407	0.0395	3.0%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.00943	0.0104	9.8%				
Rb	6874620	< 0.0050	< 0.0050	0.0%	6874640	< 0.0050	< 0.0050	0.0%	6874649	0.0130	0.0130	0.0%				
S	6874620	1.22	1.24	1.6%	6874640	0.104	< 0.025		6874649	4.22	4.19	0.7%				



**AGAT** Laboratories

**Quality Assurance - Replicate**

**AGAT WORK ORDER: 15Y008643**

**PROJECT: 1710**

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

**CLIENT NAME: SELWYN CHIHONG MINING LTD**

**ATTENTION TO: JELLE DE BRUYCKERE**

Sb	6874620	< 0.0005	< 0.0005	0.0%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.0010	< 0.0005					
Sc	6874620	< 0.0005	< 0.0005	0.0%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.0008	0.0008	0.0%				
Se	6874620	< 0.0050	< 0.0050	0.0%	6874640	< 0.0050	< 0.0050	0.0%	6874649	< 0.0050	< 0.0050	0.0%				
Sn	6874620	< 0.0025	< 0.0025	0.0%	6874640	< 0.0025	< 0.0025	0.0%	6874649	< 0.0025	< 0.0025	0.0%				
Sr	6874620	0.0169	0.0171	1.2%	6874640	0.462	0.474	2.6%	6874649	0.0183	0.0186	1.6%				
Ta	6874620	< 0.0050	< 0.0050	0.0%	6874640	< 0.0050	< 0.0050	0.0%	6874649	< 0.0050	< 0.0050	0.0%				
Te	6874620	< 0.0050	< 0.0050	0.0%	6874640	< 0.0050	< 0.0050	0.0%	6874649	< 0.0050	< 0.0050	0.0%				
Th	6874620	< 0.0025	< 0.0025	0.0%	6874640	< 0.0025	< 0.0025	0.0%	6874649	< 0.0025	< 0.0025	0.0%				
Ti	6874620	< 0.05	< 0.05	0.0%	6874640	< 0.05	< 0.05	0.0%	6874649	0.196	0.194	1.0%				
Tl	6874620	< 0.0025	< 0.0025	0.0%	6874640	< 0.0025	< 0.0025	0.0%	6874649	< 0.0025	< 0.0025	0.0%				
U	6874620	< 0.0025	< 0.0025	0.0%	6874640	< 0.0025	< 0.0025	0.0%	6874649	< 0.0025	< 0.0025	0.0%				
V	6874620	0.0262	0.0271	3.4%	6874640	< 0.00025	< 0.00025	0.0%	6874649	0.0459	0.0453	1.3%				
W	6874620	< 0.0005	< 0.0005	0.0%	6874640	< 0.0005	< 0.0005	0.0%	6874649	< 0.0005	< 0.0005	0.0%				
Y	6874620	0.00142	0.00146	2.8%	6874640	< 0.0005	< 0.0005	0.0%	6874649	0.0040	0.0039	2.5%				
Zn	6874620	0.132	0.131	0.8%	6874640	0.00069	0.00071	2.9%	6874649	0.00061	< 0.00025					
Zr	6874620	< 0.0025	< 0.0025	0.0%	6874640	< 0.0025	< 0.0025	0.0%	6874649	0.0060	0.0059	1.7%				



**AGAT** Laboratories

**Quality Assurance - Certified Reference materials**

**AGAT WORK ORDER: 15Y008643**

**PROJECT: 1710**

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

**CLIENT NAME: SELWYN CHIHONG MINING LTD**

**ATTENTION TO: JELLE DE BRUYCKERE**

**(201-049) Specific Gravity by Pycnometer**

CRM #1					CRM #2 (ref.CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Specific Gravity	2.65	2.71	102%	95% - 110%												

**Selwyn Chihong Mining Ltd Analytical Package (201-270\_201-049\_201-079)**

CRM #1 (ref.CDN-ME-1303)					CRM #2 (ref.CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Ag	0.0152	0.0157	104%	90% - 110%	0.0274	0.028	102%	90% - 110%								
Cu	0.344	0.352	102%	90% - 110%	0.790	0.784	99%	90% - 110%								
Pb	1.22	1.24	102%	90% - 110%	0.8010	0.7882	98%	90% - 110%								
Zn	0.931	0.957	103%	90% - 110%	2.380	2.333	98%	90% - 110%								

## Method Summary

**CLIENT NAME:** SELWYN CHIHONG MINING LTD

**AGAT WORK ORDER:** 15Y008643

**PROJECT:** 1710

**ATTENTION TO:** JELLE DE BRUYCKERE

**SAMPLING SITE:**
**SAMPLED BY:**

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
<b>Solid Analysis</b>			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES