

**CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(604) 620-6188**

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT: 1710

AGAT WORK ORDER: 15Y015222

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Sep 21, 2015

PAGES (INCLUDING COVER): 15

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Sep 03, 2015

DATE RECEIVED: Sep 03, 2015

DATE REPORTED: Sep 21, 2015

SAMPLE TYPE: Drill Core

Analyte: Specific Gravity
Unit: g/cm3
RDL: 0.01

Sample ID (AGAT ID)	
E5575910 (6931604)	2.61
E5575911 (6931605)	2.65
E5575912 (6931606)	2.67
E5575913 (6931607)	2.70
E5575914 (6931608)	2.81
E5575915 (6931609)	2.72
E5575916 (6931610)	2.77
E5575917 (6931611)	2.83
E5575918 (6931612)	2.73
E5575919 (6931613)	2.72
E5575920 (6931614)	2.75
E5575921 (6931615)	2.73
E5575922 (6931616)	2.71
E5575923 (6931617)	2.85
E5575924 (6931618)	2.77
E5575925 (6931619)	2.74
E5575926 (6931620)	2.73
E5575927 (6931621)	2.77
E5575928 (6931622)	2.71
E5575929 (6931623)	2.70
E5575930 (6931624)	2.76
E5575931 (6931625)	2.73
E5575932 (6931626)	2.72
E5575933 (6931627)	2.69
E5575934 (6931628)	2.73
E5575935 (6931629)	2.75
E5575936 (6931630)	2.64
E5575937 (6931631)	2.66
E5575938 (6931632)	2.65
E5575939 (6931633)	2.70
E5575940 (6931634)	2.87
E5575941 (6931635)	2.67

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Sep 03, 2015

DATE RECEIVED: Sep 03, 2015

DATE REPORTED: Sep 21, 2015

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Specific Gravity
	Unit:	g/cm3
	RDL:	0.01
E5575942 (6931636)		2.71
E5575943 (6931637)		2.70
E5575944 (6931638)		2.69
E5575945 (6931639)		2.71
E5575946 (6931640)		2.65
E5575947 (6931641)		2.66
E5575948 (6931642)		2.70
E5575949 (6931643)		2.67
E5575950 (6931644)		2.65
E5575951 (6931645)		2.64
E5575952 (6931646)		2.75
E5575953 (6931647)		2.69
E5575954 (6931648)		2.66
E5575955 (6931649)		2.64
E5575956 (6931650)		2.65
E5575957 (6931651)		2.77
E5575958 (6931652)		2.75
E5575959 (6931653)		2.70
E5575960 (6931654)		2.77
E5575961 (6931655)		2.68
E5575962 (6931656)		2.96
E5575963 (6931657)		2.71
E5575964 (6931658)		2.74
E5575965 (6931659)		2.60
E5575966 (6931660)		2.70
E5575967 (6931661)		2.69
E5575968 (6931662)		2.79
E5575969 (6931663)		2.89

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015			DATE RECEIVED: Sep 03, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%	
Sample ID (AGAT ID)	RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05	
E5575910 (6931604)		2.00	<0.00025	1.31	0.0043	0.0731	<0.00025	<0.0005	2.77	<0.00025	0.0019	<0.00025	0.00947	0.00333	0.76	
E5575911 (6931605)		1.41	<0.00025	1.34	0.0022	0.0419	<0.00025	<0.0005	2.19	<0.00025	0.0020	0.00029	0.0103	0.00357	0.72	
E5575912 (6931606)		1.57	<0.00025	1.58	0.0058	0.0938	<0.00025	0.0011	1.73	0.00083	0.0016	0.00039	0.00862	0.00582	1.25	
E5575913 (6931607)		1.19	<0.00025	<0.25	0.0016	0.333	<0.00025	<0.0005	38.2	<0.00025	0.0012	<0.00025	0.00061	<0.00025	0.18	
E5575914 (6931608)		1.00	<0.00025	0.25	0.0010	0.0139	<0.00025	0.0017	25.5	0.00730	0.0009	0.00029	0.00250	0.00275	1.11	
E5575915 (6931609)		1.80	<0.00025	<0.25	0.0037	0.0108	<0.00025	<0.0005	39.5	<0.00025	0.0011	<0.00025	0.00043	<0.00025	0.21	
E5575916 (6931610)		1.14	<0.00025	0.29	<0.0005	0.475	<0.00025	0.0013	32.3	<0.00025	0.0022	<0.00025	0.00103	0.00087	0.58	
E5575917 (6931611)		1.00	<0.00025	1.21	0.0067	0.0635	<0.00025	0.0013	7.08	0.0140	0.0021	0.00065	0.00520	0.00398	1.82	
E5575918 (6931612)		2.04	<0.00025	0.27	0.0039	0.192	<0.00025	0.0005	33.1	0.00321	0.0023	<0.00025	0.00115	0.00137	1.24	
E5575919 (6931613)		0.87	<0.00025	<0.25	0.0072	0.319	<0.00025	0.0007	33.7	0.00325	0.0024	<0.00025	0.00097	0.00101	0.95	
E5575920 (6931614)		0.85	<0.00025	0.48	0.0042	0.0217	<0.00025	0.0007	17.6	0.00863	0.0012	<0.00025	0.00441	0.00189	1.07	
E5575921 (6931615)		0.87	<0.00025	0.37	0.0030	0.0116	<0.00025	0.0016	18.2	0.00747	0.0012	<0.00025	0.00574	0.00136	0.80	
E5575922 (6931616)		0.71	<0.00025	0.25	0.0075	0.0056	<0.00025	0.0010	26.7	0.00191	0.0018	<0.00025	0.00170	0.00054	0.40	
E5575923 (6931617)		1.11	<0.00025	0.29	0.0031	0.0064	<0.00025	0.0026	24.9	0.0175	0.0017	<0.00025	0.00199	0.00292	1.00	
E5575924 (6931618)		0.92	<0.00025	0.43	0.0043	0.0084	<0.00025	0.0006	30.1	0.00268	0.0037	<0.00025	0.00189	0.00230	1.04	
E5575925 (6931619)		1.16	<0.00025	0.81	<0.0005	0.0287	<0.00025	0.0015	6.13	0.00665	0.0014	0.00059	0.00744	0.00350	1.43	
E5575926 (6931620)		0.73	<0.00025	0.78	0.0041	0.0196	<0.00025	0.0017	3.14	0.0102	0.0009	0.00048	0.00879	0.00375	1.40	
E5575927 (6931621)		1.40	<0.00025	0.49	0.0033	0.0123	<0.00025	0.0008	9.30	0.0124	0.0010	0.00036	0.00712	0.00274	0.80	
E5575928 (6931622)		0.87	<0.00025	<0.25	0.0020	0.0584	<0.00025	<0.0005	33.1	<0.00025	0.0020	<0.00025	0.00127	0.00132	1.70	
E5575929 (6931623)		1.68	<0.00025	0.42	0.0029	0.0113	<0.00025	0.0013	31.1	<0.00025	0.0024	<0.00025	0.00200	0.00150	0.61	
E5575930 (6931624)		0.73	<0.00025	<0.25	<0.0005	0.0011	<0.00025	<0.0005	36.8	<0.00025	<0.0005	<0.00025	0.00036	<0.00025	<0.05	
E5575931 (6931625)		2.36	<0.00025	0.50	0.0054	0.0295	<0.00025	<0.0005	27.2	0.00109	0.0015	<0.00025	0.00270	0.00404	1.55	
E5575932 (6931626)		0.65	<0.00025	0.47	0.0017	0.0144	<0.00025	0.0011	23.0	0.00218	0.0016	0.00032	0.00353	0.00223	0.91	
E5575933 (6931627)		1.33	<0.00025	0.28	0.0048	0.0067	<0.00025	0.0019	24.0	0.00149	0.0017	<0.00025	0.00195	0.00172	0.55	
E5575934 (6931628)		1.39	<0.00025	0.34	<0.0005	0.0076	<0.00025	0.0021	16.7	0.00645	0.0011	0.00037	0.00450	0.00322	0.93	
E5575935 (6931629)		1.58	<0.00025	0.38	0.0029	0.0101	<0.00025	0.0020	30.7	0.00213	0.0019	<0.00025	0.00169	0.00249	0.97	
E5575936 (6931630)		1.08	<0.00025	1.05	0.0051	0.0384	<0.00025	0.0009	5.88	0.00333	0.0016	0.00046	0.0113	0.00685	0.96	
E5575937 (6931631)		2.14	<0.00025	0.25	0.0069	0.0207	<0.00025	0.0013	34.1	0.00061	0.0015	<0.00025	0.00141	0.00250	0.56	
E5575938 (6931632)		1.03	<0.00025	0.36	0.0071	0.0114	<0.00025	0.0006	0.46	0.00084	0.0005	<0.00025	0.0116	0.00356	0.46	
E5575939 (6931633)		2.23	<0.00025	<0.25	0.0034	0.0472	<0.00025	0.0008	29.0	0.00107	0.0014	<0.00025	0.00163	0.00297	0.44	
E5575940 (6931634)		0.04	0.0202	3.82	0.0017	0.0710	<0.00025	0.0013	1.36	0.0106	0.0018	0.00185	0.00185	1.09	5.24	

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015

DATE RECEIVED: Sep 03, 2015

DATE REPORTED: Sep 21, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
E5575941 (6931635)	2.18	0.00028	0.42	<0.0005	0.0223	<0.00025	0.0020	18.4	0.00154	0.0014	<0.00025	0.00939	0.00487	0.60
E5575942 (6931636)	1.81	<0.00025	0.71	0.0061	0.0188	<0.00025	0.0008	20.9	0.00240	0.0009	<0.00025	0.00637	0.00551	1.45
E5575943 (6931637)	1.25	<0.00025	0.49	0.0015	0.0389	<0.00025	<0.0005	14.2	<0.00025	0.0036	<0.00025	0.00736	0.00786	1.02
E5575944 (6931638)	1.88	<0.00025	0.59	0.0017	0.0236	<0.00025	<0.0005	12.7	0.00027	0.0064	0.00040	0.00816	0.0146	0.39
E5575945 (6931639)	1.42	<0.00025	0.41	0.0085	0.466	<0.00025	0.0011	14.6	0.00308	0.0010	<0.00025	0.0137	0.00519	0.41
E5575946 (6931640)	0.83	<0.00025	0.27	0.0064	0.0071	<0.00025	<0.0005	13.9	0.00055	0.0010	0.00033	0.00414	0.00300	0.45
E5575947 (6931641)	2.04	<0.00025	0.30	<0.0005	0.171	<0.00025	0.0016	18.8	0.00142	0.0013	<0.00025	0.00785	0.00341	0.53
E5575948 (6931642)	2.34	<0.00025	0.40	0.0030	0.0114	<0.00025	<0.0005	19.7	0.00142	0.0012	<0.00025	0.00669	0.00315	0.61
E5575949 (6931643)	0.99	<0.00025	0.80	0.0035	0.0262	<0.00025	0.0014	6.17	0.00133	0.0008	0.00039	0.0135	0.00960	2.06
E5575950 (6931644)	0.74	<0.00025	0.57	0.0008	0.0122	<0.00025	<0.0005	3.57	0.00065	0.0025	0.00196	0.0128	0.00800	0.55
E5575951 (6931645)	0.95	<0.00025	0.55	0.0079	0.0139	<0.00025	0.0015	3.25	0.00076	0.0023	0.00050	0.0180	0.00717	0.53
E5575952 (6931646)	1.28	<0.00025	0.40	0.0038	0.0115	<0.00025	0.0016	24.2	<0.00025	0.0053	0.00064	0.00436	0.0174	0.41
E5575953 (6931647)	1.49	<0.00025	0.56	<0.0005	0.0138	<0.00025	0.0017	16.1	0.00284	0.0028	0.00061	0.00884	0.0139	0.60
E5575954 (6931648)	1.37	<0.00025	0.77	0.0010	0.0184	<0.00025	<0.0005	12.0	0.00259	0.0027	0.00079	0.00860	0.0133	0.58
E5575955 (6931649)	1.16	0.00025	1.78	0.0047	0.0345	<0.00025	<0.0005	3.01	0.00285	0.0016	0.00105	0.0129	0.0220	1.28
E5575956 (6931650)	1.44	<0.00025	2.18	0.0052	0.0268	0.00026	0.0011	8.55	<0.00025	0.0048	0.00040	0.0178	0.0195	3.69
E5575957 (6931651)	1.73	0.00034	2.06	0.0094	0.0448	<0.00025	<0.0005	8.71	<0.00025	0.0044	<0.00025	0.0204	0.0134	7.57
E5575958 (6931652)	1.29	<0.00025	3.01	0.0030	0.0914	0.00025	0.0011	17.5	<0.00025	0.0022	0.00061	0.00601	0.00261	2.92
E5575959 (6931653)	1.59	<0.00025	2.39	0.0045	0.0573	<0.00025	0.0014	24.9	<0.00025	0.0029	0.00034	0.00416	0.00162	1.55
E5575960 (6931654)	0.61	<0.00025	<0.25	0.0019	<0.0005	<0.00025	<0.0005	36.7	<0.00025	<0.0005	0.00036	0.00037	<0.00025	0.05
E5575961 (6931655)	1.11	<0.00025	2.57	0.0134	0.0410	0.00030	<0.0005	7.72	<0.00025	0.0052	0.00052	0.0186	0.00947	1.85
E5575962 (6931656)	0.97	<0.00025	3.81	0.0056	0.0569	0.00031	0.0010	8.20	<0.00025	0.0010	0.00098	0.00802	0.0171	10.9
E5575963 (6931657)	1.52	<0.00025	3.36	0.0054	0.0615	0.00026	<0.0005	22.5	<0.00025	0.0031	0.00063	0.00538	0.00249	1.91
E5575964 (6931658)	1.35	<0.00025	2.39	<0.0005	0.0580	<0.00025	<0.0005	21.6	<0.00025	0.0068	0.00034	0.00619	0.00179	1.54
E5575965 (6931659)	1.39	<0.00025	4.57	0.0007	0.0755	0.00029	<0.0005	4.53	<0.00025	0.0055	0.00109	0.0204	0.00731	2.64
E5575966 (6931660)	1.65	<0.00025	2.30	0.0057	0.0601	<0.00025	0.0021	25.9	<0.00025	0.0025	0.00049	0.00381	0.00133	1.29
E5575967 (6931661)	1.38	<0.00025	3.38	0.0032	0.0739	0.00027	<0.0005	20.8	<0.00025	0.0025	0.00064	0.00585	0.00279	2.52
E5575968 (6931662)	1.76	<0.00025	2.23	<0.0005	0.0659	<0.00025	<0.0005	18.6	<0.00025	0.0078	0.00056	0.0117	0.00823	1.97
E5575969 (6931663)	0.05	0.00880	6.10	<0.0005	0.0519	<0.00025	<0.0005	4.33	0.0164	0.0023	0.00170	0.00288	0.210	5.28

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015		DATE RECEIVED: Sep 03, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:		0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
Sample ID (AGAT ID)															
E5575910 (6931604)		<0.0025	<0.0005	0.41	0.0011	0.0020	0.32	0.0065	0.00065	<0.05	0.00664	0.589	0.0029	<0.0050	0.744
E5575911 (6931605)		<0.0025	0.0015	0.50	0.0013	0.0017	0.28	0.0046	0.00068	<0.05	0.00638	0.565	0.0045	<0.0050	0.668
E5575912 (6931606)		<0.0025	0.0019	0.61	<0.0010	0.0011	0.29	0.0071	0.00329	<0.05	0.0107	0.226	0.0275	<0.0050	1.47
E5575913 (6931607)		<0.0025	0.0007	<0.05	<0.0010	<0.0005	0.16	0.0656	<0.00025	<0.05	<0.00025	0.0208	0.0024	<0.0050	0.161
E5575914 (6931608)		<0.0025	0.0015	0.12	<0.0010	<0.0005	0.14	0.0465	0.00120	<0.05	0.00240	0.0317	0.590	<0.0050	2.16
E5575915 (6931609)		<0.0025	0.0010	0.05	<0.0010	<0.0005	0.15	0.0727	0.00034	<0.05	0.00089	0.0086	0.0013	<0.0050	0.126
E5575916 (6931610)		<0.0025	0.0017	0.13	0.0019	<0.0005	0.17	0.0604	0.00051	<0.05	0.00170	0.0954	0.0110	<0.0050	0.627
E5575917 (6931611)		<0.0025	0.0013	0.53	0.0014	<0.0005	0.17	0.0186	0.00134	<0.05	0.00628	0.0982	2.28	<0.0050	4.79
E5575918 (6931612)		<0.0025	0.0013	0.13	0.0019	<0.0005	0.11	0.0438	0.00047	<0.05	0.00143	0.0477	0.927	<0.0050	2.09
E5575919 (6931613)		<0.0025	0.0015	0.08	0.0021	<0.0005	0.12	0.0455	0.00062	<0.05	0.00125	0.0376	0.290	<0.0050	1.66
E5575920 (6931614)		<0.0025	<0.0005	0.23	0.0010	<0.0005	0.09	0.0267	0.00093	<0.05	0.00322	0.0442	1.10	<0.0050	2.66
E5575921 (6931615)		<0.0025	0.0012	0.18	0.0011	<0.0005	0.09	0.0277	0.00047	<0.05	0.00335	0.0229	1.05	<0.0050	2.06
E5575922 (6931616)		<0.0025	0.0017	0.13	0.0016	<0.0005	0.08	0.0273	0.00029	<0.05	0.00213	0.0283	0.310	<0.0050	0.693
E5575923 (6931617)		<0.0025	0.0018	0.14	0.0017	<0.0005	0.07	0.0413	<0.00025	<0.05	0.00223	0.0368	1.13	<0.0050	4.63
E5575924 (6931618)		<0.0025	0.0020	0.22	0.0031	<0.0005	0.11	0.0310	0.00102	<0.05	0.00366	0.368	0.246	<0.0050	1.80
E5575925 (6931619)		<0.0025	0.0011	0.39	0.0010	<0.0005	0.10	0.0156	0.00151	<0.05	0.00606	0.159	0.899	<0.0050	2.88
E5575926 (6931620)		<0.0025	0.0007	0.38	<0.0010	<0.0005	0.08	0.0093	0.00175	<0.05	0.00599	0.104	0.971	<0.0050	3.39
E5575927 (6931621)		<0.0025	<0.0005	0.24	<0.0010	<0.0005	0.06	0.0135	0.00038	<0.05	0.00373	0.0565	1.59	<0.0050	3.02
E5575928 (6931622)		<0.0025	0.0011	0.11	0.0018	<0.0005	0.13	0.0467	0.00031	<0.05	0.00248	0.0305	0.0162	<0.0050	1.96
E5575929 (6931623)		<0.0025	0.0014	0.21	0.0024	<0.0005	0.11	0.0332	0.00112	<0.05	0.00243	0.0690	0.0129	<0.0050	0.694
E5575930 (6931624)		<0.0025	0.0013	<0.05	<0.0010	<0.0005	1.95	0.0024	<0.00025	<0.05	<0.00025	<0.0050	<0.0005	<0.0050	<0.025
E5575931 (6931625)		<0.0025	0.0005	0.26	0.0012	<0.0005	0.16	0.0376	0.00125	<0.05	0.00367	0.0367	0.186	<0.0050	1.94
E5575932 (6931626)		<0.0025	0.0011	0.25	0.0014	<0.0005	0.09	0.0303	0.00244	<0.05	0.00282	0.0536	0.582	<0.0050	1.38
E5575933 (6931627)		<0.0025	0.0008	0.13	0.0015	<0.0005	0.08	0.0267	0.00100	<0.05	0.00189	0.0440	0.236	<0.0050	0.922
E5575934 (6931628)		<0.0025	0.0020	0.16	0.0010	<0.0005	0.09	0.0184	0.00096	<0.05	0.00291	0.0322	0.800	<0.0050	2.26
E5575935 (6931629)		<0.0025	0.0017	0.19	0.0017	<0.0005	0.10	0.0334	0.00093	<0.05	0.00328	0.0220	0.217	<0.0050	1.63
E5575936 (6931630)		<0.0025	0.0006	0.54	0.0011	<0.0005	0.12	0.0107	0.00294	<0.05	0.00860	0.0541	0.352	<0.0050	1.62
E5575937 (6931631)		<0.0025	0.0028	0.13	0.0014	<0.0005	0.11	0.0374	0.00121	<0.05	0.00269	0.0789	0.0553	<0.0050	0.722
E5575938 (6931632)		<0.0025	<0.0005	0.15	<0.0010	<0.0005	<0.05	0.0037	0.00166	<0.05	0.00433	0.0594	0.0225	<0.0050	0.415
E5575939 (6931633)		<0.0025	0.0008	0.09	0.0013	<0.0005	0.06	0.0321	0.00114	<0.05	0.00272	0.0283	0.134	<0.0050	0.660
E5575940 (6931634)		<0.0025	0.0030	1.24	<0.0010	0.0011	0.26	0.113	0.00210	2.26	0.00195	0.0091	4.31	<0.0050	5.46
E5575941 (6931635)		<0.0025	0.0011	0.21	0.0011	<0.0005	0.07	0.0224	0.00195	<0.05	0.00499	0.0694	0.722	<0.0050	0.814

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015		DATE RECEIVED: Sep 03, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:		0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
Sample ID (AGAT ID)															
E5575942 (6931636)		<0.0025	<0.0005	0.33	<0.0010	<0.0005	0.17	0.0973	0.00296	<0.05	0.00951	0.135	0.0409	<0.0050	1.97
E5575943 (6931637)		<0.0025	<0.0005	0.24	0.0035	<0.0005	0.09	0.0364	0.00322	<0.05	0.00666	1.04	0.0095	<0.0050	1.21
E5575944 (6931638)		<0.0025	<0.0005	0.28	0.0060	<0.0005	0.10	0.0145	0.00371	<0.05	0.00798	1.85	0.0052	<0.0050	0.507
E5575945 (6931639)		<0.0025	<0.0005	0.24	<0.0010	<0.0005	0.06	0.0190	0.00299	<0.05	0.00503	0.128	0.0917	<0.0050	0.798
E5575946 (6931640)		<0.0025	0.0009	0.13	<0.0010	<0.0005	0.06	0.0186	0.00113	<0.05	0.00266	0.0463	0.0439	<0.0050	0.554
E5575947 (6931641)		<0.0025	0.0008	0.16	0.0011	<0.0005	0.07	0.0232	0.00155	<0.05	0.00361	0.0954	0.140	<0.0050	0.777
E5575948 (6931642)		<0.0025	0.0006	0.21	<0.0010	<0.0005	0.08	0.0279	0.00171	<0.05	0.00456	0.0448	0.0861	<0.0050	0.671
E5575949 (6931643)		<0.0025	<0.0005	0.39	<0.0010	<0.0005	0.11	0.0174	0.00373	<0.05	0.00979	0.135	0.0311	<0.0050	2.45
E5575950 (6931644)		<0.0025	0.0018	0.26	0.0020	<0.0005	0.08	0.0059	0.00371	<0.05	0.00867	0.639	0.0025	<0.0050	0.376
E5575951 (6931645)		<0.0025	0.0006	0.25	0.0018	<0.0005	0.07	0.0061	0.00324	<0.05	0.00839	0.583	0.0019	<0.0050	0.434
E5575952 (6931646)		<0.0025	<0.0005	0.22	0.0057	<0.0005	0.09	0.0272	0.00358	<0.05	0.00749	1.92	0.0026	<0.0050	0.575
E5575953 (6931647)		<0.0025	0.0017	0.29	0.0025	0.0005	0.11	0.0245	0.00531	<0.05	0.00960	0.597	0.0031	<0.0050	0.801
E5575954 (6931648)		<0.0025	0.0006	0.39	0.0021	0.0006	0.13	0.0195	0.00656	<0.05	0.0122	0.448	0.0020	<0.0050	0.709
E5575955 (6931649)		<0.0025	0.0008	0.85	<0.0010	0.0008	0.25	0.0097	0.0151	<0.05	0.0267	0.215	0.0071	<0.0050	1.58
E5575956 (6931650)		<0.0025	<0.0005	1.16	0.0043	0.0013	0.31	0.0114	0.00108	<0.05	0.0306	2.44	0.0123	0.0061	4.28
E5575957 (6931651)		<0.0025	0.0014	1.23	0.0038	0.0013	0.28	0.0171	0.00169	<0.05	0.0218	2.26	0.0229	0.0056	9.04
E5575958 (6931652)		<0.0025	0.0008	1.84	0.0012	0.0022	0.57	0.0405	<0.00025	<0.05	0.00442	0.213	0.0030	0.0084	3.29
E5575959 (6931653)		<0.0025	0.0015	1.83	0.0017	0.0017	0.56	0.0610	<0.00025	<0.05	0.00219	0.0508	0.0019	0.0074	1.78
E5575960 (6931654)		<0.0025	0.0018	<0.05	<0.0010	<0.0005	1.98	0.0029	<0.00025	<0.05	<0.00025	0.0177	0.0010	<0.0050	0.048
E5575961 (6931655)		<0.0025	<0.0005	1.40	0.0044	0.0018	0.41	0.0112	0.00158	<0.05	0.0265	2.38	0.0043	0.0069	2.11
E5575962 (6931656)		<0.0025	0.0018	2.50	<0.0010	0.0025	0.52	0.0234	0.00028	<0.05	0.00902	0.0915	0.0185	0.0116	>10
E5575963 (6931657)		<0.0025	0.0016	2.47	0.0018	0.0018	0.68	0.0534	0.00031	<0.05	0.00462	0.0297	0.0034	0.0101	2.11
E5575964 (6931658)		<0.0025	0.0010	1.74	0.0052	0.0011	0.45	0.0291	0.00127	<0.05	0.00509	4.15	0.0022	0.0070	1.82
E5575965 (6931659)		<0.0025	<0.0005	2.94	0.0035	0.0016	0.43	0.0106	0.00436	<0.05	0.0213	1.23	0.0051	0.0127	3.03
E5575966 (6931660)		<0.0025	0.0010	1.87	0.0017	0.0008	0.53	0.0624	<0.00025	<0.05	0.00250	0.0315	0.0016	0.0070	1.51
E5575967 (6931661)		<0.0025	0.0010	2.75	0.0017	0.0021	0.65	0.0472	0.00098	<0.05	0.00678	0.0472	0.0052	0.0109	2.95
E5575968 (6931662)		<0.0025	<0.0005	1.55	0.0057	0.0011	0.23	0.0206	0.00381	<0.05	0.0109	5.45	0.0047	0.0070	2.13
E5575969 (6931663)		<0.0025	<0.0005	0.88	<0.0010	0.0010	1.80	0.213	<0.00025	1.64	0.00194	0.0804	1.86	<0.0050	2.70

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015		DATE RECEIVED: Sep 03, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5575910 (6931604)		0.0009	<0.0005	<0.0050	<0.0025	0.0037	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0497	<0.0005	0.0023
E5575911 (6931605)		<0.0005	<0.0005	0.0070	<0.0025	0.0034	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0492	<0.0005	0.0021
E5575912 (6931606)		0.0014	<0.0005	<0.0050	<0.0025	0.0033	<0.0050	<0.0050	<0.0025	0.05	<0.0025	<0.0025	0.0844	<0.0005	0.0014
E5575913 (6931607)		<0.0005	<0.0005	<0.0050	<0.0025	0.0195	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00337	<0.0005	0.0008
E5575914 (6931608)		0.0011	<0.0005	0.0058	<0.0025	0.0159	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00979	<0.0005	0.0007
E5575915 (6931609)		<0.0005	<0.0005	0.0126	<0.0025	0.0157	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00410	<0.0005	0.0007
E5575916 (6931610)		<0.0005	<0.0005	<0.0050	<0.0025	0.0221	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0106	<0.0005	0.0013
E5575917 (6931611)		0.0032	<0.0005	<0.0050	<0.0025	0.0072	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0321	<0.0005	0.0012
E5575918 (6931612)		0.0007	<0.0005	<0.0050	<0.0025	0.0210	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0132	<0.0005	0.0012
E5575919 (6931613)		<0.0005	<0.0005	<0.0050	<0.0025	0.0220	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0108	<0.0005	0.0011
E5575920 (6931614)		0.0021	<0.0005	<0.0050	<0.0025	0.0113	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0230	<0.0005	0.0007
E5575921 (6931615)		<0.0005	<0.0005	0.0056	<0.0025	0.0116	<0.0050	<0.0050	<0.0025	<0.05	0.0026	<0.0025	0.0208	<0.0005	0.0007
E5575922 (6931616)		0.0006	<0.0005	<0.0050	<0.0025	0.0146	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0206	<0.0005	0.0010
E5575923 (6931617)		<0.0005	<0.0005	<0.0050	<0.0025	0.0150	<0.0050	0.0063	<0.0025	<0.05	<0.0025	<0.0025	0.0183	<0.0005	0.0012
E5575924 (6931618)		0.0016	<0.0005	0.0074	<0.0025	0.0187	<0.0050	0.0058	<0.0025	<0.05	<0.0025	<0.0025	0.0273	<0.0005	0.0026
E5575925 (6931619)		<0.0005	<0.0005	<0.0050	<0.0025	0.0049	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0315	<0.0005	0.0011
E5575926 (6931620)		0.0006	<0.0005	0.0072	<0.0025	0.0037	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0362	<0.0005	0.0008
E5575927 (6931621)		<0.0005	<0.0005	<0.0050	<0.0025	0.0062	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0213	<0.0005	0.0007
E5575928 (6931622)		<0.0005	<0.0005	<0.0050	<0.0025	0.0197	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0189	<0.0005	0.0012
E5575929 (6931623)		<0.0005	<0.0005	<0.0050	<0.0025	0.0175	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0245	0.0005	0.0016
E5575930 (6931624)		0.0013	<0.0005	0.0063	<0.0025	0.422	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5575931 (6931625)		<0.0005	<0.0005	<0.0050	<0.0025	0.0184	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0270	<0.0005	0.0012
E5575932 (6931626)		<0.0005	<0.0005	<0.0050	<0.0025	0.0152	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0217	<0.0005	0.0011
E5575933 (6931627)		<0.0005	<0.0005	0.0076	<0.0025	0.0152	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0215	<0.0005	0.0010
E5575934 (6931628)		<0.0005	<0.0005	<0.0050	<0.0025	0.0149	<0.0050	0.0051	<0.0025	<0.05	<0.0025	<0.0025	0.0195	<0.0005	0.0008
E5575935 (6931629)		<0.0005	<0.0005	0.0066	<0.0025	0.0196	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0245	<0.0005	0.0011
E5575936 (6931630)		<0.0005	<0.0005	0.0059	<0.0025	0.0052	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0451	<0.0005	0.0010
E5575937 (6931631)		<0.0005	<0.0005	<0.0050	<0.0025	0.0210	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0228	<0.0005	0.0011
E5575938 (6931632)		0.0005	<0.0005	<0.0050	<0.0025	0.0022	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0163	<0.0005	0.0005
E5575939 (6931633)		<0.0005	<0.0005	0.0086	<0.0025	0.0150	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0237	<0.0005	0.0011
E5575940 (6931634)		0.0345	<0.0005	<0.0050	<0.0025	0.0184	<0.0050	<0.0050	<0.0025	0.11	<0.0025	<0.0025	0.00212	<0.0005	0.0010
E5575941 (6931635)		0.0008	<0.0005	0.0098	<0.0025	0.0113	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0354	<0.0005	0.0011

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015		DATE RECEIVED: Sep 03, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5575942 (6931636)		<0.0005	<0.0005	0.0051	<0.0025	0.0135	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0748	<0.0005	0.0009
E5575943 (6931637)		<0.0005	<0.0005	0.0081	<0.0025	0.0122	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0044	0.0682	<0.0005	0.0053
E5575944 (6931638)		0.0009	<0.0005	0.0072	<0.0025	0.0133	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0064	0.0765	<0.0005	0.0085
E5575945 (6931639)		<0.0005	<0.0005	<0.0050	<0.0025	0.0170	<0.0050	<0.0050	<0.0025	<0.05	0.0035	0.0036	0.0439	<0.0005	0.0011
E5575946 (6931640)		<0.0005	<0.0005	0.0093	<0.0025	0.0093	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0165	<0.0005	0.0007
E5575947 (6931641)		<0.0005	<0.0005	<0.0050	<0.0025	0.0131	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0227	<0.0005	0.0011
E5575948 (6931642)		<0.0005	<0.0005	<0.0050	<0.0025	0.0124	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0305	<0.0005	0.0011
E5575949 (6931643)		0.0010	<0.0005	<0.0050	<0.0025	0.0072	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0025	0.0892	<0.0005	0.0009
E5575950 (6931644)		0.0010	<0.0005	<0.0050	<0.0025	0.0062	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0032	0.0745	<0.0005	0.0033
E5575951 (6931645)		<0.0005	<0.0005	<0.0050	<0.0025	0.0067	<0.0050	<0.0050	<0.0025	<0.05	0.0027	0.0032	0.0716	<0.0005	0.0030
E5575952 (6931646)		0.0014	<0.0005	0.0177	<0.0025	0.0212	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0067	0.0677	<0.0005	0.0092
E5575953 (6931647)		<0.0005	<0.0005	<0.0050	<0.0025	0.0121	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0099	0.101	<0.0005	0.0042
E5575954 (6931648)		<0.0005	<0.0005	<0.0050	<0.0025	0.0108	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0097	0.134	<0.0005	0.0035
E5575955 (6931649)		<0.0005	<0.0005	0.0061	<0.0025	0.0048	<0.0050	<0.0050	<0.0025	0.07	<0.0025	0.0070	0.266	0.0005	0.0017
E5575956 (6931650)		0.0009	0.0007	<0.0050	<0.0025	0.0132	<0.0050	<0.0050	<0.0025	0.06	<0.0025	0.0054	0.200	<0.0005	0.0085
E5575957 (6931651)		0.0020	0.0005	0.0095	<0.0025	0.0111	<0.0050	<0.0050	<0.0025	0.07	<0.0025	0.0041	0.0808	<0.0005	0.0059
E5575958 (6931652)		<0.0005	0.0006	0.0081	<0.0025	0.0145	<0.0050	<0.0050	<0.0025	0.17	<0.0025	<0.0025	0.0156	0.0006	0.0014
E5575959 (6931653)		<0.0005	<0.0005	0.0060	<0.0025	0.0207	<0.0050	<0.0050	<0.0025	0.12	<0.0025	<0.0025	0.00607	<0.0005	0.0015
E5575960 (6931654)		<0.0005	<0.0005	0.0074	<0.0025	0.431	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5575961 (6931655)		<0.0005	0.0007	0.0065	<0.0025	0.0131	<0.0050	<0.0050	<0.0025	0.09	<0.0025	0.0047	0.132	<0.0005	0.0080
E5575962 (6931656)		0.0015	0.0009	0.0081	<0.0025	0.0092	<0.0050	<0.0050	<0.0025	0.20	<0.0025	<0.0025	0.0287	<0.0005	0.0011
E5575963 (6931657)		0.0007	0.0007	0.0080	<0.0025	0.0185	<0.0050	<0.0050	<0.0025	0.18	<0.0025	<0.0025	0.00814	<0.0005	0.0017
E5575964 (6931658)		0.0005	0.0006	<0.0050	<0.0025	0.0265	<0.0050	<0.0050	<0.0025	0.11	<0.0025	0.0034	0.0244	<0.0005	0.0084
E5575965 (6931659)		0.0008	0.0010	<0.0050	<0.0025	0.0084	<0.0050	<0.0050	<0.0025	0.25	<0.0025	0.0031	0.140	<0.0005	0.0053
E5575966 (6931660)		<0.0005	<0.0005	0.0118	<0.0025	0.0208	<0.0050	<0.0050	<0.0025	0.12	<0.0025	<0.0025	0.00533	<0.0005	0.0018
E5575967 (6931661)		<0.0005	0.0007	0.0087	<0.0025	0.0175	<0.0050	<0.0050	<0.0025	0.16	<0.0025	<0.0025	0.0147	0.0016	0.0017
E5575968 (6931662)		0.0018	0.0007	<0.0050	<0.0025	0.0257	<0.0050	0.0051	<0.0025	0.13	<0.0025	0.0041	0.0801	0.0020	0.0094
E5575969 (6931663)		0.0202	0.0012	<0.0050	<0.0025	0.0333	<0.0050	0.0076	<0.0025	0.20	0.0032	<0.0025	0.00758	0.0006	0.0017

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015		DATE RECEIVED: Sep 03, 2015		DATE REPORTED: Sep 21, 2015		SAMPLE TYPE: Drill Core
Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion		
Unit:	%	%	%	%		
RDL:	0.00025	0.0025	0.005	0.005		
Sample ID (AGAT ID)						
E5575910 (6931604)	0.0360	<0.0025	-	-		
E5575911 (6931605)	0.0202	<0.0025	-	-		
E5575912 (6931606)	0.234	0.0028	-	-		
E5575913 (6931607)	0.00624	<0.0025	-	-		
E5575914 (6931608)	1.92	<0.0025	-	-		
E5575915 (6931609)	0.00036	<0.0025	-	-		
E5575916 (6931610)	0.0264	<0.0025	-	-		
E5575917 (6931611)	4.69	<0.0025	-	-		
E5575918 (6931612)	1.12	<0.0025	-	-		
E5575919 (6931613)	1.00	<0.0025	-	-		
E5575920 (6931614)	3.08	<0.0025	-	-		
E5575921 (6931615)	2.59	<0.0025	-	-		
E5575922 (6931616)	0.727	<0.0025	-	-		
E5575923 (6931617)	>5	<0.0025	-	7.82		
E5575924 (6931618)	1.22	<0.0025	-	-		
E5575925 (6931619)	2.68	<0.0025	-	-		
E5575926 (6931620)	3.98	<0.0025	-	-		
E5575927 (6931621)	4.31	<0.0025	-	-		
E5575928 (6931622)	0.0180	<0.0025	-	-		
E5575929 (6931623)	0.0227	<0.0025	-	-		
E5575930 (6931624)	0.00087	<0.0025	-	-		
E5575931 (6931625)	0.427	<0.0025	-	-		
E5575932 (6931626)	0.865	<0.0025	-	-		
E5575933 (6931627)	0.581	<0.0025	-	-		
E5575934 (6931628)	2.82	<0.0025	-	-		
E5575935 (6931629)	1.04	<0.0025	-	-		
E5575936 (6931630)	1.26	<0.0025	-	-		
E5575937 (6931631)	0.218	<0.0025	-	-		
E5575938 (6931632)	0.288	<0.0025	-	-		
E5575939 (6931633)	0.351	<0.0025	-	-		
E5575940 (6931634)	4.11	<0.0025	-	-		
E5575941 (6931635)	0.533	<0.0025	-	-		

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 03, 2015

DATE RECEIVED: Sep 03, 2015

DATE REPORTED: Sep 21, 2015

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion
	Unit:	%	%	%	%
	RDL:	0.00025	0.0025	0.005	0.005
E5575942 (6931636)		0.616	<0.0025	-	-
E5575943 (6931637)		0.0117	<0.0025	-	-
E5575944 (6931638)		0.0380	<0.0025	-	-
E5575945 (6931639)		0.673	<0.0025	-	-
E5575946 (6931640)		0.237	<0.0025	-	-
E5575947 (6931641)		0.480	<0.0025	-	-
E5575948 (6931642)		0.503	<0.0025	-	-
E5575949 (6931643)		0.395	<0.0025	-	-
E5575950 (6931644)		0.0889	<0.0025	-	-
E5575951 (6931645)		0.0951	<0.0025	-	-
E5575952 (6931646)		0.0212	<0.0025	-	-
E5575953 (6931647)		0.297	<0.0025	-	-
E5575954 (6931648)		0.360	0.0029	-	-
E5575955 (6931649)		0.291	0.0059	-	-
E5575956 (6931650)		0.00636	0.0040	-	-
E5575957 (6931651)		0.0108	0.0038	-	-
E5575958 (6931652)		0.00087	0.0046	-	-
E5575959 (6931653)		<0.00025	0.0036	-	-
E5575960 (6931654)		<0.00025	<0.0025	-	-
E5575961 (6931655)		0.00534	0.0041	-	-
E5575962 (6931656)		0.00711	0.0068	-	-
E5575963 (6931657)		<0.00025	0.0055	-	-
E5575964 (6931658)		<0.00025	0.0035	-	-
E5575965 (6931659)		0.00164	0.0094	-	-
E5575966 (6931660)		<0.00025	0.0038	-	-
E5575967 (6931661)		<0.00025	0.0054	-	-
E5575968 (6931662)		0.00260	0.0033	-	-
E5575969 (6931663)		2.39	<0.0025	-	-

Comments: RDL - Reported Detection Limit

6931604-6931663 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

REPLICATE #1																
Parameter	Sample ID	Original	Replicate	RPD												
Specific Gravity	6931604	2.61	2.62	0.4%												

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

REPLICATE #1					REPLICATE #2				REPLICATE #3				REPLICATE #4			
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD
Ag	6931604	< 0.00025	< 0.00025	0.0%	6931621	< 0.00025	< 0.00025	0.0%	6931637	< 0.00025	< 0.00025	0.0%	6931653	< 0.00025	< 0.00025	0.0%
Al	6931604	1.31	1.30	0.8%	6931621	0.487	0.481	1.2%	6931637	0.49	0.49	0.0%	6931653	2.39	2.46	2.9%
As	6931604	0.0043	0.0074		6931621	0.0033	0.0044	28.6%	6931637	0.0015	0.0021		6931653	0.0045	< 0.0005	
Ba	6931604	0.0731	0.0732	0.1%	6931621	0.0123	0.0122	0.8%	6931637	0.0389	0.0372	4.5%	6931653	0.0573	0.0595	3.8%
Be	6931604	< 0.00025	< 0.00025	0.0%	6931621	< 0.00025	< 0.00025	0.0%	6931637	< 0.00025	< 0.00025	0.0%	6931653	< 0.00025	< 0.00025	0.0%
Bi	6931604	< 0.0005	< 0.0005	0.0%	6931621	0.0008	0.0015		6931637	0.00044	0.00055	22.2%	6931653	0.0014	< 0.0005	
Ca	6931604	2.77	2.76	0.4%	6931621	9.30	9.23	0.8%	6931637	14.2	14.9	4.8%	6931653	24.9	27.2	8.8%
Cd	6931604	< 0.00025	< 0.00025	0.0%	6931621	0.0124	0.0126	1.6%	6931637	< 0.00025	< 0.00025	0.0%	6931653	< 0.00025	< 0.00025	0.0%
Ce	6931604	0.0019	0.0021	10.0%	6931621	0.0010	0.0010	0.0%	6931637	0.0036	0.0036	0.0%	6931653	0.0029	0.0028	3.5%
Co	6931604	< 0.00025	< 0.00025	0.0%	6931621	0.00036	0.00031	14.9%	6931637	< 0.00025	< 0.00025	0.0%	6931653	0.00034	< 0.00025	
Cr	6931604	0.00947	0.0118	21.9%	6931621	0.00712	0.00782	9.4%	6931637	0.00736	0.00748	1.6%	6931653	0.00416	0.00428	2.8%
Cu	6931604	0.00333	0.00318	4.6%	6931621	0.00274	0.00227	18.8%	6931637	0.00786	0.00826	5.0%	6931653	0.00162	0.00132	20.4%
Fe	6931604	0.76	0.76	0.0%	6931621	0.80	0.78	2.5%	6931637	1.02	1.03	1.0%	6931653	1.55	1.44	7.4%
Ga	6931604	< 0.0025	< 0.0025	0.0%	6931621	< 0.0025	< 0.0025	0.0%	6931637	< 0.0025	< 0.0025	0.0%	6931653	< 0.0025	< 0.0025	0.0%
In	6931604	< 0.0005	0.0010		6931621	< 0.0005	< 0.0005	0.0%	6931637	< 0.0005	0.0011		6931653	0.0015	0.0006	
K	6931604	0.41	0.41	0.0%	6931621	0.236	0.229	3.0%	6931637	0.238	0.246	3.3%	6931653	1.83	1.98	7.9%
La	6931604	0.0011	0.0013	16.7%	6931621	< 0.0010	< 0.0010	0.0%	6931637	0.0035	0.0035	0.0%	6931653	0.0017	0.0017	0.0%
Li	6931604	0.0020	0.0021	4.9%	6931621	< 0.0005	< 0.0005	0.0%	6931637	< 0.0005	< 0.0005	0.0%	6931653	0.00170	0.00176	3.5%
Mg	6931604	0.320	0.329	2.8%	6931621	0.06	0.06	0.0%	6931637	0.092	0.095	3.2%	6931653	0.56	0.58	3.5%
Mn	6931604	0.0065	0.0046		6931621	0.0135	0.0168	21.8%	6931637	0.0364	0.0329	10.1%	6931653	0.0610	0.0627	2.7%
Mo	6931604	0.00065	0.00151		6931621	0.00038	0.00105		6931637	0.00322	0.00296	8.4%	6931653	< 0.00025	< 0.00025	0.0%
Na	6931604	< 0.05	< 0.05	0.0%	6931621	< 0.05	< 0.05	0.0%	6931637	< 0.05	< 0.05	0.0%	6931653	< 0.05	< 0.05	0.0%
Ni	6931604	0.00664	0.00668	0.6%	6931621	0.00373	0.00379	1.6%	6931637	0.00666	0.00658	1.2%	6931653	0.00219	0.00247	12.0%
P	6931604	0.589	0.626	6.1%	6931621	0.0565	0.0589	4.2%	6931637	1.04	1.11	6.5%	6931653	0.0508	0.0332	
Pb	6931604	0.0029	0.0054		6931621	1.59	1.61	1.3%	6931637	0.0095	0.0066		6931653	0.0019	0.0014	
Rb	6931604	< 0.0050	< 0.0050	0.0%	6931621	< 0.0050	< 0.0050	0.0%	6931637	< 0.0050	< 0.0050	0.0%	6931653	0.0074	0.0080	7.8%
S	6931604	0.744	0.658	12.3%	6931621	3.02	2.84	6.1%	6931637	1.21	1.17	3.4%	6931653	1.78	1.62	9.4%



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sb	6931604	0.0009	< 0.0005		6931621	< 0.0005	< 0.0005	0.0%	6931637	< 0.0005	< 0.0005	0.0%	6931653	< 0.0005	< 0.0005	0.0%
Sc	6931604	< 0.0005	< 0.0005	0.0%	6931621	< 0.0005	< 0.0005	0.0%	6931637	< 0.0005	< 0.0005	0.0%	6931653	< 0.0005	< 0.0005	0.0%
Se	6931604	< 0.0050	< 0.0050	0.0%	6931621	< 0.0050	0.0059		6931637	0.0081	< 0.0050		6931653	0.00595	0.00551	7.7%
Sn	6931604	< 0.0025	< 0.0025	0.0%	6931621	< 0.0025	< 0.0025	0.0%	6931637	< 0.0025	< 0.0025	0.0%	6931653	< 0.0025	< 0.0025	0.0%
Sr	6931604	0.0037	0.0048	25.9%	6931621	0.0062	0.0084		6931637	0.0122	0.0123	0.8%	6931653	0.0207	0.0219	5.6%
Ta	6931604	< 0.0050	< 0.0050	0.0%	6931621	< 0.0050	< 0.0050	0.0%	6931637	< 0.0050	< 0.0050	0.0%	6931653	< 0.0050	< 0.0050	0.0%
Te	6931604	< 0.0050	< 0.0050	0.0%	6931621	< 0.0050	< 0.0050	0.0%	6931637	< 0.0050	< 0.0050	0.0%	6931653	< 0.0050	< 0.0050	0.0%
Th	6931604	< 0.0025	< 0.0025	0.0%	6931621	< 0.0025	< 0.0025	0.0%	6931637	< 0.0025	< 0.0025	0.0%	6931653	< 0.0025	< 0.0025	0.0%
Ti	6931604	0.04	0.05	22.2%	6931621	< 0.05	< 0.05	0.0%	6931637	< 0.05	< 0.05	0.0%	6931653	0.123	0.131	6.3%
Tl	6931604	< 0.0025	< 0.0025	0.0%	6931621	< 0.0025	< 0.0025	0.0%	6931637	< 0.0025	< 0.0025	0.0%	6931653	< 0.0025	< 0.0025	0.0%
U	6931604	< 0.0025	< 0.0025	0.0%	6931621	< 0.0025	< 0.0025	0.0%	6931637	0.0044	0.0043	2.3%	6931653	< 0.0025	< 0.0025	0.0%
V	6931604	0.0497	0.0517	3.9%	6931621	0.0213	0.0218	2.3%	6931637	0.0682	0.0684	0.3%	6931653	0.00607	0.00595	2.0%
W	6931604	< 0.0005	< 0.0005	0.0%	6931621	< 0.0005	< 0.0005	0.0%	6931637	< 0.0005	< 0.0005	0.0%	6931653	< 0.0005	< 0.0005	0.0%
Y	6931604	0.0023	0.0023	0.0%	6931621	0.0007	0.0007	0.0%	6931637	0.00533	0.00575	7.6%	6931653	0.00154	0.00158	2.6%
Zn	6931604	0.0360	0.0405	11.8%	6931621	4.31	4.22	2.1%	6931637	0.0117	0.00737		6931653	< 0.00025	< 0.00025	0.0%
Zr	6931604	< 0.0025	< 0.0025	0.0%	6931621	< 0.0025	< 0.0025	0.0%	6931637	< 0.0025	< 0.0025	0.0%	6931653	0.00360	0.00376	4.3%



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

	CRM #1				CRM #2 (ref.CDN-ME-1303)				CRM #3 (ref.CDN-ME-1206)							
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Specific Gravity	2.65	2.70	101%	95% - 110%												

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

	CRM #1 (ref.CDN-ME-1303)				CRM #2 (ref.CDN-ME-1303)				CRM #3 (ref.CDN-ME-1206)							
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Ag	0.0152	0.0149	98%	90% - 110%	0.0152	0.0153	101%	90% - 110%	0.0274	0.0286	104%	90% - 110%				
Cu	0.344	0.353	103%	90% - 110%	0.344	0.344	100%	90% - 110%	0.790	0.805	102%	90% - 110%				
Pb	1.22	1.23	101%	90% - 110%	1.22	1.23	101%	90% - 110%	0.8010	0.7706	96%	90% - 110%				
Zn	0.931	0.936	101%	90% - 110%	0.931	0.939	101%	90% - 110%	2.380	2.347	99%	90% - 110%				

Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD

AGAT WORK ORDER: 15Y015222

PROJECT: 1710

ATTENTION TO: JELLE DE BRUYCKERE

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES