

CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(604) 620-6188

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT: 1710

AGAT WORK ORDER: 15Y016173

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Sep 21, 2015

PAGES (INCLUDING COVER): 10

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Sep 08, 2015

DATE RECEIVED: Sep 08, 2015

DATE REPORTED: Sep 21, 2015

SAMPLE TYPE: Drill Core

Analyte: Specific Gravity
Unit: g/cm3
RDL: 0.01

Sample ID (AGAT ID)	
E5574910 (6943069)	2.62
E5574911 (6943070)	2.65
E5574912 (6943071)	2.68
E5574913 (6943072)	2.68
E5574914 (6943073)	2.61
E5574915 (6943074)	2.63
E5574916 (6943075)	2.61
E5574917 (6943076)	2.70
E5574918 (6943077)	2.63
E5574919 (6943078)	2.65
E5574920 (6943080)	2.69
E5574921 (6943081)	2.65
E5574922 (6943082)	2.71
E5574923 (6943083)	2.80
E5574924 (6943084)	2.83
E5574925 (6943085)	2.75
E5574926 (6943086)	2.81
E5574927 (6943087)	2.80
E5574928 (6943088)	2.81
E5574929 (6943089)	2.93
E5574930 (6943090)	2.80
E5574931 (6943091)	2.85
E5574932 (6943092)	2.77
E5574933 (6943093)	2.81
E5574934 (6943094)	2.71
E5574935 (6943095)	2.79
E5574936 (6943096)	2.69
E5574937 (6943097)	2.68
E5574938 (6943098)	3.01

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 08, 2015

DATE RECEIVED: Sep 08, 2015

DATE REPORTED: Sep 21, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
Sample ID (AGAT ID)														
E5574910 (6943069)	0.94	<0.00025	1.73	0.0037	0.0472	<0.00025	<0.0005	2.70	<0.00025	0.0025	0.00035	0.0137	0.00676	0.89
E5574911 (6943070)	1.00	<0.00025	1.24	0.0063	0.0386	<0.00025	<0.0005	4.26	<0.00025	0.0033	0.00039	0.0139	0.00291	0.74
E5574912 (6943071)	0.75	<0.00025	0.78	0.0042	0.0288	<0.00025	0.0006	21.5	<0.00025	0.0020	<0.00025	0.00489	0.00711	2.10
E5574913 (6943072)	0.82	<0.00025	<0.25	<0.0005	0.0077	<0.00025	<0.0005	28.0	<0.00025	0.0012	0.00060	0.00372	0.00468	0.78
E5574914 (6943073)	1.22	<0.00025	1.04	0.0009	0.0200	<0.00025	<0.0005	2.19	<0.00025	0.0024	0.00032	0.0117	0.00260	0.68
E5574915 (6943074)	0.77	<0.00025	0.92	0.0040	0.0220	<0.00025	0.0008	1.66	0.00029	0.0013	<0.00025	0.0141	0.00399	0.63
E5574916 (6943075)	0.78	<0.00025	1.48	0.0053	0.0535	<0.00025	0.0012	0.57	0.00044	0.0011	0.00069	0.0107	0.00501	1.34
E5574917 (6943076)	0.96	<0.00025	1.37	0.0022	0.0422	<0.00025	0.0006	0.53	0.0111	0.0008	0.00045	0.0114	0.00969	2.21
E5574918 (6943077)	0.82	<0.00025	1.56	0.0052	0.0399	<0.00025	0.0010	0.42	0.00662	0.0013	0.00066	0.00751	0.00749	1.59
E5574919 (6943078)	1.20	<0.00025	0.41	0.0060	0.0090	<0.00025	0.0006	4.49	<0.00025	0.0014	0.00029	0.0161	0.00306	2.11
E5574920 (6943080)	0.57	<0.00025	1.14	0.0044	0.0334	<0.00025	0.0010	8.57	0.00263	0.0013	0.00063	0.00709	0.00589	1.78
E5574921 (6943081)	0.49	<0.00025	1.26	0.0057	0.0394	<0.00025	<0.0005	5.65	0.00256	0.0011	0.00064	0.00940	0.00575	2.00
E5574922 (6943082)	2.61	<0.00025	<0.25	0.0007	0.0124	<0.00025	0.0007	33.3	0.00123	0.0011	<0.00025	0.00112	0.00025	0.36
E5574923 (6943083)	1.58	<0.00025	0.27	0.0057	0.0066	<0.00025	0.0006	34.0	<0.00025	0.0022	<0.00025	0.00160	0.00060	1.85
E5574924 (6943084)	1.11	<0.00025	0.49	0.0049	0.0122	<0.00025	0.0020	8.14	0.0146	0.0014	0.00032	0.00658	0.00317	1.62
E5574925 (6943085)	1.51	<0.00025	<0.25	<0.0005	0.0059	<0.00025	0.0008	35.7	0.00097	0.0013	<0.00025	0.00093	<0.00025	0.61
E5574926 (6943086)	1.93	<0.00025	0.30	0.0025	0.0074	<0.00025	<0.0005	29.2	0.00474	0.0021	0.00061	0.00182	0.00111	1.20
E5574927 (6943087)	1.76	<0.00025	0.51	0.0015	0.0110	<0.00025	<0.0005	18.1	0.00668	0.0017	0.00028	0.00638	0.00194	1.50
E5574928 (6943088)	0.71	<0.00025	0.93	0.0059	0.0259	<0.00025	<0.0005	1.82	0.0126	0.0011	0.00047	0.00807	0.00376	2.06
E5574929 (6943089)	1.21	<0.00025	0.40	0.0034	0.0075	<0.00025	0.0010	1.58	0.0251	<0.0005	0.00037	0.0116	0.00227	0.93
E5574930 (6943090)	0.74	<0.00025	<0.25	0.0024	<0.0005	<0.00025	<0.0005	38.1	<0.00025	<0.0005	<0.00025	<0.00025	<0.00025	<0.05
E5574931 (6943091)	0.72	<0.00025	0.76	0.0009	0.0209	<0.00025	0.0013	7.65	0.0135	0.0009	0.00035	0.00552	0.00408	2.36
E5574932 (6943092)	1.85	<0.00025	0.25	<0.0005	0.0119	<0.00025	0.0010	31.8	0.00250	0.0018	<0.00025	0.00156	0.00107	0.98
E5574933 (6943093)	1.09	<0.00025	0.61	0.0053	0.0204	<0.00025	<0.0005	8.67	0.0127	0.0013	<0.00025	0.00866	0.00588	2.42
E5574934 (6943094)	1.81	<0.00025	0.48	0.0027	0.0128	<0.00025	<0.0005	22.9	0.00095	0.0018	0.00033	0.00594	0.00254	0.86
E5574935 (6943095)	1.32	<0.00025	0.97	0.0071	0.191	<0.00025	<0.0005	23.5	<0.00025	0.0028	<0.00025	0.00425	0.00600	2.10
E5574936 (6943096)	1.76	<0.00025	2.93	0.0015	0.0734	<0.00025	0.0017	11.3	<0.00025	0.0046	0.00057	0.0152	0.00820	4.21
E5574937 (6943097)	1.36	<0.00025	3.20	0.0049	0.0765	0.00027	<0.0005	1.17	<0.00025	0.0024	0.00087	0.0192	0.00550	2.17
E5574938 (6943098)	0.04	0.0200	4.58	0.0039	0.0852	<0.00025	0.0018	1.40	0.0105	0.0018	0.00140	0.00171	1.05	5.51

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 08, 2015		DATE RECEIVED: Sep 08, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
Analyte:		Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:		%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:		0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
Sample ID (AGAT ID)															
E5574910 (6943069)		<0.0025	<0.0005	0.93	0.0016	0.0011	0.20	0.0069	0.00164	<0.05	0.00769	0.795	0.0021	<0.0050	0.756
E5574911 (6943070)		<0.0025	0.0008	0.66	0.0022	0.0008	0.15	0.0054	0.00051	<0.05	0.00574	1.29	0.0096	<0.0050	0.644
E5574912 (6943071)		<0.0025	0.0008	0.41	0.0012	0.0006	0.20	0.0414	0.00134	<0.05	0.00527	0.220	0.0261	<0.0050	2.46
E5574913 (6943072)		<0.0025	0.0005	0.12	<0.0010	0.0005	0.14	0.0538	0.00097	<0.05	0.00368	0.0674	0.0051	<0.0050	0.955
E5574914 (6943073)		<0.0025	<0.0005	0.53	0.0015	0.0009	0.15	0.0033	0.00154	<0.05	0.00555	0.877	0.0032	<0.0050	0.519
E5574915 (6943074)		<0.0025	0.0010	0.49	<0.0010	0.0008	0.13	0.0050	0.00138	<0.05	0.00617	0.459	0.0107	<0.0050	0.545
E5574916 (6943075)		<0.0025	<0.0005	0.95	<0.0010	0.0008	0.15	0.0061	0.00523	<0.05	0.0107	0.214	0.0515	<0.0050	1.42
E5574917 (6943076)		<0.0025	0.0012	0.77	<0.0010	0.0006	0.10	0.0106	0.00404	<0.05	0.00914	0.0424	1.07	<0.0050	4.45
E5574918 (6943077)		<0.0025	0.0007	0.86	<0.0010	0.0007	0.14	0.0075	0.00582	<0.05	0.0131	0.0519	0.282	<0.0050	2.97
E5574919 (6943078)		<0.0025	0.0010	0.20	<0.0010	<0.0005	<0.05	0.0071	0.00265	<0.05	0.00374	0.0588	0.0411	<0.0050	2.33
E5574920 (6943080)		<0.0025	0.0010	0.67	<0.0010	0.0006	0.12	0.0159	0.00456	<0.05	0.0100	0.0401	0.111	<0.0050	2.45
E5574921 (6943081)		<0.0025	0.0006	0.74	<0.0010	0.0007	0.13	0.0150	0.00515	<0.05	0.0112	0.0706	0.0649	<0.0050	2.70
E5574922 (6943082)		<0.0025	0.0010	0.08	<0.0010	<0.0005	0.13	0.0657	<0.00025	<0.05	0.00092	0.0197	0.0380	<0.0050	0.403
E5574923 (6943083)		<0.0025	0.0014	0.14	0.0018	<0.0005	0.09	0.0528	<0.00025	<0.05	0.00138	0.0284	0.0150	<0.0050	2.15
E5574924 (6943084)		<0.0025	0.0007	0.23	<0.0010	<0.0005	0.07	0.0213	0.00072	<0.05	0.00409	0.122	1.64	<0.0050	4.69
E5574925 (6943085)		<0.0025	<0.0005	0.07	0.0012	<0.0005	0.13	0.0607	0.00036	<0.05	0.00109	0.0215	0.101	<0.0050	0.723
E5574926 (6943086)		<0.0025	<0.0005	0.15	0.0019	<0.0005	0.09	0.0416	0.00046	<0.05	0.00190	0.0811	0.477	<0.0050	2.18
E5574927 (6943087)		<0.0025	0.0016	0.24	0.0013	<0.0005	0.10	0.0280	0.00244	<0.05	0.00414	0.0581	1.10	<0.0050	3.16
E5574928 (6943088)		<0.0025	0.0017	0.44	<0.0010	<0.0005	0.10	0.0152	0.00150	<0.05	0.00674	0.106	1.30	<0.0050	4.59
E5574929 (6943089)		<0.0025	0.0016	0.18	<0.0010	<0.0005	<0.05	0.0111	0.00083	<0.05	0.00256	0.0177	3.37	<0.0050	4.68
E5574930 (6943090)		<0.0025	0.0013	<0.05	<0.0010	<0.0005	1.91	0.0026	<0.00025	<0.05	<0.00025	<0.0050	<0.0005	<0.0050	<0.025
E5574931 (6943091)		<0.0025	0.0012	0.38	<0.0010	<0.0005	0.10	0.0211	0.00128	<0.05	0.00681	0.0677	2.12	<0.0050	5.68
E5574932 (6943092)		<0.0025	<0.0005	0.13	0.0015	<0.0005	0.14	0.0589	0.00124	<0.05	0.00218	0.0772	0.258	<0.0050	1.75
E5574933 (6943093)		<0.0025	0.0012	0.34	0.0011	0.0005	0.08	0.0191	0.00137	<0.05	0.00588	0.156	0.940	<0.0050	5.56
E5574934 (6943094)		<0.0025	0.0008	0.24	0.0015	<0.0005	0.10	0.0253	0.00104	<0.05	0.00292	0.0595	0.441	<0.0050	1.04
E5574935 (6943095)		<0.0025	0.0019	0.45	0.0023	0.0006	0.17	0.0284	0.00178	<0.05	0.00599	0.0960	0.0273	<0.0050	2.57
E5574936 (6943096)		<0.0025	0.0006	1.81	0.0031	0.0011	0.31	0.0285	0.00229	<0.05	0.0184	0.301	0.0148	0.0078	4.94
E5574937 (6943097)		<0.0025	0.0006	3.21	0.0015	0.0015	0.39	0.0061	0.00350	<0.05	0.0181	0.183	0.0032	0.0126	2.32
E5574938 (6943098)		<0.0025	0.0022	1.27	<0.0010	0.0010	0.27	0.123	0.00175	2.30	0.00150	0.0318	4.36	<0.0050	6.07

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 08, 2015		DATE RECEIVED: Sep 08, 2015					DATE REPORTED: Sep 21, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5574910 (6943069)		0.0007	<0.0005	<0.0050	<0.0025	0.0043	<0.0050	<0.0050	<0.0025	0.08	<0.0025	<0.0025	0.0548	<0.0005	0.0024
E5574911 (6943070)		<0.0005	<0.0005	<0.0050	<0.0025	0.0045	<0.0050	<0.0050	<0.0025	0.05	<0.0025	<0.0025	0.0382	<0.0005	0.0032
E5574912 (6943071)		<0.0005	<0.0005	<0.0050	<0.0025	0.0131	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0327	<0.0005	0.0020
E5574913 (6943072)		<0.0005	<0.0005	<0.0050	<0.0025	0.0169	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0038	0.0239	<0.0005	0.0013
E5574914 (6943073)		0.0009	<0.0005	<0.0050	<0.0025	0.0037	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0506	<0.0005	0.0027
E5574915 (6943074)		<0.0005	<0.0005	<0.0050	<0.0025	0.0026	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0564	<0.0005	0.0016
E5574916 (6943075)		<0.0005	<0.0005	<0.0050	<0.0025	0.0018	<0.0050	<0.0050	<0.0025	0.07	<0.0025	<0.0025	0.0901	<0.0005	0.0011
E5574917 (6943076)		0.0013	<0.0005	<0.0050	<0.0025	0.0030	<0.0050	<0.0050	<0.0025	0.05	<0.0025	<0.0025	0.0799	<0.0005	0.0008
E5574918 (6943077)		<0.0005	<0.0005	0.0072	<0.0025	0.0022	<0.0050	<0.0050	<0.0025	0.06	<0.0025	0.0028	0.101	<0.0005	0.0009
E5574919 (6943078)		<0.0005	<0.0005	<0.0050	<0.0025	0.0041	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0177	<0.0005	0.0009
E5574920 (6943080)		<0.0005	<0.0005	<0.0050	<0.0025	0.0060	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0604	<0.0005	0.0009
E5574921 (6943081)		<0.0005	<0.0005	0.0057	<0.0025	0.0050	<0.0050	<0.0050	<0.0025	0.05	<0.0025	0.0029	0.0609	<0.0005	0.0009
E5574922 (6943082)		<0.0005	<0.0005	0.0063	<0.0025	0.0171	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00473	<0.0005	0.0007
E5574923 (6943083)		<0.0005	<0.0005	<0.0050	<0.0025	0.0163	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00860	<0.0005	0.0012
E5574924 (6943084)		0.0015	<0.0005	0.0078	<0.0025	0.0056	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0187	<0.0005	0.0009
E5574925 (6943085)		<0.0005	<0.0005	<0.0050	<0.0025	0.0191	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00973	<0.0005	0.0008
E5574926 (6943086)		<0.0005	<0.0005	0.0060	<0.0025	0.0172	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0125	<0.0005	0.0011
E5574927 (6943087)		<0.0005	<0.0005	0.0085	<0.0025	0.0125	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0231	<0.0005	0.0010
E5574928 (6943088)		0.0018	<0.0005	0.0059	<0.0025	0.0029	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0405	<0.0005	0.0009
E5574929 (6943089)		0.0024	<0.0005	<0.0050	<0.0025	0.0021	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0151	<0.0005	<0.0005
E5574930 (6943090)		<0.0005	<0.0005	0.0102	<0.0025	0.457	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5574931 (6943091)		0.0017	<0.0005	<0.0050	<0.0025	0.0060	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0356	<0.0005	0.0009
E5574932 (6943092)		<0.0005	<0.0005	0.0055	<0.0025	0.0182	<0.0050	0.0055	<0.0025	<0.05	<0.0025	<0.0025	0.0167	<0.0005	0.0012
E5574933 (6943093)		<0.0005	<0.0005	<0.0050	<0.0025	0.0061	<0.0050	<0.0050	<0.0025	<0.05	0.0047	<0.0025	0.0231	<0.0005	0.0012
E5574934 (6943094)		<0.0005	<0.0005	<0.0050	<0.0025	0.0142	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0232	<0.0005	0.0012
E5574935 (6943095)		<0.0005	<0.0005	<0.0050	<0.0025	0.0133	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0421	<0.0005	0.0017
E5574936 (6943096)		0.0007	0.0009	<0.0050	<0.0025	0.0120	<0.0050	<0.0050	<0.0025	0.17	<0.0025	<0.0025	0.113	<0.0005	0.0037
E5574937 (6943097)		0.0006	0.0009	0.0064	<0.0025	0.0027	<0.0050	<0.0050	<0.0025	0.29	<0.0025	<0.0025	0.129	<0.0005	0.0021
E5574938 (6943098)		0.0338	<0.0005	<0.0050	<0.0025	0.0187	<0.0050	<0.0050	<0.0025	0.12	0.0028	<0.0025	0.00205	<0.0005	0.0011

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Sep 08, 2015		DATE RECEIVED: Sep 08, 2015		DATE REPORTED: Sep 21, 2015		SAMPLE TYPE: Drill Core
Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion		
Unit:	%	%	%	%		
RDL:	0.00025	0.0025	0.005	0.005		
Sample ID (AGAT ID)						
E5574910 (6943069)	0.00588	<0.0025	-	-		
E5574911 (6943070)	0.0180	<0.0025	-	-		
E5574912 (6943071)	0.0148	<0.0025	-	-		
E5574913 (6943072)	0.0144	<0.0025	-	-		
E5574914 (6943073)	0.0377	<0.0025	-	-		
E5574915 (6943074)	0.0784	<0.0025	-	-		
E5574916 (6943075)	0.138	0.0029	-	-		
E5574917 (6943076)	3.80	<0.0025	-	-		
E5574918 (6943077)	2.41	0.0025	-	-		
E5574919 (6943078)	0.0411	<0.0025	-	-		
E5574920 (6943080)	0.860	<0.0025	-	-		
E5574921 (6943081)	0.890	<0.0025	-	-		
E5574922 (6943082)	0.261	<0.0025	-	-		
E5574923 (6943083)	0.0248	<0.0025	-	-		
E5574924 (6943084)	>5	<0.0025	-	5.19		
E5574925 (6943085)	0.283	<0.0025	-	-		
E5574926 (6943086)	1.55	<0.0025	-	-		
E5574927 (6943087)	2.31	<0.0025	-	-		
E5574928 (6943088)	4.34	<0.0025	-	-		
E5574929 (6943089)	>5	<0.0025	-	6.67		
E5574930 (6943090)	0.00042	<0.0025	-	-		
E5574931 (6943091)	4.76	<0.0025	-	-		
E5574932 (6943092)	1.01	<0.0025	-	-		
E5574933 (6943093)	4.87	<0.0025	-	-		
E5574934 (6943094)	0.348	<0.0025	-	-		
E5574935 (6943095)	0.0343	<0.0025	-	-		
E5574936 (6943096)	0.00981	0.0060	-	-		
E5574937 (6943097)	0.00476	0.0092	-	-		
E5574938 (6943098)	4.05	<0.0025	-	-		

Comments: RDL - Reported Detection Limit

6943069-6943098 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Specific Gravity	6943069	2.62	2.61	0.4%												

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

Parameter	REPLICATE #1				REPLICATE #2											
	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD								
Ag	6943069	< 0.00025	< 0.00025	0.0%	6943094	< 0.00025	< 0.00025	0.0%								
Al	6943069	1.73	1.72	0.6%	6943094	0.480	0.474	1.3%								
As	6943069	0.0037	0.0030	20.9%	6943094	0.0027	0.0050									
Ba	6943069	0.0472	0.0463	1.9%	6943094	0.0128	0.0136	6.1%								
Be	6943069	< 0.00025	< 0.00025	0.0%	6943094	< 0.00025	< 0.00025	0.0%								
Bi	6943069	< 0.0005	0.0015		6943094	< 0.0005	0.0016									
Ca	6943069	2.70	2.68	0.7%	6943094	22.9	21.5	6.3%								
Cd	6943069	< 0.00025	< 0.00025	0.0%	6943094	0.00095	0.00094	1.1%								
Ce	6943069	0.0025	0.0026	3.9%	6943094	0.00179	0.00162	10.0%								
Co	6943069	0.00035	0.00036	2.8%	6943094	0.00033	0.00053									
Cr	6943069	0.0137	0.0141	2.9%	6943094	0.00594	0.00531	11.2%								
Cu	6943069	0.00676	0.00669	1.0%	6943094	0.00254	0.00250	1.6%								
Fe	6943069	0.89	0.88	1.1%	6943094	0.86	0.85	1.2%								
Ga	6943069	< 0.0025	< 0.0025	0.0%	6943094	< 0.0025	< 0.0025	0.0%								
In	6943069	< 0.0005	0.0013		6943094	0.0008	0.0007	13.3%								
K	6943069	0.93	0.92	1.1%	6943094	0.237	0.232	2.1%								
La	6943069	0.0016	0.0016	0.0%	6943094	0.0015	0.0014	6.9%								
Li	6943069	0.0011	0.0011	0.0%	6943094	< 0.0005	< 0.0005	0.0%								
Mg	6943069	0.205	0.206	0.5%	6943094	0.101	0.105	3.9%								
Mn	6943069	0.00685	0.00663	3.3%	6943094	0.0253	0.0220	14.0%								
Mo	6943069	0.00164	0.00127	25.4%	6943094	0.00104	0.00099	4.9%								
Na	6943069	< 0.05	< 0.05	0.0%	6943094	< 0.05	< 0.05	0.0%								
Ni	6943069	0.00769	0.00817	6.1%	6943094	0.00292	0.00264	10.1%								
P	6943069	0.795	0.800	0.6%	6943094	0.0595	0.0280									
Pb	6943069	0.00207	0.00256	21.2%	6943094	0.441	0.444	0.7%								
Rb	6943069	< 0.0050	< 0.0050	0.0%	6943094	< 0.0050	< 0.0050	0.0%								
S	6943069	0.756	0.800	5.7%	6943094	1.04	1.18	12.6%								



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sb	6943069	0.0007	< 0.0005		6943094	< 0.0005	< 0.0005	0.0%								
Sc	6943069	< 0.0005	< 0.0005	0.0%	6943094	< 0.0005	< 0.0005	0.0%								
Se	6943069	< 0.0050	< 0.0050	0.0%	6943094	< 0.0050	< 0.0050	0.0%								
Sn	6943069	< 0.0025	< 0.0025	0.0%	6943094	< 0.0025	< 0.0025	0.0%								
Sr	6943069	0.00431	0.00341	23.3%	6943094	0.0142	0.0116	20.2%								
Ta	6943069	< 0.0050	< 0.0050	0.0%	6943094	< 0.0050	< 0.0050	0.0%								
Te	6943069	< 0.0050	< 0.0050	0.0%	6943094	< 0.0050	< 0.0050	0.0%								
Th	6943069	< 0.0025	< 0.0025	0.0%	6943094	< 0.0025	< 0.0025	0.0%								
Ti	6943069	0.08	0.08	0.0%	6943094	< 0.05	< 0.05	0.0%								
Tl	6943069	< 0.0025	< 0.0025	0.0%	6943094	< 0.0025	< 0.0025	0.0%								
U	6943069	< 0.0025	< 0.0025	0.0%	6943094	< 0.0025	< 0.0025	0.0%								
V	6943069	0.0548	0.0561	2.3%	6943094	0.0232	0.0230	0.9%								
W	6943069	< 0.0005	< 0.0005	0.0%	6943094	< 0.0005	< 0.0005	0.0%								
Y	6943069	0.00243	0.00249	2.4%	6943094	0.0012	0.0012	0.0%								
Zn	6943069	0.00588	0.00400		6943094	0.348	0.357	2.6%								
Zr	6943069	< 0.0025	< 0.0025	0.0%	6943094	< 0.0025	< 0.0025	0.0%								



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

CRM #1					CRM #2 (ref.CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Specific Gravity	2.65	2.70	101%	95% - 110%												

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

CRM #1 (ref.CDN-ME-1303)					CRM #2 (ref.CDN-ME-1206)											
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Ag	0.0152	0.016	105%	90% - 110%	0.0274	0.0295	108%	90% - 110%								
Cu	0.344	0.357	104%	90% - 110%	0.790	0.783	99%	90% - 110%								
Pb	1.22	1.25	103%	90% - 110%	0.8010	0.7957	99%	90% - 110%								
Zn	0.931	0.912	98%	90% - 110%	2.380	2.338	98%	90% - 110%								

Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD

AGAT WORK ORDER: 15Y016173

PROJECT: 1710

ATTENTION TO: JELLE DE BRUYCKERE

SAMPLING SITE:
SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES