

**CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(604) 620-6188**

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT: 1710

AGAT WORK ORDER: 15Y997243

SOLID ANALYSIS REVIEWED BY: Brandon Wang, Spectroscopy Supervisor

DATE REPORTED: Aug 04, 2015

PAGES (INCLUDING COVER): 10

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Jul 17, 2015

DATE RECEIVED: Jul 17, 2015

DATE REPORTED: Aug 04, 2015

SAMPLE TYPE: Drill Core

	Analyte:	Specific Gravity
	Unit:	g/cm3
	RDL:	0.01
Sample ID (AGAT ID)		
E5573360 (6752204)		2.72
E5573361 (6752205)		2.69
E5573362 (6752206)		2.73
E5573363 (6752207)		2.70
E5573364 (6752208)		2.67
E5573365 (6752209)		2.72
E5573366 (6752210)		2.68
E5573367 (6752211)		2.83
E5573368 (6752212)		2.79
E5573369 (6752213)		2.70
E5573370 (6752214)		2.77
E5573371 (6752215)		2.74
E5573372 (6752216)		2.75
E5573373 (6752217)		2.78
E5573374 (6752218)		2.88
E5573375 (6752219)		3.03
E5573376 (6752220)		2.68
E5573377 (6752221)		2.73
E5573378 (6752222)		2.70
E5573379 (6752223)		2.68
E5573380 (6752224)		2.80
E5573381 (6752225)		3.00

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 17, 2015

DATE RECEIVED: Jul 17, 2015

DATE REPORTED: Aug 04, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
Sample ID (AGAT ID)														
E5573360 (6752204)	1.85	<0.00025	1.02	0.0006	0.0410	<0.00025	<0.0005	26.4	0.00040	0.0025	0.00026	0.0124	0.00580	1.15
E5573361 (6752205)	2.31	<0.00025	1.48	<0.0005	0.0992	<0.00025	<0.0005	1.81	0.00068	0.0018	<0.00025	0.0125	0.00551	0.93
E5573362 (6752206)	1.06	0.00062	1.47	<0.0005	0.0950	<0.00025	<0.0005	2.30	0.00064	0.0020	<0.00025	0.0178	0.00499	1.02
E5573363 (6752207)	1.45	<0.00025	1.55	<0.0005	0.132	<0.00025	<0.0005	3.07	0.00035	0.0035	<0.00025	0.0148	0.00415	0.86
E5573364 (6752208)	1.72	<0.00025	1.97	0.0016	0.119	<0.00025	<0.0005	2.43	0.00093	0.0027	<0.00025	0.0198	0.00367	1.05
E5573365 (6752209)	2.05	<0.00025	1.64	<0.0005	0.0706	<0.00025	0.0005	3.51	0.00136	0.0034	0.00029	0.00852	0.00566	0.88
E5573366 (6752210)	1.15	<0.00025	1.22	0.0008	0.0740	<0.00025	0.0009	1.26	0.00100	0.0017	0.00042	0.0153	0.00599	1.15
E5573367 (6752211)	1.43	0.00026	1.21	0.0030	0.0584	<0.00025	0.0015	0.49	0.0165	0.0012	0.00041	0.00764	0.0107	2.63
E5573368 (6752212)	1.19	<0.00025	<0.25	0.0018	0.0264	<0.00025	<0.0005	41.0	<0.00025	0.0008	<0.00025	0.00094	0.00115	0.70
E5573369 (6752213)	1.13	<0.00025	0.42	<0.0005	0.129	<0.00025	0.0005	4.95	0.00039	0.0006	<0.00025	0.0122	0.00295	2.34
E5573370 (6752214)	0.84	<0.00025	<0.25	<0.0005	0.0217	<0.00025	<0.0005	42.9	<0.00025	0.0019	<0.00025	0.00106	0.00081	0.52
E5573371 (6752215)	0.96	<0.00025	<0.25	<0.0005	0.0213	<0.00025	0.0007	40.9	<0.00025	0.0017	<0.00025	0.00092	0.00073	0.50
E5573372 (6752216)	2.24	<0.00025	0.34	<0.0005	0.0115	<0.00025	0.0006	39.9	<0.00025	0.0027	<0.00025	0.00111	0.00106	0.53
E5573373 (6752217)	1.15	<0.00025	0.29	0.0005	0.0114	<0.00025	0.0007	40.6	<0.00025	0.0023	<0.00025	0.00094	0.00088	0.80
E5573374 (6752218)	1.51	<0.00025	0.48	0.0009	0.0238	<0.00025	0.0018	5.55	0.0227	0.0005	<0.00025	0.0125	0.00308	1.32
E5573375 (6752219)	1.43	0.00027	0.27	<0.0005	0.0086	<0.00025	0.0023	1.98	0.0400	<0.0005	<0.00025	0.00717	0.00307	1.25
E5573376 (6752220)	1.85	<0.00025	3.50	0.0008	0.118	<0.00025	0.0010	3.48	0.00093	0.0028	0.00056	0.0208	0.00669	2.11
E5573377 (6752221)	1.54	<0.00025	3.24	0.0015	0.0602	<0.00025	0.0007	2.80	0.00342	0.0031	0.00079	0.0178	0.00554	2.23
E5573378 (6752222)	1.32	<0.00025	2.69	0.0020	0.0970	<0.00025	0.0006	1.16	<0.00025	0.0021	0.00062	0.0216	0.00485	2.17
E5573379 (6752223)	1.89	<0.00025	2.70	0.0012	0.0598	<0.00025	<0.0005	0.98	0.00110	0.0022	0.00075	0.0181	0.00681	3.13
E5573380 (6752224)	0.53	<0.00025	<0.25	0.0017	<0.0005	<0.00025	<0.0005	39.7	<0.00025	<0.0005	<0.00025	0.00053	0.00025	<0.05
E5573381 (6752225)	0.04	0.0189	3.96	<0.0005	0.0679	<0.00025	0.0020	1.59	0.0110	0.0016	0.00145	0.00174	1.02	5.55

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 17, 2015

DATE RECEIVED: Jul 17, 2015

DATE REPORTED: Aug 04, 2015

SAMPLE TYPE: Drill Core

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
E5573360 (6752204)	<0.0025	0.0006	0.54	0.0018	0.0009	0.22	0.0568	0.00184	<0.05	0.00731	0.626	0.225	<0.0050	1.28
E5573361 (6752205)	<0.0025	0.0008	0.71	0.0011	0.0011	0.19	0.0054	0.00279	<0.05	0.0105	0.572	0.0178	<0.0050	0.886
E5573362 (6752206)	<0.0025	0.0009	0.71	0.0014	0.0010	0.18	0.0077	0.00173	<0.05	0.0111	0.544	2.81	<0.0050	1.41
E5573363 (6752207)	<0.0025	0.0016	0.71	0.0023	0.0012	0.20	0.0071	0.00178	<0.05	0.00965	1.10	0.0168	<0.0050	0.761
E5573364 (6752208)	<0.0025	<0.0005	0.98	0.0016	0.0012	0.23	0.0074	0.00192	<0.05	0.0126	0.774	0.0169	<0.0050	1.08
E5573365 (6752209)	<0.0025	0.0005	0.85	0.0019	0.0009	0.18	0.0078	0.00155	<0.05	0.0116	0.908	0.0489	<0.0050	1.07
E5573366 (6752210)	<0.0025	<0.0005	0.65	<0.0010	0.0006	0.13	0.0051	0.00355	<0.05	0.0108	0.164	0.0294	<0.0050	1.26
E5573367 (6752211)	<0.0025	<0.0005	0.65	<0.0010	0.0005	0.11	0.0124	0.00419	<0.05	0.0116	0.0560	1.20	<0.0050	5.43
E5573368 (6752212)	<0.0025	0.0007	0.07	<0.0010	<0.0005	0.23	0.0598	0.00042	<0.05	0.00228	0.0106	0.0073	<0.0050	0.803
E5573369 (6752213)	<0.0025	<0.0005	0.16	<0.0010	0.0021	0.11	0.0123	0.00121	<0.05	0.00506	0.0502	0.0560	<0.0050	2.51
E5573370 (6752214)	<0.0025	0.0008	0.10	0.0016	<0.0005	0.13	0.0637	<0.00025	<0.05	0.00179	0.0577	0.122	<0.0050	0.606
E5573371 (6752215)	<0.0025	0.0006	0.09	0.0016	<0.0005	0.12	0.0630	<0.00025	<0.05	0.00164	0.0407	0.138	<0.0050	0.566
E5573372 (6752216)	<0.0025	0.0007	0.17	0.0023	<0.0005	0.12	0.0520	<0.00025	<0.05	0.00207	0.103	0.0071	<0.0050	0.643
E5573373 (6752217)	<0.0025	<0.0005	0.15	0.0019	<0.0005	0.12	0.0529	<0.00025	<0.05	0.00169	0.0591	0.0149	<0.0050	0.858
E5573374 (6752218)	<0.0025	<0.0005	0.25	<0.0010	<0.0005	0.05	0.0175	0.00047	<0.05	0.00427	0.0746	2.06	<0.0050	4.81
E5573375 (6752219)	<0.0025	0.0008	0.12	<0.0010	<0.0005	<0.05	0.0140	<0.00025	<0.05	0.00325	0.0453	4.72	<0.0050	7.15
E5573376 (6752220)	<0.0025	<0.0005	2.55	0.0017	0.0016	0.38	0.0112	0.00263	<0.05	0.0160	0.214	0.120	0.0107	2.44
E5573377 (6752221)	<0.0025	<0.0005	2.45	0.0019	0.0013	0.34	0.0110	0.00390	<0.05	0.0158	0.0954	0.0100	0.0106	2.44
E5573378 (6752222)	<0.0025	<0.0005	2.47	0.0012	0.0014	0.34	0.0073	0.00253	<0.05	0.0144	0.0625	0.0018	0.0101	2.28
E5573379 (6752223)	<0.0025	0.0008	2.67	0.0014	0.0013	0.31	0.0091	0.00227	<0.05	0.0135	0.0567	0.0034	0.0102	3.31
E5573380 (6752224)	<0.0025	<0.0005	<0.05	<0.0010	<0.0005	1.99	0.0039	<0.00025	<0.05	<0.00025	<0.0050	<0.0005	<0.0050	0.108
E5573381 (6752225)	<0.0025	0.0020	1.29	<0.0010	0.0011	0.28	0.128	0.00222	2.18	0.00242	0.0248	4.17	<0.0050	5.50

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 17, 2015

DATE RECEIVED: Jul 17, 2015

DATE REPORTED: Aug 04, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5573360 (6752204)	0.0008	<0.0005	<0.0050	<0.0025	0.0114	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0028	0.0547	0.0018	0.0025
E5573361 (6752205)	<0.0005	<0.0005	<0.0050	<0.0025	0.0027	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.0947	<0.0005	0.0018
E5573362 (6752206)	<0.0005	<0.0005	<0.0050	<0.0025	0.0031	<0.0050	<0.0050	<0.0025	0.05	<0.0025	<0.0025	0.0916	0.0014	0.0019
E5573363 (6752207)	0.0007	<0.0005	<0.0050	<0.0025	0.0043	<0.0050	<0.0050	<0.0025	0.08	<0.0025	<0.0025	0.0972	0.0012	0.0035
E5573364 (6752208)	<0.0005	<0.0005	<0.0050	<0.0025	0.0030	<0.0050	<0.0050	<0.0025	0.09	<0.0025	<0.0025	0.105	0.0010	0.0023
E5573365 (6752209)	<0.0005	<0.0005	<0.0050	<0.0025	0.0045	<0.0050	<0.0050	<0.0025	0.08	<0.0025	<0.0025	0.0935	<0.0005	0.0027
E5573366 (6752210)	0.0007	<0.0005	<0.0050	<0.0025	0.0018	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.0831	<0.0005	0.0011
E5573367 (6752211)	0.0055	<0.0005	<0.0050	<0.0025	0.0013	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.0733	<0.0005	0.0008
E5573368 (6752212)	0.0015	<0.0005	<0.0050	<0.0025	0.0186	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0122	<0.0005	0.0008
E5573369 (6752213)	0.0010	<0.0005	<0.0050	<0.0025	0.0037	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0245	<0.0005	0.0009
E5573370 (6752214)	0.0011	<0.0005	<0.0050	<0.0025	0.0210	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0125	<0.0005	0.0012
E5573371 (6752215)	<0.0005	<0.0005	<0.0050	<0.0025	0.0213	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0112	<0.0005	0.0013
E5573372 (6752216)	<0.0005	<0.0005	<0.0050	<0.0025	0.0212	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0136	<0.0005	0.0016
E5573373 (6752217)	<0.0005	<0.0005	<0.0050	<0.0025	0.0193	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0119	<0.0005	0.0012
E5573374 (6752218)	0.0031	<0.0005	<0.0050	<0.0025	0.0039	<0.0050	<0.0050	<0.0025	<0.05	0.0025	<0.0025	0.0195	<0.0005	0.0006
E5573375 (6752219)	0.0036	<0.0005	<0.0050	<0.0025	0.0024	<0.0050	0.0054	<0.0025	<0.05	0.0043	<0.0025	0.0141	<0.0005	<0.0005
E5573376 (6752220)	0.0018	0.0009	<0.0050	<0.0025	0.0041	<0.0050	<0.0050	<0.0025	0.24	<0.0025	<0.0025	0.104	<0.0005	0.0020
E5573377 (6752221)	0.0023	0.0010	<0.0050	<0.0025	0.0032	<0.0050	<0.0050	<0.0025	0.29	<0.0025	<0.0025	0.147	<0.0005	0.0017
E5573378 (6752222)	0.0014	0.0008	<0.0050	<0.0025	0.0020	<0.0050	<0.0050	<0.0025	0.27	<0.0025	<0.0025	0.107	<0.0005	0.0014
E5573379 (6752223)	0.0023	0.0008	<0.0050	<0.0025	0.0018	<0.0050	<0.0050	<0.0025	0.30	<0.0025	<0.0025	0.0942	<0.0005	0.0012
E5573380 (6752224)	<0.0005	<0.0005	<0.0050	<0.0025	0.460	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5573381 (6752225)	0.0348	<0.0005	<0.0050	<0.0025	0.0177	<0.0050	<0.0050	<0.0025	0.12	0.0038	<0.0025	0.00209	0.0006	0.0010

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 17, 2015

DATE RECEIVED: Jul 17, 2015

DATE REPORTED: Aug 04, 2015

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion
	Unit:	%	%	%	%
	RDL:	0.00025	0.0025	0.005	0.005
E5573360 (6752204)		0.0716	<0.0025	-	-
E5573361 (6752205)		0.142	<0.0025	-	-
E5573362 (6752206)		0.111	<0.0025	-	-
E5573363 (6752207)		0.0786	<0.0025	-	-
E5573364 (6752208)		0.226	<0.0025	-	-
E5573365 (6752209)		0.339	<0.0025	-	-
E5573366 (6752210)		0.282	<0.0025	-	-
E5573367 (6752211)		>5	<0.0025	-	5.59
E5573368 (6752212)		0.0130	<0.0025	-	-
E5573369 (6752213)		0.102	<0.0025	-	-
E5573370 (6752214)		0.00327	<0.0025	-	-
E5573371 (6752215)		0.00428	<0.0025	-	-
E5573372 (6752216)		0.00593	<0.0025	-	-
E5573373 (6752217)		0.00640	<0.0025	-	-
E5573374 (6752218)		>5	<0.0025	-	6.85
E5573375 (6752219)		>5	<0.0025	-	11.4
E5573376 (6752220)		0.265	0.0068	-	-
E5573377 (6752221)		0.209	0.0078	-	-
E5573378 (6752222)		0.0104	0.0079	-	-
E5573379 (6752223)		0.0723	0.0076	-	-
E5573380 (6752224)		0.00054	<0.0025	-	-
E5573381 (6752225)		4.15	<0.0025	-	-

Comments: RDL - Reported Detection Limit

6752204-6752225 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

Parameter	REPLICATE #1															
	Sample ID	Original	Replicate	RPD												
Ag	6752204	< 0.00025	< 0.00025	0.0%												
Al	6752204	1.02	0.78	26.7%												
As	6752204	0.0006	0.0011													
Ba	6752204	0.0410	0.0314	26.5%												
Be	6752204	< 0.00025	< 0.00025	0.0%												
Bi	6752204	< 0.0005	< 0.0005	0.0%												
Ca	6752204	26.4	19.8	28.6%												
Cd	6752204	0.00040	0.00028													
Ce	6752204	0.0025	0.0018													
Co	6752204	0.000257	0.000193	28.4%												
Cr	6752204	0.0124	0.00829													
Cu	6752204	0.00580	0.00436	28.3%												
Fe	6752204	1.15	0.893	25.2%												
Ga	6752204	< 0.0025	< 0.0025	0.0%												
In	6752204	0.0006	0.0006	0.0%												
K	6752204	0.54	0.41	27.4%												
La	6752204	0.0018	0.0012													
Li	6752204	0.0009	0.0007	25.0%												
Mg	6752204	0.22	0.17	25.6%												
Mn	6752204	0.0568	0.0434	26.7%												
Mo	6752204	0.00184	0.00128													
Na	6752204	< 0.05	< 0.05	0.0%												
Ni	6752204	0.00731	0.00554	27.5%												
P	6752204	0.626	0.490	24.4%												
Pb	6752204	0.225	0.170	27.8%												
Rb	6752204	< 0.0050	< 0.0050	0.0%												
S	6752204	1.28	1.02	22.6%												
Sb	6752204	0.0008	< 0.0005													
Sc	6752204	< 0.0005	< 0.0005	0.0%												
Se	6752204	< 0.0050	< 0.0050	0.0%												
Sn	6752204	< 0.0025	< 0.0025	0.0%												



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sr	6752204	0.0114	0.0096	17.1%												
Ta	6752204	< 0.0050	< 0.0050	0.0%												
Te	6752204	< 0.0050	< 0.0050	0.0%												
Th	6752204	< 0.0025	< 0.0025	0.0%												
Ti	6752204	< 0.05	< 0.05	0.0%												
Tl	6752204	< 0.0025	< 0.0025	0.0%												
U	6752204	0.0028	0.0022	24.0%												
V	6752204	0.0547	0.0412	28.2%												
W	6752204	0.0018	< 0.0005													
Y	6752204	0.0025	0.0018													
Zn	6752204	0.0716	0.0554	25.5%												
Zr	6752204	< 0.0025	< 0.0025	0.0%												



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 15Y997243

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

Parameter	CRM #1 (ref.CDN-ME-1303)				CRM #2 (ref.CDN-ME-1206)											
	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits								
Ag	0.0152	0.0152	100%	90% - 110%	0.0274	0.0256	94%	90% - 110%								
Cu	0.344	0.343	100%	90% - 110%	0.790	0.726	92%	90% - 110%								
Pb	1.22	1.29	106%	90% - 110%	0.8010	0.7628	95%	90% - 110%								
Zn	0.931	0.935	100%	90% - 110%	2.380	2.213	93%	90% - 110%								

Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD
AGAT WORK ORDER: 15Y997243
PROJECT: 1710
ATTENTION TO: JELLE DE BRUYCKERE
SAMPLING SITE:
SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES