

**CLIENT NAME: SELWYN CHIHONG MINING LTD
2701 - 1055 WEST GEORGIA STREET
VANCOUVER, BC V6E0B6
(604) 620-6188**

ATTENTION TO: JELLE DE BRUYCKERE

PROJECT: 1710

AGAT WORK ORDER: 15Y998643

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, Data Review Supervisor

DATE REPORTED: Aug 07, 2015

PAGES (INCLUDING COVER): 15

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Analyte: Specific Gravity
Unit: g/cm3
RDL: 0.01

Sample ID (AGAT ID)	
E5573410 (6767654)	2.74
E5573411 (6767655)	2.73
E5573412 (6767656)	2.83
E5573413 (6767657)	2.77
E5573414 (6767658)	2.81
E5573415 (6767659)	2.84
E5573416 (6767660)	2.77
E5573417 (6767661)	2.81
E5573418 (6767662)	2.82
E5573419 (6767663)	2.81
E5573420 (6767664)	2.83
E5573421 (6767665)	2.81
E5573422 (6767666)	2.82
E5573423 (6767667)	2.87
E5573424 (6767668)	2.88
E5573425 (6767669)	2.89
E5573426 (6767670)	2.75
E5573427 (6767671)	2.73
E5573428 (6767672)	2.75
E5573429 (6767673)	2.83
E5573430 (6767674)	2.79
E5573431 (6767675)	NRC
E5573432 (6767676)	2.78
E5573433 (6767677)	2.79
E5573434 (6767678)	2.83
E5573435 (6767679)	2.75
E5573436 (6767680)	2.83
E5573437 (6767681)	2.82
E5573438 (6767682)	2.75
E5573439 (6767683)	2.71
E5573440 (6767684)	2.95
E5573441 (6767685)	2.71

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

	Analyte:	Specific Gravity
	Unit:	g/cm3
	RDL:	0.01
Sample ID (AGAT ID)		
E5573442 (6767686)		2.72
E5573443 (6767687)		2.72
E5573444 (6767688)		2.74
E5573445 (6767689)		2.73
E5573446 (6767690)		2.66
E5573447 (6767691)		2.82
E5573448 (6767692)		2.78
E5573449 (6767693)		2.77
E5573450 (6767694)		2.71
E5573451 (6767695)		2.73
E5573452 (6767696)		2.75

Comments: RDL - Reported Detection Limit

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
Sample ID (AGAT ID)														
E5573410 (6767654)	3.97	<0.00025	0.45	<0.0005	0.0162	<0.00025	<0.0005	30.7	<0.00025	0.0024	<0.00025	0.00219	0.00156	1.11
E5573411 (6767655)	3.81	<0.00025	<0.25	0.0010	0.0120	<0.00025	<0.0005	39.5	<0.00025	0.0023	<0.00025	0.00084	0.00066	0.63
E5573412 (6767656)	1.27	<0.00025	1.34	0.0022	0.0416	<0.00025	0.0007	8.08	0.0162	0.0039	0.00081	0.00733	0.00514	2.57
E5573413 (6767657)	1.35	<0.00025	0.52	<0.0005	0.0228	<0.00025	0.0007	3.03	0.0113	0.0012	<0.00025	0.0128	0.00216	0.97
E5573414 (6767658)	1.80	<0.00025	0.55	<0.0005	0.0169	<0.00025	0.0011	0.46	0.0153	0.0011	0.00042	0.0169	0.00343	1.53
E5573415 (6767659)	2.61	<0.00025	0.63	<0.0005	0.0643	<0.00025	0.0009	14.3	0.0131	0.0025	0.00026	0.00868	0.00366	1.55
E5573416 (6767660)	1.65	<0.00025	0.83	<0.0005	0.0329	<0.00025	0.0008	19.0	0.00784	0.0023	0.00028	0.00583	0.00286	1.60
E5573417 (6767661)	1.70	<0.00025	0.36	0.0022	0.0158	<0.00025	0.0006	30.8	0.00612	0.0027	0.00026	0.00197	0.00211	1.37
E5573418 (6767662)	2.18	<0.00025	0.90	0.0063	0.0233	<0.00025	0.0010	19.0	0.0106	0.0027	0.00043	0.00412	0.00386	2.84
E5573419 (6767663)	1.37	<0.00025	0.51	0.0016	0.0327	<0.00025	0.0008	17.9	0.0114	0.0017	0.00039	0.00430	0.00287	2.06
E5573420 (6767664)	0.55	<0.00025	0.54	0.0056	0.0179	<0.00025	0.0015	7.37	0.0171	0.0009	0.00133	0.0101	0.00374	1.64
E5573421 (6767665)	0.58	<0.00025	0.41	0.0024	0.0158	<0.00025	0.0006	7.19	0.0168	0.0008	<0.00025	0.00857	0.00267	1.27
E5573422 (6767666)	1.49	<0.00025	0.63	0.0017	0.0256	<0.00025	0.0007	14.3	0.00878	0.0015	0.00028	0.00917	0.00292	1.66
E5573423 (6767667)	2.66	<0.00025	0.65	0.0009	0.0299	<0.00025	<0.0005	9.55	0.0115	0.0014	0.00028	0.00960	0.00357	1.85
E5573424 (6767668)	3.25	<0.00025	<0.25	<0.0005	0.0862	<0.00025	0.0021	23.8	0.0245	0.0015	<0.00025	0.00235	0.00325	0.84
E5573425 (6767669)	1.26	<0.00025	1.01	0.0008	0.100	<0.00025	<0.0005	15.0	0.00613	0.0021	<0.00025	0.00690	0.00422	1.78
E5573426 (6767670)	1.31	<0.00025	0.99	0.0006	0.0340	<0.00025	0.0007	8.92	0.00544	0.0014	0.00037	0.0123	0.00515	2.42
E5573427 (6767671)	2.29	<0.00025	0.64	<0.0005	0.0921	<0.00025	0.0009	9.71	0.00553	0.0009	<0.00025	0.0146	0.00418	1.25
E5573428 (6767672)	3.40	<0.00025	0.38	<0.0005	0.175	<0.00025	0.0008	16.2	0.00337	0.0010	<0.00025	0.0111	0.00291	1.05
E5573429 (6767673)	4.33	<0.00025	0.33	0.0012	0.0275	<0.00025	0.0005	29.0	0.00612	0.0023	<0.00025	0.00266	0.00342	1.04
E5573430 (6767674)	0.72	<0.00025	<0.25	0.0024	<0.0005	<0.00025	<0.0005	35.9	<0.00025	<0.0005	<0.00025	0.00050	<0.00025	<0.05
E5573431 (6767675)	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5573432 (6767676)	2.45	<0.00025	<0.25	<0.0005	0.0311	<0.00025	<0.0005	36.0	0.00225	0.0020	<0.00025	0.00131	0.00229	0.93
E5573433 (6767677)	3.27	<0.00025	0.31	0.0018	0.0256	<0.00025	<0.0005	31.5	0.00368	0.0018	<0.00025	0.00163	0.00226	0.80
E5573434 (6767678)	3.57	<0.00025	0.32	<0.0005	0.0156	<0.00025	<0.0005	27.4	0.00770	0.0018	<0.00025	0.00215	0.00306	0.99
E5573435 (6767679)	2.07	<0.00025	0.48	<0.0005	0.0291	<0.00025	<0.0005	18.6	0.00220	0.0017	<0.00025	0.00523	0.00369	0.71
E5573436 (6767680)	2.18	<0.00025	0.51	<0.0005	0.0259	<0.00025	<0.0005	7.25	0.00710	0.0009	<0.00025	0.0162	0.00445	0.84
E5573437 (6767681)	1.58	<0.00025	<0.25	<0.0005	0.0153	<0.00025	<0.0005	20.1	0.00202	0.0011	<0.00025	0.00702	0.00293	0.55
E5573438 (6767682)	3.51	<0.00025	0.34	0.0020	0.0121	<0.00025	<0.0005	29.5	0.00082	0.0028	<0.00025	0.00439	0.00647	0.66
E5573439 (6767683)	3.50	<0.00025	1.30	0.0007	0.0362	<0.00025	<0.0005	10.3	0.00172	0.0027	0.00046	0.0153	0.0127	1.65
E5573440 (6767684)	0.04	0.0191	3.43	<0.0005	0.0933	<0.00025	0.0019	1.47	0.0110	0.0019	0.00144	0.00182	1.10	5.50

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sample Login Weight	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	kg	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.01	0.00025	0.25	0.0005	0.0005	0.00025	0.0005	0.05	0.00025	0.0005	0.00025	0.00025	0.00025	0.05
E5573441 (6767685)	3.12	<0.00025	0.74	<0.0005	0.0423	<0.00025	<0.0005	8.69	0.00031	0.0043	0.00033	0.0154	0.0145	0.65
E5573442 (6767686)	3.06	<0.00025	0.60	<0.0005	0.0221	<0.00025	0.0005	20.5	0.00037	0.0043	0.00025	0.00897	0.0109	0.45
E5573443 (6767687)	1.46	<0.00025	0.79	<0.0005	0.148	<0.00025	<0.0005	15.0	<0.00025	0.0058	<0.00025	0.0106	0.0167	0.60
E5573444 (6767688)	1.28	<0.00025	0.71	0.0019	0.128	<0.00025	<0.0005	20.8	<0.00025	0.0021	<0.00025	0.00861	0.0103	1.00
E5573445 (6767689)	2.35	<0.00025	0.61	0.0021	0.0279	<0.00025	<0.0005	17.7	0.00049	0.0046	0.00046	0.00702	0.0123	0.58
E5573446 (6767690)	2.63	<0.00025	1.76	0.0047	0.0266	<0.00025	<0.0005	3.87	0.00129	0.0015	0.00215	0.0137	0.0272	1.23
E5573447 (6767691)	1.89	0.00028	2.99	0.0006	0.0695	0.00032	<0.0005	6.33	<0.00025	0.0056	0.00035	0.0239	0.0308	4.56
E5573448 (6767692)	3.72	<0.00025	2.31	<0.0005	0.0947	<0.00025	<0.0005	22.7	<0.00025	0.0024	0.00029	0.00421	0.00208	1.91
E5573449 (6767693)	3.23	<0.00025	2.56	<0.0005	0.0731	0.00029	<0.0005	27.2	<0.00025	0.0031	0.00038	0.00413	0.00195	1.56
E5573450 (6767694)	1.33	<0.00025	3.54	<0.0005	0.0891	0.00030	<0.0005	17.8	<0.00025	0.0029	0.00059	0.00765	0.00402	2.23
E5573451 (6767695)	1.37	<0.00025	3.82	<0.0005	0.0967	0.00030	<0.0005	17.5	<0.00025	0.0028	0.00066	0.00691	0.00409	2.45
E5573452 (6767696)	3.30	<0.00025	3.14	0.0012	0.0879	0.00028	<0.0005	23.0	<0.00025	0.0034	0.00049	0.00565	0.00319	2.49

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
E5573410 (6767654)	<0.0025	<0.0005	0.23	0.0019	<0.0005	0.15	0.0437	0.00043	<0.05	0.00185	0.148	0.0084	<0.0050	1.34
E5573411 (6767655)	<0.0025	<0.0005	0.11	0.0022	0.0005	0.13	0.0806	0.00036	<0.05	0.00108	0.0546	0.0177	<0.0050	0.770
E5573412 (6767656)	<0.0025	<0.0005	0.70	0.0026	0.0008	0.17	0.0269	0.00177	<0.05	0.00882	0.379	1.07	<0.0050	5.55
E5573413 (6767657)	<0.0025	<0.0005	0.24	<0.0010	<0.0005	0.06	0.0134	0.00064	<0.05	0.00344	0.0927	1.17	<0.0050	2.61
E5573414 (6767658)	<0.0025	<0.0005	0.24	<0.0010	<0.0005	0.06	0.0113	0.00098	<0.05	0.00470	0.0988	1.60	<0.0050	3.87
E5573415 (6767659)	<0.0025	<0.0005	0.31	0.0018	0.0005	0.10	0.0309	0.00114	<0.05	0.00523	0.127	1.23	<0.0050	4.09
E5573416 (6767660)	<0.0025	<0.0005	0.43	0.0017	0.0006	0.13	0.0330	0.00083	<0.05	0.00490	0.0950	0.620	<0.0050	3.34
E5573417 (6767661)	<0.0025	<0.0005	0.17	0.0021	0.0005	0.10	0.0440	0.00082	<0.05	0.00284	0.0792	0.803	<0.0050	2.69
E5573418 (6767662)	<0.0025	<0.0005	0.32	0.0020	0.0007	0.28	0.0365	0.00219	<0.05	0.00506	0.137	1.27	<0.0050	5.14
E5573419 (6767663)	<0.0025	<0.0005	0.23	0.0013	0.0005	0.11	0.0324	0.00235	<0.05	0.00466	0.0612	1.24	<0.0050	4.38
E5573420 (6767664)	<0.0025	<0.0005	0.25	0.0013	<0.0005	0.08	0.0169	0.00469	<0.05	0.00604	0.0510	1.44	<0.0050	4.54
E5573421 (6767665)	<0.0025	<0.0005	0.19	<0.0010	<0.0005	0.06	0.0169	0.00186	<0.05	0.00415	0.0558	1.36	<0.0050	3.88
E5573422 (6767666)	<0.0025	<0.0005	0.30	0.0012	<0.0005	0.12	0.0298	0.00157	<0.05	0.00514	0.0889	1.15	<0.0050	3.54
E5573423 (6767667)	<0.0025	<0.0005	0.29	0.0011	<0.0005	0.10	0.0205	0.00125	<0.05	0.00509	0.0561	1.40	<0.0050	4.29
E5573424 (6767668)	<0.0025	0.0011	0.08	0.0014	<0.0005	0.07	0.0365	<0.00025	<0.05	0.00179	0.0192	1.90	<0.0050	5.79
E5573425 (6767669)	<0.0025	<0.0005	0.39	0.0015	0.0007	0.26	0.0274	0.00238	<0.05	0.00721	0.115	0.714	<0.0050	3.32
E5573426 (6767670)	<0.0025	<0.0005	0.50	0.0010	0.0006	0.13	0.0156	0.00234	<0.05	0.00700	0.0826	0.693	<0.0050	3.77
E5573427 (6767671)	<0.0025	<0.0005	0.34	<0.0010	0.0006	0.09	0.0219	0.00203	<0.05	0.00543	0.0734	0.680	<0.0050	2.48
E5573428 (6767672)	<0.0025	0.0010	0.19	<0.0010	0.0006	0.10	0.0247	0.00129	<0.05	0.00328	0.0547	0.564	<0.0050	1.96
E5573429 (6767673)	<0.0025	<0.0005	0.14	0.0020	<0.0005	0.09	0.0378	0.00091	<0.05	0.00290	0.0569	0.336	<0.0050	3.06
E5573430 (6767674)	<0.0025	<0.0005	<0.05	<0.0010	<0.0005	1.99	0.0028	<0.00025	<0.05	<0.00025	0.0105	0.0008	<0.0050	0.132
E5573431 (6767675)	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5573432 (6767676)	<0.0025	<0.0005	0.12	0.0020	<0.0005	0.11	0.0441	0.00072	<0.05	0.00217	0.0358	0.203	<0.0050	1.78
E5573433 (6767677)	<0.0025	<0.0005	0.15	0.0017	<0.0005	0.09	0.0399	0.00072	<0.05	0.00270	0.0629	0.434	<0.0050	2.02
E5573434 (6767678)	<0.0025	<0.0005	0.15	0.0017	<0.0005	0.09	0.0366	0.00098	<0.05	0.00287	0.0624	0.466	<0.0050	3.27
E5573435 (6767679)	<0.0025	<0.0005	0.24	0.0014	<0.0005	0.08	0.0223	0.00129	<0.05	0.00397	0.0510	0.192	<0.0050	1.34
E5573436 (6767680)	<0.0025	<0.0005	0.24	<0.0010	<0.0005	0.07	0.0132	0.00140	<0.05	0.00415	0.0429	1.38	<0.0050	2.06
E5573437 (6767681)	<0.0025	<0.0005	0.08	<0.0010	<0.0005	0.07	0.0231	0.00091	<0.05	0.00244	0.0537	0.648	<0.0050	0.940
E5573438 (6767682)	<0.0025	<0.0005	0.18	0.0023	<0.0005	0.09	0.0337	0.00184	<0.05	0.00435	0.299	0.0462	<0.0050	0.949
E5573439 (6767683)	<0.0025	<0.0005	0.69	0.0020	0.0008	0.18	0.0241	0.00619	<0.05	0.0149	0.597	0.0693	<0.0050	2.07
E5573440 (6767684)	<0.0025	0.0015	1.32	0.0011	0.0012	0.26	0.119	0.00212	2.21	0.00235	0.0275	4.30	<0.0050	5.24
E5573441 (6767685)	<0.0025	<0.0005	0.37	0.0038	0.0005	0.11	0.0130	0.00429	<0.05	0.0109	1.24	0.0156	<0.0050	0.594

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

	Analyte:	Ga	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	S
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0025	0.0005	0.05	0.0010	0.0005	0.05	0.0005	0.00025	0.05	0.00025	0.0050	0.0005	0.0050	0.025
E5573442 (6767686)		<0.0025	<0.0005	0.31	0.0047	0.0006	0.11	0.0299	0.00368	<0.05	0.00807	1.42	0.0027	<0.0050	0.507
E5573443 (6767687)		<0.0025	<0.0005	0.38	0.0059	0.0007	0.16	0.0200	0.00562	<0.05	0.0108	1.92	0.0037	<0.0050	0.615
E5573444 (6767688)		<0.0025	<0.0005	0.33	0.0021	0.0007	0.21	0.0888	0.00451	<0.05	0.00991	0.365	0.0050	<0.0050	1.20
E5573445 (6767689)		<0.0025	<0.0005	0.31	0.0048	0.0006	0.12	0.0253	0.00559	<0.05	0.00965	1.39	0.0032	<0.0050	0.642
E5573446 (6767690)		<0.0025	<0.0005	0.92	0.0016	0.0011	0.24	0.0120	0.0183	<0.05	0.0267	0.173	0.0073	<0.0050	1.40
E5573447 (6767691)		<0.0025	<0.0005	1.92	0.0040	0.0023	0.39	0.0128	0.00167	<0.05	0.0225	2.09	0.0197	0.0097	4.93
E5573448 (6767692)		<0.0025	<0.0005	1.83	0.0015	0.0026	0.44	0.0490	<0.00025	<0.05	0.00298	0.0367	0.0031	0.0092	2.21
E5573449 (6767693)		<0.0025	<0.0005	1.93	0.0018	0.0030	0.56	0.0604	<0.00025	<0.05	0.00249	0.0385	0.0022	0.0110	1.79
E5573450 (6767694)		<0.0025	<0.0005	3.15	0.0017	0.0036	0.60	0.0403	0.00203	<0.05	0.00856	0.0415	0.0056	0.0147	2.44
E5573451 (6767695)		<0.0025	<0.0005	3.31	0.0017	0.0037	0.63	0.0417	0.00212	<0.05	0.00902	0.0554	0.0059	0.0157	2.75
E5573452 (6767696)		<0.0025	<0.0005	2.61	0.0022	0.0037	0.60	0.0473	0.00131	<0.05	0.00724	0.0305	0.0046	0.0130	2.85

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015		DATE RECEIVED: Jul 23, 2015					DATE REPORTED: Aug 07, 2015					SAMPLE TYPE: Drill Core			
	Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
	Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Sample ID (AGAT ID)	RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5573410 (6767654)		<0.0005	<0.0005	<0.0050	<0.0025	0.0228	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00900	<0.0005	0.0014
E5573411 (6767655)		0.0009	<0.0005	<0.0050	<0.0025	0.0181	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.00642	<0.0005	0.0011
E5573412 (6767656)		0.0018	<0.0005	<0.0050	<0.0025	0.0055	<0.0050	<0.0050	<0.0025	0.07	<0.0025	<0.0025	0.0369	<0.0005	0.0019
E5573413 (6767657)		<0.0005	<0.0005	<0.0050	<0.0025	0.0014	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0133	<0.0005	0.0008
E5573414 (6767658)		0.0015	<0.0005	<0.0050	<0.0025	0.0014	<0.0050	<0.0050	<0.0025	<0.05	0.0034	<0.0025	0.0172	<0.0005	0.0007
E5573415 (6767659)		0.0022	<0.0005	<0.0050	<0.0025	0.0091	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0277	<0.0005	0.0012
E5573416 (6767660)		0.0005	<0.0005	<0.0050	<0.0025	0.0106	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0291	<0.0005	0.0012
E5573417 (6767661)		0.0007	<0.0005	<0.0050	<0.0025	0.0175	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0191	<0.0005	0.0012
E5573418 (6767662)		0.0016	<0.0005	<0.0050	<0.0025	0.0113	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0239	<0.0005	0.0015
E5573419 (6767663)		0.0011	<0.0005	<0.0050	<0.0025	0.0100	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0231	<0.0005	0.0010
E5573420 (6767664)		0.0009	<0.0005	<0.0050	<0.0025	0.0051	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0251	<0.0005	0.0006
E5573421 (6767665)		0.0015	<0.0005	<0.0050	<0.0025	0.0046	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0201	<0.0005	0.0007
E5573422 (6767666)		0.0019	<0.0005	<0.0050	<0.0025	0.0075	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0285	<0.0005	0.0010
E5573423 (6767667)		0.0009	<0.0005	<0.0050	<0.0025	0.0058	<0.0050	<0.0050	<0.0025	<0.05	0.0027	<0.0025	0.0248	<0.0005	0.0010
E5573424 (6767668)		0.0017	<0.0005	<0.0050	<0.0025	0.0123	<0.0050	<0.0050	<0.0025	<0.05	0.0034	<0.0025	0.0141	<0.0005	0.0013
E5573425 (6767669)		0.0013	<0.0005	<0.0050	<0.0025	0.0078	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.0401	<0.0005	0.0019
E5573426 (6767670)		0.0006	<0.0005	<0.0050	<0.0025	0.0057	<0.0050	<0.0050	<0.0025	0.06	<0.0025	<0.0025	0.0366	<0.0005	0.0011
E5573427 (6767671)		0.0009	<0.0005	<0.0050	<0.0025	0.0077	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0291	<0.0005	0.0009
E5573428 (6767672)		<0.0005	<0.0005	<0.0050	<0.0025	0.0104	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0174	<0.0005	0.0007
E5573429 (6767673)		<0.0005	<0.0005	<0.0050	<0.0025	0.0175	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0242	<0.0005	0.0012
E5573430 (6767674)		<0.0005	<0.0005	<0.0050	<0.0025	0.431	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	<0.00025	<0.0005	<0.0005
E5573431 (6767675)		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5573432 (6767676)		0.0008	<0.0005	<0.0050	<0.0025	0.0245	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0219	<0.0005	0.0012
E5573433 (6767677)		<0.0005	<0.0005	<0.0050	<0.0025	0.0187	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0203	<0.0005	0.0011
E5573434 (6767678)		0.0006	<0.0005	<0.0050	<0.0025	0.0166	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0192	<0.0005	0.0010
E5573435 (6767679)		<0.0005	<0.0005	<0.0050	<0.0025	0.0109	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0242	<0.0005	0.0011
E5573436 (6767680)		0.0007	<0.0005	<0.0050	<0.0025	0.0042	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0244	<0.0005	0.0008
E5573437 (6767681)		<0.0005	<0.0005	<0.0050	<0.0025	0.0127	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0134	<0.0005	0.0009
E5573438 (6767682)		0.0009	<0.0005	<0.0050	<0.0025	0.0167	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	<0.0025	0.0285	<0.0005	0.0023
E5573439 (6767683)		0.0019	<0.0005	<0.0050	<0.0025	0.0078	<0.0050	<0.0050	<0.0025	0.08	<0.0025	0.0035	0.137	0.0005	0.0031
E5573440 (6767684)		0.0252	<0.0005	<0.0050	<0.0025	0.0182	<0.0050	0.0054	<0.0025	0.12	0.0039	<0.0025	0.00287	0.0011	0.0010
E5573441 (6767685)		<0.0005	<0.0005	<0.0050	<0.0025	0.0081	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0046	0.0961	<0.0005	0.0059

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Analyte:	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W	Y
Unit:	%	%	%	%	%	%	%	%	%	%	%	%	%	%
RDL:	0.0005	0.0005	0.0050	0.0025	0.0005	0.0050	0.0050	0.0025	0.05	0.0025	0.0025	0.00025	0.0005	0.0005
E5573442 (6767686)	0.0009	<0.0005	<0.0050	<0.0025	0.0165	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0056	0.0910	<0.0005	0.0072
E5573443 (6767687)	<0.0005	<0.0005	<0.0050	<0.0025	0.0140	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0089	0.114	<0.0005	0.0099
E5573444 (6767688)	0.0014	<0.0005	<0.0050	<0.0025	0.0146	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0066	0.0937	<0.0005	0.0036
E5573445 (6767689)	<0.0005	<0.0005	<0.0050	<0.0025	0.0152	<0.0050	<0.0050	<0.0025	<0.05	<0.0025	0.0094	0.102	<0.0005	0.0075
E5573446 (6767690)	0.0018	<0.0005	<0.0050	<0.0025	0.0055	<0.0050	<0.0050	<0.0025	0.11	<0.0025	0.0056	0.245	<0.0005	0.0017
E5573447 (6767691)	0.0020	0.0006	<0.0050	<0.0025	0.0099	<0.0050	<0.0050	<0.0025	0.17	<0.0025	0.0032	0.0933	<0.0005	0.0066
E5573448 (6767692)	0.0011	0.0006	<0.0050	<0.0025	0.0178	<0.0050	<0.0050	<0.0025	0.14	<0.0025	<0.0025	0.00736	<0.0005	0.0012
E5573449 (6767693)	<0.0005	<0.0005	<0.0050	<0.0025	0.0227	<0.0050	<0.0050	<0.0025	0.15	<0.0025	<0.0025	0.00418	<0.0005	0.0015
E5573450 (6767694)	<0.0005	0.0006	<0.0050	<0.0025	0.0162	<0.0050	<0.0050	<0.0025	0.21	<0.0025	<0.0025	0.0120	<0.0005	0.0015
E5573451 (6767695)	0.0007	0.0007	<0.0050	<0.0025	0.0165	<0.0050	<0.0050	<0.0025	0.22	<0.0025	<0.0025	0.0176	<0.0005	0.0015
E5573452 (6767696)	0.0017	0.0007	<0.0050	<0.0025	0.0190	<0.0050	<0.0050	<0.0025	0.18	<0.0025	<0.0025	0.0126	<0.0005	0.0019

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion
Unit:	%	%	%	%
RDL:	0.00025	0.0025	0.005	0.005
Sample ID (AGAT ID)				
E5573410 (6767654)	0.00246	<0.0025	-	-
E5573411 (6767655)	0.0318	<0.0025	-	-
E5573412 (6767656)	>5	<0.0025	-	5.28
E5573413 (6767657)	3.30	<0.0025	-	-
E5573414 (6767658)	4.97	<0.0025	-	-
E5573415 (6767659)	4.47	<0.0025	-	-
E5573416 (6767660)	2.68	<0.0025	-	-
E5573417 (6767661)	1.89	<0.0025	-	-
E5573418 (6767662)	3.47	<0.0025	-	-
E5573419 (6767663)	3.65	<0.0025	-	-
E5573420 (6767664)	>5	<0.0025	-	5.25
E5573421 (6767665)	>5	<0.0025	-	5.34
E5573422 (6767666)	3.20	<0.0025	-	-
E5573423 (6767667)	4.46	<0.0025	-	-
E5573424 (6767668)	>5	<0.0025	-	9.26
E5573425 (6767669)	2.24	<0.0025	-	-
E5573426 (6767670)	1.95	<0.0025	-	-
E5573427 (6767671)	2.09	<0.0025	-	-
E5573428 (6767672)	1.41	<0.0025	-	-
E5573429 (6767673)	3.51	<0.0025	-	-
E5573430 (6767674)	0.00045	<0.0025	-	-
E5573431 (6767675)	NRC	NRC	-	-
E5573432 (6767676)	1.22	<0.0025	-	-
E5573433 (6767677)	2.14	<0.0025	-	-
E5573434 (6767678)	4.09	<0.0025	-	-
E5573435 (6767679)	1.07	<0.0025	-	-
E5573436 (6767680)	2.27	<0.0025	-	-
E5573437 (6767681)	0.639	<0.0025	-	-
E5573438 (6767682)	0.304	<0.0025	-	-
E5573439 (6767683)	0.472	0.0037	-	-
E5573440 (6767684)	4.14	<0.0025	-	-
E5573441 (6767685)	0.0553	<0.0025	-	-

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

DATE SAMPLED: Jul 22, 2015

DATE RECEIVED: Jul 23, 2015

DATE REPORTED: Aug 07, 2015

SAMPLE TYPE: Drill Core

Sample ID (AGAT ID)	Analyte:	Zn	Zr	Pb-Fusion	Zn Fusion
	Unit:	%	%	%	%
	RDL:	0.00025	0.0025	0.005	0.005
E5573442 (6767686)		0.0487	<0.0025	-	-
E5573443 (6767687)		0.0339	<0.0025	-	-
E5573444 (6767688)		0.0367	<0.0025	-	-
E5573445 (6767689)		0.0660	<0.0025	-	-
E5573446 (6767690)		0.137	0.0050	-	-
E5573447 (6767691)		0.0225	0.0044	-	-
E5573448 (6767692)		0.00312	0.0036	-	-
E5573449 (6767693)		0.00284	0.0043	-	-
E5573450 (6767694)		0.00258	0.0058	-	-
E5573451 (6767695)		0.00439	0.0057	-	-
E5573452 (6767696)		0.00129	0.0040	-	-

Comments: RDL - Reported Detection Limit

6767654-6767696 As, Sb values may be low due to digestion losses.

Certified By:



CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

REPLICATE #1																
Parameter	Sample ID	Original	Replicate	RPD												
Specific Gravity	6767654	2.74	2.75	0.4%												

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

REPLICATE #1					REPLICATE #2				REPLICATE #3							
Parameter	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD	Sample ID	Original	Replicate	RPD				
Ag	6767654	< 0.00025	< 0.00025	0.0%	6767673	< 0.00025	< 0.00025	0.0%	6767691	0.00028	0.00026	7.4%				
Al	6767654	0.45	0.45	0.0%	6767673	0.33	0.34	3.0%	6767691	2.99	2.85	4.8%				
As	6767654	< 0.0005	0.0048		6767673	0.0012	< 0.0005		6767691	0.0006	0.0033					
Ba	6767654	0.0162	0.0166	2.4%	6767673	0.0275	0.0285	3.6%	6767691	0.0695	0.0678	2.5%				
Be	6767654	< 0.00025	< 0.00025	0.0%	6767673	< 0.00025	< 0.00025	0.0%	6767691	0.00032	0.00031	3.2%				
Bi	6767654	< 0.0005	< 0.0005	0.0%	6767673	0.0005	0.0007		6767691	< 0.0005	< 0.0005	0.0%				
Ca	6767654	30.7	31.4	2.3%	6767673	29.0	30.0	3.4%	6767691	6.33	6.17	2.6%				
Cd	6767654	< 0.00025	< 0.00025	0.0%	6767673	0.00612	0.00637	4.0%	6767691	< 0.00025	< 0.00025	0.0%				
Ce	6767654	0.00241	0.00233	3.4%	6767673	0.00227	0.00220	3.1%	6767691	0.0056	0.0055	1.8%				
Co	6767654	< 0.00025	< 0.00025	0.0%	6767673	< 0.00025	< 0.00025	0.0%	6767691	0.00035	0.00036	2.8%				
Cr	6767654	0.00219	0.00200	9.1%	6767673	0.00266	0.00279	4.8%	6767691	0.0239	0.0233	2.5%				
Cu	6767654	0.00156	0.00127	20.5%	6767673	0.00342	0.00365	6.5%	6767691	0.0308	0.0300	2.6%				
Fe	6767654	1.11	1.10	0.9%	6767673	1.04	1.09	4.7%	6767691	4.56	4.36	4.5%				
Ga	6767654	< 0.0025	< 0.0025	0.0%	6767673	< 0.0025	< 0.0025	0.0%	6767691	< 0.0025	< 0.0025	0.0%				
In	6767654	< 0.0005	< 0.0005	0.0%	6767673	< 0.0005	< 0.0005	0.0%	6767691	< 0.0005	< 0.0005	0.0%				
K	6767654	0.23	0.23	0.0%	6767673	0.144	0.152	5.4%	6767691	1.92	1.87	2.6%				
La	6767654	0.0019	0.0019	0.0%	6767673	0.0020	0.0020	0.0%	6767691	0.0040	0.0040	0.0%				
Li	6767654	< 0.0005	< 0.0005	0.0%	6767673	< 0.0005	< 0.0005	0.0%	6767691	0.0023	0.0023	0.0%				
Mg	6767654	0.15	0.15	0.0%	6767673	0.09	0.09	0.0%	6767691	0.389	0.374	3.9%				
Mn	6767654	0.0437	0.0432	1.2%	6767673	0.0378	0.0386	2.1%	6767691	0.0128	0.0100	24.6%				
Mo	6767654	0.00043	0.00028		6767673	0.00091	0.00075	19.3%	6767691	0.00167	0.00118					
Na	6767654	< 0.05	< 0.05	0.0%	6767673	< 0.05	< 0.05	0.0%	6767691	< 0.05	< 0.05	0.0%				
Ni	6767654	0.00185	0.00172	7.3%	6767673	0.00290	0.00293	1.0%	6767691	0.0225	0.0223	0.9%				
P	6767654	0.148	0.147	0.7%	6767673	0.0569	0.0543	4.7%	6767691	2.09	2.12	1.4%				
Pb	6767654	0.0084	0.0073	14.0%	6767673	0.336	0.345	2.6%	6767691	0.0197	0.0190	3.6%				
Rb	6767654	< 0.0050	< 0.0050	0.0%	6767673	< 0.0050	< 0.0050	0.0%	6767691	0.0097	0.0092	5.3%				
S	6767654	1.34	1.25	6.9%	6767673	3.06	3.07	0.3%	6767691	4.93	4.76	3.5%				



AGAT Laboratories

Quality Assurance - Replicate

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

Sb	6767654	< 0.0005	< 0.0005	0.0%	6767673	< 0.0005	0.0013		6767691	0.0020	0.0018	10.5%				
Sc	6767654	< 0.0005	< 0.0005	0.0%	6767673	< 0.0005	< 0.0005	0.0%	6767691	0.0006	0.0006	0.0%				
Se	6767654	< 0.0050	< 0.0050	0.0%	6767673	< 0.0050	< 0.0050	0.0%	6767691	< 0.0050	< 0.0050	0.0%				
Sn	6767654	< 0.0025	< 0.0025	0.0%	6767673	< 0.0025	< 0.0025	0.0%	6767691	< 0.0025	< 0.0025	0.0%				
Sr	6767654	0.0228	0.0231	1.3%	6767673	0.0175	0.0185	5.6%	6767691	0.00987	0.00940	4.9%				
Ta	6767654	< 0.0050	< 0.0050	0.0%	6767673	< 0.0050	< 0.0050	0.0%	6767691	< 0.0050	< 0.0050	0.0%				
Te	6767654	< 0.0050	< 0.0050	0.0%	6767673	< 0.0050	< 0.0050	0.0%	6767691	< 0.0050	< 0.0050	0.0%				
Th	6767654	< 0.0025	< 0.0025	0.0%	6767673	< 0.0025	< 0.0025	0.0%	6767691	< 0.0025	< 0.0025	0.0%				
Ti	6767654	< 0.05	< 0.05	0.0%	6767673	< 0.05	< 0.05	0.0%	6767691	0.17	0.17	0.0%				
Tl	6767654	< 0.0025	< 0.0025	0.0%	6767673	< 0.0025	< 0.0025	0.0%	6767691	< 0.0025	< 0.0025	0.0%				
U	6767654	< 0.0025	< 0.0025	0.0%	6767673	< 0.0025	< 0.0025	0.0%	6767691	0.0032	0.0032	0.0%				
V	6767654	0.00900	0.00841	6.8%	6767673	0.0242	0.0256	5.6%	6767691	0.0933	0.0918	1.6%				
W	6767654	< 0.0005	< 0.0005	0.0%	6767673	< 0.0005	< 0.0005	0.0%	6767691	< 0.0005	0.0010					
Y	6767654	0.0014	0.0014	0.0%	6767673	0.0012	0.0012	0.0%	6767691	0.00659	0.00653	0.9%				
Zn	6767654	0.00246	0.00540		6767673	3.51	3.59	2.3%	6767691	0.0225	0.0207	8.3%				
Zr	6767654	< 0.0025	< 0.0025	0.0%	6767673	< 0.0025	< 0.0025	0.0%	6767691	0.00439	0.00478	8.5%				



AGAT Laboratories

Quality Assurance - Certified Reference materials

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: SELWYN CHIHONG MINING LTD

ATTENTION TO: JELLE DE BRUYCKERE

(201-049) Specific Gravity by Pycnometer

	CRM #1				CRM #2 (ref.CDN-ME-1206)				CRM #3 (ref.CDN-ME-1303)							
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Specific Gravity	2.68	2.68	100%	95% - 110%												

Selwyn Chihong Mining Ltd Analytical Package (201-270_201-049_201-079)

	CRM #1 (ref.CDN-ME-1303)				CRM #2 (ref.CDN-ME-1206)				CRM #3 (ref.CDN-ME-1303)							
Parameter	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits	Expect	Actual	Recovery	Limits				
Ag	0.0152	0.0153	100%	90% - 110%	0.0274	0.0264	96%	90% - 110%	0.0152	0.0145	95%	90% - 110%				
Cu	0.344	0.342	99%	90% - 110%	0.790	0.801	101%	90% - 110%	0.344	0.344	100%	90% - 110%				
Pb	1.22	1.25	102%	90% - 110%	0.8010	0.7857	98%	90% - 110%	1.22	1.26	103%	90% - 110%				
Zn	0.931	0.936	101%	90% - 110%	2.380	2.391	100%	90% - 110%	0.931	0.911	98%	90% - 110%				



Method Summary

CLIENT NAME: SELWYN CHIHONG MINING LTD

AGAT WORK ORDER: 15Y998643

PROJECT: 1710

ATTENTION TO: JELLE DE BRUYCKERE

SAMPLING SITE:

SAMPLED BY:

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Specific Gravity	MIN-200-12024	ASTM D5550-06	Pycnometer
Sample Login Weight	MIN-12009		BALANCE
Ag	MIN-200-12002/12020		ICP/OES
Al	MIN-200-12002/12020		ICP/OES
As	MIN-200-12002/12020		ICP/OES
Ba	MIN-200-12002/12020		ICP/OES
Be	MIN-200-12002/12020		ICP/OES
Bi	MIN-200-12002/12020		ICP/OES
Ca	MIN-200-12002/12020		ICP/OES
Cd	MIN-200-12002/12020		ICP/OES
Ce	MIN-200-12002/12020		ICP/OES
Co	MIN-200-12002/12020		ICP/OES
Cr	MIN-200-12002/12020		ICP/OES
Cu	MIN-200-12002/12020		ICP/OES
Fe	MIN-200-12002/12020		ICP/OES
Ga	MIN-200-12002/12020		ICP/OES
In	MIN-200-12002/12020		ICP/OES
K	MIN-200-12002/12020		ICP/OES
La	MIN-200-12002/12020		ICP/OES
Li	MIN-200-12002/12020		ICP/OES
Mg	MIN-200-12002/12020		ICP/OES
Mn	MIN-200-12002/12020		ICP/OES
Mo	MIN-200-12002/12020		ICP/OES
Na	MIN-200-12002/12020		ICP/OES
Ni	MIN-200-12002/12020		ICP/OES
P	MIN-200-12002/12020		ICP/OES
Pb	MIN-200-12002/12020		ICP/OES
Rb	MIN-200-12002/12020		ICP/OES
S	MIN-200-12002/12020		ICP/OES
Sb	MIN-200-12002/12020		ICP/OES
Sc	MIN-200-12002/12020		ICP/OES
Se	MIN-200-12002/12020		ICP/OES
Sn	MIN-200-12002/12020		ICP/OES
Sr	MIN-200-12002/12020		ICP/OES
Ta	MIN-200-12002/12020		ICP/OES
Te	MIN-200-12002/12020		ICP/OES
Th	MIN-200-12002/12020		ICP/OES
Ti	MIN-200-12002/12020		ICP/OES
Tl	MIN-200-12002/12020		ICP/OES
U	MIN-200-12002/12020		ICP/OES
V	MIN-200-12002/12020		ICP/OES
W	MIN-200-12002/12020		ICP/OES
Y	MIN-200-12002/12020		ICP/OES
Zn	MIN-200-12002/12020		ICP/OES
Zr	MIN-200-12002/12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES