ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

PROSPECTING AND GEOCHEMICAL SAMPLING

Field work performed between August 9 to 23, and August 25 to 26, 2015

at the

ROD PROPERTY

Rod 1-8	YC98411-YC98418	Rod 491-675	YD111491-YD111675
Rod 9-60	YD33529-YD33580	Rod 676-735	YD01596-YD01655
Rod 61-148	YD71951-YD72038	Rod 770-825	YD01690-YD01745
Rod 149-340	YD70809-YD71000	Rod 860-863	YD01780-YD01783
Rod 341-490	YD109021-YD109170	Rod 864-890	YD153592-YD153618

NTS 106D/01 and 106C/04
Latitude 64°09′N; Longitude 134°00′W

in the

Mayo Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

J. Morton, B.Sc., GIT

May 2016

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	3
GEOMORPHOLOGY	6
REGIONAL GEOLOGY	7
PROPERTY GEOLOGY	9
MINERALIZATION	12
SOIL GEOCHEMISTRY	16
DISCUSSION AND CONCLUSIONS	18
REFERENCES	20

APPENDICES

I STATEMENT OF QUALIFICATIONS

II STATEMENT OF EXPENDITURES

III ROCK SAMPLE DESCRIPTIONS

IV CERTIFICATES OF ANALYSIS

TABLES

I	Exploration History of the Rod Property	5
II	Regional Lithological Units	8
III	Significant 2011 Odysseus Zone Drill Intersections	13
IV	Threshold and Peak Values for Soil Samples	17

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	In Pocket
3	Regional Geology	7
4	Idealized Regional Cross-Section	8
5	Property Geology	In Pocket
6	Mineral Occurrences	12
7	2015 Rock Geochemistry	In Pocket
8	2015 Soil Sample Locations	In Pocket
9	Silver Soil Geochemistry	In Pocket
10	Lead Soil Geochemistry	In Pocket
11	Zinc Soil Geochemistry	In Pocket
12	Gold Soil Geochemistry	In Pocket
13	Copper Soil Geochemistry	In Pocket
14	Arsenic Soil Geochemistry	In Pocket
15	Nickel Soil Geochemistry	In Pocket
16	Vanadium Soil Geochemistry	In Pocket
17	Antimony Soil Geochemistry	In Pocket
18	Molybdenum Soil Geochemistry	In Pocket

INTRODUCTION

The Rod property covers several silver-lead-zinc±gold prospects and muli-element geochemical anomalies. It is located in central Yukon, within a district of precious metal enriched, replacement style, volcanogenic massive sulphide and vein occurrences, which include ATAC Resources Ltd.'s Tiger and Conrad deposits, Xstrata's Craig deposit, Golden Predator Mining Corp.'s Marg deposit, Blind Creek Resources Ltd.'s Blende deposit, Victoria Gold Corp.'s Dublin Gulch deposit and Alexco Resource Corp.'s Keno Hill deposits. The Rod property is wholly owned by Strategic Metals Ltd.

This report describes prospecting and geochemical sampling conducted between August 9 to August 23, and August 25 to 26, 2015 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised the program and interpreted all resulting data. His Statement of Qualifications is in Appendix I, and a Statement of Expenditures is located in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Rod property comprises 798 mineral claims which are located in central Yukon at latitude 64°09′ north and longitude 134°00′ west on NTS map sheets 106D/01 and 106C/04 (Figure 1). The property covers an area of approximately 16,160 ha (161.6 km^2). The claims are registered in the name of Archer Cathro, which holds them in trust for Strategic Metals. Details concerning the claims are listed below, and the locations of individual claims are shown on Figure 2.

Claim Name		Grant Number	Expiry*
Rod	1-8	YC98411 - YC98418	Mar 15, 2020
Rod	9-60	YD33529 - YD33580	Mar 15, 2020
Rod	61-77	YD71951 - YD71967	Mar 15, 2018
Rod	78-83	YD71968 - YD71973	Mar 15, 2020
Rod	84-91	YD71974 - YD71981	Mar 15, 2018
Rod	92-97	YD71982 - YD71987	Mar 15, 2020
Rod	98-105	YD71988 - YD71995	Mar 15, 2018
Rod	106-111	YD71996 - YD72001	Mar 15, 2020
Rod	112-119	YD72002 - YD72009	Mar 15, 2018
Rod	120-125	YD72010 - YD72015	Mar 15, 2020
Rod	126-133	YD72016 - YD72023	Mar 15, 2018
Rod	134-139	YD72024 - YD72029	Mar 15, 2020
Rod	140-148	YD72030 - YD72038	Mar 15, 2018

Rod	149-152	YD70809 - YD70812	Mar 15, 2020
Rod	153-186	YD70813 - YD70846	Mar 15, 2018
Rod	187-188	YD70847 - YD70848	Mar 15, 2020
Rod	189-226	YD70849 - YD70886	Mar 15, 2018
Rod	227	YD70887	Mar 15, 2020
Rod	228-340	YD70888 - YD71000	Mar 15, 2018
Rod	341-363	YD109021 - YD109043	Mar 15, 2018
Rod	364	YD109044	Mar 15, 2020
Rod	365	YD109045	Mar 15, 2018
Rod	366-388	YD109046 - YD109068	Mar 15, 2020
Rod	389-412	YD109069 - YD109092	Mar 15, 2018
Rod	413-470	YD109093 - YD109150	Mar 15, 2020
Rod	471-490	YD109151 - YD109170	Mar 15, 2018
Rod	491-519	YD111491 - YD111519	Mar 15, 2018
Rod	520	YD111520	Mar 15, 2020
Rod	521	YD111521	Mar 15, 2018
Rod	522-528	YD111522 - YD111528	Mar 15, 2020
Rod	529-675	YD111529 - YD111675	Mar 15, 2018
Rod	676-679	YD01596 - YD01599	Mar 15, 2020
Rod	680-687	YD01600 - YD01607	Mar 15, 2018
Rod	688-735	YD01608 - YD01655	Mar 15, 2020
Rod	790-825	YD01710 - YD01745	Mar 15, 2020
Rod	864-873	YD153592 - YD153601	Mar 15, 2020
Rod	874	YD153602	Mar 15, 2018
Rod	875	YD153603	Mar 15, 2020
Rod	876	YD153604	Mar 15, 2018
Rod	877-881	YD153605 - YD153609	Mar 15, 2020
Rod	882	YD153610	Mar 15, 2018
Rod	883	YD153611	Mar 15, 2020

Rod	884	YD153612	Mar 15, 2018
Rod	885	YD153613	Mar 15, 2020
Rod	886-890	YD153614 - YD153618	Mar 15, 2018

*Expiry dates include 2015 work which has been filed for assessment credit but not yet accepted.

The Rod property lies 110 km northeast of the town of Mayo, the nearest supply centre. The closest road access is at McQuesten Lake, which is situated 60 km west of the property.

The 2015 exploration program was conducted from two fly camps located on the property. Conveyance of camp gear, personnel and supplies involved fixed-wing access to the Rau airstrip, located immediately northwest of the property boundary. From there, mobilization to and from the property were performed with an AStar B3 helicopter operated by Horizon Helicopters from a temporary base as ATAC Resources' Rau camp.

HISTORY AND PREVIOUS WORK

In June 1977, McIntyre Mines Ltd. staked the eastern portion of the current Rod property in order to cover several mineral showings identified by prospecting. Later that year, McIntyre conducted an exploration program on its claims, which consisted of geological mapping, prospecting and ridge-top geochemical sampling. This work identified several strong silver-lead-zinc anomalies that encompassed mineralized float occurrences and vegetation kill zones associated with black shales. Visually barren shale collected from the kill zones reportedly assayed up to 1% zinc and 43.8 g/t silver (Arnold & Floyd, 1977).

In 1979, McIntyre entered into a joint venture with Canadian Superior Exploration Ltd., which performed geological mapping, prospecting, geochemical sampling and hand trenching. This work identified multiple mineral occurrences, and included two hand trenches that were excavated on what is now referred to as Discovery Ridge – a north trending spur located in the north-central part of the current Rod claims. Numerous cobbles of argentiferous galena were found within black shale talus in one of the trenches, and a northeast trending structure hosting argentiferous galena and sphalerite was exposed in the other (Kim, 1979).

In 1980, the McIntyre-Canadian Superior joint venture did 325 m of diamond drilling in four holes (CSR1 to CSR4) in the Discovery Ridge area. Three of the holes tested beneath the northeast trending structure exposed by hand trenching, and encountered several highly oxidized but poorly mineralized zones. The fourth hole, which was located approximately 450 m to the north, was abandoned after 40 m due to poor ground conditions (James, 1980).

In 1982, the claims were transferred to SEREM Inc. The following year, soil sampling and mapping outlined a roughly east-west trending, 2000 m long lead-silver anomaly along the northern side of Discovery Ridge, which was associated with galena float occurrences. In 1984, SEREM contracted Archer Cathro to evaluate the mineralized float occurrences on the property with hand trenching. This trenching exposed narrow, northwest trending quartz veins, which are

stained with yellow oxide (plumbojarosite?), and contain isolated lenses of fine-grained, massive argentiferous galena (Carne, 1984). The claims were allowed to lapse following this work.

In 1998, Manson Creek Resources Ltd. performed regional-scale silt sampling in the district and identified a broad geochemical anomaly in the area of the lapsed claims. As a result, in 2001 Manson restaked part of the original claim block and performed geological mapping and geochemical sampling on its claims. The program identified a drill target at the head of a gossanous creek, about 500 m west of the Discovery Ridge showings. This target was theorized to be a volcanogenic massive sulphide (VMS) prospect similar to the Marg deposit, located 30 km to the southwest. In 2002, Manson Creek drilled 384.5 m in 3 holes and successfully intersected low-grade gold±silver±copper±zinc mineralization associated with narrow exhalative-style, pyrite-dominated, semi-massive to massive sulphide horizons. Manson Creek recommended further work to vector into potentially thicker and richer sections of the system (Jutras, 2003), but the claims were allowed to lapse.

Strategic Metals restaked the Discovery Ridge area in 2008 as the Rod 1-8 claims and added another 52 claims early in 2010. The remaining 762 claims were staked in the fall of 2010, following the nearby discovery of Carlin-type mineralization by ATAC Resources at its Osiris deposit.

In 2010, Strategic Metals performed mapping, prospecting and geochemical sampling on the property. Grid soil sampling confirmed and significantly augmented historical data. A broad soil anomaly was outlined on Discovery Ridge, which contained anomalous concentrations of silver, lead, arsenic, antimony and numerous other elements. This anomaly was larger and stronger than previously recognized geochemical targets (Eaton and Kammerer, 2011).

In 2011, Strategic Metals completed 2213 m of diamond drilling in 12 holes (ROD-11-01 to ROD-11-12) in the eastern and central parts of the property, as part of an exploration program that also involved geological mapping, prospecting and geochemical sampling. Ten of the holes were drilled in the northern part of Discovery Ridge and cut mostly black shale. Mineralization within these drill holes occurred in narrow quartz veins and consisted of pyrite, galena, and sphalerite. Two of the holes targeted soil geochemical anomalies west of Discovery Ridge. One of the holes (ROD-11-12) intersected a 10.67 m horizon of volcanic-related nickel-molybdenum-vanadium mineralization, a previously unrecognized mineralization type on the Rod property. A complete report pertaining to this work can be found in Dumala (2012), while results are summarized in the Mineralization section below.

In 2014, Strategic Metals performed more prospecting, hand trenching and geochemical sampling on the property. This program successfully expanded the size and increased the tenor of previously identified mineral occurrences, and identified a new showing three kilometres west of Discovery Ridge. A selective grab sample from this new showing, consisting of cobbles of massive galena with sparse encrusting anglesite, returned 4410 g/t silver and 79.48% lead (Morton, 2015). Results from this program are further described in the Mineralization section below.

Table I summarizes the exploration history of the Rod property. Results from all work performed by Strategic Metals is described in the appropriate sections of this report.

Table I – Exploration History of the Rod Property

Year of Work (Report #)	Owner/ Operator	Claim Group	Work Performed	Results
1977 (090306)	McIntyre Mines Ltd.	ROD 1-100	-Reconnaissance mapping and prospecting -Silt sampling -Soil sampling -Rock sampling -Geophysics (not discussed in report)	-Ridge-line soil sampling identified several strong Ag-Pb-Zn anomalies -Prospecting located abundant mineralized float associated with soil anomalies, mostly in vegetation kill zones within black shales -"Barren shales" within kill zones assayed up to 1% Zn and 43.8 g/t Ag
1979 (090611)	Joint Venture: McIntyre Mines Ltd. & Canadian Superior Exploration Ltd.	ROD 1-100	-Detailed mapping -Hand trenching	-Hand trenching exposed Ag-Pb mineralization at two locations on Discovery Ridge
1980 (090687)	Joint Venture: McIntyre Mines Ltd. & Canadian Superior Exploration Ltd.	ROD 1-100	-325m of drilling in four holes to explore mineralization exposed by trenching in 1979	-Three holes intersected several highly oxidized, poorly mineralized zones in a NE trending structure -The second target remained untested due to abandonment of hole CSR-3 in Paleozoic shales
1982	SEREM Inc.	ROD 1-100	-Claims transferred to SEREM Inc.	
1983	SEREM Inc.	ROD 1-100	-Reconnaissance mapping and prospecting -Soil sampling	-Outlined "virtually continuous" 2000 m long Pb-Ag soil anomaly associated with galena-float occurrences
1984 (091545)	SEREM Inc.	ROD 1-100	-Blast trenching -Channel sampling	-Trenching exposed numerous narrow northwest trending quartz veins stained with yellow oxide (plumbojarosite?), and containing isolated massive, argentiferous galena
1998	Manson Creek Resources Ltd.	-	-Regional scale stream sediment sampling	-Identified extensive stream geochemical anomaly in area of lapsed ROD claims

2001 (094359)	Manson Creek Resources Ltd.	JRS 1-25	-Reconnaissance mapping and prospecting -Rock sampling -Water sampling	-Identified VMS style drill target associated with stream geochemical anomaly found in 1998
2002 (094359)	Manson Creek Resources Ltd.	JRS 1-25	-384.5m of drilling in 3 holes to test for blind VMS Marg style mineralization	-Successfully identified low-grade Au, Ag, Cu, Zn mineralization associated with blind exhalative style, pyrite dominated massive sulphides
2008-2011	Strategic Metals Ltd.	ROD 1-735 770-825 860-890	-Claims staked -Soil sampling -Prospecting -2213 m of drilling in 12 holes to test soil geochemical anomalies	-Ten drill holes intersected narrow intervals of mineralization associated with quartz veins in black shales -Hole ROD-11-12 identified nickel-molybdenum-vanadium mineralization associated with volcanic rock -Outlined a broad soil anomaly with strongly elevated silver, lead, arsenic and antimony
2014	Strategic Metals Ltd.	ROD 1-735 770-825 860-890	-Soil sampling -Prospecting -Hand trenching	-Prospecting identified a new mineral occurrence 3 km west of Discovery Ridge, and expanded previously identified occurrences

GEOMORPHOLOGY

The Rod property is located on the western flank of the Nadaleen Range and is drained by creeks that flow north into the Rackla River and south into the Beaver River. Both of these rivers converge and join the Stewart River, which is part of the Yukon River watershed. Rod Creek is situated in a large north-south oriented valley that bisects the property and serves as a foul weather pass for aircraft.

The property covers a series of north- and south-trending spurs and drainages that flank an east trending ridge. The claims straddle the east-trending Dawson Thrust Fault, which marks a significant change in terrain. Resistant rocks that form cliffs and unstable talus slopes are common south of the fault, while relatively recessive rocks that form subdued, rolling landscapes are found to the north.

Elevations on the property range from 670 m above sea level (asl) at the Rackla River along the western edge of the property to 1830 m asl on peaks near the centre of the property. Treeline is at approximately 1400 m asl, with approximately 25% of the property above this elevation. The lower slopes are thickly treed with spruce and shrub willow, while the upper slopes and ridge crests are vegetated by grass, moss, lichen and a mix of dwarf alder and willow brush.

There is abundant evidence of past glaciation including north-facing cirques and deep U-shaped valleys. Glaciofluvial deposits commonly blanket valley floors, while glacial till and moraines are found on lower slopes. Soil development is generally poor at higher elevations where talus slopes are common.

The climate in the vicinity of the Rod property is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively mild, snowfall can occur in any month. The property is mostly snow free from early June to late September.

REGIONAL GEOLOGY

The Rod property is located toward the western end of the Rackla Belt, which is an 18 by 120 km belt that hosts various styles of base metal and precious metal occurrences (Colpron et al, 2013).

The Rackla Belt spans the southern portion of the Nadaleen map sheet (106C) and southeastern corner of the Nash Creek (106D) map sheet. The GSC published 1:250,000 scale geological maps of the Nash Creek and Nadaleen map sheets in 1972 (Green) and 1974 (Blusson), respectively. In 1990, Indian and Northern Affairs Canada (predecessor to the Yukon Geological Survey) released a 1:50,000 scale geological map of NTS map sheet 106D/01 (Abbott, 1990).

In 2010, the Yukon Geological Survey (YGS) initiated a project to better understand the geology of the Rackla Belt, as a result of the recent discoveries in the area. Work to date has included 1:50,000 scale mapping of the: 1) Mount Mervyn map area (106C/04) in 2010 (Chakungal and Bennett, 2011); 2) Mount Ferrell map area (106C/03) in 2011 (Colpron, 2012); and 3) Ortell Lake and Mount Stenbraten map areas (106C/02 and 01) in 2012 (Colpron et al, 2013). It also included integration of structures and stratigraphic units across map sheets 106C/01 to 106C/04 and 106D/01 (Colpron et al, 2013). Geology of the Rackla Belt presented in the following paragraphs is primarily summarized from the YGS's recent work (Colpron et al, 2013).

The Rackla Belt straddles the boundary between deep water, dominantly clastic rocks of the Selwyn Basin to the south and shallower water shelf strata of the Mackenzie Platform to the north.

The Rackla Belt is divided into three main structural panels – Richardson fault array, Mackenzie fold belt and Selwyn fold belt (Figure 3). Both the north-trending Richardson fault array and the northern edge of the northwest-trending Selwyn fold belt have prolonged histories of Proterozoic and Paleozoic faulting (mainly extensional and strike-slip) that were reactivated during Mesozoic compression.

The three main structural panels are separated by the Dawson Thrust and Kathleen Lakes faults (Figure 3). The Dawson Thrust Fault is a crustal break that may date back to late Neoproterozoic rifting and was subsequently reactivated as a north-directed thrust fault during Paleozoic extension and Mesozoic compression. The direction of movement along Mesozoic thrust faults

in the region is generally towards the north. The Kathleen Lakes Fault is an enigmatic structure with uncertain kinematics. It likely has a long history that may have begun as a normal fault in the Neoproterozoic and has since been reactivated, possibly accommodating strike-slip and normal movement.

Both extensional and apparent sinistral strike-slip faults cross-cut structures associated with compression and represent some of the youngest deformation in the Rackla Belt. Some strike-slip reactivation may have occurred along both the Kathleen Lakes and Dawson Thrust faults; however, the amount of motion is probably very small and appears to die out to the east.

The Rackla Belt can be divided into five stratigraphic and facies domains that are generally bounded by the Dawson Thrust and Kathleen Lakes faults (Figure 3).

1) Neoproterozoic to Paleozoic Selwyn Basin: The southern part of the belt (hanging wall of the Dawson Thrust Fault) comprises Neoproterozoic to Upper Paleozoic predominantly off-shelf clastic sedimentary rocks of Selwyn Basin;
2) Paleozoic Off-shelf: To the north of the Selwyn Basin, Ordovician to Permian off-shelf carbonate and shale (including abundant debris flow and turbidite deposits) are bound by the Dawson Thrust and Kathleen Lakes faults;
3) Neoproterozoic Off-shelf (Windermere Supergroup?): In the northeastern part of the belt, rocks in the footwall of the Dawson Thrust Fault consist of fine-grained siliciclastic and carbonate rocks. Ediacaran fossils in this sequence suggest correlation with the upper part of the Neoproterozoic Windermere Supergroup;
4) Paleozoic Platform: Platformal carbonate rocks of Ordovician to Devonian age occur mainly north of the Kathleen Lakes Fault in the central part of the belt. A notable exception is a window of this package at the west end of the belt; and,
5) Proterozoic: Older Proterozoic rocks of the Wernecke Supergroup and Pinguicula Group occupy the region north of the Kathleen Lakes Fault in the northwestern part of the belt.

The transition between platformal and basinal facies varies around Selwyn Basin. Its eastern boundary exhibits a more typical facies transition that migrates through time. By contrast, the northern boundary of Selwyn Basin is strongly localized and was apparently controlled by the Dawson Thrust Fault. Figure 4 illustrates an idealized cross-section through Rackla Belt stratigraphy, along the northern boundary of Selwyn Basin. The lithological units that occur in the immediate vicinity of the Rod property are described in Table II.

Table II - Regional Lithological Units (*after Colpron et al, 2013*)

Unit Name	Age	Map Name	Description
Selwyn Suite	Mid-Cretaceous	mKgS	Resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite quartz monzonite and granodiorite and minor quartz diorite.
Galena Suite	Triassic	TrG	Massive, medium-grained hornblende diorite and gabbro sills; massive chloritic and locally serpentinized greenstone

			sills.
Jones Lake	Middle to Upper Triassic	TrJ	Brown to buff weathering, calcareous fine grained sandstone, argillite and shale; extensive ripple cross-lamination and bioturbation; massive, light grey weathering, fine crystalline, dark grey limestone; minor orange weathering platy limestone.
Tsichu Formation	Carboniferous to Permian	CPT	Thin to medium bedded, siliceous calcarenite, dolomite, sandy dolomite and minor grey quartzite; buff and grey weathering, thick bedded, dark grey bioclastic limestone.
Keno Hill Formation	Mississipian	MK	Massive to thick bedded quartz arenite; thin to medium bedded quartz arenite interstratified with black shale or carbonaceous phyllite.
Earn Group	Devonian to Mississippian	DME (undifferentiated)	Complex assemblage of submarine fan and channel deposits within black siliceous shale and chert and including separated small occurrences of felsic volcanic rocks; barite common; rare limestone.
		DME3	Massive felsic to intermediate volcanic flows, tuffs and subvolcanic plug(s); locally highly altered; greenish chert and minor black slate; quartz eye quartz-sericite chlorite phyllite; local vesicular or amygdaloidal basalt, locally pillowed.
Bouvette Formation	Upper Cambrian to Lower Devonian	CDB1	Grey- and buff-weathering dolomite and limestone, medium to thick bedded; white to light grey weathering, massive dolomite; minor platy black argillaceous limestone, limestone conglomerate and black shale; massive bluish-grey weathering dolostone.
Unconformity (?)			
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH (undifferentiated)	Consists upwards of coarse turbiditic clastics, limestone (PCH2) and fine clastics typified by maroon and green shale (PCH3); may include younger units; includes scattered mafic volcanic rocks (PCH5).
		PCH2	Grey weathering, dark grey to grey-white, thin to thick bedded, very fine crystalline limestone, locally sandy; calc-silicate and marble.
		PCH3	Distinctive, recessive, maroon weathering, interbedded maroon and apple-green slate; "Oldhamia" trace fossils; rare grey chert; locally basal member and interbeds of quartz siltstone, sandstone and quartz-pebble conglomerate.
		PCH5	Dark brown- and green- to light grey-weathering, dark green volcanic rocks, commonly with calcite-filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone and limestone.

PROPERTY GEOLOGY

In 2011, Strategic Metals conducted 1:10000 scale mapping of the entire Rod property (Figure 5). The following is a summary based on this work as well as observations made by exploration geologists who have worked on the property at various times.

The southern and eastern portions of the property are underlain predominantly by Hyland Group rocks. The stratigraphically lowest unit within the Hyland Group is thick bedded, beige to light brown, medium- to coarse-grained quartz-rich sandstone and arkose sandstone (PCHg). Minor quartz-pebble conglomerate, dark grey limestone and dark-grey shale horizons are interbedded with the sandstones. Maroon and green shale with lesser amounts of coarse-grained quartz sandstone to quartz pebble conglomerate (PCHs) overlie the sandstone unit. Up stratigraphic section from the maroon and green shale is laminated to thin bedded, orange-grey weathered, dark grey, fine-grained, silty limestone (PCHc).

Also in the eastern part of the property, unconformably overlying the Hyland Group, is a package of rocks dominated by poorly sorted, coarse clastic sequences indicative of deposition in a gravitationally unstable, transitional shelf environment. Most notably, debris flow deposits comprise sand to cobble-sized lithic clasts dominantly made up of limestone, sandstone and shale. Larger clasts are aligned sub-parallel to bedding. The debris flows are interbedded with coarse-grained, calcareous, lithic sandstone and lithic pebble conglomerate (CG).

The northern and western parts of the property are mainly underlain by Earn Group rocks. In the Discovery Ridge area, Earn Group is confined to the footwall of the Dawson Thrust Fault, but to the west it occurs above and below the thrust fault.

In the central part of the property, Earn Group is dominated by dark grey to black, variably carbonaceous and variably siliceous shale to siltstone (DMEs). Carbon content within the shale tends to be higher than normal near faults. Occasional barite veins with some coarse sphalerite and rare quartz-galena veins are found within the shales near late structures. The nature of the soft shale in contrast to the quartz-rich Hyland Group rocks creates a distinct change in geomorphological character with vegetated, rounded ridges in the north changing to steep, rugged ridges in the south. The transition between these two domains roughly corresponds to the Dawson Thrust Fault.

Several units of unknown ages near the Dawson Thrust Fault have been grouped with the Earn Group. In the central part of the property, a package of rocks dominated by green, volcanic breccia interbedded with volcaniclastic, sandstone and tuff (DMEv) sit structurally above the Earn Group shales, and crops out discontinuously along the Dawson Thrust Fault. This package commonly grades northwards into fine-grained, micaceous sandstone and black chert (DMEch) and rarely into heterogeneous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale. In the west-central part of the property, structurally up section from the volcaniclastic rocks, hornblende-pyroxene gabbro bodies of Triassic Galena Suite (TrG) crop out discontinuously in thin, linear dykes parallel to the thrust fault. Locally, fault-bounded ultramafic bodies and their altered equivalents (um) and grey, thin bedded quartzite (DMEq) also crop out near the Dawson Thrust Fault.

West of the central map area, the Dawson Thrust Fault cuts the Earn Group and exposes thin bedded, dark grey-brown chert interbedded with dark grey shale and siltstone (DMEs). In the far west part of the property, south of the Dawson Thrust Fault, brown weathering, grey, fine-grained, calcareous sandstone interbedded with dark grey shale is also interpreted to be part of the Earn Group. Locally interbedded with these rocks are fine-grained quartz-rich sandstone,

phyllite and brown, fine- to medium-grained arkose sandstone with cross bedding (DMEps). Recent observations made by Strategic Metals have identified a previously unrecognized volcanic unit in the western part of the property. This unit consists of limey, pyroxene-phyric andesite and is exposed in an area that was previously mapped as Earn Group shale (DMEs). It is uncertain whether the unit corresponds to volcanic rocks observed elsewhere on the property.

Structure

The Rod property straddles the Dawson Thrust Fault for a length of 25 km. The Dawson Thrust Fault has been historically drawn on maps as one continuous fault; however detailed mapping indicates that the Dawson Thrust Fault in this area is an imbricate zone comprising up to four thrust faults that shorten and imbricate Hyland Group, Earn Group and possible Cambrian to Triassic strata. For clarity, the term Dawson Thrust Fault in this report refers to the leading edge of deformation (the most northerly fault) within the imbricate zone. Where exposed, the leading edge of deformation (Dawson Thrust Fault) appears be overprinted by brittle deformation suggesting it has been re-activated. Evidence for brittle deformation includes closely spaced fracture sets labelled as late foliations on Figure 5, quartz and calcite veins and crenulations in shale. Typically thrust faults within the imbricate zone strike about 070° to 090°and dip moderately to the south.

The dominant fabric within the Rod property is a penetrative foliation that manifests itself as a slaty cleavage in some units. This fabric is overprinted by a late foliation that only occurs near the Dawson Thrust Fault. Both the penetrative foliation and the late foliation strike between 055° to 120° and dip shallowly to moderately to the south. Bedding is often preserved in Hyland Group sandstone and Cambrian strata. It strikes between 070° to 125° and dips moderately to the south, except near fold hinges.

Several phases of folding are observed within the Rod property. Early, isoclinal folding of the Hyland Group and Cambrian strata complicate the map pattern. The penetrative foliation is axial planar to these overturned folds, which plunge shallowly to the southeast. Late, upright, tight folds generally trend east-west and plunge very shallowly. In the footwall of the Dawson Thrust Fault, within Earn Group shale, centimetre scale folding is observed in close proximity to the fault. These folds deform the penetrative foliation, plunge moderately to the southeast, and are interpreted to be linked to late fault movements.

Within the footwall of the thrust stack, a west-southwesterly trending fault of unknown kinematics, which cuts Earn Group shale, has been traced for eight kilometres. This fault, (the "Flowers Fault"), is a brittle feature that appears to have accommodated significant fluid flow. Closely spaced fracture sets that contain metal oxides and quartz veins are much more abundant within the vicinity of this structure than are seen elsewhere on the property.

High-angle dip-slip faults offset stratigraphy, early isoclinal folds and thrust faults. Movement along these steep structures is interpreted to post-date all other structural features but direct evidence for this has not been found. These structures are generally north striking with a sinistral strike-slip component to the movement.

MINERALIZATION

Since 1977, prospecting and rock sampling have been conducted within the boundaries of the current Rod property by several operators. Historically, work has focused on four mineral occurrences located in the Discovery Ridge area: the Odysseus Zone, the JRS Zone, the Calypso Vein and the Mentor Showing.

Work performed by Strategic Metals has identified another eight occurrences on the property. These occurrences are the Violet Zone, Rose Showing, Pearl Showing, Hermes Showing, Crush Showing, Shotgun Showing, Pine Showing and Cake Showing. Figure 6 illustrates the locations of all twelve mineral occurrences.

In 2015, Strategic Metals collected a total of 67 rock samples from the property. The 2015 rock sample locations are plotted on Figure 7, with significant results highlighted. Rock Sample Descriptions and Certificates of Analysis for the 2015 samples are provided in Appendices III and IV, respectively.

In 2015, rock sample sites were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock sample preparation and multi-element analyses were carried out at ALS Minerals' laboratories in Whitehorse, Yukon and North Vancouver, BC, respectively. Each sample was dried and fine crushed to better than 70% passing 2 mm, and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with atomic absorption spectroscopy finish (Au-AA26).

The following are brief descriptions of the twelve mineral occurrences that have been identified on the property.

The Odysseus Zone is a roughly 850 m by 350 m arc that straddles the northern part of Discovery Ridge, and covers Earn Group strata in the footwall of the Dawson Thrust Fault. Mineralization in this zone is both structurally and stratigraphically controlled. Significant assays have been obtained from northeast-trending veins containing quartz and galena, and from black shale, which often appears barren but sometimes features secondary oxides on fractures.

The host unit is a dusty grey weathering black shale that locally exhibits a pale green hue on weathered surfaces. Outcrop is rare, but this unit is represented as near-source fine talus within vegetation kill zones up to several tens of metres in diameter. Quartz vein and massive galena float is scattered throughout the zone, in some places occurring with strong malachite staining.

In 1979, drill hole CSR-3 was collared within the Odysseus Zone. It targeted the presumed source of massive galena float, between 70 and 100 m north of the collar. This hole was abandoned at 40 m due to poor ground conditions (James, 1980). No assays were reported from this hole.

In 1984, hand trenching was performed within the galena-rich area targeted by CSR-3. Two trenches, spaced 20 m apart, exposed a swarm of northwest-trending quartz veins and veinlets stained with yellow oxide, possibly plumbojarosite. In one of the trenches, the exposed vein is 1.3 m wide and includes a 20 cm wide core of massive, fine-grained galena, which assayed 57.56 oz/ton (1973 g/t) silver, and 66.2% lead (Carne, 1984).

In 2010, Strategic Metals collected float and chip samples from the Odysseus Zone. A selective grab sample, collected from a seam of galena in outcrop returned 1855 g/t silver, 43.03% lead and 1820 ppm molybdenum, while a composite sample composed of moderately abundant fragments of green stained quartz vein and quartz breccia, collected from a kill zone, assayed 1760 g/t silver and 6.12% lead. A grab sample of massive galena taken from an historical trench about 100 m east of the kill zone assayed 2370 g/t silver and 76.85% lead (Eaton and Kammerer, 2011).

In 2011, Strategic Metals drilled 10 diamond drill holes in the Odysseus Zone, targeting down dip and strike extension of mineralization exposed around the previously identified kill zone. Drilling tested a strike length of 400 m and to a maximum vertical depth of 360 m below surface. All of the holes intersected black shale with syngenetic pyrite and varying degrees of graphitic alteration. Mineralization was confined to narrow quartz veins and consisted of pyrite, galena and sphalerite (Dumala, 2012).

Table III summarizes the significant intersections from the 2011 diamond drilling.

Table III: Significant 2011 Odysseus Zone Drill Intersections

Hole #	From (m)	To (m)	Interval (m)	Ag (g/t)	Pb (%)	Zn (%)
ROD-11-01	82.30	85.34	3.04	18.15	0.748	1.635
ROD-11-02	No Significant Assays					
ROD-11-03	93.80	102.11	8.31	101.91	4.758	4.443
Includes	99.59	100.58	0.99	502.00	28.010	19.950
ROD-11-04	107.66	112.78	5.12	19.39	0.776	2.524
ROD-11-05	110.31	111.25	0.94	59.50	3.320	0.834
ROD-11-06	41.15	48.77	7.62	22.84	0.159	0.018
And	67.06	79.25	12.19	19.29	0.171	0.018
And	124.97	128.02	3.05	53.90	1.885	0.534
ROD-11-07	32.00	35.05	3.05	21.40	0.101	0.006
And	92.96	96.01	3.05	42.30	0.026	0.054
And	114.30	117.35	3.05	18.50	0.537	2.690
And	129.54	132.59	3.05	19.10	0.400	0.445
ROD-11-08	53.05	56.39	3.34	30.94	1.108	0.216
Includes	53.05	53.67	0.62	116.00	5.480	0.967
ROD-11-09	21.34	24.38	3.04	34.00	1.335	0.046
And	51.82	60.96	9.14	34.46	1.524	0.017
Includes	54.86	57.91	3.05	73.50	3.970	0.014
ROD-11-10	154.35	164.03	9.68	25.35	0.741	0.422
Includes	162.94	164.03	1.09	108.00	3.100	1.225

In 2014, sampling of dark maroon-black and metallic volcanic material and orange weathering, dark green listwanite (?) returned nickel values in excess of 1000 ppm, with a peak value of 1690 ppm. In addition, a float grab of dark pitted scoria returned 5.45% zinc. These samples were all collected south of the 2011 drill hole collars, in an area mapped as Earn Group chert, shale and breccia (DMEch).

The Calypso Vein is situated on Discovery Ridge and consists of a two to four metre thick siderite vein exposed in two hand trenches spaced 250 m apart. Between the trenches, the surface trace of the vein is marked by abundant mineralized sub-crop and talus. Locally the vein contains blebby galena and sphalerite, with smaller isolated occurrences of oxidized zinc and weathered massive galena. The vein is coincident with a northeast-trending fault structure within the Hyland Group (Arnold and Floyd, 1977). It exhibits a conspicuously dark brown weathering that distinguishes it from the surrounding limestone and shale.

Historical channel sampling of the vein returned 6.9 oz/ton (236.6 g/t) silver, 13.25% lead and 1.15% zinc over 15 m in one trench and an average of 4 to 5 oz/ton (137.1 to 171.4 g/t) silver in another 38 m long trench. Drill holes CSR-1, 2 and 4 tested the depth extension of this structure. All three holes encountered numerous highly oxidized but poorly mineralized zones (James, 1980).

Chip samples collected by Strategic Metals in 2010 from a historical trench exposing the Calypso Vein returned 256 g/t silver, 10.7% lead and 4.4% zinc over 2.01 m. This trench is located on the uphill side of an approximately 150 m long by 4 m wide area of sub-crop and float, containing abundant siderite (Eaton and Kammerer, 2011).

Samples collected in 2014 from hand pits dug along the projected trace of the vein extended its strike length by another 190 m. Well mineralized samples from the pits returned peak values of 1855 g/t silver, 60.74% lead, 18.95% zinc, 10700 ppm copper, 8000 ppm arsenic and >10000 ppm antimony. The cross-cutting relationship of the vein indicates that it post-dates movement along the Dawson Thrust Fault.

The Mentor Showing is located along the Dawson Thrust Fault on Discovery Ridge, and covers an 8 m by 6 m area of gossanous shale and two small hand trenches. Numerous cobble-sized fragments of highly oxidized zinc- and lead-rich vein material are present in and around one of the trenches but no mineralization was found in the other. Its higher zinc content and proximity to the thrust fault distinguish this showing from the nearby Odysseus Zone. An historical sample taken here assayed 2.95 oz/ton (101.1 g/t) silver, 4.05% lead and 1.48% zinc (James, 1980).

In 2010, a grab sample of high-grade vein material, taken from the Mentor Showing, assayed 722 g/t silver, 29.5% lead and 7.95% zinc. A grab sample of limonitic and punky galena-bearing material, collected from a hand pit at the Mentor Showing in 2014, returned 834 g/t silver, 38.97% lead and 7.53% zinc.

The JRS Zone is located 500 m west of Discovery Ridge. It is underlain by Earn Group shale and is located in a geological setting similar to that of the Odysseus Zone, relative to the Dawson Thrust Fault. The area was first identified by Manson Creek Resources and appears to be the

source of a transported gossan deposited in a nearby northwest-flowing creek. Manson Creek Resources drilled three holes (JRS-1, -2 and -3) near the head of the gossan, which intersected numerous thin intervals of pyrite-dominated, syngenetic massive sulphide that assayed up to 0.38 g/t gold and 27.6 g/t silver. Thicknesses of sulphide intervals ranged from 5 to 40 cm. The occurrence was described as being blind-to-surface (Jutras, 2003).

In 2014, two outcrop samples were collected at the head of a gossanous tributary drainage in the JRS Zone, from a 30 cm wide horizon of bright orange and intensely limonitic, stratiform silica, with masses of coarse-grained sphalerite. These samples returned values of up to 2000 ppm nickel and 1.96% zinc.

The Rose Showing lies 4300 m west of Discovery Ridge and north of the Flowers Fault. The showing lies along a subsidiary southwest-trending fault and associated gully. A 2011 sample from a quartz boulder containing galena and trace malachite assayed 7.59% lead and 229 g/t silver, while nearby rusty quartz float assayed 1.15% lead, 0.69% zinc, 539 g/t silver, 4950 ppm vanadium and 465 ppm molybdenum.

A composite sample, collected in 2011, of limonitic float containing dark purple and blue-black oxide yielded values of 1% zinc, 3390 ppm nickel and 208 ppm molybdenum. In 2014, a composite sample of orange-brown material from the same area with banded limonite and goethite, and weak clay alteration returned 1935 ppm nickel.

The Pearl Showing is located on a north-trending ridge approximately 3000 m to the west of Discovery Ridge, on the west side of Rod Creek. It is underlain by Earn Group strata in the immediate footwall of the Dawson Thrust Fault. A selective grab sample, collected in 2014 and consisting of massive galena cobbles, with sparse encrusting anglesite, assayed 4410 g/t silver and 79.48% lead. Two samples of barite vein material with coarse-grained sphalerite returned 3.91% and 2.34% zinc, respectively.

The Crush Showing consists of a moderately south-dipping, scorodite-stained, massive galena-arsenopyrite-stibnite vein that cuts dark graphitic shale. It is located in a drainage 200 m southeast of the Pearl Showing. In 2015, a chip sample across the vein, along with shale wallrock on either side, returned 73.2 g/t silver, 0.51 g/t gold, 3.22% lead and 1.06% zinc over 1.6 m. A selected grab of the vein material, consisting of banded galena, yielded 1385 g/t silver, 20.50% lead and 1.51% zinc.

The Violet Zone is located 800 m west of the Rose Zone, along the north side of the Flowers Fault. In 2011, Strategic Metals drilled hole ROD-11-12 in the Violet Zone, targeting an anomalous contour soil sample. This hole intersected black graphitic shale and a 6.5 m band of pitted volcanic rock containing orange oxide material. A 10.67 m wide interval, which included the volcanic horizon, averaged 1512 ppm nickel, 195 ppm molybdenum and 2386 ppm vanadium, including a sub-interval that graded 4870 ppm nickel and 376 ppm molybdenum over 1.52 m.

In 2014, a sample collected near the collar of hole ROD-11-12, which consisted of a dark, porous and sugary volcanic(?) rock with rare white precipitate, returned 3.53% zinc and 3860 ppm

nickel. Another sample taken in this area, which comprised tarnished quartz vein with a steel-coloured sulphide mineral and brightly coloured secondary oxide, graded 4940 ppm copper and 2500 ppm vanadium.

The Shotgun Showing lies 1500 m southwest of the Violet Zone, and consists of mineralized quartz boulders on a steep southeast-facing slope. The boulders, which are up to 40 by 40 by 25 cm in size, comprise orange, brecciated and drusy quartz with clots of galena and chalcopyrite within druses. In 2015, samples of this material yielded up to 149 g/t silver, 1.62% copper and 1.43% lead.

The Pine Showing consist of a 10 cm wide mineralized quartz vein that cuts dark grey shale along a ridge, 1000 m southwest of the Shotgun Showing. In 2015, a sample from a vein outcrop, containing clots of limonite, pale yellow oxide (plumbojarosite?) and fine- to coarse-grained galena, returned 182 g/t silver and 10.3% lead.

The Cake Showing comprises a 200 m long exposure of limey, pyroxene-phyric andesite hosting a mineralized stockwork of quartz-siderite veins and veinlets. The exposure is located 4870 m west of the Pine Showing, on the south side of an east-trending gully. The majority of the veinlets are 4 to 5 cm wide, but they range up to a maximum observed width of 25 cm. Clots of chalcopyrite, azurite, malachite, arsenopyrite and lesser stibnite occur irregularly throughout the veins and veinlets. In 2015, a sample of the stockwork veinlets yielded 3620 g/t silver, 9.75 g/t gold and, 15.75% copper, with >1% arsenic and antimony, while another sample from a 15 cm wide scorodite-stained quartz vein containing 40% fine-grained arsenopyrite returned 0.75 g/t gold and >1% arsenic with background values for all other elements of interest.

The Hermes Showing lies 2160 m east of the Odysseus Zone, in the immediate footwall of the Dawson Thrust Fault. In 2011, two rock samples were collected in this area, in conjunction with geological mapping. These samples returned gold values of 1.21 g/t and 3.28 g/t. This area has received no further work.

In 2011, Strategic Metals drilled one diamond drill hole outside of these main showings. Hole ROD-11-11 was collared 3400 m west of the Odysseus Zone and was designed to test an anomalous contour soil sample. This hole intersected shale with narrow dolomite intervals, and minor quartz veins. No significant mineralization was encountered.

SOIL GEOCHEMISTRY

In 2010 and 2011, reconnaissance-scale geochemical surveys were conducted by Strategic Metals across the Rod property, while more detailed grid sampling was done in the Discovery Ridge area and another, smaller area 9.5 km to the west. In 2014, grid soil sample coverage was extended west of the Discovery Ridge area to encompass the Rose and Pearl showings.

In 2015, Strategic Metals collected another 234 grid soil samples in order to cover areas where contour soil samples had returned anomalous values in the western part of the property. The 2015 sample locations are shown on Figure 8, while results from all programs for silver, lead, zinc, gold, copper, arsenic, nickel, vanadium, antimony and molybdenum are illustrated

thematically on Figures 9 to 18, respectively. Certificates of Analysis for the 2015 samples are provided in Appendix IV.

The 2015 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 5 to 75 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to ALS Minerals in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver where they were analysed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for the metals of interest are listed in Table IV.

Table IV– Threshold and Peak Values for Soil Samples

Element	Anomalous Thresholds				
	Weak	**Moderate**	**Strong**	**Very Strong**	**Peak**
Silver (ppm)	≥ 2 < 5	≥ 5 < 10	≥ 10 < 20	≥ 20	293
Lead (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500 < 1000	≥ 1000	20700
Zinc (ppm)	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000 < 5000	≥ 5000	60400
Gold (ppb)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	137
Copper (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500 < 1000	≥ 1000	1110
Arsenic (ppm)	≥ 200 < 500	≥ 500 < 1000	≥ 1000 < 2000	≥ 2000	10400
Nickel (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	2270
Vanadium (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500 < 1000	≥ 1000	5360
Antimony (ppm)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	918
Molybdenum (ppm)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	701

Metal-in-soil values are generally strongest along ridges underlain by Earn Group, near the Dawson Thrust Fault and the Flowers Fault. Peak silver (293 ppm) and lead (2.07%) values occur in the Odysseus Zone, which covers black shale and siltstone (DMEs), while the highest zinc (6.04%) and nickel (0.227%) values occur at the head of a creek that seperates the Odysseus Zone from the JRS Zone. All of these results are part of a broad east-northeast trend of anomalous silver, lead, zinc, molybdenum and antimony values, which parallels the Dawson Thrust Fault. Anomalous lead values tend to be tightly constrained to this trend, while elevated zinc and molybdenum values are more dispersed.

Soil sampling has also outlined a smaller cluster of strongly anomalous copper, weakly anomalous silver, moderately to strongly anomalous arsenic values with a single point nickel anomaly (523 ppm), which is centred on the Cake Showing. This cluster is located within a much broader, 1.8 by 1.4 km area of strongly anomalous antimony values.

An area of strong to very strong nickel-in-soil values, located 3.5 km southeast of the Cake Showing, is explained by an underlying listwanite.

The peak gold value (137 ppb) was collected in 2014 at the Rose Zone, an area of localized but very strongly anomalous lead, vanadium and antimony geochemistry with strong silver, zinc, copper, arsenic, nickel and molybdenum support.

The peak molybdenum value (701 ppm) was collected at the Violet Zone in 2011. This sample also returned 0.48% lead, 0.145% zinc, 15.6 g/t silver, 125.5 ppm tin, 441 ppm nickel and 1450 ppm vanadium. Hole ROD-11-12 was drilled up-hill from this anomalous sample site, and the results are discussed in the Mineralization section earlier in this report. The area of the Violet Zone has not been grid soil sampled.

DISCUSSION AND CONCLUSIONS

The Rod property lies within the Rackla Belt, a district containing a number of advanced exploration prospects. Strategic Metals has identified multiple styles of mineralization on the property, including: late stage silver-bearing veins that cross-cut regional structures and stratigraphy, such as the Odysseus Zone and Calypso Vein; volcanic-hosted high-grade gold-silver-copper stockwork veins at the Cake Showing; syngenetic and stratiform massive sulphide and barite occurrences in the JRS Zone and Rose Showing; and volcanic-related(?) nickel-molybdenum±zinc mineralization, which was intersected in hole ROD-11-12 at the Violet Zone.

Strategic Metals' 2015 program successfully identified four new mineral occurrences on the property in areas that have previously received little attention. Soil sampling identified a small multi-element anomaly centred on the Cake Showing, where outcrop samples of mineralized veins yielded high values for gold, silver and copper.

Further work on the Rod property is strongly recommended, due to the size and tenor of the geochemical anomalies and the ongoing discoveries of metal-enriched rocks in previously explored parts of the property. All known areas of mineralization warrant further work, and soil geochemical coverage should continue to be extended along the footwall side of the Dawson Thrust Fault. Metal-in-soil enrichment along this structure may represent upward leakage from buried stratiform or stratabound mineralization. Prospecting and geochemical sampling should be performed in the area between Discovery Ridge and the Hermes Showing, where rock samples returned gold values in excess of 1 g/t. Channel sampling, systematic prospecting and detailed geological mapping should be performed at the Cake Showing, and pending favourable results, diamond drilling should be done to test the down-dip extension of mineralized veins. It is also recommended that prospecting and hand trenching be done at the Pearl Showing to identify the source of the high grade silver-bearing float discovered in 2014. Geophysical surveys should be considered at some of the zones, because vegetation and solifluction make specific target definition difficult without additional information.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



J. Morton, B.Sc., GIT

REFERENCES

Abbott, G.
1990 Geology Map of Mount Westman Map Area (106D/1); Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1990-1.

Arnold, R and Floyd, A.
1977 Summary Report on Rod Claims; McIntyre Mines Ltd., April 1978, Assessment Report # 090306.

Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N, O); Geological Survey of Canada, Open File 205, Scale 1:250,000.

Carne, R.C.
1984 Report on Hand Trenching on Rod 35 Claim in the Mayo Mining District; Serem Inc., July 1984; Assessment Report No. 091545.

Chakungal, J. and Bennett, V.
2011 New bedrock geology of the Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project; Yukon Geological Survey, Yukon Exploration and Geology 2010, p. 55-87.

Colpron, M.
2012 Preliminary Observations on the Geology of the Rackla Belt, Mount Ferrell Map Area (NTS 106C/03), Central Yukon; Yukon Geological Survey, Yukon Exploration and Geology 2011, p. 27-43.

Colpron, M., Moynihan, D., Israel, S. and Abbott, G.
2013 Bedrock geology of the Rackla belt (106D/1 and 106C/1-4), southern Nadaleen map area; Yukon Geological Survey, poster.

Dumala, M.R.
2012 Assessment report describing geological mapping, prospecting, geochemical sampling and diamond drilling at the Rod property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Eaton, W.D. and Kammerer, M.
2011 Assessment report describing geological mapping, prospecting and geochemical sampling at the Rod Property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Green, L.C.
1972 Geology of Nash Creek, Larsen and Dawson Map Areas, Yukon Territory; Geological Survey of Canada, Memoir 364, pp 157.

James, S.C.
1980 Diamond Drilling Report on the Rod Claim Group; Canadian Superior Exploration Ltd., November 1980; Assessment Report # 090687.

Jutras, J.P.
2003 JRS 1-25 Claims; Manson Creek Resources Ltd, January 2003; Assessment Report # 094359.

Kim, B.Y.
1979 Geological and Geochemical Report on the Rod Claims 1-100; Canadian Superior Exploration Ltd., November 1979; Assessment Report # 090611.

Morton, J.
2014 Assessment report describing prospecting, hand trenching and geochemical sampling at the Rod Property, Mayo Mining District; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

APPENDIX I

STATEMENTS OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Jack Morton, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Vancouver, British Columbia, hereby certify that:

1. I graduated from Simon Fraser University in 2013 with a B.Sc. in Earth Science.

2. From 2007 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia, and Northwest Territories

3. I am a Geoscientist in Training (G.I.T.) with the Association of Professional Engineers and Geoscientists of British Columbia.

4. I supervised the field program and have interpreted all data resulting from this work.



J. Morton, B.Sc., GIT

APPENDIX II

STATEMENT OF EXPENDITURES

Statement of Expenditures
Rod 1-735, 790-825 and 864-890 Mineral Claims
March 4, 2016

Labour

D. Eaton (geologist) 17 hours April to January at $120/hr	$ 2,142.00
H. Burrell (geologist) 53 hours April to January at $106/hr	5,898.90
J. Morton (geologist) 180 1/4 hours April to January at $82/hr + bonus	17,304.53
E. Nelson (field assistant) 4 hours April to January at $77/hr	323.40
M. van Loon (field assistant) 8 hours April to January at $68/hr	571.20
R. Burke (field assistant) 148 hours April to January at $$49/hr	7,614.60
C. Hughes (field assistant) 140 hours April to January at $43/hr + bonus	7,213.50
W. Schneider (expedite) 2 hours April to January at $92/hr	193.20
J. Mariacher (office) 29 hours April to January at $90/hr	2,740.50
D. Arnold-Wallinger (expedite) 19.5 hours April to January at $85/hr	1,740.38
L. Corbett (expedite) 26 hours April to January at $81/hr	2,211.30
L. Smith (office & expedite) 26 hours April to January at $69/hr	1,883.70
S. Newman (office) 18 hours April to January at $64/hr	1,209.60
	51,046.81

Expenses (including management)

Field room and board – 39 mandays @ $180/manday	7,932.60
Alkan Air	1,843.60
Horizon Helicopters – 3.3 hours A-Star at $1,525/hr plus fuel	5,686.73
ALS Chemex	20,452.42
	35,915.35

Total	$86,962.16

636 samples = $136.73/sample

Group 1 – 279 samples = $38,148.49
Group 2 – 357 samples = $48,813.67

APPENDIX III

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: Rod

Sample Number:	K283500	UTM:	545061	mE	Nad83, Zone 8
Elevation:	1328 m	UTM:	7115130	mN	

Comments: Outcrop sample of a ~10cm wide quartz vein through dark grey to black graphitic shale, with powdery bright yellow (plumbojarosite?), and deep orange mineralization on fracture surfaces, and clots of powdery white mineralization. Collected in a shear zone.

Sample Number:	M652151	UTM:	545047	mE	Nad83, Zone 8
Elevation:	1 m	UTM:	7115154	mN	

Comments: Subcrop grab of dark brown, porous and punky oxide. No rep. Labelled as '15-01' on site.

Sample Number:	M652152	UTM:	545038	mE	Nad83, Zone 8
Elevation:	m	UTM:	7115304	mN	

Comments: Outcrop sample of rock with the same lithology as sample N832500, with sparse very fine grained pyrite disseminated throughout, and from a ~1m wide shear zone. Labelled as '15-02' on site.

Sample Number:	M652153	UTM:	545052	mE	Nad83, Zone 8
Elevation:	1251 m	UTM:	7115353	mN	

Comments: Float grab of a dark maroon weathering ferricrete, with a goethite matrix and clasts of angular dark black shale(?). Weakly magnetic. Collected in a strong 20 x 20 metre gossanous seep.

Sample Number:	M652154	UTM:	544612	mE	Nad83, Zone 8
Elevation:	1267 m	UTM:	7115642	mN	

Comments: Float grab of orange and limonitic weathering quartz breccia with cavities filled with pocky dark grey oxide. No rep.

Sample Number:	M652155	UTM:	544619	mE	Nad83, Zone 8
Elevation:	1269 m	UTM:	7115650	mN	

Comments: Float grab of chocolate-brown and porous oxide that effervesces with HCl.

Rock Sample Descriptions Property: Rod

Sample Number:	M652156	UTM:	544630	mE	Nad83, Zone 8
Elevation:	1266 m	UTM:	7115645	mN	

Comments: SHOTGUN SHOWING. Float grab of orange weathering brecciated and drusy quartz, with grey-green shale clasts/selvages, druses filled with maroon weathering coarse grained sphalerite and lesser fine to medium grained galena (5% and 1%, respectively), and bands of massive chalcopyrite and malachite up to 1cm in thickness (1%). Removed from a 40 x 40 x 25 cm boulder.

Sample Number:	M652157	UTM:	544611	mE	Nad83, Zone 8
Elevation:	1285 m	UTM:	7115609	mN	

Comments: SHOTGUN SHOWING. Float grab of rock with the same lithology as sample M652156, with 8% sphalerite, 5% galena and 3% chalcopyrite. Removed from a 30 x 20 x 20 cm boulder.

Sample Number:	M652158	UTM:	544385	mE	Nad83, Zone 8
Elevation:	1226 m	UTM:	7115716	mN	

Comments: Float grab of brown weathering, dark grey aphanitic basalt, with trace very fine grained pyrite and pyrhotite throughout., Abundant in a shallow pit.

Sample Number:	M652159	UTM:	544556	mE	Nad83, Zone 8
Elevation:	1369 m	UTM:	7115497	mN	

Comments: Subcrop grab of rock with the same lithology as sample M652155.

Sample Number:	M652160	UTM:	545251	mE	Nad83, Zone 8
Elevation:	1430 m	UTM:	7116251	mN	

Comments: Composite sample of orange weathering quartz with patches of live limonite and trace fine grained pyrite.

Sample Number:	M652161	UTM:	545038	mE	Nad83, Zone 8
Elevation:	1242 m	UTM:	7115291	mN	

Comments: Subcrop grab of rock with the same lithology as sample N832500. No rep.

Rock Sample Descriptions Property: Rod

Sample Number:	M652162	UTM:	544622	mE	Nad83, Zone 8
Elevation:	1282 m	UTM:	7115620	mN	

Comments: Float grab of orange weathering, banded and drusy quartz with dark grey shale selvages, sparse medium grained galena, and coarse grained maroon weathering sphalerite in druses.

Sample Number:	M652163	UTM:	543768	mE	Nad83, Zone 8
Elevation:	1349 m	UTM:	7115175	mN	

Comments: Outcrop sample of orange to yellow weathering, black carbonaceous shale.

Sample Number:	M652164	UTM:	543834	mE	Nad83, Zone 8
Elevation:	m	UTM:	7115193	mN	

Comments: Float grab of drusy white quartz with earthy brown oxide and powdery pale white mineralization in druses. Removed from a shallow pit. No rep.

Sample Number:	M652165	UTM:	543827	mE	Nad83, Zone 8
Elevation:	m	UTM:	7115180	mN	

Comments: Composite sample of orange weathering 'zebra'-textured quartz-ankerite(?) with cavities filled with limonite, sparse white powdery mineralization, and trace fine grained pyrite. Removed from a shallow pit. No rep.

Sample Number:	M652166	UTM:	543809	mE	Nad83, Zone 8
Elevation:	1382 m	UTM:	7115132	mN	

Comments: Outcrop grab of dark orange weathering quartz-carbonate through brown weathering medium grey-green shale, with sparse blebs of fine to medium grained pyrite and clots of white powdery (clay?) mineralization.

Sample Number:	M652167	UTM:	542549	mE	Nad83, Zone 8
Elevation:	1028 m	UTM:	7115764	mN	

Comments: Float grab of punky orange weathering and limonitic quartz-shale breccia, with sparse coarse grained sphalerite. Collected near the bottom of a 300 metre by 25 metre gossan/slide.

Rock Sample Descriptions Property: Rod

Sample Number:	M652168	UTM:	543150	mE	Nad83, Zone 8
Elevation:	1347 m	UTM:	7114868	mN	

Comments: Composite sample of drusy orange weathering quartz, with bands of live limonite, chocolate brown oxide, powdery yellow (plumbojarosite?) mineralization, and rare medium grained sphalerite in druses. Removed from a shallow pit in a prominent linear.

Sample Number:	M652169	UTM:	543061	mE	Nad83, Zone 8
Elevation:	1263 m	UTM:	7115120	mN	

Comments: Float grab of rock with the same lithology as sample M652168, with trace fine grained pyrite and malachite. No rep.

Sample Number:	M652170	UTM:	543057	mE	Nad83, Zone 8
Elevation:	1262 m	UTM:	7115112	mN	

Comments: Float grab of rock with the same lithology as sample M652153.

Sample Number:	M652171	UTM:	543803	mE	Nad83, Zone 8
Elevation:	m	UTM:	7115001	mN	

Comments: SPRUCE SHOWING. Outcrop sample of quartz vein through dark grey shale, 10 cm wide, with clots of limonite and pale yellow powdery (plumbo-jarosite?) mineralization, and no visible sulphides.

Sample Number:	M652172	UTM:	543803	mE	Nad83, Zone 8
Elevation:	0 m	UTM:	7115001	mN	

Comments: SPRUCE SHOWING. Selected outcrop sample of rock with the same lithology as sample M652171, with large clots of coarse grained galena (1%). No rep.

Sample Number:	M652173	UTM:	544549	mE	Nad83, Zone 8
Elevation:	1379 m	UTM:	7115469	mN	

Comments: Outcrop sample of black sooty and carbonaceous shale, removed from a 1 metre deep trench. No rep.

Rock Sample Descriptions Property: Rod

Sample Number:	M652174	UTM:	543783	mE	Nad83, Zone 8
Elevation:	1413 m	UTM:	7115013	mN	

Comments: SPRUCE SHOWING. Float grab of rock with the same lithology as sample M652156, with <1% galena, <1% sphalerite and 2% chalcopyrite. Removed from a shallow pit on a ridge top, with abundant fist-sized pieces.

Sample Number:	M652175	UTM:	541623	mE	Nad83, Zone 8
Elevation:	1384 m	UTM:	7114208	mN	

Comments: Outcrop sample of wavy foliated/banded black shale with vuggy quartz veinlets up to 1 cm in width, with live limonite in cavities and disseminated throughout.

Sample Number:	M652176	UTM:	541623	mE	Nad83, Zone 8
Elevation:	1386 m	UTM:	7114208	mN	

Comments: Outcrop sample of dark maroon to orange weathering quartz vein, ~20cm wide, with disseminated coarse grained pyrite, and cavities filled with live limonite and pale yellow powdery clay mineralization.

Sample Number:	M652177	UTM:	541622	mE	Nad83, Zone 8
Elevation:	1391 m	UTM:	7114209	mN	

Comments: Subcrop grab of dark grey porous/pocky shale with encrusting white mineralizaton (anglesite?) No rep.

Sample Number:	M652178	UTM:	541675	mE	Nad83, Zone 8
Elevation:	1438 m	UTM:	7113383	mN	

Comments: Outcrop sample of blocky and resistive, orange-brown weathering, pale grey-green listwaenite(?) with fine grained euhedral cubes of limonite disseminated throughout.

Sample Number:	M652179	UTM:	541660	mE	Nad83, Zone 8
Elevation:	1426 m	UTM:	7113379	mN	

Comments: Subcrop grab of orange weathering drusy and brecciated quartz with clasts of listwaenite(?) and druses filled with dark brown oxide and pale white powdery clay mineralization.

Rock Sample Descriptions Property: Rod

Sample Number:	M652180	UTM:	541679	mE	Nad83, Zone 8
Elevation:	1353 m	UTM:	7113524	mN	
Comments:	Outcrop sample of thin bedded black pyritic shale collected ~20 metres above a gossanous creek. No rep.				

Sample Number:	M652181	UTM:	541385	mE	Nad83, Zone 8
Elevation:	1484 m	UTM:	7113373	mN	
Comments:	Outcrop sample of dark orange weathering quartz vein/pod.				

Sample Number:	M652182	UTM:	541359	mE	Nad83, Zone 8
Elevation:	1490 m	UTM:	7113378	mN	
Comments:	Outcrop sample of orange weathering quartz vein/pod with cavities filled with live limonite and pale orange clay.				

Sample Number:	M652183	UTM:	540970	mE	Nad83, Zone 8
Elevation:	1375 m	UTM:	7113756	mN	
Comments:	Subcrop grab of rock with the same lithology as sample M652182.				

Sample Number:	M652184	UTM:	540945	mE	Nad83, Zone 8
Elevation:	1336 m	UTM:	7113814	mN	
Comments:	Outcrop sample of orange to brown weathering, limonitic dark grey shale breccia.				

Sample Number:	M652185	UTM:	541457	mE	Nad83, Zone 8
Elevation:	1263 m	UTM:	7113946	mN	
Comments:	Outcrop sample of orange weathering brecciated quartz vein, through brown weathering dark grey shale. No rep.				

Sample Number:	M652186	UTM:	541632	mE	Nad83, Zone 8
Elevation:	1369 m	UTM:	7114424	mN	
Comments:	Composite sample of orange, punky and limonitic quartz. No rep.				

Rock Sample Descriptions Property: Rod

Sample Number:	M652187	UTM:	541553	mE	Nad83, Zone 8
Elevation:	1277 m	UTM:	7114644	mN	
Comments:	Composite sample of porous brown weathering, dark green to black oxide. No rep.				

Sample Number:	M652188	UTM:	541553	mE	Nad83, Zone 8
Elevation:	1278 m	UTM:	7114644	mN	
Comments:	Float grab of dark maroon punky shale breccia(?) with cavities filled with bright orange powdery mineralization. No rep.				

Sample Number:	M652189	UTM:	541409	mE	Nad83, Zone 8
Elevation:	1281 m	UTM:	7114897	mN	
Comments:	Composite sample of pocky black brecciated shale, with cavities filled with limonite and sub-mm wisps of quartz. Removed from a shallow pit. No rep.				

Sample Number:	M652190	UTM:	540785	mE	Nad83, Zone 8
Elevation:	1130 m	UTM:	7114589	mN	
Comments:	PINE SHOWING. Float grab of orange weathering drusy quartz vein with ~1% coarse grained blackjack sphalerite in druses. Collected in a seep in a strongly vegetated area.				

Sample Number:	M652191	UTM:	540788	mE	Nad83, Zone 8
Elevation:	1138 m	UTM:	7114586	mN	
Comments:	PINE SHOWING. Float grab of grey weathering, white coarse grained barite, with sparse clots of chocolate-brown oxide throughout. Collected in a seep in a strongly vegetated area.				

Sample Number:	M652192	UTM:	538919	mE	Nad83, Zone 8
Elevation:	1073 m	UTM:	7114451	mN	
Comments:	CAKE SHOWING. Outcrop sample from a ~4cm wide quartz-carbonate vein, with coarse-grained brown rhombohedral siderite(?), and clots of azurite, malachite and fine grained silvery metallic mineralization (chalcocite?). Vein is part of a stockwork of mineralized veins developed in medium brown weathering, pale green pyroxene-phyric and variabley limey, andesite.				

Rock Sample Descriptions Property: Rod

Sample Number:	M652193	UTM:	538892	mE	Nad83, Zone 8
Elevation:	1062 m	UTM:	7114461	mN	

Comments: CAKE SHOWING. Outcrop grab of a 15 cm wide bright yellow-green scorodite stained, pocky quartz-arsenopyrite vein, with 40% of the material as arsenopyrite. Vein is part of a stockwork of mineralized veins developed in medium brown weathering, pale green pyroxene-phyric and variably limey andesite.

Sample Number:	M652194	UTM:	538740	mE	Nad83, Zone 8
Elevation:	998 m	UTM:	7114416	mN	

Comments: CAKE SHOWING. Outcrop sample of pale green weathering, dark green sheared/foliated andesite.

Sample Number:	M652195	UTM:	538740	mE	Nad83, Zone 8
Elevation:	m	UTM:	7114416	mN	

Comments: CAKE SHOWING. Outcrop grab of a ~10cm quartz vein with the same lithology as sample M652192. Vein is part of a stockwork of mineralized veins developed in medium brown weathering, pale green pyroxene-phyric and variably limey andesite. No rep.

Sample Number:	M652196	UTM:	538747	mE	Nad83, Zone 8
Elevation:	1011 m	UTM:	7114422	mN	

Comments: CAKE SHOWING. Outcrop sample of rock with the same lithology as M652194, with disseminated fine grained pyrite throughout. No rep.

Sample Number:	M652197	UTM:	538806	mE	Nad83, Zone 8
Elevation:	1021 m	UTM:	7114458	mN	

Comments: CAKE SHOWING. Outcrop sample of orange weathering, drusy quartz vein with coarse grained goethite in druses. Chipped of of the surface of andesite outcrop. No rep.

Sample Number:	M652198	UTM:	538907	mE	Nad83, Zone 8
Elevation:	1060 m	UTM:	7114445	mN	

Comments: CAKE SHOWING. Outcrop sample of a 2cm wide vein of quartz-malachite-azurite, through andesite wallrock, with 2% fine grained stibnite(?) and lesser very fine grained chalcopyrite.

Rock Sample Descriptions Property: Rod

Sample Number:	M652199	UTM:	538924	mE	Nad83, Zone 8
Elevation:	1067 m	UTM:	7114449	mN	

Comments: CAKE SHOWING. Subcrop sample of drusy quartz vein and andesite selvage with coarse grained goethite in druses, abundant azurite-malachite, and clots of ~1% fine grained stibnite(?)

Sample Number:	N832484	UTM:	548108	mE	Nad83, Zone 8
Elevation:	1294 m	UTM:	7115759	mN	

Comments: CRUSH SHOWING. 50 cm chip sample of medium brown to black, limonitic and graphitic shale, with narrow yellow-green scorodite stained quartz veinlets (< 0.5 mm) throughout. Top selvage of a mineralized vein. No rep.

Sample Number:	N832485	UTM:	548108	mE	Nad83, Zone 8
Elevation:	1294 m	UTM:	7115758	mN	

Comments: CRUSH SHOWING. 20 cm chip sample of yellow-green scorodite stained and limonitic, massive galena-arsenopyrite-quartz(-stibnite?) vein. Vein strikes 094/35 south.

Sample Number:	N832486	UTM:	548108	mE	Nad83, Zone 8
Elevation:	1294 m	UTM:	7115757	mN	

Comments: CRUSH SHOWING. 20 cm chip sample of rock with the same lithology as sample N832484.

Sample Number:	N832487	UTM:	548108	mE	Nad83, Zone 8
Elevation:	1296 m	UTM:	7115757	mN	

Comments: CRUSH SHOWING. 20 cm chip sample of pale yellow to orange weathering punky quartz vein, with live limonite in cavities and no visible sulphides.

Sample Number:	N832488	UTM:	548108	mE	Nad83, Zone 8
Elevation:	1296 m	UTM:	7115757	mN	

Comments: CRUSH SHOWING. 50 cm chip sample of rock with the same lithology as sample N832484. Bottom selvage of the mineralized vein. No rep.

Rock Sample Descriptions Property: Rod

Sample Number:	N832489	UTM:	548107	mE	Nad83, Zone 8
Elevation:	1297 m	UTM:	7115756	mN	
Comments:	CRUSH SHOWING. Outcrop sample of punky, dark brown weathering, banded massive galena.				

Sample Number:	N832490	UTM:	548101	mE	Nad83, Zone 8
Elevation:	1283 m	UTM:	7115769	mN	
Comments:	CRUSH SHOWING. Outcrop sample of punky and clay-altered, medium grey silstone, with abundant 1mm to 1cm wide quartz that weather limonitic and have narrow selvages of very fine grained pyrite and arsenopyrite. No rep.				

Sample Number:	N832491	UTM:	545580	mE	Nad83, Zone 8
Elevation:	1204 m	UTM:	7116792	mN	
Comments:	Composite sample of jet black, sooty and graphitic coal-like volcanic(?) with encrusting yellow to orange mineralization on fracture surfaces and amygdules(?) of white mineralization throughout. Removed from a shallow pit.				

Sample Number:	N832492	UTM:	545513	mE	Nad83, Zone 8
Elevation:	1230 m	UTM:	7116903	mN	
Comments:	Composite sample of jet black, vesicular volcanic rock. Removed from a shallow pit in a 10 x 10 metre kill zone.				

Sample Number:	N832493	UTM:	545298	mE	Nad83, Zone 8
Elevation:	1210 m	UTM:	7116945	mN	
Comments:	Float grab of dark black, punky and crumbly shale(?) with live limonite on fracture surfaces and masses of very fine grained white (anglesite?) mineralization. Removed from a 20 x 20 x 10 cm boulder.				

Sample Number:	N832494	UTM:	545269	mE	Nad83, Zone 8
Elevation:	1298 m	UTM:	7116712	mN	
Comments:	Outcrop sample of orange weathering quartz vein through dark grey shale, with fine grained pocks/cavities filled with live limonite throughout. No rep.				

Rock Sample Descriptions Property: Rod

Sample Number:	N832495	UTM:	545340	mE	Nad83, Zone 8
Elevation:	1387 m	UTM:	7116286	mN	

Comments: Float grab of rock with the same lithology as sample N832494, collected in a 20 x 20 metre kill zone.

Sample Number:	N832496	UTM:	545527	mE	Nad83, Zone 8
Elevation:	1345 m	UTM:	7115934	mN	

Comments: Float grab of brecciated quartz with disseminated fine grained limonite and clots of chocolate-brown oxide with trace very fine grained steel-metallic mineralization (galena?). Removed from a shallow pit. No rep.

Sample Number:	N832497	UTM:	545522	mE	Nad83, Zone 8
Elevation:	1432 m	UTM:	7115989	mN	

Comments: Float grab of orange weathering, medium grey shale crackle breccia, with a quartz matrix, and with encrusing powdery white mineralization (anglesite?) throughout. Collected in a vegetated area.

Sample Number:	N832498	UTM:	545643	mE	Nad83, Zone 8
Elevation:	1375 m	UTM:	7115725	mN	

Comments: Outcrop sample of orange to maroon weathering, black wavy bedded silstone(?), with narrow wisps of white carbonate(?) and a 2cm diametre round nodule of dark grey oxide (after galena?)

Sample Number:	N832499	UTM:	545058	mE	Nad83, Zone 8
Elevation:	1319 m	UTM:	7115113	mN	

Comments: Outcrop sample of orange-brown weathering quartz vein, ~10 cm wide, and orange to red weathering, dark grey-green shale selvages with no visible sulphides.

Sample Number:	N832500	UTM:	545063	mE	Nad83, Zone 8
Elevation:	1328 m	UTM:	7115132	mN	

Comments: 1.5 metre long chip sample of black graphitic shale and orange weathering quartz veins and veinlets, with encrusting powdery yellow-white mineralization (plumbojarosite?) as clots and on fracture surfaces. Collected in a ~10 metre wide shear zone. No rep.

APPENDIX IV

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

CERTIFICATE WH15127638

Project: ROD

This report is for 42 Rock samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
BAG-06	Double Bagging Coarse Rejects
LOG-21	Sample logging - ClientBarCode


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
N832484		1.03	18.95	0.48	3670	<0.2	<10	400	0.55	0.14	0.10	61.2	9.78	15.7	8	0.31
N832485		2.84	>100	0.01	>10000	<0.2	<10	20	<0.05	0.86	0.01	389	0.22	0.7	1	<0.05
N832486		1.13	3.26	0.49	2070	<0.2	<10	420	0.52	0.13	0.15	243	9.28	7.1	16	0.37
N832487		1.15	2.16	0.07	514	<0.2	<10	560	0.08	0.06	0.02	26.1	2.65	1.1	7	0.09
N832488		1.00	36.8	0.39	1855	<0.2	<10	320	0.55	0.35	0.14	94.0	9.01	6.9	15	0.22
N832489		3.02	>100	0.02	1240	<0.2	<10	20	<0.05	4.50	0.01	145.5	0.39	3.1	1	<0.05
N832490		1.37	5.37	0.09	>10000	0.9	<10	200	0.07	2.06	<0.01	2.19	1.70	0.5	10	0.10
N832491		1.03	1.72	3.08	490	<0.2	<10	>10000	1.45	0.37	0.35	5.34	20.4	4.7	103	0.85
N832492		1.22	8.87	0.38	89.2	<0.2	<10	2290	0.68	0.05	1.45	79.3	6.97	5.0	49	0.59
N832493		0.89	0.78	1.31	141.0	<0.2	<10	1140	1.03	0.07	0.38	3.05	9.48	8.2	66	0.62
N832494		0.83	0.96	0.32	49.9	<0.2	<10	220	0.18	0.07	0.06	1.18	7.82	1.8	16	0.15
N832495		0.68	0.08	0.08	22.6	<0.2	<10	200	0.07	0.01	0.05	0.37	1.97	1.2	13	0.08
N832496		0.73	0.35	2.18	10.9	<0.2	<10	220	0.16	0.14	0.06	0.55	5.65	6.9	23	0.09
N832497		1.20	0.17	0.37	76.6	<0.2	<10	340	0.39	0.03	0.41	0.37	8.15	2.2	17	0.14
N832498		1.56	2.17	1.03	33.0	<0.2	<10	1860	0.55	0.15	0.01	0.32	16.20	1.8	56	0.33
N832499		0.91	1.01	0.26	23.5	<0.2	<10	880	0.37	0.07	0.33	1.10	7.62	4.8	45	0.51
N832500		2.03	1.16	0.36	27.2	<0.2	<10	320	0.29	0.17	0.09	0.47	17.40	5.0	16	0.54
M652151		0.55	2.33	0.34	760	<0.2	<10	880	0.21	0.07	0.05	0.67	3.83	1.8	105	0.19
M652152		1.43	0.41	0.18	44.3	<0.2	<10	220	0.23	0.08	0.02	0.38	3.42	3.8	8	0.36
M652153		1.27	0.57	0.75	32.8	<0.2	<10	1310	0.49	0.12	0.16	4.97	15.15	10.2	21	0.90
M652154		0.56	0.40	1.11	10.7	<0.2	<10	>10000	0.29	0.07	0.23	0.85	26.3	12.4	22	0.43
M652155		0.60	0.40	0.74	10.6	<0.2	<10	4000	0.34	0.02	2.24	7.06	49.9	39.2	57	0.38
M652156		1.39	>100	0.09	15.6	<0.2	<10	160	0.06	1.58	0.02	3.87	0.80	1.8	16	0.11
M652157		1.16	>100	0.03	8.7	<0.2	<10	120	<0.05	13.00	0.02	1.95	0.32	1.3	10	0.07
M652158		0.72	0.74	0.53	73.4	<0.2	<10	1070	0.41	0.04	6.62	1.48	42.0	30.6	45	1.00
M652159		1.14	0.41	0.44	12.0	<0.2	<10	1730	0.65	0.04	10.50	12.15	44.6	24.3	35	0.38
M652160		1.42	0.56	0.12	2.0	<0.2	<10	500	<0.05	0.01	0.33	3.56	6.75	1.1	13	0.10
M652161		1.13	0.44	0.35	88.4	<0.2	<10	970	0.46	0.11	0.06	1.16	5.14	12.9	14	0.53
M652162		1.07	3.37	0.12	13.2	<0.2	<10	370	0.11	0.37	0.01	33.3	2.54	3.0	16	0.23
M652163		0.70	0.39	0.43	32.8	<0.2	<10	870	0.31	0.12	0.02	0.62	22.1	4.7	8	0.46
M652164		0.76	0.10	0.13	3.9	<0.2	<10	2620	0.06	0.01	1.55	0.63	1.53	5.5	14	0.08
M652165		0.99	0.27	0.13	3.6	<0.2	<10	3150	<0.05	0.01	2.95	0.58	3.08	6.7	14	0.13
M652166		1.22	0.30	0.21	6.0	<0.2	<10	3060	0.07	0.01	5.90	1.35	4.07	11.4	20	0.13
M652167		1.19	0.19	0.07	6.1	<0.2	<10	100	0.05	0.08	0.41	0.21	1.56	2.0	13	0.17
M652168		0.88	0.02	0.15	0.8	<0.2	<10	2730	0.07	0.01	0.14	0.34	1.83	4.0	18	0.09
M652169		0.95	0.21	0.09	1.9	<0.2	<10	570	0.06	0.01	0.21	9.34	2.00	0.5	15	0.11
M652170		0.94	0.40	1.10	33.7	<0.2	<10	400	0.79	0.14	0.01	3.05	27.6	34.4	17	0.83
M652171		0.90	2.72	0.62	29.2	<0.2	<10	2080	0.30	0.02	0.03	2.40	10.00	8.7	15	0.11
M652172		1.01	>100	0.42	8.2	<0.2	<10	50	0.19	0.30	0.03	5.95	6.47	6.0	16	0.07
M652173		0.96	1.80	0.22	6.6	<0.2	<10	290	0.20	0.08	<0.01	0.05	13.90	0.1	11	0.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
N832484		297	3.07	2.04	<0.05	0.05	20.1	0.247	0.31	4.8	0.7	0.04	2650	3.07	0.01	<0.05
N832485		924	0.26	1.96	<0.05	<0.02	90.0	1.250	0.01	0.4	0.1	<0.01	149	0.83	<0.01	<0.05
N832486		269	3.48	1.90	0.05	0.21	3.37	0.078	0.29	5.3	0.7	0.04	1300	4.61	<0.01	<0.05
N832487		32.5	0.69	0.31	<0.05	0.04	0.97	0.035	0.04	1.5	0.1	0.01	100	0.98	<0.01	<0.05
N832488		301	3.42	1.53	<0.05	0.19	13.50	0.234	0.21	4.5	0.4	0.03	541	5.29	<0.01	<0.05
N832489		2690	0.34	1.50	0.07	<0.02	171.0	0.662	0.01	0.4	0.1	<0.01	669	2.32	<0.01	<0.05
N832490		20.8	3.05	0.62	<0.05	0.02	0.80	0.151	0.06	0.8	0.3	0.01	52	1.07	<0.01	<0.05
N832491		127.0	1.97	6.20	0.12	0.04	0.74	0.106	0.12	14.5	3.6	0.05	119	73.1	<0.01	0.10
N832492		224	0.77	9.42	0.06	0.04	12.55	0.197	0.09	6.4	2.4	0.58	1820	8.88	<0.01	0.41
N832493		287	3.03	2.86	0.10	0.02	0.46	0.014	0.07	6.6	4.5	0.09	156	83.6	<0.01	0.41
N832494		80.8	1.31	0.70	<0.05	0.05	0.42	0.013	0.04	4.4	0.7	0.01	82	1.35	<0.01	<0.05
N832495		18.6	1.08	0.15	<0.05	0.03	0.09	0.006	0.03	1.0	0.2	<0.01	79	0.94	0.01	<0.05
N832496		9.5	4.87	6.80	<0.05	0.06	0.14	0.022	0.04	2.6	48.0	0.82	2700	1.39	0.01	<0.05
N832497		14.5	0.90	0.68	<0.05	<0.02	0.09	0.032	0.05	12.4	1.1	0.02	148	2.59	<0.01	<0.05
N832498		102.5	6.60	4.21	0.09	0.05	0.92	0.033	0.13	11.8	2.5	0.21	116	0.68	<0.01	<0.05
N832499		145.0	7.49	1.43	0.06	0.11	0.35	0.015	0.12	6.7	0.6	0.03	283	2.72	0.01	<0.05
N832500		70.6	2.46	1.28	<0.05	0.07	0.38	0.022	0.15	9.0	0.8	0.04	59	4.07	0.01	<0.05
M652151		434	37.3	3.11	0.13	<0.02	0.26	0.165	0.06	2.7	0.4	0.02	22	15.75	0.01	<0.05
M652152		67.0	5.39	0.54	<0.05	0.11	0.51	0.024	0.11	1.9	1.0	0.01	97	7.66	<0.01	<0.05
M652153		93.9	21.0	2.09	0.06	0.12	0.16	0.016	0.15	8.9	5.2	0.16	458	6.31	0.01	0.14
M652154		59.7	5.08	1.28	0.06	0.05	0.16	0.050	0.35	13.4	0.7	0.04	738	1.41	<0.01	<0.05
M652155		65.1	9.41	1.98	0.09	0.07	0.33	0.092	0.16	21.7	1.6	0.14	3980	4.89	<0.01	0.09
M652156		>10000	9.14	0.23	0.07	<0.02	1.12	0.239	0.01	0.5	0.2	0.15	734	0.19	0.01	<0.05
M652157		>10000	10.15	0.13	0.25	<0.02	0.32	0.241	0.01	0.2	0.2	0.38	994	0.19	<0.01	<0.05
M652158		129.5	6.42	1.97	0.06	0.04	0.13	0.059	0.25	20.5	4.1	2.77	2090	1.66	0.01	0.07
M652159		37.2	7.65	1.80	0.06	0.04	0.08	0.047	0.19	20.2	2.6	2.43	3550	1.96	<0.01	0.09
M652160		57.4	0.80	0.20	<0.05	<0.02	0.07	0.006	0.03	3.2	0.5	0.13	330	0.22	0.01	<0.05
M652161		113.5	11.70	1.04	<0.05	0.20	0.54	0.035	0.14	3.4	1.7	0.03	175	13.55	0.01	<0.05
M652162		161.0	6.73	0.40	<0.05	0.02	2.74	0.175	0.03	1.8	0.3	0.04	650	0.30	0.01	<0.05
M652163		30.5	1.67	1.28	<0.05	0.33	0.13	0.078	0.24	13.2	4.5	0.05	67	3.91	0.02	<0.05
M652164		11.8	1.92	0.19	<0.05	<0.02	0.02	0.026	0.01	0.5	0.6	0.75	424	0.53	<0.01	<0.05
M652165		180.0	2.53	0.26	<0.05	<0.02	0.04	0.048	0.03	1.1	0.3	1.46	476	0.36	<0.01	<0.05
M652166		355	4.12	0.41	<0.05	<0.02	0.13	0.077	0.03	1.5	0.7	2.94	881	0.38	<0.01	<0.05
M652167		21.3	1.99	0.21	<0.05	0.04	0.02	0.142	0.04	0.6	0.3	0.12	874	0.35	<0.01	<0.05
M652168		23.5	1.54	0.18	<0.05	<0.02	0.01	0.011	<0.01	0.6	0.4	0.02	242	0.29	<0.01	<0.05
M652169		77.9	0.80	0.16	<0.05	0.02	0.79	0.059	0.02	0.9	0.5	0.06	84	0.40	0.01	<0.05
M652170		687	26.3	2.09	0.07	0.11	0.17	0.185	0.15	14.5	6.4	0.05	1740	16.65	0.01	0.07
M652171		35.5	2.33	0.97	<0.05	0.08	0.09	<0.005	0.03	5.1	1.2	0.17	209	0.64	<0.01	<0.05
M652172		314	1.89	0.64	0.06	0.05	0.17	0.007	0.02	2.8	1.6	0.09	488	0.46	<0.01	<0.05
M652173		4.0	0.34	0.97	<0.05	0.09	0.25	<0.005	0.13	10.0	2.6	0.02	22	3.17	<0.01	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
N832484		86.1	520	2910	12.8	0.002	0.10	377	4.5	2.2	13.2	26.7	<0.01	0.06	1.8	<0.005
N832485		1.3	140	>10000	0.3	0.001	>10.0	>10000	<0.1	8.9	130.5	3.7	<0.01	<0.01	<0.2	<0.005
N832486		37.5	1510	1870	13.1	0.008	0.15	430	2.8	7.3	4.0	62.1	<0.01	0.17	2.1	<0.005
N832487		10.3	240	2460	1.9	<0.001	0.09	354	0.4	1.2	1.2	13.7	<0.01	0.06	0.4	<0.005
N832488		44.8	1290	>10000	8.6	0.013	0.20	1070	2.7	6.3	7.5	52.6	<0.01	0.19	1.7	<0.005
N832489		5.3	170	>10000	0.3	<0.001	>10.0	8330	0.2	27.6	94.9	5.2	<0.01	0.70	<0.2	<0.005
N832490		3.3	120	787	3.2	<0.001	0.83	37.7	0.8	5.3	19.2	6.3	<0.01	0.11	0.2	<0.005
N832491		340	2220	117.0	11.7	0.265	0.02	28.9	5.9	24.1	0.4	211	<0.01	0.34	3.0	0.025
N832492		127.5	1650	2990	9.4	0.011	0.11	96.2	7.7	14.5	3.4	94.2	<0.01	0.09	0.6	0.019
N832493		870	3020	52.2	7.0	0.041	0.06	19.40	10.4	27.6	0.2	161.5	<0.01	0.13	2.2	0.016
N832494		17.0	500	514	1.7	0.001	0.04	15.45	1.1	0.4	0.4	28.7	<0.01	0.05	0.9	<0.005
N832495		11.1	320	29.3	1.0	0.001	0.02	1.59	0.9	0.5	<0.2	28.9	<0.01	<0.01	0.4	<0.005
N832496		22.7	350	280	2.4	<0.001	0.02	3.92	4.2	0.5	0.4	5.8	<0.01	0.01	1.4	<0.005
N832497		27.6	2800	126.5	2.5	0.001	0.01	32.2	1.0	0.9	<0.2	145.0	<0.01	0.01	0.4	<0.005
N832498		24.4	620	65.9	7.5	0.005	0.13	6.78	5.5	19.7	0.3	35.9	<0.01	0.48	1.6	0.005
N832499		41.9	1660	11.6	6.7	0.003	0.07	3.00	3.9	5.4	<0.2	41.3	<0.01	0.15	0.8	<0.005
N832500		28.5	840	56.4	7.0	0.012	0.61	3.76	2.9	7.1	0.3	10.8	<0.01	0.08	2.5	<0.005
M652151		34.9	9740	91.0	2.3	0.005	0.26	57.9	5.6	31.3	0.4	29.8	<0.01	0.95	12.4	<0.005
M652152		45.4	320	11.1	4.6	0.003	0.11	2.53	2.0	4.8	<0.2	3.7	<0.01	0.03	0.7	<0.005
M652153		117.5	780	23.7	10.8	0.004	0.09	3.03	2.8	5.4	0.2	41.7	<0.01	0.06	2.3	0.011
M652154		72.8	1540	41.1	7.1	<0.001	0.02	2.44	12.7	1.9	<0.2	95.1	<0.01	0.07	1.5	<0.005
M652155		189.0	3730	9.8	7.4	<0.001	0.08	2.37	21.6	2.6	<0.2	330	<0.01	0.01	2.0	0.007
M652156		29.7	60	3800	0.4	<0.001	1.31	7.08	3.1	19.3	1.2	3.6	<0.01	0.07	<0.2	<0.005
M652157		34.1	20	>10000	0.3	<0.001	1.53	15.95	2.6	103.5	0.6	3.2	<0.01	0.40	<0.2	<0.005
M652158		128.0	2120	56.3	15.8	0.001	0.27	2.21	17.7	1.9	<0.2	784	<0.01	<0.01	1.9	<0.005
M652159		96.7	2320	24.5	10.1	<0.001	0.12	1.90	14.2	1.9	0.2	1140	<0.01	0.01	2.3	<0.005
M652160		10.0	70	50.3	1.1	<0.001	0.02	2.07	1.4	0.2	<0.2	58.1	<0.01	<0.01	0.5	<0.005
M652161		121.0	530	19.7	6.2	0.003	0.09	3.58	3.3	6.8	0.3	9.6	0.01	0.04	1.1	<0.005
M652162		36.9	20	763	1.4	<0.001	0.28	2.77	3.1	6.0	<0.2	2.7	<0.01	0.08	0.3	<0.005
M652163		43.9	200	16.8	9.5	0.042	0.11	1.64	1.8	3.0	0.2	12.9	<0.01	0.05	3.2	0.005
M652164		29.0	280	6.7	0.4	0.001	0.06	0.36	6.6	0.3	<0.2	418	<0.01	<0.01	<0.2	<0.005
M652165		28.8	450	18.6	1.6	<0.001	0.06	1.06	6.3	0.4	<0.2	390	<0.01	<0.01	0.2	<0.005
M652166		61.0	1040	11.9	1.4	<0.001	0.08	0.62	8.6	0.5	<0.2	651	<0.01	0.01	<0.2	<0.005
M652167		6.4	250	22.4	1.9	<0.001	0.01	7.83	1.3	0.2	0.2	32.3	<0.01	<0.01	0.4	<0.005
M652168		41.2	670	2.5	0.2	<0.001	0.06	0.17	4.4	0.4	<0.2	13.0	<0.01	<0.01	<0.2	<0.005
M652169		6.1	120	16.6	0.8	<0.001	0.07	1.00	0.9	0.7	<0.2	36.4	<0.01	<0.01	0.2	<0.005
M652170		242	2170	13.1	6.7	0.002	0.07	3.30	6.1	3.7	0.2	17.8	<0.01	0.04	4.3	<0.005
M652171		57.6	120	1750	1.3	<0.001	0.10	1.97	2.4	1.0	<0.2	22.6	<0.01	0.02	1.4	<0.005
M652172		26.1	110	>10000	0.8	<0.001	1.56	109.5	2.5	22.9	0.2	47.9	<0.01	0.30	0.9	<0.005
M652173		2.7	40	139.0	6.4	0.012	0.02	1.96	0.8	3.3	0.2	3.0	<0.01	0.09	1.2	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46	Au-AA26
	Analyte	Tl	U	V	W	Y	Zn	Zr	Ag	Cu	Pb	Zn	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001	0.001	0.001	0.01
N832484		0.20	5.76	15	0.23	6.20	3170	3.5					0.56
N832485		7.08	3.69	1	<0.05	0.24	>10000	<0.5	441		>20.0	5.67	0.16
N832486		0.35	4.44	25	0.20	8.27	4860	12.3					1.28
N832487		0.06	1.19	4	<0.05	1.28	729	1.9					0.03
N832488		0.20	7.20	68	0.16	8.65	5930	11.3			1.635		0.47
N832489		1.72	9.04	2	<0.05	0.51	>10000	0.5	1385		>20.0	1.510	0.02
N832490		0.06	0.39	3	0.15	0.64	76	1.0					1.12
N832491		1.33	12.35	1970	0.48	19.55	622	3.5					0.04
N832492		0.47	5.66	906	0.15	23.1	5830	17.5					<0.01
N832493		1.17	41.0	1530	0.41	46.7	923	4.9					0.01
N832494		0.10	2.06	17	<0.05	1.73	158	6.0					0.01
N832495		0.03	0.74	9	<0.05	1.65	54	1.7					<0.01
N832496		0.02	0.30	18	<0.05	3.28	120	2.2					<0.01
N832497		0.03	2.35	23	0.14	15.80	168	1.2					<0.01
N832498		0.07	1.19	116	<0.05	4.13	190	2.8					0.03
N832499		0.11	3.53	53	<0.05	22.2	159	7.6					0.01
N832500		0.14	1.25	41	<0.05	7.24	168	4.1					0.01
M652151		0.32	3.21	226	<0.05	3.95	227	2.1					<0.01
M652152		0.06	2.31	21	<0.05	3.92	431	5.5					<0.01
M652153		0.41	5.36	79	0.08	26.8	1280	6.1					<0.01
M652154		0.10	0.45	22	<0.05	8.72	194	3.5					<0.01
M652155		0.14	1.13	37	<0.05	24.9	597	4.9					<0.01
M652156		<0.02	0.15	75	<0.05	1.34	1220	0.5	149	1.620			0.03
M652157		<0.02	0.10	84	<0.05	1.26	220	<0.5	111	1.320	1.425		0.02
M652158		0.16	0.74	28	<0.05	21.8	167	2.3					<0.01
M652159		0.08	0.55	38	<0.05	15.15	415	2.1					<0.01
M652160		0.02	0.21	4	<0.05	2.04	108	0.5					<0.01
M652161		0.08	8.08	42	<0.05	12.00	1170	10.0					<0.01
M652162		0.02	0.22	68	<0.05	1.65	5350	1.1					<0.01
M652163		0.07	2.26	27	<0.05	2.96	213	16.4					<0.01
M652164		<0.02	0.12	18	<0.05	3.77	48	0.8					<0.01
M652165		0.02	0.07	15	<0.05	4.62	88	0.6					<0.01
M652166		<0.02	0.07	22	<0.05	8.68	384	0.5					<0.01
M652167		0.02	0.21	3	<0.05	2.25	46	1.6					<0.01
M652168		<0.02	0.26	9	<0.05	2.79	75	0.9					<0.01
M652169		<0.02	0.22	5	<0.05	1.36	1130	1.0					<0.01
M652170		0.18	5.69	30	<0.05	8.67	1400	8.4					<0.01
M652171		<0.02	0.37	8	<0.05	3.54	906	4.6					<0.01
M652172		0.02	0.41	9	<0.05	1.59	615	2.4	182		10.30		0.02
M652173		0.05	1.03	46	<0.05	1.42	15	6.4					0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
M652174		1.09	44.9	0.43	6.7	<0.2	<10	150	0.23	0.02	0.07	5.17	8.47	5.2	16	0.09
K283850		1.36	0.26	0.17	5.9	<0.2	<10	1150	0.15	0.06	0.36	0.17	5.16	0.7	16	0.18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
M652174		6090	2.42	0.72	<0.05	0.05	0.70	0.022	0.02	4.1	1.3	0.12	315	0.40	<0.01	<0.05
K283850		46.2	1.12	0.54	<0.05	0.03	0.06	0.014	0.04	2.3	0.6	0.11	84	0.68	<0.01	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
M652174		24.4	240	2490	1.2	<0.001	0.42	5.14	2.7	1.8	0.9	14.9	<0.01	0.01	1.1	<0.005
K283850		5.3	1100	25.0	2.1	0.001	0.18	0.82	1.4	2.3	0.2	31.4	<0.01	0.03	1.6	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127638

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Ag-OG46	Cu-OG46	Pb-OG46	Zn-OG46	Au-AA26
	Analyte	Tl	U	V	W	Y	Zn	Zr	Ag	Cu	Pb	Zn	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001	0.001	0.001	0.01
M652174		<0.02	0.51	8	<0.05	2.50	1420	2.4					<0.01
K283850		0.05	0.37	15	<0.05	2.83	32	1.5					<0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Finalized Date: 8-SEP-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15127638

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

BAG-06	CRU-31	CRU-QC	LOG-21
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG46	Au-AA26	Cu-OG46	ME-MS41
ME-OG46	Pb-OG46	Zn-OG46	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

CERTIFICATE WH15127641

Project: ROD

This report is for 150 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ103082		0.29	0.69	0.22	105.0	<0.2	<10	380	0.15	0.03	0.09	5.15	2.65	53.6	5	0.37
ZZ101327		0.27	1.20	1.06	24.3	<0.2	<10	760	0.48	0.22	0.13	0.97	27.4	10.8	28	0.89
ZZ101328		0.30	1.21	1.04	23.1	<0.2	<10	1520	0.56	0.19	0.56	1.70	29.4	11.6	30	0.86
ZZ101329		0.26	0.65	0.84	12.5	<0.2	<10	690	0.48	0.24	0.51	0.55	19.45	10.5	18	0.59
ZZ101330		0.38	1.33	0.86	25.1	<0.2	<10	1260	0.47	0.23	0.39	0.76	25.3	11.0	28	0.46
ZZ101331		0.35	1.55	0.81	19.4	<0.2	<10	1080	0.50	0.22	0.75	1.39	30.2	19.3	22	0.55
ZZ101332		0.29	3.81	0.47	36.4	<0.2	<10	460	0.29	0.22	0.03	0.58	21.8	3.6	22	0.42
ZZ101333		0.43	4.33	1.00	34.3	<0.2	<10	1110	0.59	0.25	0.22	0.49	28.4	6.7	27	0.49
ZZ101334		0.42	3.77	0.98	38.9	<0.2	<10	1280	0.50	0.27	0.17	0.84	24.8	6.5	30	0.65
ZZ101335		0.36	1.91	0.88	27.7	<0.2	<10	390	0.46	0.23	0.04	0.52	39.7	10.9	19	0.41
ZZ101336		0.38	1.58	1.15	19.4	<0.2	<10	1360	0.66	0.16	0.61	2.05	26.1	10.9	27	0.61
ZZ101337		0.36	1.91	1.27	20.1	<0.2	<10	820	0.58	0.20	0.25	0.90	29.1	10.1	31	0.98
ZZ101338		0.31	3.13	0.51	27.5	<0.2	<10	340	0.23	0.29	0.02	0.31	25.8	3.7	21	0.52
ZZ101339		0.25	5.47	0.69	27.4	<0.2	<10	570	0.98	0.20	0.04	1.19	20.9	9.7	41	0.28
ZZ101340		0.45	3.16	0.83	27.2	<0.2	<10	700	0.53	0.26	0.32	1.64	31.1	8.2	23	0.68
ZZ101341		0.34	1.42	1.05	20.5	<0.2	<10	1230	0.56	0.20	0.60	1.94	23.4	8.5	23	0.56
ZZ101342		0.30	5.95	0.72	21.2	<0.2	<10	410	0.26	0.20	0.07	0.43	19.30	6.6	22	0.56
ZZ101343		0.34	2.04	0.89	19.0	<0.2	<10	420	0.28	0.21	0.08	0.38	26.7	7.8	21	0.79
ZZ101344		0.34	1.19	0.95	20.7	<0.2	<10	110	0.17	0.24	0.03	0.14	23.9	3.7	25	0.96
ZZ101345		0.29	0.96	0.60	21.8	<0.2	<10	100	0.18	0.18	0.02	0.23	22.5	3.5	17	0.81
ZZ101346		0.35	3.27	0.85	34.6	<0.2	<10	480	0.30	0.27	0.07	0.33	25.8	7.5	24	0.79
ZZ101347		0.41	0.58	0.97	31.1	<0.2	<10	1400	0.55	0.21	0.58	1.41	29.1	11.5	39	0.93
ZZ101348		0.26	5.22	1.43	36.2	<0.2	<10	840	0.60	0.33	0.17	1.68	26.1	12.5	32	0.89
ZZ101349		0.18	3.69	0.68	51.3	<0.2	<10	1570	0.45	0.20	0.22	2.39	24.3	18.0	28	0.53
ZZ101350		0.39	2.90	1.01	26.4	<0.2	<10	160	0.39	0.22	0.06	0.42	25.7	6.7	25	0.68
ZZ101351		0.30	1.73	1.12	24.0	<0.2	<10	240	0.40	0.24	0.05	0.30	27.7	5.2	28	0.91
ZZ101352		0.36	0.23	1.17	28.8	<0.2	<10	250	0.40	0.26	0.10	0.49	24.3	8.6	30	0.99
ZZ101353		0.24	2.58	0.61	37.6	<0.2	<10	1720	0.45	0.21	0.40	0.65	31.2	8.3	20	0.59
ZZ101354		0.30	1.19	0.70	20.5	<0.2	<10	1550	0.39	0.17	0.44	0.97	22.0	11.2	27	0.42
ZZ101355		0.28	2.41	0.85	29.9	<0.2	<10	1610	0.59	0.22	0.42	1.52	31.9	12.8	27	0.54
ZZ101356		0.33	1.35	1.26	23.7	<0.2	<10	570	0.59	0.23	0.23	0.92	27.9	10.5	32	1.02
ZZ101357		0.42	1.39	1.09	28.6	<0.2	<10	850	0.52	0.25	0.17	1.01	27.1	9.7	28	1.17
ZZ101358		0.33	1.09	1.38	22.9	<0.2	<10	770	0.66	0.23	0.46	1.62	25.2	14.1	33	1.14
ZZ101359		0.39	0.34	0.84	10.2	<0.2	<10	270	0.62	0.32	0.55	0.39	25.1	11.9	15	0.73
ZZ101360		0.45	0.30	1.38	20.3	<0.2	<10	490	0.55	0.24	0.18	0.86	36.3	11.1	30	0.98
ZZ101361		0.47	0.57	1.05	25.1	<0.2	<10	1240	0.68	0.24	0.26	1.25	33.6	10.3	28	0.78
ZZ101362		0.42	1.99	0.32	25.1	<0.2	<10	700	0.48	0.25	0.19	1.99	48.6	11.9	11	0.30
ZZ101363		0.29	0.09	0.85	24.8	<0.2	<10	240	0.20	0.23	0.05	0.19	24.4	5.6	20	0.79
ZZ101364		0.24	2.91	0.39	55.6	<0.2	<10	870	0.45	0.19	0.32	2.02	48.5	15.2	16	0.28
ZZ101365		0.26	2.43	0.64	42.5	<0.2	<10	1650	0.48	0.19	0.49	2.02	28.3	15.0	22	0.39

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ103082		26.9	40.9	0.63	0.10	0.03	0.26	0.007	0.07	1.5	1.5	0.04	7490	9.06	0.02	0.13
ZZ101327		45.1	3.45	3.73	0.05	<0.02	0.13	0.042	0.07	14.7	9.3	0.24	467	3.91	0.01	0.47
ZZ101328		60.2	3.32	3.19	0.06	0.02	0.21	0.031	0.08	16.3	12.4	0.38	389	5.29	<0.01	0.56
ZZ101329		35.6	3.02	2.37	<0.05	0.06	0.15	0.022	0.04	10.1	17.8	0.26	357	2.04	0.01	0.29
ZZ101330		59.9	3.31	2.57	0.05	0.05	0.20	0.040	0.07	13.7	7.3	0.24	446	3.69	0.01	0.37
ZZ101331		88.3	4.07	2.20	0.05	0.05	0.22	0.045	0.07	15.9	7.5	0.25	793	3.95	0.01	0.42
ZZ101332		41.7	2.17	2.46	<0.05	<0.02	0.17	0.032	0.07	14.4	2.8	0.05	136	3.54	<0.01	0.27
ZZ101333		57.9	2.70	3.20	0.06	<0.02	0.31	0.037	0.10	18.1	10.5	0.23	248	4.64	0.01	0.42
ZZ101334		69.4	2.92	3.31	0.05	0.02	0.32	0.032	0.09	15.6	8.5	0.18	302	3.32	0.01	0.39
ZZ101335		66.7	3.11	2.48	0.06	0.03	0.14	0.038	0.06	21.9	7.2	0.13	444	5.75	<0.01	0.35
ZZ101336		68.9	2.62	3.05	0.05	0.07	0.28	0.030	0.07	14.6	12.6	0.35	839	3.73	<0.01	0.45
ZZ101337		50.3	3.01	3.77	0.05	0.02	0.25	0.029	0.08	16.2	12.9	0.36	274	2.95	0.01	0.67
ZZ101338		36.1	2.23	4.15	0.06	<0.02	0.09	0.027	0.09	15.9	2.1	0.05	119	7.90	<0.01	0.16
ZZ101339		106.0	4.14	2.56	0.06	0.03	0.18	0.031	0.07	13.9	3.7	0.13	1040	3.86	<0.01	0.11
ZZ101340		68.5	2.74	2.56	0.06	<0.02	0.28	0.028	0.09	18.9	7.6	0.26	439	6.92	0.01	0.38
ZZ101341		57.6	3.28	2.86	0.05	0.05	0.20	0.030	0.07	12.9	9.4	0.36	441	2.84	0.01	0.47
ZZ101342		41.4	2.14	2.58	<0.05	0.02	0.27	0.019	0.07	11.1	5.2	0.14	493	3.23	0.01	0.24
ZZ101343		43.5	2.55	2.92	<0.05	0.02	0.18	0.031	0.06	14.9	8.2	0.18	258	5.04	<0.01	0.41
ZZ101344		20.2	2.96	5.30	<0.05	<0.02	0.07	0.018	0.05	13.9	5.2	0.16	193	2.12	<0.01	1.09
ZZ101345		38.7	2.09	3.71	<0.05	<0.02	0.05	0.021	0.05	13.8	2.0	0.05	124	2.53	<0.01	0.25
ZZ101346		54.3	2.25	3.18	0.05	<0.02	0.26	0.028	0.08	15.4	4.8	0.12	316	7.33	<0.01	0.33
ZZ101347		57.2	3.58	3.53	0.05	0.05	0.18	0.034	0.07	16.3	12.3	0.49	462	5.39	<0.01	1.60
ZZ101348		89.9	4.10	4.06	0.05	0.02	0.38	0.036	0.10	14.2	11.2	0.31	940	3.89	0.01	0.59
ZZ101349		64.5	4.11	2.17	0.05	0.05	0.21	0.044	0.08	13.5	4.8	0.11	591	5.54	<0.01	0.27
ZZ101350		52.1	3.56	3.43	<0.05	0.02	0.08	0.029	0.06	14.5	9.7	0.19	217	3.66	<0.01	0.76
ZZ101351		26.8	2.54	4.31	0.05	<0.02	0.10	0.031	0.07	16.1	9.7	0.14	204	3.51	<0.01	0.53
ZZ101352		34.7	3.65	4.63	<0.05	<0.02	0.04	0.043	0.06	12.6	10.3	0.25	355	4.60	<0.01	1.48
ZZ101353		51.6	2.88	1.75	<0.05	0.10	0.29	0.042	0.10	17.8	5.1	0.16	197	6.69	<0.01	0.21
ZZ101354		51.3	2.57	2.15	<0.05	0.09	0.23	0.035	0.07	12.5	6.9	0.25	377	4.94	<0.01	0.24
ZZ101355		76.1	3.77	2.38	0.06	0.08	0.33	0.047	0.09	18.1	7.6	0.21	650	5.59	<0.01	0.32
ZZ101356		59.9	3.38	3.94	<0.05	<0.02	0.20	0.030	0.08	15.5	14.9	0.38	490	4.13	0.01	0.59
ZZ101357		51.5	3.03	4.82	<0.05	<0.02	0.22	0.027	0.08	15.2	8.9	0.22	500	3.69	0.01	0.43
ZZ101358		67.8	3.22	4.31	<0.05	<0.02	0.23	0.036	0.08	14.2	14.1	0.41	723	4.21	0.01	0.37
ZZ101359		41.0	3.08	2.27	<0.05	0.07	0.16	0.027	0.05	12.1	18.0	0.24	394	1.31	<0.01	0.23
ZZ101360		54.0	3.34	4.34	0.05	<0.02	0.11	0.032	0.08	19.2	12.9	0.37	442	4.37	0.01	0.64
ZZ101361		56.6	3.44	3.41	0.06	<0.02	0.19	0.039	0.09	18.7	12.9	0.29	455	5.95	0.01	0.51
ZZ101362		121.5	3.48	0.97	0.08	0.06	0.30	0.049	0.07	28.1	2.2	0.05	482	11.60	0.01	0.12
ZZ101363		20.5	2.51	5.22	<0.05	<0.02	0.04	0.020	0.04	13.1	5.9	0.11	239	3.49	0.01	1.38
ZZ101364		108.5	3.38	1.19	0.08	0.03	0.28	0.050	0.07	27.0	3.7	0.09	590	12.10	0.01	0.15
ZZ101365		94.2	3.31	1.85	0.05	0.07	0.40	0.057	0.07	15.9	7.3	0.16	404	8.17	0.01	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ103082		166.0	200	5.5	3.8	0.001	0.65	1.35	1.2	1.5	<0.2	27.4	<0.01	0.01	0.5	<0.005
ZZ101327		44.3	1070	37.3	10.1	<0.001	0.03	2.52	2.1	1.9	0.4	23.2	<0.01	0.07	0.5	0.019
ZZ101328		64.7	1440	36.6	8.0	0.001	0.03	3.27	4.3	2.1	0.3	56.7	<0.01	0.07	2.3	0.019
ZZ101329		37.1	610	24.3	4.8	<0.001	0.03	1.31	2.6	1.5	0.2	32.3	<0.01	0.07	2.5	0.007
ZZ101330		47.2	1000	32.5	8.8	<0.001	0.06	2.63	3.7	2.4	0.3	36.7	<0.01	0.11	1.7	0.007
ZZ101331		72.8	1490	32.9	6.8	<0.001	0.07	3.07	5.2	3.2	0.2	55.2	<0.01	0.11	2.2	0.009
ZZ101332		20.9	770	56.2	7.3	0.001	0.11	4.14	2.0	4.3	0.3	108.0	<0.01	0.17	0.9	0.008
ZZ101333		32.3	810	34.0	8.4	<0.001	0.13	4.24	3.0	5.9	0.3	130.5	<0.01	0.14	1.5	0.014
ZZ101334		33.5	930	50.3	10.0	<0.001	0.05	3.58	2.7	3.4	0.4	93.5	<0.01	0.19	1.3	0.012
ZZ101335		40.2	680	28.4	6.7	<0.001	0.05	4.81	2.3	4.1	0.2	44.5	<0.01	0.13	2.3	0.008
ZZ101336		55.6	1120	27.0	8.6	0.003	0.04	2.31	4.0	2.8	0.3	55.4	<0.01	0.08	1.7	0.011
ZZ101337		35.9	1040	31.6	9.9	<0.001	0.02	2.35	3.9	2.6	0.4	31.2	<0.01	0.09	3.2	0.017
ZZ101338		21.3	670	39.2	7.9	<0.001	0.12	5.55	0.8	6.4	0.5	37.9	<0.01	0.17	0.2	0.012
ZZ101339		42.4	760	31.8	5.6	<0.001	0.12	7.03	2.5	8.1	0.2	95.6	<0.01	0.29	1.7	0.005
ZZ101340		43.1	1180	43.9	7.5	0.001	0.04	5.39	3.3	4.4	0.3	76.4	<0.01	0.13	3.1	0.015
ZZ101341		38.8	1100	44.9	7.9	0.002	0.05	2.53	3.6	3.6	0.3	47.8	<0.01	0.09	2.7	0.010
ZZ101342		23.6	680	37.3	7.8	<0.001	0.04	2.44	2.2	2.5	0.3	37.8	<0.01	0.15	1.1	0.007
ZZ101343		29.7	750	30.7	8.3	<0.001	0.03	2.34	2.0	2.1	0.3	32.7	<0.01	0.10	1.4	0.012
ZZ101344		14.2	390	23.9	10.9	<0.001	0.01	2.08	1.7	1.2	0.5	12.8	<0.01	0.11	1.9	0.037
ZZ101345		23.0	550	23.6	6.8	<0.001	0.02	2.61	1.1	1.8	0.4	14.0	<0.01	0.13	0.3	0.012
ZZ101346		23.5	850	113.5	9.6	<0.001	0.04	3.42	1.7	3.6	0.4	72.2	<0.01	0.15	0.6	0.010
ZZ101347		58.5	1870	38.0	6.1	0.001	0.04	3.58	4.0	2.0	0.3	79.2	<0.01	0.08	3.3	0.037
ZZ101348		59.6	1160	102.5	12.7	<0.001	0.07	2.98	3.3	3.7	0.5	56.7	<0.01	0.16	1.0	0.020
ZZ101349		63.1	1310	55.1	10.2	0.001	0.09	2.88	6.0	3.6	0.2	73.5	<0.01	0.12	1.0	0.008
ZZ101350		33.5	660	29.7	9.2	<0.001	0.05	2.77	2.3	3.1	0.4	17.4	<0.01	0.14	2.3	0.021
ZZ101351		20.8	550	35.0	11.8	<0.001	0.03	2.26	1.6	2.2	0.5	37.1	<0.01	0.11	0.8	0.017
ZZ101352		33.6	850	50.3	10.0	<0.001	0.03	3.69	2.2	1.1	0.5	20.7	<0.01	0.08	1.3	0.027
ZZ101353		45.3	720	25.2	7.2	0.001	0.12	2.78	4.0	2.9	0.3	106.0	<0.01	0.12	1.9	0.006
ZZ101354		47.0	730	28.2	6.6	<0.001	0.06	2.57	4.5	2.6	0.3	79.2	<0.01	0.09	1.6	0.006
ZZ101355		58.7	1140	55.3	8.2	0.001	0.06	3.43	5.7	3.0	0.3	75.5	<0.01	0.09	1.8	0.008
ZZ101356		48.3	1170	49.1	9.1	<0.001	0.03	2.76	2.6	1.9	0.4	32.3	<0.01	0.08	1.3	0.023
ZZ101357		35.2	800	56.8	11.5	<0.001	0.03	2.69	1.5	2.2	0.5	24.7	<0.01	0.11	0.3	0.021
ZZ101358		59.5	1220	41.7	12.1	0.001	0.04	2.52	1.9	2.6	0.4	51.3	<0.01	0.08	0.4	0.015
ZZ101359		34.7	650	25.5	5.5	<0.001	0.02	0.78	3.8	1.1	0.2	36.3	<0.01	0.05	4.1	0.006
ZZ101360		49.1	1100	30.4	9.9	<0.001	0.02	2.26	2.9	1.9	0.5	26.6	<0.01	0.05	1.4	0.028
ZZ101361		50.2	1050	40.4	9.2	<0.001	0.04	2.59	2.6	1.9	0.4	47.5	<0.01	0.08	0.7	0.016
ZZ101362		72.9	790	22.7	4.1	<0.001	0.06	5.12	5.5	4.9	<0.2	96.1	<0.01	0.16	4.5	<0.005
ZZ101363		19.2	540	21.7	8.1	<0.001	0.02	1.28	1.6	0.7	0.5	10.0	<0.01	0.04	0.8	0.026
ZZ101364		71.4	770	50.7	5.3	<0.001	0.06	4.79	6.1	5.1	0.2	124.5	<0.01	0.11	2.0	<0.005
ZZ101365		68.9	890	211	6.8	<0.001	0.05	3.52	6.6	4.1	0.2	93.9	<0.01	0.08	1.5	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ103082		0.53	2.01	16	0.05	3.60	670	1.7	0.004
ZZ101327		0.19	0.98	83	0.15	6.61	196	<0.5	0.006
ZZ101328		0.26	1.32	89	0.21	12.05	294	0.7	0.008
ZZ101329		0.09	1.29	35	0.08	8.27	139	2.0	0.003
ZZ101330		0.13	1.12	53	0.10	5.85	182	1.6	0.013
ZZ101331		0.15	1.66	47	0.08	10.85	281	1.9	0.015
ZZ101332		0.18	0.85	56	0.08	4.43	118	<0.5	0.011
ZZ101333		0.29	1.42	61	0.14	7.74	136	<0.5	0.017
ZZ101334		0.20	1.04	69	0.19	6.28	158	0.5	0.022
ZZ101335		0.15	1.33	46	0.07	5.73	167	1.1	0.029
ZZ101336		0.18	2.66	65	0.12	13.05	269	2.4	0.009
ZZ101337		0.21	1.66	80	0.12	7.89	187	0.8	0.009
ZZ101338		0.19	1.06	78	0.16	2.61	125	<0.5	0.010
ZZ101339		0.11	1.14	73	0.06	3.92	217	1.3	0.041
ZZ101340		0.21	1.95	68	0.11	9.81	251	0.6	0.013
ZZ101341		0.15	1.85	60	0.10	9.18	241	1.7	0.008
ZZ101342		0.14	0.90	46	0.07	3.15	90	<0.5	0.023
ZZ101343		0.19	1.05	45	0.13	3.41	128	0.6	0.015
ZZ101344		0.16	0.51	70	0.21	1.91	63	<0.5	0.008
ZZ101345		0.13	0.60	60	0.11	1.83	150	<0.5	0.006
ZZ101346		0.25	1.50	59	0.12	3.28	101	<0.5	0.014
ZZ101347		0.23	1.55	108	0.13	9.30	290	2.4	0.006
ZZ101348		0.20	1.76	68	0.22	8.11	310	0.5	0.022
ZZ101349		0.16	1.30	42	0.07	9.73	211	1.5	0.015
ZZ101350		0.14	0.77	72	0.19	3.43	148	0.7	0.012
ZZ101351		0.21	0.80	80	0.18	2.98	107	<0.5	0.007
ZZ101352		0.20	0.81	110	0.22	3.72	165	<0.5	0.003
ZZ101353		0.24	1.42	32	<0.05	4.97	173	3.9	0.014
ZZ101354		0.16	0.87	44	<0.05	5.90	181	2.9	0.013
ZZ101355		0.20	1.55	56	0.10	11.25	295	2.8	0.014
ZZ101356		0.21	1.22	90	0.18	7.33	245	<0.5	0.010
ZZ101357		0.21	0.97	90	0.20	5.49	193	<0.5	0.009
ZZ101358		0.24	1.52	102	0.22	8.51	273	<0.5	0.006
ZZ101359		0.07	1.21	26	0.06	11.65	106	2.5	0.002
ZZ101360		0.22	1.24	72	0.23	7.50	203	<0.5	0.005
ZZ101361		0.23	1.45	70	0.16	10.25	234	<0.5	0.008
ZZ101362		0.21	1.61	25	<0.05	14.40	289	3.5	0.018
ZZ101363		0.16	0.58	101	0.18	2.33	83	<0.5	<0.001
ZZ101364		0.24	1.80	26	<0.05	15.15	312	1.4	0.021
ZZ101365		0.19	1.89	37	0.07	13.25	454	2.4	0.020

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ101366		0.37	2.02	0.53	34.1	<0.2	<10	1510	0.44	0.22	0.28	0.90	25.9	12.4	17	0.24
ZZ101367		0.39	0.95	0.64	25.9	<0.2	<10	1500	0.45	0.20	0.56	1.29	30.8	11.9	18	0.63
ZZ101368		0.24	0.43	0.67	17.6	<0.2	<10	1270	0.36	0.31	0.45	0.50	31.4	15.3	17	1.02
ZZ101369		0.36	2.18	0.76	30.1	<0.2	<10	700	0.41	0.19	0.07	1.79	38.8	28.1	18	1.30
ZZ101370		0.32	0.48	1.12	28.6	<0.2	<10	330	0.27	0.23	0.05	0.27	25.9	8.8	26	1.08
ZZ101371		0.39	2.17	1.00	27.0	<0.2	<10	1640	0.50	0.24	0.41	1.46	36.7	16.3	27	0.93
ZZ101372		0.24	1.50	0.89	12.8	<0.2	<10	1390	0.37	0.17	0.49	1.22	27.0	9.5	21	0.64
ZZ101373		0.31	0.78	0.96	20.9	<0.2	<10	560	0.27	0.25	0.15	0.43	35.7	11.2	19	0.64
ZZ101374		0.39	1.24	0.70	16.1	<0.2	<10	1150	0.32	0.24	0.30	0.68	38.5	7.7	13	0.59
ZZ101375		0.31	0.78	1.24	16.1	<0.2	<10	240	0.32	0.32	0.04	0.18	49.8	9.2	25	0.79
ZZ101376		0.31	1.05	0.65	19.2	<0.2	<10	760	0.39	0.26	0.20	0.66	40.3	10.9	15	0.39
ZZ101377		0.41	0.48	0.93	28.2	<0.2	<10	1200	0.47	0.23	0.25	1.42	32.5	20.7	24	0.82
ZZ101378		0.33	0.45	0.99	33.3	<0.2	<10	540	0.57	0.36	0.04	0.29	28.8	18.2	22	0.92
ZZ101379		0.36	1.11	1.08	24.9	<0.2	<10	1460	0.50	0.23	0.25	1.09	32.8	18.1	25	0.57
ZZ101380		0.26	1.55	0.82	18.7	<0.2	<10	890	0.52	0.17	0.38	1.25	36.0	38.2	28	0.69
ZZ101381		0.48	0.24	1.06	6.6	<0.2	<10	160	0.64	0.36	0.44	0.73	19.35	16.5	18	1.17
ZZ101382		0.36	1.50	0.63	26.9	<0.2	<10	2010	0.41	0.21	0.34	2.13	24.7	8.4	23	0.49
ZZ101383		0.27	0.46	0.67	21.6	<0.2	<10	430	0.41	0.28	0.15	0.86	46.9	15.3	20	0.56
ZZ101384		0.39	1.35	0.31	18.0	<0.2	<10	520	0.36	0.22	0.09	1.00	37.1	4.1	13	0.25
ZZ101385		0.49	0.84	0.21	18.5	<0.2	<10	520	0.37	0.17	0.12	1.58	15.60	5.0	7	0.46
ZZ101386		0.43	0.45	1.31	24.5	<0.2	<10	380	0.52	0.26	0.11	0.63	30.7	10.5	30	0.80
ZZ101387		0.35	0.70	1.24	21.9	<0.2	<10	930	0.54	0.22	0.39	1.17	26.7	10.2	32	0.88
ZZ101388		0.38	0.13	1.14	8.8	<0.2	<10	350	0.66	0.36	0.56	0.74	19.35	14.3	18	0.87
ZZ101389		0.40	0.37	1.17	19.2	<0.2	<10	460	0.47	0.20	0.26	0.91	25.4	10.2	31	0.87
ZZ101390		0.35	0.09	0.52	9.1	<0.2	<10	30	0.50	0.39	0.86	0.06	26.1	13.9	8	0.44
ZZ101391		0.41	0.42	1.26	21.8	<0.2	<10	610	0.58	0.31	0.17	0.82	23.7	14.6	30	0.97
ZZ101392		0.36	0.04	1.27	4.6	<0.2	<10	80	0.67	0.33	1.11	0.14	19.80	12.1	14	0.79
ZZ101393		0.35	0.55	1.11	17.4	<0.2	<10	650	0.60	0.28	0.53	1.20	26.1	12.8	26	0.68
ZZ101394		0.51	0.48	1.05	18.4	<0.2	<10	650	0.49	0.18	0.25	0.74	34.1	11.1	25	0.69
ZZ101395		0.39	0.19	1.42	12.6	<0.2	<10	140	0.24	0.27	0.04	0.22	18.85	5.7	25	1.32
ZZ101396		0.41	0.22	1.19	14.6	<0.2	<10	250	0.36	0.23	0.11	0.69	33.3	11.2	25	0.72
ZZ101397		0.52	0.03	0.88	7.0	<0.2	<10	50	0.49	0.40	0.89	0.04	24.0	19.7	11	1.03
ZZ101398		0.30	3.30	0.86	30.0	<0.2	<10	1060	0.56	0.24	0.18	3.03	29.2	18.7	30	0.48
ZZ101399		0.36	1.77	1.33	25.9	<0.2	<10	260	0.65	0.22	0.16	3.96	33.7	38.3	31	0.92
ZZ101400		0.39	0.29	1.04	21.9	<0.2	<10	1130	0.36	0.31	0.19	0.87	29.1	11.2	28	1.13
ZZ101401		0.44	1.61	1.25	27.9	<0.2	<10	1290	0.45	0.28	0.44	1.50	28.7	16.0	30	0.86
ZZ101402		0.29	1.75	0.86	25.5	<0.2	<10	1280	0.45	0.19	0.59	2.52	55.3	75.7	25	0.61
ZZ101403		0.39	1.16	0.66	8.5	<0.2	<10	770	0.39	0.19	0.90	0.54	40.7	8.1	9	0.27
ZZ101404		0.35	1.05	0.78	12.3	<0.2	<10	950	0.39	0.22	0.45	0.49	44.6	8.0	10	0.32
ZZ101405		0.61	0.76	0.97	14.6	<0.2	<10	940	0.46	0.26	0.34	0.66	40.4	15.1	20	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ101366		80.7	3.24	1.49	0.05	0.05	0.21	0.050	0.06	14.0	5.1	0.10	432	4.73	0.01	0.20
ZZ101367		78.9	3.40	1.93	0.06	0.14	0.34	0.049	0.07	16.7	7.8	0.18	329	12.65	0.01	0.27
ZZ101368		73.5	4.45	2.20	0.05	<0.02	0.09	0.042	0.07	15.8	6.3	0.11	354	3.82	0.02	0.48
ZZ101369		120.5	6.56	1.28	0.08	0.07	0.71	0.070	0.14	20.0	4.5	0.04	794	18.35	0.03	0.17
ZZ101370		43.7	3.93	4.40	<0.05	<0.02	0.12	0.038	0.07	13.9	8.2	0.16	225	7.55	0.02	0.62
ZZ101371		135.5	4.59	2.33	0.07	0.04	0.56	0.062	0.11	19.0	9.5	0.21	358	11.00	0.02	0.45
ZZ101372		63.3	2.01	2.49	0.05	0.04	0.36	0.033	0.07	14.1	8.4	0.23	397	4.78	0.03	0.44
ZZ101373		32.4	2.41	2.90	0.05	0.02	0.21	0.027	0.07	19.2	8.4	0.22	326	4.52	0.02	0.49
ZZ101374		66.0	3.25	1.92	0.05	0.04	0.28	0.044	0.07	21.3	7.5	0.16	200	6.77	0.02	0.36
ZZ101375		39.5	3.74	4.92	0.05	0.03	0.06	0.034	0.07	26.4	10.2	0.20	205	3.29	0.01	1.21
ZZ101376		85.2	3.99	1.53	0.05	0.03	0.23	0.044	0.07	21.6	4.8	0.15	300	6.35	0.02	0.22
ZZ101377		96.7	4.42	2.85	0.06	<0.02	0.11	0.053	0.07	16.0	8.9	0.21	808	6.06	0.02	0.52
ZZ101378		85.4	4.76	3.28	0.05	<0.02	0.08	0.038	0.06	15.3	8.9	0.12	954	3.75	0.02	0.42
ZZ101379		86.0	5.25	2.79	0.06	0.02	0.19	0.052	0.08	18.1	8.3	0.22	769	9.33	0.01	0.33
ZZ101380		109.5	6.94	1.69	0.08	0.05	0.28	0.069	0.07	18.2	6.3	0.13	800	5.21	0.02	0.29
ZZ101381		53.5	3.44	3.00	<0.05	0.08	0.08	0.023	0.04	9.6	36.8	0.43	571	1.10	0.01	0.15
ZZ101382		70.2	2.82	2.58	0.05	<0.02	0.21	0.036	0.07	14.8	4.8	0.12	312	6.91	0.01	0.31
ZZ101383		61.2	4.06	2.38	0.06	<0.02	0.04	0.042	0.07	23.4	6.9	0.13	515	3.50	0.01	0.23
ZZ101384		45.5	3.27	1.35	0.05	0.02	0.43	0.047	0.16	21.4	2.6	0.02	80	10.20	0.01	0.07
ZZ101385		97.1	2.44	0.41	<0.05	0.22	0.46	0.053	0.09	8.2	1.3	0.01	90	8.73	0.01	0.05
ZZ101386		38.0	3.51	3.97	<0.05	<0.02	0.08	0.040	0.06	14.9	16.2	0.32	392	3.20	0.02	0.54
ZZ101387		37.6	2.97	3.73	<0.05	0.02	0.12	0.033	0.06	13.8	15.1	0.41	515	4.06	0.02	0.50
ZZ101388		36.5	3.24	3.20	<0.05	0.10	0.06	0.026	0.04	9.8	28.8	0.40	630	1.30	0.01	0.18
ZZ101389		32.7	2.88	3.93	<0.05	0.02	0.08	0.027	0.05	12.9	18.4	0.42	476	3.39	0.02	0.64
ZZ101390		40.1	3.04	1.57	0.05	0.09	0.09	0.027	0.03	11.1	17.8	0.18	277	0.59	0.01	0.09
ZZ101391		31.6	3.41	4.26	<0.05	0.03	0.09	0.030	0.05	11.5	22.6	0.35	1280	2.80	0.02	0.36
ZZ101392		23.2	2.84	3.19	<0.05	0.10	0.04	0.025	0.04	10.3	23.2	0.34	470	0.46	0.02	0.19
ZZ101393		38.8	3.14	3.30	<0.05	0.04	0.13	0.030	0.05	13.7	19.4	0.40	803	2.59	0.02	0.45
ZZ101394		46.3	2.67	3.30	0.05	0.02	0.10	0.028	0.05	18.5	14.0	0.33	385	3.36	0.02	0.77
ZZ101395		20.1	2.37	5.42	<0.05	<0.02	0.06	0.029	0.04	9.7	10.4	0.20	381	1.95	0.01	0.51
ZZ101396		49.0	2.95	3.59	0.05	<0.02	0.10	0.026	0.06	17.0	9.6	0.28	591	3.20	0.01	0.59
ZZ101397		41.4	3.39	2.50	0.05	0.06	0.05	0.021	0.04	11.6	25.4	0.61	645	0.53	0.02	0.05
ZZ101398		106.0	5.26	2.81	0.07	0.02	0.65	0.061	0.11	17.6	7.0	0.15	598	13.60	0.02	0.30
ZZ101399		142.5	4.12	3.49	0.07	0.04	0.46	0.040	0.06	18.6	12.5	0.33	1050	5.98	0.02	0.98
ZZ101400		31.0	3.33	5.68	<0.05	<0.02	0.09	0.031	0.06	15.9	6.4	0.16	581	4.32	0.02	0.84
ZZ101401		44.6	3.88	4.30	0.05	<0.02	0.21	0.043	0.06	16.1	8.0	0.20	797	5.71	0.02	0.53
ZZ101402		136.5	9.97	1.83	0.11	0.04	0.33	0.084	0.07	27.2	3.5	0.23	1180	6.50	0.02	0.28
ZZ101403		46.6	2.38	1.52	0.05	0.06	0.17	0.042	0.05	21.9	5.1	0.17	194	2.47	0.02	0.24
ZZ101404		59.3	2.37	1.84	0.06	0.05	0.20	0.043	0.07	24.3	6.2	0.18	150	6.26	0.02	0.30
ZZ101405		57.3	3.08	2.99	0.05	0.04	0.14	0.042	0.07	21.8	10.9	0.27	471	4.95	0.02	0.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ101366		43.9	760	86.8	5.8	<0.001	0.06	2.72	4.8	3.9	0.2	58.0	<0.01	0.14	1.5	0.005
ZZ101367		65.0	1200	19.9	7.2	0.001	0.09	3.85	4.3	3.4	0.2	87.9	<0.01	0.09	1.8	0.006
ZZ101368		46.5	1210	28.9	7.7	<0.001	0.08	1.94	2.1	1.8	0.3	68.5	<0.01	0.12	0.6	0.011
ZZ101369		99.9	1540	26.2	8.5	0.001	0.37	5.89	5.3	6.4	0.2	79.7	<0.01	0.09	2.3	<0.005
ZZ101370		36.5	900	24.4	10.8	<0.001	0.09	2.20	1.8	2.0	0.5	16.2	<0.01	0.08	0.5	0.020
ZZ101371		92.9	1290	29.3	7.2	<0.001	0.19	2.80	6.9	3.6	0.3	88.0	<0.01	0.11	2.3	0.010
ZZ101372		40.6	1020	21.5	8.0	0.002	0.09	1.61	3.2	3.1	0.3	56.2	<0.01	0.06	1.1	0.008
ZZ101373		27.1	770	29.5	9.5	<0.001	0.03	1.38	2.2	2.2	0.3	26.7	<0.01	0.07	2.3	0.007
ZZ101374		36.5	750	18.9	6.3	0.001	0.05	2.25	2.7	2.7	0.2	69.9	<0.01	0.07	2.6	0.006
ZZ101375		31.3	550	20.8	9.1	<0.001	0.02	1.18	3.2	0.8	0.6	11.8	<0.01	0.07	5.3	0.018
ZZ101376		47.6	800	23.0	5.7	<0.001	0.04	2.43	3.3	2.0	0.2	43.2	<0.01	0.10	2.5	0.005
ZZ101377		70.6	1340	39.3	8.4	<0.001	0.06	2.62	3.4	2.9	0.3	47.9	<0.01	0.09	0.7	0.014
ZZ101378		56.0	810	33.2	10.9	<0.001	0.05	2.62	2.8	2.3	0.3	13.6	<0.01	0.25	0.8	0.011
ZZ101379		76.5	1180	27.9	7.6	<0.001	0.07	3.08	4.7	3.1	0.3	59.8	<0.01	0.09	1.0	0.012
ZZ101380		145.0	1960	19.5	5.9	<0.001	0.07	2.95	11.4	3.6	0.2	69.6	<0.01	0.07	3.0	0.009
ZZ101381		41.2	600	22.6	4.0	<0.001	0.04	0.63	3.0	0.7	0.2	33.1	<0.01	0.04	4.6	0.005
ZZ101382		43.6	1130	44.3	6.9	<0.001	0.08	3.46	2.1	3.7	0.3	72.1	<0.01	0.11	0.5	0.012
ZZ101383		57.2	1010	37.1	7.5	<0.001	0.04	2.13	1.9	1.7	0.3	40.6	<0.01	0.09	0.6	0.009
ZZ101384		30.5	480	19.9	8.3	<0.001	0.53	3.81	2.4	1.8	0.2	54.2	<0.01	0.06	2.8	<0.005
ZZ101385		26.2	770	12.2	4.6	<0.001	0.07	4.81	5.9	4.0	<0.2	85.8	<0.01	0.06	3.6	<0.005
ZZ101386		34.7	1100	58.5	8.5	<0.001	0.04	2.00	1.1	1.7	0.4	24.5	<0.01	0.07	0.4	0.017
ZZ101387		42.7	1410	34.3	9.2	<0.001	0.04	1.97	2.2	1.4	0.4	46.3	<0.01	0.06	0.9	0.017
ZZ101388		34.9	610	25.0	4.2	<0.001	0.04	0.61	3.1	0.7	0.2	33.8	<0.01	0.04	4.0	<0.005
ZZ101389		39.0	1080	27.5	8.2	<0.001	0.02	1.75	2.1	1.1	0.3	30.2	<0.01	0.05	1.3	0.021
ZZ101390		31.7	740	26.5	2.5	<0.001	0.03	0.40	3.7	0.8	<0.2	50.5	<0.01	0.05	7.4	<0.005
ZZ101391		36.8	1200	31.1	7.3	<0.001	0.03	1.37	2.3	1.0	0.3	21.2	<0.01	0.04	1.3	0.011
ZZ101392		24.3	900	16.2	4.5	<0.001	0.09	0.25	2.4	0.5	0.2	34.3	<0.01	0.03	2.3	<0.005
ZZ101393		42.3	1280	30.0	5.3	<0.001	0.04	1.40	3.1	1.3	0.3	42.3	<0.01	0.05	1.7	0.014
ZZ101394		45.3	1090	24.7	6.5	<0.001	0.02	1.89	3.6	1.4	0.3	37.9	<0.01	0.05	3.4	0.026
ZZ101395		17.6	510	23.6	9.1	<0.001	0.04	0.80	0.8	0.6	0.6	9.1	<0.01	0.04	<0.2	0.019
ZZ101396		33.5	820	32.1	9.7	<0.001	0.02	1.55	2.5	1.4	0.3	25.4	<0.01	0.05	1.4	0.027
ZZ101397		32.9	500	19.4	2.6	<0.001	0.01	0.30	3.4	0.4	<0.2	16.0	<0.01	0.05	7.4	<0.005
ZZ101398		91.6	1490	29.2	8.5	0.001	0.21	5.65	4.6	7.9	0.4	82.1	<0.01	0.16	1.3	0.011
ZZ101399		107.0	1130	25.3	7.7	0.001	0.04	3.80	4.8	4.0	0.3	40.1	<0.01	0.10	3.1	0.030
ZZ101400		30.4	740	30.6	15.5	<0.001	0.03	1.71	1.4	1.5	0.6	25.0	<0.01	0.07	0.3	0.028
ZZ101401		39.6	1480	29.0	12.1	0.001	0.04	2.75	1.5	2.8	0.5	61.5	<0.01	0.09	0.3	0.018
ZZ101402		227	2490	34.4	6.2	0.001	0.06	4.62	16.5	4.6	0.2	93.4	<0.01	0.08	3.9	0.006
ZZ101403		36.0	650	12.2	5.6	0.001	0.06	1.75	2.9	2.4	0.2	108.5	<0.01	0.07	2.4	<0.005
ZZ101404		32.5	650	14.9	7.2	0.002	0.05	1.94	2.5	2.8	0.2	80.8	<0.01	0.07	2.5	<0.005
ZZ101405		43.8	920	21.2	9.4	0.001	0.04	1.87	3.1	2.2	0.3	62.1	<0.01	0.07	2.6	0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ101366		0.13	1.61	27	<0.05	8.15	209	2.0	0.012
ZZ101367		0.28	2.28	44	0.07	9.07	229	5.5	0.010
ZZ101368		0.14	1.11	33	0.10	7.14	148	<0.5	0.009
ZZ101369		0.66	2.83	23	<0.05	10.10	305	3.1	0.012
ZZ101370		0.28	1.15	61	0.17	3.48	131	<0.5	0.005
ZZ101371		0.29	3.65	44	0.07	13.55	280	1.7	0.022
ZZ101372		0.18	2.80	40	0.07	7.80	122	1.3	0.012
ZZ101373		0.18	1.07	44	0.07	4.02	100	0.8	0.009
ZZ101374		0.22	1.64	25	0.06	6.77	135	2.1	0.010
ZZ101375		0.15	0.74	63	0.12	3.36	132	1.3	0.002
ZZ101376		0.15	1.11	26	0.05	5.83	215	1.0	0.017
ZZ101377		0.20	1.66	49	0.09	9.10	252	<0.5	0.007
ZZ101378		0.17	0.97	70	0.11	6.99	164	<0.5	0.021
ZZ101379		0.27	2.33	46	0.10	9.36	295	0.5	0.011
ZZ101380		0.20	1.62	37	0.06	14.80	227	1.7	0.011
ZZ101381		0.05	0.92	19	<0.05	7.58	112	2.6	0.001
ZZ101382		0.29	1.37	80	0.14	9.58	205	<0.5	0.006
ZZ101383		0.15	0.84	43	0.21	7.79	189	<0.5	0.009
ZZ101384		0.79	1.06	33	<0.05	4.51	155	1.6	0.010
ZZ101385		0.33	1.99	11	<0.05	7.52	144	12.4	0.010
ZZ101386		0.15	0.98	67	0.17	6.22	163	<0.5	0.004
ZZ101387		0.19	1.37	85	0.19	8.77	216	0.7	0.004
ZZ101388		0.05	1.11	26	<0.05	8.05	94	3.1	0.001
ZZ101389		0.15	1.03	77	0.20	6.89	170	<0.5	0.002
ZZ101390		0.03	1.47	7	<0.05	12.50	68	4.0	0.001
ZZ101391		0.13	1.53	72	0.10	10.05	140	0.7	0.002
ZZ101392		0.03	1.17	13	<0.05	8.27	79	3.0	<0.001
ZZ101393		0.11	1.79	66	0.16	14.30	155	1.3	0.003
ZZ101394		0.14	1.19	67	0.17	11.00	161	0.8	0.005
ZZ101395		0.16	0.64	59	0.18	3.04	73	<0.5	<0.001
ZZ101396		0.15	1.03	56	0.16	7.01	147	<0.5	0.006
ZZ101397		0.03	0.56	9	<0.05	7.26	76	3.3	<0.001
ZZ101398		0.54	2.24	75	0.14	12.95	326	0.6	0.015
ZZ101399		0.30	2.81	67	0.21	13.15	272	1.6	0.009
ZZ101400		0.21	1.03	76	0.20	5.42	131	<0.5	0.003
ZZ101401		0.24	1.42	75	0.20	6.63	189	<0.5	0.008
ZZ101402		0.23	1.26	31	<0.05	18.90	404	1.6	0.018
ZZ101403		0.11	1.12	14	<0.05	4.81	161	2.3	0.011
ZZ101404		0.18	1.74	19	<0.05	6.15	148	1.8	0.008
ZZ101405		0.18	1.29	38	0.08	6.08	181	1.3	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ101406		0.39	0.63	1.06	21.8	<0.2	<10	820	0.48	0.23	0.21	1.14	32.9	13.5	25	0.69
ZZ101407		0.36	0.72	1.10	13.8	<0.2	<10	830	0.46	0.20	0.67	1.60	25.3	11.5	27	0.66
ZZ101408		0.34	0.14	0.45	10.3	<0.2	<10	150	0.37	0.33	2.22	0.24	15.80	12.8	8	0.44
ZZ101409		0.47	0.55	1.00	16.1	<0.2	<10	500	0.53	0.26	0.51	1.02	31.6	14.8	24	0.76
ZZ101410		0.41	1.18	1.12	17.7	<0.2	<10	570	0.34	0.27	0.14	1.56	38.4	28.2	24	1.10
ZZ101411		0.43	2.19	1.67	15.7	<0.2	<10	150	0.51	0.30	0.07	0.52	28.6	22.4	27	1.23
ZZ101412		0.42	2.23	0.89	15.8	<0.2	<10	140	0.26	0.23	0.07	0.47	32.4	11.9	21	0.84
ZZ101413		0.45	1.94	0.88	16.0	<0.2	<10	210	0.21	0.27	0.03	0.40	28.6	7.6	25	1.25
ZZ101414		0.38	1.62	0.57	16.9	<0.2	<10	160	0.17	0.26	0.03	0.34	28.1	7.6	23	1.32
ZZ101415		0.47	1.61	0.97	15.2	<0.2	<10	590	0.40	0.24	0.49	0.96	29.2	12.8	30	1.03
ZZ101416		0.38	1.30	0.99	19.5	<0.2	<10	820	0.45	0.25	0.65	3.05	27.6	14.7	23	0.89
ZZ101417		0.29	0.99	0.80	12.7	<0.2	<10	1190	0.25	0.32	0.29	0.45	24.7	11.4	19	1.03
ZZ101418		0.49	1.33	1.38	24.2	<0.2	<10	710	0.54	0.29	0.27	2.27	34.9	19.3	41	1.15
ZZ101419		0.41	1.18	1.11	11.7	<0.2	<10	2830	0.45	0.20	0.81	0.99	35.1	22.5	32	0.90
ZZ101420		0.41	1.21	1.04	15.4	<0.2	<10	2430	0.45	0.20	0.84	1.50	34.5	28.6	26	0.89
ZZ101421		0.56	0.82	1.23	26.5	<0.2	<10	440	0.46	0.27	0.15	0.65	41.8	16.7	38	1.41
ZZ101422		0.46	5.04	1.65	18.8	<0.2	<10	150	0.40	0.31	0.04	0.41	27.3	11.2	31	1.39
ZZ101423		0.62	0.17	1.02	13.1	<0.2	<10	510	0.29	0.27	0.05	0.32	35.4	13.1	21	1.13
ZZ101424		0.47	0.99	1.03	19.2	<0.2	<10	590	0.47	0.22	0.21	1.40	48.1	33.1	23	1.05
ZZ101425		0.47	0.51	0.83	12.9	<0.2	<10	580	0.34	0.17	0.99	1.19	28.4	12.9	23	0.69
ZZ101426		0.32	0.08	0.50	3.7	<0.2	<10	80	0.33	0.17	2.43	0.14	7.47	6.9	5	0.39
ZZ101427		0.33	0.18	0.48	9.7	<0.2	<10	90	0.41	0.38	0.31	0.21	16.90	13.5	7	0.50
ZZ101428		0.61	0.65	1.10	18.6	<0.2	<10	700	0.40	0.24	0.38	1.89	37.8	18.3	38	1.00
ZZ101429		0.60	0.27	1.10	21.8	<0.2	<10	260	0.45	0.39	0.11	0.54	31.6	26.8	169	1.14
ZZ101430		0.44	1.18	1.46	18.6	<0.2	<10	260	0.42	0.36	0.04	0.61	41.0	13.1	27	1.41
ZZ101431		0.39	0.80	1.40	15.2	<0.2	<10	590	0.54	0.19	0.26	2.16	96.6	24.1	40	1.32
ZZ101432		0.51	1.69	0.92	22.1	<0.2	<10	220	0.29	0.29	0.03	0.54	29.8	10.1	26	0.90
ZZ101433		0.49	2.33	1.17	23.5	<0.2	<10	270	0.38	0.27	0.03	0.54	24.4	7.6	35	1.10
ZZ101434		0.42	0.60	1.19	16.3	<0.2	<10	270	0.38	0.24	0.09	0.76	25.4	9.1	30	1.10
ZZ101435		0.34	0.60	1.23	47.4	<0.2	<10	750	0.71	0.27	0.17	2.32	16.65	30.7	155	1.48
ZZ101436		0.48	1.54	1.04	16.5	<0.2	<10	790	0.31	0.22	0.14	1.36	30.0	47.1	33	1.32
ZZ101437		0.52	1.58	1.50	16.9	<0.2	<10	1710	0.48	0.27	0.22	2.27	34.2	18.3	40	1.49
ZZ101438		0.45	2.95	1.47	25.7	<0.2	<10	350	0.33	0.33	0.06	0.61	33.6	14.4	26	1.50
ZZ101439		0.58	0.17	2.05	6.0	<0.2	<10	240	0.57	0.43	0.10	0.59	9.19	20.6	32	3.05
ZZ101440		0.61	0.36	1.82	13.2	<0.2	<10	220	0.69	0.36	0.10	1.22	23.3	25.7	62	2.41
ZZ101441		0.47	1.11	1.82	27.8	<0.2	<10	190	0.50	0.41	0.06	0.81	31.0	30.7	48	1.36
ZZ101442		0.41	0.30	1.39	85.9	<0.2	<10	250	0.64	0.32	2.09	1.14	13.70	63.0	446	1.34
ZZ101443		0.54	0.37	1.46	152.0	<0.2	<10	300	0.75	0.36	2.25	1.00	15.45	54.5	273	1.07
ZZ101444		0.43	0.08	2.42	18.2	<0.2	<10	120	0.82	0.84	0.11	0.05	14.20	31.2	60	1.47
ZZ101445		0.42	0.12	1.18	12.9	<0.2	<10	390	0.45	0.20	0.16	0.62	30.6	31.7	132	1.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ101406		62.5	3.31	3.46	0.06	<0.02	0.22	0.036	0.07	18.2	10.4	0.26	559	6.65	0.02	0.40
ZZ101407		43.4	2.71	3.40	<0.05	0.04	0.23	0.031	0.05	13.9	14.6	0.38	411	2.68	0.02	0.66
ZZ101408		30.7	2.53	1.37	<0.05	0.07	0.15	0.025	0.04	7.4	12.9	0.37	245	0.72	0.01	0.13
ZZ101409		45.9	3.51	3.08	0.05	0.03	0.25	0.039	0.05	15.3	14.0	0.38	751	2.54	0.02	0.70
ZZ101410		86.0	5.24	3.43	0.06	0.02	0.30	0.049	0.07	20.1	8.0	0.24	715	5.62	0.02	0.68
ZZ101411		60.0	3.75	4.83	0.05	0.04	0.30	0.042	0.06	14.5	18.8	0.32	748	2.85	0.02	1.19
ZZ101412		67.0	3.75	3.33	0.05	<0.02	0.14	0.038	0.05	17.3	8.9	0.21	329	3.73	0.01	0.55
ZZ101413		39.3	2.91	4.73	<0.05	<0.02	0.11	0.029	0.05	15.2	6.3	0.17	234	3.27	0.02	0.71
ZZ101414		46.3	2.40	4.08	<0.05	<0.02	0.07	0.024	0.06	16.1	4.8	0.08	389	4.65	0.01	1.40
ZZ101415		56.3	2.78	3.39	0.05	0.06	0.32	0.036	0.07	16.8	12.4	0.43	575	4.16	0.02	0.89
ZZ101416		94.6	3.69	3.00	0.05	0.08	0.33	0.041	0.09	15.0	8.4	0.29	851	7.17	0.02	0.55
ZZ101417		48.1	3.09	3.35	<0.05	<0.02	0.18	0.035	0.07	13.4	5.9	0.19	539	3.04	0.02	0.64
ZZ101418		88.5	4.48	4.36	0.06	0.02	0.36	0.044	0.11	18.2	13.8	0.39	767	7.61	0.02	0.60
ZZ101419		64.2	4.76	2.59	0.06	0.05	0.55	0.054	0.07	19.2	9.3	0.37	463	3.44	0.01	0.69
ZZ101420		78.8	5.02	2.36	0.06	0.04	0.58	0.056	0.07	18.7	8.2	0.21	659	4.36	0.01	0.50
ZZ101421		53.3	4.32	4.58	0.05	<0.02	0.32	0.045	0.08	22.5	12.2	0.43	761	4.69	0.02	1.84
ZZ101422		33.0	4.46	5.11	<0.05	<0.02	0.13	0.044	0.07	14.2	16.8	0.35	396	3.49	0.01	1.80
ZZ101423		40.2	3.75	4.10	<0.05	<0.02	0.10	0.039	0.06	18.6	7.2	0.16	426	3.29	0.02	0.24
ZZ101424		87.9	6.72	2.79	0.07	0.02	0.62	0.063	0.07	24.8	8.3	0.19	967	5.02	0.02	0.63
ZZ101425		42.9	2.59	2.63	0.06	0.04	0.29	0.028	0.06	15.1	11.2	0.63	554	2.41	0.02	0.62
ZZ101426		18.2	1.43	1.05	<0.05	0.05	0.11	0.017	0.03	3.6	5.2	0.09	316	0.40	0.01	0.15
ZZ101427		35.8	2.96	1.23	<0.05	0.06	0.18	0.031	0.04	7.3	10.8	0.10	329	0.88	0.01	0.07
ZZ101428		60.0	3.53	3.49	0.05	0.02	0.24	0.033	0.08	19.5	14.3	0.49	932	4.17	0.02	0.43
ZZ101429		72.8	3.83	2.90	<0.05	0.09	0.11	0.028	0.07	15.8	22.2	1.88	875	3.04	0.01	0.14
ZZ101430		54.4	4.13	4.76	0.05	0.03	0.25	0.037	0.09	21.9	16.8	0.31	790	5.54	0.02	0.42
ZZ101431		90.0	5.01	5.73	0.10	0.04	0.21	0.060	0.09	49.3	16.1	0.43	918	4.60	0.02	0.62
ZZ101432		58.2	4.14	3.77	0.05	<0.02	0.19	0.043	0.08	16.8	6.3	0.16	654	5.96	0.01	0.33
ZZ101433		55.5	4.66	4.01	<0.05	<0.02	0.37	0.042	0.11	14.2	10.1	0.24	341	9.11	0.01	0.56
ZZ101434		49.7	3.05	4.27	<0.05	<0.02	0.21	0.030	0.07	13.7	8.1	0.23	594	3.76	0.02	0.32
ZZ101435		62.7	5.13	3.12	<0.05	0.07	0.30	0.031	0.05	8.4	23.7	0.97	849	18.60	0.02	0.23
ZZ101436		111.5	7.98	2.50	0.06	0.03	0.44	0.052	0.07	14.4	7.1	0.14	1420	3.14	0.02	0.22
ZZ101437		139.5	4.63	4.44	0.07	0.03	0.47	0.042	0.12	18.7	12.3	0.38	957	8.64	0.01	0.31
ZZ101438		60.2	4.39	3.59	0.06	0.04	0.71	0.034	0.11	18.6	15.6	0.29	934	10.80	0.03	0.38
ZZ101439		47.4	4.64	5.59	<0.05	0.04	0.05	0.017	0.04	4.2	59.2	0.71	1170	1.65	0.02	0.07
ZZ101440		67.0	4.45	4.84	<0.05	0.04	0.30	0.026	0.05	11.0	46.4	0.71	1040	2.87	0.02	0.27
ZZ101441		140.0	4.90	4.79	0.05	0.05	0.19	0.032	0.06	15.3	37.7	0.55	1300	3.41	0.01	0.09
ZZ101442		85.8	6.66	3.08	0.05	0.06	0.25	0.020	0.05	7.2	23.1	2.88	1250	1.38	0.02	0.20
ZZ101443		73.7	5.60	3.37	<0.05	0.08	0.23	0.028	0.04	7.8	20.2	2.87	1160	1.66	0.02	0.26
ZZ101444		74.2	5.75	5.78	0.07	0.07	0.03	0.026	0.03	6.6	78.2	1.16	1280	0.65	0.01	<0.05
ZZ101445		38.5	3.83	4.13	<0.05	0.02	0.04	0.030	0.07	15.4	15.8	1.45	701	2.35	0.02	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ101406		55.7	1070	26.2	8.4	<0.001	0.05	2.62	2.2	2.5	0.3	46.2	<0.01	0.08	0.7	0.017
ZZ101407		44.5	1040	22.5	7.3	0.001	0.04	1.53	3.0	1.6	0.3	42.2	<0.01	0.05	1.4	0.018
ZZ101408		27.8	680	20.9	3.1	0.001	0.04	0.71	3.2	0.8	<0.2	82.1	<0.01	0.04	5.1	<0.005
ZZ101409		54.7	860	30.6	6.3	<0.001	0.03	1.40	4.6	1.5	0.3	36.2	<0.01	0.06	2.5	0.017
ZZ101410		89.7	1160	19.9	9.1	0.001	0.05	2.62	4.8	3.1	0.4	28.2	<0.01	0.10	2.1	0.018
ZZ101411		41.8	760	25.7	12.3	<0.001	0.03	1.86	2.9	2.8	0.5	12.2	<0.01	0.10	2.6	0.028
ZZ101412		48.3	640	23.1	9.1	<0.001	0.04	2.69	2.3	2.6	0.3	17.7	<0.01	0.13	1.6	0.021
ZZ101413		31.3	610	19.6	10.1	<0.001	0.04	1.56	0.9	1.4	0.7	11.1	<0.01	0.10	0.2	0.022
ZZ101414		31.2	600	23.0	8.5	<0.001	0.04	2.74	1.2	2.5	0.5	25.8	<0.01	0.17	0.4	0.029
ZZ101415		57.9	1230	21.7	8.8	0.001	0.03	2.45	3.9	2.3	0.4	77.0	<0.01	0.09	2.9	0.022
ZZ101416		85.2	1210	27.5	9.9	0.004	0.12	3.48	3.0	3.8	0.4	92.4	<0.01	0.12	1.4	0.010
ZZ101417		38.5	950	17.9	10.6	<0.001	0.07	1.68	1.8	1.6	0.4	43.3	<0.01	0.10	0.5	0.018
ZZ101418		78.7	1090	32.3	11.9	0.001	0.12	3.20	3.1	4.3	0.4	60.3	<0.01	0.13	2.1	0.018
ZZ101419		103.0	1500	17.2	7.1	0.001	0.08	2.10	8.0	2.5	0.2	95.0	<0.01	0.07	2.2	0.011
ZZ101420		116.5	1390	19.0	7.4	0.001	0.08	2.57	7.2	2.8	0.2	88.4	<0.01	0.07	1.6	0.010
ZZ101421		48.4	1090	33.9	9.4	<0.001	0.06	2.33	2.7	1.8	0.4	31.5	<0.01	0.07	0.9	0.042
ZZ101422		32.1	500	30.4	14.0	<0.001	0.03	1.61	2.6	1.3	0.5	13.3	<0.01	0.07	2.1	0.035
ZZ101423		41.6	920	15.4	11.6	<0.001	0.03	1.53	1.0	1.6	0.5	13.6	<0.01	0.08	0.3	0.013
ZZ101424		114.5	1600	24.5	8.5	<0.001	0.06	2.95	6.9	3.6	0.3	47.1	0.01	0.09	2.5	0.014
ZZ101425		49.6	1060	18.6	5.2	0.003	0.02	1.71	3.6	1.6	0.3	54.0	<0.01	0.06	4.0	0.033
ZZ101426		12.3	940	12.1	3.4	<0.001	0.17	0.32	0.7	0.8	0.2	91.4	<0.01	0.03	0.5	<0.005
ZZ101427		32.4	670	26.5	3.2	<0.001	0.02	0.56	3.0	1.0	<0.2	27.9	<0.01	0.04	5.2	<0.005
ZZ101428		87.7	1220	28.4	7.3	0.001	0.04	2.72	2.9	1.9	0.3	65.9	<0.01	0.07	1.6	0.022
ZZ101429		248	660	22.5	6.3	<0.001	0.03	3.88	3.5	1.3	<0.2	19.6	<0.01	0.15	5.3	<0.005
ZZ101430		34.9	1190	30.5	13.2	<0.001	0.09	2.63	1.6	4.2	0.4	26.0	<0.01	0.13	1.9	0.010
ZZ101431		78.9	1620	25.9	10.4	<0.001	0.04	2.98	5.3	3.1	0.3	47.4	<0.01	0.07	6.7	0.019
ZZ101432		33.2	1090	25.2	12.4	<0.001	0.09	3.59	0.9	4.2	0.4	59.5	<0.01	0.12	0.4	0.015
ZZ101433		29.5	1100	29.0	12.2	0.001	0.13	3.59	1.6	5.8	0.4	75.7	<0.01	0.17	0.8	0.019
ZZ101434		32.0	1230	25.0	12.6	<0.001	0.06	1.52	1.0	1.8	0.4	25.2	<0.01	0.08	0.3	0.016
ZZ101435		278	990	21.4	6.3	<0.001	0.08	3.25	3.8	2.5	0.2	28.4	<0.01	0.09	3.5	0.006
ZZ101436		122.5	1890	18.0	8.5	<0.001	0.10	2.79	6.0	3.4	0.2	24.6	<0.01	0.12	1.8	0.007
ZZ101437		78.1	1080	22.0	14.9	<0.001	0.13	3.31	3.2	5.5	0.3	84.1	<0.01	0.17	1.5	0.016
ZZ101438		40.1	1300	34.2	10.8	<0.001	0.23	3.75	1.6	6.2	0.3	53.6	<0.01	0.15	1.8	0.013
ZZ101439		46.4	570	30.1	4.3	<0.001	0.04	0.53	2.2	0.6	0.2	14.8	<0.01	0.04	6.5	<0.005
ZZ101440		113.5	750	27.2	6.5	<0.001	0.03	1.26	3.1	1.2	0.2	15.7	<0.01	0.07	4.7	0.009
ZZ101441		73.0	850	28.2	6.2	<0.001	0.06	2.25	2.9	3.1	<0.2	16.1	<0.01	0.15	4.5	<0.005
ZZ101442		1535	750	20.5	4.7	<0.001	0.06	3.43	5.6	1.2	0.2	69.7	<0.01	0.07	2.6	0.008
ZZ101443		941	660	23.9	4.0	<0.001	0.05	10.70	7.0	1.5	0.2	77.6	<0.01	0.07	3.9	0.006
ZZ101444		134.5	410	38.9	1.9	<0.001	0.04	1.50	3.8	0.3	<0.2	9.1	<0.01	0.06	11.2	<0.005
ZZ101445		315	780	19.7	9.8	<0.001	0.05	1.73	2.9	0.8	0.3	22.0	<0.01	0.06	1.9	0.017

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ101406		0.22	1.78	60	0.14	10.45	219	<0.5	0.006
ZZ101407		0.13	1.44	52	0.14	10.70	194	1.2	0.004
ZZ101408		0.04	0.99	11	<0.05	9.14	75	2.9	<0.001
ZZ101409		0.12	1.46	41	0.11	14.00	155	0.9	0.006
ZZ101410		0.21	1.33	41	0.15	8.22	256	0.6	0.010
ZZ101411		0.18	1.00	48	0.25	4.43	144	1.3	0.012
ZZ101412		0.13	0.89	44	0.14	4.51	159	<0.5	0.014
ZZ101413		0.15	0.61	76	0.17	2.70	105	<0.5	0.004
ZZ101414		0.18	0.57	88	0.12	2.19	110	<0.5	0.005
ZZ101415		0.19	1.46	67	0.15	10.75	198	2.0	0.009
ZZ101416		0.25	2.13	52	0.12	9.06	249	2.5	0.008
ZZ101417		0.14	0.77	41	0.14	4.93	130	<0.5	0.006
ZZ101418		0.30	1.86	75	0.15	8.34	262	0.8	0.012
ZZ101419		0.14	1.24	38	0.07	13.05	200	1.6	0.005
ZZ101420		0.18	1.37	32	0.07	13.50	229	1.2	0.008
ZZ101421		0.19	1.16	70	0.14	6.10	176	<0.5	0.005
ZZ101422		0.16	0.81	58	0.20	3.26	123	0.5	0.004
ZZ101423		0.15	0.75	46	0.12	3.76	132	<0.5	0.004
ZZ101424		0.28	1.23	35	0.10	10.80	257	0.5	0.007
ZZ101425		0.13	1.12	46	0.17	11.00	166	1.8	0.004
ZZ101426		0.04	2.02	6	<0.05	6.49	40	1.7	<0.001
ZZ101427		0.04	1.38	8	<0.05	10.45	73	2.5	0.001
ZZ101428		0.18	1.73	55	0.12	11.55	226	<0.5	0.006
ZZ101429		0.10	1.00	21	0.06	6.40	136	2.8	0.008
ZZ101430		0.29	1.08	49	0.11	5.41	131	0.8	0.007
ZZ101431		0.21	1.10	56	0.06	16.55	293	1.5	0.006
ZZ101432		0.22	1.08	55	0.12	3.92	152	<0.5	0.009
ZZ101433		0.34	1.75	80	0.14	4.41	152	<0.5	0.010
ZZ101434		0.24	1.47	69	0.14	6.07	128	<0.5	0.003
ZZ101435		0.36	2.99	61	0.12	10.05	290	2.1	0.004
ZZ101436		0.23	0.64	36	0.06	8.27	261	0.8	0.011
ZZ101437		0.38	2.40	77	0.07	10.70	300	1.0	0.012
ZZ101438		0.47	1.67	46	0.10	6.31	160	1.4	0.015
ZZ101439		0.07	0.97	23	<0.05	4.34	121	1.3	0.002
ZZ101440		0.14	1.44	33	0.07	7.27	237	1.1	0.004
ZZ101441		0.20	1.70	41	<0.05	7.90	171	1.8	0.010
ZZ101442		0.10	1.07	35	0.06	9.52	174	1.9	0.005
ZZ101443		0.10	1.17	36	0.05	11.80	132	2.2	0.004
ZZ101444		0.03	0.85	21	<0.05	4.74	109	2.6	0.001
ZZ101445		0.14	0.52	56	0.10	4.20	132	0.6	0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ101446		0.30	0.08	1.60	10.3	<0.2	<10	230	0.38	0.15	0.14	0.93	20.0	48.9	400	1.51
ZZ101447		0.41	0.78	0.93	19.1	<0.2	<10	190	0.46	0.39	0.12	0.47	23.4	9.1	21	1.06
ZZ101448		0.47	0.09	0.63	17.4	<0.2	<10	40	0.38	0.36	0.48	0.06	12.20	15.1	8	0.35
ZZ101449		0.42	0.06	1.29	13.9	<0.2	<10	40	0.57	0.50	0.85	0.06	18.70	21.3	17	0.99
ZZ101450		0.48	0.07	1.31	16.0	<0.2	<10	30	0.59	0.53	0.50	0.04	16.00	21.8	18	1.02
ZZ101451		0.46	0.48	1.34	46.6	<0.2	<10	70	0.60	0.51	0.26	0.81	41.8	25.6	24	1.07
ZZ101452		0.54	0.97	0.89	14.6	<0.2	<10	80	0.41	0.27	0.10	1.37	22.2	13.7	24	0.75
ZZ101453		0.60	0.62	0.73	27.0	<0.2	<10	220	0.50	0.39	0.08	0.78	10.80	8.1	20	1.12
ZZ101454		0.55	0.47	1.19	15.5	<0.2	<10	230	0.45	0.33	0.15	0.51	24.4	11.6	25	1.32
ZZ101455		0.48	0.25	0.93	11.7	<0.2	30	240	0.26	0.08	0.11	0.40	10.55	102.5	871	3.62
ZZ101456		0.37	1.20	0.90	19.6	<0.2	<10	2450	0.43	0.19	0.28	1.58	40.3	18.7	18	0.77
ZZ101457		0.50	1.46	0.67	29.8	<0.2	<10	1150	0.27	0.22	0.33	1.62	38.6	7.4	14	0.72
ZZ101458		0.46	1.67	0.70	62.8	<0.2	<10	640	0.27	0.23	0.15	0.65	42.4	10.3	15	0.61
ZZ101459		0.51	2.98	0.92	46.6	<0.2	<10	870	0.32	0.27	0.26	1.16	32.2	12.8	22	0.41
ZZ101460		0.45	1.26	0.71	16.8	<0.2	<10	750	0.32	0.29	0.70	0.86	26.3	11.0	16	0.52
ZZ101461		0.40	0.93	0.78	14.6	<0.2	<10	340	0.16	0.25	0.12	0.28	27.3	3.9	15	0.55
ZZ101462		0.44	0.84	0.99	8.5	<0.2	<10	940	0.38	0.19	1.25	1.19	18.30	11.1	17	0.45
ZZ101463		0.35	0.51	0.88	10.3	<0.2	<10	440	0.29	0.20	0.42	0.46	33.0	10.7	16	0.64
ZZ101464		0.44	0.47	0.79	9.4	<0.2	<10	250	0.15	0.17	0.18	0.17	19.95	1.6	15	0.67
ZZ101465		0.56	1.21	0.91	19.6	<0.2	<10	550	0.24	0.22	0.24	0.52	25.0	3.4	20	0.76
ZZ101466		0.34	0.52	1.21	6.7	<0.2	<10	400	0.19	0.21	0.50	0.20	28.6	4.4	17	0.56
ZZ101467		0.49	0.28	1.20	28.2	<0.2	<10	160	0.41	0.30	0.09	0.43	26.1	12.6	17	0.62
ZZ101468		0.45	1.21	0.93	12.4	<0.2	<10	510	0.41	0.25	0.23	0.76	26.0	13.2	17	0.56
ZZ101469		0.37	0.75	0.77	14.0	<0.2	<10	710	0.40	0.18	1.36	1.04	19.70	10.5	15	0.41
ZZ101470		0.59	2.18	0.47	130.5	<0.2	<10	380	0.50	0.43	0.20	4.09	41.8	4.3	11	0.28
ZZ101471		0.33	1.77	1.17	34.3	<0.2	<10	1260	0.47	0.35	0.28	0.93	23.0	10.6	25	0.56
ZZ101472		0.43	1.82	0.80	63.3	<0.2	<10	170	0.29	0.34	0.02	0.49	34.2	8.9	22	0.55
ZZ101473		0.43	1.10	1.08	67.6	<0.2	<10	930	0.41	0.28	0.56	0.99	32.6	17.1	24	0.78
ZZ101474		0.58	3.60	0.66	231	<0.2	<10	1060	0.36	0.26	0.44	2.56	41.9	17.6	17	1.25
ZZ101475		0.43	0.82	0.82	58.3	<0.2	<10	1200	0.31	0.20	0.25	1.78	37.7	28.4	25	1.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ101446		39.3	4.11	3.88	<0.05	0.03	0.03	0.025	0.05	9.3	16.0	4.39	775	1.21	0.02	0.64
ZZ101447		103.5	3.75	2.39	0.05	0.02	0.29	0.030	0.06	11.9	17.8	0.28	494	10.05	0.02	<0.05
ZZ101448		36.6	3.50	1.63	<0.05	0.04	0.12	0.023	0.04	4.8	19.8	0.20	391	0.55	0.01	<0.05
ZZ101449		45.7	3.82	3.40	<0.05	0.12	0.06	0.021	0.04	8.3	43.7	0.51	508	0.59	0.02	<0.05
ZZ101450		50.3	4.53	3.39	<0.05	0.14	0.10	0.022	0.04	7.1	48.3	0.48	602	0.53	0.02	<0.05
ZZ101451		152.5	4.24	3.93	0.06	0.05	0.13	0.034	0.08	20.5	27.2	0.47	2260	11.65	0.02	0.06
ZZ101452		141.0	3.96	2.17	0.05	0.08	0.28	0.032	0.08	10.4	19.4	0.34	1080	5.97	0.01	<0.05
ZZ101453		78.2	3.89	2.74	0.05	0.12	0.36	0.044	0.06	4.7	19.1	0.17	259	14.40	0.02	<0.05
ZZ101454		63.4	3.72	3.31	<0.05	0.03	0.33	0.026	0.06	12.2	31.1	0.39	596	8.42	0.02	0.12
ZZ101455		22.7	3.87	1.80	<0.05	0.06	0.07	0.016	0.02	5.7	17.3	12.80	848	1.52	0.02	0.16
ZZ101456		93.0	4.31	1.99	0.05	0.05	0.27	0.050	0.06	21.3	8.3	0.18	483	8.06	0.01	0.28
ZZ101457		69.8	2.82	1.63	0.05	0.03	0.22	0.039	0.06	20.5	5.5	0.12	178	5.59	0.02	0.30
ZZ101458		49.3	2.56	2.17	0.05	0.02	0.16	0.031	0.06	23.0	4.7	0.11	381	7.83	0.02	0.25
ZZ101459		103.0	3.46	2.19	0.05	0.02	0.15	0.038	0.07	17.4	4.6	0.21	379	4.59	0.02	0.23
ZZ101460		76.4	2.78	2.15	<0.05	0.06	0.24	0.039	0.07	13.9	7.1	0.22	401	4.45	0.02	0.33
ZZ101461		24.6	1.75	2.98	<0.05	<0.02	0.20	0.020	0.06	15.2	5.3	0.13	284	3.55	0.01	0.34
ZZ101462		76.2	2.21	2.51	<0.05	0.11	0.24	0.023	0.05	9.8	9.1	0.44	982	1.84	0.02	0.30
ZZ101463		36.6	2.50	2.58	0.05	0.03	0.23	0.024	0.07	17.7	8.7	0.27	311	2.79	0.02	0.39
ZZ101464		15.1	1.72	3.21	<0.05	<0.02	0.15	0.015	0.05	10.8	5.7	0.16	31	1.16	0.02	0.47
ZZ101465		23.7	1.62	3.11	<0.05	0.03	0.15	0.033	0.05	13.9	8.3	0.21	78	3.09	0.02	0.67
ZZ101466		25.5	2.23	4.38	<0.05	0.04	0.15	0.018	0.05	15.4	19.3	0.43	81	1.34	0.02	0.37
ZZ101467		55.4	4.18	3.88	<0.05	0.02	0.04	0.125	0.06	13.6	13.6	0.17	290	3.59	0.01	0.53
ZZ101468		38.6	2.49	2.54	<0.05	0.04	0.36	0.032	0.08	13.9	7.7	0.28	1440	3.43	0.02	0.28
ZZ101469		41.7	2.23	2.17	<0.05	0.07	0.22	0.025	0.06	10.4	7.9	0.39	512	2.94	0.02	0.34
ZZ101470		130.5	2.18	1.25	0.07	0.02	0.52	0.078	0.06	27.0	2.5	0.06	472	36.4	<0.01	0.13
ZZ101471		57.7	3.37	3.46	<0.05	0.05	0.28	0.068	0.12	12.5	10.7	0.30	471	5.96	0.01	0.49
ZZ101472		82.0	4.13	3.18	<0.05	0.02	0.05	0.039	0.06	18.4	3.1	0.09	261	6.79	0.01	0.36
ZZ101473		82.6	4.05	2.76	<0.05	0.04	0.14	0.046	0.08	17.1	8.9	0.37	455	4.41	0.01	0.48
ZZ101474		172.5	6.87	1.34	0.08	0.08	0.34	0.073	0.12	23.3	4.1	0.07	884	25.1	0.03	0.12
ZZ101475		69.6	4.60	2.38	0.05	0.04	0.20	0.050	0.07	19.5	6.5	0.18	932	5.14	0.01	0.40

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ101446		616	840	14.5	6.2	<0.001	0.05	1.10	4.8	0.6	0.3	16.3	<0.01	0.04	1.9	0.013
ZZ101447		41.1	1110	24.0	6.0	<0.001	0.05	2.20	1.9	2.7	<0.2	43.9	<0.01	0.20	2.1	<0.005
ZZ101448		32.0	770	23.2	2.2	<0.001	0.03	0.95	3.2	0.5	<0.2	25.7	<0.01	0.04	7.7	<0.005
ZZ101449		36.4	760	31.1	2.1	<0.001	0.04	0.46	3.2	0.5	<0.2	35.4	<0.01	0.04	10.9	<0.005
ZZ101450		41.5	680	34.3	2.0	<0.001	0.06	0.76	3.0	0.5	<0.2	25.0	<0.01	0.05	9.8	<0.005
ZZ101451		59.3	1860	40.8	5.8	0.002	0.09	2.58	2.3	3.0	0.2	89.9	<0.01	0.33	4.3	<0.005
ZZ101452		64.9	510	19.4	3.9	0.002	0.06	3.03	2.9	4.6	<0.2	27.1	<0.01	0.15	4.5	<0.005
ZZ101453		39.4	880	27.9	4.4	0.006	0.17	2.83	4.1	5.3	0.2	48.3	<0.01	0.15	8.2	<0.005
ZZ101454		46.1	700	20.7	5.6	0.001	0.07	1.68	2.6	2.2	0.2	28.3	<0.01	0.10	4.5	0.005
ZZ101455		1550	520	12.0	2.5	<0.001	0.03	0.78	5.8	0.6	<0.2	13.4	<0.01	0.04	1.4	0.021
ZZ101456		96.8	1090	16.9	6.8	0.001	0.08	3.03	5.4	2.7	0.2	71.2	<0.01	0.09	2.2	0.007
ZZ101457		50.9	910	37.8	6.5	<0.001	0.05	1.93	3.8	2.6	0.2	64.8	<0.01	0.08	3.0	0.008
ZZ101458		31.3	880	28.9	7.8	<0.001	0.05	3.90	2.5	1.9	0.2	46.4	<0.01	0.09	2.2	0.005
ZZ101459		70.0	870	32.4	6.3	<0.001	0.05	4.06	3.8	3.2	0.2	55.8	<0.01	0.19	2.0	0.007
ZZ101460		34.5	990	43.4	8.5	0.001	0.08	3.18	3.9	2.8	0.3	106.0	<0.01	0.13	3.5	0.007
ZZ101461		10.2	770	50.6	8.8	<0.001	0.03	1.83	1.3	1.9	0.3	26.0	<0.01	0.07	1.3	0.008
ZZ101462		30.7	1070	24.3	6.5	<0.001	0.09	1.35	2.9	2.6	0.2	114.0	<0.01	0.09	1.5	0.007
ZZ101463		22.8	1410	22.0	8.2	<0.001	0.04	1.82	2.3	1.5	0.2	32.1	<0.01	0.06	2.4	0.010
ZZ101464		7.0	930	17.1	7.7	<0.001	0.07	0.55	1.3	1.2	0.3	16.5	<0.01	0.04	1.5	0.012
ZZ101465		15.2	790	62.8	7.5	<0.001	0.06	4.32	1.7	2.8	0.4	41.0	<0.01	0.05	1.8	0.014
ZZ101466		13.5	890	28.6	9.3	<0.001	0.07	0.74	1.7	1.0	0.3	47.7	<0.01	0.05	2.8	0.006
ZZ101467		28.3	860	65.2	8.5	<0.001	0.04	3.88	2.0	1.0	0.5	18.2	<0.01	0.10	2.2	0.008
ZZ101468		20.1	930	379	9.1	<0.001	0.04	1.69	2.6	2.1	0.3	41.9	<0.01	0.08	2.3	0.007
ZZ101469		27.3	950	97.2	6.6	<0.001	0.08	2.13	2.4	1.7	0.2	95.5	<0.01	0.07	1.4	0.007
ZZ101470		69.9	1050	204	4.6	0.005	0.04	19.00	2.5	7.1	0.3	71.1	<0.01	0.20	2.1	<0.005
ZZ101471		41.2	1290	86.6	9.3	0.001	0.08	8.18	3.7	2.1	0.4	51.6	<0.01	0.10	2.5	0.009
ZZ101472		48.9	690	99.1	8.1	0.001	0.04	4.87	2.2	3.0	0.3	16.6	<0.01	0.24	1.5	0.007
ZZ101473		70.1	1070	39.7	7.8	0.001	0.06	4.30	5.4	2.5	0.3	96.6	<0.01	0.10	2.5	0.010
ZZ101474		159.0	2300	47.6	7.1	0.002	0.24	10.35	6.9	5.4	0.2	159.0	<0.01	0.13	3.7	<0.005
ZZ101475		83.5	1240	19.9	6.9	<0.001	0.06	2.92	7.4	2.2	0.3	49.6	0.01	0.07	2.6	0.013

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 9-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127641

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ101446		0.07	0.37	51	0.06	4.62	92	0.7	0.001
ZZ101447		0.23	2.12	30	<0.05	9.55	154	0.7	0.011
ZZ101448		0.04	0.68	7	<0.05	7.16	82	2.3	0.001
ZZ101449		0.03	1.66	11	<0.05	7.39	93	8.0	0.001
ZZ101450		0.05	1.25	13	<0.05	5.87	101	7.6	0.001
ZZ101451		0.22	3.96	38	<0.05	11.45	178	1.9	0.013
ZZ101452		0.22	1.17	24	<0.05	8.36	227	5.6	0.014
ZZ101453		0.49	2.84	37	0.07	7.02	138	8.4	0.006
ZZ101454		0.31	1.36	27	0.08	6.08	131	0.9	0.006
ZZ101455		0.08	0.77	41	0.10	6.95	77	1.8	0.010
ZZ101456		0.21	2.07	30	<0.05	9.66	286	1.7	0.011
ZZ101457		0.20	1.99	25	0.05	7.37	127	1.2	0.012
ZZ101458		0.20	1.71	33	0.05	5.65	87	0.6	0.013
ZZ101459		0.15	1.94	37	0.06	7.92	210	1.0	0.018
ZZ101460		0.15	1.88	39	0.13	7.26	115	2.6	0.012
ZZ101461		0.15	1.15	45	0.15	3.25	50	<0.5	0.011
ZZ101462		0.11	1.91	41	0.06	10.20	137	2.3	0.018
ZZ101463		0.14	1.48	36	0.11	8.58	81	1.0	0.015
ZZ101464		0.13	0.86	34	0.16	2.76	26	0.5	0.009
ZZ101465		0.18	1.54	49	0.16	5.43	91	1.1	0.008
ZZ101466		0.13	0.96	39	0.06	3.93	61	1.3	0.005
ZZ101467		0.12	0.69	56	0.10	3.81	166	0.7	0.003
ZZ101468		0.14	1.78	45	0.08	6.16	197	1.2	0.012
ZZ101469		0.11	1.80	42	0.08	8.32	117	2.7	0.016
ZZ101470		0.25	8.97	100	0.41	17.95	452	1.4	0.009
ZZ101471		0.20	1.64	69	0.17	6.87	217	2.3	0.008
ZZ101472		0.19	1.01	57	0.07	3.19	237	0.6	0.012
ZZ101473		0.17	1.77	46	0.10	9.33	219	2.0	0.012
ZZ101474		0.44	3.93	49	<0.05	15.00	640	5.6	0.041
ZZ101475		0.24	1.25	35	0.13	9.04	242	1.7	0.010

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Finalized Date: 9-SEP-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15127641

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

CERTIFICATE WH15127642

Project: ROD

This report is for 186 Soil samples submitted to our lab in Whitehorse, YT, Canada on 24-AUG-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106501		0.36	1.69	1.20	28.6	<0.2	<10	740	0.71	0.24	0.19	0.87	27.3	11.5	31	0.82
ZZ106502		0.29	4.36	0.84	16.8	<0.2	<10	860	0.36	0.26	0.06	0.77	17.50	6.3	25	0.59
ZZ106503		0.51	2.82	1.21	17.8	<0.2	<10	1420	0.71	0.26	0.20	0.96	22.7	14.2	32	0.80
ZZ106504		0.31	4.43	0.98	21.8	<0.2	<10	1670	0.57	0.25	0.44	1.57	21.6	15.3	24	0.60
ZZ106505		0.41	3.20	0.85	30.9	<0.2	<10	1810	0.54	0.25	0.62	1.11	25.6	18.7	24	0.56
ZZ106506		0.36	2.19	0.77	27.2	<0.2	<10	260	0.44	0.26	0.09	0.59	31.7	11.1	22	0.62
ZZ106507		0.33	0.17	0.83	29.4	<0.2	<10	130	0.19	0.32	0.04	0.26	20.0	5.4	20	1.05
ZZ106508		0.40	2.91	1.33	40.3	<0.2	<10	1660	0.60	0.24	0.63	1.20	31.4	21.2	23	0.31
ZZ106509		0.32	1.72	0.80	20.8	<0.2	<10	1490	0.66	0.21	0.40	0.94	22.7	13.5	23	0.42
ZZ106510		0.31	1.81	0.62	23.2	<0.2	<10	740	0.44	0.23	0.25	0.60	26.4	15.0	18	0.46
ZZ106511		0.38	0.98	0.97	22.4	<0.2	<10	970	0.62	0.21	0.62	0.91	22.3	10.4	26	0.59
ZZ106512		0.36	1.28	1.06	17.3	<0.2	<10	1170	0.58	0.18	0.64	2.27	24.2	11.4	29	0.57
ZZ106513		0.41	1.43	1.05	27.8	<0.2	<10	840	0.56	0.35	0.31	2.88	26.7	11.9	26	0.70
ZZ106514		0.34	0.41	1.57	32.6	<0.2	<10	340	0.65	0.26	0.22	1.15	29.5	13.0	34	0.75
ZZ106515		0.39	0.67	1.02	15.8	<0.2	<10	920	0.58	0.23	0.44	0.82	25.2	15.4	21	0.58
ZZ106516		0.40	0.71	1.17	18.8	<0.2	<10	890	0.58	0.27	0.32	0.64	22.5	11.4	24	0.66
ZZ106517		0.42	2.21	0.96	21.5	<0.2	<10	980	0.54	0.22	0.94	2.22	31.7	11.0	23	0.67
ZZ106518		0.49	6.14	0.56	19.5	<0.2	<10	110	0.20	0.18	0.02	0.23	16.95	3.1	21	0.57
ZZ106519		0.41	3.96	0.93	25.8	<0.2	<10	90	0.29	0.26	0.03	0.19	21.1	4.7	20	0.87
ZZ106520		0.38	4.37	0.78	32.3	<0.2	<10	390	0.32	0.22	0.04	0.63	20.1	4.6	23	0.57
ZZ106521		0.38	1.55	0.74	24.3	<0.2	<10	800	0.55	0.18	0.20	1.07	23.5	9.3	18	0.41
ZZ106522		0.46	1.19	0.84	17.6	<0.2	<10	880	0.35	0.20	0.15	0.67	23.9	11.9	20	0.49
ZZ106523		0.32	4.84	1.00	29.8	<0.2	<10	850	0.48	0.24	0.13	1.11	23.4	13.5	27	0.55
ZZ106524		0.38	2.24	0.92	24.0	<0.2	<10	1180	0.49	0.25	0.19	0.93	22.9	12.1	26	0.53
ZZ106525		0.40	5.32	0.60	34.8	<0.2	<10	330	0.27	0.25	0.03	0.56	22.1	4.5	17	0.48
ZZ106526		0.36	0.80	1.08	24.8	<0.2	<10	200	0.23	0.27	0.03	0.39	20.2	6.0	27	0.68
ZZ106527		0.40	4.19	0.09	26.5	<0.2	<10	540	0.15	0.12	0.03	4.01	23.0	1.7	5	0.17
ZZ106528		0.32	6.36	0.80	54.2	<0.2	<10	800	0.62	0.30	0.02	1.23	24.1	4.2	28	0.53
ZZ106529		0.52	3.45	0.62	36.2	<0.2	<10	620	0.45	0.22	0.09	0.67	22.9	7.8	21	0.36
ZZ106530		0.35	5.43	1.04	29.9	<0.2	<10	1740	0.88	0.27	0.37	4.02	21.8	8.2	25	0.60
ZZ106531		0.40	1.42	0.94	22.4	<0.2	<10	960	0.39	0.23	0.18	0.99	20.6	8.4	26	0.82
ZZ106532		0.34	1.30	1.23	31.9	<0.2	<10	430	0.47	0.26	0.10	0.93	25.5	10.6	36	1.09
ZZ106533		0.33	1.09	1.11	29.2	<0.2	<10	680	0.57	0.25	0.35	1.04	27.1	9.7	31	1.22
ZZ106534		0.40	0.99	1.11	21.2	<0.2	<10	910	0.67	0.20	0.43	1.83	25.7	10.5	33	1.07
ZZ106535		0.46	1.48	0.66	27.0	<0.2	<10	1190	0.61	0.22	0.37	2.20	39.9	12.5	23	0.55
ZZ106536		0.43	2.58	0.69	32.5	<0.2	<10	1740	0.67	0.21	0.57	1.07	31.4	11.2	21	0.28
ZZ106537		0.44	2.04	0.83	49.4	<0.2	<10	1620	0.68	0.23	0.59	1.96	34.3	20.0	28	0.72
ZZ106538		0.42	0.63	1.56	29.7	<0.2	<10	1060	0.67	0.33	0.12	0.88	30.4	14.2	36	1.03
ZZ106539		0.37	0.47	0.89	22.7	<0.2	<10	1220	0.39	0.33	0.26	0.45	24.2	10.8	24	1.02
ZZ106540		0.36	2.21	0.50	28.2	<0.2	<10	1620	0.46	0.19	0.64	1.27	30.5	10.7	15	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106501		46.3	3.60	3.73	0.05	0.02	0.17	0.033	0.05	13.6	16.0	0.39	523	3.70	0.01	0.58
ZZ106502		39.3	2.59	3.05	0.05	0.02	0.36	0.023	0.05	10.1	8.4	0.18	208	2.37	0.01	0.45
ZZ106503		55.6	3.15	3.76	0.05	0.07	0.38	0.035	0.06	12.3	14.2	0.34	1110	2.93	0.02	0.43
ZZ106504		68.6	2.97	3.04	0.05	0.04	0.37	0.040	0.06	11.2	9.4	0.21	1900	3.63	<0.01	0.39
ZZ106505		85.5	4.12	2.28	0.07	0.05	0.36	0.056	0.07	14.3	8.3	0.22	794	3.77	<0.01	0.38
ZZ106506		63.7	3.56	2.65	0.06	0.02	0.10	0.043	0.04	16.9	7.0	0.20	322	3.86	0.01	0.80
ZZ106507		17.9	3.06	5.80	<0.05	<0.02	0.02	0.022	0.05	10.6	4.6	0.14	307	3.56	0.01	1.33
ZZ106508		117.5	5.43	2.69	0.08	0.05	0.34	0.058	0.07	16.5	6.6	0.34	568	6.30	<0.01	0.25
ZZ106509		71.6	3.20	2.38	0.05	0.05	0.31	0.037	0.05	12.0	7.4	0.20	597	2.89	<0.01	0.34
ZZ106510		49.8	3.91	2.07	0.06	0.04	0.30	0.039	0.05	14.4	5.7	0.15	1060	5.12	0.01	0.30
ZZ106511		47.5	3.03	3.05	0.05	0.05	0.25	0.032	0.06	12.5	12.5	0.34	466	4.12	0.01	0.47
ZZ106512		49.2	2.62	3.19	0.05	0.06	0.23	0.029	0.06	13.6	12.8	0.42	405	3.00	0.02	0.49
ZZ106513		53.5	3.00	3.18	0.06	0.03	0.29	0.038	0.06	14.3	10.7	0.35	822	7.09	0.01	0.44
ZZ106514		46.6	3.92	3.55	0.06	0.08	0.09	0.040	0.05	14.3	13.1	0.31	523	4.83	0.01	0.88
ZZ106515		42.8	3.07	2.96	0.05	0.04	0.13	0.031	0.06	13.3	9.7	0.33	584	3.75	0.01	0.48
ZZ106516		36.4	3.08	3.53	0.05	0.03	0.17	0.032	0.06	12.1	10.7	0.39	661	2.59	0.01	0.43
ZZ106517		62.4	2.74	3.02	0.07	0.04	0.21	0.032	0.06	17.5	9.8	0.54	293	3.43	0.01	0.49
ZZ106518		47.6	2.32	2.29	0.05	<0.02	0.22	0.019	0.04	11.5	4.0	0.08	155	2.33	0.01	0.31
ZZ106519		44.8	2.97	3.95	0.05	<0.02	0.08	0.021	0.04	12.5	8.1	0.15	171	1.79	0.01	0.82
ZZ106520		65.6	3.06	3.16	0.05	<0.02	0.17	0.028	0.05	12.9	4.1	0.09	155	3.25	0.01	0.37
ZZ106521		63.9	2.74	2.04	0.05	0.04	0.15	0.027	0.05	12.9	7.1	0.19	229	2.36	0.01	0.32
ZZ106522		42.6	2.49	2.68	0.06	0.04	0.19	0.028	0.05	13.3	8.6	0.21	721	6.38	0.01	0.29
ZZ106523		67.3	3.24	3.18	0.06	0.04	0.50	0.038	0.07	13.6	9.4	0.21	1110	3.42	0.01	0.40
ZZ106524		56.5	3.09	3.02	0.05	0.04	0.30	0.036	0.07	12.8	7.6	0.20	373	3.01	0.01	0.47
ZZ106525		52.1	2.48	3.38	0.06	<0.02	0.20	0.025	0.05	13.3	2.5	0.05	139	4.51	0.01	0.51
ZZ106526		24.7	3.02	4.66	<0.05	<0.02	0.04	0.034	0.05	11.3	7.0	0.18	316	3.60	0.01	0.67
ZZ106527		49.5	0.89	0.74	0.06	0.12	0.27	0.011	0.05	17.6	0.6	0.01	147	5.86	0.01	0.05
ZZ106528		102.5	2.95	3.03	0.08	<0.02	0.54	0.036	0.08	15.3	3.1	0.06	143	5.85	0.01	0.23
ZZ106529		60.1	3.09	2.21	0.06	0.04	0.22	0.030	0.06	14.0	5.8	0.14	369	3.57	0.01	0.33
ZZ106530		114.5	3.85	2.69	0.07	0.12	0.74	0.042	0.06	14.1	8.3	0.22	425	4.52	0.01	0.26
ZZ106531		43.3	2.78	3.60	0.05	<0.02	0.17	0.027	0.06	11.3	8.9	0.23	401	2.95	0.01	0.36
ZZ106532		55.9	3.86	4.56	0.05	<0.02	0.29	0.036	0.08	14.3	10.3	0.28	484	4.00	0.02	0.58
ZZ106533		41.2	2.84	4.49	0.06	<0.02	0.16	0.032	0.07	15.6	12.7	0.37	364	4.38	0.02	0.67
ZZ106534		47.7	2.78	3.89	0.06	0.02	0.18	0.030	0.07	15.0	14.7	0.43	428	3.89	0.02	0.67
ZZ106535		92.9	3.37	2.30	0.08	0.03	0.31	0.045	0.08	24.8	8.2	0.24	437	9.35	0.02	0.42
ZZ106536		78.7	3.18	1.90	0.06	0.09	0.33	0.045	0.08	18.9	6.1	0.16	412	6.94	<0.01	0.20
ZZ106537		75.3	4.42	2.59	0.06	0.05	0.22	0.049	0.08	20.1	8.0	0.22	646	6.75	0.01	0.41
ZZ106538		36.0	3.87	4.63	0.05	0.04	0.07	0.046	0.06	14.8	16.8	0.33	428	4.11	0.02	1.02
ZZ106539		33.2	2.53	4.26	<0.05	<0.02	0.07	0.034	0.06	13.4	8.8	0.19	398	3.21	0.02	0.55
ZZ106540		82.7	2.83	1.56	0.06	0.13	0.29	0.044	0.09	17.4	4.2	0.18	218	6.11	0.01	0.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106501		51.8	1210	47.9	8.6	<0.001	0.03	2.61	2.4	2.1	0.4	29.8	<0.01	0.11	1.0	0.014
ZZ106502		27.7	760	50.2	7.8	<0.001	0.04	2.84	1.6	2.4	0.3	16.7	<0.01	0.13	0.7	0.009
ZZ106503		37.4	1180	42.9	11.0	0.001	0.05	2.17	4.0	3.0	0.6	39.1	<0.01	0.11	1.5	0.009
ZZ106504		43.9	1210	52.4	9.0	0.001	0.07	2.76	3.4	4.1	0.4	51.9	<0.01	0.11	0.8	0.009
ZZ106505		71.6	1100	43.1	6.2	<0.001	0.06	3.43	7.8	2.7	0.3	70.5	<0.01	0.11	1.8	0.008
ZZ106506		43.4	1110	39.8	6.0	<0.001	0.06	3.33	2.2	1.8	0.3	35.4	<0.01	0.10	0.9	0.015
ZZ106507		16.9	690	33.3	12.8	<0.001	0.03	1.88	1.3	0.8	0.5	9.9	<0.01	0.08	0.5	0.030
ZZ106508		109.5	1250	24.1	6.1	0.001	0.12	4.04	7.9	3.8	0.3	89.1	<0.01	0.11	2.0	0.005
ZZ106509		40.8	980	43.0	6.3	0.001	0.05	2.95	3.7	2.7	0.3	42.2	<0.01	0.16	1.3	0.006
ZZ106510		26.8	850	40.4	6.1	<0.001	0.04	5.67	2.8	2.7	0.2	52.0	<0.01	0.14	1.9	0.006
ZZ106511		41.5	1190	34.5	7.0	<0.001	0.04	2.91	3.7	1.9	0.4	47.7	<0.01	0.08	2.2	0.010
ZZ106512		52.2	1260	29.0	6.7	0.002	0.04	2.32	4.1	2.0	0.3	44.5	<0.01	0.07	2.6	0.011
ZZ106513		52.1	1330	45.7	6.8	0.001	0.02	4.82	3.6	2.4	0.4	55.8	<0.01	0.08	2.6	0.013
ZZ106514		58.1	1490	40.5	7.5	0.001	0.04	3.57	3.5	2.4	0.4	37.3	0.01	0.08	2.9	0.017
ZZ106515		40.0	1190	26.5	6.9	0.001	0.03	3.00	3.7	1.6	0.3	35.9	<0.01	0.06	2.2	0.009
ZZ106516		33.3	1230	47.0	9.3	0.001	0.03	2.15	3.4	1.5	0.4	33.0	<0.01	0.07	2.5	0.008
ZZ106517		58.1	1070	33.9	6.6	0.002	0.03	3.23	4.2	3.2	0.3	59.3	<0.01	0.10	3.2	0.013
ZZ106518		18.6	440	38.8	6.8	<0.001	0.04	5.21	1.3	2.6	0.3	33.7	<0.01	0.18	0.9	0.009
ZZ106519		20.1	430	37.8	9.1	<0.001	0.02	3.58	1.6	2.1	0.4	13.2	<0.01	0.13	1.1	0.021
ZZ106520		30.6	590	28.6	8.2	<0.001	0.04	4.76	1.4	3.1	0.4	50.6	<0.01	0.18	0.4	0.012
ZZ106521		35.5	730	34.5	5.9	<0.001	0.03	2.35	3.3	3.0	0.2	31.8	<0.01	0.11	2.6	0.006
ZZ106522		31.8	810	21.0	7.7	0.001	0.04	2.23	2.7	2.2	0.3	50.1	<0.01	0.08	1.5	0.007
ZZ106523		34.3	1180	51.9	8.2	<0.001	0.05	3.19	3.4	4.0	0.3	63.5	<0.01	0.15	1.4	0.009
ZZ106524		38.0	1050	36.3	7.6	<0.001	0.04	2.71	3.4	3.2	0.3	48.1	<0.01	0.14	1.7	0.007
ZZ106525		24.7	590	29.7	7.0	<0.001	0.06	3.21	1.2	2.6	0.4	73.0	<0.01	0.14	0.3	0.010
ZZ106526		24.2	590	42.3	7.7	<0.001	0.03	2.34	1.1	1.6	0.5	28.4	<0.01	0.08	0.3	0.015
ZZ106527		16.2	260	24.7	3.1	<0.001	0.07	6.65	1.0	3.2	<0.2	65.4	<0.01	0.10	3.1	<0.005
ZZ106528		36.2	940	105.5	8.8	<0.001	0.08	6.11	2.1	6.0	0.4	134.0	<0.01	0.28	0.5	0.006
ZZ106529		31.7	660	41.4	5.6	<0.001	0.03	4.32	2.4	3.5	0.2	38.4	<0.01	0.21	1.6	0.007
ZZ106530		57.2	1770	76.8	10.6	0.003	0.09	3.18	4.4	4.2	0.3	72.9	<0.01	0.14	1.0	0.006
ZZ106531		36.6	1000	44.6	8.3	<0.001	0.04	2.11	1.0	1.8	0.4	29.4	<0.01	0.10	0.2	0.010
ZZ106532		42.2	1180	81.6	12.7	<0.001	0.05	3.09	2.1	2.8	0.5	27.2	<0.01	0.13	0.4	0.016
ZZ106533		41.4	1130	55.6	11.2	0.001	0.04	2.89	1.8	2.4	0.5	44.1	<0.01	0.08	0.3	0.020
ZZ106534		50.5	1320	38.2	9.1	0.001	0.04	2.57	3.2	2.7	0.4	48.0	<0.01	0.07	1.3	0.021
ZZ106535		76.6	1190	40.9	7.0	0.001	0.05	4.28	4.5	3.3	0.3	65.4	<0.01	0.10	2.0	0.012
ZZ106536		57.1	920	29.5	6.5	0.001	0.06	3.91	5.8	3.4	0.3	104.0	<0.01	0.09	1.8	<0.005
ZZ106537		85.2	1190	80.0	8.3	0.001	0.07	4.48	6.9	3.7	0.4	77.8	<0.01	0.09	1.7	0.008
ZZ106538		50.4	850	58.0	11.4	<0.001	0.04	2.60	4.0	1.6	0.5	25.9	<0.01	0.08	2.8	0.014
ZZ106539		32.8	880	37.6	12.7	0.001	0.05	1.76	2.0	1.6	0.5	34.1	<0.01	0.08	0.5	0.017
ZZ106540		57.8	790	19.3	6.4	0.001	0.17	2.72	4.8	3.5	0.2	98.3	<0.01	0.11	1.9	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106501		0.18	1.39	76	0.16	8.56	188	0.6	0.010
ZZ106502		0.15	0.75	62	0.13	4.20	120	<0.5	0.011
ZZ106503		0.22	1.84	79	0.15	8.40	171	1.8	0.015
ZZ106504		0.16	1.62	47	0.11	8.96	175	1.1	0.018
ZZ106505		0.13	1.68	42	0.08	13.20	238	1.6	0.019
ZZ106506		0.13	1.06	56	0.09	4.88	174	<0.5	0.015
ZZ106507		0.15	0.61	97	0.26	1.98	97	<0.5	0.002
ZZ106508		0.16	1.85	35	0.06	14.35	270	1.9	0.034
ZZ106509		0.11	1.43	49	0.06	9.04	148	1.5	0.031
ZZ106510		0.14	0.96	42	0.07	5.00	133	1.6	0.020
ZZ106511		0.17	1.53	72	0.17	9.43	222	1.9	0.010
ZZ106512		0.16	1.90	72	0.14	12.70	262	1.7	0.031
ZZ106513		0.20	2.00	79	0.25	9.69	291	0.9	0.009
ZZ106514		0.25	1.76	87	0.18	9.63	243	2.5	0.007
ZZ106515		0.15	1.49	51	0.10	9.95	149	1.3	0.009
ZZ106516		0.17	1.48	63	0.13	7.88	164	0.9	0.008
ZZ106517		0.22	1.49	60	0.14	11.25	248	1.5	0.013
ZZ106518		0.10	0.67	43	0.08	1.81	97	<0.5	0.022
ZZ106519		0.11	0.59	47	0.20	2.11	97	<0.5	0.012
ZZ106520		0.13	0.91	56	0.14	3.34	140	<0.5	0.013
ZZ106521		0.10	1.26	40	0.06	6.86	167	1.3	0.010
ZZ106522		0.17	1.43	42	0.08	5.00	145	1.2	0.012
ZZ106523		0.16	1.56	63	0.15	7.98	174	1.1	0.019
ZZ106524		0.15	1.20	64	0.11	6.83	157	1.1	0.014
ZZ106525		0.16	0.72	70	0.16	3.01	118	<0.5	0.011
ZZ106526		0.13	0.67	84	0.20	2.39	117	<0.5	0.004
ZZ106527		0.15	0.68	17	<0.05	5.07	109	6.8	0.030
ZZ106528		0.20	1.37	72	0.08	6.96	174	<0.5	0.015
ZZ106529		0.11	0.89	49	0.13	4.20	165	1.1	0.020
ZZ106530		0.20	3.09	52	0.11	17.95	389	3.5	0.026
ZZ106531		0.15	1.05	65	0.25	6.11	158	<0.5	0.007
ZZ106532		0.21	1.17	93	0.18	5.90	211	<0.5	0.011
ZZ106533		0.21	1.20	96	0.20	7.75	191	<0.5	0.007
ZZ106534		0.22	1.24	83	0.17	9.28	233	0.5	0.008
ZZ106535		0.27	1.97	70	0.13	14.75	348	0.9	0.015
ZZ106536		0.18	1.68	38	<0.05	13.05	183	3.1	0.018
ZZ106537		0.20	1.40	59	0.08	13.85	324	1.9	0.015
ZZ106538		0.21	0.93	97	0.21	6.69	184	1.3	0.005
ZZ106539		0.19	1.00	67	0.18	5.37	128	<0.5	0.006
ZZ106540		0.24	1.92	26	0.05	11.25	213	5.1	0.016

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106541		0.43	3.37	0.69	38.9	<0.2	<10	530	0.44	0.25	0.11	0.83	29.8	11.0	22	0.56
ZZ106542		0.37	4.02	0.81	36.8	<0.2	<10	750	0.44	0.24	0.14	0.60	27.7	10.4	28	0.65
ZZ106543		0.52	1.69	0.79	16.2	<0.2	<10	790	0.37	0.22	0.11	0.88	37.0	19.3	20	1.17
ZZ106544		0.62	1.35	1.18	29.1	<0.2	<10	1660	0.61	0.32	0.29	1.14	33.9	21.1	27	1.23
ZZ106545		0.47	1.61	0.86	37.6	<0.2	<10	350	0.36	0.31	0.04	0.77	37.1	10.3	19	1.08
ZZ106546		0.43	1.31	0.58	43.0	<0.2	<10	890	0.33	0.18	0.11	1.31	44.0	20.5	17	0.61
ZZ106547		0.34	1.70	0.94	24.1	<0.2	<10	1160	0.37	0.22	0.23	1.10	29.5	7.9	19	0.58
ZZ106548		0.37	1.45	0.80	18.3	<0.2	<10	830	0.31	0.23	0.17	0.45	33.0	7.5	17	0.57
ZZ106549		0.55	0.91	0.86	25.2	<0.2	<10	1640	0.45	0.17	0.38	1.55	33.6	16.4	22	0.57
ZZ106550		0.58	1.85	0.75	19.6	<0.2	<10	470	0.34	0.26	0.04	0.43	39.7	9.2	16	1.01
ZZ106551		0.46	0.37	1.17	36.3	<0.2	<10	170	0.38	0.29	0.03	0.31	28.7	10.7	29	1.13
ZZ106552		0.46	0.99	1.02	13.3	<0.2	<10	3840	0.52	0.31	0.44	0.53	32.2	39.8	38	1.30
ZZ106553		0.48	0.68	0.49	19.7	<0.2	<10	790	0.34	0.25	0.43	1.01	37.3	12.3	13	0.75
ZZ106554		0.36	1.28	0.80	30.7	<0.2	<10	1560	0.52	0.24	0.68	0.84	30.7	17.2	25	0.42
ZZ106555		0.35	0.74	0.98	26.9	<0.2	<10	1470	0.67	0.25	0.08	1.07	44.5	15.8	27	0.71
ZZ106556		0.49	1.59	0.53	14.7	<0.2	<10	1240	0.47	0.27	0.29	0.97	45.9	12.3	13	0.64
ZZ106557		0.33	0.13	1.61	18.7	<0.2	<10	680	0.83	0.24	0.14	0.72	40.8	10.0	41	1.27
ZZ106558		0.40	0.17	1.10	24.7	<0.2	<10	180	0.47	0.25	0.13	0.54	30.1	12.0	31	0.93
ZZ106559		0.33	0.53	1.01	27.6	<0.2	<10	460	0.50	0.30	0.10	0.73	31.7	14.0	26	0.85
ZZ106560		0.38	1.00	0.84	28.7	<0.2	<10	440	0.51	0.24	0.18	0.90	31.7	11.7	25	0.73
ZZ106561		0.39	0.21	0.70	10.1	<0.2	<10	200	0.72	0.39	0.51	0.33	22.8	15.2	12	0.67
ZZ106562		0.40	1.24	1.18	22.9	<0.2	<10	1100	0.70	0.21	0.84	3.36	22.2	17.3	28	0.91
ZZ106563		0.45	0.09	0.53	9.3	<0.2	<10	30	0.60	0.39	0.43	0.14	33.4	16.5	8	0.54
ZZ106564		0.44	0.18	1.34	16.9	<0.2	<10	240	0.52	0.25	0.14	0.42	23.7	10.4	31	1.19
ZZ106565		0.39	0.19	1.25	13.5	<0.2	<10	380	0.64	0.22	0.54	0.68	20.9	9.2	27	1.00
ZZ106566		0.36	0.30	0.76	17.5	<0.2	<10	310	0.32	0.24	0.05	0.43	25.8	7.7	22	0.83
ZZ106567		0.45	0.32	1.31	16.9	<0.2	<10	220	0.60	0.23	0.14	0.67	29.9	10.7	26	0.88
ZZ106568		0.35	0.23	1.17	17.7	<0.2	<10	150	0.30	0.23	0.06	0.43	25.4	8.0	29	0.98
ZZ106570		0.42	0.10	0.54	7.9	<0.2	<10	30	0.54	0.39	0.53	0.14	25.1	15.7	8	0.69
ZZ106571		0.42	0.09	0.62	8.4	<0.2	<10	20	0.61	0.41	0.55	0.06	17.50	17.0	11	1.15
ZZ106572		0.40	0.04	0.96	6.7	<0.2	<10	40	0.74	0.46	0.18	0.02	24.0	17.3	14	1.13
ZZ106573		0.44	0.13	1.54	9.1	<0.2	<10	120	0.86	0.48	0.49	0.15	22.4	19.7	23	1.70
ZZ106574		0.63	0.36	1.52	16.8	<0.2	<10	360	0.83	0.35	0.79	0.66	22.4	18.1	29	1.98
ZZ106575		0.48	0.16	1.57	13.0	<0.2	<10	180	0.69	0.37	0.14	0.45	20.4	13.8	26	2.39
ZZ106576		0.53	0.05	0.88	4.7	<0.2	<10	50	0.75	0.42	0.30	0.05	23.5	20.0	16	1.42
ZZ106577		0.65	0.41	1.21	19.3	<0.2	<10	820	0.61	0.25	0.29	1.12	29.6	12.5	30	0.96
ZZ106578		0.58	1.13	1.58	30.8	<0.2	<10	320	0.79	0.31	0.14	1.95	33.2	23.3	30	1.27
ZZ106579		0.42	0.17	1.36	20.8	<0.2	<10	250	0.59	0.21	0.11	0.89	30.0	11.7	29	1.06
ZZ106580		0.33	0.42	0.77	17.4	<0.2	<10	440	0.31	0.22	0.03	0.80	25.5	6.6	23	0.75
ZZ106581		0.54	0.38	1.19	24.3	<0.2	<10	360	0.70	0.24	0.13	1.69	39.9	17.5	29	0.90

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106541		66.5	3.32	2.46	0.07	0.02	0.12	0.034	0.07	18.2	7.4	0.17	357	4.29	0.01	0.64
ZZ106542		52.5	3.09	3.13	0.05	0.02	0.21	0.033	0.07	17.5	7.6	0.19	407	5.60	0.02	0.54
ZZ106543		63.6	3.09	2.42	0.06	0.02	0.53	0.041	0.09	21.0	6.7	0.14	582	7.79	0.02	0.40
ZZ106544		85.6	4.37	3.37	0.07	0.03	0.21	0.051	0.10	19.5	9.8	0.24	556	4.44	0.02	0.59
ZZ106545		85.2	4.20	3.00	0.07	0.05	0.22	0.056	0.06	21.5	5.5	0.08	177	8.90	0.01	0.41
ZZ106546		55.1	3.06	1.82	0.08	0.02	0.23	0.054	0.07	25.0	4.2	0.08	1110	11.85	0.02	0.15
ZZ106547		44.4	2.01	2.97	0.06	0.03	0.17	0.027	0.07	16.9	8.2	0.25	269	4.88	0.02	0.43
ZZ106548		49.2	2.46	2.47	0.06	0.04	0.29	0.036	0.06	18.5	6.6	0.16	144	5.37	0.02	0.45
ZZ106549		96.9	4.15	1.88	0.07	0.05	0.19	0.048	0.07	18.8	6.1	0.25	230	7.82	0.01	0.56
ZZ106550		65.8	4.30	2.83	0.06	0.02	0.24	0.050	0.09	22.7	5.2	0.08	169	4.33	0.04	0.56
ZZ106551		56.1	4.54	5.13	0.05	<0.02	0.05	0.037	0.07	16.3	8.1	0.20	375	4.11	0.01	1.43
ZZ106552		104.5	6.17	2.35	0.08	0.04	0.16	0.059	0.06	18.5	7.8	0.23	1050	3.48	0.01	0.34
ZZ106553		71.5	3.28	1.86	0.06	0.02	0.11	0.039	0.08	22.8	3.1	0.09	168	10.80	0.02	0.25
ZZ106554		65.2	3.71	2.36	0.05	0.09	0.16	0.049	0.07	17.6	6.3	0.25	416	4.51	0.01	0.35
ZZ106555		54.1	3.86	3.36	0.07	0.04	0.09	0.051	0.10	24.0	8.9	0.14	521	6.10	0.01	0.34
ZZ106556		72.1	4.26	1.26	0.07	0.04	0.25	0.048	0.07	27.1	3.8	0.10	477	2.94	0.02	0.21
ZZ106557		20.9	3.02	5.34	0.05	0.03	0.05	0.036	0.05	22.7	18.2	0.35	427	2.63	0.02	1.80
ZZ106558		38.6	3.52	4.06	0.05	<0.02	0.04	0.038	0.06	16.0	14.5	0.33	426	4.21	0.01	0.66
ZZ106559		47.2	3.41	3.74	0.06	<0.02	0.07	0.039	0.07	17.6	10.3	0.23	518	3.92	0.01	0.35
ZZ106560		52.2	3.22	3.01	0.05	<0.02	0.10	0.034	0.06	18.0	9.5	0.25	395	3.96	0.01	0.56
ZZ106561		46.9	3.38	2.04	0.05	0.08	0.17	0.029	0.04	10.9	19.4	0.23	452	1.08	0.01	0.11
ZZ106562		61.4	4.47	3.95	0.05	0.05	0.32	0.030	0.05	13.2	18.0	0.37	3850	5.86	0.02	0.63
ZZ106563		40.7	3.10	1.68	0.06	0.08	0.10	0.023	0.04	16.0	18.0	0.19	392	0.56	0.01	0.09
ZZ106564		23.6	2.81	4.91	<0.05	<0.02	0.05	0.027	0.05	12.7	19.3	0.36	354	2.87	0.01	0.43
ZZ106565		22.7	2.57	4.14	<0.05	0.05	0.05	0.025	0.05	11.7	20.4	0.38	320	2.18	0.01	0.54
ZZ106566		32.7	2.92	3.95	0.05	<0.02	0.04	0.027	0.06	14.4	4.8	0.12	321	3.85	0.01	0.21
ZZ106567		36.1	2.84	3.96	0.05	0.03	0.09	0.031	0.05	16.0	17.2	0.33	345	3.09	0.01	0.86
ZZ106568		21.6	3.17	5.12	0.05	<0.02	0.03	0.031	0.05	13.4	13.8	0.26	246	3.37	0.01	1.23
ZZ106570		37.1	2.96	1.60	0.05	0.08	0.09	0.026	0.04	11.3	19.4	0.17	300	0.63	<0.01	0.06
ZZ106571		42.7	3.00	1.99	0.05	0.07	0.10	0.023	0.04	7.4	23.2	0.27	446	0.51	<0.01	0.05
ZZ106572		42.6	3.43	3.17	0.06	0.07	0.05	0.020	0.03	11.7	32.8	0.36	350	0.41	<0.01	0.07
ZZ106573		49.1	4.30	4.97	0.06	0.10	0.05	0.026	0.04	12.0	49.7	0.59	593	0.99	0.01	0.11
ZZ106574		58.9	3.51	5.06	0.05	0.09	0.09	0.025	0.04	11.7	37.5	0.66	849	2.02	0.01	0.31
ZZ106575		30.3	3.22	5.64	0.05	0.06	0.04	0.022	0.04	10.1	38.0	0.53	568	2.39	0.01	0.30
ZZ106576		51.8	3.66	2.83	0.07	0.07	0.04	0.015	0.05	10.7	32.4	0.49	644	0.42	0.01	0.13
ZZ106577		45.3	3.08	4.56	0.06	0.03	0.10	0.031	0.08	15.9	15.9	0.35	756	4.13	0.01	0.51
ZZ106578		98.8	4.44	4.35	0.07	0.06	0.17	0.045	0.10	16.7	18.9	0.34	1140	9.28	0.01	0.69
ZZ106579		32.8	3.47	4.43	0.06	0.02	0.05	0.037	0.06	15.0	18.3	0.28	455	4.57	0.01	0.73
ZZ106580		33.7	2.82	4.20	0.05	<0.02	0.13	0.029	0.06	13.8	5.7	0.12	181	5.64	0.01	0.19
ZZ106581		71.7	3.70	3.81	0.08	0.04	0.20	0.037	0.06	22.0	14.7	0.41	593	4.86	0.01	1.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106541		43.4	980	63.2	7.1	<0.001	0.11	4.14	2.6	4.2	0.3	67.9	<0.01	0.19	2.2	0.014
ZZ106542		39.6	1090	56.5	9.4	<0.001	0.06	3.68	2.7	3.4	0.3	54.5	<0.01	0.18	1.7	0.012
ZZ106543		52.7	920	23.2	9.0	0.001	0.07	2.56	3.4	2.5	0.3	36.0	<0.01	0.08	1.7	0.007
ZZ106544		78.8	1250	39.0	10.8	<0.001	0.10	2.42	5.0	2.7	0.4	61.4	<0.01	0.12	1.6	0.011
ZZ106545		52.2	990	27.3	8.4	<0.001	0.06	3.65	2.7	2.6	0.4	20.7	<0.01	0.09	1.3	0.008
ZZ106546		48.4	1070	23.3	8.6	<0.001	0.06	3.33	4.5	2.9	0.2	70.6	<0.01	0.08	1.7	<0.005
ZZ106547		34.4	750	22.8	10.1	<0.001	0.06	1.42	2.7	1.6	0.3	47.1	<0.01	0.09	1.6	0.007
ZZ106548		28.2	790	28.6	8.2	0.002	0.07	2.11	3.1	2.9	0.3	44.2	<0.01	0.10	2.2	0.006
ZZ106549		91.9	1320	20.6	5.1	0.001	0.11	3.48	6.2	3.3	0.2	81.1	<0.01	0.10	3.4	0.012
ZZ106550		42.6	970	19.6	8.4	<0.001	0.28	2.54	2.5	2.9	0.4	45.5	<0.01	0.12	1.6	0.010
ZZ106551		41.0	770	54.7	14.3	<0.001	0.04	2.77	3.1	2.2	0.5	14.1	<0.01	0.13	2.5	0.022
ZZ106552		121.5	1640	21.4	7.4	<0.001	0.08	1.88	9.2	2.7	0.3	53.3	0.01	0.12	1.0	0.010
ZZ106553		70.9	860	13.8	8.3	<0.001	0.07	2.85	2.9	2.7	0.3	67.9	<0.01	0.11	1.2	0.005
ZZ106554		69.4	790	25.8	7.9	<0.001	0.07	2.39	7.1	2.2	0.3	91.2	<0.01	0.08	2.3	0.007
ZZ106555		50.8	1200	56.3	10.1	<0.001	0.09	2.63	3.9	2.7	0.4	73.3	<0.01	0.09	1.3	0.008
ZZ106556		51.2	780	26.7	6.1	0.001	0.11	2.77	4.7	2.1	0.2	91.4	<0.01	0.11	2.7	<0.005
ZZ106557		28.7	920	38.8	10.4	<0.001	0.04	1.38	2.7	1.4	0.5	25.4	<0.01	0.05	1.4	0.026
ZZ106558		44.5	1120	42.3	9.8	0.001	0.04	2.57	2.4	1.6	0.4	26.6	<0.01	0.08	1.2	0.019
ZZ106559		44.2	990	59.5	9.0	<0.001	0.05	2.86	1.6	2.2	0.4	26.3	<0.01	0.10	0.4	0.015
ZZ106560		46.3	1110	46.7	7.9	<0.001	0.05	2.92	2.6	2.2	0.3	34.3	<0.01	0.11	0.9	0.016
ZZ106561		36.8	740	28.5	3.7	<0.001	0.03	0.70	3.9	1.0	0.2	32.4	<0.01	0.05	5.1	<0.005
ZZ106562		63.6	1370	34.9	8.6	0.009	0.11	2.74	2.9	4.0	0.4	68.4	<0.01	0.07	1.3	0.015
ZZ106563		33.9	1070	26.4	2.9	<0.001	0.03	0.49	3.6	0.9	<0.2	27.8	<0.01	0.07	6.9	<0.005
ZZ106564		30.8	850	28.0	10.9	<0.001	0.03	1.43	1.3	1.1	0.5	19.3	<0.01	0.05	0.4	0.015
ZZ106565		32.5	1180	23.0	10.3	<0.001	0.04	1.25	2.5	0.8	0.4	36.4	<0.01	0.05	1.6	0.013
ZZ106566		29.6	840	32.4	11.3	<0.001	0.04	1.83	0.6	1.4	0.5	14.3	<0.01	0.07	<0.2	0.012
ZZ106567		37.0	870	38.3	8.4	<0.001	0.03	1.95	2.9	1.6	0.5	22.4	<0.01	0.06	2.7	0.022
ZZ106568		26.9	500	34.8	11.8	<0.001	0.03	1.70	2.3	1.4	0.5	14.7	<0.01	0.06	1.9	0.023
ZZ106570		31.6	590	27.4	3.3	<0.001	0.03	0.46	3.4	0.7	0.2	33.0	<0.01	0.06	6.2	<0.005
ZZ106571		33.3	580	26.4	3.0	<0.001	0.04	0.44	3.4	0.6	0.2	31.6	<0.01	0.04	7.0	<0.005
ZZ106572		33.3	320	22.3	2.9	<0.001	0.02	0.33	3.3	0.5	0.2	10.8	<0.01	0.04	6.9	<0.005
ZZ106573		41.6	510	24.2	3.4	<0.001	0.03	0.48	4.2	0.6	0.2	20.8	<0.01	0.06	5.2	<0.005
ZZ106574		40.7	890	31.7	5.3	<0.001	0.05	1.11	4.0	1.1	0.2	35.2	<0.01	0.05	6.0	0.006
ZZ106575		30.4	920	25.5	6.0	<0.001	0.05	0.79	2.4	0.6	0.3	16.7	<0.01	0.04	3.2	0.006
ZZ106576		38.0	410	24.9	3.0	<0.001	0.03	0.37	2.8	0.3	0.2	13.1	<0.01	0.04	7.5	0.007
ZZ106577		44.6	1050	27.8	10.5	0.001	0.03	1.98	3.1	1.5	0.4	30.9	<0.01	0.10	1.8	0.014
ZZ106578		69.1	1670	54.2	11.7	0.001	0.10	3.88	3.3	4.2	0.4	62.2	<0.01	0.14	2.4	0.017
ZZ106579		35.9	1100	29.7	11.5	<0.001	0.03	2.47	2.2	1.5	0.4	18.6	<0.01	0.06	1.1	0.017
ZZ106580		28.7	1060	24.2	9.8	<0.001	0.08	2.25	0.5	2.1	0.5	28.0	<0.01	0.08	<0.2	0.008
ZZ106581		61.8	920	30.1	6.1	<0.001	0.03	3.11	4.7	2.1	0.4	27.0	<0.01	0.07	3.6	0.033

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106541		0.18	1.15	52	0.14	6.33	207	0.8	0.014
ZZ106542		0.22	1.30	69	0.16	6.07	185	0.7	0.016
ZZ106543		0.31	1.64	38	0.07	6.01	201	0.8	0.016
ZZ106544		0.22	1.63	50	0.09	10.30	264	0.7	0.016
ZZ106545		0.20	1.53	43	0.08	5.14	207	1.5	0.014
ZZ106546		0.32	1.66	30	<0.05	7.77	175	1.0	0.016
ZZ106547		0.19	1.31	42	0.09	6.38	138	0.9	0.010
ZZ106548		0.24	1.83	39	0.06	5.68	84	1.5	0.009
ZZ106549		0.22	2.70	37	0.05	10.35	288	3.0	0.011
ZZ106550		0.26	0.87	35	0.09	4.20	160	0.5	0.010
ZZ106551		0.19	0.76	77	0.20	3.03	163	0.6	0.005
ZZ106552		0.13	0.85	34	0.06	19.25	185	0.8	0.014
ZZ106553		0.22	1.62	29	0.05	7.96	262	0.7	0.008
ZZ106554		0.14	1.28	34	0.06	10.55	183	3.1	0.008
ZZ106555		0.23	1.17	62	0.09	11.55	193	1.3	0.009
ZZ106556		0.19	0.71	20	<0.05	14.30	205	1.8	0.020
ZZ106557		0.16	1.13	81	0.24	6.70	130	0.7	0.003
ZZ106558		0.19	0.91	79	0.16	5.43	172	<0.5	0.006
ZZ106559		0.16	0.95	62	0.16	6.53	169	<0.5	0.007
ZZ106560		0.14	1.00	58	0.13	7.20	178	<0.5	0.009
ZZ106561		0.06	1.08	14	<0.05	12.10	94	2.7	0.003
ZZ106562		0.18	2.58	70	0.14	10.40	204	1.5	0.008
ZZ106563		0.03	1.27	8	<0.05	11.80	78	4.0	0.003
ZZ106564		0.18	0.93	77	0.18	4.50	125	<0.5	0.004
ZZ106565		0.15	1.01	73	0.24	6.65	153	1.5	0.003
ZZ106566		0.16	0.71	65	0.18	3.36	119	<0.5	0.004
ZZ106567		0.15	0.94	61	0.20	6.46	141	0.8	0.006
ZZ106568		0.16	0.73	72	0.21	3.13	109	<0.5	0.004
ZZ106570		0.04	1.84	7	<0.05	9.84	78	3.9	0.002
ZZ106571		0.03	1.13	8	<0.05	9.38	76	3.0	0.002
ZZ106572		0.02	0.85	10	<0.05	7.14	58	2.8	0.002
ZZ106573		0.03	0.81	20	<0.05	7.26	93	3.6	0.003
ZZ106574		0.08	1.32	37	0.06	10.55	115	3.0	0.004
ZZ106575		0.08	1.00	37	0.11	5.05	93	1.8	0.001
ZZ106576		0.03	0.80	14	<0.05	7.40	77	2.7	<0.001
ZZ106577		0.21	1.59	86	0.16	8.99	185	0.9	0.003
ZZ106578		0.51	2.09	71	0.17	10.35	265	1.9	0.008
ZZ106579		0.22	1.13	77	0.19	5.83	179	0.7	0.003
ZZ106580		0.22	1.02	63	0.15	3.98	130	<0.5	0.003
ZZ106581		0.21	1.69	60	0.11	10.40	230	1.5	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106582		0.47	1.80	0.98	16.0	<0.2	<10	1200	0.36	0.21	0.24	1.21	30.1	10.8	27	0.81
ZZ106583		0.52	1.65	1.06	18.3	<0.2	<10	1010	0.61	0.23	0.44	1.43	31.2	17.4	29	0.91
ZZ106584		0.59	0.73	0.88	17.1	<0.2	<10	930	0.51	0.22	0.65	1.32	29.0	11.7	24	0.69
ZZ106585		0.48	0.71	0.99	18.9	<0.2	<10	920	0.64	0.24	0.59	1.75	29.8	14.2	23	0.84
ZZ106586		0.38	0.28	1.65	18.2	<0.2	<10	370	0.63	0.24	0.17	0.69	36.9	12.1	35	1.31
ZZ106587		0.41	0.65	1.24	13.5	<0.2	<10	420	0.74	0.36	0.28	1.49	26.7	16.6	24	1.24
ZZ106588		0.43	0.84	0.69	29.0	<0.2	<10	1040	0.63	0.21	0.26	1.29	40.1	13.0	19	0.41
ZZ106589		0.57	0.73	1.17	25.5	<0.2	<10	1610	0.84	0.20	0.20	2.56	40.0	27.3	26	0.64
ZZ106590		0.41	0.69	0.97	22.6	<0.2	<10	620	0.59	0.19	0.23	1.42	39.5	15.7	28	0.72
ZZ106591		0.36	0.62	1.39	19.2	<0.2	<10	420	0.72	0.20	0.12	0.86	40.5	16.1	26	0.81
ZZ106592		0.43	0.10	0.75	11.7	<0.2	<10	110	0.15	0.36	0.05	0.17	34.2	5.7	16	1.02
ZZ106593		0.40	1.30	1.00	17.2	<0.2	<10	1820	0.58	0.23	0.19	0.94	44.3	9.7	21	0.50
ZZ106594		0.42	2.00	0.88	16.9	<0.2	<10	1900	0.42	0.21	0.31	0.92	49.4	8.7	12	0.46
ZZ106595		0.40	1.37	0.87	13.2	<0.2	<10	1580	0.52	0.21	0.81	1.61	37.0	17.3	16	0.49
ZZ106596		0.57	1.20	0.77	15.9	<0.2	<10	1380	0.44	0.27	0.34	1.64	35.5	23.1	18	1.88
ZZ106597		0.50	0.70	1.17	18.9	<0.2	<10	900	0.49	0.24	0.24	1.04	38.5	19.9	22	1.62
ZZ106598		0.41	0.63	1.39	11.8	<0.2	<10	70	0.23	0.26	0.05	0.16	23.4	4.9	23	1.55
ZZ106599		0.32	0.52	1.23	27.7	<0.2	<10	200	0.27	0.31	0.03	0.32	37.4	9.2	31	1.71
ZZ106600		0.47	2.53	0.58	11.1	<0.2	<10	60	0.09	0.27	0.02	0.16	27.3	3.9	14	0.80
ZZ106601		0.45	3.30	1.26	20.9	<0.2	<10	1140	0.57	0.34	0.32	1.64	36.0	17.9	30	1.81
ZZ106602		0.45	1.14	0.85	26.7	<0.2	<10	1200	0.50	0.27	0.40	1.41	44.9	15.4	20	0.75
ZZ106603		0.38	1.63	1.19	16.8	<0.2	<10	1130	0.48	0.26	0.59	1.22	29.8	12.1	23	1.14
ZZ106604		0.43	0.95	1.15	19.1	<0.2	<10	1120	0.54	0.25	0.36	0.88	33.3	18.3	38	1.27
ZZ106605		0.34	1.40	1.04	15.9	<0.2	<10	760	0.45	0.21	0.16	0.81	31.2	10.4	25	1.11
ZZ106606		0.48	1.86	1.07	17.3	<0.2	<10	1020	0.47	0.18	0.07	1.30	38.4	14.4	24	1.19
ZZ106607		0.40	0.27	1.13	18.8	<0.2	<10	380	0.39	0.22	0.05	0.62	32.7	11.6	26	1.25
ZZ106608		0.43	0.34	1.68	20.5	<0.2	<10	410	0.58	0.22	0.04	0.37	37.5	12.7	33	1.28
ZZ106609		0.54	1.50	0.85	20.5	<0.2	<10	540	0.54	0.29	0.08	0.57	49.8	14.3	15	0.87
ZZ106610		0.41	1.30	1.18	17.3	<0.2	<10	920	0.57	0.22	0.18	2.15	36.1	45.9	24	1.51
ZZ106611		0.40	0.08	0.45	7.5	<0.2	<10	40	0.51	0.32	0.46	0.08	16.90	10.7	6	0.45
ZZ106612		0.38	0.25	0.81	10.5	<0.2	<10	190	0.64	0.31	0.70	0.55	19.40	13.2	15	0.79
ZZ106613		0.36	0.71	1.32	16.1	<0.2	<10	660	0.84	0.31	0.41	1.15	27.5	15.8	27	1.00
ZZ106614		0.40	0.25	0.66	13.5	<0.2	<10	140	0.71	0.30	0.54	0.38	21.0	13.1	22	0.67
ZZ106615		0.40	0.22	0.47	11.7	<0.2	<10	80	0.57	0.31	1.02	0.47	18.40	13.4	10	0.42
ZZ106616		0.34	1.17	1.36	16.9	<0.2	<10	540	0.75	0.22	0.26	1.50	65.4	22.5	30	1.44
ZZ106617		0.64	1.39	0.50	12.8	<0.2	<10	620	0.45	0.30	0.16	0.68	54.8	16.9	13	0.69
ZZ106618		0.31	1.56	1.42	17.4	<0.2	<10	90	0.43	0.32	0.03	0.21	22.9	9.0	27	1.45
ZZ106619		0.41	0.85	0.51	16.4	<0.2	<10	220	0.40	0.23	0.01	0.51	57.1	8.3	10	0.55
ZZ106620		0.43	0.40	1.15	17.6	<0.2	<10	460	0.59	0.26	0.11	0.66	38.0	15.4	25	1.18
ZZ106621		0.42	0.67	1.14	18.8	<0.2	<10	650	0.71	0.24	0.21	1.02	36.2	14.4	35	1.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106582		46.0	2.95	3.91	0.05	<0.02	0.19	0.028	0.06	16.5	13.7	0.37	323	3.36	0.01	0.81
ZZ106583		56.1	3.32	3.95	0.05	0.02	0.24	0.042	0.07	17.7	13.7	0.32	698	5.09	0.01	0.72
ZZ106584		54.2	3.33	3.04	0.06	0.04	0.22	0.034	0.07	16.5	13.2	0.33	363	4.14	0.01	0.79
ZZ106585		51.7	3.30	3.41	0.06	0.02	0.23	0.036	0.07	15.4	14.8	0.29	470	4.35	0.01	0.66
ZZ106586		44.5	3.11	5.92	0.06	<0.02	0.17	0.034	0.06	19.4	16.0	0.48	479	2.21	0.01	0.84
ZZ106587		75.7	4.09	4.30	0.06	0.05	0.16	0.034	0.05	14.3	31.8	0.39	546	3.14	0.01	0.31
ZZ106588		105.0	4.47	2.27	0.07	0.03	0.23	0.060	0.09	22.2	5.2	0.09	390	12.10	0.01	0.24
ZZ106589		110.5	6.31	3.21	0.09	0.04	0.32	0.063	0.08	21.3	11.8	0.20	593	8.48	<0.01	0.34
ZZ106590		64.8	3.28	3.47	0.07	0.02	0.22	0.030	0.05	21.5	12.8	0.32	541	4.91	0.01	0.80
ZZ106591		70.6	3.48	3.52	0.07	0.04	0.15	0.036	0.06	21.4	16.2	0.30	404	4.03	0.01	0.82
ZZ106592		28.1	2.26	5.23	0.05	<0.02	0.03	0.021	0.05	18.2	2.9	0.09	208	1.95	<0.01	0.84
ZZ106593		72.5	2.83	2.86	0.08	0.04	0.35	0.046	0.08	23.6	9.8	0.20	265	7.34	<0.01	0.54
ZZ106594		95.2	2.76	1.91	0.08	0.04	0.38	0.046	0.07	27.1	5.7	0.23	220	6.30	<0.01	0.27
ZZ106595		85.8	2.79	2.26	0.07	0.07	0.28	0.042	0.07	19.6	7.7	0.25	678	6.57	<0.01	0.40
ZZ106596		113.5	4.62	2.53	0.07	0.04	0.40	0.048	0.06	18.9	10.1	0.21	550	6.35	<0.01	0.36
ZZ106597		95.8	4.35	3.64	0.07	0.02	0.30	0.053	0.07	20.6	12.0	0.23	499	7.40	0.01	0.64
ZZ106598		11.7	2.87	6.78	<0.05	<0.02	0.07	0.027	0.04	12.2	14.4	0.21	167	1.76	0.01	1.67
ZZ106599		35.0	3.39	7.37	0.06	<0.02	0.05	0.030	0.05	19.8	8.8	0.23	367	3.42	0.01	2.68
ZZ106600		28.5	1.66	6.45	<0.05	<0.02	0.04	0.015	0.03	14.4	1.9	0.05	95	2.13	0.01	0.49
ZZ106601		90.9	4.32	3.92	0.07	0.03	0.54	0.047	0.11	19.0	15.3	0.34	548	4.64	0.01	0.66
ZZ106602		81.4	3.85	2.70	0.07	0.03	0.22	0.040	0.09	24.5	10.0	0.24	522	6.21	0.02	0.47
ZZ106603		71.9	3.61	4.05	0.06	0.02	0.37	0.040	0.07	16.6	12.4	0.31	366	4.58	0.01	0.66
ZZ106604		95.3	3.81	3.48	0.06	0.07	0.53	0.045	0.08	17.9	19.3	0.38	653	9.37	0.01	0.44
ZZ106605		71.5	3.32	3.73	0.06	<0.02	0.41	0.041	0.07	17.0	11.0	0.23	260	5.36	0.01	0.57
ZZ106606		124.5	3.50	3.44	0.07	0.03	0.73	0.044	0.08	20.8	10.8	0.20	249	8.58	0.01	0.69
ZZ106607		48.4	3.92	4.56	0.06	<0.02	0.26	0.039	0.06	17.2	10.0	0.21	325	4.60	0.01	0.57
ZZ106608		44.9	4.43	5.01	0.06	0.07	0.72	0.052	0.07	20.1	23.1	0.33	369	7.97	0.01	1.05
ZZ106609		105.5	3.71	2.58	0.08	0.02	0.70	0.051	0.08	27.7	8.0	0.13	461	10.70	0.01	0.35
ZZ106610		113.0	5.11	3.64	0.08	0.02	0.70	0.050	0.06	18.4	12.6	0.24	1240	5.73	0.01	0.68
ZZ106611		24.4	2.58	1.27	<0.05	0.06	0.12	0.025	0.03	7.8	12.0	0.11	242	0.39	<0.01	0.06
ZZ106612		34.3	3.02	2.55	<0.05	0.08	0.10	0.025	0.04	9.1	21.1	0.31	544	1.24	0.01	0.27
ZZ106613		49.4	3.68	4.33	0.07	0.06	0.17	0.029	0.04	15.2	29.2	0.48	837	2.42	0.01	0.50
ZZ106614		31.1	2.89	2.11	0.05	0.09	0.15	0.027	0.05	10.4	12.3	0.21	510	1.43	<0.01	0.25
ZZ106615		34.8	2.94	1.38	<0.05	0.08	0.19	0.029	0.04	7.9	12.2	0.27	543	1.27	<0.01	0.08
ZZ106616		83.1	4.61	5.10	0.10	0.05	0.40	0.046	0.10	33.8	16.1	0.37	1060	4.84	0.01	0.35
ZZ106617		85.1	3.97	1.77	0.08	0.02	0.82	0.044	0.09	30.9	4.2	0.05	723	3.69	0.01	0.14
ZZ106618		43.5	4.15	5.78	0.05	0.03	0.26	0.039	0.05	12.2	16.9	0.23	379	2.48	0.01	1.43
ZZ106619		90.0	3.35	1.63	0.09	0.02	1.27	0.045	0.06	33.2	4.1	0.05	196	10.75	0.01	0.21
ZZ106620		51.4	3.62	4.28	0.07	<0.02	0.18	0.034	0.06	20.2	14.0	0.32	557	3.14	0.01	0.73
ZZ106621		52.6	3.80	4.31	0.06	<0.02	0.33	0.039	0.07	19.1	14.7	0.37	551	3.29	0.01	0.99

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106582		41.9	770	19.8	7.0	<0.001	0.03	1.83	2.5	1.2	0.4	25.2	<0.01	0.06	1.0	0.025
ZZ106583		47.1	1170	24.1	9.1	<0.001	0.04	2.59	3.6	2.0	0.4	40.4	<0.01	0.08	1.2	0.014
ZZ106584		49.4	1050	23.9	7.5	0.001	0.05	2.39	3.8	2.2	0.4	51.7	<0.01	0.08	1.5	0.017
ZZ106585		50.3	1050	25.9	8.3	0.001	0.05	2.34	3.1	1.8	0.4	38.5	<0.01	0.07	0.9	0.015
ZZ106586		31.0	790	28.5	10.1	<0.001	0.03	1.50	3.4	1.3	0.6	30.0	<0.01	0.05	0.8	0.049
ZZ106587		52.9	830	28.0	6.9	0.001	0.05	1.74	3.5	1.8	0.3	43.6	<0.01	0.09	2.8	0.007
ZZ106588		63.6	1180	19.6	7.8	0.001	0.13	5.31	4.0	3.0	0.3	118.0	<0.01	0.10	1.4	0.006
ZZ106589		109.0	1530	19.7	9.2	<0.001	0.06	4.70	7.3	3.1	0.4	36.6	<0.01	0.09	1.7	0.008
ZZ106590		49.4	1100	24.4	6.4	0.001	0.03	3.13	4.2	1.8	0.3	37.5	<0.01	0.08	3.6	0.029
ZZ106591		58.8	750	27.2	8.3	<0.001	0.03	2.68	3.7	2.3	0.3	22.6	<0.01	0.09	3.2	0.023
ZZ106592		14.8	620	18.3	11.2	<0.001	0.04	0.86	0.9	0.6	0.7	8.5	<0.01	0.08	0.3	0.023
ZZ106593		44.0	880	28.3	8.1	0.002	0.05	2.49	4.1	3.5	0.3	84.3	<0.01	0.07	1.7	0.008
ZZ106594		49.8	670	16.8	6.3	0.003	0.09	3.21	4.1	3.8	0.2	87.1	<0.01	0.08	2.8	<0.005
ZZ106595		56.8	890	21.9	7.7	0.002	0.07	2.19	4.3	2.8	0.3	73.6	<0.01	0.08	1.9	0.006
ZZ106596		92.9	1070	17.8	8.4	0.001	0.07	3.19	4.3	2.7	0.3	42.9	<0.01	0.11	1.4	0.012
ZZ106597		65.6	1030	19.6	9.4	0.001	0.05	3.18	4.0	2.8	0.4	41.1	<0.01	0.08	1.8	0.017
ZZ106598		12.9	430	16.3	8.6	<0.001	0.03	0.79	2.1	0.8	0.7	8.1	<0.01	0.06	1.8	0.034
ZZ106599		29.3	490	24.5	10.3	<0.001	0.03	1.75	2.4	0.7	0.8	10.0	<0.01	0.10	1.0	0.052
ZZ106600		15.0	400	13.1	5.6	<0.001	0.02	1.14	0.7	0.9	0.9	5.0	<0.01	0.09	0.2	0.016
ZZ106601		75.4	1040	28.5	13.2	0.001	0.05	2.73	5.3	2.9	0.5	44.6	<0.01	0.18	2.2	0.014
ZZ106602		63.0	1100	41.1	7.8	0.001	0.06	3.99	4.0	2.7	0.3	53.4	<0.01	0.13	3.5	0.010
ZZ106603		61.2	980	21.5	11.0	0.003	0.12	2.41	2.6	3.0	0.5	99.6	<0.01	0.09	0.7	0.012
ZZ106604		101.0	1050	21.0	8.8	0.002	0.11	3.17	3.5	3.7	0.3	72.3	<0.01	0.08	1.8	0.008
ZZ106605		46.3	1010	20.4	8.1	0.001	0.07	2.34	1.8	2.6	0.4	41.2	<0.01	0.07	0.3	0.015
ZZ106606		65.7	1020	17.5	8.1	<0.001	0.12	3.10	3.4	2.9	0.4	47.9	<0.01	0.08	1.0	0.012
ZZ106607		43.9	1030	20.8	10.6	<0.001	0.06	2.32	1.5	2.1	0.5	15.7	<0.01	0.07	0.3	0.019
ZZ106608		46.9	620	24.1	12.0	<0.001	0.04	3.11	4.1	2.3	0.5	13.8	<0.01	0.06	3.7	0.017
ZZ106609		45.4	860	25.1	6.9	0.001	0.10	4.03	2.4	4.2	0.3	67.1	<0.01	0.14	0.9	0.009
ZZ106610		98.8	1120	24.1	8.3	0.001	0.06	2.86	5.1	3.4	0.4	26.0	<0.01	0.09	1.4	0.017
ZZ106611		22.8	290	20.8	3.6	<0.001	0.04	0.44	3.0	0.8	<0.2	21.0	<0.01	0.04	3.1	<0.005
ZZ106612		31.2	850	26.4	5.3	<0.001	0.05	0.86	3.2	0.8	0.2	33.2	<0.01	0.04	2.5	0.005
ZZ106613		49.6	1000	33.7	5.8	<0.001	0.03	1.65	4.5	1.2	0.3	31.0	<0.01	0.04	3.6	0.010
ZZ106614		36.0	620	28.1	5.1	<0.001	0.03	1.03	3.9	0.8	0.2	30.6	<0.01	0.04	3.6	0.005
ZZ106615		37.2	570	25.3	3.4	<0.001	0.05	0.86	3.7	1.0	0.2	46.4	<0.01	0.05	3.7	<0.005
ZZ106616		81.0	1300	21.1	11.6	0.001	0.07	3.49	3.5	3.3	0.4	44.6	<0.01	0.10	3.1	0.009
ZZ106617		62.5	920	22.8	7.6	0.001	0.06	3.40	3.2	3.3	0.2	59.9	<0.01	0.17	2.1	<0.005
ZZ106618		29.2	460	29.0	12.4	<0.001	0.04	2.20	2.6	1.7	0.6	11.7	<0.01	0.12	2.6	0.022
ZZ106619		41.2	670	18.1	6.2	0.001	0.07	4.51	2.4	3.8	0.2	45.6	<0.01	0.16	2.5	0.006
ZZ106620		42.2	800	30.8	7.6	<0.001	0.04	1.98	2.3	1.8	0.4	27.0	<0.01	0.07	0.8	0.019
ZZ106621		62.2	980	33.6	8.0	<0.001	0.05	2.12	2.6	1.7	0.4	30.6	<0.01	0.09	0.7	0.023

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106582		0.14	1.08	51	0.16	6.01	156	<0.5	0.004
ZZ106583		0.22	1.68	60	0.11	8.07	204	0.6	0.008
ZZ106584		0.16	1.82	50	0.12	9.87	195	1.2	0.006
ZZ106585		0.18	1.68	48	0.12	9.85	229	0.5	0.005
ZZ106586		0.17	1.43	67	0.20	8.29	114	<0.5	0.004
ZZ106587		0.13	1.59	37	0.08	8.60	194	1.6	0.004
ZZ106588		0.31	2.41	41	0.06	7.81	285	1.1	0.012
ZZ106589		0.30	2.49	46	0.07	13.05	399	1.1	0.007
ZZ106590		0.19	1.63	66	0.17	10.00	199	1.1	0.007
ZZ106591		0.16	1.32	53	0.16	8.07	192	1.4	0.009
ZZ106592		0.13	0.59	51	0.18	2.19	65	<0.5	<0.001
ZZ106593		0.23	2.49	41	0.07	8.74	153	1.2	0.009
ZZ106594		0.22	3.16	19	<0.05	6.89	154	1.5	0.013
ZZ106595		0.18	2.43	30	0.06	8.95	202	2.5	0.011
ZZ106596		0.20	1.51	29	0.09	9.22	275	1.2	0.011
ZZ106597		0.27	1.88	40	0.16	7.72	243	0.7	0.007
ZZ106598		0.15	0.62	56	0.33	2.30	45	<0.5	0.002
ZZ106599		0.23	0.61	118	0.22	2.55	105	<0.5	0.001
ZZ106600		0.12	0.53	68	0.23	1.75	56	<0.5	0.002
ZZ106601		0.25	1.91	62	0.17	10.55	259	0.9	0.017
ZZ106602		0.22	1.87	47	0.09	8.69	263	1.4	0.010
ZZ106603		0.22	4.92	50	0.14	9.07	205	<0.5	0.010
ZZ106604		0.28	3.13	42	0.09	8.57	204	2.3	0.009
ZZ106605		0.23	1.80	50	0.16	5.20	156	<0.5	0.007
ZZ106606		0.36	2.77	47	0.11	7.32	223	0.8	0.010
ZZ106607		0.24	1.03	59	0.17	4.82	167	<0.5	0.003
ZZ106608		0.31	1.36	64	0.17	3.95	169	2.5	0.010
ZZ106609		0.31	2.70	32	0.08	7.86	182	0.5	0.015
ZZ106610		0.36	2.49	40	0.14	12.70	308	0.5	0.010
ZZ106611		0.03	1.09	5	<0.05	8.49	58	2.0	<0.001
ZZ106612		0.07	1.30	27	0.08	10.35	95	2.3	0.001
ZZ106613		0.13	1.38	52	0.11	13.80	157	1.7	0.003
ZZ106614		0.08	1.23	23	0.11	10.70	84	2.9	0.001
ZZ106615		0.06	1.26	10	<0.05	11.40	94	2.5	0.002
ZZ106616		0.27	1.44	43	0.07	16.65	305	1.4	0.007
ZZ106617		0.16	0.83	21	<0.05	10.60	202	<0.5	0.020
ZZ106618		0.19	0.71	55	0.22	2.68	96	0.9	0.011
ZZ106619		0.22	2.01	20	0.05	6.51	190	0.7	0.015
ZZ106620		0.15	1.02	50	0.16	6.63	150	<0.5	0.004
ZZ106621		0.15	1.23	51	0.15	7.26	159	<0.5	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106622		0.48	0.95	0.83	26.0	<0.2	<10	1000	0.50	0.16	0.63	1.66	25.4	10.9	25	0.67
ZZ106623		0.44	1.05	1.86	14.7	<0.2	<10	610	0.79	0.27	0.07	0.68	31.5	14.1	47	2.20
ZZ106624		0.43	1.26	1.07	19.1	<0.2	<10	550	0.56	0.24	0.07	1.63	41.8	21.4	24	1.21
ZZ106625		0.41	1.28	1.06	17.1	<0.2	<10	180	0.39	0.26	0.03	0.67	27.2	8.5	28	1.17
ZZ106626		0.29	1.75	1.05	14.7	<0.2	<10	250	0.31	0.22	0.02	0.41	24.6	6.7	27	1.27
ZZ106627		0.38	0.94	1.66	41.2	<0.2	<10	1000	1.29	0.24	0.41	26.0	20.8	78.1	141	2.66
ZZ106628		0.37	0.90	1.15	24.6	<0.2	<10	510	0.83	0.27	0.35	3.68	28.9	14.9	63	1.04
ZZ106629		0.60	1.04	1.45	22.8	<0.2	<10	310	0.79	0.24	0.07	1.42	34.8	14.9	34	1.24
ZZ106630		0.40	0.81	1.15	17.3	<0.2	<10	350	0.34	0.27	0.02	0.38	35.7	5.4	34	1.47
ZZ106631		0.50	0.57	1.03	20.2	<0.2	<10	250	0.42	0.27	0.06	1.40	29.6	17.5	60	0.97
ZZ106632		0.33	0.51	1.14	17.6	<0.2	<10	210	0.61	0.32	0.19	0.46	20.6	12.9	68	1.14
ZZ106633		0.40	0.08	0.52	20.0	<0.2	<10	10	0.50	0.41	0.27	0.04	13.35	17.3	7	0.35
ZZ106634		0.41	0.45	1.26	21.5	<0.2	<10	90	0.73	0.40	0.18	0.40	41.0	15.7	19	0.99
ZZ106635		0.47	0.95	0.91	18.9	<0.2	<10	140	0.59	0.37	0.09	0.30	24.2	9.8	21	1.05
ZZ106636		0.39	0.65	1.21	11.6	<0.2	<10	480	0.58	0.30	0.27	0.68	15.70	25.7	104	1.56
ZZ106637		0.37	1.04	1.07	12.0	<0.2	<10	880	0.61	0.36	0.20	0.41	16.30	7.7	24	1.33
ZZ106638		0.45	0.37	1.07	14.7	<0.2	<10	190	0.50	0.25	0.31	0.44	20.6	26.3	138	1.68
ZZ106639		0.51	0.17	1.17	144.0	<0.2	<10	180	1.04	0.64	3.48	0.99	9.24	113.0	455	3.80
ZZ106640		0.34	0.29	1.17	23.3	<0.2	<10	580	0.64	0.19	0.56	0.54	14.95	31.4	344	1.28
ZZ106641		0.38	1.51	2.58	30.0	<0.2	<10	610	1.63	0.67	0.17	19.95	28.3	90.0	72	5.62
ZZ106642		0.52	0.20	0.50	30.0	<0.2	<10	130	0.46	0.40	0.37	0.25	14.40	11.6	9	0.34
ZZ106643		0.41	0.18	5.11	19.1	<0.2	<10	140	1.67	0.11	0.98	0.25	100.5	41.2	89	2.25
ZZ106644		0.43	0.19	2.43	11.0	<0.2	<10	720	2.17	0.17	0.84	0.31	63.9	23.1	33	18.15
ZZ106645		0.51	0.06	1.76	25.1	<0.2	<10	200	1.24	0.45	0.11	0.18	86.9	26.1	28	2.12
ZZ106646		0.39	0.32	1.88	18.1	<0.2	<10	220	1.45	0.45	0.41	0.18	16.85	17.0	29	4.94
ZZ106647		0.41	0.48	0.62	16.5	<0.2	<10	130	0.42	0.40	0.07	0.76	6.31	11.5	13	1.22
ZZ106648		0.40	0.41	0.39	12.8	<0.2	<10	160	0.25	0.25	0.02	0.21	13.95	2.6	8	1.03
ZZ106649		0.45	1.22	0.38	21.7	<0.2	<10	300	0.13	0.30	0.01	0.04	17.25	1.1	12	0.69
ZZ106650		0.40	0.44	1.87	36.3	<0.2	<10	310	0.98	0.30	0.14	1.15	21.4	14.8	67	2.45
ZZ106651		0.40	0.72	0.53	19.2	<0.2	<10	1170	0.38	0.26	0.41	0.40	8.57	3.1	11	0.85
ZZ106652		0.37	0.92	0.55	25.4	<0.2	<10	300	0.27	0.33	0.04	0.43	14.70	4.0	11	1.28
ZZ106653		0.47	0.29	1.75	34.4	<0.2	<10	100	0.75	0.39	0.15	0.27	35.6	18.0	31	1.30
ZZ106654		0.39	0.28	1.32	30.9	<0.2	<10	110	0.41	0.41	0.07	0.39	25.0	9.3	25	1.60
ZZ106655		0.46	0.28	1.98	20.7	<0.2	<10	110	0.79	0.63	0.21	0.34	31.8	20.6	33	1.97
ZZ106656		0.54	0.21	1.52	17.9	<0.2	<10	210	0.67	0.28	0.22	0.56	38.6	15.3	28	1.26
ZZ106657		0.32	0.63	2.21	44.7	<0.2	<10	460	2.39	0.16	2.09	11.70	8.74	72.6	757	3.99
ZZ106658		0.47	0.77	0.92	45.1	<0.2	<10	510	0.58	0.35	0.41	1.60	12.20	23.4	132	2.08
ZZ106659		0.41	0.64	0.63	27.7	<0.2	<10	780	0.51	0.32	0.22	0.45	7.82	8.3	37	1.31
ZZ106660		0.51	1.03	1.86	13.9	<0.2	<10	170	0.90	0.68	0.07	0.35	15.50	20.4	38	4.76
ZZ106661		0.53	0.12	2.20	5.3	<0.2	<10	150	0.86	0.44	0.10	0.26	18.20	22.0	37	3.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106622		49.5	2.67	2.82	0.07	0.07	0.43	0.028	0.06	14.2	10.8	0.35	714	4.33	0.01	0.52
ZZ106623		80.7	4.27	7.26	0.07	0.05	0.31	0.045	0.09	16.8	22.1	0.43	722	5.63	0.01	0.56
ZZ106624		98.0	4.64	3.55	0.08	0.04	0.50	0.046	0.07	21.1	11.9	0.18	633	7.23	0.01	0.52
ZZ106625		49.2	3.55	4.84	0.06	<0.02	0.19	0.034	0.07	15.0	8.8	0.19	352	4.73	<0.01	0.43
ZZ106626		46.8	3.01	4.57	<0.05	<0.02	0.27	0.027	0.06	13.5	5.9	0.16	262	4.31	0.01	0.48
ZZ106627		133.0	5.14	3.16	0.09	0.10	0.38	0.029	0.05	11.5	27.5	0.95	5020	15.10	0.01	0.20
ZZ106628		68.0	4.30	4.29	0.06	0.07	0.21	0.043	0.08	15.1	18.2	0.37	690	4.67	0.01	0.36
ZZ106629		111.0	3.77	4.65	0.07	0.04	0.20	0.043	0.08	18.1	15.4	0.32	678	5.15	0.01	0.47
ZZ106630		44.6	3.54	5.97	0.05	<0.02	0.11	0.032	0.08	20.4	6.2	0.17	220	4.81	0.01	0.50
ZZ106631		70.5	3.50	3.60	0.05	0.04	0.14	0.030	0.08	15.5	16.3	0.58	568	6.10	0.01	0.26
ZZ106632		67.4	3.57	3.54	0.05	0.10	0.20	0.032	0.06	10.5	24.3	0.63	322	5.28	<0.01	0.14
ZZ106633		36.0	3.24	1.64	0.05	0.04	0.12	0.022	0.03	4.8	19.8	0.15	331	0.51	<0.01	<0.05
ZZ106634		119.5	4.20	4.09	0.07	0.06	0.14	0.026	0.10	20.6	26.5	0.51	912	5.59	<0.01	0.05
ZZ106635		98.9	3.49	2.98	0.06	0.06	0.17	0.034	0.06	12.0	21.1	0.28	422	8.14	<0.01	<0.05
ZZ106636		75.4	3.27	4.14	0.05	0.07	0.20	0.031	0.05	8.5	20.7	0.81	658	4.59	0.01	0.42
ZZ106637		63.0	3.01	3.48	0.05	0.07	0.29	0.034	0.05	8.4	22.2	0.23	298	5.24	0.01	0.25
ZZ106638		48.9	3.49	3.50	0.06	0.06	0.19	0.023	0.05	10.7	27.1	2.15	630	4.95	0.01	0.19
ZZ106639		54.0	7.06	2.91	0.07	0.08	0.27	0.026	0.03	4.5	29.2	5.35	1620	0.84	0.01	0.13
ZZ106640		32.8	3.75	3.60	0.05	0.08	0.14	0.025	0.04	8.1	17.5	2.46	535	2.70	0.01	0.55
ZZ106641		424	5.32	6.78	0.08	0.09	0.45	0.042	0.09	13.4	64.0	0.77	5520	4.56	0.01	0.15
ZZ106642		31.5	3.07	1.53	0.06	0.04	0.18	0.024	0.08	6.3	4.8	0.11	335	1.17	0.01	0.21
ZZ106643		56.0	8.14	19.55	0.17	0.04	0.05	0.086	0.04	51.6	76.1	4.32	2040	1.63	0.01	0.43
ZZ106644		45.1	5.13	10.75	0.11	0.02	0.10	0.063	0.13	29.0	40.8	1.58	1170	1.66	0.02	0.62
ZZ106645		73.7	3.95	6.23	0.10	0.04	0.04	0.042	0.07	47.1	34.7	0.50	1700	2.17	0.01	0.21
ZZ106646		80.4	3.73	6.02	0.05	0.10	0.12	0.023	0.07	8.7	50.3	0.60	848	3.24	0.01	0.13
ZZ106647		65.6	3.66	2.31	<0.05	0.02	0.17	0.033	0.04	2.9	11.6	0.10	447	9.63	0.01	0.09
ZZ106648		25.5	1.49	1.40	<0.05	<0.02	0.19	0.021	0.03	6.4	7.5	0.06	51	11.20	0.01	0.07
ZZ106649		10.3	1.72	2.52	0.06	<0.02	0.88	0.019	0.13	10.2	2.5	0.04	41	32.1	0.02	0.17
ZZ106650		52.5	3.43	4.92	0.05	0.04	0.16	0.043	0.06	10.1	28.4	0.46	563	3.00	0.01	0.66
ZZ106651		26.0	1.82	1.85	<0.05	0.03	0.87	0.029	0.04	4.7	10.0	0.12	108	6.79	0.01	0.10
ZZ106652		37.2	1.90	2.06	0.05	<0.02	0.50	0.026	0.05	7.7	13.0	0.10	100	13.75	0.01	0.07
ZZ106653		79.3	4.43	6.04	0.08	0.04	0.09	0.025	0.05	17.8	58.8	0.66	962	3.73	0.01	0.08
ZZ106654		68.4	3.53	5.48	0.05	0.02	0.07	0.026	0.06	13.1	21.6	0.27	664	5.82	0.01	0.28
ZZ106655		68.9	4.65	6.79	0.06	0.04	0.06	0.023	0.07	16.4	62.4	0.68	1300	3.84	0.01	0.05
ZZ106656		45.2	3.30	4.88	0.07	0.03	0.03	0.026	0.07	18.7	26.4	0.45	765	2.21	0.01	0.69
ZZ106657		93.1	7.29	2.42	0.09	0.10	0.25	0.055	0.04	4.3	13.9	3.64	789	4.78	0.01	0.25
ZZ106658		52.2	3.31	2.65	0.06	0.06	0.49	0.042	0.05	6.0	16.2	0.66	520	11.85	0.01	0.18
ZZ106659		42.4	2.45	1.99	<0.05	0.06	0.68	0.038	0.05	4.1	9.4	0.19	151	6.48	0.01	0.08
ZZ106660		94.0	5.35	5.72	0.06	0.04	0.20	0.028	0.06	7.7	47.8	0.66	1060	3.95	0.01	0.36
ZZ106661		55.2	4.81	6.90	0.07	0.03	0.04	0.022	0.05	8.2	67.2	0.79	828	1.30	0.01	0.16

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106622		56.3	1450	31.0	6.4	0.001	0.05	3.08	3.5	2.6	0.3	47.6	<0.01	0.07	2.0	0.017
ZZ106623		45.3	1110	18.6	16.0	0.001	0.08	2.13	3.5	3.0	0.6	28.9	<0.01	0.12	1.5	0.015
ZZ106624		82.9	1170	23.9	9.9	0.001	0.09	3.77	2.8	3.6	0.4	27.1	<0.01	0.14	1.5	0.012
ZZ106625		30.0	940	22.5	12.3	<0.001	0.05	2.40	1.0	2.7	0.5	21.7	<0.01	0.11	0.4	0.014
ZZ106626		29.3	940	18.7	11.0	<0.001	0.06	2.12	1.1	2.0	0.4	10.6	<0.01	0.11	0.5	0.010
ZZ106627		923	890	20.8	7.7	0.001	0.11	3.77	4.8	4.4	0.2	70.4	0.01	0.09	3.5	0.005
ZZ106628		152.5	1160	21.4	13.2	0.001	0.08	3.40	3.2	2.1	0.3	34.0	<0.01	0.13	1.4	0.011
ZZ106629		62.1	1280	31.7	11.6	<0.001	0.06	2.98	2.1	2.6	0.4	24.9	<0.01	0.11	1.0	0.013
ZZ106630		26.7	850	25.6	14.3	<0.001	0.07	2.31	1.0	2.3	0.6	25.9	<0.01	0.14	0.3	0.014
ZZ106631		104.0	880	18.6	7.5	0.001	0.06	3.38	1.9	2.7	0.2	24.0	<0.01	0.13	1.8	0.007
ZZ106632		97.9	900	21.4	6.8	0.001	0.05	2.11	2.8	2.0	0.2	26.4	<0.01	0.13	2.6	<0.005
ZZ106633		31.6	870	28.0	1.9	<0.001	0.03	1.30	3.3	0.6	<0.2	17.9	<0.01	0.05	8.2	<0.005
ZZ106634		44.8	1200	27.0	6.8	0.001	0.09	2.00	2.5	2.3	0.2	58.1	<0.01	0.19	3.5	<0.005
ZZ106635		44.1	880	23.9	6.2	0.001	0.07	2.74	2.2	2.8	0.2	39.7	<0.01	0.19	2.4	<0.005
ZZ106636		279	1120	20.0	8.2	0.001	0.09	1.90	3.9	2.2	0.4	27.4	<0.01	0.10	1.5	0.009
ZZ106637		52.5	980	26.6	7.2	0.001	0.09	1.93	2.9	2.4	0.3	31.0	<0.01	0.11	2.1	<0.005
ZZ106638		340	640	17.2	5.6	0.001	0.05	1.60	3.2	1.7	0.2	23.1	<0.01	0.08	2.7	0.006
ZZ106639		1885	620	29.3	3.4	<0.001	0.09	6.94	8.4	1.1	0.2	112.5	<0.01	0.07	4.2	0.006
ZZ106640		609	1240	22.9	6.4	<0.001	0.10	1.80	5.0	1.1	0.3	37.0	<0.01	0.06	1.5	0.011
ZZ106641		469	820	54.0	8.5	0.001	0.05	2.43	6.5	4.1	0.2	31.8	<0.01	0.23	6.9	<0.005
ZZ106642		32.5	710	37.9	4.8	<0.001	0.10	3.16	3.0	0.9	0.2	26.0	<0.01	0.04	4.8	0.007
ZZ106643		53.2	4330	13.6	3.5	0.001	0.06	0.35	12.1	1.1	0.3	164.5	<0.01	0.04	2.4	0.010
ZZ106644		37.3	3270	18.7	18.2	<0.001	0.07	1.08	7.0	1.4	0.8	161.5	<0.01	0.07	1.1	0.043
ZZ106645		37.6	1200	57.3	8.6	<0.001	0.05	0.90	3.7	1.1	0.3	18.6	<0.01	0.08	6.0	0.006
ZZ106646		36.7	940	42.6	8.0	0.001	0.08	0.66	2.8	1.1	0.2	43.5	<0.01	0.09	6.3	<0.005
ZZ106647		40.9	730	23.4	5.1	0.001	0.07	3.05	1.6	2.5	0.2	15.5	<0.01	0.14	1.2	<0.005
ZZ106648		14.2	390	16.4	3.9	0.001	0.04	1.91	1.1	1.9	0.2	18.3	<0.01	0.10	1.1	<0.005
ZZ106649		4.6	430	20.3	8.3	0.002	0.33	4.38	0.7	7.5	0.6	13.6	<0.01	0.20	0.4	0.010
ZZ106650		154.5	870	27.5	9.6	0.001	0.06	1.68	4.1	2.2	0.4	28.5	<0.01	0.09	2.6	0.018
ZZ106651		18.6	570	17.2	5.0	0.003	0.05	5.50	1.9	3.0	0.2	32.3	<0.01	0.11	1.6	<0.005
ZZ106652		18.5	640	21.7	5.3	0.002	0.10	2.65	1.3	4.1	0.3	27.4	<0.01	0.14	1.0	<0.005
ZZ106653		41.7	760	22.9	4.9	<0.001	0.06	1.06	2.6	1.5	0.2	30.0	<0.01	0.09	6.8	<0.005
ZZ106654		26.9	1340	23.2	9.1	<0.001	0.09	1.45	0.8	1.6	0.3	26.6	<0.01	0.15	0.7	0.007
ZZ106655		44.1	840	53.0	6.0	0.001	0.05	0.87	3.3	1.5	0.2	30.7	<0.01	0.10	7.0	<0.005
ZZ106656		43.9	990	23.9	8.6	0.001	0.03	1.09	3.1	1.0	0.4	25.3	<0.01	0.08	4.4	0.025
ZZ106657		2200	1580	12.2	4.9	0.001	0.10	2.02	10.8	3.7	0.2	96.7	<0.01	0.07	2.1	0.006
ZZ106658		286	910	22.0	6.6	0.001	0.09	2.86	3.7	3.5	0.4	39.0	<0.01	0.13	1.9	<0.005
ZZ106659		115.0	670	21.2	5.7	0.003	0.06	6.08	2.6	3.3	0.3	28.7	<0.01	0.12	1.5	<0.005
ZZ106660		50.9	840	42.7	7.0	0.001	0.05	1.33	3.3	3.2	0.3	13.5	<0.01	0.09	7.8	0.010
ZZ106661		59.2	480	31.3	4.7	<0.001	0.02	0.42	3.2	0.7	0.2	12.2	<0.01	0.06	8.2	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106622		0.22	1.75	76	0.21	12.35	217	2.5	0.006
ZZ106623		0.36	2.02	90	0.12	5.76	182	1.4	0.009
ZZ106624		0.28	1.80	51	0.09	6.73	328	1.1	0.010
ZZ106625		0.26	1.34	66	0.15	3.67	140	<0.5	0.006
ZZ106626		0.23	1.05	66	0.11	2.90	125	<0.5	0.005
ZZ106627		0.49	7.74	51	0.12	33.2	2960	3.0	0.004
ZZ106628		0.27	2.00	49	0.10	8.55	367	1.9	0.007
ZZ106629		0.29	2.76	75	0.14	10.15	245	0.9	0.007
ZZ106630		0.26	0.93	90	0.12	3.59	119	<0.5	0.003
ZZ106631		0.22	1.25	34	0.06	5.64	203	1.1	0.006
ZZ106632		0.19	1.97	29	0.05	7.63	130	3.0	0.006
ZZ106633		0.03	0.65	7	<0.05	7.49	74	2.2	<0.001
ZZ106634		0.12	3.53	25	<0.05	9.44	149	1.9	0.010
ZZ106635		0.21	1.85	26	<0.05	8.54	139	2.0	0.011
ZZ106636		0.20	1.33	43	0.10	9.31	115	2.1	0.004
ZZ106637		0.23	1.70	30	0.05	9.28	100	2.3	0.004
ZZ106638		0.15	1.13	27	0.09	6.24	109	1.9	0.004
ZZ106639		0.09	1.19	28	0.05	11.00	181	2.7	0.003
ZZ106640		0.13	1.57	52	0.11	8.42	105	2.4	0.002
ZZ106641		0.42	4.05	67	0.07	16.75	604	3.9	0.015
ZZ106642		0.14	0.86	19	0.07	11.65	73	1.7	0.001
ZZ106643		0.07	0.75	204	0.05	13.40	122	1.0	0.001
ZZ106644		0.19	0.90	157	0.19	13.00	114	0.5	0.002
ZZ106645		0.10	0.96	31	0.06	7.81	89	1.5	0.002
ZZ106646		0.09	1.75	23	<0.05	7.98	89	3.3	0.006
ZZ106647		0.29	0.88	23	0.06	5.85	159	0.6	0.005
ZZ106648		0.38	0.96	25	0.14	3.46	52	<0.5	0.005
ZZ106649		1.26	0.87	64	1.21	1.59	14	<0.5	0.007
ZZ106650		0.25	2.35	49	0.19	7.12	122	1.5	0.003
ZZ106651		0.27	1.36	34	0.07	3.05	82	1.6	0.009
ZZ106652		0.82	1.25	36	0.27	4.65	72	<0.5	0.006
ZZ106653		0.10	1.52	26	<0.05	6.13	111	1.6	0.005
ZZ106654		0.16	1.71	37	0.11	4.40	86	0.5	<0.001
ZZ106655		0.08	1.34	27	<0.05	5.81	121	1.6	0.003
ZZ106656		0.13	1.22	47	0.28	7.98	103	1.0	0.008
ZZ106657		0.30	12.85	126	0.10	30.9	582	3.4	0.004
ZZ106658		0.69	2.38	55	0.25	8.91	138	2.3	0.006
ZZ106659		0.29	1.84	33	0.06	4.37	110	2.4	0.009
ZZ106660		0.12	1.53	34	0.11	5.26	145	1.4	0.004
ZZ106661		0.05	1.20	26	0.06	5.23	122	1.1	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106662		0.30	1.17	0.87	19.4	<0.2	<10	1160	0.46	0.21	0.54	0.66	32.3	11.7	23	0.49
ZZ106663		0.34	0.92	0.95	51.9	<0.2	<10	1220	0.56	0.40	0.94	0.73	25.9	7.9	22	0.42
ZZ106664		0.51	1.72	0.99	43.0	<0.2	<10	1280	0.50	0.35	0.42	1.03	33.1	9.3	25	0.50
ZZ106665		0.38	0.75	1.01	24.8	<0.2	<10	1330	0.62	0.26	0.75	0.80	26.9	10.5	23	0.62
ZZ106666		0.40	0.81	0.65	22.6	<0.2	<10	1090	0.46	0.24	0.91	0.80	21.5	10.8	14	0.48
ZZ106667		0.46	0.55	0.84	12.6	<0.2	<10	930	0.47	0.18	0.64	0.67	25.1	11.1	17	0.75
ZZ106668		0.46	1.05	0.46	26.1	<0.2	<10	550	0.29	0.19	0.39	0.68	28.7	14.9	10	0.80
ZZ106669		0.44	0.47	0.76	16.5	<0.2	<10	1090	0.42	0.20	1.58	1.37	24.0	12.5	22	0.69
ZZ106670		0.49	1.03	1.13	12.4	<0.2	<10	1050	0.53	0.21	1.11	1.36	24.5	10.1	25	0.84
ZZ106671		0.46	0.19	1.00	13.8	<0.2	<10	350	0.28	0.23	0.10	0.61	30.6	4.8	22	0.76
ZZ106672		0.39	0.37	1.31	24.6	<0.2	<10	450	0.46	0.24	0.09	0.44	33.9	5.6	27	0.82
ZZ106673		0.42	0.22	1.00	12.9	<0.2	<10	190	0.20	0.30	0.08	0.73	29.0	6.1	19	0.56
ZZ106674		0.47	0.17	1.20	13.0	<0.2	<10	150	0.26	0.31	0.05	0.33	27.8	6.7	22	0.89
ZZ106675		0.41	0.09	2.96	5.3	<0.2	<10	280	0.58	0.20	0.05	0.15	45.5	10.7	33	0.95
ZZ106676		0.37	0.24	3.52	5.3	<0.2	<10	600	1.21	0.23	0.24	0.12	87.4	22.3	39	1.64
ZZ106677		0.38	0.28	1.04	13.8	<0.2	<10	130	0.30	0.29	0.04	0.15	31.9	4.6	16	1.01
ZZ106678		0.55	0.38	0.97	10.9	<0.2	<10	320	0.27	0.18	0.25	0.44	40.8	9.2	17	0.79
ZZ106679		0.48	0.38	1.67	11.1	<0.2	<10	440	0.51	0.22	0.26	0.33	50.4	25.6	18	0.91
ZZ106680		0.35	0.49	1.35	14.7	<0.2	<10	410	0.53	0.21	0.37	0.49	50.8	12.2	19	0.99
ZZ106681		0.47	0.51	1.14	17.2	<0.2	<10	480	0.38	0.21	0.45	0.35	44.7	14.0	19	0.97
ZZ106682		0.45	0.39	1.70	11.4	<0.2	<10	540	0.56	0.21	0.37	0.51	36.8	18.0	26	1.20
ZZ106683		0.43	0.44	1.69	11.7	<0.2	<10	380	0.58	0.22	0.23	0.55	36.6	23.6	26	1.34
ZZ106684		0.55	0.92	1.41	19.5	<0.2	<10	1040	0.68	0.21	0.30	1.88	34.1	17.8	29	1.19
ZZ106685		0.52	0.75	1.35	22.1	<0.2	<10	650	0.45	0.24	0.21	0.48	29.2	9.1	26	1.69
ZZ106686		0.46	0.87	0.94	19.1	<0.2	<10	1180	0.59	0.23	1.02	2.52	28.6	12.6	24	0.70
ZZ106687		0.42	1.46	0.81	40.7	<0.2	<10	1310	0.54	0.27	0.71	1.16	22.3	5.8	34	0.69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106662		41.4	2.93	2.97	0.07	0.04	0.20	0.037	0.07	17.4	8.8	0.24	649	4.35	0.01	0.45
ZZ106663		63.3	2.42	2.94	0.05	0.03	0.16	0.057	0.06	14.1	9.6	0.31	442	2.15	0.01	0.51
ZZ106664		57.7	2.74	3.26	0.07	0.04	0.23	0.048	0.08	18.2	9.3	0.26	591	3.69	0.01	0.53
ZZ106665		45.4	2.50	3.33	0.06	0.04	0.15	0.059	0.07	14.7	9.5	0.32	573	3.28	0.01	0.57
ZZ106666		48.9	2.33	2.11	0.06	0.04	0.19	0.042	0.06	11.8	5.9	0.23	1240	8.17	0.01	0.27
ZZ106667		38.7	2.40	2.88	0.05	0.03	0.13	0.019	0.06	13.5	9.2	0.24	452	3.14	0.01	0.40
ZZ106668		59.9	3.10	1.50	0.05	0.02	0.24	0.022	0.05	14.8	3.1	0.08	994	6.50	0.01	0.23
ZZ106669		69.4	2.44	2.76	0.06	0.04	0.16	0.023	0.09	13.3	8.6	0.66	1060	3.30	0.01	0.60
ZZ106670		83.7	2.55	3.76	0.06	0.04	0.27	0.031	0.11	14.1	12.3	0.35	514	3.45	0.01	0.52
ZZ106671		25.3	2.07	5.39	0.05	<0.02	0.01	0.021	0.10	16.8	8.0	0.21	145	3.20	0.01	0.59
ZZ106672		26.6	2.69	5.41	0.05	<0.02	0.03	0.028	0.11	19.1	13.3	0.29	201	4.28	0.01	0.74
ZZ106673		26.8	2.61	5.83	0.05	<0.02	0.01	0.022	0.07	15.4	6.1	0.13	215	2.19	0.01	0.56
ZZ106674		22.8	3.04	6.44	0.05	<0.02	0.01	0.022	0.05	13.8	11.5	0.20	220	2.19	0.01	1.51
ZZ106675		22.3	6.48	11.60	0.07	0.05	0.01	0.031	0.07	23.0	33.9	0.75	153	1.36	0.01	0.48
ZZ106676		21.1	4.22	10.85	0.11	0.05	0.04	0.044	0.09	45.7	31.4	0.76	512	0.44	0.01	0.17
ZZ106677		13.8	3.06	7.33	0.05	<0.02	0.02	0.017	0.05	16.5	5.7	0.15	218	2.76	0.01	1.44
ZZ106678		18.0	2.34	3.93	0.07	0.02	0.11	0.018	0.08	21.5	8.6	0.25	292	2.54	0.01	0.53
ZZ106679		51.0	4.57	5.83	0.08	0.03	0.08	0.032	0.10	26.0	22.1	0.51	587	2.08	0.01	0.31
ZZ106680		20.4	3.64	4.48	0.08	0.02	0.21	0.029	0.10	26.1	18.2	0.40	318	2.84	0.01	0.38
ZZ106681		20.2	3.23	4.26	0.07	0.02	0.20	0.022	0.09	23.4	13.9	0.37	510	2.74	0.01	0.39
ZZ106682		22.3	3.60	6.60	0.07	0.03	0.18	0.024	0.11	19.3	21.7	0.61	528	3.00	0.01	0.43
ZZ106683		24.1	3.44	6.46	0.07	0.03	0.13	0.030	0.11	19.4	21.1	0.52	888	2.64	0.01	0.52
ZZ106684		36.4	3.53	4.93	0.07	0.03	0.22	0.031	0.10	18.3	16.0	0.36	2280	4.02	0.01	0.47
ZZ106685		37.0	3.19	4.57	0.06	0.02	0.32	0.027	0.14	16.2	18.2	0.47	230	9.67	0.01	0.56
ZZ106686		59.8	2.87	3.20	0.06	0.06	0.33	0.028	0.09	15.6	13.0	0.42	688	5.70	0.01	0.45
ZZ106687		51.7	3.31	5.03	0.07	0.04	0.76	0.037	0.09	14.5	9.5	0.27	276	12.60	0.01	0.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106662		31.2	970	35.9	8.1	0.001	0.05	2.67	3.9	2.0	0.4	42.5	<0.01	0.10	2.2	0.007
ZZ106663		37.4	870	45.6	7.5	0.001	0.06	3.52	3.0	2.1	0.4	41.5	<0.01	0.09	1.3	0.008
ZZ106664		37.8	1080	53.3	9.1	0.001	0.05	3.61	3.7	3.3	0.4	70.2	<0.01	0.12	2.4	0.010
ZZ106665		36.3	1110	42.1	8.8	0.001	0.06	4.23	3.4	2.1	0.4	49.6	<0.01	0.06	1.9	0.009
ZZ106666		25.9	1030	27.4	8.5	0.005	0.09	4.37	2.6	2.6	0.3	142.0	<0.01	0.10	1.5	<0.005
ZZ106667		28.2	1130	24.0	8.5	<0.001	0.05	1.38	2.6	1.4	0.3	46.2	<0.01	0.05	1.2	0.008
ZZ106668		33.8	1350	29.2	5.9	<0.001	0.04	2.51	2.6	1.7	0.2	26.2	<0.01	0.07	1.3	<0.005
ZZ106669		74.8	1390	25.9	7.7	0.001	0.07	2.43	3.1	1.5	0.3	148.0	<0.01	0.10	2.0	0.014
ZZ106670		40.5	1190	22.8	11.8	0.003	0.08	2.05	3.9	2.3	0.4	115.0	<0.01	0.11	1.6	0.009
ZZ106671		19.0	540	17.2	12.8	<0.001	0.02	1.12	1.5	0.7	0.6	16.3	<0.01	0.06	0.5	0.019
ZZ106672		22.6	900	29.9	12.8	<0.001	0.05	2.04	2.3	1.4	0.6	37.5	<0.01	0.09	2.6	0.016
ZZ106673		16.8	940	21.0	8.3	<0.001	0.02	0.94	1.3	0.6	0.6	40.0	<0.01	0.09	0.4	0.022
ZZ106674		17.2	440	13.8	10.5	<0.001	0.02	1.06	2.4	0.6	0.7	13.3	<0.01	0.07	2.8	0.032
ZZ106675		20.0	340	16.5	13.4	<0.001	0.02	0.38	5.1	0.6	0.6	6.5	<0.01	0.04	4.3	0.014
ZZ106676		26.7	330	19.1	16.3	<0.001	0.01	0.19	8.2	1.0	0.8	16.3	<0.01	0.03	5.6	0.006
ZZ106677		10.3	460	13.4	10.6	<0.001	0.02	0.94	1.8	0.6	0.8	7.6	<0.01	0.05	2.6	0.039
ZZ106678		17.8	900	29.4	10.6	0.002	0.04	1.01	2.3	1.2	0.4	26.9	<0.01	0.02	3.2	0.012
ZZ106679		38.3	1280	20.8	10.3	0.001	0.04	1.88	3.4	1.5	0.4	29.1	<0.01	0.03	4.0	0.008
ZZ106680		20.1	1460	23.5	12.6	0.001	0.04	1.50	3.0	1.1	0.4	27.1	<0.01	0.04	4.0	0.008
ZZ106681		18.2	1520	27.1	11.8	<0.001	0.06	1.61	2.7	1.3	0.4	36.5	<0.01	0.05	3.0	0.008
ZZ106682		24.4	1430	22.6	15.7	0.001	0.06	0.91	3.3	1.4	0.4	28.9	<0.01	0.06	2.7	0.009
ZZ106683		22.1	1340	25.6	17.6	<0.001	0.05	0.93	3.4	1.5	0.5	21.1	<0.01	0.05	2.7	0.011
ZZ106684		32.0	1530	33.4	13.0	0.001	0.05	1.80	4.0	2.5	0.5	35.1	<0.01	0.08	2.2	0.009
ZZ106685		30.8	1570	33.5	17.1	0.002	0.05	2.18	2.4	2.6	0.4	38.5	<0.01	0.10	2.1	0.011
ZZ106686		50.9	1320	28.5	8.5	0.002	0.07	2.30	3.4	2.6	0.3	95.0	<0.01	0.13	2.4	0.009
ZZ106687		26.1	1600	37.0	9.2	0.002	0.14	4.76	3.1	5.0	0.4	201	<0.01	0.30	2.0	0.009

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15127642

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106662		0.17	1.27	58	0.10	6.55	137	1.3	0.008
ZZ106663		0.11	2.29	55	0.13	10.05	143	1.2	0.006
ZZ106664		0.15	1.80	59	0.11	8.29	165	1.4	0.025
ZZ106665		0.17	2.61	67	0.10	10.00	174	1.6	0.006
ZZ106666		0.15	4.18	43	0.08	8.05	108	1.9	0.009
ZZ106667		0.13	1.84	45	0.13	8.28	98	0.9	0.004
ZZ106668		0.16	1.81	28	0.07	7.86	118	1.1	0.007
ZZ106669		0.16	1.46	66	0.10	10.25	237	1.9	0.009
ZZ106670		0.22	3.16	70	0.09	13.85	162	1.4	0.017
ZZ106671		0.17	0.81	85	0.17	2.84	90	<0.5	0.001
ZZ106672		0.23	1.09	103	0.19	3.29	114	<0.5	0.002
ZZ106673		0.12	0.56	58	0.19	2.16	100	<0.5	0.001
ZZ106674		0.13	0.55	65	0.30	2.34	81	<0.5	0.002
ZZ106675		0.11	0.25	97	0.07	2.88	69	2.2	<0.001
ZZ106676		0.15	0.24	79	<0.05	15.15	80	1.7	0.001
ZZ106677		0.14	0.47	72	0.28	2.49	42	<0.5	0.001
ZZ106678		0.14	0.85	32	0.14	5.49	88	0.7	0.002
ZZ106679		0.12	0.79	40	0.10	8.34	143	1.2	0.005
ZZ106680		0.17	1.00	53	0.12	7.02	109	0.8	0.004
ZZ106681		0.15	0.98	47	0.08	6.15	82	0.8	0.003
ZZ106682		0.19	0.99	77	0.07	6.55	134	1.2	0.003
ZZ106683		0.21	1.09	74	0.10	6.29	119	0.9	0.003
ZZ106684		0.26	2.29	94	0.11	13.30	206	0.9	0.006
ZZ106685		0.30	2.09	99	0.12	6.51	158	0.8	0.007
ZZ106686		0.21	3.73	76	0.09	11.65	215	2.4	0.050
ZZ106687		1.32	3.72	110	0.16	8.33	119	2.1	0.028

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Finalized Date: 8-SEP-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15127642

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

CERTIFICATE WH15129648

Project: ROD

This report is for 25 Rock samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-21	Sample logging - ClientBarCode


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Ag-GRA21	Ag 30g FA-GRAV finish	WST-SIM
Au-AA26	Ore Grade Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

Comments: Gold assay on sample M652198 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129648

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
M652175		1.37	1.03	1.47	4.0	<0.2	<10	610	0.43	0.13	0.02	10.35	27.4	25.7	26	0.39
M652176		1.48	0.40	0.77	2.6	<0.2	<10	2310	0.25	0.06	0.05	0.32	16.95	6.5	14	0.25
M652177		0.44	7.44	0.14	7.9	<0.2	<10	320	0.09	0.21	0.01	0.09	10.85	0.7	9	0.16
M652178		1.14	0.02	0.19	8.4	<0.2	<10	40	0.07	0.07	0.01	0.06	13.95	2.4	15	0.23
M652179		1.14	0.28	0.38	28.1	<0.2	<10	30	0.24	0.62	0.04	0.06	11.70	5.4	16	0.18
M652180		0.86	1.00	0.56	7.3	<0.2	<10	270	0.36	0.14	0.03	0.21	16.85	2.1	17	0.68
M652181		1.13	0.03	0.26	5.0	<0.2	<10	1760	0.12	0.01	0.03	0.04	2.89	1.3	13	0.15
M652182		1.15	<0.01	0.38	0.3	<0.2	<10	740	0.07	<0.01	0.08	0.15	2.95	2.8	14	0.09
M652183		1.16	0.15	0.20	3.2	<0.2	<10	670	0.10	0.03	0.06	0.06	2.36	1.6	19	0.05
M652184		1.08	2.24	0.73	15.0	<0.2	<10	1610	0.30	0.09	0.01	0.50	15.05	4.8	49	0.59
M652185		1.04	0.27	1.37	5.4	<0.2	<10	820	0.41	0.05	0.11	1.64	22.4	13.4	63	0.50
M652186		0.79	0.18	0.77	1.8	<0.2	<10	2720	0.34	0.03	0.05	0.91	13.80	21.7	10	0.21
M652187		0.69	0.74	1.47	118.5	<0.2	<10	2340	0.66	0.63	0.20	7.12	67.8	44.4	55	0.49
M652188		0.57	0.18	1.77	44.1	<0.2	<10	600	1.12	0.10	0.02	2.38	42.8	28.4	54	0.35
M652189		0.71	0.15	0.84	43.7	<0.2	<10	430	0.65	0.18	0.02	0.38	24.8	3.9	11	0.33
M652190		0.84	<0.01	0.07	67.3	<0.2	<10	3040	0.15	<0.01	0.21	3.33	5.81	6.2	11	0.06
M652191		1.13	<0.01	0.09	4.1	<0.2	<10	1720	0.06	<0.01	4.08	2.26	2.62	1.6	1	<0.05
M652192		1.01	>100	0.11	4630	0.3	<10	70	0.07	262	0.36	18.15	2.50	10.6	15	0.12
M652193		1.44	0.64	0.04	>10000	0.8	<10	10	<0.05	9.25	<0.01	0.04	0.47	5.5	3	0.05
M652194		1.02	0.51	2.25	426	<0.2	<10	580	0.74	0.47	7.82	0.40	18.85	48.8	102	0.17
M652195		1.31	20.7	0.11	453	<0.2	<10	480	0.06	19.40	3.76	0.67	1.59	5.4	17	0.20
M652196		0.98	0.54	5.57	347	<0.2	<10	370	1.26	0.57	0.42	0.25	20.3	120.0	229	0.12
M652197		0.34	0.55	0.32	81.8	<0.2	<10	210	0.12	1.38	0.11	0.47	1.31	10.8	9	0.05
M652198		1.17	>100	0.05	>10000	9.9	<10	50	0.06	5090	0.07	89.4	1.17	12.7	6	0.20
M652199		1.21	>100	0.19	4180	1.2	<10	150	0.09	834	0.95	13.55	4.87	13.9	41	0.17

Comments: Gold assay on sample M652198 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
M652175		244	5.22	2.40	0.06	0.11	0.27	0.020	0.14	13.8	13.7	0.23	1640	1.41	<0.01	<0.05
M652176		104.0	3.04	0.93	<0.05	0.05	0.25	0.016	0.10	9.6	7.0	0.06	127	0.57	<0.01	<0.05
M652177		13.4	0.66	0.53	<0.05	0.06	3.31	<0.005	0.07	5.8	1.0	0.01	43	6.17	<0.01	<0.05
M652178		8.0	1.07	0.45	<0.05	0.04	0.04	0.005	0.05	5.8	1.2	0.02	134	0.40	0.03	<0.05
M652179		27.8	1.68	0.60	<0.05	0.05	0.05	0.009	0.03	5.0	2.3	0.03	282	0.48	0.02	<0.05
M652180		24.7	2.42	2.13	<0.05	0.09	0.30	0.016	0.25	10.1	4.8	0.12	70	2.65	0.01	<0.05
M652181		28.4	1.43	0.62	<0.05	0.03	0.04	<0.005	0.03	1.4	7.1	0.07	59	0.96	<0.01	<0.05
M652182		26.5	0.76	0.26	<0.05	<0.02	0.02	0.007	0.02	1.3	1.4	0.02	87	0.36	0.01	<0.05
M652183		30.5	1.20	0.21	<0.05	0.02	0.09	0.006	0.05	1.2	1.2	0.01	83	0.31	<0.01	<0.05
M652184		98.2	4.56	2.20	0.06	0.17	0.84	0.024	0.15	9.4	6.3	0.15	88	5.17	<0.01	<0.05
M652185		90.5	3.06	4.02	0.07	0.08	0.33	0.035	0.16	10.6	17.3	0.59	535	1.38	<0.01	<0.05
M652186		50.6	7.35	1.04	0.05	0.07	0.11	0.020	0.07	6.7	2.9	0.09	1180	0.57	0.01	<0.05
M652187		78.6	12.35	3.57	0.13	0.04	0.05	0.048	0.25	35.1	2.6	0.23	1330	17.35	0.01	<0.05
M652188		117.5	19.40	5.74	0.12	0.25	0.09	0.042	0.13	22.8	2.1	0.29	632	9.61	0.01	<0.05
M652189		101.0	3.93	2.66	<0.05	0.08	0.03	0.119	0.16	13.1	1.3	0.15	92	4.18	0.01	<0.05
M652190		14.5	6.30	0.34	<0.05	<0.02	0.02	0.848	0.01	2.6	0.1	0.24	4810	2.15	<0.01	<0.05
M652191		4.3	1.68	0.23	<0.05	<0.02	<0.01	0.050	<0.01	0.9	0.6	1.75	1950	0.25	<0.01	<0.05
M652192		>10000	6.15	0.56	0.05	<0.02	2.24	5.47	0.06	1.7	0.4	2.27	3090	1.04	0.02	<0.05
M652193		96.1	20.5	0.27	0.20	<0.02	0.01	0.931	0.01	0.2	0.1	0.01	79	0.53	<0.01	0.05
M652194		51.9	7.05	5.74	0.06	0.03	0.01	0.064	0.14	9.7	4.5	5.38	2100	1.04	0.01	<0.05
M652195		3150	2.38	0.33	<0.05	<0.02	0.01	0.447	0.02	0.7	0.5	1.77	756	0.47	0.01	<0.05
M652196		167.5	11.50	15.35	0.07	0.02	0.01	0.102	0.10	10.7	11.3	4.83	783	2.00	0.01	<0.05
M652197		211	32.1	0.64	0.10	0.02	0.14	6.22	0.02	0.6	0.3	0.71	12400	1.72	0.01	<0.05
M652198		>10000	9.71	0.33	0.06	<0.02	7.36	12.00	0.03	1.8	0.1	0.17	692	1.18	0.01	<0.05
M652199		>10000	10.35	1.05	0.06	<0.02	1.80	8.19	0.10	2.9	0.4	3.95	5940	1.90	0.01	<0.05

Comments: Gold assay on sample M652198 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
M652175		115.5	290	12.2	7.7	0.003	0.06	1.22	7.6	3.7	0.2	10.7	<0.01	0.06	2.7	<0.005
M652176		39.5	540	5.8	4.9	0.001	0.08	0.45	2.0	2.5	<0.2	18.6	<0.01	0.04	1.9	<0.005
M652177		4.6	70	31.4	3.3	0.004	0.05	4.42	0.6	5.0	<0.2	14.9	<0.01	0.10	0.8	<0.005
M652178		6.1	60	5.8	2.2	<0.001	0.01	0.21	0.6	<0.2	<0.2	3.6	<0.01	<0.01	3.9	<0.005
M652179		12.9	170	87.1	1.6	<0.001	0.07	1.08	1.1	0.7	<0.2	6.7	<0.01	0.02	4.3	<0.005
M652180		18.8	390	10.6	11.6	0.003	0.95	2.73	1.2	5.4	0.2	9.9	<0.01	0.09	2.2	<0.005
M652181		8.9	540	1.3	1.5	<0.001	0.09	1.12	0.6	0.3	<0.2	22.0	<0.01	<0.01	0.3	<0.005
M652182		22.4	560	0.7	1.1	<0.001	0.04	0.08	0.7	0.2	<0.2	29.1	<0.01	<0.01	0.3	<0.005
M652183		12.9	550	1.6	1.7	<0.001	0.03	1.94	0.7	0.5	<0.2	36.7	<0.01	<0.01	0.2	<0.005
M652184		51.2	650	8.4	7.9	0.006	0.14	4.19	2.7	8.6	<0.2	39.3	<0.01	0.14	1.8	<0.005
M652185		82.5	1020	2.5	7.3	0.004	0.06	1.22	4.7	1.0	0.2	21.2	<0.01	0.02	1.9	<0.005
M652186		93.4	700	8.4	2.9	<0.001	0.06	0.26	7.2	1.7	<0.2	24.3	<0.01	0.01	0.9	<0.005
M652187		218	2620	23.4	11.2	0.001	0.01	12.85	23.3	10.8	0.2	42.6	<0.01	0.04	2.2	0.005
M652188		135.5	590	34.1	5.7	0.012	0.06	5.50	4.2	4.6	0.5	3.0	<0.01	0.06	3.2	<0.005
M652189		24.4	580	22.7	6.7	0.001	0.04	2.18	3.0	2.5	0.7	15.8	<0.01	0.04	2.8	<0.005
M652190		42.6	840	6.3	0.6	<0.001	0.07	4.89	3.6	0.5	<0.2	38.6	<0.01	<0.01	0.3	<0.005
M652191		15.6	20	6.1	0.1	<0.001	0.06	0.56	0.7	0.2	<0.2	355	<0.01	<0.01	<0.2	<0.005
M652192		40.5	240	6.6	2.2	<0.001	1.63	>10000	6.6	4.7	4.5	20.0	<0.01	0.03	<0.2	<0.005
M652193		22.4	310	7.6	0.5	<0.001	4.74	143.0	3.8	12.8	<0.2	4.7	<0.01	0.38	<0.2	<0.005
M652194		304	970	5.1	4.8	<0.001	0.11	8.68	12.7	0.4	1.1	425	<0.01	0.01	1.2	<0.005
M652195		37.6	480	364	0.9	<0.001	0.36	17.95	7.9	1.7	1.0	108.5	<0.01	0.03	<0.2	<0.005
M652196		404	1500	4.1	2.9	0.002	0.67	11.90	20.6	1.5	1.7	33.4	<0.01	0.02	1.5	0.005
M652197		47.7	210	19.7	0.6	<0.001	0.05	8.04	13.5	1.0	<0.2	19.6	<0.01	0.01	<0.2	<0.005
M652198		101.5	60	89.9	1.2	<0.001	3.46	>10000	0.6	7.5	26.2	12.8	<0.01	0.01	<0.2	<0.005
M652199		115.0	300	5.3	3.8	<0.001	1.97	>10000	7.7	3.4	10.9	35.9	<0.01	0.02	0.4	<0.005

Comments: Gold assay on sample M652198 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129648

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Ag-OG46	Cu-OG46	Ag-GRA21	Au-AA26	Au-GRA22
	Analyte	Tl	U	V	W	Y	Zn	Zr	Ag	Cu	Ag	Au	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	1	0.001	5	0.01	0.05
M652175		0.19	1.46	35	<0.05	15.20	460	7.1				<0.01	
M652176		0.05	0.89	8	<0.05	4.02	244	4.0				<0.01	
M652177		0.07	0.22	8	0.05	2.92	31	2.9				0.08	
M652178		<0.02	0.31	2	<0.05	0.83	18	1.6				<0.01	
M652179		0.02	0.44	2	<0.05	1.58	36	2.2				<0.01	
M652180		0.20	0.76	35	<0.05	2.49	97	4.3				0.01	
M652181		0.03	0.29	5	<0.05	0.99	50	1.3				<0.01	
M652182		<0.02	0.30	2	<0.05	2.87	42	0.9				<0.01	
M652183		<0.02	0.49	6	<0.05	1.73	47	1.1				<0.01	
M652184		0.10	1.35	79	<0.05	6.04	364	10.0				0.01	
M652185		0.10	0.69	40	<0.05	6.96	138	4.0				<0.01	
M652186		0.03	1.39	19	<0.05	14.85	368	6.9				<0.01	
M652187		0.16	2.22	57	<0.05	31.1	854	4.8				<0.01	
M652188		0.11	1.79	130	<0.05	11.70	581	16.4				<0.01	
M652189		0.07	3.94	28	<0.05	6.14	269	5.1				<0.01	
M652190		<0.02	1.17	4	<0.05	4.55	740	<0.5				<0.01	
M652191		<0.02	0.07	3	<0.05	6.40	273	<0.5				<0.01	
M652192		0.02	0.26	7	<0.05	1.60	2090	<0.5	624	3.64		0.47	
M652193		<0.02	0.59	3	<0.05	0.11	11	1.5				0.75	
M652194		0.05	0.65	55	0.05	8.49	92	1.7				<0.01	
M652195		<0.02	0.29	5	<0.05	5.95	88	<0.5				<0.01	
M652196		0.03	1.50	134	<0.05	6.01	137	1.1				<0.01	
M652197		<0.02	1.78	37	<0.05	6.03	255	1.4				<0.01	
M652198		0.04	1.84	2	<0.05	1.24	9000	<0.5	>1500	15.75	3620		9.75
M652199		0.04	0.91	15	0.06	4.05	1680	0.6	542	3.34		1.07	

Comments: Gold assay on sample M652198 is reported by fire assay gravimetric method due to high silver content in the sample that may cause incomplete gold dissolution in aqua-regia solution.

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Finalized Date: 11-SEP-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15129648

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-21	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-GRA21	Ag-OG46	Au-AA26	Au-GRA22
Cu-OG46	ME-MS41	ME-OG46	

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

CERTIFICATE WH15129662

Project: ROD

This report is for 234 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106688		0.44	1.33	0.66	94.2	<0.2	<10	630	0.42	1.30	0.66	1.25	33.3	13.0	17	0.50
ZZ106689		0.34	0.17	1.12	20.7	<0.2	<10	300	0.35	0.32	0.19	0.30	24.1	11.6	22	0.46
ZZ106690		0.42	0.28	1.01	18.3	<0.2	<10	130	0.28	0.38	0.05	0.75	20.0	6.0	20	0.89
ZZ106691		0.34	0.47	1.36	29.6	<0.2	<10	150	0.36	0.38	0.04	0.20	21.9	5.2	25	1.32
ZZ106692		0.38	0.40	0.46	32.5	<0.2	<10	90	0.35	0.21	0.86	0.38	24.5	12.5	10	0.33
ZZ106694		0.34	3.04	0.67	165.5	<0.2	<10	360	0.45	3.69	0.58	0.36	18.70	16.4	15	0.39
ZZ106695		0.42	1.10	1.00	301	<0.2	<10	430	0.58	5.13	0.23	0.19	24.4	11.7	22	0.44
ZZ106696		0.33	0.16	1.41	16.8	<0.2	<10	230	0.28	0.28	0.05	0.47	24.5	5.1	23	0.86
ZZ106697		0.41	1.36	0.41	43.2	0.2	<10	310	0.21	1.61	0.22	0.49	34.9	6.1	8	0.36
ZZ106698		0.43	0.93	0.43	33.7	<0.2	<10	500	0.22	0.37	0.53	0.48	20.1	8.8	9	0.27
ZZ106699		0.41	0.33	0.55	20.3	<0.2	<10	560	0.38	0.28	0.27	0.58	19.20	8.2	6	0.30
ZZ106700		0.49	0.29	0.84	32.4	<0.2	<10	260	0.29	0.26	0.06	0.49	24.3	6.6	15	0.26
ZZ106701		0.45	2.81	0.32	139.0	<0.2	<10	280	0.46	0.76	0.94	0.49	28.7	16.3	7	0.12
ZZ106702		0.39	1.29	0.98	127.0	<0.2	<10	70	0.18	1.30	0.05	0.09	16.90	4.5	18	0.62
ZZ106703		0.32	4.04	0.64	225	<0.2	<10	280	0.35	11.80	0.59	0.30	16.85	11.0	13	0.35
ZZ106704		0.42	2.66	0.42	94.6	<0.2	<10	230	0.39	2.99	0.60	0.12	20.6	10.0	7	0.28
ZZ106705		0.45	0.52	0.66	30.3	<0.2	<10	180	0.48	0.38	0.92	0.18	20.2	11.0	12	0.64
ZZ106706		0.42	0.57	0.85	31.6	<0.2	<10	130	0.32	0.33	0.07	0.32	26.6	6.4	13	0.67
ZZ106707		0.49	0.37	1.32	23.4	<0.2	<10	170	0.39	0.36	0.04	0.28	22.9	4.6	19	0.89
ZZ106708		0.44	0.29	1.96	46.1	<0.2	<10	200	0.73	0.57	0.04	0.36	29.8	10.6	29	1.14
ZZ106709		0.56	0.78	0.71	29.9	<0.2	<10	870	0.46	0.57	1.68	2.57	25.4	14.7	21	0.75
ZZ106710		0.44	0.25	1.14	10.6	<0.2	<10	300	0.40	0.30	0.19	0.84	23.8	10.5	21	0.72
ZZ106711		0.43	0.06	0.92	14.8	<0.2	<10	100	0.20	0.22	0.04	0.12	21.8	4.7	18	0.69
ZZ106712		0.34	0.21	1.64	14.4	<0.2	<10	180	0.51	0.32	0.06	0.22	27.2	8.9	25	0.90
ZZ106713		0.42	0.31	0.81	42.0	<0.2	<10	110	0.27	0.50	0.05	0.29	27.6	7.0	15	0.66
ZZ106714		0.48	1.25	0.57	53.2	<0.2	<10	360	0.49	0.76	0.87	0.77	21.1	12.3	11	0.43
ZZ106715		0.40	0.94	0.68	67.5	<0.2	<10	280	0.48	0.79	0.65	0.44	21.9	12.5	15	0.56
ZZ106716		0.42	0.70	1.26	74.5	<0.2	<10	700	0.57	1.05	0.30	0.38	24.6	11.2	26	0.64
ZZ106717		0.40	0.24	1.27	34.3	<0.2	<10	460	0.33	0.36	0.07	0.44	23.1	8.0	27	0.64
ZZ106718		0.33	2.15	0.56	62.3	<0.2	<10	80	0.23	1.73	0.06	0.21	20.7	7.7	11	0.39
ZZ106719		0.41	2.76	0.19	56.9	<0.2	<10	160	0.31	0.46	0.83	0.13	28.2	12.9	3	0.16
ZZ106720		0.42	1.16	1.06	151.0	<0.2	<10	720	0.55	0.94	0.66	0.50	19.75	11.9	25	0.58
ZZ106721		0.38	1.47	0.45	71.7	<0.2	<10	350	0.18	0.44	0.51	0.29	14.00	8.9	16	0.34
ZZ106722		0.45	0.92	0.44	42.2	<0.2	<10	290	0.32	0.39	0.28	0.79	20.5	7.9	8	0.47
ZZ106723		0.45	1.86	0.44	36.0	<0.2	<10	130	0.14	1.09	0.18	0.22	16.25	2.8	9	0.36
ZZ106724		0.41	0.14	0.73	60.6	<0.2	<10	150	0.29	0.46	0.06	0.44	22.7	7.7	15	0.61
ZZ106725		0.38	0.74	1.45	42.6	<0.2	<10	420	0.38	0.73	0.05	0.40	23.6	6.9	26	0.95
ZZ106726		0.38	1.22	1.22	66.7	<0.2	<10	250	0.56	0.48	0.08	0.32	34.9	13.2	20	0.58
ZZ106727		0.41	1.42	0.93	52.5	<0.2	<10	290	0.41	0.80	0.06	0.25	31.0	8.1	16	0.51
ZZ106728		0.42	1.43	1.00	57.9	<0.2	<10	620	0.56	1.02	0.57	0.49	23.0	13.5	19	0.56

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106688		79.2	2.84	2.24	0.13	0.07	0.12	0.061	0.11	17.9	6.7	0.30	545	4.74	0.01	0.27
ZZ106689		23.7	2.58	3.94	0.11	0.02	0.04	0.026	0.06	12.6	20.7	0.34	337	1.76	0.01	0.49
ZZ106690		14.4	3.03	5.15	0.10	<0.02	0.02	0.025	0.04	10.2	10.6	0.12	435	2.39	0.01	0.85
ZZ106691		19.4	3.12	5.02	0.11	0.04	0.02	0.027	0.03	11.6	21.9	0.29	116	1.90	0.01	1.09
ZZ106692		47.2	2.41	1.46	0.11	0.08	0.07	0.024	0.04	12.3	5.4	0.25	236	3.14	0.01	0.33
ZZ106694		119.5	3.21	2.35	0.12	0.06	0.17	0.065	0.05	9.9	6.0	0.20	1480	5.61	0.01	0.30
ZZ106695		175.5	4.79	3.08	0.12	0.08	0.09	0.093	0.04	12.9	10.5	0.32	471	3.99	0.01	0.41
ZZ106696		13.5	2.27	6.18	0.10	0.02	0.02	0.024	0.03	12.9	17.2	0.28	177	2.44	0.01	1.22
ZZ106697		44.5	1.74	1.72	0.12	0.02	0.11	0.090	0.05	18.9	2.7	0.05	182	5.86	0.01	0.16
ZZ106698		46.0	1.95	1.51	0.11	0.04	0.16	0.036	0.04	10.5	5.2	0.11	512	3.88	0.01	0.17
ZZ106699		42.0	1.70	1.47	0.10	0.02	0.06	0.026	0.05	10.0	3.5	0.08	263	1.37	0.01	0.12
ZZ106700		45.4	2.57	3.16	0.10	0.02	0.02	0.026	0.04	13.7	8.6	0.12	165	4.45	0.01	0.42
ZZ106701		216	3.16	1.07	0.13	0.09	0.22	0.044	0.05	15.7	1.4	0.21	431	7.82	0.01	0.08
ZZ106702		25.9	2.28	5.94	0.10	<0.02	0.04	0.034	0.02	8.9	6.9	0.13	147	1.94	0.01	1.29
ZZ106703		139.0	1.84	2.43	0.10	0.04	0.08	0.047	0.06	8.8	4.7	0.20	1000	2.91	0.01	0.27
ZZ106704		80.1	2.28	1.37	0.10	0.04	0.09	0.053	0.04	11.0	2.9	0.17	322	2.18	0.01	0.17
ZZ106705		55.8	2.56	1.94	0.11	0.05	0.08	0.027	0.04	10.6	7.0	0.30	661	1.19	0.01	0.37
ZZ106706		31.0	2.36	3.48	0.11	0.02	0.03	0.022	0.03	13.8	10.4	0.14	319	1.17	0.01	0.62
ZZ106707		18.0	2.23	4.98	0.10	0.04	0.02	0.022	0.03	12.1	17.0	0.22	147	1.90	0.01	0.78
ZZ106708		41.4	2.87	5.23	0.11	0.11	0.03	0.037	0.05	14.7	18.0	0.36	247	2.48	0.01	1.09
ZZ106709		52.3	2.25	2.50	0.13	0.11	0.14	0.033	0.06	14.0	13.2	0.94	430	3.93	0.01	0.51
ZZ106710		49.7	2.36	4.45	0.11	0.02	0.05	0.024	0.06	12.4	17.0	0.28	528	1.51	0.01	0.66
ZZ106711		19.4	2.10	4.31	0.11	0.02	0.01	0.018	0.03	11.6	13.7	0.23	127	1.62	0.01	0.73
ZZ106712		26.3	3.24	5.12	0.11	0.05	0.02	0.034	0.04	13.8	26.6	0.35	286	1.31	0.01	1.15
ZZ106713		35.8	2.42	3.17	0.11	0.02	0.03	0.027	0.04	14.7	8.1	0.15	179	3.38	0.01	0.63
ZZ106714		81.6	2.56	1.69	0.12	0.09	0.12	0.039	0.05	10.7	5.9	0.29	503	1.97	0.01	0.18
ZZ106715		84.0	3.11	1.96	0.11	0.07	0.12	0.039	0.05	11.5	8.4	0.31	339	2.34	0.01	0.22
ZZ106716		48.8	2.78	4.25	0.12	0.04	0.06	0.045	0.05	13.0	15.0	0.43	450	2.59	0.01	0.59
ZZ106717		24.8	2.44	4.98	0.11	0.02	0.02	0.029	0.04	12.7	16.5	0.27	241	3.51	0.01	0.84
ZZ106718		50.4	2.47	2.62	0.11	<0.02	0.03	0.028	0.03	10.8	4.7	0.11	185	3.29	0.01	0.39
ZZ106719		59.5	2.33	0.56	0.12	0.10	0.08	0.014	0.04	14.1	0.7	0.12	340	4.40	0.01	0.10
ZZ106720		261	2.88	3.46	0.12	0.07	0.08	0.055	0.07	11.3	10.8	0.50	422	4.87	0.01	0.45
ZZ106721		30.6	2.10	2.21	0.10	0.02	0.12	0.036	0.06	8.1	3.3	0.18	559	2.53	0.01	0.32
ZZ106722		66.5	2.47	1.45	0.11	0.02	0.17	0.035	0.06	10.7	3.4	0.15	280	2.92	0.01	0.24
ZZ106723		24.3	1.43	1.77	0.10	0.05	0.10	0.032	0.04	8.5	2.7	0.07	85	2.34	0.01	0.21
ZZ106724		43.7	2.69	3.54	0.11	<0.02	0.02	0.034	0.05	12.5	4.9	0.11	309	3.32	0.01	0.45
ZZ106725		26.5	2.93	5.45	0.11	0.02	0.03	0.034	0.04	12.6	16.2	0.28	219	3.13	0.01	0.93
ZZ106726		59.1	3.68	3.21	0.12	0.05	0.04	0.042	0.04	17.9	17.7	0.24	333	3.92	0.01	0.48
ZZ106727		33.2	2.98	3.52	0.12	0.02	0.03	0.030	0.05	16.0	11.6	0.18	214	3.79	0.01	0.57
ZZ106728		64.2	3.38	2.91	0.12	0.08	0.12	0.039	0.06	12.0	13.2	0.35	1060	3.17	0.01	0.25

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106688		48.9	1350	44.7	6.9	0.001	0.03	15.75	3.0	2.4	0.4	50.8	<0.01	0.08	4.3	0.008
ZZ106689		26.5	410	14.2	6.7	<0.001	0.02	2.27	2.3	0.6	0.3	17.6	<0.01	0.05	3.0	0.013
ZZ106690		14.2	720	21.4	7.5	<0.001	0.02	1.31	1.5	0.4	0.5	7.7	<0.01	0.06	1.3	0.020
ZZ106691		20.8	260	19.7	10.0	<0.001	0.02	2.13	2.0	0.7	0.5	8.0	<0.01	0.04	3.3	0.019
ZZ106692		32.0	1260	27.4	3.9	0.001	0.04	7.36	2.6	1.3	0.2	51.0	<0.01	0.06	2.5	0.009
ZZ106694		48.0	1270	22.7	6.6	0.007	0.07	27.2	2.4	3.6	0.3	49.2	<0.01	0.09	1.2	0.008
ZZ106695		52.3	1100	17.5	5.5	0.001	0.03	26.6	3.4	2.5	0.4	25.2	<0.01	0.07	3.1	0.010
ZZ106696		15.8	330	11.4	7.1	<0.001	0.01	0.94	2.3	0.3	0.7	6.9	<0.01	0.03	3.0	0.024
ZZ106697		19.0	1170	13.7	6.4	<0.001	0.02	9.26	1.2	2.0	0.9	31.9	<0.01	0.05	1.7	<0.005
ZZ106698		21.9	990	14.4	4.8	0.001	0.04	5.31	2.3	1.5	0.2	50.3	<0.01	0.10	1.6	<0.005
ZZ106699		18.7	450	6.2	6.2	<0.001	0.03	1.77	1.6	0.7	0.2	32.6	<0.01	0.07	2.7	<0.005
ZZ106700		25.2	490	13.4	4.2	<0.001	0.02	3.11	1.8	0.8	0.4	16.7	<0.01	0.07	2.7	0.007
ZZ106701		52.0	2310	45.0	3.9	0.002	0.07	35.0	2.5	4.7	0.2	86.9	<0.01	0.23	2.8	<0.005
ZZ106702		14.0	320	10.1	4.6	<0.001	0.03	5.52	1.6	0.4	0.8	6.3	<0.01	0.05	1.2	0.028
ZZ106703		23.0	830	14.9	7.4	<0.001	0.04	24.2	2.1	1.2	0.3	33.0	<0.01	0.07	1.1	0.006
ZZ106704		24.2	1040	20.2	4.8	<0.001	0.04	18.95	2.4	1.2	0.3	49.9	<0.01	0.07	2.0	<0.005
ZZ106705		28.4	920	19.6	5.8	0.001	0.05	6.94	2.6	1.4	0.2	57.4	<0.01	0.06	1.9	0.009
ZZ106706		15.2	430	42.8	6.7	<0.001	0.01	9.86	1.9	0.5	0.4	9.6	<0.01	0.06	3.6	0.011
ZZ106707		16.0	320	58.5	10.2	<0.001	0.01	2.26	2.1	0.5	0.5	7.3	<0.01	0.04	3.1	0.015
ZZ106708		34.8	560	17.9	10.5	<0.001	0.02	3.22	4.5	1.2	0.6	19.1	<0.01	0.05	5.1	0.026
ZZ106709		63.5	1460	23.7	5.4	0.004	0.03	5.58	3.4	2.1	0.3	61.9	<0.01	0.07	4.1	0.018
ZZ106710		22.3	340	18.2	10.0	<0.001	0.02	0.72	2.8	0.8	0.4	31.5	<0.01	0.05	3.1	0.012
ZZ106711		18.4	210	9.6	7.7	<0.001	0.01	0.90	1.6	0.3	0.4	8.4	<0.01	0.04	2.7	0.017
ZZ106712		23.0	330	15.5	9.0	0.001	0.01	0.90	2.7	0.6	0.5	8.5	<0.01	0.05	3.9	0.021
ZZ106713		26.2	680	20.2	7.4	<0.001	0.02	3.88	1.6	0.9	0.4	13.8	<0.01	0.07	2.5	0.015
ZZ106714		44.8	1130	34.2	5.1	0.001	0.05	13.50	2.6	1.7	0.2	43.7	<0.01	0.07	2.4	0.005
ZZ106715		45.0	1030	22.9	4.8	<0.001	0.03	11.10	3.1	1.2	0.2	34.4	<0.01	0.08	3.1	0.006
ZZ106716		32.9	580	17.3	6.7	0.001	0.02	6.27	3.7	0.9	0.5	22.6	<0.01	0.05	2.9	0.012
ZZ106717		26.5	460	13.7	8.1	<0.001	0.01	3.77	2.4	0.6	0.6	10.1	<0.01	0.06	2.7	0.015
ZZ106718		22.9	730	12.7	5.2	<0.001	0.02	24.7	1.2	0.9	0.3	6.1	<0.01	0.12	1.2	0.010
ZZ106719		33.9	1510	23.0	3.4	0.001	0.04	28.6	1.9	1.8	<0.2	40.1	<0.01	0.07	2.4	<0.005
ZZ106720		45.3	1150	17.1	7.7	0.001	0.05	39.3	2.9	1.7	0.4	49.3	<0.01	0.07	2.2	0.010
ZZ106721		22.0	660	34.2	5.3	0.001	0.10	11.35	2.4	2.6	0.3	110.5	<0.01	0.08	1.3	0.008
ZZ106722		24.4	700	12.8	6.9	0.001	0.03	7.15	2.3	2.0	0.2	33.9	<0.01	0.07	2.6	0.006
ZZ106723		11.0	920	9.9	5.6	<0.001	0.06	6.99	1.3	1.5	0.3	15.7	<0.01	0.06	1.6	0.005
ZZ106724		23.6	1220	13.7	9.3	<0.001	0.02	11.90	1.3	0.9	0.4	10.4	<0.01	0.09	0.8	0.013
ZZ106725		26.2	600	16.8	10.6	<0.001	0.02	6.21	2.4	0.8	0.6	10.1	<0.01	0.07	3.0	0.018
ZZ106726		38.6	740	21.1	7.5	<0.001	0.02	17.45	2.6	1.5	0.3	10.3	<0.01	0.06	4.5	0.008
ZZ106727		24.4	480	14.4	9.3	<0.001	0.01	13.05	1.9	0.7	0.4	8.0	<0.01	0.06	3.2	0.011
ZZ106728		39.6	1000	17.4	6.7	0.001	0.05	15.10	3.2	1.4	0.3	35.7	<0.01	0.07	2.0	0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106688		0.13	1.10	42	0.11	8.96	170	4.3	0.007
ZZ106689		0.09	0.53	43	0.17	3.14	92	0.9	0.002
ZZ106690		0.14	0.39	61	0.18	1.75	114	<0.5	<0.001
ZZ106691		0.15	0.50	56	0.20	1.76	56	1.8	0.005
ZZ106692		0.06	0.56	14	0.08	7.40	81	2.9	0.005
ZZ106694		0.13	2.47	33	0.15	8.12	58	1.9	0.015
ZZ106695		0.10	3.15	44	0.13	8.44	67	2.7	0.012
ZZ106696		0.16	0.53	69	0.26	2.11	70	1.0	<0.001
ZZ106697		0.16	1.50	27	0.06	5.79	44	0.5	0.005
ZZ106698		0.16	2.01	22	0.11	6.86	62	1.6	0.004
ZZ106699		0.09	1.44	15	0.05	4.19	55	0.9	0.001
ZZ106700		0.14	0.63	64	0.10	2.14	81	1.4	0.001
ZZ106701		0.12	6.07	22	0.05	16.75	103	3.7	0.032
ZZ106702		0.13	0.39	67	0.30	1.27	37	<0.5	0.001
ZZ106703		0.10	1.38	34	0.11	4.80	38	1.2	0.017
ZZ106704		0.07	0.88	14	0.09	7.59	32	1.5	0.008
ZZ106705		0.05	0.68	19	0.10	7.79	42	1.9	0.008
ZZ106706		0.08	0.38	31	0.14	3.02	72	0.7	0.001
ZZ106707		0.12	0.48	51	0.16	2.31	67	1.8	0.002
ZZ106708		0.16	1.47	62	0.29	4.75	100	4.4	0.003
ZZ106709		0.22	1.29	67	0.14	12.50	212	5.9	0.004
ZZ106710		0.07	3.53	39	0.16	5.41	66	1.0	0.002
ZZ106711		0.08	0.44	41	0.15	2.04	66	0.9	<0.001
ZZ106712		0.12	0.59	49	0.21	3.17	71	1.8	0.002
ZZ106713		0.12	0.74	45	0.21	2.85	91	0.7	0.004
ZZ106714		0.06	1.23	22	0.06	8.17	90	3.7	0.009
ZZ106715		0.06	0.95	26	0.07	8.06	86	2.9	0.009
ZZ106716		0.12	1.32	59	0.13	7.64	104	1.4	0.011
ZZ106717		0.15	0.52	78	0.21	2.25	130	0.8	<0.001
ZZ106718		0.09	0.49	35	0.16	1.92	42	<0.5	0.003
ZZ106719		0.07	1.17	6	0.06	7.57	20	4.6	0.011
ZZ106720		0.16	1.90	87	0.18	8.00	143	2.4	0.007
ZZ106721		0.21	1.14	31	0.09	3.02	54	1.0	0.007
ZZ106722		0.09	1.88	16	0.07	5.36	106	1.0	0.014
ZZ106723		0.10	1.50	16	0.09	2.13	25	1.4	0.003
ZZ106724		0.13	0.86	50	0.27	3.54	79	<0.5	0.004
ZZ106725		0.18	0.67	78	0.22	2.49	116	0.9	0.002
ZZ106726		0.10	0.80	37	0.20	4.30	68	3.2	0.006
ZZ106727		0.10	0.61	37	0.18	2.86	53	0.8	0.001
ZZ106728		0.12	0.91	35	0.09	9.16	92	2.4	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106729		0.44	1.40	0.68	74.7	<0.2	<10	340	0.38	1.00	0.57	0.59	22.4	12.6	15	0.35
ZZ106730		0.48	2.53	0.68	62.7	<0.2	<10	400	0.49	1.19	0.76	1.05	21.9	12.6	13	0.35
ZZ106731		0.36	0.83	1.13	21.8	<0.2	<10	580	0.47	0.48	0.21	1.47	30.8	26.1	21	0.82
ZZ106732		0.40	0.10	0.61	16.9	<0.2	<10	130	0.20	0.30	0.04	0.21	27.8	5.4	12	0.62
ZZ106733		0.38	0.65	1.32	30.7	<0.2	<10	530	0.49	0.39	0.21	0.49	29.0	11.3	23	0.87
ZZ106734		0.36	0.18	1.95	26.2	<0.2	<10	290	0.74	0.36	0.05	0.36	24.4	11.3	24	0.73
ZZ106735		0.49	0.11	1.01	13.6	<0.2	<10	370	0.36	0.34	0.17	0.29	28.3	9.6	18	1.26
ZZ106736		0.42	0.37	0.75	12.1	<0.2	<10	210	0.27	0.23	0.02	0.43	38.3	5.8	12	0.40
ZZ106737		0.44	0.39	1.20	13.2	<0.2	<10	440	0.53	0.31	0.41	0.32	29.5	12.7	23	0.56
ZZ106738		0.40	0.56	0.64	47.8	<0.2	<10	230	0.36	0.58	0.19	1.24	38.3	13.1	12	0.34
ZZ106739		0.40	0.84	0.83	14.9	<0.2	<10	280	0.24	0.42	0.12	0.32	27.3	7.6	17	0.68
ZZ106740		0.43	0.62	0.99	28.4	<0.2	<10	470	0.41	0.46	0.27	0.73	25.9	12.6	19	0.61
ZZ106741		0.40	0.66	1.05	36.2	<0.2	<10	560	0.52	0.53	0.53	1.02	21.7	11.9	19	0.48
ZZ106742		0.47	3.42	0.67	169.0	<0.2	<10	360	0.47	2.40	0.78	0.66	21.6	12.5	14	0.39
ZZ106743		0.41	7.04	0.66	115.5	<0.2	<10	750	0.57	3.39	0.71	1.02	22.2	15.3	12	0.35
ZZ106744		0.37	1.09	1.01	61.2	<0.2	<10	560	0.47	1.83	0.18	0.35	31.3	9.5	21	0.53
ZZ106745		0.36	1.09	1.15	111.5	<0.2	<10	550	0.47	4.97	0.07	0.51	30.4	8.4	23	0.64
ZZ106746		0.35	2.60	1.26	146.0	<0.2	<10	330	0.60	3.01	0.05	0.47	27.5	10.8	23	0.83
ZZ106747		0.39	1.70	1.52	43.5	<0.2	<10	1080	0.68	0.61	0.38	0.88	22.6	10.5	28	0.88
ZZ106748		0.41	1.36	2.00	32.7	<0.2	<10	300	0.75	0.39	0.04	0.31	23.9	8.9	29	1.04
ZZ106749		0.44	2.34	1.04	62.5	<0.2	<10	440	0.64	0.93	0.36	0.51	27.1	13.8	16	0.61
ZZ106750		0.40	2.84	0.57	48.3	<0.2	<10	260	0.29	0.71	0.21	0.30	22.4	15.5	12	0.65
ZZ106751		0.56	0.95	0.77	35.0	<0.2	<10	330	0.46	1.37	0.65	1.37	24.4	12.5	15	0.53
ZZ106752		0.44	0.38	0.77	63.5	<0.2	<10	130	0.31	0.51	0.02	0.22	28.0	9.9	13	0.67
ZZ106753		0.43	0.44	1.30	59.3	<0.2	<10	680	0.64	0.60	0.05	0.48	36.3	13.0	20	0.69
ZZ106754		0.45	0.75	1.55	83.0	<0.2	<10	510	0.72	1.26	0.07	0.52	29.1	14.1	26	0.83
ZZ106755		0.38	1.74	1.06	61.6	<0.2	<10	800	0.62	0.66	0.30	0.68	30.9	11.8	20	0.53
ZZ106756		0.42	0.46	0.91	49.0	<0.2	<10	340	0.43	0.82	0.14	0.49	32.3	9.0	19	0.51
ZZ106757		0.42	0.39	0.86	30.5	<0.2	<10	480	0.35	0.81	0.23	0.62	26.4	7.0	20	0.57
ZZ106758		0.38	0.33	1.19	74.1	<0.2	<10	400	0.50	1.25	0.10	0.60	28.5	10.5	27	0.81
ZZ106759		0.36	2.16	1.01	66.8	<0.2	<10	700	0.52	2.20	0.90	1.02	20.4	10.1	21	0.58
ZZ106760		0.39	0.74	0.97	33.4	<0.2	<10	580	0.48	0.57	0.65	0.99	23.7	12.6	19	0.62
ZZ106761		0.43	0.61	0.86	33.4	<0.2	<10	480	0.43	0.56	0.52	0.58	23.9	12.0	16	0.53
ZZ106762		0.42	0.77	1.01	45.3	<0.2	<10	560	0.49	0.52	0.73	2.13	21.3	11.7	17	0.65
ZZ106763		0.36	0.35	1.13	49.7	<0.2	<10	190	0.40	0.69	0.04	0.40	33.2	10.3	20	0.70
ZZ106764		0.43	0.65	1.36	25.2	<0.2	<10	620	0.66	0.44	0.53	0.76	31.2	17.0	28	0.49
ZZ106765		0.40	0.35	0.91	21.0	<0.2	<10	340	0.41	0.32	0.11	0.84	28.4	11.8	17	0.39
ZZ106766		0.43	2.28	0.40	29.1	<0.2	<10	420	0.31	0.32	0.02	0.57	67.5	4.9	8	0.22
ZZ106767		0.39	1.52	0.68	50.8	<0.2	<10	350	0.32	0.83	0.17	1.21	19.30	9.2	15	0.47
ZZ106768		0.37	0.81	0.93	103.0	<0.2	<10	180	0.39	1.24	0.08	0.38	26.3	8.7	17	0.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106729		63.0	3.00	2.07	0.11	0.08	0.09	0.044	0.04	11.4	8.8	0.25	425	3.38	0.01	0.21
ZZ106730		85.7	2.80	2.00	0.11	0.09	0.13	0.047	0.05	11.7	7.7	0.30	497	2.75	0.01	0.21
ZZ106731		59.7	2.95	3.58	0.10	0.04	0.18	0.039	0.05	13.8	16.2	0.29	2970	2.97	0.01	0.32
ZZ106732		25.8	1.66	3.20	0.10	<0.02	0.02	0.018	0.03	14.9	6.2	0.12	271	2.31	0.01	0.30
ZZ106733		60.2	3.12	4.29	0.11	0.02	0.14	0.032	0.05	15.8	20.6	0.36	416	2.45	0.01	0.55
ZZ106734		50.0	4.06	5.57	0.10	0.07	0.03	0.023	0.04	12.6	42.3	0.59	256	1.57	0.01	0.28
ZZ106735		24.6	2.75	3.58	0.11	0.02	0.03	0.026	0.05	14.9	19.2	0.28	323	1.49	0.01	0.42
ZZ106736		32.0	2.45	2.92	0.12	0.02	0.03	0.020	0.04	21.2	6.5	0.11	153	3.94	0.01	0.37
ZZ106737		53.1	2.70	3.65	0.11	0.07	0.15	0.030	0.05	15.2	22.2	0.45	415	1.91	0.01	0.30
ZZ106738		72.7	2.82	1.99	0.12	0.05	0.11	0.038	0.05	19.8	7.2	0.23	470	5.48	0.01	0.15
ZZ106739		25.4	1.83	3.17	0.10	0.02	0.18	0.024	0.05	14.6	12.1	0.25	371	2.38	0.01	0.28
ZZ106740		45.3	2.78	3.14	0.11	0.05	0.14	0.033	0.05	13.3	14.9	0.30	786	2.94	0.01	0.32
ZZ106741		52.7	2.81	2.89	0.10	0.07	0.12	0.041	0.06	11.3	11.5	0.35	984	2.97	0.01	0.27
ZZ106742		106.0	3.02	2.00	0.11	0.07	0.13	0.060	0.07	11.6	7.3	0.27	646	3.89	0.01	0.21
ZZ106743		154.5	3.03	2.03	0.11	0.05	0.16	0.057	0.06	12.0	6.8	0.20	1060	4.43	0.01	0.21
ZZ106744		68.2	2.67	3.25	0.11	0.03	0.08	0.041	0.04	16.5	17.1	0.32	339	2.58	0.01	0.40
ZZ106745		84.3	3.05	3.98	0.11	0.05	0.05	0.060	0.05	16.5	11.2	0.23	290	3.77	0.01	0.40
ZZ106746		75.7	3.37	3.65	0.11	0.04	0.05	0.081	0.05	14.4	16.4	0.25	295	4.09	0.01	0.50
ZZ106747		64.1	3.23	5.12	0.10	<0.02	0.10	0.046	0.06	12.1	13.9	0.32	548	3.51	0.01	0.38
ZZ106748		31.8	3.36	5.55	0.09	0.10	0.07	0.045	0.04	12.4	22.5	0.30	244	2.72	0.01	1.19
ZZ106749		76.4	3.42	2.70	0.11	0.02	0.11	0.064	0.07	14.5	12.3	0.25	488	4.43	0.01	0.37
ZZ106750		29.4	2.26	2.39	0.11	0.02	0.14	0.046	0.06	11.1	5.5	0.15	1300	2.54	0.01	0.31
ZZ106751		72.1	2.69	2.34	0.12	0.07	0.10	0.046	0.06	12.9	8.5	0.39	538	2.15	0.01	0.50
ZZ106752		44.2	3.47	3.22	0.11	<0.02	0.05	0.048	0.05	14.2	4.3	0.10	465	3.07	0.01	0.58
ZZ106753		57.6	3.16	3.34	0.12	0.05	0.09	0.048	0.05	19.8	10.6	0.28	603	2.82	0.01	0.52
ZZ106754		55.0	3.97	4.20	0.11	0.06	0.05	0.060	0.06	14.9	18.0	0.28	395	4.01	0.01	0.62
ZZ106755		79.4	3.20	3.10	0.12	0.03	0.12	0.059	0.07	16.9	11.8	0.30	447	3.65	0.01	0.31
ZZ106756		57.7	2.69	2.90	0.11	<0.02	0.06	0.040	0.05	16.9	10.5	0.26	394	3.22	0.01	0.37
ZZ106757		40.5	1.94	2.91	0.10	0.02	0.06	0.032	0.05	13.9	10.8	0.26	360	2.41	0.01	0.31
ZZ106758		53.7	3.10	4.05	0.12	0.02	0.05	0.051	0.06	15.0	16.9	0.31	374	3.87	0.01	0.46
ZZ106759		80.7	2.70	2.94	0.11	0.10	0.16	0.066	0.07	11.2	13.0	0.35	371	2.52	0.01	0.33
ZZ106760		51.1	2.53	2.93	0.10	0.06	0.13	0.037	0.06	12.5	12.3	0.35	650	2.82	0.01	0.48
ZZ106761		50.5	2.71	2.50	0.11	0.07	0.12	0.034	0.05	12.6	10.4	0.31	647	2.48	0.01	0.34
ZZ106762		48.0	3.14	2.90	0.11	0.07	0.27	0.046	0.05	11.1	12.6	0.36	569	5.42	0.01	0.45
ZZ106763		41.0	3.55	3.77	0.12	0.02	0.04	0.035	0.05	17.5	13.6	0.23	298	5.10	0.01	0.43
ZZ106764		52.7	3.44	3.82	0.11	0.07	0.12	0.033	0.05	15.9	36.4	0.56	461	2.41	0.01	0.36
ZZ106765		59.2	2.95	2.78	0.10	0.03	0.05	0.030	0.05	14.8	11.4	0.21	409	3.17	<0.01	0.29
ZZ106766		57.7	2.89	1.55	0.15	0.03	0.33	0.048	0.05	36.8	3.1	0.05	81	5.85	<0.01	0.17
ZZ106767		52.0	2.67	2.57	0.10	<0.02	0.05	0.035	0.06	10.1	6.2	0.15	454	3.93	<0.01	0.26
ZZ106768		59.7	3.04	2.96	0.11	0.03	0.07	0.043	0.04	18.6	9.0	0.17	239	3.91	<0.01	0.38

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106729		36.7	1420	24.6	4.5	<0.001	0.01	19.20	2.6	1.3	0.2	35.8	<0.01	0.07	2.2	0.005
ZZ106730		41.6	1230	107.5	5.6	<0.001	0.01	18.90	3.0	1.6	0.2	43.1	<0.01	0.08	1.9	0.005
ZZ106731		48.1	960	27.2	8.1	0.001	0.01	2.84	3.5	1.6	0.5	25.7	<0.01	0.06	2.0	0.007
ZZ106732		14.4	520	18.3	7.7	<0.001	<0.01	2.39	1.1	0.5	0.3	10.6	<0.01	0.05	1.3	0.009
ZZ106733		44.7	720	32.3	8.4	0.001	<0.01	3.68	3.1	1.3	0.4	29.7	<0.01	0.05	2.2	0.010
ZZ106734		47.7	280	19.3	7.5	<0.001	<0.01	1.96	2.2	0.5	0.2	12.5	<0.01	0.05	5.1	0.005
ZZ106735		26.1	290	17.3	8.6	<0.001	<0.01	1.50	2.3	0.5	0.3	19.9	<0.01	0.04	4.2	0.007
ZZ106736		21.4	490	10.7	6.7	<0.001	<0.01	2.04	1.3	0.8	0.3	7.4	<0.01	0.05	2.7	0.006
ZZ106737		42.1	590	15.8	6.4	<0.001	<0.01	2.02	3.2	1.0	0.2	36.4	<0.01	0.06	3.7	0.007
ZZ106738		38.8	1140	24.0	4.1	0.001	0.02	10.60	1.7	1.8	<0.2	37.9	<0.01	0.10	4.8	0.005
ZZ106739		22.3	890	25.8	7.4	<0.001	0.02	2.32	1.8	0.9	0.2	40.3	<0.01	0.05	2.2	0.007
ZZ106740		34.2	890	28.0	7.1	0.001	<0.01	3.99	3.1	1.3	0.3	29.9	<0.01	0.06	3.0	0.007
ZZ106741		38.0	1080	35.5	7.6	0.002	0.03	4.77	2.9	1.7	0.3	45.6	<0.01	0.07	1.8	0.007
ZZ106742		55.2	1410	28.4	5.6	0.002	0.02	33.2	3.0	2.1	0.3	56.6	<0.01	0.10	2.3	0.006
ZZ106743		50.8	1660	34.5	6.8	0.001	0.02	44.5	2.5	2.6	0.3	62.2	<0.01	0.13	1.6	<0.005
ZZ106744		36.0	920	16.3	5.9	<0.001	<0.01	13.55	3.0	1.3	0.3	22.2	<0.01	0.05	2.9	0.011
ZZ106745		34.6	1000	30.2	7.4	<0.001	0.01	19.05	2.6	1.4	0.4	17.7	<0.01	0.09	1.8	0.009
ZZ106746		39.0	680	43.6	9.7	<0.001	<0.01	22.9	2.4	1.5	0.4	13.2	<0.01	0.08	3.3	0.008
ZZ106747		41.7	1210	22.6	9.5	<0.001	0.01	6.96	1.7	1.3	0.6	30.2	<0.01	0.08	0.4	0.009
ZZ106748		27.2	410	17.8	10.0	<0.001	<0.01	3.50	2.9	1.1	0.6	7.7	<0.01	0.06	4.3	0.016
ZZ106749		45.5	1180	20.6	7.7	<0.001	<0.01	12.25	2.5	1.8	0.4	31.1	<0.01	0.10	2.3	0.009
ZZ106750		19.0	850	18.4	9.1	<0.001	0.01	15.60	2.4	1.3	0.3	21.7	<0.01	0.07	2.3	0.008
ZZ106751		39.2	930	18.6	6.2	0.002	0.02	6.04	3.3	2.2	0.4	64.0	<0.01	0.09	2.6	0.014
ZZ106752		31.2	620	18.9	9.3	<0.001	<0.01	6.81	1.8	1.0	0.4	7.7	<0.01	0.09	2.5	0.013
ZZ106753		44.4	390	29.6	8.1	<0.001	<0.01	5.43	5.3	1.4	0.4	11.6	<0.01	0.08	4.4	0.010
ZZ106754		43.9	570	27.9	11.2	<0.001	<0.01	10.25	2.8	1.3	0.5	13.4	<0.01	0.08	4.2	0.008
ZZ106755		50.4	750	21.1	7.3	<0.001	<0.01	12.25	3.9	1.6	0.4	29.0	<0.01	0.11	3.0	0.008
ZZ106756		34.1	850	28.1	6.0	<0.001	<0.01	9.91	2.2	0.9	0.3	20.5	<0.01	0.07	1.6	0.015
ZZ106757		26.7	1070	14.8	7.9	<0.001	<0.01	5.31	2.0	1.0	0.3	24.6	<0.01	0.05	1.2	0.011
ZZ106758		39.4	770	21.9	8.7	<0.001	<0.01	9.18	2.6	1.1	0.4	17.0	<0.01	0.07	2.2	0.009
ZZ106759		49.0	1080	27.5	7.0	0.004	0.04	11.45	3.3	2.4	0.3	67.5	<0.01	0.07	1.9	0.008
ZZ106760		37.6	1020	78.2	6.9	0.001	0.02	6.06	3.1	1.3	0.3	59.1	<0.01	0.06	2.4	0.011
ZZ106761		33.6	970	27.6	7.2	0.001	0.02	5.32	3.0	1.9	0.2	57.0	<0.01	0.06	2.9	0.007
ZZ106762		38.2	960	26.2	7.9	0.010	0.05	5.96	3.0	5.1	0.3	97.4	<0.01	0.06	2.2	0.008
ZZ106763		35.0	770	32.7	9.5	<0.001	<0.01	6.15	2.1	1.1	0.4	9.6	<0.01	0.08	3.3	0.007
ZZ106764		51.8	830	24.4	6.8	0.002	0.02	3.83	3.6	2.0	0.2	51.3	<0.01	0.08	3.9	0.008
ZZ106765		31.9	700	18.2	6.5	<0.001	0.02	3.01	2.0	1.2	0.2	19.1	<0.01	0.08	2.4	0.006
ZZ106766		24.8	610	28.3	4.7	0.001	0.06	8.01	1.6	3.4	0.2	78.5	<0.01	0.11	5.6	<0.005
ZZ106767		27.8	880	19.4	8.3	<0.001	0.02	6.30	1.2	1.6	0.3	16.0	<0.01	0.09	0.7	0.007
ZZ106768		31.4	730	31.8	7.9	<0.001	0.02	11.60	1.8	1.4	0.3	13.3	<0.01	0.07	2.8	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106729		0.08	0.87	29	0.08	7.12	110	2.5	0.007
ZZ106730		0.07	1.31	27	0.08	9.76	163	2.9	0.010
ZZ106731		0.17	2.02	39	0.19	9.48	171	1.1	0.007
ZZ106732		0.08	0.63	28	0.08	2.37	50	<0.5	<0.001
ZZ106733		0.12	1.60	40	0.14	9.27	118	0.5	0.009
ZZ106734		0.08	0.67	27	0.06	3.44	121	2.9	0.003
ZZ106735		0.07	0.59	31	0.10	3.87	71	0.8	0.002
ZZ106736		0.08	0.62	28	0.07	2.02	90	0.6	0.002
ZZ106737		0.07	1.22	32	0.08	7.62	107	2.5	0.006
ZZ106738		0.08	1.71	23	0.06	5.89	168	2.4	0.010
ZZ106739		0.11	1.10	30	0.12	3.74	73	0.5	0.007
ZZ106740		0.12	1.67	35	0.09	6.84	126	1.6	0.006
ZZ106741		0.11	1.85	35	0.07	7.93	183	2.4	0.007
ZZ106742		0.10	1.77	33	0.11	9.20	119	2.5	0.015
ZZ106743		0.12	2.05	32	0.27	12.30	98	1.8	0.019
ZZ106744		0.08	1.17	40	0.46	7.64	106	0.8	0.007
ZZ106745		0.14	1.19	66	0.41	6.45	102	0.7	0.009
ZZ106746		0.15	0.90	55	0.16	3.08	119	1.4	0.008
ZZ106747		0.15	1.87	77	0.20	9.25	125	<0.5	0.004
ZZ106748		0.17	0.84	69	0.24	3.00	85	3.0	0.004
ZZ106749		0.13	1.56	38	0.13	7.17	157	0.8	0.010
ZZ106750		0.18	1.13	34	0.10	3.62	64	0.7	0.007
ZZ106751		0.14	2.90	30	0.14	9.73	173	2.9	0.011
ZZ106752		0.13	0.81	37	0.14	2.24	98	0.5	0.004
ZZ106753		0.14	1.45	47	0.13	11.60	146	1.8	0.005
ZZ106754		0.16	0.91	66	0.17	3.58	142	2.4	0.003
ZZ106755		0.12	1.69	46	0.11	9.02	167	0.9	0.008
ZZ106756		0.12	1.13	46	0.34	6.27	138	<0.5	0.007
ZZ106757		0.11	1.30	43	0.11	6.35	112	0.5	0.005
ZZ106758		0.15	1.03	66	0.13	5.50	136	0.6	0.004
ZZ106759		0.13	3.02	43	0.09	9.57	146	3.0	0.011
ZZ106760		0.15	1.86	45	0.14	8.62	160	2.2	0.006
ZZ106761		0.10	1.77	33	0.11	6.88	120	2.3	0.007
ZZ106762		0.12	4.09	40	0.10	7.88	185	2.2	0.005
ZZ106763		0.13	0.88	55	0.12	2.78	119	0.8	0.003
ZZ106764		0.09	2.34	36	0.12	8.64	120	2.3	0.005
ZZ106765		0.07	1.14	33	0.08	3.70	115	0.8	0.002
ZZ106766		0.16	1.15	21	<0.05	2.99	125	0.9	0.014
ZZ106767		0.11	0.81	40	0.14	2.62	113	<0.5	0.005
ZZ106768		0.13	0.83	43	0.12	3.45	115	1.0	0.008

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106769		0.36	1.51	1.58	106.0	<0.2	<10	470	0.80	1.20	0.09	0.61	33.1	16.6	27	0.88
ZZ106770		0.44	0.93	0.89	82.7	<0.2	<10	530	0.50	1.10	0.56	1.17	24.4	14.0	18	0.52
ZZ106771		0.39	0.66	0.88	51.6	<0.2	<10	560	0.57	0.57	0.73	1.49	24.8	15.0	17	0.46
ZZ106772		0.44	0.66	1.05	39.8	<0.2	<10	570	0.59	0.51	0.54	1.09	25.7	13.0	21	0.51
ZZ106773		0.41	0.85	0.82	47.0	<0.2	<10	770	0.53	0.80	0.62	1.85	20.8	11.4	17	0.43
ZZ106774		0.47	1.23	0.71	64.8	<0.2	<10	910	0.42	1.99	0.42	1.09	19.70	9.4	14	0.36
ZZ106775		0.41	0.81	0.93	59.0	<0.2	<10	650	0.45	2.26	0.21	0.59	23.5	8.6	19	0.50
ZZ106776		0.41	0.90	1.29	56.3	<0.2	<10	870	0.59	1.57	0.20	0.79	26.2	9.8	25	0.67
ZZ106777		0.38	0.52	0.79	58.8	<0.2	<10	970	0.49	0.38	0.09	0.50	30.6	10.4	16	0.40
ZZ106778		0.40	0.55	0.99	45.1	<0.2	<10	540	0.49	0.38	0.24	1.07	31.2	12.1	21	0.53
ZZ106779		0.44	0.96	1.20	42.7	<0.2	<10	830	0.58	0.60	0.56	1.37	22.3	11.4	24	0.70
ZZ106780		0.41	1.00	0.67	35.8	<0.2	<10	310	0.48	0.27	0.86	1.55	16.65	9.2	12	0.41
ZZ106781		0.37	0.29	0.96	30.0	<0.2	<10	500	0.49	0.24	0.21	0.93	33.3	10.4	21	0.59
ZZ106782		0.47	0.74	0.63	45.6	<0.2	<10	210	0.27	0.68	0.03	0.17	25.1	2.8	14	0.47
ZZ106783		0.46	0.60	2.08	34.7	<0.2	<10	830	0.76	0.33	0.09	0.98	29.7	13.3	45	1.01
ZZ106784		0.39	1.11	1.58	74.7	<0.2	<10	860	0.70	1.02	0.11	0.57	26.3	9.7	30	0.76
ZZ106785		0.37	0.19	0.89	36.1	<0.2	<10	620	0.43	0.49	0.18	0.34	28.6	8.5	17	0.44
ZZ106786		0.44	0.88	0.92	48.8	<0.2	<10	820	0.57	0.57	0.75	1.76	25.3	12.7	21	0.51
ZZ106787		0.40	0.98	1.14	60.5	<0.2	<10	860	0.67	0.56	0.62	2.40	24.4	14.5	21	0.58
ZZ106788		0.41	0.78	0.94	33.6	<0.2	<10	560	0.44	0.46	0.74	1.12	22.0	13.7	17	0.45
ZZ106789		0.47	1.03	0.96	49.1	<0.2	<10	590	0.54	0.88	0.30	1.87	30.6	15.6	17	0.59
ZZ106790		0.40	0.32	1.68	35.5	<0.2	<10	190	0.61	0.42	0.13	0.37	32.8	11.0	26	0.95
ZZ106791		0.38	0.44	0.82	57.7	<0.2	<10	320	0.32	0.64	0.10	0.50	32.4	7.7	16	0.50
ZZ106792		0.41	0.67	0.75	48.9	<0.2	<10	460	0.39	0.60	0.14	0.60	32.7	6.8	14	0.34
ZZ106793		0.39	0.10	1.30	30.9	<0.2	<10	200	0.34	0.43	0.02	0.60	26.4	6.4	20	0.77
ZZ106794		0.47	0.56	1.89	38.3	<0.2	<10	460	0.85	0.42	0.03	0.85	30.3	13.4	32	0.90
ZZ106795		0.44	0.47	1.46	24.8	<0.2	<10	290	0.55	0.30	0.04	0.69	31.1	9.0	27	0.80
ZZ106796		0.50	0.84	0.61	30.1	<0.2	<10	320	0.26	0.37	0.02	0.70	48.6	7.8	13	0.42
ZZ106797		0.34	1.02	0.55	19.6	<0.2	<10	350	0.19	0.34	0.01	0.65	62.0	5.7	13	0.47
ZZ106821		0.35	0.81	1.28	24.4	<0.2	<10	830	0.44	0.43	0.13	0.57	19.90	5.9	26	1.08
ZZ106822		0.58	0.95	0.95	25.8	<0.2	<10	1040	0.52	0.42	0.17	1.88	36.6	12.4	20	0.42
ZZ106823		0.40	0.25	0.77	32.1	<0.2	<10	380	0.30	0.39	0.09	0.64	30.5	6.5	16	0.30
ZZ106824		0.37	0.16	1.20	49.4	<0.2	<10	230	0.31	0.82	0.12	0.32	24.0	10.1	26	0.76
ZZ106825		0.46	0.92	1.23	39.7	<0.2	<10	730	0.52	0.97	0.40	0.60	25.5	11.5	22	0.74
ZZ106826		0.44	0.71	0.85	40.8	<0.2	<10	600	0.47	0.64	0.58	1.15	25.3	11.5	18	0.53
ZZ106827		0.45	0.60	1.00	42.1	<0.2	<10	640	0.49	0.60	0.34	1.02	26.3	10.5	20	0.61
ZZ106828		0.39	1.34	1.13	27.0	<0.2	<10	840	0.58	0.38	0.62	2.59	25.3	6.4	21	0.67
ZZ106829		0.44	0.43	0.94	36.4	<0.2	<10	850	0.46	0.38	0.19	0.47	29.7	9.0	21	0.48
ZZ106830		0.39	0.48	1.39	55.8	<0.2	<10	710	0.53	0.41	0.10	0.69	29.4	7.9	28	0.81
ZZ106831		0.48	0.80	1.95	183.0	<0.2	<10	320	0.62	0.44	0.07	0.37	31.2	10.0	31	1.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106769		76.7	3.82	3.61	0.12	0.09	0.14	0.059	0.06	16.0	16.9	0.32	527	3.47	<0.01	0.64
ZZ106770		53.8	3.30	2.49	0.11	0.05	0.12	0.044	0.05	12.7	9.7	0.31	565	3.05	<0.01	0.34
ZZ106771		56.8	3.11	2.46	0.12	0.06	0.13	0.036	0.06	12.8	9.1	0.30	1100	4.12	<0.01	0.35
ZZ106772		48.5	2.88	2.98	0.10	0.07	0.12	0.038	0.07	13.3	11.5	0.33	623	3.51	<0.01	0.38
ZZ106773		62.8	2.46	2.32	0.11	0.06	0.12	0.044	0.07	11.1	7.6	0.23	848	2.40	<0.01	0.28
ZZ106774		75.9	2.99	2.05	0.11	0.07	0.13	0.060	0.05	10.9	5.7	0.15	1390	3.40	<0.01	0.20
ZZ106775		68.1	2.93	2.70	0.10	0.03	0.09	0.072	0.05	12.6	9.2	0.23	516	2.97	<0.01	0.28
ZZ106776		67.7	3.15	3.76	0.10	0.02	0.10	0.058	0.06	14.2	12.5	0.30	438	3.20	<0.01	0.37
ZZ106777		72.1	2.53	2.29	0.12	0.02	0.12	0.043	0.06	16.7	7.5	0.18	673	4.30	<0.01	0.24
ZZ106778		67.7	2.81	2.86	0.11	0.02	0.12	0.037	0.06	16.9	11.4	0.31	782	3.46	<0.01	0.39
ZZ106779		32.5	2.75	3.33	0.11	0.08	0.14	0.045	0.06	11.9	12.6	0.36	1060	2.55	<0.01	0.37
ZZ106780		56.7	2.75	1.76	0.10	0.06	0.14	0.047	0.06	8.9	6.1	0.34	612	2.39	<0.01	0.28
ZZ106781		55.1	2.42	2.95	0.11	0.03	0.13	0.034	0.10	18.5	8.8	0.26	353	3.90	<0.01	0.37
ZZ106782		38.1	1.74	2.48	0.11	0.02	0.06	0.036	0.04	14.0	5.2	0.08	104	3.75	<0.01	0.42
ZZ106783		23.1	3.59	5.63	0.10	0.07	0.09	0.039	0.05	14.7	17.6	0.41	290	3.31	<0.01	1.10
ZZ106784		67.9	3.60	4.17	0.10	0.04	0.14	0.054	0.06	13.8	14.9	0.29	258	3.84	<0.01	0.63
ZZ106785		37.6	2.37	2.83	0.11	0.02	0.04	0.032	0.05	14.8	9.2	0.23	340	3.00	<0.01	0.38
ZZ106786		75.5	2.88	2.70	0.11	0.05	0.14	0.041	0.09	13.2	8.6	0.32	835	3.87	<0.01	0.37
ZZ106787		55.4	3.56	2.98	0.12	0.07	0.23	0.043	0.08	12.7	11.0	0.34	1220	2.78	<0.01	0.37
ZZ106788		40.9	2.62	2.63	0.11	0.06	0.13	0.040	0.05	11.4	9.1	0.31	1070	2.78	<0.01	0.37
ZZ106789		70.9	3.33	2.67	0.11	0.07	0.13	0.051	0.06	16.0	9.3	0.22	2570	8.37	<0.01	0.28
ZZ106790		35.5	3.38	4.19	0.12	0.05	0.05	0.038	0.05	16.1	15.4	0.33	449	2.95	<0.01	0.96
ZZ106791		33.1	3.05	2.96	0.11	<0.02	0.04	0.036	0.05	16.6	7.5	0.16	286	3.34	<0.01	0.43
ZZ106792		58.8	3.02	2.49	0.11	0.02	0.08	0.040	0.08	17.9	4.2	0.10	168	7.65	<0.01	0.23
ZZ106793		32.0	2.65	4.47	0.10	0.02	0.02	0.031	0.04	13.4	13.7	0.16	288	2.55	<0.01	0.59
ZZ106794		76.7	4.50	4.19	0.12	0.05	0.06	0.052	0.07	16.4	19.6	0.32	258	4.87	<0.01	0.69
ZZ106795		31.9	3.84	4.41	0.11	0.03	0.05	0.038	0.06	16.5	16.4	0.31	314	3.53	<0.01	0.90
ZZ106796		54.0	3.52	2.97	0.13	<0.02	0.04	0.035	0.06	27.1	2.1	0.05	128	3.72	<0.01	0.46
ZZ106797		45.6	3.18	3.06	0.14	<0.02	0.05	0.030	0.06	35.4	1.2	0.04	100	3.57	<0.01	0.47
ZZ106821		35.6	2.57	4.93	0.10	<0.02	0.12	0.033	0.06	10.7	9.2	0.22	254	3.01	<0.01	0.30
ZZ106822		68.9	3.49	2.87	0.13	0.02	0.18	0.044	0.08	19.8	9.4	0.21	452	4.23	<0.01	0.34
ZZ106823		33.1	2.91	3.41	0.11	<0.02	0.02	0.027	0.06	16.3	5.9	0.13	217	2.89	<0.01	0.65
ZZ106824		30.9	3.87	4.64	0.11	<0.02	0.03	0.046	0.04	12.6	9.2	0.23	616	4.25	<0.01	0.83
ZZ106825		49.8	3.03	3.65	0.12	0.04	0.12	0.042	0.05	13.1	11.2	0.33	449	3.45	<0.01	0.54
ZZ106826		51.5	2.70	2.39	0.11	0.05	0.11	0.045	0.06	13.0	8.3	0.30	522	3.37	<0.01	0.39
ZZ106827		50.5	2.87	2.87	0.12	0.04	0.11	0.038	0.06	13.8	9.7	0.27	307	2.89	<0.01	0.45
ZZ106828		61.6	2.19	2.79	0.11	0.07	0.38	0.045	0.08	13.5	11.5	0.33	160	1.69	<0.01	0.34
ZZ106829		47.4	2.54	2.81	0.11	0.02	0.07	0.034	0.05	16.0	11.8	0.30	460	2.62	<0.01	0.34
ZZ106830		47.5	3.76	4.26	0.12	0.04	0.08	0.050	0.06	15.6	12.6	0.28	493	4.03	<0.01	0.83
ZZ106831		33.3	3.30	4.56	0.12	0.09	0.10	0.041	0.05	15.7	16.6	0.34	281	3.64	<0.01	1.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106769		52.5	840	46.3	9.9	<0.001	0.02	10.65	3.5	1.6	0.4	15.0	<0.01	0.07	5.1	0.011
ZZ106770		32.4	1210	30.5	6.2	0.002	0.03	8.44	3.2	2.3	0.3	46.8	<0.01	0.07	2.9	0.007
ZZ106771		41.1	1230	37.6	6.3	0.004	0.05	6.66	3.0	3.4	0.3	68.5	<0.01	0.08	2.1	0.008
ZZ106772		41.6	1130	43.4	7.7	0.002	0.03	5.43	3.5	2.1	0.3	41.1	<0.01	0.08	2.6	0.008
ZZ106773		42.7	1100	30.7	6.6	0.001	0.04	7.17	2.8	1.9	0.3	43.2	<0.01	0.07	2.1	0.006
ZZ106774		41.3	1590	27.9	6.1	0.001	0.03	10.80	2.6	2.2	0.3	36.6	<0.01	0.10	1.8	0.006
ZZ106775		36.3	1110	28.2	5.6	<0.001	0.02	8.55	2.4	1.3	0.3	23.4	<0.01	0.08	1.5	0.009
ZZ106776		43.5	980	39.0	8.2	<0.001	0.02	6.97	2.2	1.3	0.4	25.0	<0.01	0.07	1.1	0.012
ZZ106777		45.1	920	33.3	5.2	<0.001	0.03	9.36	2.5	1.7	0.3	27.9	<0.01	0.09	3.5	0.008
ZZ106778		46.9	1230	28.3	5.7	<0.001	0.03	7.24	3.1	1.4	0.3	38.4	<0.01	0.08	3.1	0.015
ZZ106779		37.3	1340	24.9	9.3	0.003	0.05	6.75	3.0	2.2	0.4	52.7	<0.01	0.06	2.0	0.008
ZZ106780		36.4	760	20.7	6.2	0.003	0.07	6.09	2.8	1.6	0.2	96.8	<0.01	0.07	1.7	0.008
ZZ106781		40.5	1310	27.9	7.9	<0.001	0.02	4.46	2.4	1.6	0.3	34.2	<0.01	0.09	2.9	0.011
ZZ106782		13.9	610	26.6	5.8	<0.001	0.02	6.50	1.2	1.4	0.3	18.0	<0.01	0.08	2.7	0.008
ZZ106783		92.1	610	23.2	8.7	0.001	0.02	2.30	3.6	1.8	0.6	13.9	<0.01	0.06	4.7	0.020
ZZ106784		48.0	870	21.6	9.3	<0.001	0.02	8.04	3.0	1.4	0.5	15.4	<0.01	0.08	2.9	0.010
ZZ106785		25.5	930	21.9	5.8	<0.001	0.01	4.71	1.9	1.0	0.3	21.0	<0.01	0.06	2.1	0.010
ZZ106786		55.1	1240	31.9	6.7	0.001	0.03	7.55	3.3	2.0	0.3	47.9	<0.01	0.09	2.6	0.009
ZZ106787		49.2	1300	70.7	9.0	0.005	0.06	5.31	3.4	3.4	0.3	57.7	<0.01	0.08	2.3	0.007
ZZ106788		31.2	1250	76.6	7.2	0.006	0.07	4.66	2.6	2.9	0.3	73.0	<0.01	0.07	1.8	0.008
ZZ106789		54.9	1370	37.4	7.6	0.002	0.04	7.00	3.2	2.5	0.3	49.7	<0.01	0.21	2.4	0.008
ZZ106790		38.4	840	39.1	9.5	<0.001	0.02	4.12	3.0	1.7	0.4	16.1	<0.01	0.07	4.4	0.022
ZZ106791		27.6	590	21.8	8.1	<0.001	0.01	6.32	1.5	1.0	0.3	13.9	<0.01	0.05	2.4	0.009
ZZ106792		35.9	1120	33.2	6.4	0.001	0.04	6.50	1.0	1.7	0.3	41.6	0.01	0.08	0.6	0.006
ZZ106793		22.8	430	18.4	10.2	<0.001	0.01	3.14	2.5	0.5	0.5	6.6	<0.01	0.07	3.0	0.010
ZZ106794		61.1	620	44.1	13.3	<0.001	0.03	4.42	3.4	2.1	0.4	18.3	<0.01	0.09	4.2	0.010
ZZ106795		30.0	740	23.5	12.6	<0.001	0.02	2.61	2.7	1.2	0.4	12.6	<0.01	0.06	4.0	0.016
ZZ106796		37.1	750	21.6	7.8	0.001	0.04	6.32	1.5	1.9	0.4	25.2	<0.01	0.10	2.7	0.011
ZZ106797		32.0	600	14.6	8.1	<0.001	0.02	3.78	1.4	1.2	0.6	7.7	<0.01	0.08	5.1	0.011
ZZ106821		28.3	1140	19.3	13.2	<0.001	0.05	2.32	0.7	1.1	0.5	21.0	<0.01	0.06	<0.2	0.009
ZZ106822		46.4	730	23.0	7.3	<0.001	0.03	4.04	2.7	1.8	0.4	25.2	<0.01	0.09	2.2	0.009
ZZ106823		24.8	500	19.7	7.2	<0.001	0.01	3.06	1.5	0.8	0.4	16.2	<0.01	0.07	1.7	0.016
ZZ106824		25.5	1000	40.1	6.8	0.001	0.02	5.19	2.1	1.4	0.5	20.1	<0.01	0.09	2.1	0.021
ZZ106825		32.3	1140	29.8	7.9	0.002	0.02	6.59	3.1	1.6	0.4	37.0	<0.01	0.09	2.1	0.013
ZZ106826		36.7	1250	39.6	6.6	0.002	0.02	5.88	3.1	2.2	0.3	43.1	<0.01	0.08	3.0	0.010
ZZ106827		32.0	1090	42.5	7.2	0.001	0.02	5.50	3.3	1.5	0.3	32.0	<0.01	0.07	3.4	0.010
ZZ106828		40.3	1130	62.9	9.0	0.010	0.06	3.43	3.6	3.1	0.3	42.8	<0.01	0.08	2.6	0.006
ZZ106829		35.3	760	23.7	4.9	<0.001	<0.01	3.90	2.7	1.2	0.3	20.7	<0.01	0.07	2.8	0.011
ZZ106830		35.8	940	36.3	10.2	<0.001	0.01	4.80	2.9	1.6	0.5	21.7	<0.01	0.08	3.6	0.014
ZZ106831		38.9	660	21.2	9.7	<0.001	<0.01	3.10	3.8	1.4	0.5	11.6	0.01	0.08	5.1	0.024

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106769		0.19	1.49	56	0.19	6.54	161	3.2	0.007
ZZ106770		0.12	1.61	43	0.14	7.76	166	2.0	0.007
ZZ106771		0.10	3.25	39	0.23	9.28	177	2.4	0.007
ZZ106772		0.12	2.35	46	0.13	9.34	197	2.4	0.007
ZZ106773		0.09	1.96	42	0.09	8.32	173	2.1	0.007
ZZ106774		0.10	2.95	36	0.10	10.00	131	1.9	0.012
ZZ106775		0.10	1.69	42	0.13	6.61	136	0.7	0.008
ZZ106776		0.13	1.33	62	0.15	7.45	153	0.8	0.006
ZZ106777		0.13	1.54	56	0.09	6.68	196	1.0	0.009
ZZ106778		0.14	1.38	52	0.13	9.02	199	0.7	0.009
ZZ106779		0.15	2.63	55	0.19	8.31	242	2.2	0.007
ZZ106780		0.10	1.16	28	0.09	7.38	233	2.1	0.018
ZZ106781		0.16	1.28	66	0.11	7.69	223	1.2	0.007
ZZ106782		0.15	0.88	57	0.11	2.30	63	0.7	0.006
ZZ106783		0.22	1.55	78	0.27	5.79	135	2.8	0.003
ZZ106784		0.21	1.29	81	0.31	5.11	150	1.3	0.006
ZZ106785		0.09	1.07	43	0.11	5.50	104	0.5	0.006
ZZ106786		0.14	2.08	53	0.13	9.48	203	2.2	0.008
ZZ106787		0.14	3.02	52	0.11	9.79	312	2.4	0.010
ZZ106788		0.10	3.08	37	0.10	7.48	166	2.0	0.006
ZZ106789		0.15	2.85	38	0.12	9.14	227	2.4	0.008
ZZ106790		0.15	1.28	51	0.27	5.45	120	2.0	0.005
ZZ106791		0.10	0.68	37	0.12	2.65	104	<0.5	0.002
ZZ106792		0.12	1.10	44	0.11	3.67	161	0.6	0.001
ZZ106793		0.12	0.53	50	0.12	1.77	105	0.7	<0.001
ZZ106794		0.22	1.20	79	0.13	4.12	215	2.0	0.008
ZZ106795		0.16	1.01	61	0.18	3.30	149	1.4	0.007
ZZ106796		0.15	0.51	37	0.16	2.33	164	<0.5	0.004
ZZ106797		0.13	0.39	40	0.11	2.13	171	<0.5	0.003
ZZ106821		0.18	1.12	69	0.19	4.12	123	<0.5	0.001
ZZ106822		0.11	1.57	43	0.11	7.05	221	0.7	0.008
ZZ106823		0.09	0.68	43	0.16	3.12	114	0.5	<0.001
ZZ106824		0.15	0.92	73	0.21	3.44	120	0.5	0.003
ZZ106825		0.14	1.96	46	0.16	7.86	143	1.2	0.007
ZZ106826		0.12	1.64	41	0.12	8.22	196	2.1	0.007
ZZ106827		0.13	1.53	46	0.14	7.99	170	1.6	0.007
ZZ106828		0.18	3.26	47	0.10	10.05	300	2.3	0.011
ZZ106829		0.09	1.56	42	0.12	7.25	139	0.7	0.005
ZZ106830		0.18	1.28	82	0.16	7.35	175	1.8	0.006
ZZ106831		0.22	1.25	67	0.23	5.17	133	3.8	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106832		0.53	0.32	1.48	35.9	<0.2	<10	750	0.71	0.38	0.22	0.78	35.8	12.3	28	0.72
ZZ106833		0.41	0.60	1.84	37.9	<0.2	<10	400	0.65	0.50	0.08	0.66	27.8	11.4	30	1.04
ZZ106834		0.54	0.99	0.78	70.4	<0.2	<10	740	0.44	0.57	0.29	0.87	24.8	13.3	17	0.53
ZZ106835		0.43	0.81	0.98	34.5	<0.2	<10	1170	0.59	0.48	0.72	1.47	23.0	12.0	19	0.51
ZZ106836		0.44	0.85	0.89	42.6	<0.2	<10	830	0.59	0.58	0.74	2.49	21.7	13.7	18	0.46
ZZ106837		0.42	0.72	0.98	38.1	<0.2	<10	500	0.57	0.63	0.42	0.78	24.9	12.8	17	0.56
ZZ106838		0.44	0.84	0.69	41.1	<0.2	<10	560	0.39	0.64	0.57	1.02	25.6	9.9	12	0.38
ZZ106839		0.43	0.34	1.02	36.2	<0.2	<10	220	0.32	0.93	0.08	0.34	29.1	5.2	17	0.74
ZZ106840		0.49	0.78	1.46	32.0	<0.2	<10	190	0.60	0.46	0.04	0.47	24.1	9.4	25	0.84
ZZ101476		0.40	0.90	0.77	49.6	<0.2	<10	830	0.51	0.59	4.48	2.62	19.95	10.4	22	0.69
ZZ101477		0.38	0.06	1.07	15.7	<0.2	<10	130	0.28	0.24	0.04	0.19	22.2	4.5	18	0.58
ZZ101478		0.49	0.29	0.87	12.2	<0.2	<10	220	0.26	0.22	0.21	0.67	18.90	12.6	19	0.56
ZZ101479		0.45	0.34	0.97	11.9	<0.2	<10	380	0.37	0.22	0.77	0.79	17.35	10.5	19	0.59
ZZ101480		0.40	0.40	0.42	20.3	<0.2	<10	130	0.35	0.18	1.48	0.63	16.50	12.2	8	0.25
ZZ101481		0.48	0.40	0.88	20.4	<0.2	<10	260	0.34	0.27	0.46	0.60	19.40	9.8	18	0.52
ZZ101482		0.49	0.74	1.01	25.2	<0.2	<10	320	0.45	0.85	0.63	0.57	19.55	10.7	22	0.54
ZZ101483		0.44	3.13	0.33	146.0	<0.2	<10	480	0.22	1.14	0.45	0.14	21.0	5.7	14	0.29
ZZ101484		0.55	0.99	0.80	37.3	<0.2	<10	670	0.58	0.32	1.65	2.93	20.3	12.0	24	0.59
ZZ101485		0.50	0.23	1.48	26.5	<0.2	<10	380	0.55	0.30	0.06	0.38	27.3	8.6	28	0.86
ZZ101486		0.38	1.00	0.65	151.0	<0.2	<10	430	0.34	0.71	0.31	0.85	18.85	6.4	15	0.39
ZZ101487		0.43	0.80	0.78	108.5	<0.2	<10	520	0.46	1.77	0.85	1.23	21.6	10.8	20	0.40
ZZ101488		0.38	0.18	1.55	31.7	<0.2	<10	590	0.75	0.52	0.18	0.45	31.0	12.2	31	0.65
ZZ101489		0.51	1.61	0.53	35.8	<0.2	<10	470	0.31	0.69	0.64	0.85	29.6	15.3	10	0.29
ZZ101490		0.32	0.78	0.68	162.0	<0.2	<10	90	0.12	3.74	0.05	0.18	15.65	1.9	11	0.62
ZZ101491		0.28	1.02	0.36	64.9	<0.2	<10	150	0.18	3.35	0.10	0.11	24.0	4.3	7	0.19
ZZ101492		0.30	0.14	0.90	26.9	<0.2	<10	200	0.43	0.35	0.21	0.39	30.2	13.3	16	0.38
ZZ101493		0.47	1.53	0.33	58.7	<0.2	<10	130	0.27	0.27	0.24	0.64	33.5	16.3	6	0.26
ZZ101494		0.42	0.25	1.71	20.7	<0.2	<10	140	0.45	0.37	0.04	0.29	23.2	6.7	26	1.14
ZZ101495		0.57	0.08	1.37	28.0	<0.2	<10	150	0.41	0.42	0.05	0.19	23.3	7.3	25	0.84
ZZ101496		0.41	0.25	0.77	10.3	<0.2	<10	190	0.23	0.23	0.43	0.49	15.50	4.4	16	0.59
ZZ101497		0.37	0.64	1.17	10.8	<0.2	<10	410	0.52	0.26	1.11	0.60	23.2	18.7	20	0.74
ZZ101498		0.44	0.18	1.64	10.6	<0.2	<10	150	0.45	0.26	0.78	0.45	18.15	15.8	24	0.74
ZZ101499		0.39	0.12	1.03	15.3	<0.2	<10	290	0.18	0.25	0.04	0.18	23.4	6.1	19	0.88
ZZ101500		0.40	0.43	1.02	22.2	<0.2	<10	160	0.34	0.35	0.08	0.25	30.3	18.3	18	0.74
ZZ74336		0.49	0.71	0.79	72.2	<0.2	<10	400	0.31	0.68	0.08	2.45	25.4	11.2	16	0.34
ZZ74337		0.42	0.77	0.67	67.4	<0.2	<10	230	0.37	0.75	0.37	0.62	27.4	11.6	16	0.48
ZZ74338		0.54	1.45	0.95	59.3	<0.2	<10	570	0.56	0.86	0.52	0.86	24.1	15.3	20	0.52
ZZ74339		0.45	0.89	0.60	76.7	<0.2	<10	300	0.40	1.42	0.15	0.24	31.2	15.7	11	0.26
ZZ74340		0.41	0.86	0.78	102.0	<0.2	<10	190	0.43	1.06	0.09	0.25	30.3	12.2	19	0.41
ZZ74341		0.39	8.12	0.20	170.0	<0.2	<10	90	0.33	0.25	0.77	0.26	40.7	21.3	4	0.21

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106832		55.3	3.15	3.47	0.12	0.07	0.14	0.039	0.06	18.1	14.1	0.30	398	3.92	<0.01	0.61
ZZ106833		39.9	3.40	4.43	0.11	0.08	0.08	0.045	0.05	14.2	20.3	0.34	257	3.79	<0.01	0.88
ZZ106834		66.5	2.86	2.44	0.11	0.03	0.12	0.038	0.07	12.7	6.7	0.23	1020	3.23	<0.01	0.21
ZZ106835		51.9	2.63	2.75	0.11	0.06	0.15	0.038	0.08	12.4	9.5	0.30	962	3.11	<0.01	0.32
ZZ106836		61.3	2.75	2.45	0.10	0.07	0.56	0.043	0.06	11.2	8.6	0.31	1330	3.05	<0.01	0.34
ZZ106837		53.7	2.85	2.73	0.11	0.06	0.11	0.043	0.06	12.6	10.5	0.26	590	3.07	<0.01	0.38
ZZ106838		42.8	2.63	2.00	0.11	0.05	0.12	0.039	0.05	14.0	6.7	0.19	585	6.96	<0.01	0.23
ZZ106839		28.5	1.96	3.69	0.11	0.02	0.05	0.031	0.03	14.9	9.6	0.18	207	2.19	<0.01	0.50
ZZ106840		37.5	4.09	3.74	0.11	0.05	0.05	0.049	0.05	12.6	20.2	0.27	288	2.80	<0.01	0.93
ZZ101476		59.0	2.35	2.50	0.12	0.07	0.13	0.036	0.09	11.1	12.2	1.67	378	5.83	<0.01	0.48
ZZ101477		15.7	2.40	4.18	0.09	0.02	0.02	0.020	0.02	11.6	13.3	0.22	133	1.70	<0.01	0.76
ZZ101478		31.2	2.34	3.14	0.10	0.03	0.06	0.022	0.03	9.2	18.3	0.30	596	2.01	<0.01	0.39
ZZ101479		31.5	2.34	2.96	0.10	0.04	0.08	0.024	0.03	8.5	18.7	0.43	392	1.57	<0.01	0.39
ZZ101480		52.5	1.87	1.15	0.11	0.07	0.09	0.021	0.03	8.2	4.4	0.35	449	1.31	<0.01	0.21
ZZ101481		42.1	2.44	2.97	0.11	0.03	0.09	0.030	0.04	10.3	17.6	0.37	329	2.19	<0.01	0.35
ZZ101482		53.6	2.47	3.12	0.10	0.06	0.15	0.034	0.05	10.4	18.7	0.42	494	1.97	<0.01	0.35
ZZ101483		93.9	1.92	1.74	0.11	0.05	0.16	0.038	0.06	13.1	2.4	0.14	621	4.18	<0.01	0.25
ZZ101484		90.0	2.38	2.49	0.11	0.06	0.20	0.034	0.10	11.7	8.3	0.60	394	4.38	<0.01	0.33
ZZ101485		42.2	2.86	4.03	0.10	0.07	0.04	0.037	0.06	14.8	16.3	0.28	165	3.98	<0.01	0.68
ZZ101486		73.5	3.09	2.00	0.10	0.04	0.19	0.053	0.05	10.0	8.1	0.18	86	10.50	<0.01	0.25
ZZ101487		49.9	2.53	2.34	0.10	0.07	0.12	0.097	0.06	11.7	10.8	0.32	472	4.60	<0.01	0.30
ZZ101488		56.6	3.19	4.08	0.12	0.04	0.08	0.051	0.06	17.0	18.2	0.39	422	3.69	<0.01	0.48
ZZ101489		59.4	2.41	1.38	0.10	0.09	0.16	0.057	0.05	15.5	4.3	0.13	827	4.46	<0.01	0.18
ZZ101490		26.2	1.03	4.19	0.08	<0.02	0.02	0.062	0.03	8.3	3.1	0.07	97	0.69	<0.01	0.56
ZZ101491		23.9	1.51	1.51	0.10	0.02	0.05	0.028	0.06	12.5	1.8	0.05	248	2.58	<0.01	0.24
ZZ101492		25.2	2.94	2.71	0.11	0.02	0.03	0.029	0.06	15.1	10.4	0.23	362	0.81	<0.01	0.54
ZZ101493		54.3	2.15	0.88	0.11	0.02	0.07	0.015	0.05	17.2	4.9	0.06	353	3.82	<0.01	0.11
ZZ101494		20.8	2.72	5.50	0.09	0.03	0.03	0.028	0.03	11.9	16.0	0.25	234	2.00	<0.01	1.26
ZZ101495		24.0	2.67	4.21	0.10	0.07	0.01	0.029	0.04	12.5	18.3	0.38	190	2.16	<0.01	0.98
ZZ101496		27.2	1.66	3.56	0.09	<0.02	0.04	0.020	0.04	8.5	9.5	0.19	145	1.55	<0.01	0.47
ZZ101497		45.6	2.37	3.27	0.11	0.05	0.14	0.030	0.04	11.5	26.7	0.46	762	1.27	<0.01	0.44
ZZ101498		28.7	3.36	4.39	0.10	0.05	0.05	0.018	0.05	8.8	32.7	0.61	727	0.59	<0.01	0.33
ZZ101499		20.5	2.16	5.36	0.10	0.02	0.01	0.021	0.03	12.0	10.0	0.22	600	1.88	<0.01	1.17
ZZ101500		29.3	2.83	3.69	0.10	0.03	0.07	0.024	0.05	15.8	10.6	0.29	813	3.12	<0.01	0.35
ZZ74336		62.2	2.80	2.84	0.12	0.02	0.03	0.045	0.07	13.2	8.9	0.18	936	2.27	<0.01	0.30
ZZ74337		75.1	3.29	2.00	0.11	0.10	0.11	0.035	0.05	14.0	10.8	0.30	280	2.60	<0.01	0.25
ZZ74338		75.0	3.00	2.88	0.11	0.06	0.11	0.040	0.06	12.6	12.4	0.33	562	3.17	<0.01	0.31
ZZ74339		63.0	2.87	1.85	0.10	0.02	0.06	0.034	0.04	16.0	5.2	0.12	536	4.32	<0.01	0.20
ZZ74340		67.9	3.43	2.36	0.12	0.02	0.03	0.041	0.05	16.0	7.4	0.15	261	5.55	<0.01	0.25
ZZ74341		97.6	4.10	0.71	0.12	0.06	0.08	0.032	0.05	20.2	0.8	0.09	540	6.56	<0.01	0.10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106832		54.5	1250	25.9	7.9	0.001	<0.01	4.79	3.9	1.4	0.4	28.0	<0.01	0.08	4.5	0.014
ZZ106833		44.6	730	24.4	12.0	0.001	0.01	3.77	3.1	1.3	0.5	14.7	<0.01	0.07	4.7	0.017
ZZ106834		55.0	1160	30.7	6.7	0.001	0.01	7.68	2.3	1.5	0.3	32.2	<0.01	0.12	1.7	0.007
ZZ106835		40.3	1290	30.0	7.7	0.001	0.04	4.73	2.9	1.7	0.3	49.7	<0.01	0.08	1.8	0.006
ZZ106836		48.5	1300	45.6	6.9	0.004	0.06	5.53	2.8	1.9	0.3	50.8	<0.01	0.08	1.7	0.007
ZZ106837		32.6	1000	35.0	8.0	0.003	0.03	5.33	3.3	2.2	0.3	38.3	<0.01	0.09	2.9	0.007
ZZ106838		27.0	1280	37.8	6.7	0.002	0.03	4.26	2.5	2.5	0.2	61.0	<0.01	0.10	2.0	0.006
ZZ106839		18.8	560	32.5	6.9	<0.001	<0.01	3.10	1.8	1.0	0.4	13.0	<0.01	0.04	2.2	0.013
ZZ106840		28.9	680	58.0	10.7	<0.001	<0.01	3.42	2.3	1.4	0.4	9.8	<0.01	0.08	3.9	0.016
ZZ101476		55.8	1300	23.6	6.2	0.009	0.02	6.19	3.4	2.7	0.3	104.0	<0.01	0.07	3.2	0.015
ZZ101477		16.1	230	12.7	6.5	<0.001	<0.01	1.24	1.7	0.5	0.4	5.9	<0.01	0.04	2.7	0.017
ZZ101478		25.8	470	14.2	4.9	0.001	0.01	1.19	2.2	1.3	0.2	19.3	<0.01	0.05	2.3	0.013
ZZ101479		31.2	510	16.2	5.4	0.003	0.03	1.33	2.7	2.1	0.2	61.6	<0.01	0.06	2.2	0.012
ZZ101480		27.5	990	38.2	3.5	0.002	0.08	4.77	2.0	1.7	<0.2	76.5	<0.01	0.05	1.2	0.005
ZZ101481		28.8	630	15.7	5.1	<0.001	0.01	3.53	2.8	0.9	0.3	27.9	<0.01	0.07	2.3	0.010
ZZ101482		32.6	760	17.8	5.9	0.001	0.02	3.92	3.5	1.2	0.3	40.6	<0.01	0.07	2.4	0.010
ZZ101483		21.6	980	40.0	4.6	0.006	0.11	21.7	1.1	6.1	0.5	105.0	<0.01	0.15	1.2	0.007
ZZ101484		68.7	1440	21.7	7.9	0.002	0.04	4.84	3.1	2.6	0.4	91.9	<0.01	0.10	1.7	0.008
ZZ101485		44.0	470	17.5	10.7	<0.001	<0.01	2.31	2.6	1.0	0.5	10.6	<0.01	0.08	4.3	0.015
ZZ101486		36.5	1430	20.9	5.0	0.009	0.11	9.91	2.4	2.7	0.3	38.3	<0.01	0.10	2.4	0.008
ZZ101487		46.0	780	16.5	5.2	0.001	0.04	4.53	2.6	1.7	1.7	70.1	<0.01	0.08	2.6	0.008
ZZ101488		47.8	400	17.3	6.9	0.001	<0.01	2.26	4.3	1.4	0.5	17.3	<0.01	0.07	3.9	0.011
ZZ101489		32.1	1640	17.4	5.4	0.001	0.03	8.16	2.6	2.4	0.3	42.7	<0.01	0.06	1.7	<0.005
ZZ101490		6.9	210	104.5	5.6	<0.001	<0.01	74.0	0.9	0.2	0.6	7.1	<0.01	0.04	0.7	0.013
ZZ101491		9.4	410	13.4	6.4	<0.001	0.01	10.30	1.1	0.6	0.2	13.2	<0.01	0.08	3.1	0.006
ZZ101492		20.0	690	35.4	7.9	<0.001	0.01	3.20	3.0	0.8	0.3	22.0	<0.01	0.06	3.3	0.012
ZZ101493		36.0	1040	123.0	4.8	<0.001	<0.01	23.2	1.6	1.0	<0.2	20.4	<0.01	0.11	2.9	<0.005
ZZ101494		18.2	320	17.1	9.7	<0.001	<0.01	1.29	2.5	0.7	0.6	7.2	0.01	0.05	3.2	0.024
ZZ101495		25.8	250	16.1	10.0	<0.001	0.02	2.41	2.3	0.6	0.5	8.8	<0.01	0.04	3.8	0.022
ZZ101496		17.4	290	10.8	6.8	<0.001	0.04	0.85	1.7	0.6	0.3	46.3	<0.01	0.04	1.3	0.013
ZZ101497		41.2	790	16.9	9.2	0.001	0.10	1.37	2.8	1.5	0.3	89.5	<0.01	0.04	1.3	0.009
ZZ101498		30.7	630	18.9	7.3	0.001	0.07	0.59	2.0	1.3	0.2	80.7	<0.01	0.04	2.1	0.011
ZZ101499		16.3	210	12.8	7.2	<0.001	0.03	1.50	1.7	0.8	0.5	8.6	<0.01	0.04	2.5	0.025
ZZ101500		34.9	820	35.1	8.7	<0.001	0.04	3.31	2.0	0.9	0.3	17.0	<0.01	0.06	3.1	0.009
ZZ74336		34.8	640	78.7	5.6	<0.001	0.03	14.40	2.0	1.0	0.3	14.9	<0.01	0.07	2.3	0.007
ZZ74337		45.4	1170	25.4	3.3	0.001	0.04	14.25	2.8	1.5	0.2	31.5	<0.01	0.09	4.9	0.010
ZZ74338		49.0	1090	20.2	6.3	0.001	0.04	10.85	3.3	1.4	0.3	32.1	<0.01	0.06	2.1	0.008
ZZ74339		34.3	1000	17.5	4.8	<0.001	0.03	22.0	2.1	1.2	0.2	12.6	<0.01	0.06	1.5	0.005
ZZ74340		42.8	1020	17.8	6.5	<0.001	0.03	23.1	1.7	1.2	0.3	11.1	<0.01	0.06	1.9	0.005
ZZ74341		60.2	2210	65.9	3.4	<0.001	0.04	60.0	2.7	1.6	<0.2	28.9	<0.01	0.04	4.1	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106832		0.21	1.47	74	0.16	10.35	184	2.5	0.005
ZZ106833		0.19	1.07	76	0.18	3.89	164	3.3	0.003
ZZ106834		0.13	1.43	42	0.09	7.41	174	0.7	0.007
ZZ106835		0.12	2.54	54	0.10	10.05	159	1.9	0.005
ZZ106836		0.12	1.69	40	0.11	9.31	206	2.3	0.007
ZZ106837		0.12	1.76	34	0.14	8.31	153	2.0	0.005
ZZ106838		0.12	2.95	37	0.10	6.97	159	1.8	0.008
ZZ106839		0.13	0.94	40	0.15	3.94	73	0.6	0.003
ZZ106840		0.14	0.78	53	0.18	2.64	151	1.8	0.005
ZZ101476		0.23	1.48	62	0.14	10.95	217	3.4	0.005
ZZ101477		0.09	0.36	50	0.15	1.79	66	0.9	0.001
ZZ101478		0.09	0.73	32	0.14	3.89	104	1.0	0.002
ZZ101479		0.07	0.95	32	0.09	4.83	127	1.6	0.002
ZZ101480		0.07	0.75	11	<0.05	6.49	61	2.5	0.005
ZZ101481		0.09	0.98	30	0.09	6.15	103	0.9	0.002
ZZ101482		0.09	1.37	44	0.09	7.90	108	2.1	0.005
ZZ101483		0.13	2.93	33	0.17	4.54	22	2.1	0.045
ZZ101484		0.24	1.84	95	0.14	12.00	227	2.7	0.007
ZZ101485		0.22	0.99	96	0.16	3.81	155	3.9	0.004
ZZ101486		0.14	20.2	38	0.11	7.46	103	2.0	0.011
ZZ101487		0.14	1.50	63	0.10	7.45	172	2.9	0.017
ZZ101488		0.17	1.22	74	0.13	10.25	146	1.8	0.005
ZZ101489		0.10	2.61	29	0.05	13.75	79	3.8	0.007
ZZ101490		0.09	0.34	38	0.15	1.01	22	<0.5	0.005
ZZ101491		0.08	0.75	20	0.11	2.14	18	0.6	0.005
ZZ101492		0.05	0.39	25	0.22	7.17	68	0.8	<0.001
ZZ101493		0.09	0.71	8	0.05	6.19	128	1.2	0.010
ZZ101494		0.15	0.60	64	0.24	2.35	75	1.3	0.002
ZZ101495		0.11	0.57	48	0.19	2.41	82	2.5	0.001
ZZ101496		0.08	0.79	34	0.14	2.72	50	<0.5	0.004
ZZ101497		0.10	1.90	28	0.08	9.83	83	1.4	0.002
ZZ101498		0.05	3.06	21	0.06	4.46	101	1.5	0.005
ZZ101499		0.11	0.58	48	0.21	1.77	49	0.6	<0.001
ZZ101500		0.11	0.89	30	0.10	3.17	111	0.8	0.004
ZZ74336		0.06	0.64	35	0.07	3.41	205	0.7	0.003
ZZ74337		0.08	0.87	27	0.06	8.01	120	5.0	0.007
ZZ74338		0.10	1.31	42	0.11	10.00	119	1.9	0.007
ZZ74339		0.09	0.89	22	0.12	5.91	55	0.6	0.007
ZZ74340		0.14	0.83	50	0.12	3.27	84	0.7	0.004
ZZ74341		0.08	0.93	7	0.06	9.73	54	4.3	0.014

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ74342		0.43	2.91	0.38	95.3	<0.2	<10	630	0.28	1.32	0.44	0.81	17.25	11.0	10	0.27
ZZ74343		0.40	0.92	0.23	41.9	<0.2	<10	180	0.09	0.34	0.10	0.17	23.6	2.3	6	0.28
ZZ74344		0.45	0.56	0.81	127.0	<0.2	<10	470	0.49	1.04	0.10	0.35	24.4	7.5	21	0.52
ZZ74345		0.38	0.07	0.42	25.3	<0.2	<10	100	0.16	0.29	0.03	0.19	24.7	4.7	3	0.32
ZZ74346		0.51	0.77	1.22	962	<0.2	<10	320	0.53	1.79	0.69	0.54	26.4	22.9	25	0.56
ZZ74347		0.43	0.47	0.56	72.8	<0.2	<10	200	0.32	3.70	0.42	0.37	16.60	4.7	12	0.43
ZZ74348		0.39	0.30	1.58	11.7	<0.2	<10	330	0.83	0.38	0.43	0.13	26.5	14.0	26	1.19
ZZ74349		0.42	0.23	0.60	13.8	<0.2	<10	180	0.27	0.23	0.68	0.73	27.5	18.5	11	0.45
ZZ74350		0.40	0.59	0.63	50.3	<0.2	<10	500	0.39	0.70	0.61	1.08	26.3	10.8	15	0.40
ZZ74351		0.44	1.11	0.69	60.7	<0.2	<10	110	0.23	0.30	0.03	0.44	16.70	6.5	12	0.50
ZZ74352		0.39	0.64	0.61	42.7	<0.2	<10	110	0.33	0.27	0.02	0.14	37.0	7.2	9	0.50
ZZ74353		0.58	0.82	0.88	77.2	<0.2	<10	210	0.51	0.86	0.06	0.29	28.4	10.6	17	0.52
ZZ74354		0.58	1.46	0.32	100.5	<0.2	<10	170	0.28	4.90	0.40	0.33	31.0	13.6	8	0.34
ZZ74355		0.46	2.57	0.52	53.5	<0.2	<10	490	0.45	1.27	0.39	0.72	24.1	15.0	10	0.39
ZZ74356		0.52	1.83	0.88	130.0	<0.2	<10	170	0.48	1.07	0.07	0.34	27.4	16.7	19	0.54
ZZ74357		0.39	0.42	0.88	64.9	<0.2	<10	190	0.24	0.86	0.05	0.26	24.3	4.4	15	0.68
ZZ74358		0.45	0.58	1.34	60.2	<0.2	<10	510	0.62	0.90	0.11	0.28	35.6	11.5	26	0.74
ZZ74359		0.45	1.50	0.42	248	<0.2	<10	170	0.27	14.75	0.02	0.12	32.6	9.6	9	0.28
ZZ74360		0.53	1.99	0.58	123.5	<0.2	<10	380	0.30	5.87	0.14	0.39	31.6	7.3	13	0.39
ZZ74361		0.53	1.97	0.64	130.0	<0.2	<10	740	0.46	4.13	0.30	0.64	31.4	12.4	15	0.35
ZZ74362		0.47	2.36	0.68	71.9	<0.2	<10	430	0.49	1.89	1.21	0.65	20.4	11.1	15	0.37
ZZ74363		0.59	0.67	0.97	19.2	<0.2	<10	370	0.33	0.45	0.19	0.71	30.9	12.6	19	0.82
ZZ74364		0.58	0.51	1.15	16.2	<0.2	<10	380	0.37	0.36	0.16	0.67	31.2	13.5	21	0.78
ZZ74365		0.44	0.64	1.20	249	<0.2	<10	100	0.63	2.21	0.07	0.75	36.5	18.7	19	1.08
ZZ74366		0.60	0.20	1.05	28.3	<0.2	<10	290	0.41	0.33	0.11	0.31	34.1	11.0	21	0.44
ZZ74367		0.47	0.40	1.38	22.9	<0.2	<10	310	0.56	0.32	0.04	0.36	35.7	10.3	26	0.71
ZZ74368		0.53	0.11	1.04	16.6	<0.2	<10	270	0.43	0.26	0.05	0.28	36.7	8.5	20	0.49
ZZ74369		0.60	0.71	1.00	20.0	<0.2	<10	610	0.49	0.32	0.62	0.38	24.8	9.1	18	0.37
ZZ74370		0.45	0.22	1.48	29.9	<0.2	<10	340	0.51	0.35	0.04	0.56	28.1	10.0	25	0.76
ZZ74371		0.46	0.17	0.78	54.9	<0.2	<10	220	0.35	0.78	0.25	0.78	24.2	14.5	15	0.41
ZZ74372		0.36	0.66	0.94	24.6	<0.2	<10	510	0.41	0.41	0.80	1.78	18.65	12.7	16	0.42
ZZ74373		0.52	0.70	0.89	35.8	<0.2	<10	530	0.45	0.50	0.46	0.70	19.45	9.4	19	0.49
ZZ74374		0.56	1.76	1.08	67.7	<0.2	<10	720	0.51	1.68	1.00	0.87	17.65	10.2	24	0.52
ZZ74375		0.59	1.66	0.62	204	<0.2	<10	460	0.41	10.30	0.14	0.54	23.9	8.6	15	0.29
ZZ74376		0.39	1.01	0.51	169.0	<0.2	<10	290	0.33	6.47	0.08	0.38	20.8	10.1	13	0.28
ZZ74377		0.48	1.12	1.14	51.2	<0.2	<10	1010	0.56	1.29	0.54	0.63	21.6	12.5	23	0.50
ZZ74378		0.49	1.18	0.99	63.4	<0.2	<10	780	0.57	0.64	0.38	1.03	27.1	12.6	21	0.48
ZZ74379		0.61	0.37	1.34	76.3	<0.2	<10	400	0.78	0.66	0.05	0.49	32.0	14.3	19	0.62
ZZ74380		0.45	0.54	1.09	55.8	<0.2	<10	430	0.47	0.62	0.15	0.49	28.6	10.9	22	0.59
ZZ74381		0.31	0.89	0.65	33.2	<0.2	<10	550	0.40	0.30	0.79	0.83	14.75	8.5	11	0.29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ74342		85.8	2.27	1.29	0.11	0.05	0.21	0.100	0.05	9.9	1.9	0.09	1070	11.80	<0.01	0.13
ZZ74343		30.1	1.93	1.13	0.10	0.02	0.24	0.037	0.04	12.8	1.0	0.03	26	3.87	<0.01	0.12
ZZ74344		60.4	3.61	2.74	0.11	0.02	0.06	0.079	0.09	14.0	7.3	0.10	199	6.65	<0.01	0.29
ZZ74345		19.1	2.43	1.14	0.10	<0.02	0.01	0.018	0.06	12.7	0.6	0.04	197	0.60	<0.01	0.13
ZZ74346		68.3	4.64	3.70	0.11	0.05	0.02	0.097	0.04	13.3	10.7	0.68	1240	1.91	<0.01	0.62
ZZ74347		55.0	1.54	3.02	0.08	<0.02	0.02	0.032	0.05	8.7	3.6	0.15	165	2.62	<0.01	0.48
ZZ74348		83.2	2.71	4.27	0.11	0.06	0.06	0.030	0.04	15.2	19.4	0.51	654	1.66	<0.01	0.47
ZZ74349		60.2	2.67	2.07	0.11	0.08	0.09	0.031	0.03	14.2	10.0	0.20	425	3.14	<0.01	0.39
ZZ74350		52.0	2.48	1.93	0.11	0.05	0.10	0.042	0.06	14.0	6.8	0.26	495	2.86	<0.01	0.33
ZZ74351		51.3	2.62	2.68	0.09	<0.02	0.03	0.019	0.04	9.4	7.0	0.08	378	1.88	<0.01	0.44
ZZ74352		41.1	2.46	1.95	0.11	<0.02	0.02	0.043	0.03	18.9	3.8	0.09	143	1.53	<0.01	0.33
ZZ74353		55.1	3.72	2.64	0.10	0.02	0.02	0.050	0.04	15.1	8.7	0.17	311	3.85	<0.01	0.32
ZZ74354		70.5	2.56	1.17	0.11	0.11	0.05	0.048	0.05	15.8	2.6	0.12	968	3.96	<0.01	0.23
ZZ74355		57.5	2.55	1.65	0.11	0.04	0.12	0.067	0.05	12.8	3.3	0.11	1560	4.55	<0.01	0.19
ZZ74356		75.7	4.75	2.55	0.12	0.04	0.02	0.063	0.07	14.9	5.9	0.11	476	7.38	<0.01	0.45
ZZ74357		25.4	1.87	4.11	0.10	<0.02	0.02	0.031	0.04	13.0	5.2	0.13	285	1.81	<0.01	0.35
ZZ74358		64.1	3.11	3.66	0.12	0.03	0.07	0.039	0.05	18.7	16.0	0.37	326	3.26	<0.01	0.45
ZZ74359		89.1	2.73	1.94	0.11	<0.02	0.02	0.083	0.05	18.3	1.0	0.03	150	5.01	<0.01	0.15
ZZ74360		84.9	2.35	2.23	0.11	<0.02	0.05	0.064	0.04	17.3	5.2	0.13	288	3.93	<0.01	0.23
ZZ74361		115.0	3.20	1.94	0.11	0.03	0.13	0.065	0.05	16.9	7.6	0.21	396	4.41	<0.01	0.18
ZZ74362		83.0	2.58	1.98	0.11	0.08	0.10	0.046	0.05	10.9	7.1	0.31	371	3.26	<0.01	0.26
ZZ74363		49.9	2.34	3.14	0.10	0.02	0.13	0.033	0.06	16.1	12.2	0.29	596	2.16	<0.01	0.33
ZZ74364		48.3	2.43	3.67	0.10	0.02	0.12	0.037	0.06	16.2	16.1	0.37	835	2.53	<0.01	0.32
ZZ74365		63.4	4.04	3.14	0.12	0.07	0.06	0.084	0.05	18.9	14.4	0.24	716	4.49	<0.01	0.49
ZZ74366		59.9	3.20	3.17	0.13	0.02	0.08	0.024	0.03	17.8	18.7	0.38	412	2.30	<0.01	0.34
ZZ74367		63.2	3.68	4.06	0.14	0.02	0.09	0.029	0.04	19.0	23.8	0.40	345	2.41	<0.01	0.43
ZZ74368		47.5	3.07	3.29	0.13	<0.02	0.06	0.025	0.04	19.3	16.9	0.31	369	2.35	<0.01	0.41
ZZ74369		60.5	3.02	2.62	0.13	0.06	0.15	0.032	0.04	13.0	11.4	0.43	448	2.55	<0.01	0.31
ZZ74370		34.8	3.49	4.37	0.13	0.04	0.04	0.033	0.05	14.4	16.8	0.31	354	2.45	<0.01	0.69
ZZ74371		69.7	3.39	2.44	0.12	0.05	0.10	0.038	0.05	12.3	9.2	0.26	581	4.18	<0.01	0.25
ZZ74372		47.1	2.39	2.58	0.12	0.05	0.16	0.030	0.05	9.7	9.7	0.34	1100	2.56	<0.01	0.32
ZZ74373		46.6	2.93	2.58	0.12	0.05	0.14	0.034	0.06	10.5	9.4	0.33	699	3.35	<0.01	0.32
ZZ74374		103.5	3.23	2.92	0.12	0.10	0.17	0.051	0.07	9.8	13.9	0.46	515	2.46	<0.01	0.29
ZZ74375		105.0	3.03	2.13	0.11	<0.02	0.07	0.104	0.07	13.1	4.0	0.13	452	4.32	<0.01	0.15
ZZ74376		153.5	2.79	1.59	0.11	<0.02	0.04	0.126	0.04	10.7	3.3	0.09	855	2.19	<0.01	0.18
ZZ74377		67.1	2.97	3.12	0.12	0.05	0.11	0.045	0.06	11.5	13.2	0.36	698	2.57	<0.01	0.34
ZZ74378		88.6	3.58	2.96	0.13	0.03	0.11	0.045	0.07	14.8	9.3	0.30	542	4.08	<0.01	0.40
ZZ74379		77.0	4.73	2.90	0.13	0.07	0.04	0.298	0.07	16.0	10.8	0.23	677	3.99	<0.01	0.41
ZZ74380		60.1	3.51	3.30	0.13	0.02	0.08	0.039	0.04	15.1	11.7	0.28	486	2.95	<0.01	0.57
ZZ74381		38.3	2.41	1.69	0.12	0.06	0.09	0.035	0.05	7.6	5.2	0.23	817	1.82	<0.01	0.27

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ74342		44.0	1150	17.8	4.9	0.001	0.09	11.20	2.4	3.3	0.5	100.5	<0.01	0.15	1.1	<0.005
ZZ74343		9.6	1430	11.9	4.4	<0.001	0.06	3.71	0.8	3.0	0.3	40.1	<0.01	0.12	1.4	<0.005
ZZ74344		25.4	2380	36.7	8.7	<0.001	0.18	14.65	1.8	3.0	0.5	240	<0.01	0.18	2.5	0.006
ZZ74345		12.9	290	4.5	6.8	<0.001	0.03	0.84	0.8	0.2	<0.2	4.5	<0.01	0.06	3.7	<0.005
ZZ74346		55.5	890	13.1	6.8	<0.001	0.05	8.53	5.6	1.0	0.5	46.8	<0.01	0.03	2.1	0.018
ZZ74347		17.0	520	13.2	7.8	<0.001	0.04	11.15	1.3	0.7	0.4	24.2	<0.01	0.12	0.8	0.012
ZZ74348		35.0	820	22.2	7.0	0.001	0.04	0.81	3.6	1.1	0.3	51.6	<0.01	0.05	3.1	0.011
ZZ74349		30.6	1120	14.9	5.3	<0.001	0.05	1.77	1.8	1.6	0.2	68.3	<0.01	0.06	2.6	0.011
ZZ74350		35.5	1390	39.2	5.0	0.003	0.05	8.28	2.4	1.6	0.2	50.0	<0.01	0.05	2.8	0.010
ZZ74351		22.6	470	61.9	7.7	<0.001	0.03	8.28	1.6	0.7	0.3	6.4	<0.01	0.09	2.0	0.010
ZZ74352		20.7	440	34.0	5.6	<0.001	0.02	12.05	1.9	1.1	0.2	3.7	<0.01	0.04	5.0	0.008
ZZ74353		31.6	1160	20.1	9.3	<0.001	0.03	8.51	2.3	1.1	0.3	10.3	<0.01	0.07	4.1	0.007
ZZ74354		30.5	1560	17.5	3.6	<0.001	0.03	30.5	2.3	1.1	0.2	30.7	<0.01	0.07	4.3	0.007
ZZ74355		27.6	1300	19.1	6.9	<0.001	0.05	18.40	3.0	1.5	0.3	33.3	<0.01	0.11	1.8	0.005
ZZ74356		44.7	1560	36.6	9.8	<0.001	0.05	39.7	1.9	2.2	0.4	20.9	<0.01	0.21	3.6	0.008
ZZ74357		12.6	650	13.5	9.3	<0.001	0.03	4.23	0.9	0.6	0.5	7.9	<0.01	0.04	0.4	0.013
ZZ74358		42.9	630	19.4	8.0	<0.001	0.03	9.49	3.1	1.5	0.4	16.0	<0.01	0.07	3.8	0.010
ZZ74359		21.9	840	37.2	5.2	<0.001	0.07	67.8	0.8	1.3	0.3	30.7	<0.01	0.09	1.6	<0.005
ZZ74360		25.4	1040	27.8	4.8	<0.001	0.05	30.3	1.5	1.3	0.3	24.7	<0.01	0.06	2.0	0.007
ZZ74361		47.0	1220	23.8	4.0	<0.001	0.05	32.2	3.0	1.7	0.2	35.2	<0.01	0.08	3.4	0.005
ZZ74362		40.3	1220	22.9	5.1	0.003	0.08	21.2	2.5	1.8	0.2	72.2	<0.01	0.07	1.8	0.007
ZZ74363		28.7	870	25.2	8.4	<0.001	0.04	3.25	2.8	1.1	0.3	24.0	<0.01	0.06	2.7	0.008
ZZ74364		34.2	720	18.8	9.0	0.001	0.03	2.53	2.3	1.0	0.3	21.7	<0.01	0.06	2.3	0.008
ZZ74365		52.1	1020	25.9	8.6	<0.001	0.04	6.51	2.5	1.7	0.3	17.9	<0.01	0.10	6.0	0.010
ZZ74366		38.0	660	26.5	4.2	<0.001	0.01	4.16	2.6	1.2	0.2	15.5	<0.01	0.06	4.0	0.011
ZZ74367		41.7	470	19.9	7.2	<0.001	0.02	2.91	3.2	1.2	0.3	10.9	<0.01	0.07	3.5	0.010
ZZ74368		30.3	480	13.8	6.3	<0.001	0.01	1.98	2.3	0.9	0.2	10.7	<0.01	0.07	3.3	0.010
ZZ74369		36.6	860	19.3	5.7	0.001	0.04	3.71	2.8	1.5	0.2	55.0	<0.01	0.07	2.4	0.006
ZZ74370		30.1	400	19.4	10.1	<0.001	0.01	2.54	2.5	0.8	0.4	8.1	<0.01	0.06	3.9	0.012
ZZ74371		34.0	1140	17.3	4.9	<0.001	0.03	4.97	2.0	1.2	0.2	30.1	<0.01	0.08	2.3	0.008
ZZ74372		35.4	900	21.0	6.9	0.007	0.07	3.33	2.4	3.8	0.2	87.8	<0.01	0.07	1.5	0.007
ZZ74373		30.5	1210	54.6	5.9	0.001	0.04	6.24	2.7	1.5	0.2	36.4	<0.01	0.07	2.0	0.009
ZZ74374		48.8	960	22.5	5.7	0.002	0.04	10.90	3.5	2.4	0.3	48.0	<0.01	0.07	2.0	0.007
ZZ74375		29.8	1380	38.5	5.2	<0.001	0.06	27.5	1.4	1.8	0.3	37.4	<0.01	0.10	0.8	0.005
ZZ74376		26.8	680	19.9	4.4	<0.001	0.02	25.4	1.5	0.9	0.2	11.9	<0.01	0.07	1.9	0.005
ZZ74377		40.5	1030	17.9	6.7	<0.001	0.03	8.11	3.1	1.3	0.3	29.3	<0.01	0.08	2.0	0.009
ZZ74378		50.1	1110	23.2	5.7	<0.001	0.03	11.60	3.5	1.2	0.3	32.7	<0.01	0.09	2.5	0.012
ZZ74379		44.0	690	17.1	9.7	<0.001	0.02	12.55	3.9	1.2	0.4	11.3	<0.01	0.10	5.1	0.007
ZZ74380		36.9	770	22.5	5.9	<0.001	0.01	8.61	3.1	1.1	0.3	16.2	<0.01	0.07	3.3	0.018
ZZ74381		23.9	950	11.0	6.2	0.002	0.07	9.09	2.1	1.1	0.2	63.2	<0.01	0.08	1.7	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ74342		0.22	3.79	27	0.11	7.88	111	1.6	0.016
ZZ74343		0.22	1.35	13	<0.05	2.68	20	0.6	0.005
ZZ74344		0.34	2.22	59	0.12	4.21	96	1.2	0.008
ZZ74345		0.05	0.26	7	<0.05	0.83	62	0.5	<0.001
ZZ74346		0.06	2.42	37	0.27	8.64	81	1.5	0.003
ZZ74347		0.07	0.72	37	0.14	2.33	38	<0.5	0.004
ZZ74348		0.08	7.65	33	0.15	13.45	77	1.6	0.005
ZZ74349		0.08	1.30	20	0.08	5.04	112	3.3	0.006
ZZ74350		0.10	2.09	39	0.36	8.98	177	1.8	0.005
ZZ74351		0.08	0.47	31	0.11	2.29	101	<0.5	0.005
ZZ74352		0.06	0.51	18	0.08	3.77	49	0.5	0.004
ZZ74353		0.13	0.86	38	0.10	3.31	88	1.3	0.002
ZZ74354		0.09	1.02	19	0.12	7.29	64	4.7	0.009
ZZ74355		0.12	2.10	23	0.10	8.97	68	1.3	0.008
ZZ74356		0.16	1.25	47	0.11	3.00	116	1.6	0.009
ZZ74357		0.10	0.56	44	0.14	1.89	39	<0.5	0.001
ZZ74358		0.13	1.23	56	0.16	7.83	103	1.0	0.007
ZZ74359		0.12	0.74	41	1.05	1.91	33	<0.5	0.011
ZZ74360		0.10	1.20	37	0.21	5.29	69	<0.5	0.009
ZZ74361		0.11	1.46	33	0.18	9.49	98	1.2	0.008
ZZ74362		0.08	1.40	28	0.16	8.28	106	2.9	0.011
ZZ74363		0.14	1.49	33	0.10	6.06	107	0.7	0.007
ZZ74364		0.11	1.59	33	0.09	5.29	115	0.5	0.006
ZZ74365		0.11	1.22	29	0.10	6.29	166	3.0	0.010
ZZ74366		0.07	0.90	31	0.08	7.39	116	1.0	0.008
ZZ74367		0.10	0.86	38	0.08	7.46	122	0.6	0.004
ZZ74368		0.07	0.79	32	0.08	4.87	101	0.5	0.003
ZZ74369		0.07	1.92	33	0.07	6.58	112	2.2	0.007
ZZ74370		0.11	0.73	55	0.12	3.41	112	2.1	0.002
ZZ74371		0.07	1.52	28	0.07	5.64	156	2.0	0.006
ZZ74372		0.09	3.27	31	0.08	7.42	172	1.8	0.004
ZZ74373		0.11	1.37	44	0.10	7.69	170	2.0	0.008
ZZ74374		0.10	1.95	44	0.10	10.25	145	3.7	0.010
ZZ74375		0.09	1.55	41	0.17	5.06	105	<0.5	0.013
ZZ74376		0.05	0.94	26	0.10	3.29	77	<0.5	0.018
ZZ74377		0.10	1.58	51	0.10	9.66	133	1.7	0.009
ZZ74378		0.14	1.46	52	0.11	11.10	169	1.1	0.008
ZZ74379		0.13	1.17	47	0.10	6.88	204	3.5	0.006
ZZ74380		0.11	1.20	50	0.13	7.54	113	1.0	0.001
ZZ74381		0.08	1.09	26	0.07	5.76	101	2.0	0.002

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ74382		0.53	3.04	0.73	69.2	<0.2	<10	680	0.50	1.88	0.73	2.47	20.4	17.4	17	0.40
ZZ74383		0.49	0.73	0.77	38.6	<0.2	<10	490	0.44	0.30	0.29	1.19	24.3	11.8	14	0.41
ZZ74384		0.47	0.62	1.00	27.3	<0.2	<10	120	0.23	0.31	0.03	0.26	22.2	5.4	16	0.55
ZZ74385		0.60	0.73	1.04	32.9	<0.2	<10	320	0.31	1.43	0.06	0.48	25.0	3.5	18	0.67
ZZ74386		0.51	1.46	1.10	45.1	<0.2	<10	750	0.50	0.72	0.31	1.28	22.6	16.7	20	0.66
ZZ74387		0.55	0.43	1.29	44.6	<0.2	<10	350	0.43	1.01	0.06	0.47	26.4	7.7	21	0.91
ZZ74388		0.49	0.73	0.71	103.5	<0.2	<10	210	0.25	2.69	0.03	0.24	24.0	4.9	14	0.44
ZZ74389		0.49	0.67	1.00	91.5	<0.2	<10	700	0.40	2.55	0.10	0.44	22.7	9.0	21	0.55
ZZ74390		0.59	1.57	0.76	88.1	<0.2	<10	730	0.43	2.85	0.29	0.62	20.3	7.7	15	0.47
ZZ74391		0.60	0.92	0.88	43.1	<0.2	<10	750	0.52	0.82	0.65	1.25	23.0	11.7	19	0.50
ZZ74392		0.48	0.65	0.99	31.8	<0.2	<10	580	0.46	0.52	0.54	1.01	24.1	10.2	20	0.51
ZZ74393		0.53	0.65	0.83	37.8	<0.2	<10	610	0.44	0.40	0.44	1.33	24.2	8.8	18	0.43
ZZ74394		0.48	1.27	0.87	64.1	<0.2	<10	450	0.45	1.29	0.79	0.88	22.6	11.6	19	0.52
ZZ74395		0.52	0.45	0.99	72.3	<0.2	<10	350	0.51	1.02	0.21	1.32	30.7	23.8	15	0.64
ZZ74396		0.41	0.34	0.78	91.8	<0.2	<10	240	0.38	1.00	0.23	0.77	35.2	20.9	18	0.45
ZZ74397		0.50	0.65	0.95	59.6	<0.2	<10	780	0.54	0.92	0.10	0.70	25.5	9.6	18	0.52
ZZ74398		0.42	2.28	0.65	25.3	<0.2	<10	420	0.35	0.45	0.77	0.91	29.2	9.7	13	0.28
ZZ74417		0.42	1.20	0.72	32.2	<0.2	<10	360	0.29	0.48	0.04	0.94	28.9	4.7	14	0.52
ZZ74418		0.43	1.06	0.87	39.9	<0.2	<10	610	0.47	0.59	0.18	0.74	30.8	8.5	18	0.47
ZZ74419		0.43	0.37	1.01	48.2	<0.2	<10	450	0.46	0.44	0.28	0.71	32.5	12.2	21	0.52
ZZ74420		0.33	0.39	1.02	54.9	<0.2	<10	400	0.57	0.55	0.20	1.72	34.4	13.6	20	0.65
ZZ74421		0.47	0.69	1.13	34.4	<0.2	<10	560	0.54	0.58	0.47	0.86	29.5	11.8	22	0.64
ZZ74422		0.40	0.78	0.96	35.3	<0.2	<10	670	0.50	0.51	0.58	1.92	24.7	14.1	19	0.48
ZZ74423		0.41	1.02	1.00	46.1	<0.2	<10	700	0.57	0.94	0.57	1.14	29.2	10.4	22	0.59
ZZ74424		0.35	0.78	0.65	51.6	<0.2	<10	260	0.34	1.05	0.13	0.37	26.7	8.8	14	0.42
ZZ74425		0.41	0.91	0.64	72.6	<0.2	<10	960	0.45	1.61	0.27	1.02	37.2	13.0	17	0.34
ZZ74426		0.33	0.63	0.41	42.2	<0.2	<10	300	0.29	5.58	0.03	0.11	26.7	3.3	9	0.24
ZZ74427		0.39	0.56	0.56	73.6	<0.2	<10	520	0.28	0.93	0.04	0.43	22.6	3.9	10	0.40
ZZ74428		0.29	0.79	0.93	41.6	<0.2	<10	520	0.49	0.31	0.91	2.33	20.6	11.7	19	0.55
ZZ74429		0.32	0.76	0.69	48.3	<0.2	<10	850	0.40	0.20	1.16	1.23	18.15	7.9	15	0.36
ZZ74430		0.35	0.75	0.57	36.6	<0.2	<10	500	0.31	0.20	0.83	0.77	17.65	4.5	13	0.31
ZZ74431		0.51	1.27	0.53	118.5	<0.2	<10	730	0.39	0.37	0.50	0.72	23.3	5.6	15	0.35
ZZ74432		0.43	0.82	1.85	55.7	<0.2	<10	870	0.71	0.45	0.22	0.52	27.5	10.5	36	1.08
ZZ103083		0.27	0.02	0.40	25.3	<0.2	<10	20	0.53	0.01	0.11	111.0	70.0	12.5	<1	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ74382		97.9	4.30	1.99	0.12	0.05	0.14	0.089	0.06	10.4	7.4	0.30	1700	5.15	<0.01	0.28
ZZ74383		57.1	3.18	2.17	0.12	0.04	0.11	0.042	0.07	12.6	6.4	0.26	642	2.49	<0.01	0.33
ZZ74384		21.7	3.43	4.11	0.11	<0.02	0.02	0.033	0.05	11.7	5.3	0.14	461	2.62	<0.01	0.75
ZZ74385		31.0	2.17	4.63	0.12	<0.02	0.05	0.035	0.05	13.5	5.5	0.14	169	2.72	<0.01	0.55
ZZ74386		46.3	3.08	3.05	0.13	0.06	0.16	0.043	0.06	11.8	9.4	0.26	1830	3.05	<0.01	0.35
ZZ74387		34.6	2.56	4.36	0.12	0.02	0.06	0.033	0.05	13.9	10.9	0.19	465	2.25	<0.01	0.86
ZZ74388		63.1	2.27	2.19	0.12	<0.02	0.06	0.078	0.03	12.5	7.2	0.15	343	2.07	<0.01	0.33
ZZ74389		70.9	3.39	3.13	0.12	<0.02	0.05	0.068	0.06	12.3	10.7	0.26	565	2.69	<0.01	0.33
ZZ74390		88.0	2.73	2.24	0.12	0.03	0.16	0.083	0.06	11.4	6.7	0.22	694	2.58	<0.01	0.24
ZZ74391		66.9	2.86	2.48	0.12	0.06	0.12	0.050	0.09	12.2	8.0	0.29	562	2.71	<0.01	0.33
ZZ74392		50.1	2.71	2.74	0.12	0.07	0.12	0.036	0.07	12.6	11.1	0.35	472	3.02	<0.01	0.38
ZZ74393		56.6	2.80	2.39	0.11	0.03	0.10	0.036	0.08	13.3	7.7	0.27	621	3.64	<0.01	0.39
ZZ74394		74.8	3.13	2.44	0.13	0.07	0.15	0.044	0.06	11.9	9.5	0.37	946	2.35	<0.01	0.34
ZZ74395		87.0	4.94	2.10	0.13	0.04	0.05	0.051	0.07	16.1	7.9	0.23	1420	5.74	<0.01	0.21
ZZ74396		79.7	3.89	2.17	0.14	0.02	0.08	0.046	0.05	18.0	8.8	0.22	1340	4.22	<0.01	0.26
ZZ74397		72.0	3.37	2.68	0.13	0.02	0.10	0.050	0.06	13.8	9.4	0.18	380	4.03	<0.01	0.23
ZZ74398		68.8	3.27	1.76	0.13	0.08	0.43	0.035	0.05	15.7	7.3	0.28	396	3.70	<0.01	0.23
ZZ74417		41.7	2.81	3.29	0.13	<0.02	0.05	0.030	0.05	15.9	3.2	0.06	149	4.23	<0.01	0.40
ZZ74418		65.8	3.44	2.47	0.12	0.02	0.18	0.040	0.06	16.7	9.5	0.20	309	4.46	<0.01	0.27
ZZ74419		64.3	3.17	2.66	0.12	0.03	0.08	0.031	0.04	16.9	11.7	0.33	534	3.54	<0.01	0.35
ZZ74420		67.6	3.19	3.16	<0.05	<0.02	0.10	0.037	0.06	17.8	10.9	0.23	648	7.44	<0.01	0.36
ZZ74421		46.7	2.93	3.39	<0.05	0.05	0.11	0.036	0.06	15.3	12.2	0.33	565	2.79	<0.01	0.57
ZZ74422		58.3	2.91	2.72	<0.05	0.06	0.12	0.037	0.07	13.1	10.2	0.32	1980	3.44	<0.01	0.35
ZZ74423		77.6	2.89	3.01	<0.05	0.06	0.15	0.044	0.07	15.8	12.1	0.36	451	3.03	<0.01	0.43
ZZ74424		67.0	2.28	1.99	<0.05	0.02	0.10	0.039	0.05	14.4	5.4	0.14	487	3.11	<0.01	0.28
ZZ74425		88.8	2.95	2.04	0.05	<0.02	0.14	0.045	0.06	20.4	7.2	0.19	721	5.50	<0.01	0.23
ZZ74426		42.5	1.81	1.54	<0.05	<0.02	0.08	0.053	0.08	14.3	2.4	0.05	157	3.17	<0.01	0.16
ZZ74427		44.0	2.53	2.26	0.12	<0.02	0.08	0.039	0.06	12.3	2.3	0.06	682	2.68	<0.01	0.09
ZZ74428		76.1	2.41	2.52	<0.05	0.05	0.13	0.035	0.07	11.7	8.2	0.45	963	1.53	<0.01	0.43
ZZ74429		45.0	2.46	2.04	<0.05	0.07	0.14	0.028	0.06	9.9	5.7	0.37	808	2.76	<0.01	0.27
ZZ74430		34.3	1.52	1.81	<0.05	0.07	0.11	0.024	0.05	9.8	5.0	0.20	306	1.92	<0.01	0.24
ZZ74431		61.9	2.38	1.97	<0.05	0.05	0.11	0.030	0.06	12.6	3.9	0.14	450	5.72	<0.01	0.20
ZZ74432		55.6	3.72	5.60	<0.05	0.04	0.15	0.050	0.08	14.2	18.1	0.35	470	5.29	<0.01	0.93
ZZ103083		1.0	48.3	0.70	0.27	0.07	0.01	<0.005	0.01	25.2	0.2	0.05	196	0.92	<0.01	<0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ74382		51.3	1700	30.1	7.3	0.001	0.04	28.5	3.7	1.7	0.3	72.3	<0.01	0.13	2.1	0.009
ZZ74383		36.0	850	24.1	6.0	0.001	0.02	5.45	3.5	1.7	0.2	40.2	<0.01	0.08	3.4	0.008
ZZ74384		15.3	740	116.0	8.8	<0.001	0.01	4.02	1.5	0.7	0.4	6.1	<0.01	0.08	2.1	0.016
ZZ74385		12.6	690	19.6	8.7	<0.001	0.02	3.39	1.7	1.9	0.5	13.9	<0.01	0.06	1.0	0.015
ZZ74386		34.7	1150	28.3	7.5	0.001	0.04	8.65	3.2	2.2	0.3	31.8	<0.01	0.08	2.5	0.007
ZZ74387		24.4	540	29.6	9.9	<0.001	0.01	4.72	2.3	1.2	0.5	11.0	<0.01	0.07	2.7	0.017
ZZ74388		20.1	530	15.1	5.4	<0.001	0.01	12.25	1.7	0.5	0.2	7.9	<0.01	0.06	2.4	0.008
ZZ74389		35.2	740	20.7	6.5	<0.001	0.02	11.40	2.3	1.2	0.3	17.6	<0.01	0.08	1.6	0.008
ZZ74390		37.4	1040	21.6	6.0	0.001	0.03	14.50	2.4	1.4	0.3	34.2	<0.01	0.08	1.6	0.007
ZZ74391		41.6	1240	31.5	6.5	0.002	0.03	8.02	3.0	1.7	0.3	44.8	<0.01	0.07	2.4	0.008
ZZ74392		36.8	1090	32.2	6.7	0.001	0.03	5.56	3.2	1.6	0.3	37.0	<0.01	0.07	2.7	0.009
ZZ74393		40.7	1150	35.2	5.7	0.001	0.02	5.75	3.0	1.3	0.2	35.4	<0.01	0.07	2.6	0.009
ZZ74394		38.9	1210	26.9	5.7	0.002	0.05	9.61	3.5	2.1	0.3	61.4	<0.01	0.07	2.5	0.009
ZZ74395		50.6	1830	48.6	6.1	<0.001	0.05	13.80	2.7	1.7	0.2	44.2	<0.01	0.09	3.1	0.006
ZZ74396		47.7	1420	49.0	4.7	<0.001	0.02	12.70	2.3	1.9	0.2	25.8	<0.01	0.09	3.2	0.008
ZZ74397		38.0	980	28.1	6.4	0.001	0.02	8.05	2.1	1.1	0.3	16.1	<0.01	0.08	1.2	0.005
ZZ74398		44.3	860	21.5	4.5	0.005	0.06	6.59	2.7	4.0	0.2	104.5	<0.01	0.13	2.3	0.006
ZZ74417		20.1	670	21.2	6.8	<0.001	0.02	4.42	1.0	1.8	0.4	12.4	<0.01	0.09	0.4	0.012
ZZ74418		43.9	870	24.5	6.6	<0.001	0.03	5.43	1.9	1.8	0.3	30.2	<0.01	0.10	1.1	0.007
ZZ74419		47.6	1130	22.5	5.4	<0.001	0.02	5.56	2.8	1.6	0.2	27.4	<0.01	0.07	3.2	0.013
ZZ74420		57.6	1090	49.3	7.4	<0.001	0.02	5.81	2.2	2.4	0.3	27.5	<0.01	0.08	1.9	0.011
ZZ74421		36.6	1030	26.4	8.5	0.001	0.04	3.92	3.4	1.5	0.4	35.1	<0.01	0.06	3.0	0.012
ZZ74422		46.0	1240	55.7	7.2	0.002	0.05	5.63	2.8	2.0	0.3	49.2	<0.01	0.07	2.3	0.009
ZZ74423		48.6	1200	28.4	6.8	0.001	0.02	7.06	3.5	1.7	0.3	37.9	<0.01	0.08	3.6	0.011
ZZ74424		25.7	1020	83.3	5.5	<0.001	0.02	13.35	1.8	1.0	0.2	17.9	<0.01	0.09	1.6	0.008
ZZ74425		55.4	1550	31.8	4.3	<0.001	0.03	14.00	3.1	1.8	0.3	40.2	<0.01	0.08	3.5	0.010
ZZ74426		13.2	660	27.8	4.9	<0.001	0.14	5.62	1.4	1.0	0.2	34.5	<0.01	0.07	2.5	0.005
ZZ74427		22.4	910	38.7	4.5	<0.001	0.03	12.05	0.7	1.0	0.3	13.8	<0.01	0.08	0.2	0.005
ZZ74428		55.6	1050	26.9	6.9	0.002	0.07	4.25	2.8	2.4	0.3	96.6	<0.01	0.08	1.8	0.013
ZZ74429		29.2	1030	27.8	6.1	0.021	0.13	5.56	2.0	3.9	0.2	88.8	<0.01	0.05	1.7	0.007
ZZ74430		19.2	810	31.6	5.3	0.003	0.07	5.13	1.6	2.0	0.2	65.5	<0.01	0.06	1.6	0.006
ZZ74431		28.2	1060	52.8	5.3	0.003	0.07	13.45	1.7	2.8	0.3	91.8	<0.01	0.10	1.7	0.006
ZZ74432		45.8	990	29.5	11.0	<0.001	0.02	4.90	3.4	2.0	0.6	25.4	<0.01	0.09	3.2	0.019
ZZ103083		82.0	100	2.8	0.3	0.001	1.18	1.65	3.0	9.2	<0.2	31.4	0.01	<0.01	<0.2	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 13-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129662

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ74382		0.18	2.17	44	0.08	10.70	213	1.9	0.010
ZZ74383		0.09	1.26	33	0.08	7.18	191	1.9	0.006
ZZ74384		0.11	0.54	57	0.18	1.69	110	<0.5	0.001
ZZ74385		0.11	1.13	49	0.16	3.39	46	<0.5	0.003
ZZ74386		0.13	2.99	50	0.10	7.91	183	2.1	0.009
ZZ74387		0.14	0.92	56	0.18	4.85	102	0.7	0.006
ZZ74388		0.08	0.82	36	0.11	3.59	78	0.5	0.004
ZZ74389		0.11	0.92	48	0.12	5.94	124	0.5	0.005
ZZ74390		0.10	1.71	39	0.11	8.21	133	0.9	0.009
ZZ74391		0.11	2.79	46	0.11	9.31	189	2.5	0.006
ZZ74392		0.12	1.70	47	0.09	9.01	196	2.7	0.006
ZZ74393		0.11	1.39	43	0.09	8.62	208	1.6	0.008
ZZ74394		0.11	1.75	42	0.09	9.92	140	3.0	0.008
ZZ74395		0.15	2.07	38	0.08	7.98	268	1.5	0.010
ZZ74396		0.12	1.24	38	0.60	7.24	172	1.0	0.006
ZZ74397		0.12	1.26	52	0.08	7.94	148	0.6	0.006
ZZ74398		0.12	1.29	28	0.05	8.20	158	3.2	0.009
ZZ74417		0.11	1.03	53	0.11	4.42	106	<0.5	0.002
ZZ74418		0.13	1.31	51	0.14	6.20	196	0.5	0.004
ZZ74419		0.11	1.51	40	0.11	9.49	162	1.0	0.006
ZZ74420		0.18	1.86	59	0.18	7.96	274	0.5	0.007
ZZ74421		0.14	2.20	46	0.16	8.98	153	2.0	0.004
ZZ74422		0.12	1.75	42	0.09	9.00	211	2.1	0.005
ZZ74423		0.13	1.92	49	0.10	10.15	180	2.6	0.009
ZZ74424		0.09	1.09	36	0.08	5.69	109	0.5	0.007
ZZ74425		0.18	1.65	59	0.09	11.50	182	0.8	0.007
ZZ74426		0.08	1.17	30	0.07	3.39	54	<0.5	0.007
ZZ74427		0.08	0.65	37	0.07	3.89	69	<0.5	0.026
ZZ74428		0.12	1.10	41	0.10	10.45	265	2.0	0.009
ZZ74429		0.12	4.37	43	0.08	7.36	117	2.7	0.008
ZZ74430		0.10	1.23	34	0.06	5.05	109	2.9	0.008
ZZ74431		0.15	1.57	43	0.08	7.03	96	2.0	0.011
ZZ74432		0.32	2.03	109	0.20	5.96	158	1.5	0.006
ZZ103083		0.10	9.58	9	0.07	249	2310	1.7	<0.001

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Finalized Date: 13-SEP-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15129662

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

CERTIFICATE WH15129664

Project: ROD

This report is for 89 Soil samples submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2015.

The following have access to data associated with this certificate:

HEATHER BURRELL	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106798		0.43	0.59	0.95	12.9	<0.2	<10	200	0.24	0.18	0.24	0.55	29.6	11.8	18	1.97
ZZ106799		0.33	0.25	1.05	13.5	<0.2	<10	100	0.23	0.19	0.07	0.26	28.5	10.0	18	2.01
ZZ106800		0.39	0.85	0.86	26.3	<0.2	<10	540	0.63	0.21	0.97	1.09	37.9	13.8	21	3.16
ZZ106801		0.37	0.94	0.99	18.6	<0.2	10	750	0.73	0.22	1.14	0.73	36.2	11.5	26	2.99
ZZ106802		0.37	1.12	1.46	15.0	<0.2	<10	470	0.83	0.20	1.30	1.22	36.1	14.4	27	5.38
ZZ106803		0.42	0.96	1.37	14.3	<0.2	<10	800	0.91	0.22	1.43	1.25	42.2	17.4	34	2.10
ZZ106804		0.37	0.59	1.47	14.5	<0.2	10	740	0.81	0.20	1.22	0.70	33.6	17.4	54	1.69
ZZ106805		0.40	0.78	1.33	12.9	<0.2	<10	540	0.83	0.24	1.04	0.41	30.7	11.3	42	1.50
ZZ106806		0.41	0.37	0.96	12.3	<0.2	10	720	0.48	0.07	2.23	0.65	38.3	59.0	69	6.17
ZZ106807		0.43	0.61	1.46	18.9	<0.2	10	630	0.76	0.20	0.76	0.77	39.3	23.4	44	5.13
ZZ106808		0.36	0.78	1.48	17.6	<0.2	10	1220	0.66	0.17	1.27	2.41	33.0	21.1	65	1.62
ZZ106809		0.42	2.95	1.09	34.2	<0.2	10	1250	1.04	0.17	1.12	16.25	38.3	6.8	61	0.74
ZZ106810		0.38	4.97	1.32	36.9	<0.2	10	2680	1.60	0.19	1.19	16.50	32.2	7.2	118	0.97
ZZ106811		0.44	1.61	0.94	12.7	<0.2	<10	1040	0.60	0.19	0.45	5.07	53.9	11.4	29	1.30
ZZ106812		0.46	3.08	1.47	66.0	<0.2	10	1610	1.30	0.17	1.18	10.95	50.5	9.8	108	1.42
ZZ106813		0.42	4.25	1.27	32.2	<0.2	10	640	1.57	0.19	1.58	24.9	34.4	6.2	113	0.81
ZZ106814		0.34	3.43	1.24	26.8	<0.2	10	1060	1.17	0.17	1.90	21.8	28.7	11.1	76	1.21
ZZ106815		0.40	0.84	0.80	17.5	<0.2	<10	830	0.95	0.39	1.43	1.69	49.1	17.7	29	0.65
ZZ106816		0.39	0.71	2.14	13.7	<0.2	<10	4010	0.70	0.18	0.93	1.50	49.8	39.2	112	2.17
ZZ106817		0.40	0.69	0.84	12.4	<0.2	10	970	0.60	0.27	1.49	1.07	39.2	30.4	34	2.07
ZZ106818		0.38	0.68	0.49	16.0	<0.2	<10	410	0.40	0.18	0.88	0.71	30.6	13.1	10	0.77
ZZ106819		0.39	1.45	0.57	22.9	<0.2	<10	280	0.36	0.27	0.53	1.44	54.0	12.9	12	2.86
ZZ106820		0.44	0.70	0.78	12.9	<0.2	<10	370	0.42	0.25	0.97	0.80	36.4	17.9	17	3.25
ZZ74399		0.41	0.08	1.01	44.1	<0.2	<10	190	0.35	0.42	0.06	0.25	27.3	12.1	53	1.66
ZZ74400		0.38	0.07	1.41	28.5	<0.2	<10	170	0.51	0.36	0.07	0.40	19.95	27.8	70	1.52
ZZ74401		0.61	0.48	1.20	77.7	<0.2	<10	550	0.72	0.55	0.67	2.47	51.9	46.3	34	5.72
ZZ74402		0.40	0.10	0.69	51.3	<0.2	<10	280	0.46	0.39	0.13	0.66	33.2	25.5	20	3.11
ZZ74403		0.42	0.05	0.50	102.0	<0.2	<10	230	0.30	0.66	0.03	0.89	8.97	42.8	12	2.49
ZZ74404		0.37	0.28	0.57	69.7	<0.2	<10	350	0.45	0.47	0.20	1.18	29.4	34.0	11	6.67
ZZ74405		0.39	1.60	1.10	22.0	<0.2	<10	460	0.46	0.30	0.02	0.38	70.9	3.9	27	2.44
ZZ74406		0.42	1.07	1.08	29.5	<0.2	<10	290	0.71	0.25	0.02	0.57	44.3	11.0	21	2.31
ZZ74407		0.44	1.00	0.67	23.5	<0.2	<10	260	0.62	0.27	0.40	3.32	44.9	28.5	13	3.47
ZZ74408		0.37	0.48	0.62	21.1	<0.2	<10	280	0.44	0.25	0.10	1.16	24.1	14.1	13	4.01
ZZ74409		0.31	0.06	0.56	11.2	<0.2	<10	190	0.22	0.38	0.02	0.21	24.2	9.7	8	2.70
ZZ74410		0.51	0.32	0.75	15.3	<0.2	<10	420	0.47	0.30	0.03	0.32	29.1	5.6	16	2.79
ZZ74411		0.44	0.33	1.50	67.9	<0.2	<10	730	0.78	0.21	0.11	1.88	54.3	23.2	23	19.80
ZZ74412		0.53	1.01	0.30	138.0	<0.2	<10	570	0.59	0.19	0.48	20.9	32.2	10.8	12	2.86
ZZ74413		0.48	0.22	0.91	15.2	<0.2	<10	200	0.33	0.28	0.06	0.33	24.8	6.2	18	5.10
ZZ74414		0.40	1.37	0.86	23.4	<0.2	<10	990	0.69	0.21	0.11	1.05	37.4	6.0	12	6.16
ZZ74415		0.45	0.70	0.40	16.6	<0.2	<10	330	0.33	0.40	0.43	0.30	25.3	4.7	15	2.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106798		52.7	3.56	3.88	<0.05	0.02	0.15	0.024	0.08	15.9	8.6	0.30	258	5.82	<0.01	0.25
ZZ106799		46.3	3.22	4.61	<0.05	0.02	0.09	0.023	0.07	16.3	7.4	0.26	176	5.65	<0.01	0.38
ZZ106800		97.9	2.94	2.74	0.06	0.10	0.45	0.033	0.22	21.4	13.4	0.50	709	7.22	<0.01	0.24
ZZ106801		112.5	2.71	3.39	0.05	0.10	0.41	0.037	0.23	22.6	15.8	0.50	360	4.47	<0.01	0.31
ZZ106802		128.5	2.64	4.84	0.06	0.12	0.30	0.036	0.32	21.9	31.1	0.96	1060	5.74	<0.01	0.26
ZZ106803		151.0	2.75	4.97	0.06	0.06	0.23	0.041	0.31	24.1	27.8	0.73	501	4.96	<0.01	0.43
ZZ106804		60.9	3.25	5.12	0.06	0.10	0.38	0.040	0.23	19.1	24.1	0.92	343	19.65	<0.01	0.37
ZZ106805		55.9	2.55	5.14	0.05	0.09	0.25	0.036	0.30	17.1	25.0	0.85	299	5.65	<0.01	0.43
ZZ106806		139.5	9.64	3.22	0.07	0.06	0.26	0.055	0.18	21.9	10.0	0.67	1100	3.49	<0.01	0.25
ZZ106807		76.5	3.72	5.16	0.06	0.09	0.26	0.044	0.30	21.3	23.5	0.75	875	3.59	<0.01	0.34
ZZ106808		78.0	3.83	4.72	0.05	0.07	0.23	0.040	0.12	19.7	18.0	0.81	431	8.83	<0.01	0.49
ZZ106809		156.0	1.55	3.79	0.07	0.10	0.49	0.029	0.15	25.7	11.4	1.06	145	23.5	<0.01	0.31
ZZ106810		219	1.56	4.40	0.08	0.09	0.66	0.029	0.15	22.1	15.9	1.46	214	15.05	0.01	0.43
ZZ106811		48.3	2.36	2.92	0.07	0.03	0.32	0.036	0.12	33.7	12.8	0.62	233	7.66	<0.01	0.40
ZZ106812		212	3.53	4.71	0.15	0.08	0.49	0.038	0.16	31.9	15.3	1.65	180	33.9	<0.01	0.25
ZZ106813		176.0	1.37	4.20	0.09	0.10	0.66	0.028	0.14	23.8	13.4	1.67	130	16.75	<0.01	0.33
ZZ106814		192.5	1.96	4.41	0.07	0.13	0.56	0.033	0.14	18.4	13.2	1.44	187	12.10	<0.01	0.41
ZZ106815		112.0	7.79	1.96	0.10	0.04	0.17	0.063	0.15	26.0	7.0	0.57	659	3.89	<0.01	0.05
ZZ106816		135.5	6.58	7.04	0.07	0.08	0.25	0.054	0.18	27.7	34.4	1.35	661	7.23	<0.01	0.32
ZZ106817		96.9	5.41	2.31	0.07	0.06	0.36	0.055	0.19	21.2	6.5	0.46	557	4.07	<0.01	0.18
ZZ106818		81.4	2.63	1.61	0.05	0.13	0.28	0.030	0.13	17.6	6.6	0.18	714	7.25	<0.01	0.09
ZZ106819		92.8	4.71	2.55	0.08	0.09	0.51	0.065	0.38	31.8	9.5	0.19	501	11.80	0.01	0.58
ZZ106820		122.5	3.06	2.61	0.13	0.10	0.24	0.034	0.16	20.8	14.8	0.40	920	4.15	<0.01	0.24
ZZ74399		60.0	3.16	5.82	0.11	<0.02	0.03	0.026	0.06	12.6	7.2	0.31	653	1.80	<0.01	0.59
ZZ74400		94.2	3.91	5.18	0.11	0.02	0.05	0.028	0.04	10.1	22.2	0.68	1560	2.04	<0.01	1.02
ZZ74401		321	6.02	4.09	0.18	0.04	0.27	0.050	0.18	29.1	12.1	0.62	3870	10.05	<0.01	0.13
ZZ74402		85.4	3.37	2.91	0.12	<0.02	0.09	0.030	0.09	15.3	6.8	0.21	4390	4.08	<0.01	0.24
ZZ74403		92.2	2.09	2.31	0.09	<0.02	0.06	0.032	0.05	3.5	3.7	0.05	5260	4.83	<0.01	0.24
ZZ74404		159.0	4.25	2.33	0.12	0.03	0.22	0.034	0.14	13.5	4.5	0.16	5740	9.79	<0.01	0.08
ZZ74405		46.3	4.36	5.97	0.15	0.03	0.29	0.069	0.18	38.9	3.5	0.08	191	11.55	0.01	0.67
ZZ74406		88.1	4.98	3.38	0.14	0.05	0.31	0.059	0.14	24.3	9.1	0.13	243	6.41	<0.01	0.40
ZZ74407		120.5	5.88	2.00	0.15	0.04	0.48	0.044	0.13	23.5	9.2	0.19	1520	5.67	<0.01	0.07
ZZ74408		77.9	3.32	2.32	0.11	<0.02	0.11	0.029	0.11	12.9	3.6	0.10	1780	4.88	<0.01	0.06
ZZ74409		45.8	2.99	3.01	0.10	<0.02	0.05	0.021	0.10	12.7	2.0	0.05	356	2.26	<0.01	0.18
ZZ74410		43.7	2.28	3.07	0.12	<0.02	0.11	0.032	0.12	18.7	3.3	0.07	362	9.60	<0.01	<0.05
ZZ74411		272	10.15	4.35	0.16	0.04	0.11	0.038	0.18	28.3	15.0	0.37	871	11.35	<0.01	0.16
ZZ74412		159.0	3.08	1.31	0.13	0.22	1.20	0.039	0.08	21.1	2.1	0.08	386	79.2	<0.01	0.09
ZZ74413		74.0	3.33	4.39	0.10	<0.02	0.06	0.027	0.08	14.3	5.4	0.12	200	3.77	<0.01	0.37
ZZ74414		158.0	4.98	2.48	0.13	0.02	0.22	0.058	0.20	20.9	3.9	0.12	220	8.63	<0.01	0.55
ZZ74415		55.5	4.54	1.70	0.14	0.02	0.41	0.045	0.26	17.5	2.6	0.05	76	15.40	0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106798		28.7	1730	15.0	8.4	0.001	0.06	1.23	1.7	1.1	0.3	15.9	0.01	0.06	0.6	0.007
ZZ106799		23.7	1470	13.7	9.4	0.001	0.05	1.15	1.7	1.1	0.4	9.2	<0.01	0.05	1.0	0.008
ZZ106800		58.4	1920	18.3	14.5	0.002	0.07	2.23	5.0	2.2	0.4	36.8	<0.01	0.09	2.2	0.008
ZZ106801		51.6	1740	16.4	16.7	0.002	0.08	1.95	5.1	2.2	0.5	41.8	<0.01	0.09	2.1	0.009
ZZ106802		36.9	1720	13.0	22.4	0.003	0.05	1.93	5.3	2.1	0.5	45.7	<0.01	0.12	1.5	0.015
ZZ106803		55.9	2610	13.8	22.0	0.001	0.09	2.03	5.0	2.2	0.5	57.6	<0.01	0.08	1.5	0.015
ZZ106804		99.9	1760	13.2	17.2	0.003	0.08	1.91	6.6	3.2	0.5	58.6	<0.01	0.09	2.9	0.013
ZZ106805		44.2	1920	14.6	19.9	0.001	0.08	1.40	4.5	1.9	0.6	51.1	<0.01	0.10	2.3	0.015
ZZ106806		248	2200	7.1	10.2	0.002	0.34	0.97	17.6	3.3	0.3	74.8	<0.01	0.03	1.7	0.005
ZZ106807		64.6	2150	17.9	21.6	0.001	0.06	1.03	7.6	2.1	0.5	36.9	<0.01	0.10	2.2	0.013
ZZ106808		119.5	1820	11.9	10.0	0.002	0.07	2.40	8.2	3.0	0.5	48.6	<0.01	0.09	2.5	0.012
ZZ106809		208	1850	10.7	15.2	0.003	0.06	10.65	4.2	5.4	0.9	49.0	<0.01	0.13	1.8	0.016
ZZ106810		296	2730	12.5	18.1	0.008	0.08	8.74	3.4	6.1	1.0	67.0	<0.01	0.20	1.1	0.022
ZZ106811		77.4	1460	15.7	10.9	0.008	0.09	3.59	2.7	3.4	0.8	72.1	<0.01	0.09	2.5	0.012
ZZ106812		340	3820	12.0	19.1	0.004	0.06	15.60	5.6	9.7	1.1	65.2	<0.01	0.18	3.6	0.018
ZZ106813		339	2170	12.0	19.1	0.008	0.07	9.84	4.0	7.0	1.0	61.2	<0.01	0.19	1.4	0.019
ZZ106814		246	1730	13.1	17.4	0.005	0.06	8.60	4.7	5.2	0.8	66.7	<0.01	0.15	1.9	0.018
ZZ106815		71.5	3810	17.1	9.5	0.003	0.21	1.58	10.4	3.0	0.4	298	0.01	0.14	5.1	<0.005
ZZ106816		165.0	2020	12.5	10.0	0.001	0.13	1.50	12.8	2.5	0.5	66.4	<0.01	0.07	3.3	0.008
ZZ106817		128.0	2660	20.4	11.7	0.002	0.31	1.28	10.6	3.3	0.3	98.2	<0.01	0.17	2.8	0.007
ZZ106818		46.0	1410	13.1	8.2	0.003	0.03	1.66	5.2	1.4	0.2	28.4	<0.01	0.08	2.6	<0.005
ZZ106819		49.6	2020	22.5	14.2	0.001	0.75	3.65	3.5	3.9	0.5	108.0	0.01	0.12	3.1	0.008
ZZ106820		46.5	1800	18.6	10.2	0.003	0.11	2.11	5.4	1.8	0.3	54.6	<0.01	0.16	2.2	0.009
ZZ74399		34.4	760	13.7	7.4	0.001	0.04	0.96	1.0	0.6	0.5	11.6	<0.01	0.14	0.2	0.027
ZZ74400		56.6	560	16.2	6.9	<0.001	0.03	1.09	2.3	0.6	0.5	11.1	<0.01	0.15	2.0	0.028
ZZ74401		107.0	4350	43.5	11.0	0.002	0.09	3.37	5.0	3.7	0.3	99.2	<0.01	0.36	3.4	0.007
ZZ74402		46.7	1240	44.6	9.7	<0.001	0.05	1.96	1.7	1.3	0.4	22.7	<0.01	0.19	0.4	0.017
ZZ74403		32.4	630	40.2	5.7	<0.001	0.05	1.72	1.5	0.5	0.3	7.5	<0.01	0.21	0.3	0.009
ZZ74404		48.3	1840	68.8	9.8	0.001	0.14	3.54	1.9	2.0	0.2	56.4	<0.01	0.37	0.7	0.005
ZZ74405		20.0	1580	23.1	17.0	0.002	0.30	3.70	1.0	5.1	1.1	75.5	0.01	0.12	1.0	0.010
ZZ74406		44.2	870	24.3	10.7	0.002	0.24	2.48	2.7	4.3	0.5	30.5	<0.01	0.10	2.6	0.006
ZZ74407		142.5	1850	26.2	8.2	0.002	0.22	1.92	5.9	3.3	0.2	78.5	<0.01	0.13	3.8	<0.005
ZZ74408		33.1	1780	28.1	10.0	0.001	0.13	1.59	0.3	1.8	0.3	27.1	<0.01	0.12	<0.2	<0.005
ZZ74409		24.7	1190	16.5	13.4	<0.001	0.05	0.86	0.9	0.6	0.4	9.6	<0.01	0.16	0.2	0.007
ZZ74410		22.7	2260	25.9	12.0	0.001	0.15	1.50	0.1	3.4	0.4	91.5	<0.01	0.15	<0.2	<0.005
ZZ74411		107.0	2580	24.8	19.7	0.001	0.09	1.65	5.6	2.8	0.3	41.7	<0.01	0.13	1.7	0.013
ZZ74412		264	850	31.1	6.0	0.002	0.02	18.70	5.4	7.7	0.5	40.9	<0.01	0.16	4.4	<0.005
ZZ74413		24.2	1550	16.1	12.2	<0.001	0.05	1.16	1.0	1.2	0.5	19.5	<0.01	0.11	0.2	0.016
ZZ74414		41.1	1800	18.0	15.9	0.001	0.37	2.84	2.0	4.2	0.4	137.5	<0.01	0.12	0.9	0.011
ZZ74415		31.6	5440	25.3	12.6	0.006	0.72	2.75	3.2	5.3	0.3	365	<0.01	0.24	2.7	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106798		0.19	0.85	40	0.07	6.92	89	0.7	0.003
ZZ106799		0.20	0.79	45	0.08	4.26	82	0.8	0.024
ZZ106800		0.35	3.07	63	<0.05	24.7	163	4.3	0.013
ZZ106801		0.32	3.34	67	<0.05	26.7	133	3.9	0.013
ZZ106802		0.22	3.64	110	<0.05	29.3	144	4.4	0.015
ZZ106803		0.29	3.96	105	0.06	28.5	164	2.1	0.014
ZZ106804		0.76	5.51	142	0.10	21.0	203	4.8	0.005
ZZ106805		0.36	3.67	125	0.06	17.40	146	3.5	0.007
ZZ106806		0.19	2.77	69	0.05	25.2	185	2.1	0.003
ZZ106807		0.30	2.60	82	<0.05	23.3	152	3.5	0.010
ZZ106808		0.43	3.43	185	0.20	24.0	326	2.9	0.001
ZZ106809		2.09	10.35	776	0.47	45.0	1350	6.3	0.004
ZZ106810		1.27	11.95	967	0.47	46.4	1360	4.6	0.003
ZZ106811		0.49	6.05	155	0.24	17.55	365	1.6	0.002
ZZ106812		1.45	13.90	689	0.49	63.5	1490	6.5	0.003
ZZ106813		1.30	12.30	1220	0.49	54.4	2000	7.0	0.004
ZZ106814		1.13	7.50	745	0.31	34.0	1480	8.3	0.004
ZZ106815		0.31	6.73	41	0.05	49.2	157	2.3	0.004
ZZ106816		0.24	3.43	100	0.07	25.3	226	3.0	0.009
ZZ106817		0.35	3.71	56	<0.05	34.6	225	2.4	0.003
ZZ106818		0.17	1.37	33	<0.05	19.15	133	6.5	0.008
ZZ106819		0.76	3.49	41	0.06	17.30	178	4.3	0.013
ZZ106820		0.18	2.85	36	<0.05	26.2	151	4.0	0.019
ZZ74399		0.11	0.64	53	0.17	3.22	72	<0.5	0.002
ZZ74400		0.15	0.69	53	0.21	3.26	86	0.6	0.006
ZZ74401		0.43	11.95	72	<0.05	46.1	308	1.2	0.019
ZZ74402		0.19	1.26	38	0.12	6.99	168	<0.5	0.004
ZZ74403		0.20	0.74	21	0.08	2.89	130	<0.5	<0.001
ZZ74404		0.40	2.80	28	0.06	13.00	222	0.8	0.007
ZZ74405		0.66	0.97	78	0.07	4.73	131	0.6	0.002
ZZ74406		0.47	1.68	42	0.07	9.25	210	1.5	0.010
ZZ74407		0.43	4.01	29	<0.05	23.4	392	2.5	0.009
ZZ74408		0.31	1.60	28	<0.05	9.32	167	<0.5	<0.001
ZZ74409		0.14	0.46	29	0.08	2.75	129	<0.5	0.001
ZZ74410		0.27	2.15	53	0.10	9.45	118	<0.5	0.003
ZZ74411		0.84	5.34	35	<0.05	22.9	798	1.3	0.029
ZZ74412		1.21	6.46	346	0.17	38.9	1060	14.8	0.002
ZZ74413		0.18	1.42	58	0.16	6.53	130	<0.5	0.014
ZZ74414		0.61	3.65	41	0.05	13.15	264	0.5	0.022
ZZ74415		0.57	4.81	43	0.07	26.7	117	1.0	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ74416		0.36	0.79	0.72	14.0	<0.2	<10	1250	0.51	0.28	0.55	2.55	28.8	8.7	15	3.43
ZZ106950		0.27	0.12	1.04	17.6	<0.2	<10	60	1.08	0.42	2.94	0.80	33.3	21.0	11	3.73
ZZ106951		0.20	0.03	1.81	12.8	<0.2	<10	130	0.43	0.33	0.08	0.12	22.2	9.1	31	2.48
ZZ106952		0.26	0.24	2.33	4.0	<0.2	<10	2360	1.40	0.28	0.45	0.48	36.8	43.7	32	17.00
ZZ106953		0.29	<0.01	0.15	0.2	<0.2	60	10	<0.05	0.01	0.01	<0.01	0.39	134.5	627	0.07
ZZ106954		0.24	0.06	1.14	4.8	<0.2	<10	390	1.64	0.08	2.51	0.22	244	45.0	48	2.01
ZZ106955		0.22	0.04	2.27	41.9	<0.2	<10	640	2.73	0.02	3.12	0.09	154.5	62.6	331	35.7
ZZ106956		0.26	0.05	3.26	17.5	<0.2	<10	590	2.55	0.05	2.81	0.19	177.5	52.1	192	15.25
ZZ106957		0.19	0.06	1.67	5.7	<0.2	<10	500	1.03	0.07	3.28	0.14	53.5	20.5	97	2.60
ZZ106958		0.21	0.29	0.64	14.2	<0.2	<10	100	0.47	0.22	0.03	0.35	17.25	10.2	14	1.35
ZZ106959		0.24	0.15	0.71	12.2	<0.2	<10	70	0.27	0.24	0.03	0.25	11.20	4.8	12	2.51
ZZ106960		0.21	0.11	1.62	13.6	<0.2	<10	90	0.82	0.39	0.04	0.36	10.30	10.0	22	2.50
ZZ106961		0.25	0.17	1.16	10.9	<0.2	<10	370	0.31	0.34	0.03	0.20	19.40	5.0	21	1.94
ZZ106962		0.28	6.06	1.24	48.5	<0.2	<10	2330	1.00	0.17	0.05	49.8	49.2	34.6	17	1.00
ZZ106963		0.20	0.06	1.61	9.0	<0.2	<10	90	0.75	0.32	0.04	0.30	18.20	10.4	27	3.92
ZZ106964		0.24	0.23	1.59	11.0	<0.2	<10	210	0.51	0.26	0.05	0.27	21.8	10.3	25	4.09
ZZ106965		0.19	0.14	1.01	15.9	<0.2	<10	180	0.24	0.39	0.05	0.41	23.1	7.0	31	2.11
ZZ106966		0.27	0.14	0.62	26.3	<0.2	<10	130	1.14	0.30	0.26	0.88	43.5	13.7	9	8.66
ZZ106967		0.22	0.12	0.85	20.6	<0.2	<10	190	0.26	0.37	0.06	0.51	21.4	10.4	22	3.05
ZZ106968		0.21	0.32	1.16	47.1	<0.2	<10	400	0.75	0.33	0.42	0.95	48.6	59.2	22	9.79
ZZ106969		0.19	0.08	0.89	13.8	<0.2	<10	250	0.23	0.32	0.06	0.32	21.4	17.5	21	2.95
ZZ106970		0.20	0.08	1.49	20.5	<0.2	<10	230	0.54	0.51	0.07	1.11	17.10	41.8	23	9.51
ZZ106971		0.21	0.08	0.85	82.0	<0.2	<10	120	0.27	0.38	0.04	0.52	15.30	18.4	18	1.79
ZZ106972		0.23	0.07	1.16	72.2	<0.2	<10	160	0.53	0.44	0.05	0.62	28.8	32.7	20	5.41
ZZ106973		0.35	1.54	0.83	34.0	<0.2	<10	370	0.73	0.40	0.09	1.03	36.0	46.7	15	21.1
ZZ106974		0.20	1.70	0.48	78.2	<0.2	<10	520	0.59	0.30	0.06	1.02	29.0	10.5	16	3.82
ZZ106975		0.25	1.11	1.03	80.9	<0.2	<10	190	0.59	0.29	0.03	0.79	26.2	8.1	23	4.05
ZZ106976		0.25	1.05	1.47	16.5	<0.2	<10	370	0.84	0.14	0.92	0.93	69.9	51.1	12	11.15
ZZ106977		0.29	2.08	0.71	31.2	<0.2	<10	370	0.71	0.23	1.65	1.41	49.4	16.3	17	8.49
ZZ106978		0.24	0.26	0.42	25.5	<0.2	<10	210	0.34	0.22	0.09	0.39	29.0	12.0	9	1.44
ZZ106979		0.20	0.16	1.26	12.0	<0.2	<10	390	0.44	0.23	0.02	0.56	21.4	20.0	21	5.63
ZZ106980		0.23	0.80	0.88	43.3	<0.2	<10	920	0.71	0.33	0.19	1.57	31.9	19.2	20	8.42
ZZ106981		0.30	0.16	0.83	33.3	<0.2	<10	500	0.72	0.26	0.33	2.43	35.3	12.3	12	7.13
ZZ106982		0.31	2.58	0.57	208	<0.2	10	590	1.08	0.38	0.63	7.75	20.5	12.3	18	3.35
ZZ106983		0.26	0.16	0.74	44.4	<0.2	<10	300	0.59	0.29	0.08	0.57	27.0	13.2	14	23.1
ZZ106984		0.20	3.06	0.90	91.6	<0.2	<10	780	1.19	0.21	0.56	16.50	40.9	7.4	51	2.25
ZZ106985		0.23	0.41	0.99	16.1	<0.2	<10	330	0.55	0.34	0.05	0.27	32.4	14.2	21	1.13
ZZ106986		0.26	1.66	0.90	37.6	<0.2	<10	270	0.73	0.30	0.06	2.41	50.7	13.4	24	2.51
ZZ106987		0.17	0.70	2.76	24.1	<0.2	20	380	1.36	0.19	0.19	0.63	31.5	16.5	74	15.55
ZZ106988		0.25	0.46	0.42	14.5	<0.2	<10	400	0.43	0.43	0.47	2.16	45.7	15.0	10	1.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ74416		74.4	3.51	1.86	0.13	0.03	0.40	0.037	0.14	16.8	5.2	0.16	496	8.43	<0.01	0.12
ZZ106950		49.7	4.26	3.34	0.13	0.06	0.32	0.035	0.08	15.3	15.0	1.39	979	1.85	<0.01	<0.05
ZZ106951		27.0	3.69	7.65	0.11	<0.02	0.04	0.024	0.05	11.1	17.4	0.42	420	1.86	<0.01	0.90
ZZ106952		195.5	7.09	6.81	0.14	0.05	0.20	0.047	0.08	13.5	27.6	1.08	2710	0.73	<0.01	0.27
ZZ106953		3.8	5.02	0.24	0.16	<0.02	0.02	<0.005	<0.01	0.2	0.4	21.2	1310	<0.05	<0.01	<0.05
ZZ106954		65.1	8.45	5.78	0.28	0.05	0.11	0.060	0.24	125.0	7.9	0.68	1830	8.89	<0.01	0.25
ZZ106955		93.8	8.57	14.20	0.27	0.21	0.02	0.075	0.92	75.4	10.7	1.46	1380	0.43	<0.01	0.30
ZZ106956		85.3	8.96	16.75	0.27	0.20	0.03	0.071	0.46	91.7	24.9	3.22	1560	0.76	<0.01	1.04
ZZ106957		48.2	3.73	7.23	0.15	0.17	0.05	0.029	0.10	29.9	9.8	1.22	751	0.68	0.01	4.67
ZZ106958		55.0	3.20	2.11	0.10	<0.02	0.08	0.021	0.06	9.7	4.6	0.09	532	6.45	<0.01	0.28
ZZ106959		75.7	2.11	4.61	0.10	<0.02	0.06	0.018	0.05	6.2	1.5	0.04	105	5.74	<0.01	0.17
ZZ106960		45.4	4.51	5.94	0.11	0.06	0.04	0.023	0.06	4.3	18.9	0.27	660	2.59	<0.01	0.36
ZZ106961		23.4	3.70	7.67	0.10	<0.02	0.06	0.019	0.05	10.2	7.4	0.14	179	2.58	<0.01	0.99
ZZ106962		456	18.40	1.77	0.40	0.06	0.78	0.051	0.05	28.5	3.7	0.10	1760	22.5	0.01	0.20
ZZ106963		37.4	4.54	6.22	0.11	0.03	0.03	0.022	0.05	8.9	20.4	0.37	406	1.71	<0.01	1.18
ZZ106964		95.3	3.72	4.80	0.10	0.02	0.13	0.034	0.08	11.2	12.2	0.35	728	3.54	<0.01	0.32
ZZ106965		64.2	3.29	6.77	0.10	<0.02	0.09	0.029	0.07	13.1	3.8	0.15	591	2.17	<0.01	0.27
ZZ106966		35.4	3.63	1.69	0.13	0.05	0.33	0.023	0.13	23.7	4.2	0.10	2610	1.45	<0.01	0.15
ZZ106967		62.8	2.81	6.22	0.10	<0.02	0.05	0.031	0.06	11.7	3.9	0.14	982	4.98	<0.01	0.13
ZZ106968		139.5	4.21	3.88	0.14	0.03	0.31	0.039	0.07	24.6	14.8	0.26	8470	5.23	<0.01	0.21
ZZ106969		67.4	3.95	6.86	0.10	<0.02	0.07	0.026	0.05	9.9	9.1	0.18	1500	3.33	<0.01	1.17
ZZ106970		127.0	3.79	5.51	0.09	<0.02	0.15	0.039	0.07	6.9	26.3	0.57	3040	1.65	<0.01	0.33
ZZ106971		75.9	2.59	3.98	0.09	<0.02	0.30	0.027	0.04	7.0	9.5	0.19	1660	1.96	<0.01	0.58
ZZ106972		111.0	3.21	4.29	0.11	<0.02	0.31	0.033	0.06	13.8	13.0	0.29	3750	2.50	<0.01	0.42
ZZ106973		163.0	5.55	3.01	0.12	0.02	0.28	0.049	0.12	17.5	9.5	0.14	2490	9.50	<0.01	0.17
ZZ106974		135.0	3.95	1.79	0.12	0.04	0.30	0.055	0.22	16.5	1.5	0.03	480	14.35	<0.01	0.08
ZZ106975		74.8	4.05	3.83	0.10	0.02	0.22	0.049	0.09	14.0	7.8	0.19	423	6.79	<0.01	0.52
ZZ106976		125.0	7.62	4.30	0.16	0.08	0.21	0.047	0.05	32.0	26.5	0.56	1390	4.40	<0.01	0.08
ZZ106977		136.0	4.41	2.38	0.16	0.07	1.27	0.042	0.20	29.3	7.9	0.13	1360	10.25	<0.01	0.11
ZZ106978		85.3	3.16	1.65	0.11	0.02	0.10	0.035	0.11	16.3	4.0	0.06	345	10.30	<0.01	<0.05
ZZ106979		73.9	3.38	5.35	0.10	0.02	0.08	0.032	0.11	11.0	8.4	0.16	2200	3.87	<0.01	0.23
ZZ106980		200	3.73	4.70	0.12	0.03	0.18	0.048	0.19	18.8	12.9	0.21	979	10.20	<0.01	0.11
ZZ106981		77.2	3.44	3.59	0.11	<0.02	0.12	0.033	0.10	16.8	4.9	0.10	1540	1.70	<0.01	0.30
ZZ106982		226	3.10	1.95	0.11	0.05	1.22	0.040	0.16	11.6	5.8	0.08	1760	7.96	<0.01	0.07
ZZ106983		125.5	3.61	2.81	0.11	<0.02	0.09	0.033	0.14	12.4	4.9	0.11	576	1.74	<0.01	0.12
ZZ106984		189.5	2.01	2.70	0.16	0.07	1.07	0.036	0.14	26.8	11.9	0.67	105	65.2	<0.01	0.13
ZZ106985		41.0	6.53	3.46	0.13	0.03	0.09	0.044	0.13	18.9	6.1	0.23	966	7.58	<0.01	0.27
ZZ106986		128.0	4.68	2.62	0.15	0.03	0.28	0.036	0.16	31.8	13.0	0.28	196	47.4	<0.01	0.14
ZZ106987		179.0	10.45	9.03	0.26	0.02	0.15	0.058	0.46	23.4	83.3	2.93	274	4.53	<0.01	<0.05
ZZ106988		91.6	5.85	1.19	0.14	0.09	0.14	0.049	0.22	24.5	3.1	0.12	422	22.5	0.02	0.05

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ74416		86.9	2100	19.6	11.5	0.003	0.25	2.37	2.7	3.8	0.4	170.0	<0.01	0.13	0.9	0.006
ZZ106950		32.9	560	25.2	4.6	0.001	0.04	0.73	7.6	1.0	0.3	42.0	<0.01	0.06	5.6	<0.005
ZZ106951		20.1	490	15.6	7.4	<0.001	0.04	0.89	1.4	0.8	0.7	9.5	<0.01	0.07	0.3	0.034
ZZ106952		43.6	1290	29.3	7.6	<0.001	0.09	0.29	15.3	1.4	0.3	39.0	<0.01	0.12	1.6	0.010
ZZ106953		2560	20	0.2	0.1	<0.001	0.02	<0.05	4.5	0.2	<0.2	0.4	<0.01	0.01	<0.2	<0.005
ZZ106954		94.7	6090	11.0	11.5	<0.001	0.07	0.25	10.6	1.1	0.6	326	<0.01	0.03	5.3	0.006
ZZ106955		224	5080	2.8	58.9	<0.001	0.02	0.10	20.1	1.0	1.3	272	<0.01	0.01	4.0	0.049
ZZ106956		133.5	4650	6.4	31.6	<0.001	0.05	0.14	15.5	0.9	0.9	253	<0.01	0.02	5.5	0.151
ZZ106957		67.5	2280	4.2	7.8	<0.001	0.20	0.25	3.7	0.9	0.4	189.5	0.02	0.02	0.7	0.065
ZZ106958		28.4	1000	18.4	6.6	0.001	0.06	1.34	1.2	0.7	0.3	9.5	<0.01	0.08	0.4	0.007
ZZ106959		15.8	1250	14.7	6.4	0.001	0.09	1.98	0.2	1.4	0.6	12.0	<0.01	0.09	<0.2	0.005
ZZ106960		21.9	960	27.6	11.0	<0.001	0.06	0.83	1.7	0.8	0.4	8.8	<0.01	0.07	1.8	0.006
ZZ106961		14.3	680	16.0	10.2	<0.001	0.05	0.80	1.5	0.9	0.7	8.2	<0.01	0.06	0.8	0.023
ZZ106962		419	2910	38.6	3.7	0.006	0.12	10.65	7.7	105.5	0.2	50.7	0.01	0.14	2.6	0.007
ZZ106963		24.0	460	31.7	8.7	<0.001	0.02	0.64	2.2	0.6	0.5	7.3	<0.01	0.05	3.7	0.028
ZZ106964		17.2	1820	14.9	9.1	0.001	0.20	1.42	0.8	1.4	0.4	17.3	<0.01	0.13	0.4	0.006
ZZ106965		15.1	1500	18.5	9.9	<0.001	0.12	1.83	0.2	1.1	0.6	17.4	<0.01	0.19	<0.2	0.006
ZZ106966		25.3	620	31.9	11.0	<0.001	0.06	0.75	3.8	1.0	0.3	10.7	<0.01	0.06	2.3	<0.005
ZZ106967		26.6	1720	19.3	7.6	0.001	0.08	1.43	0.2	1.2	0.6	17.3	<0.01	0.09	<0.2	0.006
ZZ106968		111.5	3770	24.6	7.1	0.001	0.03	2.93	2.8	2.8	0.3	97.5	<0.01	0.23	1.3	0.015
ZZ106969		28.3	540	11.4	8.8	0.001	0.03	1.16	2.1	0.5	0.5	8.0	<0.01	0.12	1.1	0.036
ZZ106970		52.3	1150	32.8	10.1	0.001	0.09	1.19	2.0	0.9	0.4	14.8	<0.01	0.18	0.5	0.013
ZZ106971		40.0	520	67.6	8.4	<0.001	0.05	2.36	1.4	0.9	0.4	8.0	<0.01	0.13	0.4	0.025
ZZ106972		50.4	1140	118.5	8.4	0.001	0.03	3.57	3.4	1.1	0.4	14.0	<0.01	0.13	0.9	0.030
ZZ106973		69.3	1400	41.0	13.6	0.001	0.12	4.20	3.6	2.8	0.3	66.1	<0.01	0.20	1.5	0.009
ZZ106974		53.3	1880	129.5	18.8	0.009	0.40	4.96	1.3	6.6	0.7	61.5	<0.01	0.19	0.4	<0.005
ZZ106975		31.0	610	82.9	11.0	<0.001	0.08	4.03	2.0	3.3	0.6	11.4	<0.01	0.08	1.0	0.016
ZZ106976		56.4	2860	28.1	5.7	0.001	0.16	1.80	5.7	3.3	0.2	48.2	<0.01	0.05	1.3	<0.005
ZZ106977		65.6	5890	18.6	15.4	0.001	0.07	2.69	7.6	4.1	0.4	64.1	0.01	0.19	1.4	<0.005
ZZ106978		41.2	1770	16.2	9.1	<0.001	0.03	2.06	1.5	2.9	0.2	23.3	<0.01	0.11	0.3	<0.005
ZZ106979		25.6	1670	18.3	17.0	<0.001	0.09	1.81	0.7	1.2	0.5	6.0	<0.01	0.12	0.2	0.008
ZZ106980		57.1	2320	18.8	23.1	0.002	0.06	3.31	1.1	3.3	0.6	47.5	0.01	0.13	0.3	0.006
ZZ106981		29.3	1220	51.3	12.1	<0.001	0.07	1.25	2.3	1.3	0.5	26.0	0.01	0.10	0.3	0.016
ZZ106982		44.1	2430	233	10.7	0.002	0.06	6.23	6.9	3.8	0.6	72.6	<0.01	0.20	4.2	<0.005
ZZ106983		35.3	2070	30.6	20.1	<0.001	0.11	1.09	1.4	2.0	0.3	10.8	<0.01	0.12	0.3	0.005
ZZ106984		227	1910	16.3	14.7	0.002	0.05	32.7	1.4	11.6	1.0	40.3	<0.01	0.20	0.5	0.006
ZZ106985		58.4	1290	23.9	11.8	<0.001	0.28	2.81	3.1	3.2	0.4	104.5	<0.01	0.24	1.2	0.013
ZZ106986		169.5	2220	27.0	15.1	0.002	0.19	11.35	2.5	10.0	0.8	85.2	<0.01	0.14	1.3	0.006
ZZ106987		154.0	4720	14.1	52.4	0.002	0.66	1.63	3.4	11.7	0.4	210	<0.01	0.15	0.5	0.018
ZZ106988		102.5	1130	20.0	10.5	0.001	0.53	2.71	9.5	3.1	0.2	147.0	<0.01	0.14	6.1	<0.005

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ74416		0.55	6.09	53	0.09	21.4	403	1.0	0.004
ZZ106950		0.13	0.41	13	<0.05	18.85	90	3.1	<0.001
ZZ106951		0.15	0.64	68	0.31	3.85	71	<0.5	<0.001
ZZ106952		0.10	0.36	70	<0.05	29.5	94	0.9	0.035
ZZ106953		0.09	<0.05	11	0.20	0.18	29	<0.5	<0.001
ZZ106954		0.16	0.56	113	0.05	21.2	124	2.0	<0.001
ZZ106955		0.29	0.71	211	0.06	19.75	103	5.5	<0.001
ZZ106956		0.22	0.71	188	0.09	20.9	123	7.9	<0.001
ZZ106957		0.10	0.66	83	0.10	8.69	63	4.8	NSS
ZZ106958		0.13	0.81	25	<0.05	4.27	98	<0.5	0.003
ZZ106959		0.18	1.20	69	0.15	2.87	119	<0.5	0.004
ZZ106960		0.11	1.02	34	0.06	3.96	85	1.7	0.001
ZZ106961		0.14	0.64	71	0.23	2.63	63	<0.5	0.002
ZZ106962		0.32	1.99	80	0.11	58.4	3270	2.6	0.009
ZZ106963		0.10	0.78	45	0.19	3.43	83	1.1	<0.001
ZZ106964		0.14	1.29	36	0.05	3.62	69	0.6	0.005
ZZ106965		0.13	0.90	91	0.15	4.11	57	<0.5	0.006
ZZ106966		0.81	0.88	13	<0.05	25.6	142	1.3	0.001
ZZ106967		0.37	2.47	79	0.17	5.93	109	<0.5	0.001
ZZ106968		0.64	3.11	40	0.16	28.7	161	0.8	0.010
ZZ106969		0.12	0.65	57	0.22	2.63	122	<0.5	<0.001
ZZ106970		0.29	0.89	37	0.08	4.43	147	<0.5	<0.001
ZZ106971		0.18	0.71	39	0.22	2.42	142	<0.5	0.001
ZZ106972		0.22	1.34	39	0.18	7.80	188	<0.5	0.002
ZZ106973		0.90	2.75	33	0.06	10.95	244	0.5	0.019
ZZ106974		1.01	3.41	38	<0.05	10.80	225	1.0	0.012
ZZ106975		0.67	1.15	49	0.14	4.64	174	<0.5	0.013
ZZ106976		0.25	1.40	41	<0.05	27.1	184	2.6	0.002
ZZ106977		0.48	2.21	44	<0.05	28.8	166	2.9	0.016
ZZ106978		0.34	1.12	30	<0.05	12.05	136	0.6	0.007
ZZ106979		0.18	0.90	50	0.09	4.74	91	0.7	0.007
ZZ106980		0.39	2.47	102	0.08	11.95	274	0.6	0.016
ZZ106981		0.26	1.01	40	0.13	12.75	264	<0.5	0.006
ZZ106982		0.71	2.83	85	<0.05	27.8	785	2.6	0.024
ZZ106983		0.24	1.05	27	0.05	8.89	186	0.5	0.013
ZZ106984		2.64	9.63	701	0.58	44.6	1500	2.4	0.004
ZZ106985		0.27	1.50	63	0.11	10.75	164	1.0	0.006
ZZ106986		1.15	8.21	242	0.32	24.1	746	1.1	0.002
ZZ106987		0.66	6.94	169	<0.05	30.7	598	0.5	0.003
ZZ106988		0.67	7.29	45	0.05	24.5	235	5.9	0.007

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05
ZZ106989		0.21	0.49	0.38	17.7	<0.2	<10	470	0.34	0.17	1.84	0.54	22.5	13.4	10	0.45
ZZ106990		0.22	0.39	0.75	35.9	<0.2	<10	250	0.28	0.32	0.04	0.17	26.9	16.5	18	1.41
ZZ106991		0.21	0.50	0.97	21.4	<0.2	<10	470	0.61	0.19	0.95	0.71	53.4	15.8	18	1.48
ZZ106992		0.25	0.33	0.65	101.0	<0.2	<10	180	0.29	0.29	0.04	0.42	19.60	12.5	15	1.32
ZZ106993		0.19	0.07	1.09	16.0	<0.2	<10	360	0.55	0.28	0.04	0.31	40.3	11.1	19	1.44
ZZ106994		0.23	0.09	0.62	15.1	<0.2	<10	130	0.18	0.29	0.07	0.10	25.9	11.4	13	3.23
ZZ106995		0.18	0.48	0.31	7.3	<0.2	<10	360	0.27	0.10	3.67	0.69	16.80	8.9	6	1.32
ZZ106996		0.20	0.63	0.72	19.7	<0.2	<10	790	0.57	0.17	1.10	0.38	34.1	11.0	12	0.78
ZZ106997		0.22	0.54	0.49	24.7	<0.2	<10	660	0.39	0.20	1.20	1.57	30.3	9.6	11	1.67

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Nb
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
	LOR	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05
ZZ106989		96.2	2.81	1.17	0.10	0.07	0.18	0.028	0.07	12.2	4.2	0.21	722	2.92	<0.01	0.11
ZZ106990		109.5	3.36	3.44	0.10	<0.02	0.06	0.032	0.08	15.4	4.2	0.08	1390	2.27	<0.01	0.18
ZZ106991		64.4	3.50	2.38	0.13	0.05	0.27	0.037	0.13	29.4	19.2	0.35	704	9.41	<0.01	0.13
ZZ106992		132.5	4.41	3.16	0.09	<0.02	0.06	0.047	0.08	12.4	3.5	0.06	397	15.05	<0.01	0.23
ZZ106993		44.4	3.11	4.48	0.11	<0.02	0.03	0.035	0.07	20.0	12.6	0.11	914	5.41	<0.01	0.37
ZZ106994		72.6	3.46	4.77	0.09	<0.02	0.03	0.024	0.07	15.2	3.6	0.06	371	2.57	<0.01	0.34
ZZ106995		70.0	1.51	0.80	0.09	0.08	0.21	0.017	0.06	11.3	3.2	0.15	1100	1.51	0.01	0.13
ZZ106996		55.1	2.63	1.88	0.12	0.09	0.26	0.038	0.08	19.9	10.5	0.15	333	7.15	<0.01	0.13
ZZ106997		64.0	2.60	1.53	0.11	0.11	0.26	0.035	0.15	16.6	9.7	0.26	323	10.50	<0.01	0.08

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
	Units	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005
ZZ106989		26.7	1500	25.9	5.9	0.001	0.10	2.14	3.2	1.5	0.2	43.4	<0.01	0.07	1.0	<0.005
ZZ106990		39.5	1400	74.5	9.2	<0.001	0.03	3.52	0.8	1.4	0.6	5.2	0.01	0.11	0.2	0.008
ZZ106991		52.1	1320	15.5	11.2	0.001	0.02	1.86	5.0	1.9	0.3	32.1	<0.01	0.10	1.4	0.007
ZZ106992		53.8	1680	134.0	8.3	0.001	0.07	5.86	1.5	2.1	0.5	21.3	<0.01	0.17	0.4	0.008
ZZ106993		28.0	980	17.7	10.9	<0.001	0.02	1.62	1.4	1.3	0.6	6.7	<0.01	0.09	0.4	0.012
ZZ106994		21.2	1080	15.3	6.8	<0.001	0.03	2.12	1.4	0.8	0.6	10.0	<0.01	0.14	0.3	0.012
ZZ106995		23.8	1310	23.3	4.4	0.002	0.17	2.02	2.0	1.8	<0.2	94.9	<0.01	0.06	0.4	0.005
ZZ106996		35.4	1260	23.5	7.7	0.001	0.03	1.92	4.7	1.8	0.3	37.0	<0.01	0.07	1.5	<0.005
ZZ106997		43.7	2010	20.1	10.5	0.001	0.16	2.79	3.2	2.3	0.2	102.5	<0.01	0.12	1.2	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 11-SEP-2015
Account: MTT

Project: ROD

CERTIFICATE OF ANALYSIS WH15129664

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	Au-ICP21
	Analyte	Tl	U	V	W	Y	Zn	Zr	Au
	Units	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.05	1	0.05	0.05	2	0.5	0.001
ZZ106989		0.21	2.65	25	0.05	13.90	125	2.3	0.010
ZZ106990		0.30	0.91	38	0.13	3.69	199	<0.5	0.003
ZZ106991		0.24	2.06	35	0.10	28.5	123	1.7	0.008
ZZ106992		0.27	1.44	80	0.16	3.46	554	<0.5	0.004
ZZ106993		0.20	1.54	68	0.25	12.45	113	<0.5	0.002
ZZ106994		0.21	0.59	55	0.16	2.61	104	<0.5	<0.001
ZZ106995		0.10	1.24	11	0.05	15.90	63	3.1	0.005
ZZ106996		0.21	2.19	34	0.05	19.10	140	3.2	0.006
ZZ106997		0.33	2.96	38	0.06	17.80	179	3.7	0.006

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: ROD

Finalized Date: 11-SEP-2015
Account: MTT

CERTIFICATE OF ANALYSIS WH15129664

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

NSS is non-sufficient sample.
Applies to Method: ALL METHODS

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
Applies to Method: ME-MS41

LABORATORY ADDRESSES

Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
Applies to Method: LOG-22 SCR-41 WEI-21

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Applies to Method: Au-ICP21 ME-MS41

STRATEGIC METALS LTD.


FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

ROD PROPERTY

0 200 km

FILE: .../2015/ROD | DATE: MAY 2016



530 000 mE
535 000 mE
540 000 mE
545 000 mE
550 000 mE
560 000 mE
565 000 mE
7 125 000 mN
7 120 000 mN
7 115 000 mN
7 110 000 mN
7 105 000 mN

Rackla River

Rod Creek

Property Boundary

Rau Airstrip

Beaver River

Grid North
True North
Magnetic North
21°25' E
0°53'
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS


ROD PROPERTY

0 2 km


UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ../2015/ROD | DATE: MAY 2016


RACKLA BELT STRATIGRAPHIC AND FACIES DOMAINS



LOWER CAMBRIAN PALEOGEOGRAPHY



MINERALIZATION ALONG RACKLA BELT



Note: Underlined showings are held by Strategic Metals Ltd.

After Colpron et al, 2013

STRATEGIC METALS LTD.


FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RACKLA BELT REGIONAL GEOLOGY

ROD PROPERTY

FILE: ..2015/ROD	DATE: MAY 2016



Unknown occurence

Carlin-type Au (epigenetic) occurrence

VMS occurrence

MVT occurrence

Rapitan iron occurrence

TJ - Jones Lake Fm
MPMC - Mount Christie Fm
MT - Tsichu Fm
DMBR - Besa River Fm
DME - Earn Gp
DMP - Prevost Fm
DPL - Portrait Lake Fm
DO - Ogilvie Fm
DF - Funeral Fm
DGB - Grizzly Bear Fm
DN - Nahanni Fm
DH - Headless Fm
DL - Landry Fm
DNA - Natla Fm
DA - Arnica Fm

DS - Sombre Fm
DC - Camsell Fm
SDD - Delorme Fm
SDS - Sapper Fm
SS - Steele Fm
OSW - Whittaker Fm
CDB - Bouvette Fm
CSH - Haywire Fm
OBS - Broken Skull Fm
OSD - Duo Lakes Fm
COR - Rabbitkettle Fm
CSC - Slats Creek Fm
CA - Avalanche Fm
CRS - Rockslide Fm
CG - Gull Lake Fm

CS - Sekwi Fm
PCV - Vampire Fm
PCBR - Backbone Ranges Fm
PCI - Ingta Fm
PCHN - Narchilla Fm
PHA - Algae Fm
PHY - Yusezu Fm
PB - Blueflower Fm
PSH - Sheepbed Fm
PIB - Icebrook Fm
PK - Keele Fm
PT - Twitya Fm
PSZ - Shezal Fm
PSA - Sayunei Fm
PCL - Coates Lake Gp

Unnamed units have lower case identifiers

Chert conglomerate, grit sandstone, and siltstone
Chert, shale
Shale
Siltstone, shale
Sandstone, siltstone, shale
Shale, sandstone
Grit, sandstone, shale (turbidites)

Mafic volcanic rocks
Diabase sills and dikes
Diamictite
Quartzite
Silty and argillaceous limestone
Dolostone
Limestone

STRATEGIC METALS LTD.

FIGURE 4

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

IDEALIZED REGIONAL CROSS-SECTION

ROD PROPERTY

FILE: ...2015\ROD | DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

FLOWERS FAULT
DAWSON THRUST FAULT

STRATEGIC METALS LTD.


FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY

ROD PROPERTY

0 2 km

FILE: ..2015\ROD | DATE: MAY 2016



- Q — quaternary

TRIASSIC GALENA SUITE

- Trg — dark green, medium to coarse-grained hornblende-pyroxene gabbro
- um — dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuscite and talc.

MISSISSIPPIAN KENO HILL QUARTZITE

- MK — light grey, vitreous quartzite; light grey to white, medium-grained arenite.

DEVONIAN TO MISSISSIPPIAN EARN GROUP

- DMEv — light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry
- DMEch — dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale
- DMEq — grey, bedded quartzite
- DMEps — brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
- DMEs — dark grey to black, variably carbonaceous and variably siliceous shale to siltstone

CAMBRIAN (?)

- CG — grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts

PROTEROZOIC TO CAMBRIAN HYLAND GROUP

- PCHc — light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
- PCHs — green and maroon shale and slate; rare quartz pebble conglomerate horizons
- PCHg — light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

- bedding
- upright bedding
- foliation
- late foliation
- fold axis
- late fold axis
- fracture
- fault plane
- slickenside

- defined contact
- approximate contact
- inferred contact
- thrust fault
- dip slip fault
- inferred fault
- mapping limit
- 2011 diamond drilling
- synform
- antiform
- overturned synform
- overturned antiform

True North
0°67'
22°47' E
Grid North
Magnetic North
Annual change 25° 04'W

HERMES SHOWNIG
ODYSSEUS ZONE
ROSE SHOWING
VIOLET ZONE
JRS ZONE
CALYPSO VEIN
MENTOR SHOWING
PEARL SHOWING
FLOWERS FAULT
SHOTGUN SHOWING
DAWSON THRUST FAULT
CRUSH SHOWING
PINE SHOWING
CAKE SHOWING
PROPERTY BOUNDARY

◉ 2011 Diamond Drill Hole
◎ Historic Diamond Drill Hole
Showing Locations

STRATEGIC METALS LTD.

FIGURE 6
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERAL OCCURRENCES

ROD PROPERTY

0 400 m
UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/Rod/Figures/F_X | DATE: MAY 2016

Pine Showing

Sample #	Sample type	Ag (g/t)	Pb (%)	Zn (%)	Au (g/t)	Cu (ppm)	As (ppm)	Ni (ppm)	V (ppm)	Sb (ppm)	Mo (ppm)
M652172	Outcrop	182	10.3	0.062	0.02	314	8.2	26.1	9	109.5	0.46

Shotgun Showing

Sample #	Sample type	Ag (g/t)	Pb (%)	Zn (%)	Au (g/t)	Cu (ppm)	As (ppm)	Ni (ppm)	V (ppm)	Sb (ppm)	Mo (ppm)
M652156	Float	149	0.38	0.12	0.03	16200	15.6	29.7	75	7.1	0.19
M652157	Float	111	1.43	0.02	0.02	13200	8.7	34.1	84	16.0	0.19

Crush Showing

Sample #	Sample type	Ag (g/t)	Pb (%)	Zn (%)	Au (g/t)	Cu (ppm)	As (ppm)	Ni (ppm)	V (ppm)	Sb (ppm)	Mo (ppm)
N832484-N832488	1.6 m chip sample	73.2	3.22	1.06	0.51	340.1	3299.6	47.0	29.7	1800.3	3.40
N832489	Outcrop	1385	0.21	1.51	0.02	2690.0	1240.0	5.3	2.0	8330.0	2.32
N832490	Outcrop	5.37	0.08	< 0.01	1.12	20.8	> 10000	3.3	3.0	37.7	1.07

Cake Showing

Sample #	Sample type	Ag (g/t)	Pb (%)	Zn (%)	Au (g/t)	Cu (ppm)	As (ppm)	Ni (ppm)	V (ppm)	Sb (ppm)	Mo (ppm)
M652192	Outcrop	624	< 0.01	0.21	0.47	3.64	4630	40.5	7	> 10000	1.04
M652193	Outcrop	0.64	< 0.01	< 0.01	0.75	0.01	> 10000	22.4	3	143	0.53
M652198	Outcrop	3620	< 0.01	0.90	9.75	15.75	> 10000	101.5	2	> 10000	1.18
M652199	Outcrop	542	< 0.01	0.17	1.07	3.34	4180	115.0	15	> 10000	1.90

538,000 540,000 542,000 544,000 546,000 548,000

7,118,000 7,116,000 7,114,000 7,112,000

PROPERTY BOUNDARY

N832493 N832492 N832491 N832494 N832495 M652160 M652154 M652158 M652155 M652156 N832497 N832496 N832498 M652162 M652157 M652153 M652152 M652161 M652159 M652173 M652151 N832499 N832500 M652172 M652174 M652171 M652166 M652168 M652167 M652164 M652165 M652163 M652169 M652170 N832490 N832489 N832488 N832487 N832486 N832485 N832484

M652197 M652193 M652192 M652196 M652194 M652195 M652199 M652198 M652191 M652190 M652189 M652188 M652187 M652186 M652175 M652176 M652177 M652185 M652184 M652183 M652180 M652178 M652179 M652182 M652181

Area of interest

Property boundary

0 10 km

Grid North 0°53' True North 21°25' E Magnetic North

Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED


2015 ROCK SAMPLE LOCATIONS

ROD PROPERTY

0 1.333 kilometers

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ..2015/ROD | DATE: MAY 2016



STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

2015 SOIL SAMPLE LOCATIONS

ROD PROPERTY

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ../2015/ROD | DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

Silver Soil Geochemistry (ppm)

- ≥ 20 < 293
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 2 < 5
- ≥ 1 < 2
- ≥ 0 < 1

Silver Silt Geochemistry (ppm)

- ≥2 <4.7
- ≥1 <2
- ≥0 <1

Q	quaternary
TRIASSIC GALENA SUITE	
Trg	dark green, medium to coarse-grained hornblende-pyroxene gabbro
um	dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fucsite and talc.
MISSISSIPPIAN KENO HILL QUARTZITE	
MK	light grey, vitreous quartzite; light grey to white, medium-grained arenite.
DEVONIAN TO MISSISSIPPIAN EARN GROUP	
DMEv	light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry
DMEch	dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale
DMEq	grey, bedded quartzite
DMEps	brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
DMEs	dark grey to black, variably carbonaceous and variably siliceous shale to siltstone
CAMBRIAN (?)	
CG	grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts
PROTEROZOIC TO CAMBRIAN HYLAND GROUP	
PCHc	light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
PCHs	green and maroon shale and slate; rare quartz pebble conglomerate horizons
PCHg	light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

INSET

538,000
540,000
542,000
544,000
7,116,000
7,114,000
0
2
kilometers

Grid North
True North
Magnetic North
0°53'
21°25' E
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/Rod

DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

INSET

0 2 kilometers

Lead Soil Geochemistry (ppm)

- ≥ 1,000 < 20,700
- ≥500 < 1,000
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 0 < 50

Lead Silt Geochemistry (ppm)

- ≥ 200 < 286
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 0 < 50

Q — quaternary

TRIASSIC GALENA SUITE

Trg — dark green, medium to coarse-grained hornblende-pyroxene gabbro

um — dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.

MISSISSIPPIAN KENO HILL QUARTZITE

MK — light grey, vitreous quartzite; light grey to white, medium-grained arenite.

DEVONIAN TO MISSISSIPPIAN EARN GROUP

DMEv — light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry

DMEch — dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale

DMEq — grey, bedded quartzite

DMEps — brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding

DMEs — dark grey to black, variably carbonaceous and variably siliceous shale to siltstone

CAMBRIAN (?)

CG — grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts

PROTEROZOIC TO CAMBRIAN HYLAND GROUP

PCHc — light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone

PCHs — green and maroon shale and slate; rare quartz pebble conglomerate horizons

PCHg — light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

0°59' 21°25' E
Grid North
True North
Magnetic North
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ../2015/Rod

DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

Soil Geochemistry (ppm)

- ≥ 5,000 < 60,400
- ≥ 2,000 < 5,000
- ≥ 1,000 < 2,000
- ≥ 500 < 1,000
- ≥ 200 < 500
- ≥ 0 < 200

Zinc Silt Geochemistry (ppm)

- ≥ 5,000 < 8,390
- ≥ 2,000 < 5,000
- ≥ 1,000 < 2,000
- ≥ 500 < 1,000
- ≥ 200 < 500
- ≥ 0 < 200

Q	quaternary
	TRIASSIC GALENA SUITE
Trg	dark green, medium to coarse-grained hornblende-pyroxene gabbro
um	dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.
	MISSISSIPPIAN KENO HILL QUARTZITE
MK	light grey, vitreous quartzite; light grey to white, medium-grained arenite.
	DEVONIAN TO MISSISSIPPIAN EARN GROUP
DMEv	light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry
DMEch	dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale
DMEq	grey, bedded quartzite
DMEps	brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
DMEs	dark grey to black, variably carbonaceous and variably siliceous shale to siltstone
	CAMBRIAN (?)
CG	grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts
	PROTEROZOIC TO CAMBRIAN HYLAND GROUP
PCHc	light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
PCHs	green and maroon shale and slate; rare quartz pebble conglomerate horizons
PCHg	light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

INSET

545,000
542,000
539,000
7,116,000
7,114,000
0
2
kilometers

Rod_soil_2015 by Zn

- 5,000 to 9,470
- 2,000 to 5,000
- 1,000 to 2,000
- 500 to 1,000
- 200 to 500
- 0 to 200

αλλ. στηρσ

21°20' E
0°53'
Grid North
True North
Magnetic North
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 11
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
ZINC SOIL GEOCHEMISTRY
ROD PROPERTY

0 2 km
UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/Rod | DATE: MAY 2016

535,000 mE

540,000 mE

545,000 mE

550,000 mE

555,000 mE

7,120,000 mN

7,115,000 mN

7,110,000 mN

Property boundary

AREA OF INSET

Gold Soil Geochemistry (ppb)

- ≥ 100 < 137
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 0 < 5

Gold Silt Geochemistry (ppb)

- ≥ 20 < 37
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 2 < 5
- ≥ 1 < 2
- ≥ 0 < 1

Q	quaternary	DMEq	grey, bedded quartzite
TRIASSIC GALENA SUITE		DMEps	brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
Trg	dark green, medium to coarse-grained hornblende-pyroxene gabbro	DMEs	dark grey to black, variably carbonaceous and variably siliceous shale to siltstone
um	dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.	*CAMBRIAN (?)*	
MISSISSIPPIAN KENO HILL QUARTZITE		CG	grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts
MK	light grey, vitreous quartzite; light grey to white, medium-grained arenite.	*PROTEROZOIC TO CAMBRIAN HYLAND GROUP*	
DEVONIAN TO MISSISSIPPIAN EARN GROUP		PCHc	light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
DMEv	light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry	PCHs	green and maroon shale and slate; rare quartz pebble conglomerate horizons
DMEch	dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale	PCHg	light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

0 2 kilometers

Grid North / True North / Magnetic North

0°53' E 21°25' E

Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD SOIL GEOCHEMISTRY

ROD PROPERTY

0 5 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ../2015/Rod | DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

INSET
540,000
542,000
544,000
7,116,000
7,114,000
0
2
kilometers

Copper Soil Geochemistry (ppm)
- ≥ 1,000 < 1,110
- ≥ 500 1,000
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- 0 < 50

Copper Silt Geochemistry (ppm)
- ≥ 500 < 868
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- 0 < 50

Q — quaternary

TRIASSIC GALENA SUITE

Trg — dark green, medium to coarse-grained hornblende-pyroxene gabbro

um — dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.

MISSISSIPPIAN KENO HILL QUARTZITE

MK — light grey, vitreous quartzite; light grey to white, medium-grained arenite.

DEVONIAN TO MISSISSIPPIAN EARN GROUP

DMEv — light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry

DMEch — dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale

DMEq — grey, bedded quartzite

DMEps — brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding

DMEs — dark grey to black, variably carbonaceous and variably siliceous shale to siltstone

CAMBRIAN (?)

CG — grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts

PROTEROZOIC TO CAMBRIAN HYLAND GROUP

PCHc — light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone

PCHs — green and maroon shale and slate; rare quartz pebble conglomerate horizons

PCHg — light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

21°29' E
0°53'
Grid North
True North
Magnetic North
Annual change 25' 06'W

STRATEGIC METALS LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/ROD

DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

INSET

540,000
542,000
544,000
7,116,000
7,114,000

0 2 kilometers

Arsenic Soil Geochemistry (ppm)

- ≥ 2,000 < 10,400
- ≥ 1,000 < 2,000
- ≥ 500 < 1,000
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 0 < 100

Arsenic Silt Geochemistry (ppm)

- ≥ 1,000 < 1,160
- ≥ 500 < 1,000
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 0 < 100

Q — quaternary

TRIASSIC GALENA SUITE

Trg — dark green, medium to coarse-grained hornblende-pyroxene gabbro

um — dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.

MISSISSIPPIAN KENO HILL QUARTZITE

MK — light grey, vitreous quartzite; light grey to white, medium-grained arenite.

DEVONIAN TO MISSISSIPPIAN EARN GROUP

DMEv — light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry

DMEch — dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale

DMEq — grey, bedded quartzite

DMEps — brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding

DMEs — dark grey to black, variably carbonaceous and variably siliceous shale to siltstone

CAMBRIAN (?)

CG — grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts

PROTEROZOIC TO CAMBRIAN HYLAND GROUP

PCHc — light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone

PCHs — green and maroon shale and slate; rare quartz pebble conglomerate horizons

PCHg — light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

0°53' E
21°25' E
Grid North
True North
Magnetic North
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/Rod/ DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

Nickel Soil Geochemistry (ppm)

- ≥ 500 < 2270
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 0 < 20

Nickel Silt Geochemistry (ppm)

- ≥ 500 < 1400
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 0 < 20

Q	quaternary
	TRIASSIC GALENA SUITE
Trg	dark green, medium to coarse-grained hornblende-pyroxene gabbro
um	dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.
	MISSISSIPPIAN KENO HILL QUARTZITE
MK	light grey, vitreous quartzite; light grey to white, medium-grained arenite.
	DEVONIAN TO MISSISSIPPIAN EARN GROUP
DMEv	light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry
DMEch	dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale
DMEq	grey, bedded quartzite
DMEps	brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
DMEs	dark grey to black, variably carbonaceous and variably siliceous shale to siltstone
	CAMBRIAN (?)
CG	grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts
	PROTEROZOIC TO CAMBRIAN HYLAND GROUP
PCHc	light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
PCHs	green and maroon shale and slate; rare quartz pebble conglomerate horizons
PCHg	light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

540,000
545,000
550,000
7,116,000
7,114,000
0
2
kilometers

Grid North
True North
Magnetic North
21°25' E
0°57'
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

NICKEL SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ../2015/ROD

DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

Rod 2015 soil outline

AREA OF INSET


Vanadium Soil Geochemistry (ppm)

- ≥ 1,000 < 5,360
- ≥ 500 < 1,000
- ≥ 200 < 500
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 0 < 50

Vanadium Silt Geochemistry (ppm)

- ≥ 200 < 383
- ≥ 100 < 200
- ≥ 50 < 100
- ≥ 0 < 50

Q	quaternary
	TRIASSIC GALENA SUITE
Trg	dark green, medium to coarse-grained hornblende-pyroxene gabbro
um	dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.
	MISSISSIPPIAN KENO HILL QUARTZITE
MK	light grey, vitreous quartzite; light grey to white, medium-grained arenite.
	DEVONIAN TO MISSISSIPPIAN EARN GROUP
DMEv	light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry
DMEch	dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale
DMEq	grey, bedded quartzite
DMEps	brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
DMEs	dark grey to black, variably carbonaceous and variably siliceous shale to siltstone
	CAMBRIAN (?)
CG	grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts
	PROTEROZOIC TO CAMBRIAN HYLAND GROUP
PCHc	light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
PCHs	green and maroon shale and slate; rare quartz pebble conglomerate horizons
PCHg	light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale



0°53' E 21°25' E
Grid North
True North
Magnetic North
Annual change 25' 06'W

STRATEGIC METALS LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

VANADIUM SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/ROD | DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

INSET

0 2 kilometers

Antimony Soil Geochemistry (ppm)

- ≥ 100 < 918
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 0 < 5

Antimony Silt Geochemistry (ppm)

- ≥ 20 < 43.1
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 0 < 5

Q	quaternary
TRIASSIC GALENA SUITE	
Trg	dark green, medium to coarse-grained hornblende-pyroxene gabbro
um	dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.
MISSISSIPPIAN KENO HILL QUARTZITE	
MK	light grey, vitreous quartzite; light grey to white, medium-grained arenite.
DEVONIAN TO MISSISSIPPIAN EARN GROUP	
DMEv	light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry
DMEch	dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale
DMEq	grey, bedded quartzite
DMEps	brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding
DMEs	dark grey to black, variably carbonaceous and variably siliceous shale to siltstone
CAMBRIAN (?)	
CG	grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts
PROTEROZOIC TO CAMBRIAN HYLAND GROUP	
PCHc	light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone
PCHs	green and maroon shale and slate; rare quartz pebble conglomerate horizons
PCHg	light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

0°53' 21°29' E
Grid North
True North
Magnetic North
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 17
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ANTIMONY SOIL GEOCHEMISTRY

ROD PROPERTY

0 2km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: ./2015/ROD | DATE: MAY 2016

535,000 mE
540,000 mE
545,000 mE
550,000 mE
555,000 mE
7,120,000 mN
7,115,000 mN
7,110,000 mN

Property boundary

AREA OF INSET

INSET

538,000
540,000
542,000
544,000
7,116,000
7,114,000

0 2
kilometers

Molybdenum Soil Geochemistry (ppm)
- ≥ 100 < 701
- ≥ 50 < 100
- ≥ 20 < 50
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 0 < 5

Molybdenum Silt Geochemistry (ppm)
- ≥ 20 < 49.8
- ≥ 10 < 20
- ≥ 5 < 10
- ≥ 0 < 5

Molybdenum Soil Geochemistry (ppm) ME ICP41
- ≥100 <144
- ≥50 <100
- ≥20 <50
- ≥10 <20
- ≥5 <10
- ≥0 <5

Q — quaternary

TRIASSIC GALENA SUITE

Trg — dark green, medium to coarse-grained hornblende-pyroxene gabbro

um — dark green, fine to medium-grained ultramafic rock; red-orange weathered, ultramafic rock that has altered to calcite, fuchsite and talc.

MISSISSIPPIAN KENO HILL QUARTZITE

MK — light grey, vitreous quartzite; light grey to white, medium-grained arenite.

DEVONIAN TO MISSISSIPPIAN EARN GROUP

DMEv — light to dark green volcanic breccia, volcaniclastic sandstone and tuff; light green quartz-feldspar porphyry

DMEch — dark grey to black, medium bedded chert (locally brecciated) and dark grey shale; heterogenous, poorly sorted breccia containing clasts of de-calcified carbonate, chert and shale

DMEq — grey, bedded quartzite

DMEps — brown weathered, grey, fine-grained, calcareous sandstone interbedded with dark grey shale; locally, fine-grained quartz-rich sandstone and phyllite; rare brown, fine to medium-grained arkose with cross bedding

DMEs — dark grey to black, variably carbonaceous and variably siliceous shale to siltstone

CAMBRIAN (?)

CG — grey brown, coarse-grained, calcareous, lithic sandstone; calcareous pebble conglomerate; poorly sorted debris flow deposits with aligned clasts

PROTEROZOIC TO CAMBRIAN HYLAND GROUP

PCHc — light grey brown weathered, grey fresh, fine-grained silty limestone; dark grey limestone

PCHs — green and maroon shale and slate; rare quartz pebble conglomerate horizons

PCHg — light brown and biege, fine and medium-grained quartz-rich sandstone, arkose sandstone; minor dark grey-brown shale

Grid North
True North
Magnetic North
21°25' E
0°53'
Annual change 25° 06'W

STRATEGIC METALS LTD.

FIGURE 18

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MOLYBDENUM SOIL GEOCHEMISTRY

ROD PROPERTY

0 2 km

UTM ZONE 8, NAD 83, 106 C/04 and D/01

FILE: 2015/ROD

DATE: MAY 2016