



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 1
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

CERTIFICATE VA16127867

Project: RA40

This report is for 275 Pulp samples submitted to our lab in Vancouver, BC, Canada on 4-AUG-2016.

The following have access to data associated with this certificate:

C.F. MINERAL RESEARCH
CHAD ULANSKY

METALEX GIS

AGNES KOFFYBERG

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|-------------|
|----------|-------------|

| | |
|--------|------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-QC | QC Test on Received Samples |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------|------------|
|----------|-------------|------------|

| | | |
|----------|--------------------------------|----------|
| Aq-OG62 | Ore Grade Ag - Four Acid | VARIABLE |
| ME-OG62 | Ore Grade Elements - Four Acid | ICP-AES |
| Pb-OG62 | Ore Grade Pb - Four Acid | VARIABLE |
| Zn-OG62 | Ore Grade Zn - Four Acid | VARIABLE |
| Au-ICP22 | Au 50g FA ICP-AES finish | ICP-AES |
| ME-MS61 | 48 element four acid ICP-MS | |

To: CANTEX MINE DEVELOPMENT CORP.
ATTN: METALEX GIS
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAR3160 | | 0.24 | <0.001 | >100 | 0.16 | 33.8 | <10 | <0.05 | 0.62 | 0.09 | >1000 | 3.63 | 0.6 | 3 | 0.58 | 1345 |
| KAR3161 | | 0.24 | <0.001 | >100 | 0.18 | 27.2 | <10 | <0.05 | 0.47 | 0.13 | >1000 | 3.57 | 0.5 | 3 | 0.63 | 995 |
| KAR3162 | | 0.22 | 0.010 | 16.50 | 0.55 | 1300 | 50 | 0.33 | 45.7 | 19.15 | 12.60 | 17.50 | 98.7 | 7 | 0.28 | 2710 |
| KAR3163 | | 0.22 | <0.001 | 1.33 | 0.10 | 93.0 | 10 | 0.10 | 0.45 | 22.4 | 2.91 | 7.48 | 2.2 | 3 | 0.05 | 15.8 |
| KAR3164 | | 0.24 | 0.002 | >100 | 0.41 | 14.6 | 10 | 0.13 | 0.17 | 0.16 | >1000 | 1.38 | 0.5 | 6 | 0.82 | 188.5 |
| KAR3165 | | 0.22 | 0.002 | >100 | 0.31 | 20.8 | 10 | 0.13 | 0.43 | 0.36 | 829 | 3.81 | 0.7 | 3 | 0.56 | 151.5 |
| KAR3354 | | 0.24 | 0.048 | 79.3 | 1.77 | 24.5 | 210 | 0.90 | 6.66 | 0.01 | 1.79 | 29.6 | 26.9 | 116 | 1.36 | 679 |
| KAR3355 | | 0.20 | <0.001 | 0.47 | 3.04 | 56.4 | 150 | 0.99 | 0.51 | 12.15 | 2.36 | 35.6 | 13.4 | 52 | 7.75 | 18.6 |
| KAR3356 | | 0.22 | 0.005 | 0.96 | 1.15 | 142.0 | 30 | 2.00 | 19.00 | 26.3 | 3.38 | 56.5 | 34.1 | 17 | 1.90 | 362 |
| KAR3438 | | 0.24 | 0.001 | 5.68 | 0.46 | 1100 | 20 | 0.26 | 16.55 | 14.90 | 20.2 | 14.90 | 7.1 | 5 | 1.01 | 290 |
| KAR3446 | | 0.22 | 0.001 | 7.74 | 0.35 | 97.3 | 20 | 0.25 | 1.22 | 10.75 | 81.8 | 10.95 | 7.6 | 4 | 0.94 | 366 |
| KAR3447 | | 0.22 | 0.001 | 1.29 | 0.16 | 79.0 | 20 | 0.11 | 1.27 | 21.2 | 0.94 | 8.71 | 3.7 | 2 | 0.15 | 47.0 |
| KAR3448 | | 0.22 | 0.002 | 29.5 | 0.56 | 709 | 50 | 0.29 | 64.5 | 8.08 | 44.6 | 11.45 | 10.0 | 4 | 0.49 | 1730 |
| KAR3449 | | 0.22 | 0.002 | 22.0 | 0.27 | 2060 | 20 | 0.15 | 20.7 | 1.25 | 27.1 | 3.69 | 16.8 | <1 | 0.30 | 1395 |
| KAR3450 | | 0.24 | 0.003 | 91.7 | 0.28 | 7630 | 30 | 0.41 | 102.5 | 5.02 | 80.4 | 20.0 | 65.6 | 1 | 0.46 | 3790 |
| KAR3450B | | 0.24 | <0.001 | 0.04 | 0.37 | 3.3 | 10 | 0.11 | 0.08 | 0.01 | 0.06 | 14.75 | 0.9 | 442 | 0.26 | 6.1 |
| KAS28090 | | 0.24 | <0.001 | 0.19 | 4.88 | 6.6 | 440 | 1.65 | 0.32 | 7.78 | 0.76 | 40.5 | 11.1 | 109 | 2.84 | 18.6 |
| KAS28091 | | 0.24 | 0.001 | 0.21 | 5.17 | 9.3 | 510 | 2.01 | 0.31 | 5.49 | 0.39 | 51.8 | 14.5 | 131 | 3.98 | 24.3 |
| KAS28092 | | 0.24 | 0.001 | 0.23 | 5.25 | 8.1 | 520 | 1.96 | 0.32 | 5.20 | 0.39 | 54.6 | 12.9 | 120 | 4.09 | 24.6 |
| KAS28093 | | 0.22 | 0.001 | 0.35 | 5.75 | 10.5 | 590 | 2.35 | 0.45 | 1.40 | 0.52 | 56.8 | 16.8 | 187 | 5.40 | 31.9 |
| KAS28094 | | 0.24 | 0.001 | 0.23 | 5.01 | 8.3 | 500 | 1.92 | 0.29 | 4.45 | 0.35 | 51.0 | 12.2 | 125 | 3.81 | 23.0 |
| KAS28095 | | 0.26 | 0.001 | 0.25 | 5.32 | 8.2 | 540 | 1.89 | 0.30 | 4.11 | 0.46 | 53.4 | 12.1 | 132 | 3.66 | 19.7 |
| KAS28096 | | 0.22 | 0.005 | 3.58 | 2.75 | 199.5 | 260 | 0.97 | 0.49 | 12.55 | 20.4 | 31.1 | 7.0 | 58 | 1.77 | 16.1 |
| KAS28097 | | 0.24 | 0.005 | 0.38 | 2.36 | 54.1 | 220 | 0.98 | 0.15 | 15.20 | 1.33 | 25.8 | 5.4 | 31 | 1.54 | 7.9 |
| KAS28098 | | 0.28 | 0.003 | 0.86 | 1.54 | 44.7 | 150 | 0.63 | 0.28 | 16.50 | 5.60 | 21.3 | 4.0 | 30 | 1.09 | 9.7 |
| KAS28099 | | 0.26 | 0.001 | 1.71 | 1.43 | 21.3 | 120 | 0.65 | 0.14 | 17.10 | 13.80 | 20.3 | 3.3 | 26 | 1.16 | 11.2 |
| KAS28301 | | 0.24 | 0.001 | 2.75 | 1.79 | 18.3 | 80 | 0.63 | 0.60 | 17.25 | 17.45 | 17.15 | 8.0 | 23 | 0.92 | 14.7 |
| KAS28302 | | 0.26 | 0.018 | 0.96 | 2.60 | 209 | 210 | 0.90 | 0.50 | 12.95 | 7.87 | 31.1 | 7.2 | 45 | 1.80 | 16.4 |
| KAS28303 | | 0.22 | 0.005 | 0.26 | 4.78 | 20.5 | 390 | 1.61 | 0.27 | 5.47 | 0.51 | 51.5 | 13.0 | 109 | 3.60 | 17.3 |
| KAS28304 | | 0.22 | 0.002 | 0.15 | 5.96 | 15.3 | 430 | 1.91 | 0.28 | 0.77 | 0.61 | 61.4 | 12.8 | 134 | 3.56 | 15.6 |
| KAS28305 | | 0.22 | 0.002 | 0.13 | 5.94 | 22.2 | 530 | 2.02 | 0.30 | 0.55 | 0.70 | 63.3 | 16.0 | 140 | 3.83 | 18.2 |
| KAS28516 | | 0.24 | 0.001 | 0.50 | 6.52 | 27.3 | 610 | 2.37 | 0.85 | 0.19 | 2.43 | 73.9 | 18.7 | 142 | 4.86 | 32.0 |
| KAS28517 | | 0.24 | 0.001 | 0.32 | 6.63 | 29.4 | 620 | 2.28 | 0.78 | 0.18 | 2.14 | 72.5 | 18.5 | 166 | 4.97 | 24.3 |
| KAS28518 | | 0.26 | 0.001 | 0.57 | 2.52 | 34.4 | 220 | 0.88 | 1.05 | 12.85 | 1.81 | 34.7 | 9.7 | 48 | 1.82 | 45.9 |
| KAS28519 | | 0.26 | 0.001 | 0.23 | 3.24 | 22.1 | 200 | 1.04 | 0.76 | 12.85 | 0.65 | 35.1 | 7.8 | 48 | 1.76 | 23.9 |
| KAS28520 | | 0.24 | 0.001 | 0.65 | 2.81 | 32.2 | 190 | 0.99 | 1.60 | 12.65 | 1.70 | 33.9 | 8.1 | 49 | 2.18 | 48.6 |
| KAS28029 | | 0.24 | 0.001 | 0.26 | 0.98 | 11.8 | 80 | 0.57 | 0.14 | 18.75 | 0.41 | 13.45 | 3.1 | 25 | 0.90 | 8.7 |
| KAS28030 | | 0.24 | 0.001 | 0.18 | 2.61 | 8.6 | 220 | 0.94 | 0.19 | 13.95 | 0.56 | 30.5 | 4.8 | 47 | 1.78 | 9.9 |
| KAS28031 | | 0.22 | 0.001 | 0.15 | 3.08 | 6.3 | 260 | 1.04 | 0.22 | 12.25 | 0.33 | 35.7 | 5.4 | 46 | 2.11 | 10.5 |
| KAS28032 | | 0.20 | 0.003 | 0.20 | 2.06 | 11.4 | 160 | 0.74 | 0.31 | 15.10 | 0.30 | 24.8 | 3.9 | 26 | 1.32 | 7.6 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| KAR3160 | | 1.29 | 1.31 | 0.05 | 0.1 | 0.322 | 0.06 | 2.6 | 0.6 | 0.12 | 2180 | 0.27 | <0.01 | 0.1 | 1.8 | 40 |
| KAR3161 | | 1.01 | 1.10 | 0.05 | 0.1 | 0.354 | 0.07 | 2.5 | 0.6 | 0.14 | 2000 | 0.21 | <0.01 | 0.2 | 1.7 | 30 |
| KAR3162 | | 13.25 | 1.67 | 0.07 | 0.3 | 0.254 | 0.17 | 8.3 | 3.0 | 7.07 | 5280 | 7.90 | 0.03 | 0.9 | 111.5 | 250 |
| KAR3163 | | 5.52 | 0.33 | 0.05 | <0.1 | 0.110 | 0.01 | 3.5 | 1.6 | 8.47 | 5640 | 1.06 | 0.01 | 0.1 | 7.9 | 50 |
| KAR3164 | | 8.08 | 1.32 | 0.24 | 0.1 | 0.058 | 0.19 | 0.7 | 1.4 | 0.86 | 14200 | 0.32 | <0.01 | 0.4 | 1.9 | 110 |
| KAR3165 | | 20.9 | 1.44 | 0.07 | 0.1 | 1.050 | 0.12 | 1.9 | 1.2 | 1.51 | 45500 | 0.32 | 0.01 | 0.2 | 3.6 | 70 |
| KAR3354 | | 24.6 | 4.66 | 0.10 | 1.0 | 0.615 | 1.44 | 15.4 | 13.6 | 0.16 | 196 | 9.75 | 0.03 | 1.1 | 120.0 | 330 |
| KAR3355 | | 5.67 | 7.42 | 0.08 | 1.1 | 0.210 | 1.31 | 16.6 | 20.4 | 5.13 | 6550 | 0.83 | 0.02 | 3.5 | 39.8 | 170 |
| KAR3356 | | 8.32 | 4.27 | 0.09 | 0.5 | 0.995 | 0.56 | 46.0 | 4.2 | 3.21 | 2440 | 2.10 | 0.01 | 1.5 | 163.0 | 900 |
| KAR3438 | | 15.15 | 2.04 | 0.07 | 0.2 | 0.346 | 0.20 | 6.0 | 1.6 | 8.65 | 18100 | 2.81 | 0.01 | 0.7 | 29.8 | 190 |
| KAR3446 | | 21.1 | 2.37 | 0.07 | 0.1 | 1.035 | 0.15 | 5.5 | 1.6 | 5.77 | 26100 | 7.12 | 0.02 | 0.3 | 26.4 | 130 |
| KAR3447 | | 4.26 | 0.50 | 0.09 | 0.1 | 0.099 | 0.06 | 4.0 | 2.9 | 10.50 | 5490 | 0.40 | 0.02 | 0.2 | 7.5 | 70 |
| KAR3448 | | 31.8 | 1.84 | 0.14 | 0.2 | 0.562 | 0.24 | 5.0 | 3.7 | 3.51 | 38600 | 5.65 | 0.02 | 0.4 | 29.7 | 150 |
| KAR3449 | | >50 | 1.37 | 2.72 | 0.1 | 1.180 | 0.12 | 1.4 | 1.1 | 0.69 | 55000 | 5.41 | 0.01 | 0.1 | 25.7 | 60 |
| KAR3450 | | 37.4 | 1.40 | 3.54 | 0.1 | 0.955 | 0.12 | 9.9 | 1.4 | 2.81 | 40400 | 3.29 | 0.01 | 0.2 | 85.6 | 80 |
| KAR3450B | | 0.48 | 1.23 | 0.05 | 0.1 | <0.005 | 0.16 | 6.8 | 2.7 | 0.02 | 69 | 1.23 | 0.01 | 0.9 | 10.0 | 20 |
| KAS28090 | | 2.61 | 11.95 | 0.12 | 1.5 | 0.046 | 3.28 | 21.2 | 58.8 | 3.69 | 1940 | 0.56 | 0.09 | 6.8 | 16.8 | 560 |
| KAS28091 | | 2.88 | 13.20 | 0.13 | 1.7 | 0.047 | 3.66 | 26.9 | 59.1 | 4.01 | 2240 | 0.62 | 0.12 | 7.9 | 21.3 | 510 |
| KAS28092 | | 2.89 | 13.50 | 0.14 | 1.7 | 0.049 | 3.69 | 29.1 | 60.0 | 3.91 | 2230 | 0.57 | 0.13 | 8.0 | 21.1 | 570 |
| KAS28093 | | 4.20 | 14.30 | 0.16 | 1.8 | 0.070 | 3.55 | 30.3 | 70.3 | 1.79 | 2720 | 0.85 | 0.22 | 7.9 | 26.1 | 890 |
| KAS28094 | | 3.22 | 12.85 | 0.15 | 1.6 | 0.057 | 3.39 | 26.5 | 55.1 | 3.42 | 2230 | 0.78 | 0.16 | 7.5 | 19.7 | 600 |
| KAS28095 | | 3.38 | 13.50 | 0.14 | 1.6 | 0.058 | 3.80 | 27.6 | 58.3 | 3.19 | 2570 | 0.59 | 0.13 | 7.9 | 20.3 | 630 |
| KAS28096 | | 2.77 | 6.91 | 0.10 | 1.0 | 0.198 | 1.89 | 16.2 | 25.9 | 7.66 | 2730 | 0.42 | 0.08 | 3.9 | 13.1 | 320 |
| KAS28097 | | 2.05 | 6.08 | 0.10 | 0.8 | 0.076 | 1.68 | 13.8 | 23.3 | 8.88 | 2140 | 0.30 | 0.05 | 3.2 | 10.8 | 250 |
| KAS28098 | | 2.80 | 3.91 | 0.09 | 0.6 | 0.141 | 0.86 | 11.0 | 13.6 | 10.40 | 2870 | 0.33 | 0.08 | 2.3 | 9.1 | 210 |
| KAS28099 | | 2.34 | 3.77 | 0.12 | 0.6 | 0.194 | 0.73 | 10.6 | 12.3 | 10.90 | 2370 | 0.28 | 0.07 | 2.1 | 8.5 | 190 |
| KAS28301 | | 2.14 | 4.72 | 0.09 | 0.8 | 0.154 | 0.84 | 8.4 | 21.5 | 11.60 | 1400 | 0.74 | 0.03 | 2.6 | 14.2 | 160 |
| KAS28302 | | 3.90 | 6.70 | 0.11 | 0.9 | 0.150 | 1.63 | 15.7 | 22.9 | 7.60 | 3260 | 0.44 | 0.09 | 4.1 | 14.3 | 370 |
| KAS28303 | | 3.32 | 12.45 | 0.12 | 1.6 | 0.057 | 2.83 | 26.7 | 49.5 | 4.09 | 2050 | 0.63 | 0.22 | 9.4 | 22.0 | 680 |
| KAS28304 | | 3.52 | 16.35 | 0.14 | 1.9 | 0.067 | 3.66 | 31.3 | 55.5 | 1.66 | 2900 | 0.55 | 0.17 | 10.2 | 23.1 | 460 |
| KAS28305 | | 3.33 | 15.35 | 0.15 | 2.0 | 0.057 | 3.56 | 30.4 | 59.0 | 1.42 | 3070 | 0.77 | 0.20 | 9.4 | 28.6 | 590 |
| KAS28516 | | 4.09 | 16.70 | 0.22 | 2.4 | 0.079 | 3.61 | 36.4 | 47.2 | 1.15 | 2330 | 0.99 | 0.14 | 8.5 | 30.5 | 480 |
| KAS28517 | | 4.05 | 17.00 | 0.18 | 2.1 | 0.083 | 3.77 | 35.0 | 46.0 | 1.04 | 2790 | 1.25 | 0.13 | 8.5 | 24.9 | 540 |
| KAS28518 | | 3.29 | 6.66 | 0.15 | 1.0 | 0.088 | 1.34 | 17.9 | 17.5 | 8.31 | 3100 | 0.71 | 0.13 | 3.8 | 19.0 | 440 |
| KAS28519 | | 4.32 | 9.07 | 0.12 | 1.2 | 0.104 | 1.41 | 18.1 | 23.0 | 7.89 | 4010 | 0.73 | 0.10 | 4.5 | 27.3 | 570 |
| KAS28520 | | 5.38 | 7.70 | 0.11 | 1.0 | 0.128 | 0.97 | 17.0 | 20.7 | 8.41 | 5280 | 1.02 | 0.15 | 3.9 | 27.5 | 600 |
| KAS28029 | | 1.39 | 2.60 | 0.09 | 0.4 | 0.029 | 0.52 | 7.2 | 11.4 | 11.90 | 1120 | 0.27 | 0.04 | 1.4 | 6.8 | 170 |
| KAS28030 | | 1.69 | 6.49 | 0.13 | 0.9 | 0.031 | 1.71 | 15.9 | 29.1 | 8.56 | 1080 | 0.30 | 0.05 | 3.9 | 11.7 | 290 |
| KAS28031 | | 1.78 | 7.61 | 0.13 | 1.0 | 0.033 | 2.03 | 18.4 | 34.0 | 6.92 | 971 | 0.28 | 0.05 | 4.4 | 12.7 | 300 |
| KAS28032 | | 1.68 | 5.26 | 0.12 | 0.7 | 0.032 | 1.26 | 13.3 | 23.1 | 9.38 | 1380 | 0.43 | 0.03 | 3.0 | 10.9 | 280 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|------------|------------|--------------|-----------|-------------|------------|----------|------------|------------|-------------|-------------|-------------|------------|-------------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm 0.5 | ppm 0.1 | ppm 0.002 | % 0.01 | ppm 0.05 | ppm 0.1 | ppm 1 | ppm 0.2 | ppm 0.2 | ppm 0.05 | ppm 0.05 | ppm 0.01 | % 0.005 | ppm 0.02 |
| KAR3160 | | >10000 | 3.8 | <0.002 | 1.57 | 316 | 0.1 | 3 | 0.2 | 5.9 | <0.05 | <0.05 | 0.28 | <0.005 | 0.40 |
| KAR3161 | | >10000 | 3.9 | <0.002 | 1.58 | 221 | 0.1 | 3 | 0.2 | 7.2 | <0.05 | <0.05 | 0.32 | 0.005 | 0.42 |
| KAR3162 | | 1825 | 8.0 | <0.002 | 0.02 | 46.4 | 2.2 | 1 | 0.5 | 54.5 | 0.06 | <0.05 | 1.74 | 0.019 | 0.05 |
| KAR3163 | | 119.5 | 0.7 | <0.002 | <0.01 | 1.98 | 0.4 | <1 | <0.2 | 24.6 | <0.05 | <0.05 | 0.23 | <0.005 | <0.02 |
| KAR3164 | | >10000 | 8.6 | 0.002 | >10.0 | 51.6 | 0.9 | 4 | 0.2 | 2.9 | <0.05 | <0.05 | 0.82 | 0.010 | 2.78 |
| KAR3165 | | >10000 | 7.0 | <0.002 | 6.51 | 19.05 | 0.9 | 1 | 4.4 | 6.4 | <0.05 | <0.05 | 0.83 | 0.008 | 0.38 |
| KAR3354 | | >10000 | 56.7 | <0.002 | 3.17 | 97.3 | 3.3 | 4 | 0.5 | 6.8 | 0.07 | 1.37 | 4.99 | 0.054 | 0.59 |
| KAR3355 | | 321 | 64.4 | <0.002 | 0.05 | 2.51 | 6.3 | 1 | 0.8 | 65.5 | 0.27 | <0.05 | 6.36 | 0.107 | 0.34 |
| KAR3356 | | 1140 | 29.0 | <0.002 | <0.01 | 26.9 | 5.0 | 1 | 1.2 | 44.6 | 0.11 | 0.18 | 3.60 | 0.038 | 0.18 |
| KAR3438 | | 1320 | 10.5 | <0.002 | <0.01 | 15.35 | 2.0 | 1 | 0.2 | 56.5 | 0.05 | <0.05 | 1.20 | 0.015 | 0.24 |
| KAR3446 | | 9090 | 8.1 | <0.002 | <0.01 | 22.2 | 1.7 | 1 | 0.5 | 101.0 | <0.05 | <0.05 | 0.66 | 0.007 | 0.23 |
| KAR3447 | | 191.0 | 2.6 | <0.002 | <0.01 | 8.99 | 0.4 | <1 | <0.2 | 57.4 | <0.05 | <0.05 | 0.33 | 0.005 | 0.05 |
| KAR3448 | | 7370 | 10.1 | <0.002 | <0.01 | 88.8 | 1.4 | 1 | 0.6 | 55.6 | <0.05 | <0.05 | 1.14 | 0.014 | 0.12 |
| KAR3449 | | 1930 | 5.4 | <0.002 | <0.01 | 79.5 | 0.7 | <1 | 0.3 | 99.8 | <0.05 | <0.05 | 0.48 | <0.005 | 0.06 |
| KAR3450 | | 2540 | 5.4 | <0.002 | 0.03 | 166.0 | 0.8 | 1 | 1.2 | 71.2 | <0.05 | <0.05 | 0.74 | 0.006 | 0.16 |
| KAR3450B | | 5.2 | 4.7 | <0.002 | <0.01 | 0.32 | 0.5 | <1 | 0.5 | 5.7 | <0.05 | <0.05 | 2.38 | 0.027 | 0.05 |
| KAS28090 | | 96.8 | 86.9 | <0.002 | 0.02 | 1.21 | 8.2 | 1 | 1.4 | 28.5 | 0.49 | <0.05 | 7.96 | 0.220 | 0.40 |
| KAS28091 | | 91.3 | 107.0 | <0.002 | 0.03 | 1.77 | 8.6 | 1 | 1.6 | 27.8 | 0.57 | 0.05 | 8.43 | 0.248 | 0.49 |
| KAS28092 | | 102.5 | 110.0 | 0.002 | 0.02 | 1.72 | 9.1 | 1 | 1.6 | 29.8 | 0.60 | <0.05 | 9.02 | 0.249 | 0.53 |
| KAS28093 | | 145.5 | 118.5 | <0.002 | 0.07 | 1.88 | 11.4 | 1 | 1.7 | 38.0 | 0.59 | 0.06 | 10.25 | 0.260 | 0.56 |
| KAS28094 | | 82.2 | 101.5 | 0.002 | 0.03 | 1.53 | 9.2 | 1 | 1.6 | 35.0 | 0.54 | 0.05 | 8.56 | 0.234 | 0.44 |
| KAS28095 | | 87.8 | 109.5 | <0.002 | 0.04 | 1.57 | 9.8 | 1 | 1.6 | 27.7 | 0.57 | <0.05 | 8.63 | 0.245 | 0.46 |
| KAS28096 | | 246 | 56.4 | <0.002 | 0.02 | 2.11 | 4.8 | 1 | 1.2 | 37.5 | 0.29 | <0.05 | 4.59 | 0.124 | 0.27 |
| KAS28097 | | 96.4 | 49.1 | <0.002 | 0.01 | 1.35 | 4.0 | 1 | 0.8 | 39.2 | 0.24 | <0.05 | 3.89 | 0.103 | 0.26 |
| KAS28098 | | 167.5 | 29.8 | <0.002 | 0.01 | 1.22 | 3.1 | 1 | 0.8 | 42.3 | 0.16 | <0.05 | 2.70 | 0.069 | 0.15 |
| KAS28099 | | 285 | 28.5 | <0.002 | 0.01 | 0.98 | 3.1 | 1 | 0.8 | 39.2 | 0.15 | <0.05 | 2.59 | 0.063 | 0.14 |
| KAS28301 | | 2940 | 28.7 | <0.002 | 0.08 | 3.09 | 2.9 | 1 | 0.8 | 32.0 | 0.18 | 0.05 | 3.13 | 0.077 | 0.16 |
| KAS28302 | | 172.5 | 51.8 | 0.002 | 0.01 | 2.83 | 5.2 | 1 | 1.0 | 40.0 | 0.28 | <0.05 | 4.32 | 0.119 | 0.23 |
| KAS28303 | | 59.8 | 87.6 | <0.002 | 0.03 | 1.53 | 9.4 | 1 | 1.5 | 45.6 | 0.63 | 0.05 | 7.66 | 0.298 | 0.40 |
| KAS28304 | | 48.2 | 116.0 | 0.002 | 0.02 | 1.66 | 10.6 | 1 | 2.0 | 28.1 | 0.68 | 0.07 | 9.40 | 0.312 | 0.50 |
| KAS28305 | | 39.0 | 118.5 | <0.002 | 0.03 | 1.46 | 10.5 | 1 | 1.8 | 28.6 | 0.65 | 0.06 | 10.10 | 0.280 | 0.53 |
| KAS28516 | | 342 | 147.0 | <0.002 | 0.02 | 4.90 | 12.0 | 1 | 2.0 | 25.4 | 0.64 | 0.05 | 12.20 | 0.265 | 0.79 |
| KAS28517 | | 335 | 151.0 | <0.002 | 0.02 | 4.50 | 12.1 | 1 | 2.0 | 23.8 | 0.63 | <0.05 | 11.45 | 0.267 | 0.77 |
| KAS28518 | | 185.5 | 49.6 | <0.002 | 0.02 | 3.50 | 5.0 | 1 | 0.8 | 43.0 | 0.28 | <0.05 | 4.92 | 0.114 | 0.26 |
| KAS28519 | | 38.4 | 57.2 | <0.002 | 0.01 | 2.80 | 6.5 | 1 | 0.9 | 49.4 | 0.31 | <0.05 | 5.98 | 0.131 | 0.34 |
| KAS28520 | | 76.8 | 41.8 | <0.002 | 0.02 | 7.89 | 5.5 | 1 | 0.7 | 51.9 | 0.28 | <0.05 | 5.40 | 0.117 | 0.34 |
| KAS28029 | | 58.1 | 17.4 | <0.002 | 0.01 | 1.30 | 2.3 | 1 | 0.4 | 30.4 | 0.10 | <0.05 | 1.74 | 0.047 | 0.62 |
| KAS28030 | | 55.1 | 56.1 | <0.002 | <0.01 | 1.26 | 4.6 | <1 | 0.8 | 30.9 | 0.29 | <0.05 | 4.45 | 0.113 | 0.37 |
| KAS28031 | | 36.4 | 70.4 | 0.002 | <0.01 | 1.30 | 5.3 | 1 | 0.9 | 33.1 | 0.31 | <0.05 | 5.04 | 0.127 | 0.32 |
| KAS28032 | | 52.6 | 42.6 | <0.002 | 0.03 | 1.26 | 4.2 | 1 | 0.7 | 34.3 | 0.22 | <0.05 | 3.42 | 0.085 | 0.24 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 2 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAR3160 | | 5 | 0.5 | 1.0 | >10000 | 2.4 | 271 | >20.0 | 16.90 |
| KAR3161 | | 6 | 0.5 | 1.0 | >10000 | 2.4 | 335 | >20.0 | 17.40 |
| KAR3162 | | 25 | 1.5 | 12.3 | 3620 | 12.0 | | | |
| KAR3163 | | 9 | 0.2 | 7.7 | 2030 | 1.3 | | | |
| KAR3164 | | 16 | 0.7 | 2.6 | >10000 | 4.9 | 245 | 15.55 | >30.0 |
| KAR3165 | | 19 | 5.0 | 5.0 | >10000 | 4.1 | 132 | 17.85 | 12.10 |
| KAR3354 | | 26 | 0.3 | 9.9 | 4430 | 43.9 | | 5.53 | |
| KAR3355 | | 29 | 1.1 | 25.2 | 475 | 38.6 | | | |
| KAR3356 | | 36 | 5.2 | 18.0 | 1740 | 21.5 | | | |
| KAR3438 | | 19 | 0.8 | 17.5 | 8410 | 7.8 | | | |
| KAR3446 | | 20 | 0.9 | 14.2 | >10000 | 5.5 | | | 3.27 |
| KAR3447 | | 7 | 0.1 | 7.5 | 481 | 2.4 | | | |
| KAR3448 | | 13 | 1.5 | 13.1 | 9250 | 8.0 | | | |
| KAR3449 | | 8 | 2.2 | 11.6 | 5760 | 3.1 | | | |
| KAR3450 | | 7 | 3.7 | 14.3 | >10000 | 4.7 | | | 2.09 |
| KAR3450B | | 4 | 0.1 | 1.3 | 19 | 4.1 | | | |
| KAS28090 | | 47 | 1.2 | 16.4 | 195 | 55.5 | | | |
| KAS28091 | | 54 | 0.9 | 18.0 | 136 | 65.2 | | | |
| KAS28092 | | 55 | 1.0 | 18.6 | 137 | 67.6 | | | |
| KAS28093 | | 65 | 0.9 | 27.0 | 190 | 65.8 | | | |
| KAS28094 | | 53 | 0.8 | 20.7 | 127 | 59.0 | | | |
| KAS28095 | | 54 | 0.8 | 22.3 | 142 | 61.0 | | | |
| KAS28096 | | 28 | 1.2 | 13.8 | 4700 | 35.8 | | | |
| KAS28097 | | 22 | 0.6 | 13.4 | 1320 | 30.1 | | | |
| KAS28098 | | 18 | 1.0 | 13.7 | 1360 | 21.2 | | | |
| KAS28099 | | 18 | 0.9 | 15.2 | 3200 | 22.6 | | | |
| KAS28301 | | 17 | 0.5 | 14.9 | 3620 | 29.5 | | | |
| KAS28302 | | 29 | 1.4 | 15.2 | 2120 | 32.3 | | | |
| KAS28303 | | 64 | 1.2 | 18.7 | 154 | 59.3 | | | |
| KAS28304 | | 73 | 1.4 | 19.8 | 136 | 68.5 | | | |
| KAS28305 | | 71 | 1.3 | 18.0 | 125 | 70.5 | | | |
| KAS28516 | | 70 | 1.3 | 14.3 | 806 | 86.9 | | | |
| KAS28517 | | 72 | 1.2 | 10.8 | 786 | 78.4 | | | |
| KAS28518 | | 33 | 0.6 | 14.4 | 580 | 37.5 | | | |
| KAS28519 | | 39 | 0.8 | 19.2 | 203 | 43.1 | | | |
| KAS28520 | | 43 | 0.7 | 21.7 | 482 | 40.6 | | | |
| KAS28029 | | 14 | 0.3 | 11.5 | 254 | 14.3 | | | |
| KAS28030 | | 28 | 0.6 | 11.8 | 244 | 32.4 | | | |
| KAS28031 | | 31 | 0.6 | 10.7 | 128 | 38.0 | | | |
| KAS28032 | | 29 | 0.6 | 10.5 | 115 | 25.4 | | | |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAS28033 | | 0.24 | 0.002 | 0.18 | 2.79 | 10.1 | 230 | 0.99 | 0.29 | 11.30 | 0.25 | 33.6 | 5.8 | 63 | 1.94 | 12.5 |
| KAS28034 | | 0.24 | 0.001 | 0.41 | 3.92 | 12.8 | 330 | 1.18 | 0.20 | 6.99 | 1.69 | 46.6 | 8.8 | 107 | 1.78 | 12.4 |
| KAS28035 | | 0.24 | 0.001 | 0.31 | 2.76 | 8.4 | 210 | 0.87 | 0.14 | 10.50 | 1.14 | 32.5 | 6.0 | 66 | 1.21 | 7.8 |
| KAS28036 | | 0.22 | 0.001 | 0.30 | 2.65 | 11.0 | 220 | 0.86 | 0.18 | 11.75 | 0.99 | 31.6 | 6.3 | 48 | 1.42 | 10.2 |
| KAS28037 | | 0.24 | 0.001 | 0.23 | 2.51 | 8.4 | 200 | 0.89 | 0.20 | 12.95 | 0.50 | 26.8 | 5.3 | 42 | 1.49 | 11.1 |
| KAS28038 | | 0.20 | 0.001 | 0.28 | 2.28 | 10.4 | 180 | 0.81 | 0.28 | 13.55 | 0.71 | 26.1 | 4.5 | 37 | 1.40 | 10.4 |
| KAS28039 | | 0.22 | 0.001 | 0.12 | 3.09 | 7.6 | 270 | 0.98 | 0.36 | 11.65 | 0.23 | 35.0 | 5.9 | 51 | 1.95 | 11.8 |
| KAS28040 | | 0.24 | 0.002 | 0.12 | 3.79 | 9.7 | 330 | 1.27 | 0.27 | 9.24 | 0.22 | 46.2 | 7.8 | 64 | 2.33 | 14.9 |
| KAS28041 | | 0.22 | 0.002 | 0.21 | 5.18 | 19.7 | 500 | 1.76 | 0.40 | 1.34 | 0.86 | 63.3 | 14.8 | 170 | 3.45 | 22.6 |
| KAS28042 | | 0.22 | 0.004 | 0.25 | 5.53 | 20.3 | 510 | 1.57 | 0.39 | 1.51 | 0.62 | 70.0 | 13.8 | 188 | 3.19 | 18.0 |
| KAS28043 | | 0.24 | 0.002 | 0.13 | 3.36 | 11.0 | 280 | 0.98 | 0.22 | 10.40 | 0.29 | 41.7 | 6.7 | 93 | 2.02 | 10.5 |
| KAS28393 | | 0.22 | 0.001 | 0.58 | 2.40 | 41.4 | 290 | 0.91 | 1.01 | 14.65 | 1.74 | 34.5 | 9.1 | 54 | 1.30 | 49.8 |
| KAS28394 | | 0.24 | 0.001 | 0.72 | 2.77 | 78.1 | 250 | 1.03 | 1.93 | 11.75 | 1.74 | 36.7 | 11.6 | 61 | 1.47 | 110.5 |
| KAS28529 | | 0.22 | 0.001 | 0.52 | 6.72 | 25.4 | 580 | 2.52 | 0.56 | 0.30 | 2.76 | 76.7 | 18.0 | 168 | 5.44 | 37.6 |
| KAS28587 | | 0.22 | 0.001 | 0.76 | 6.48 | 42.8 | 530 | 2.26 | 1.06 | 0.54 | 4.58 | 72.3 | 20.9 | 183 | 4.98 | 55.5 |
| KAS28588 | | 0.22 | 0.001 | 0.65 | 5.67 | 33.6 | 450 | 2.06 | 0.68 | 2.88 | 3.43 | 66.1 | 15.1 | 141 | 4.20 | 44.1 |
| KAS28140 | | 0.22 | 0.001 | 0.11 | 0.96 | 3.8 | 60 | 0.43 | 0.08 | 19.35 | 0.40 | 14.25 | 4.7 | 18 | 0.38 | 7.4 |
| KAS28141 | | 0.26 | 0.001 | 0.15 | 0.62 | 4.7 | 60 | 0.33 | 0.12 | 19.80 | 0.24 | 11.45 | 2.1 | 16 | 0.37 | 5.8 |
| KAS28142 | | 0.24 | 0.001 | 0.24 | 0.75 | 7.3 | 70 | 0.31 | 0.16 | 19.70 | 0.44 | 13.15 | 2.1 | 17 | 0.41 | 6.8 |
| KAS28143 | | 0.22 | 0.001 | 0.24 | 0.64 | 6.5 | 50 | 0.36 | 0.16 | 19.90 | 0.29 | 11.45 | 1.7 | 12 | 0.32 | 5.5 |
| KAS28144 | | 0.22 | 0.001 | 0.58 | 0.75 | 12.9 | 70 | 0.24 | 0.28 | 19.85 | 0.40 | 13.70 | 2.6 | 13 | 0.38 | 8.5 |
| KAS28145 | | 0.22 | 0.001 | 1.55 | 0.81 | 15.7 | 80 | 0.37 | 0.44 | 19.90 | 1.41 | 14.10 | 3.1 | 16 | 0.45 | 12.1 |
| KAS28146 | | 0.22 | 0.002 | 0.88 | 1.04 | 15.7 | 100 | 0.41 | 0.38 | 18.25 | 1.92 | 16.75 | 3.2 | 17 | 0.58 | 10.6 |
| KAS28147 | | 0.22 | 0.002 | 0.73 | 2.21 | 16.1 | 220 | 0.79 | 0.72 | 15.20 | 1.14 | 29.1 | 4.1 | 40 | 0.88 | 17.1 |
| KAS28148 | | 0.22 | 0.002 | 0.31 | 2.54 | 12.1 | 240 | 1.01 | 0.29 | 14.60 | 0.92 | 35.1 | 4.8 | 35 | 1.23 | 9.4 |
| KAS28149 | | 0.22 | 0.003 | 0.67 | 2.70 | 20.2 | 260 | 1.06 | 0.32 | 14.15 | 2.15 | 37.3 | 8.3 | 53 | 1.88 | 18.1 |
| KAS28150 | | 0.22 | 0.003 | 2.42 | 4.78 | 25.2 | 400 | 1.28 | 0.45 | 7.96 | 4.83 | 56.1 | 8.6 | 96 | 3.00 | 28.5 |
| KAS28151 | | 0.26 | 0.001 | 5.38 | 4.37 | 19.9 | 340 | 1.31 | 0.33 | 7.51 | 7.69 | 55.8 | 7.2 | 98 | 2.00 | 88.3 |
| KAS28152 | | 0.22 | 0.003 | 1.91 | 5.42 | 27.5 | 550 | 2.04 | 0.35 | 3.62 | 0.50 | 79.8 | 13.3 | 155 | 2.68 | 30.7 |
| KAS28153 | | 0.22 | 0.002 | 0.80 | 4.27 | 21.0 | 430 | 1.23 | 0.27 | 7.47 | 0.58 | 61.9 | 12.0 | 98 | 2.14 | 29.7 |
| KAS28154 | | 0.24 | 0.006 | 1.40 | 5.69 | 46.8 | 480 | 1.76 | 0.36 | 2.47 | 0.88 | 81.4 | 13.9 | 150 | 2.60 | 32.3 |
| KAS28155 | | 0.24 | 0.003 | 1.62 | 5.21 | 92.7 | 430 | 1.55 | 0.41 | 5.46 | 1.08 | 69.3 | 16.8 | 105 | 3.98 | 41.1 |
| KAS28156 | | 0.22 | 0.004 | 1.10 | 5.82 | 107.0 | 500 | 1.63 | 0.35 | 3.63 | 1.12 | 72.2 | 16.8 | 110 | 4.69 | 36.5 |
| KAS28157 | | 0.24 | 0.008 | 1.34 | 5.58 | 136.5 | 520 | 1.61 | 0.32 | 3.84 | 1.48 | 71.4 | 16.1 | 83 | 3.69 | 48.9 |
| KAS28158 | | 0.24 | 0.002 | 0.83 | 6.45 | 26.5 | 510 | 1.73 | 0.36 | 0.76 | 2.05 | 75.7 | 15.9 | 150 | 3.96 | 58.7 |
| KAS28159 | | 0.24 | 0.003 | 0.61 | 6.81 | 45.0 | 500 | 2.30 | 0.35 | 0.46 | 0.48 | 72.1 | 20.1 | 129 | 4.87 | 33.3 |
| KAS28160 | | 0.24 | 0.001 | 0.24 | 5.28 | 6.5 | 410 | 1.60 | 0.21 | 4.07 | 0.23 | 57.1 | 12.1 | 205 | 2.78 | 26.5 |
| KAS28161 | | 0.22 | 0.001 | 0.17 | 6.16 | 6.9 | 470 | 1.71 | 0.34 | 2.90 | 0.22 | 72.7 | 17.7 | 121 | 3.15 | 39.0 |
| KAS28162 | | 0.24 | 0.001 | 0.15 | 5.57 | 6.9 | 470 | 1.72 | 0.21 | 5.57 | 0.20 | 66.8 | 18.1 | 101 | 3.22 | 42.5 |
| KAS28163 | | 0.24 | 0.002 | 0.16 | 6.18 | 7.6 | 530 | 2.13 | 0.25 | 0.98 | 0.28 | 73.9 | 15.6 | 136 | 3.47 | 25.5 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| KAS28033 | | 2.01 | 7.08 | 0.14 | 0.9 | 0.036 | 1.68 | 18.0 | 30.8 | 7.33 | 1260 | 0.52 | 0.06 | 4.2 | 14.9 | 360 |
| KAS28034 | | 2.94 | 10.00 | 0.17 | 1.4 | 0.045 | 2.30 | 23.7 | 43.0 | 4.93 | 2930 | 0.53 | 0.09 | 5.9 | 18.7 | 420 |
| KAS28035 | | 2.05 | 6.88 | 0.12 | 0.9 | 0.035 | 1.68 | 16.8 | 30.6 | 7.02 | 1940 | 0.28 | 0.05 | 4.0 | 12.4 | 290 |
| KAS28036 | | 2.06 | 6.74 | 0.15 | 0.9 | 0.037 | 1.59 | 16.3 | 30.9 | 7.50 | 2060 | 0.30 | 0.07 | 3.9 | 12.1 | 300 |
| KAS28037 | | 1.79 | 6.23 | 0.15 | 0.8 | 0.032 | 1.57 | 13.8 | 28.4 | 8.19 | 1390 | 0.30 | 0.06 | 3.6 | 11.4 | 300 |
| KAS28038 | | 1.66 | 5.84 | 0.19 | 0.7 | 0.032 | 1.48 | 13.7 | 27.0 | 8.51 | 1300 | 0.29 | 0.04 | 3.4 | 10.5 | 280 |
| KAS28039 | | 2.05 | 7.45 | 0.17 | 1.0 | 0.033 | 1.89 | 17.8 | 32.5 | 7.35 | 1310 | 0.33 | 0.07 | 4.5 | 13.6 | 310 |
| KAS28040 | | 2.56 | 10.35 | 0.08 | 1.4 | 0.036 | 2.19 | 22.0 | 40.5 | 5.83 | 1400 | 0.60 | 0.11 | 5.3 | 18.3 | 360 |
| KAS28041 | | 3.94 | 13.70 | 0.09 | 1.7 | 0.063 | 2.50 | 31.1 | 47.0 | 1.45 | 2790 | 1.40 | 0.26 | 7.1 | 27.3 | 1330 |
| KAS28042 | | 4.41 | 14.45 | 0.12 | 1.9 | 0.071 | 2.97 | 35.0 | 47.5 | 1.72 | 2720 | 1.03 | 0.21 | 7.3 | 28.2 | 1070 |
| KAS28043 | | 2.44 | 9.43 | 0.08 | 1.2 | 0.039 | 2.03 | 20.0 | 34.0 | 6.70 | 1630 | 0.62 | 0.10 | 4.8 | 16.8 | 500 |
| KAS28393 | | 4.65 | 7.17 | 0.06 | 1.1 | 0.125 | 1.07 | 15.9 | 19.8 | 8.74 | 4050 | 1.24 | 0.17 | 3.6 | 23.7 | 380 |
| KAS28394 | | 5.07 | 8.13 | 0.07 | 1.1 | 0.126 | 1.38 | 17.8 | 24.0 | 7.48 | 4680 | 1.19 | 0.17 | 3.8 | 31.5 | 460 |
| KAS28529 | | 4.12 | 19.00 | 0.13 | 2.5 | 0.075 | 3.71 | 38.0 | 48.8 | 1.29 | 1870 | 1.35 | 0.15 | 8.7 | 31.3 | 430 |
| KAS28587 | | 5.55 | 17.45 | 0.12 | 2.3 | 0.108 | 3.42 | 36.7 | 44.6 | 1.42 | 3420 | 1.45 | 0.16 | 6.8 | 39.7 | 610 |
| KAS28588 | | 4.50 | 15.60 | 0.10 | 2.0 | 0.095 | 3.24 | 33.2 | 41.2 | 2.57 | 2680 | 1.17 | 0.11 | 6.9 | 30.4 | 460 |
| KAS28140 | | 2.05 | 2.96 | 0.06 | 0.4 | 0.029 | 0.30 | 7.6 | 7.4 | 11.80 | 1130 | 0.54 | 0.08 | 3.5 | 10.3 | 340 |
| KAS28141 | | 1.62 | 1.76 | <0.05 | 0.3 | 0.030 | 0.32 | 6.6 | 5.9 | 12.05 | 1190 | 0.73 | 0.03 | 1.2 | 9.4 | 230 |
| KAS28142 | | 1.58 | 2.21 | <0.05 | 0.3 | 0.031 | 0.42 | 8.0 | 6.4 | 11.95 | 1280 | 0.91 | 0.03 | 1.2 | 12.3 | 310 |
| KAS28143 | | 1.36 | 1.84 | 0.05 | 0.3 | 0.029 | 0.37 | 7.1 | 5.4 | 12.15 | 1070 | 0.68 | 0.02 | 1.0 | 9.4 | 220 |
| KAS28144 | | 1.61 | 2.10 | <0.05 | 0.4 | 0.043 | 0.47 | 8.4 | 6.1 | 12.10 | 1210 | 1.02 | 0.02 | 1.2 | 12.9 | 230 |
| KAS28145 | | 1.84 | 2.28 | 0.05 | 0.4 | 0.068 | 0.50 | 8.4 | 6.4 | 12.10 | 1420 | 1.04 | 0.02 | 1.2 | 12.2 | 320 |
| KAS28146 | | 1.74 | 2.92 | <0.05 | 0.5 | 0.078 | 0.73 | 10.0 | 7.3 | 11.10 | 1330 | 0.94 | 0.02 | 1.5 | 11.4 | 330 |
| KAS28147 | | 1.86 | 5.95 | 0.06 | 0.9 | 0.052 | 1.64 | 16.6 | 16.1 | 9.40 | 1280 | 0.96 | 0.03 | 3.0 | 15.1 | 530 |
| KAS28148 | | 1.59 | 6.83 | 0.05 | 1.0 | 0.039 | 1.95 | 18.5 | 21.1 | 9.11 | 1090 | 0.70 | 0.04 | 3.4 | 16.2 | 440 |
| KAS28149 | | 2.08 | 7.33 | 0.07 | 1.2 | 0.103 | 1.93 | 19.9 | 26.6 | 8.77 | 1500 | 1.11 | 0.04 | 3.7 | 28.0 | 590 |
| KAS28150 | | 2.78 | 13.30 | 0.09 | 2.1 | 0.141 | 3.45 | 30.8 | 25.9 | 5.13 | 1740 | 1.41 | 0.07 | 6.6 | 25.8 | 850 |
| KAS28151 | | 2.68 | 12.35 | 0.08 | 1.8 | 0.413 | 3.08 | 28.8 | 31.7 | 4.80 | 1430 | 0.95 | 0.09 | 6.7 | 19.3 | 610 |
| KAS28152 | | 3.13 | 14.50 | 0.12 | 2.1 | 0.056 | 4.05 | 41.3 | 44.2 | 2.64 | 1110 | 2.08 | 0.21 | 8.5 | 39.3 | 890 |
| KAS28153 | | 2.70 | 11.30 | 0.10 | 1.7 | 0.053 | 3.40 | 31.3 | 30.7 | 4.80 | 1410 | 1.88 | 0.14 | 6.5 | 29.7 | 810 |
| KAS28154 | | 3.99 | 14.85 | 0.09 | 1.9 | 0.076 | 3.44 | 42.3 | 50.7 | 2.04 | 2000 | 0.98 | 0.25 | 9.0 | 27.4 | 930 |
| KAS28155 | | 3.55 | 13.90 | 0.09 | 2.0 | 0.098 | 3.06 | 33.6 | 47.7 | 4.34 | 1730 | 0.87 | 0.24 | 8.8 | 27.3 | 790 |
| KAS28156 | | 3.73 | 15.90 | 0.12 | 2.0 | 0.095 | 3.34 | 35.6 | 55.0 | 3.55 | 1690 | 0.91 | 0.30 | 9.1 | 28.5 | 810 |
| KAS28157 | | 3.37 | 15.05 | 0.13 | 2.1 | 0.085 | 3.35 | 35.5 | 57.8 | 3.70 | 1470 | 0.65 | 0.33 | 8.9 | 29.5 | 650 |
| KAS28158 | | 3.98 | 19.35 | 0.09 | 2.2 | 0.147 | 3.20 | 35.4 | 87.2 | 3.19 | 1720 | 0.85 | 0.31 | 8.9 | 32.6 | 680 |
| KAS28159 | | 4.48 | 18.70 | 0.09 | 2.2 | 0.070 | 3.74 | 35.9 | 94.9 | 2.47 | 1950 | 0.70 | 0.21 | 9.8 | 30.5 | 860 |
| KAS28160 | | 2.63 | 15.00 | 0.09 | 2.0 | 0.058 | 4.33 | 28.8 | 50.2 | 3.45 | 993 | 0.93 | 0.11 | 8.0 | 25.4 | 500 |
| KAS28161 | | 3.12 | 17.90 | 0.11 | 2.1 | 0.053 | 4.06 | 36.7 | 78.3 | 4.19 | 1070 | 0.57 | 0.13 | 8.7 | 30.1 | 530 |
| KAS28162 | | 2.83 | 14.80 | 0.09 | 1.9 | 0.044 | 3.59 | 33.5 | 75.4 | 4.11 | 911 | 0.49 | 0.15 | 7.9 | 30.2 | 470 |
| KAS28163 | | 3.45 | 17.75 | 0.11 | 2.3 | 0.055 | 4.25 | 37.8 | 78.5 | 2.46 | 1440 | 0.74 | 0.19 | 9.2 | 29.2 | 550 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 3 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.1 |
| KAS28033 | | 59.6 | 60.9 | <0.002 | 0.02 | 1.49 | 5.4 | 1 | 0.9 | 33.1 | 0.30 | <0.05 | 4.92 | 0.119 | 1.2 |
| KAS28034 | | 276 | 64.2 | <0.002 | 0.03 | 1.54 | 7.1 | 1 | 1.2 | 28.2 | 0.43 | 0.05 | 6.24 | 0.177 | 1.4 |
| KAS28035 | | 211 | 45.9 | <0.002 | 0.01 | 1.14 | 4.9 | 1 | 0.8 | 25.9 | 0.29 | <0.05 | 4.48 | 0.118 | 1.0 |
| KAS28036 | | 143.5 | 46.2 | <0.002 | 0.01 | 1.26 | 4.9 | 1 | 0.8 | 33.1 | 0.28 | <0.05 | 4.28 | 0.117 | 1.0 |
| KAS28037 | | 69.9 | 45.9 | <0.002 | 0.01 | 1.19 | 4.6 | 1 | 0.7 | 32.5 | 0.26 | <0.05 | 3.99 | 0.109 | 0.9 |
| KAS28038 | | 109.5 | 46.2 | <0.002 | 0.02 | 1.47 | 4.2 | <1 | 0.7 | 33.2 | 0.25 | <0.05 | 3.72 | 0.100 | 1.0 |
| KAS28039 | | 33.9 | 66.3 | <0.002 | 0.01 | 1.55 | 5.3 | <1 | 0.9 | 33.6 | 0.32 | <0.05 | 5.09 | 0.133 | 1.2 |
| KAS28040 | | 25.2 | 78.2 | <0.002 | 0.01 | 1.51 | 6.8 | <1 | 1.2 | 36.0 | 0.41 | <0.05 | 6.20 | 0.170 | 1.3 |
| KAS28041 | | 52.7 | 94.7 | <0.002 | 0.11 | 2.15 | 9.9 | 1 | 1.6 | 44.1 | 0.52 | 0.09 | 8.50 | 0.241 | 2.7 |
| KAS28042 | | 59.5 | 96.9 | <0.002 | 0.09 | 2.01 | 10.5 | 1 | 1.6 | 36.3 | 0.54 | <0.05 | 9.17 | 0.247 | 2.0 |
| KAS28043 | | 31.1 | 69.4 | <0.002 | 0.03 | 1.27 | 6.0 | 1 | 1.0 | 29.1 | 0.35 | <0.05 | 5.57 | 0.146 | 1.3 |
| KAS28393 | | 211 | 40.9 | <0.002 | 0.01 | 7.42 | 4.9 | 1 | 0.8 | 79.5 | 0.26 | 0.07 | 4.43 | 0.115 | 1.3 |
| KAS28394 | | 202 | 50.5 | <0.002 | 0.02 | 5.10 | 5.7 | 1 | 0.9 | 47.9 | 0.29 | <0.05 | 4.84 | 0.119 | 1.4 |
| KAS28529 | | 412 | 144.5 | <0.002 | 0.02 | 4.12 | 11.6 | 1 | 2.1 | 23.8 | 0.66 | 0.05 | 12.00 | 0.285 | 2.3 |
| KAS28587 | | 537 | 132.0 | <0.002 | 0.05 | 5.28 | 11.2 | 1 | 2.0 | 24.1 | 0.52 | 0.07 | 11.40 | 0.249 | 2.2 |
| KAS28588 | | 369 | 121.0 | <0.002 | 0.05 | 6.17 | 9.6 | 1 | 1.7 | 22.5 | 0.52 | 0.07 | 10.00 | 0.228 | 2.0 |
| KAS28140 | | 32.7 | 7.7 | <0.002 | 0.01 | 1.05 | 3.4 | 1 | 0.3 | 43.3 | 0.21 | <0.05 | 1.21 | 0.158 | 1.2 |
| KAS28141 | | 40.4 | 8.4 | <0.002 | 0.01 | 0.82 | 2.6 | 1 | 0.2 | 24.8 | 0.08 | <0.05 | 1.24 | 0.043 | 1.1 |
| KAS28142 | | 80.6 | 11.0 | <0.002 | <0.01 | 1.05 | 3.3 | <1 | 0.3 | 25.1 | 0.09 | <0.05 | 1.55 | 0.037 | 1.3 |
| KAS28143 | | 63.5 | 9.3 | <0.002 | <0.01 | 0.91 | 2.6 | 1 | 0.3 | 24.2 | 0.07 | <0.05 | 1.38 | 0.030 | 1.2 |
| KAS28144 | | 113.5 | 11.2 | <0.002 | 0.01 | 1.60 | 3.0 | 1 | 0.3 | 26.5 | 0.10 | <0.05 | 1.69 | 0.034 | 1.4 |
| KAS28145 | | 313 | 12.4 | <0.002 | 0.02 | 2.24 | 2.8 | 1 | 0.4 | 28.7 | 0.09 | <0.05 | 1.86 | 0.036 | 1.3 |
| KAS28146 | | 242 | 17.9 | <0.002 | 0.01 | 2.03 | 3.4 | 1 | 0.5 | 29.7 | 0.11 | 0.05 | 2.21 | 0.046 | 1.2 |
| KAS28147 | | 284 | 36.6 | <0.002 | 0.02 | 4.56 | 6.1 | 1 | 0.8 | 26.2 | 0.23 | <0.05 | 4.37 | 0.097 | 1.4 |
| KAS28148 | | 65.5 | 46.3 | <0.002 | <0.01 | 2.17 | 4.7 | 1 | 0.9 | 27.8 | 0.27 | <0.05 | 4.79 | 0.109 | 1.3 |
| KAS28149 | | 171.0 | 57.1 | <0.002 | 0.01 | 3.28 | 5.6 | 1 | 1.1 | 31.6 | 0.29 | <0.05 | 5.40 | 0.122 | 1.4 |
| KAS28150 | | 970 | 96.3 | <0.002 | 0.03 | 5.51 | 9.2 | 2 | 2.5 | 24.8 | 0.51 | <0.05 | 9.55 | 0.212 | 2.4 |
| KAS28151 | | 3960 | 80.9 | <0.002 | 0.04 | 8.00 | 8.2 | 1 | 4.1 | 26.7 | 0.52 | <0.05 | 8.20 | 0.209 | 1.9 |
| KAS28152 | | 350 | 96.4 | <0.002 | 0.05 | 6.82 | 11.3 | 2 | 1.7 | 34.2 | 0.62 | <0.05 | 10.20 | 0.273 | 2.4 |
| KAS28153 | | 237 | 74.9 | <0.002 | 0.05 | 4.54 | 8.6 | 1 | 1.2 | 31.5 | 0.48 | 0.06 | 7.39 | 0.231 | 1.9 |
| KAS28154 | | 508 | 85.5 | <0.002 | 0.04 | 5.74 | 10.8 | 2 | 1.6 | 62.3 | 0.64 | <0.05 | 9.39 | 0.335 | 2.3 |
| KAS28155 | | 530 | 80.2 | <0.002 | 0.03 | 10.10 | 10.1 | 1 | 1.5 | 50.5 | 0.63 | 0.05 | 8.67 | 0.312 | 1.9 |
| KAS28156 | | 269 | 96.7 | <0.002 | 0.04 | 8.82 | 11.0 | 1 | 1.7 | 52.4 | 0.68 | <0.05 | 9.56 | 0.308 | 2.0 |
| KAS28157 | | 266 | 90.3 | <0.002 | 0.02 | 10.15 | 10.4 | 1 | 1.7 | 60.9 | 0.64 | 0.08 | 9.34 | 0.299 | 2.0 |
| KAS28158 | | 165.0 | 89.5 | <0.002 | 0.04 | 4.04 | 11.2 | 1 | 1.7 | 48.6 | 0.65 | <0.05 | 10.45 | 0.301 | 2.2 |
| KAS28159 | | 125.5 | 106.5 | <0.002 | 0.05 | 3.79 | 11.9 | 2 | 1.8 | 32.8 | 0.71 | 0.05 | 10.75 | 0.368 | 2.5 |
| KAS28160 | | 31.2 | 99.5 | <0.002 | 0.03 | 1.37 | 8.9 | 1 | 2.0 | 23.8 | 0.60 | 0.05 | 9.04 | 0.261 | 1.8 |
| KAS28161 | | 23.5 | 96.3 | <0.002 | 0.04 | 1.84 | 10.7 | 1 | 1.9 | 26.3 | 0.65 | 0.06 | 9.91 | 0.284 | 2.0 |
| KAS28162 | | 22.5 | 89.8 | <0.002 | 0.05 | 1.10 | 9.9 | 1 | 1.6 | 45.9 | 0.61 | <0.05 | 9.49 | 0.259 | 2.0 |
| KAS28163 | | 39.1 | 115.5 | <0.002 | 0.04 | 1.49 | 10.9 | 1 | 2.0 | 31.9 | 0.72 | 0.07 | 11.30 | 0.307 | 2.2 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 3 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAS28033 | | 34 | 0.6 | 11.8 | 90 | 36.3 | | | |
| KAS28034 | | 43 | 1.1 | 21.7 | 587 | 48.8 | | | |
| KAS28035 | | 27 | 0.7 | 15.5 | 418 | 33.8 | | | |
| KAS28036 | | 28 | 0.7 | 15.0 | 345 | 33.4 | | | |
| KAS28037 | | 28 | 0.6 | 12.9 | 204 | 30.8 | | | |
| KAS28038 | | 26 | 0.6 | 11.4 | 256 | 28.2 | | | |
| KAS28039 | | 34 | 0.7 | 11.3 | 90 | 37.9 | | | |
| KAS28040 | | 45 | 0.8 | 13.5 | 71 | 45.7 | | | |
| KAS28041 | | 70 | 1.2 | 19.2 | 145 | 65.2 | | | |
| KAS28042 | | 73 | 1.5 | 23.0 | 150 | 69.1 | | | |
| KAS28043 | | 40 | 0.8 | 13.7 | 93 | 41.9 | | | |
| KAS28393 | | 36 | 0.6 | 18.2 | 459 | 37.2 | | | |
| KAS28394 | | 36 | 0.7 | 16.8 | 541 | 38.6 | | | |
| KAS28529 | | 78 | 1.4 | 12.4 | 934 | 90.6 | | | |
| KAS28587 | | 75 | 1.2 | 16.9 | 1290 | 83.3 | | | |
| KAS28588 | | 62 | 1.1 | 14.2 | 1020 | 72.8 | | | |
| KAS28140 | | 41 | 0.7 | 9.7 | 87 | 17.8 | | | |
| KAS28141 | | 25 | 0.2 | 10.2 | 59 | 11.6 | | | |
| KAS28142 | | 28 | 0.3 | 13.6 | 78 | 13.1 | | | |
| KAS28143 | | 24 | 0.2 | 11.6 | 53 | 12.0 | | | |
| KAS28144 | | 22 | 0.3 | 12.8 | 75 | 13.7 | | | |
| KAS28145 | | 22 | 0.3 | 14.0 | 232 | 14.8 | | | |
| KAS28146 | | 21 | 0.4 | 13.5 | 348 | 18.0 | | | |
| KAS28147 | | 32 | 1.5 | 17.1 | 151 | 33.6 | | | |
| KAS28148 | | 32 | 0.5 | 17.4 | 214 | 36.6 | | | |
| KAS28149 | | 36 | 0.6 | 20.0 | 353 | 43.8 | | | |
| KAS28150 | | 62 | 2.3 | 25.5 | 954 | 76.7 | | | |
| KAS28151 | | 52 | 1.7 | 25.1 | 1140 | 63.2 | | | |
| KAS28152 | | 78 | 1.3 | 38.7 | 158 | 76.0 | | | |
| KAS28153 | | 62 | 1.1 | 29.8 | 143 | 63.7 | | | |
| KAS28154 | | 83 | 2.3 | 40.1 | 243 | 73.8 | | | |
| KAS28155 | | 74 | 2.5 | 29.4 | 304 | 77.9 | | | |
| KAS28156 | | 78 | 1.9 | 28.1 | 300 | 75.5 | | | |
| KAS28157 | | 73 | 1.8 | 27.0 | 410 | 75.9 | | | |
| KAS28158 | | 81 | 1.3 | 24.2 | 1470 | 78.9 | | | |
| KAS28159 | | 91 | 1.9 | 26.4 | 194 | 82.0 | | | |
| KAS28160 | | 58 | 1.0 | 22.2 | 77 | 70.8 | | | |
| KAS28161 | | 65 | 1.0 | 24.7 | 93 | 75.6 | | | |
| KAS28162 | | 56 | 0.8 | 22.1 | 66 | 70.3 | | | |
| KAS28163 | | 68 | 1.0 | 30.6 | 103 | 86.2 | | | |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAS28236 | | 0.24 | 0.001 | 0.13 | 1.94 | 9.1 | 130 | 0.66 | 0.26 | 14.95 | 0.18 | 22.7 | 7.9 | 48 | 0.89 | 14.0 |
| KAS28237 | | 0.22 | 0.001 | 0.12 | 2.54 | 8.3 | 140 | 0.78 | 0.27 | 13.40 | 0.17 | 29.0 | 7.4 | 38 | 0.89 | 9.0 |
| KAS28238 | | 0.24 | 0.001 | 0.37 | 4.08 | 37.7 | 220 | 1.45 | 0.82 | 8.99 | 0.37 | 45.5 | 12.4 | 96 | 1.92 | 17.6 |
| KAS28239 | | 0.22 | 0.001 | 0.37 | 2.46 | 16.1 | 130 | 0.76 | 0.51 | 12.55 | 0.26 | 26.6 | 6.5 | 41 | 1.01 | 12.9 |
| KAS28240 | | 0.24 | <0.001 | 0.39 | 4.49 | 15.1 | 300 | 1.46 | 0.48 | 5.36 | 0.51 | 49.5 | 10.3 | 99 | 1.85 | 15.7 |
| KAS28241 | | 0.24 | <0.001 | 0.44 | 3.75 | 31.7 | 220 | 1.12 | 0.61 | 7.74 | 0.59 | 37.3 | 8.3 | 68 | 1.33 | 17.8 |
| KAS28242 | | 0.22 | 0.001 | 0.37 | 5.55 | 39.6 | 480 | 1.83 | 0.54 | 1.31 | 0.49 | 65.6 | 16.3 | 204 | 3.01 | 20.8 |
| KAS28243 | | 0.24 | <0.001 | 0.60 | 3.54 | 46.6 | 230 | 1.21 | 0.77 | 7.52 | 0.25 | 36.8 | 8.7 | 86 | 1.31 | 17.4 |
| KAS28244 | | 0.24 | <0.001 | 0.71 | 4.55 | 67.4 | 300 | 1.55 | 1.08 | 3.97 | 0.39 | 50.4 | 13.5 | 100 | 2.05 | 26.1 |
| KAS28245 | | 0.24 | 0.001 | 0.32 | 5.18 | 16.8 | 390 | 1.85 | 0.43 | 2.28 | 0.33 | 55.1 | 12.7 | 131 | 2.51 | 20.4 |
| KAS28246 | | 0.22 | <0.001 | 0.13 | 3.96 | 5.6 | 290 | 1.31 | 0.19 | 6.43 | 0.16 | 37.7 | 6.2 | 107 | 1.54 | 10.9 |
| KAS28247 | | 0.24 | 0.001 | 0.23 | 3.54 | 9.2 | 260 | 1.18 | 0.25 | 7.48 | 0.23 | 38.0 | 9.7 | 89 | 1.86 | 15.6 |
| KAS28248 | | 0.22 | <0.001 | 0.23 | 3.46 | 7.3 | 230 | 1.05 | 0.22 | 8.14 | 0.23 | 33.0 | 8.5 | 66 | 1.42 | 19.6 |
| KAS28249 | | 0.22 | <0.001 | 0.24 | 3.71 | 10.6 | 240 | 1.19 | 0.35 | 6.29 | 0.20 | 31.2 | 8.1 | 92 | 1.47 | 13.3 |
| KAS28250 | | 0.16 | <0.001 | 0.50 | 4.18 | 20.8 | 260 | 1.45 | 0.52 | 5.62 | 0.39 | 49.1 | 11.4 | 110 | 1.80 | 23.5 |
| KAS28253 | | 0.12 | 0.001 | 0.33 | 3.07 | 10.5 | 210 | 0.92 | 0.41 | 9.05 | 0.51 | 33.7 | 9.1 | 62 | 1.31 | 14.2 |
| KAS28373 | | 0.22 | 0.001 | 1.01 | 0.86 | 125.5 | 60 | 0.47 | 1.72 | 17.70 | 1.80 | 14.60 | 5.0 | 11 | 0.60 | 92.7 |
| KAS28374 | | 0.30 | <0.001 | 0.17 | 0.62 | 8.2 | 50 | 0.40 | 0.32 | 18.55 | 0.37 | 11.00 | 2.0 | 15 | 0.40 | 17.3 |
| KAS28375 | | 0.30 | 0.001 | 1.14 | 2.02 | 68.8 | 120 | 0.95 | 1.28 | 15.55 | 2.01 | 23.2 | 5.6 | 24 | 1.34 | 132.5 |
| KAS28376 | | 0.16 | 0.002 | 1.71 | 2.00 | 79.8 | 120 | 0.92 | 2.05 | 16.05 | 8.47 | 21.1 | 8.5 | 23 | 1.31 | 159.0 |
| KAS28377 | | 0.18 | 0.001 | 0.62 | 0.54 | 37.9 | 40 | 0.36 | 0.91 | 20.3 | 2.53 | 9.51 | 4.7 | 9 | 0.50 | 29.1 |
| KAS28378 | | 0.28 | 0.001 | 4.04 | 1.16 | 186.0 | 90 | 0.53 | 4.00 | 17.80 | 15.85 | 12.45 | 8.1 | 12 | 0.75 | 199.5 |
| KAS28379 | | 0.30 | 0.004 | 3.02 | 2.02 | 294 | 180 | 0.71 | 6.53 | 15.15 | 12.65 | 18.00 | 20.3 | 23 | 1.06 | 290 |
| KAS28380 | | 0.48 | 0.006 | 5.40 | 1.87 | 453 | 230 | 0.73 | 8.29 | 13.10 | 30.9 | 20.4 | 24.2 | 28 | 1.09 | 401 |
| KAS28381 | | 0.26 | 0.002 | 5.00 | 2.21 | 493 | 320 | 0.81 | 7.86 | 11.30 | 25.1 | 25.7 | 18.2 | 44 | 1.13 | 387 |
| KAS28382 | | 0.22 | 0.002 | 0.79 | 2.18 | 38.8 | 140 | 0.87 | 0.91 | 11.05 | 4.47 | 27.5 | 9.7 | 69 | 2.43 | 40.2 |
| KAS28383 | | 0.24 | 0.003 | 0.91 | 4.14 | 52.0 | 330 | 1.37 | 1.05 | 8.29 | 4.35 | 42.2 | 14.6 | 90 | 3.66 | 64.9 |
| KAS28384 | | 0.22 | 0.002 | 1.89 | 4.60 | 121.5 | 390 | 1.43 | 1.96 | 6.89 | 6.85 | 47.7 | 19.3 | 68 | 4.49 | 126.5 |
| KAS28385 | | 0.24 | <0.001 | 0.16 | 3.28 | 11.3 | 250 | 1.13 | 0.22 | 11.85 | 0.32 | 33.1 | 9.7 | 58 | 1.71 | 35.2 |
| KAS28386 | | 0.26 | <0.001 | 0.19 | 3.31 | 10.2 | 230 | 1.06 | 0.18 | 12.15 | 0.28 | 29.6 | 8.5 | 43 | 1.72 | 31.5 |
| KAS28387 | | 0.26 | 0.002 | 0.69 | 2.69 | 72.3 | 160 | 0.97 | 1.33 | 14.55 | 1.97 | 23.1 | 26.5 | 27 | 1.44 | 89.5 |
| KAS28388 | | 0.26 | 0.001 | 0.81 | 3.13 | 56.0 | 140 | 1.07 | 0.98 | 15.85 | 1.44 | 29.5 | 12.4 | 29 | 2.01 | 88.9 |
| KAS28389 | | 0.26 | 0.002 | 0.86 | 3.20 | 70.0 | 180 | 1.13 | 1.45 | 13.50 | 2.15 | 25.4 | 26.9 | 37 | 1.99 | 114.5 |
| KAS28390 | | 0.26 | 0.003 | 1.10 | 3.30 | 93.5 | 210 | 1.20 | 2.24 | 11.55 | 1.62 | 25.4 | 45.7 | 43 | 2.04 | 128.5 |
| KAS28391 | | 0.26 | 0.002 | 1.16 | 2.65 | 109.0 | 210 | 0.89 | 1.78 | 13.90 | 3.63 | 22.6 | 20.0 | 34 | 1.46 | 142.0 |
| KAS28392 | | 0.24 | 0.002 | 1.59 | 2.74 | 155.5 | 310 | 1.02 | 2.51 | 10.60 | 5.96 | 31.5 | 17.7 | 99 | 1.55 | 132.0 |
| KAS28392B | | 0.22 | <0.001 | 0.01 | 0.37 | 0.5 | 10 | 0.11 | 0.02 | 0.01 | <0.02 | 15.05 | 0.8 | 425 | 0.26 | 3.3 |
| KAR3357 | | 0.24 | 0.007 | 46.7 | 1.82 | 4870 | 40 | 0.50 | 13.65 | 0.19 | 27.2 | 21.2 | 30.0 | 12 | 1.04 | 7870 |
| KAR3358 | | 0.24 | 0.016 | 0.64 | 0.63 | 101.0 | 20 | 0.29 | 4.46 | 18.45 | 1.57 | 12.60 | 42.8 | 6 | 0.40 | 23.6 |
| KAR3359 | | 0.24 | 0.005 | 64.0 | 0.57 | 614 | 20 | 1.35 | 276 | 11.05 | 280 | 10.80 | 16.6 | 6 | 0.72 | 2540 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 |
| KAS28236 | | 1.73 | 5.52 | 0.05 | 0.9 | 0.037 | 1.23 | 12.2 | 19.1 | 9.22 | 1400 | 0.36 | 0.05 | 3.0 | 11.7 |
| KAS28237 | | 2.10 | 6.87 | 0.06 | 1.0 | 0.043 | 1.77 | 14.7 | 24.2 | 7.94 | 2050 | 0.25 | 0.05 | 3.7 | 10.0 |
| KAS28238 | | 2.96 | 11.60 | 0.08 | 1.5 | 0.066 | 2.56 | 22.2 | 39.8 | 5.70 | 2900 | 0.47 | 0.10 | 5.7 | 18.3 |
| KAS28239 | | 1.83 | 6.32 | 0.13 | 1.0 | 0.043 | 1.63 | 14.1 | 22.8 | 7.93 | 1780 | 0.22 | 0.04 | 3.5 | 9.4 |
| KAS28240 | | 2.73 | 11.65 | 0.15 | 1.4 | 0.060 | 3.01 | 24.7 | 44.8 | 3.52 | 2310 | 0.40 | 0.08 | 6.3 | 17.0 |
| KAS28241 | | 2.52 | 9.72 | 0.13 | 1.2 | 0.056 | 2.49 | 19.5 | 31.0 | 4.76 | 2450 | 0.29 | 0.05 | 5.2 | 13.5 |
| KAS28242 | | 4.08 | 14.50 | 0.19 | 1.7 | 0.064 | 3.49 | 35.1 | 52.6 | 1.45 | 3390 | 0.93 | 0.20 | 7.6 | 29.5 |
| KAS28243 | | 2.30 | 9.23 | 0.13 | 1.1 | 0.049 | 2.47 | 18.9 | 32.1 | 4.75 | 1880 | 0.37 | 0.05 | 5.0 | 12.5 |
| KAS28244 | | 3.00 | 11.95 | 0.15 | 1.4 | 0.062 | 3.01 | 25.7 | 43.6 | 2.81 | 2400 | 0.43 | 0.07 | 6.4 | 19.9 |
| KAS28245 | | 2.95 | 14.00 | 0.14 | 1.6 | 0.065 | 3.63 | 27.3 | 56.8 | 2.02 | 2420 | 0.49 | 0.09 | 7.5 | 20.5 |
| KAS28246 | | 2.10 | 10.65 | 0.13 | 1.2 | 0.046 | 3.04 | 19.3 | 42.6 | 4.11 | 1400 | 0.34 | 0.07 | 5.5 | 11.8 |
| KAS28247 | | 2.34 | 8.89 | 0.14 | 1.2 | 0.044 | 2.56 | 20.5 | 42.6 | 5.06 | 1640 | 0.38 | 0.09 | 4.8 | 15.8 |
| KAS28248 | | 1.89 | 9.07 | 0.12 | 1.2 | 0.055 | 2.69 | 16.6 | 39.9 | 5.24 | 1410 | 0.23 | 0.07 | 5.1 | 10.8 |
| KAS28249 | | 2.05 | 10.25 | 0.12 | 1.2 | 0.046 | 2.68 | 16.0 | 38.5 | 4.06 | 1720 | 0.32 | 0.06 | 5.5 | 12.0 |
| KAS28250 | | 2.86 | 11.10 | 0.14 | 1.3 | 0.063 | 2.69 | 24.5 | 34.6 | 3.66 | 2810 | 0.47 | 0.08 | 5.9 | 18.0 |
| KAS28253 | | 2.64 | 7.85 | 0.11 | 1.1 | 0.058 | 2.02 | 17.8 | 25.7 | 5.51 | 2250 | 0.45 | 0.08 | 4.4 | 14.7 |
| KAS28373 | | 8.50 | 2.57 | 0.08 | 0.4 | 0.234 | 0.38 | 7.5 | 6.4 | 9.17 | 8980 | 0.90 | 0.03 | 1.1 | 13.0 |
| KAS28374 | | 2.85 | 1.76 | 0.07 | 0.2 | 0.073 | 0.30 | 5.8 | 5.6 | 10.85 | 3780 | 0.38 | 0.03 | 0.8 | 4.4 |
| KAS28375 | | 4.61 | 5.62 | 0.08 | 0.8 | 0.138 | 1.11 | 12.5 | 17.4 | 8.29 | 5660 | 0.79 | 0.04 | 2.9 | 12.7 |
| KAS28376 | | 6.41 | 5.52 | 0.10 | 0.8 | 0.216 | 1.09 | 11.9 | 15.3 | 7.54 | 7630 | 1.20 | 0.03 | 2.6 | 17.3 |
| KAS28377 | | 3.22 | 1.57 | 0.07 | 0.3 | 0.089 | 0.22 | 5.1 | 4.1 | 10.90 | 3830 | 1.00 | 0.02 | 0.9 | 9.3 |
| KAS28378 | | 5.82 | 3.26 | 0.08 | 0.5 | 0.137 | 0.47 | 6.3 | 9.2 | 9.94 | 6390 | 1.67 | 0.02 | 1.5 | 24.4 |
| KAS28379 | | 9.72 | 5.66 | 0.08 | 0.8 | 0.212 | 0.88 | 8.8 | 16.2 | 8.14 | 10100 | 1.72 | 0.03 | 2.1 | 47.6 |
| KAS28380 | | 12.70 | 5.13 | 0.11 | 0.8 | 0.245 | 0.86 | 10.7 | 12.3 | 7.22 | 14250 | 2.20 | 0.05 | 1.9 | 52.5 |
| KAS28381 | | 12.00 | 5.95 | 0.09 | 0.9 | 0.242 | 1.04 | 13.5 | 13.5 | 6.62 | 13200 | 1.99 | 0.09 | 2.4 | 39.8 |
| KAS28382 | | 2.69 | 5.41 | 0.09 | 1.0 | 0.059 | 1.10 | 14.4 | 19.5 | 7.20 | 2050 | 0.99 | 0.10 | 3.3 | 23.9 |
| KAS28383 | | 4.84 | 10.75 | 0.09 | 1.5 | 0.101 | 2.31 | 21.5 | 27.4 | 5.88 | 4020 | 1.13 | 0.08 | 5.3 | 33.2 |
| KAS28384 | | 6.11 | 11.75 | 0.11 | 1.6 | 0.134 | 2.52 | 23.8 | 27.8 | 4.90 | 4760 | 1.21 | 0.06 | 5.4 | 37.4 |
| KAS28385 | | 4.78 | 8.72 | 0.09 | 1.2 | 0.091 | 2.06 | 16.1 | 21.6 | 7.59 | 4760 | 0.53 | 0.07 | 4.1 | 21.8 |
| KAS28386 | | 5.40 | 8.94 | 0.09 | 1.1 | 0.109 | 2.09 | 14.7 | 22.5 | 7.50 | 5890 | 0.37 | 0.06 | 3.7 | 19.6 |
| KAS28387 | | 6.24 | 8.03 | 0.11 | 1.0 | 0.103 | 1.71 | 11.2 | 20.0 | 7.94 | 5140 | 2.52 | 0.03 | 3.1 | 42.4 |
| KAS28388 | | 5.88 | 8.48 | 0.11 | 1.1 | 0.118 | 1.86 | 15.0 | 24.5 | 6.47 | 7830 | 0.76 | 0.03 | 3.4 | 30.3 |
| KAS28389 | | 7.54 | 8.84 | 0.09 | 1.5 | 0.162 | 1.82 | 12.5 | 25.3 | 6.09 | 7980 | 1.96 | 0.04 | 3.5 | 48.6 |
| KAS28390 | | 8.09 | 9.48 | 0.09 | 1.4 | 0.098 | 1.86 | 12.2 | 26.1 | 7.19 | 4810 | 3.71 | 0.05 | 3.9 | 70.8 |
| KAS28391 | | 5.58 | 7.38 | 0.08 | 1.0 | 0.117 | 1.23 | 11.6 | 22.6 | 8.08 | 4910 | 1.50 | 0.04 | 3.2 | 45.6 |
| KAS28392 | | 6.33 | 7.24 | 0.09 | 1.0 | 0.128 | 1.31 | 16.4 | 18.2 | 6.80 | 5990 | 1.49 | 0.11 | 3.6 | 36.8 |
| KAS28392B | | 0.45 | 1.09 | 0.06 | 0.2 | <0.005 | 0.16 | 6.2 | 2.4 | 0.02 | 48 | 1.69 | 0.01 | 1.0 | 6.2 |
| KAR3357 | | >50 | 5.02 | 1.52 | 0.6 | 1.270 | 0.91 | 12.3 | 9.6 | 0.32 | 3280 | 2.52 | 0.01 | 0.5 | 83.3 |
| KAR3358 | | 8.83 | 1.95 | 0.06 | 0.2 | 0.251 | 0.04 | 6.1 | 7.0 | 9.40 | 6210 | 2.56 | 0.01 | 0.5 | 85.8 |
| KAR3359 | | 28.2 | 2.44 | 0.11 | 0.3 | 1.070 | 0.23 | 6.7 | 2.0 | 1.61 | 6210 | 11.70 | 0.01 | 0.5 | 91.7 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 4 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.1 |
| KAS28236 | | 18.3 | 35.0 | <0.002 | 0.01 | 1.19 | 3.5 | 1 | 0.7 | 26.0 | 0.23 | <0.05 | 3.60 | 0.094 | 0.8 |
| KAS28237 | | 13.8 | 49.9 | <0.002 | <0.01 | 0.95 | 4.3 | 1 | 0.8 | 26.1 | 0.27 | 0.05 | 4.27 | 0.108 | 0.9 |
| KAS28238 | | 50.9 | 81.1 | <0.002 | 0.02 | 2.18 | 6.7 | 1 | 1.4 | 26.3 | 0.41 | <0.05 | 6.90 | 0.186 | 1.2 |
| KAS28239 | | 37.3 | 48.9 | <0.002 | 0.01 | 1.65 | 4.2 | 1 | 0.8 | 24.3 | 0.26 | <0.05 | 3.85 | 0.106 | 0.8 |
| KAS28240 | | 62.8 | 83.0 | 0.002 | 0.02 | 1.97 | 7.7 | 1 | 1.5 | 21.2 | 0.45 | <0.05 | 6.81 | 0.201 | 1.2 |
| KAS28241 | | 60.6 | 69.3 | 0.002 | 0.01 | 1.70 | 6.3 | 1 | 1.2 | 20.8 | 0.38 | <0.05 | 5.45 | 0.164 | 1.0 |
| KAS28242 | | 85.7 | 104.5 | 0.002 | 0.04 | 2.07 | 10.8 | 1 | 1.8 | 34.9 | 0.53 | 0.07 | 9.00 | 0.245 | 1.7 |
| KAS28243 | | 26.1 | 66.2 | <0.002 | 0.02 | 2.41 | 6.2 | 1 | 1.1 | 18.0 | 0.37 | <0.05 | 5.14 | 0.155 | 0.9 |
| KAS28244 | | 40.3 | 86.9 | 0.003 | 0.03 | 3.12 | 8.0 | 1 | 1.4 | 17.4 | 0.47 | <0.05 | 6.80 | 0.201 | 1.2 |
| KAS28245 | | 37.5 | 101.0 | <0.002 | 0.02 | 1.64 | 9.5 | 1 | 1.7 | 18.2 | 0.52 | 0.06 | 8.03 | 0.223 | 1.2 |
| KAS28246 | | 19.3 | 72.9 | <0.002 | 0.02 | 1.40 | 7.2 | 1 | 1.4 | 20.0 | 0.42 | <0.05 | 5.94 | 0.171 | 0.9 |
| KAS28247 | | 51.0 | 60.4 | <0.002 | 0.01 | 1.14 | 6.4 | 1 | 1.1 | 21.1 | 0.37 | <0.05 | 5.25 | 0.157 | 1.0 |
| KAS28248 | | 63.6 | 61.9 | <0.002 | 0.01 | 1.34 | 6.1 | 1 | 1.1 | 20.5 | 0.37 | <0.05 | 5.16 | 0.157 | 0.9 |
| KAS28249 | | 39.7 | 68.8 | <0.002 | 0.01 | 1.30 | 6.4 | 1 | 1.3 | 18.6 | 0.39 | <0.05 | 5.36 | 0.166 | 1.0 |
| KAS28250 | | 51.2 | 78.8 | <0.002 | 0.02 | 2.09 | 7.4 | 1 | 1.3 | 24.6 | 0.41 | 0.06 | 6.23 | 0.182 | 1.0 |
| KAS28253 | | 65.8 | 54.7 | <0.002 | 0.01 | 1.38 | 5.6 | 1 | 1.0 | 27.5 | 0.32 | <0.05 | 5.08 | 0.135 | 1.0 |
| KAS28373 | | 164.0 | 17.5 | <0.002 | <0.01 | 3.88 | 1.9 | 1 | 0.4 | 47.4 | 0.08 | <0.05 | 1.88 | 0.034 | 1.5 |
| KAS28374 | | 124.0 | 11.8 | <0.002 | <0.01 | 0.75 | 1.4 | 1 | 0.3 | 48.0 | 0.06 | <0.05 | 1.19 | 0.026 | 0.7 |
| KAS28375 | | 1060 | 51.2 | <0.002 | 0.02 | 2.90 | 3.6 | 1 | 1.0 | 54.3 | 0.22 | <0.05 | 3.82 | 0.086 | 1.3 |
| KAS28376 | | 1345 | 47.7 | <0.002 | 0.03 | 3.11 | 3.2 | 1 | 1.0 | 56.8 | 0.21 | <0.05 | 4.05 | 0.080 | 1.7 |
| KAS28377 | | 101.5 | 11.1 | <0.002 | 0.01 | 2.08 | 1.0 | 1 | 0.2 | 48.7 | 0.07 | <0.05 | 1.26 | 0.022 | 1.2 |
| KAS28378 | | 971 | 20.4 | 0.002 | 0.01 | 20.0 | 2.3 | 1 | 0.4 | 46.9 | 0.11 | <0.05 | 2.24 | 0.043 | 1.6 |
| KAS28379 | | 2120 | 35.8 | <0.002 | 0.04 | 19.30 | 3.9 | 1 | 0.7 | 48.9 | 0.15 | <0.05 | 3.43 | 0.069 | 2.1 |
| KAS28380 | | 4640 | 35.3 | <0.002 | 0.06 | 23.5 | 4.0 | 2 | 0.7 | 50.6 | 0.14 | <0.05 | 3.29 | 0.065 | 2.5 |
| KAS28381 | | 3870 | 42.2 | <0.002 | 0.04 | 17.05 | 4.7 | 1 | 0.8 | 53.0 | 0.17 | <0.05 | 3.65 | 0.083 | 2.6 |
| KAS28382 | | 407 | 41.1 | <0.002 | 0.11 | 2.93 | 4.7 | 2 | 0.6 | 32.7 | 0.25 | <0.05 | 4.60 | 0.097 | 2.1 |
| KAS28383 | | 469 | 88.8 | <0.002 | 0.04 | 4.20 | 7.4 | 1 | 1.3 | 28.2 | 0.38 | <0.05 | 7.28 | 0.169 | 1.8 |
| KAS28384 | | 605 | 95.8 | <0.002 | 0.05 | 7.72 | 8.0 | 1 | 1.4 | 27.9 | 0.38 | <0.05 | 7.89 | 0.178 | 1.9 |
| KAS28385 | | 48.9 | 62.9 | 0.002 | 0.05 | 1.25 | 6.0 | 1 | 1.1 | 33.7 | 0.30 | <0.05 | 5.28 | 0.132 | 1.0 |
| KAS28386 | | 49.4 | 66.5 | <0.002 | 0.04 | 1.20 | 5.9 | 1 | 1.1 | 37.6 | 0.27 | <0.05 | 5.21 | 0.126 | 1.0 |
| KAS28387 | | 357 | 58.9 | <0.002 | 0.03 | 6.79 | 5.2 | 1 | 1.0 | 39.1 | 0.22 | 0.07 | 4.54 | 0.095 | 1.4 |
| KAS28388 | | 224 | 66.8 | <0.002 | 0.03 | 3.41 | 5.4 | 1 | 1.1 | 36.0 | 0.25 | <0.05 | 5.32 | 0.118 | 1.3 |
| KAS28389 | | 453 | 66.8 | <0.002 | 0.06 | 5.43 | 5.5 | 1 | 1.2 | 42.1 | 0.25 | 0.06 | 5.38 | 0.121 | 1.7 |
| KAS28390 | | 413 | 64.7 | <0.002 | 0.06 | 7.42 | 5.8 | 1 | 1.1 | 34.2 | 0.31 | 0.08 | 6.09 | 0.126 | 1.8 |
| KAS28391 | | 592 | 42.3 | <0.002 | 0.05 | 4.50 | 4.7 | 1 | 0.9 | 38.6 | 0.23 | <0.05 | 4.48 | 0.104 | 1.4 |
| KAS28392 | | 1165 | 49.1 | <0.002 | 0.07 | 6.42 | 5.5 | 1 | 0.9 | 43.6 | 0.24 | <0.05 | 4.48 | 0.117 | 1.8 |
| KAS28392B | | 1.8 | 4.8 | <0.002 | <0.01 | 0.20 | 0.6 | <1 | 0.4 | 5.7 | <0.05 | <0.05 | 2.14 | 0.027 | 0.3 |
| KAR3357 | | 1280 | 48.4 | 0.002 | 0.12 | 69.3 | 3.2 | 5 | 1.1 | 11.0 | <0.05 | <0.05 | 3.81 | 0.024 | 13.3 |
| KAR3358 | | 54.7 | 2.1 | <0.002 | 0.01 | 3.46 | 3.5 | 2 | <0.2 | 86.8 | <0.05 | <0.05 | 1.13 | 0.013 | 1.8 |
| KAR3359 | | 4380 | 10.9 | <0.002 | 0.49 | 45.4 | 3.4 | 4 | 3.6 | 20.1 | <0.05 | <0.05 | 1.31 | 0.016 | 16.9 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 4 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAS28236 | | 20 | 0.4 | 15.3 | 44 | 32.1 | | | |
| KAS28237 | | 24 | 0.5 | 13.0 | 43 | 38.2 | | | |
| KAS28238 | | 41 | 1.8 | 17.6 | 98 | 52.7 | | | |
| KAS28239 | | 24 | 0.8 | 11.5 | 78 | 30.3 | | | |
| KAS28240 | | 44 | 1.4 | 17.9 | 138 | 51.8 | | | |
| KAS28241 | | 36 | 1.2 | 21.2 | 133 | 43.8 | | | |
| KAS28242 | | 68 | 1.5 | 24.8 | 132 | 63.1 | | | |
| KAS28243 | | 34 | 0.9 | 14.1 | 66 | 40.5 | | | |
| KAS28244 | | 44 | 1.1 | 19.1 | 98 | 49.6 | | | |
| KAS28245 | | 51 | 1.1 | 23.5 | 85 | 58.6 | | | |
| KAS28246 | | 38 | 0.7 | 15.8 | 63 | 42.8 | | | |
| KAS28247 | | 37 | 0.6 | 15.5 | 80 | 41.2 | | | |
| KAS28248 | | 35 | 0.6 | 14.3 | 91 | 41.4 | | | |
| KAS28249 | | 36 | 0.9 | 14.3 | 63 | 43.9 | | | |
| KAS28250 | | 41 | 1.5 | 18.4 | 107 | 48.8 | | | |
| KAS28253 | | 30 | 1.1 | 15.7 | 143 | 39.0 | | | |
| KAS28373 | | 20 | 0.8 | 12.8 | 813 | 13.6 | | | |
| KAS28374 | | 16 | 0.2 | 9.7 | 163 | 8.7 | | | |
| KAS28375 | | 25 | 0.7 | 12.5 | 780 | 30.9 | | | |
| KAS28376 | | 26 | 1.1 | 12.5 | 2510 | 30.3 | | | |
| KAS28377 | | 20 | 0.4 | 9.4 | 844 | 10.0 | | | |
| KAS28378 | | 25 | 0.6 | 11.9 | 4260 | 18.9 | | | |
| KAS28379 | | 25 | 1.0 | 15.9 | 3850 | 32.3 | | | |
| KAS28380 | | 26 | 0.9 | 16.0 | 8370 | 29.0 | | | |
| KAS28381 | | 31 | 1.6 | 17.5 | 6710 | 31.4 | | | |
| KAS28382 | | 31 | 0.5 | 13.4 | 1360 | 36.3 | | | |
| KAS28383 | | 46 | 0.8 | 15.8 | 1320 | 55.4 | | | |
| KAS28384 | | 52 | 1.1 | 13.8 | 1960 | 56.2 | | | |
| KAS28385 | | 31 | 0.5 | 18.1 | 178 | 43.6 | | | |
| KAS28386 | | 31 | 0.5 | 17.6 | 182 | 41.2 | | | |
| KAS28387 | | 24 | 0.5 | 16.1 | 842 | 37.5 | | | |
| KAS28388 | | 27 | 0.6 | 15.9 | 852 | 41.6 | | | |
| KAS28389 | | 30 | 0.6 | 18.1 | 1170 | 47.3 | | | |
| KAS28390 | | 33 | 0.6 | 18.0 | 773 | 53.4 | | | |
| KAS28391 | | 28 | 0.6 | 14.4 | 1510 | 38.1 | | | |
| KAS28392 | | 36 | 1.2 | 18.3 | 2100 | 41.3 | | | |
| KAS28392B | | 5 | 0.1 | 1.3 | 3 | 4.6 | | | |
| KAR3357 | | 15 | 1.5 | 21.7 | 9180 | 26.0 | | | |
| KAR3358 | | 16 | 0.2 | 15.4 | 373 | 9.2 | | | |
| KAR3359 | | 21 | 3.4 | 21.0 | >10000 | 11.0 | | | 6.51 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAR3360 | | 0.24 | <0.001 | 0.37 | 5.51 | 26.0 | 440 | 1.46 | 0.74 | 0.06 | 3.37 | 51.5 | 10.4 | 134 | 2.90 | 19.5 |
| KAR3361 | | 0.22 | 0.015 | 3.29 | 6.07 | 117.5 | 290 | 1.49 | 4.52 | 1.00 | 6.88 | 45.6 | 52.6 | 225 | 5.22 | 424 |
| KAR3362 | | 0.26 | 0.001 | 3.64 | 4.47 | 86.2 | 270 | 1.25 | 0.31 | 0.04 | 11.35 | 42.1 | 8.9 | 170 | 3.68 | 1230 |
| KAR3363 | | 0.24 | <0.001 | 1.03 | 0.19 | 12.4 | 360 | 0.14 | 0.17 | 12.00 | 0.23 | 3.91 | 7.2 | <1 | 0.44 | 16.1 |
| KAR3364 | | 0.24 | 0.007 | 18.60 | 4.33 | 750 | 280 | 0.91 | 2.10 | 0.06 | 246 | 4.98 | 8.6 | 55 | 1.61 | 530 |
| KAR3365 | | 0.24 | 0.010 | 0.27 | 0.83 | 92.8 | 40 | 0.19 | 2.15 | 0.30 | 1.28 | 11.90 | 14.1 | 9 | 0.40 | 10.9 |
| KAR3366 | | 0.24 | 0.003 | 0.09 | 0.87 | 47.1 | 40 | 0.27 | 1.02 | 0.37 | 1.12 | 8.97 | 5.5 | 8 | 0.36 | 5.2 |
| KAR3367 | | 0.22 | 0.052 | 17.65 | 3.49 | 43.2 | 330 | 1.22 | 3.33 | 0.04 | 4.32 | 31.0 | 25.4 | 203 | 2.61 | 262 |
| KAR3368 | | 0.24 | 0.001 | 6.25 | 0.75 | 19.4 | 40 | 0.28 | 2.09 | 11.85 | 657 | 15.45 | 12.8 | 9 | 1.33 | 282 |
| KAR3369 | | 0.22 | <0.001 | 0.05 | 0.36 | 3.9 | 10 | 0.21 | 0.18 | 2.44 | 0.65 | 9.69 | 8.1 | 2 | 0.33 | 8.6 |
| KAR3370 | | 0.18 | <0.001 | 0.19 | 0.61 | 1.8 | 30 | 0.25 | 0.20 | 0.51 | 3.12 | 5.51 | 9.9 | 5 | 0.69 | 15.2 |
| KAR3371 | | 0.22 | 0.001 | 21.8 | 1.15 | 10.7 | 30 | 0.35 | 5.60 | 0.14 | 123.5 | 13.35 | 6.1 | 7 | 1.75 | 376 |
| KAR3372 | | 0.24 | 0.002 | >100 | 1.44 | 10.0 | 10 | 0.32 | 6.21 | 0.14 | >1000 | 18.20 | 1.7 | 18 | 1.38 | 821 |
| KAR3373 | | 0.22 | 0.002 | 34.7 | 0.94 | 33.0 | 20 | 0.30 | 9.56 | 0.18 | 232 | 10.75 | 5.7 | 18 | 0.87 | 666 |
| KAR3374 | | 0.22 | <0.001 | 53.9 | 0.45 | 50.2 | 20 | 0.23 | 2.14 | 0.01 | 30.4 | 3.30 | 5.4 | 39 | 0.44 | 1140 |
| KAR3375 | | 0.22 | 0.001 | 0.22 | 0.61 | 15.6 | 80 | 0.74 | 0.92 | 23.4 | 0.59 | 13.60 | 10.6 | 6 | 0.79 | 7.3 |
| KAR3376 | | 0.22 | 0.001 | 4.78 | 0.24 | 190.5 | 7410 | 0.30 | 0.23 | 8.82 | 8.81 | 3.87 | 34.1 | 2 | 0.19 | 89.9 |
| KAR3377 | | 0.22 | <0.001 | 0.62 | 0.17 | 24.0 | 1000 | 0.10 | 0.15 | 22.1 | 1.63 | 5.16 | 6.6 | 2 | 0.29 | 11.2 |
| KAS28525 | | 0.22 | 0.002 | 0.18 | 6.17 | 28.3 | 380 | 1.83 | 1.48 | 1.63 | 0.37 | 67.6 | 15.4 | 150 | 4.43 | 77.0 |
| KAS28564 | | 0.24 | 0.001 | 0.54 | 6.50 | 22.2 | 660 | 1.91 | 0.57 | 0.49 | 2.34 | 71.6 | 16.5 | 138 | 4.49 | 38.1 |
| KAS28565 | | 0.24 | 0.001 | 0.69 | 6.87 | 24.3 | 640 | 2.19 | 0.72 | 0.63 | 2.34 | 72.7 | 15.4 | 140 | 5.65 | 43.1 |
| KAS28566 | | 0.26 | 0.001 | 0.57 | 6.03 | 24.1 | 530 | 1.93 | 0.57 | 2.91 | 2.58 | 65.1 | 13.6 | 137 | 4.69 | 39.0 |
| KAS28567 | | 0.24 | 0.001 | 0.71 | 5.38 | 30.7 | 430 | 1.89 | 0.66 | 5.05 | 3.39 | 57.8 | 15.9 | 142 | 4.37 | 46.7 |
| KAS28568 | | 0.24 | 0.001 | 0.94 | 4.85 | 44.2 | 380 | 1.57 | 0.90 | 6.77 | 4.41 | 52.2 | 16.0 | 86 | 4.00 | 58.1 |
| KAS28569 | | 0.26 | 0.002 | 0.86 | 6.31 | 37.0 | 510 | 2.10 | 0.87 | 1.51 | 4.35 | 62.9 | 17.6 | 135 | 5.18 | 50.4 |
| KAS28574 | | 0.26 | 0.002 | 0.54 | 6.18 | 23.8 | 580 | 1.98 | 0.57 | 0.67 | 2.99 | 64.6 | 14.8 | 161 | 4.86 | 31.0 |
| KAS28575 | | 0.24 | 0.002 | 0.63 | 4.77 | 20.0 | 500 | 1.64 | 0.56 | 1.50 | 3.60 | 50.8 | 15.5 | 144 | 4.57 | 35.0 |
| KAS28576 | | 0.26 | 0.001 | 0.68 | 4.86 | 26.0 | 430 | 1.50 | 0.65 | 1.17 | 2.94 | 51.9 | 16.0 | 161 | 4.82 | 38.4 |
| KAS28577 | | 0.24 | 0.002 | 0.26 | 6.52 | 20.0 | 570 | 2.15 | 0.45 | 0.35 | 1.91 | 70.9 | 13.0 | 202 | 5.23 | 22.8 |
| KAS28578 | | 0.24 | 0.002 | 0.35 | 6.31 | 15.9 | 550 | 2.14 | 0.43 | 1.02 | 2.26 | 65.9 | 9.5 | 166 | 5.21 | 27.4 |
| KAS28579 | | 0.24 | 0.003 | 0.42 | 5.74 | 17.9 | 620 | 1.78 | 0.59 | 0.94 | 1.56 | 63.9 | 16.3 | 150 | 4.56 | 34.1 |
| KAS28581 | | 0.28 | 0.001 | 0.27 | 5.59 | 14.1 | 470 | 1.76 | 0.42 | 2.63 | 1.29 | 57.9 | 11.2 | 123 | 3.63 | 28.1 |
| KAS28582 | | 0.24 | 0.001 | 0.33 | 6.62 | 27.7 | 590 | 2.28 | 0.67 | 0.23 | 2.67 | 69.8 | 16.0 | 136 | 5.44 | 24.7 |
| KAS28583 | | 0.26 | 0.001 | 0.45 | 6.57 | 30.8 | 560 | 2.26 | 0.70 | 0.23 | 3.70 | 71.5 | 17.0 | 145 | 5.16 | 34.2 |
| KAS28584 | | 0.24 | 0.003 | 0.79 | 6.54 | 39.5 | 540 | 2.25 | 0.95 | 0.48 | 4.43 | 68.5 | 20.6 | 131 | 5.29 | 45.0 |
| KAS28585 | | 0.24 | 0.002 | 0.70 | 6.20 | 41.1 | 550 | 2.15 | 0.83 | 0.46 | 4.38 | 73.7 | 18.8 | 150 | 4.81 | 41.2 |
| KAS28586 | | 0.26 | 0.001 | 0.55 | 6.45 | 39.9 | 560 | 2.32 | 0.89 | 0.36 | 3.62 | 74.6 | 20.2 | 163 | 5.08 | 36.4 |
| KAS28283 | | 0.22 | 0.003 | 0.47 | 6.54 | 15.8 | 620 | 2.32 | 0.56 | 0.16 | 1.22 | 76.4 | 20.8 | 120 | 5.38 | 34.3 |
| KAS28284 | | 0.22 | 0.002 | 0.43 | 6.63 | 20.4 | 610 | 2.39 | 0.70 | 0.13 | 1.32 | 79.6 | 29.0 | 180 | 5.60 | 39.6 |
| KAS28285 | | 0.24 | 0.003 | 0.62 | 6.39 | 24.4 | 560 | 2.30 | 0.69 | 0.09 | 1.62 | 72.5 | 28.8 | 127 | 5.15 | 47.6 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| KAR3360 | | 7.93 | 14.45 | 0.11 | 1.7 | 0.111 | 2.99 | 26.7 | 25.7 | 0.83 | 9440 | 0.75 | 0.03 | 4.5 | 29.6 | 310 |
| KAR3361 | | 9.26 | 16.80 | 0.14 | 1.7 | 0.264 | 2.95 | 23.8 | 21.3 | 0.78 | 4840 | 2.47 | 0.07 | 4.0 | 72.9 | 530 |
| KAR3362 | | 7.29 | 11.70 | 0.10 | 1.4 | 0.257 | 2.34 | 22.1 | 17.0 | 0.34 | 2560 | 1.21 | 0.02 | 2.3 | 21.8 | 300 |
| KAR3363 | | 39.2 | 0.84 | 0.22 | 0.1 | 1.370 | 0.05 | 2.2 | 0.8 | 0.38 | 26500 | 6.12 | <0.01 | 0.1 | 54.3 | 80 |
| KAR3364 | | 24.6 | 14.00 | 2.34 | 0.2 | 0.335 | 2.39 | 1.9 | 7.4 | 0.39 | 33700 | 0.68 | 0.02 | 0.9 | 19.6 | 430 |
| KAR3365 | | >50 | 3.10 | 0.59 | 0.4 | 1.280 | 0.37 | 6.7 | 2.9 | 0.44 | 30300 | 7.95 | 0.02 | 0.4 | 42.5 | 490 |
| KAR3366 | | >50 | 2.88 | 0.69 | 0.3 | 1.215 | 0.39 | 5.1 | 3.3 | 0.69 | 26000 | 4.47 | 0.02 | 0.5 | 23.5 | 380 |
| KAR3367 | | 19.75 | 9.57 | 0.11 | 1.6 | 0.254 | 1.96 | 17.3 | 17.9 | 0.66 | 200 | 13.30 | 0.03 | 2.1 | 66.6 | 410 |
| KAR3368 | | 15.70 | 3.69 | 0.08 | 0.4 | 0.721 | 0.31 | 8.0 | 4.3 | 5.24 | 18050 | 0.62 | 0.03 | 0.8 | 26.9 | 150 |
| KAR3369 | | 42.1 | 1.56 | 0.28 | 0.1 | 1.145 | 0.09 | 7.0 | 5.2 | 3.29 | 41200 | 0.46 | 0.01 | 0.4 | 27.7 | 100 |
| KAR3370 | | >50 | 2.40 | 0.90 | 0.2 | 1.735 | 0.15 | 2.9 | 2.9 | 0.78 | 41800 | 2.27 | 0.05 | 1.5 | 38.8 | 210 |
| KAR3371 | | 42.8 | 4.62 | 25.1 | 0.5 | 1.885 | 0.48 | 8.9 | 1.9 | 0.15 | 71700 | 6.98 | 0.01 | 0.6 | 22.8 | 280 |
| KAR3372 | | 11.90 | 5.33 | 0.08 | 0.6 | 1.590 | 0.53 | 13.4 | 2.9 | 0.23 | 17800 | 2.38 | 0.03 | 1.2 | 4.4 | 390 |
| KAR3373 | | 33.5 | 3.85 | 11.85 | 0.4 | 1.280 | 0.34 | 7.3 | 2.8 | 0.19 | 64600 | 2.39 | 0.01 | 0.5 | 22.1 | 270 |
| KAR3374 | | 35.1 | 1.62 | 3.81 | 0.1 | 1.210 | 0.19 | 2.0 | 5.4 | 0.07 | 4490 | 0.87 | 0.01 | 0.2 | 11.4 | 90 |
| KAR3375 | | 6.86 | 1.69 | 0.06 | 0.3 | 0.166 | 0.28 | 7.8 | 4.4 | 6.80 | 7540 | 1.95 | 0.02 | 0.9 | 44.9 | 130 |
| KAR3376 | | 39.0 | 1.54 | 0.26 | 0.1 | 1.240 | 0.04 | 3.4 | 0.5 | 0.30 | 62200 | 10.50 | 0.01 | 0.2 | 121.0 | 170 |
| KAR3377 | | 22.0 | 0.80 | 0.08 | 0.1 | 0.724 | 0.06 | 2.6 | 0.5 | 0.51 | 31400 | 3.50 | <0.01 | 0.2 | 31.8 | 100 |
| KAS28525 | | 4.80 | 16.70 | 0.13 | 2.5 | 0.100 | 3.29 | 37.8 | 41.0 | 1.81 | 3580 | 3.81 | 0.28 | 9.4 | 47.3 | 880 |
| KAS28564 | | 4.48 | 15.85 | 0.13 | 2.3 | 0.067 | 3.52 | 38.2 | 39.1 | 1.24 | 2390 | 1.14 | 0.34 | 9.4 | 33.2 | 630 |
| KAS28565 | | 4.11 | 18.00 | 0.15 | 2.6 | 0.072 | 3.76 | 39.4 | 40.7 | 1.48 | 1780 | 1.13 | 0.24 | 10.0 | 32.2 | 500 |
| KAS28566 | | 3.81 | 15.95 | 0.14 | 2.2 | 0.075 | 3.39 | 36.1 | 38.1 | 2.61 | 2040 | 1.00 | 0.19 | 9.4 | 30.4 | 510 |
| KAS28567 | | 3.74 | 13.90 | 0.12 | 2.0 | 0.073 | 3.22 | 32.2 | 34.6 | 3.63 | 2020 | 1.09 | 0.10 | 8.1 | 30.6 | 430 |
| KAS28568 | | 4.00 | 12.60 | 0.11 | 1.9 | 0.081 | 2.82 | 28.9 | 28.7 | 4.37 | 2480 | 1.08 | 0.09 | 7.1 | 28.9 | 410 |
| KAS28569 | | 4.37 | 16.30 | 0.14 | 2.3 | 0.083 | 3.62 | 34.8 | 36.5 | 1.88 | 2300 | 1.32 | 0.10 | 8.5 | 32.6 | 480 |
| KAS28574 | | 4.09 | 16.00 | 0.13 | 2.2 | 0.073 | 3.29 | 35.0 | 38.2 | 1.19 | 2150 | 1.51 | 0.25 | 9.0 | 28.0 | 810 |
| KAS28575 | | 4.03 | 12.10 | 0.13 | 1.6 | 0.072 | 2.30 | 27.2 | 35.7 | 1.09 | 2920 | 2.10 | 0.32 | 7.1 | 24.8 | 1660 |
| KAS28576 | | 4.85 | 12.40 | 0.14 | 1.8 | 0.088 | 2.57 | 27.4 | 29.5 | 1.12 | 2850 | 2.14 | 0.19 | 6.7 | 23.5 | 1170 |
| KAS28577 | | 3.44 | 17.15 | 0.13 | 2.7 | 0.060 | 3.79 | 37.8 | 43.2 | 1.23 | 1810 | 1.74 | 0.15 | 9.7 | 24.4 | 460 |
| KAS28578 | | 3.53 | 16.50 | 0.15 | 2.3 | 0.062 | 3.48 | 36.4 | 41.8 | 1.63 | 1620 | 1.38 | 0.21 | 9.7 | 26.6 | 830 |
| KAS28579 | | 4.54 | 15.05 | 0.15 | 2.2 | 0.071 | 2.50 | 35.2 | 41.2 | 1.43 | 2240 | 2.00 | 0.44 | 10.3 | 32.3 | 1040 |
| KAS28581 | | 3.51 | 14.20 | 0.12 | 2.1 | 0.060 | 3.16 | 31.1 | 39.5 | 2.48 | 2140 | 1.07 | 0.20 | 9.3 | 23.5 | 700 |
| KAS28582 | | 4.21 | 17.85 | 0.14 | 2.8 | 0.080 | 3.51 | 36.7 | 38.9 | 1.13 | 2540 | 1.28 | 0.17 | 9.9 | 25.1 | 640 |
| KAS28583 | | 4.37 | 17.55 | 0.14 | 2.4 | 0.081 | 3.51 | 38.0 | 39.3 | 1.17 | 2700 | 1.24 | 0.15 | 9.7 | 28.8 | 590 |
| KAS28584 | | 5.24 | 16.80 | 0.15 | 2.4 | 0.101 | 3.37 | 37.0 | 37.2 | 1.30 | 3570 | 1.32 | 0.18 | 8.6 | 34.2 | 860 |
| KAS28585 | | 4.68 | 16.05 | 0.14 | 2.2 | 0.098 | 3.39 | 33.8 | 39.3 | 1.28 | 3180 | 1.27 | 0.13 | 7.6 | 31.7 | 650 |
| KAS28586 | | 4.84 | 16.80 | 0.13 | 2.3 | 0.100 | 3.45 | 36.2 | 41.7 | 1.25 | 3010 | 1.36 | 0.14 | 8.3 | 31.9 | 700 |
| KAS28283 | | 3.53 | 16.65 | 0.12 | 2.3 | 0.065 | 3.64 | 37.2 | 52.5 | 1.23 | 1060 | 1.62 | 0.17 | 9.0 | 32.1 | 420 |
| KAS28284 | | 4.08 | 17.65 | 0.13 | 2.5 | 0.069 | 3.77 | 38.5 | 52.8 | 1.26 | 1310 | 1.69 | 0.13 | 9.3 | 34.7 | 470 |
| KAS28285 | | 4.23 | 16.20 | 0.12 | 2.3 | 0.063 | 3.69 | 36.2 | 49.4 | 1.22 | 1260 | 1.50 | 0.09 | 8.1 | 35.1 | 420 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 5 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 Pb ppm 0.5 | ME-MS61 Rb ppm 0.1 | ME-MS61 Re ppm 0.002 | ME-MS61 S % 0.01 | ME-MS61 Sb ppm 0.05 | ME-MS61 Sc ppm 0.1 | ME-MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME-MS61 Sr ppm 0.2 | ME-MS61 Ta ppm 0.05 | ME-MS61 Te ppm 0.05 | ME-MS61 Th ppm 0.01 | ME-MS61 Ti % 0.005 | ME-MS61 Tl ppm 0.02 | ME-MS61 U ppm 0.1 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|----------------------------|
| KAR3360 | | 341 | 118.0 | <0.002 | <0.01 | 2.76 | 11.6 | <1 | 1.7 | 57.8 | 0.30 | <0.05 | 8.82 | 0.191 | 0.51 | 1.8 |
| KAR3361 | | 788 | 129.0 | <0.002 | 0.07 | 11.65 | 28.2 | 1 | 1.5 | 31.4 | 0.27 | <0.05 | 6.07 | 0.329 | 0.64 | 1.4 |
| KAR3362 | | 2510 | 100.5 | <0.002 | 0.04 | 20.5 | 7.8 | 1 | 1.6 | 9.5 | 0.15 | <0.05 | 7.58 | 0.089 | 0.80 | 1.6 |
| KAR3363 | | 12.6 | 3.1 | <0.002 | <0.01 | 0.45 | 1.3 | 1 | <0.2 | 27.7 | <0.05 | <0.05 | 0.34 | <0.005 | 0.85 | 11.1 |
| KAR3364 | | >10000 | 74.0 | <0.002 | 0.51 | 99.3 | 26.7 | 1 | 0.8 | 32.1 | 0.06 | <0.05 | 0.39 | 0.155 | 0.54 | 0.8 |
| KAR3365 | | 44.5 | 16.4 | <0.002 | 0.02 | 1.73 | 4.5 | 2 | 0.3 | 41.5 | <0.05 | <0.05 | 2.19 | 0.013 | 0.17 | 10.1 |
| KAR3366 | | 8.7 | 15.8 | <0.002 | 0.02 | 0.71 | 3.7 | 1 | 0.3 | 24.0 | <0.05 | <0.05 | 1.86 | 0.015 | 0.07 | 4.6 |
| KAR3367 | | >10000 | 71.2 | <0.002 | 0.40 | 55.7 | 5.9 | 5 | 1.1 | 7.6 | 0.12 | 0.88 | 8.94 | 0.097 | 0.55 | 5.0 |
| KAR3368 | | 1160 | 13.9 | <0.002 | 0.74 | 4.78 | 2.0 | 3 | 0.8 | 52.9 | 0.06 | <0.05 | 1.82 | 0.027 | 0.16 | 0.8 |
| KAR3369 | | 15.8 | 4.0 | <0.002 | 0.09 | 0.43 | 1.9 | 1 | <0.2 | 20.8 | <0.05 | <0.05 | 0.86 | 0.008 | 0.02 | 0.6 |
| KAR3370 | | 45.5 | 9.1 | <0.002 | 0.02 | 0.70 | 1.6 | 1 | <0.2 | 49.2 | 0.08 | <0.05 | 1.08 | 0.034 | 0.08 | 2.0 |
| KAR3371 | | >10000 | 23.4 | <0.002 | 0.11 | 31.5 | 2.9 | 2 | 21.8 | 85.1 | 0.05 | <0.05 | 2.36 | 0.020 | 0.09 | 8.2 |
| KAR3372 | | >10000 | 25.2 | <0.002 | 0.28 | 227 | 1.7 | 4 | 6.8 | 22.1 | 0.10 | <0.05 | 2.61 | 0.035 | 0.12 | 5.1 |
| KAR3373 | | >10000 | 15.6 | <0.002 | 0.04 | 150.0 | 3.1 | 1 | 6.5 | 50.7 | 0.05 | <0.05 | 1.70 | 0.017 | 0.08 | 3.1 |
| KAR3374 | | >10000 | 8.4 | <0.002 | 0.74 | 123.0 | 1.3 | 1 | 216 | 2.4 | <0.05 | <0.05 | 0.82 | 0.008 | 0.04 | 2.1 |
| KAR3375 | | 157.0 | 11.5 | <0.002 | <0.01 | 7.74 | 1.6 | 1 | 0.4 | 80.7 | 0.07 | <0.05 | 1.23 | 0.026 | 0.09 | 2.5 |
| KAR3376 | | 77.7 | 1.9 | <0.002 | <0.01 | 34.0 | 2.6 | 1 | <0.2 | 27.9 | <0.05 | <0.05 | 0.77 | 0.005 | 1.32 | 14.1 |
| KAR3377 | | 47.1 | 3.1 | <0.002 | <0.01 | 2.08 | 1.4 | 1 | 0.3 | 35.1 | <0.05 | <0.05 | 0.57 | 0.006 | 0.18 | 5.0 |
| KAS28525 | | 28.7 | 123.5 | <0.002 | 0.04 | 4.30 | 11.3 | 1 | 2.1 | 28.5 | 0.70 | 0.06 | 11.50 | 0.270 | 0.56 | 2.7 |
| KAS28564 | | 303 | 120.0 | <0.002 | 0.02 | 3.42 | 11.0 | 1 | 1.9 | 49.8 | 0.72 | <0.05 | 10.95 | 0.313 | 0.69 | 2.2 |
| KAS28565 | | 350 | 138.0 | <0.002 | 0.02 | 4.25 | 12.2 | 1 | 2.3 | 40.3 | 0.75 | <0.05 | 11.90 | 0.309 | 0.78 | 2.4 |
| KAS28566 | | 330 | 125.5 | <0.002 | 0.02 | 3.55 | 10.6 | 1 | 2.0 | 37.7 | 0.71 | <0.05 | 10.75 | 0.281 | 0.69 | 2.1 |
| KAS28567 | | 494 | 117.0 | <0.002 | 0.03 | 4.22 | 9.3 | 1 | 1.8 | 29.8 | 0.61 | <0.05 | 9.42 | 0.239 | 0.61 | 1.9 |
| KAS28568 | | 588 | 103.5 | <0.002 | 0.03 | 5.07 | 8.2 | 1 | 1.6 | 30.3 | 0.54 | <0.05 | 8.66 | 0.216 | 0.59 | 1.8 |
| KAS28569 | | 667 | 133.0 | <0.002 | 0.04 | 4.87 | 10.7 | 1 | 2.0 | 21.7 | 0.66 | <0.05 | 10.70 | 0.273 | 0.73 | 2.1 |
| KAS28574 | | 343 | 127.0 | <0.002 | 0.06 | 3.24 | 11.0 | 1 | 2.0 | 42.4 | 0.66 | <0.05 | 10.65 | 0.281 | 0.70 | 3.1 |
| KAS28575 | | 298 | 98.3 | <0.002 | 0.17 | 2.81 | 9.3 | 2 | 1.5 | 57.7 | 0.52 | <0.05 | 7.67 | 0.240 | 0.50 | 5.7 |
| KAS28576 | | 327 | 95.8 | <0.002 | 0.14 | 4.24 | 9.4 | 1 | 1.5 | 33.0 | 0.46 | <0.05 | 8.11 | 0.219 | 0.49 | 5.6 |
| KAS28577 | | 213 | 143.0 | <0.002 | 0.02 | 3.17 | 11.0 | 1 | 2.2 | 26.2 | 0.75 | <0.05 | 11.25 | 0.291 | 0.72 | 2.8 |
| KAS28578 | | 168.0 | 132.0 | <0.002 | 0.06 | 2.65 | 11.3 | 1 | 2.0 | 35.6 | 0.74 | <0.05 | 10.65 | 0.289 | 0.70 | 3.0 |
| KAS28579 | | 159.5 | 109.5 | <0.002 | 0.09 | 2.30 | 12.1 | 2 | 1.8 | 71.5 | 0.74 | <0.05 | 9.90 | 0.303 | 0.57 | 3.1 |
| KAS28581 | | 152.0 | 107.0 | <0.002 | 0.04 | 2.34 | 9.6 | 1 | 1.8 | 34.9 | 0.69 | <0.05 | 9.13 | 0.282 | 0.55 | 2.0 |
| KAS28582 | | 416 | 138.0 | <0.002 | 0.03 | 3.42 | 11.1 | 1 | 2.2 | 28.5 | 0.78 | <0.05 | 11.40 | 0.297 | 0.78 | 2.2 |
| KAS28583 | | 479 | 136.0 | <0.002 | 0.03 | 3.99 | 11.3 | 1 | 2.1 | 25.6 | 0.74 | <0.05 | 11.70 | 0.294 | 0.76 | 2.3 |
| KAS28584 | | 608 | 125.5 | <0.002 | 0.05 | 4.60 | 11.3 | 1 | 2.0 | 29.4 | 0.66 | 0.06 | 11.35 | 0.288 | 0.73 | 2.4 |
| KAS28585 | | 487 | 138.0 | <0.002 | 0.04 | 4.23 | 11.0 | 1 | 1.8 | 23.2 | 0.55 | <0.05 | 10.35 | 0.251 | 0.66 | 2.1 |
| KAS28586 | | 533 | 143.5 | <0.002 | 0.04 | 4.22 | 11.9 | 1 | 1.9 | 25.8 | 0.58 | 0.05 | 11.05 | 0.260 | 0.71 | 2.2 |
| KAS28283 | | 221 | 157.0 | <0.002 | 0.02 | 4.43 | 11.5 | 1 | 1.9 | 25.8 | 0.66 | <0.05 | 12.35 | 0.279 | 0.82 | 2.3 |
| KAS28284 | | 213 | 169.5 | <0.002 | 0.02 | 5.40 | 11.6 | 1 | 2.0 | 23.1 | 0.70 | 0.06 | 11.90 | 0.284 | 0.85 | 2.5 |
| KAS28285 | | 239 | 159.0 | <0.002 | 0.02 | 5.66 | 10.9 | 1 | 1.8 | 15.3 | 0.58 | 0.06 | 11.50 | 0.257 | 0.81 | 2.4 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 5 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAR3360 | | 73 | 0.9 | 6.8 | 984 | 59.4 | | | |
| KAR3361 | | 208 | 1.7 | 11.1 | 4080 | 49.0 | | | |
| KAR3362 | | 32 | 1.1 | 5.1 | 5170 | 51.0 | | | |
| KAR3363 | | 10 | 0.3 | 9.5 | 180 | 2.2 | | | |
| KAR3364 | | 233 | 4.9 | 3.6 | >10000 | 7.7 | | 5.98 | 3.09 |
| KAR3365 | | 33 | 0.6 | 10.1 | 366 | 13.1 | | | |
| KAR3366 | | 36 | 0.6 | 9.5 | 279 | 13.2 | | | |
| KAR3367 | | 53 | 0.6 | 9.1 | 3400 | 70.3 | | 1.315 | |
| KAR3368 | | 15 | 0.7 | 17.5 | >10000 | 12.5 | | | 9.33 |
| KAR3369 | | 10 | 0.1 | 10.4 | 229 | 5.3 | | | |
| KAR3370 | | 34 | 0.2 | 11.7 | 1140 | 9.0 | | | |
| KAR3371 | | 51 | 1.6 | 11.8 | >10000 | 16.1 | | 4.11 | 3.30 |
| KAR3372 | | 52 | 1.6 | 3.6 | >10000 | 19.9 | 141 | 17.60 | 22.3 |
| KAR3373 | | 32 | 1.7 | 10.6 | >10000 | 13.6 | | 2.16 | 4.98 |
| KAR3374 | | 11 | 0.3 | 3.0 | >10000 | 4.7 | | 12.25 | 1.465 |
| KAR3375 | | 15 | 0.4 | 11.8 | 444 | 11.5 | | | |
| KAR3376 | | 20 | 9.4 | 14.7 | 1320 | 4.2 | | | |
| KAR3377 | | 10 | 0.3 | 10.3 | 329 | 3.7 | | | |
| KAS28525 | | 95 | 1.4 | 20.4 | 102 | 84.3 | | | |
| KAS28564 | | 85 | 1.4 | 16.0 | 777 | 76.8 | | | |
| KAS28565 | | 81 | 1.5 | 14.9 | 819 | 85.4 | | | |
| KAS28566 | | 69 | 1.4 | 14.5 | 810 | 77.6 | | | |
| KAS28567 | | 58 | 1.3 | 11.6 | 1100 | 69.1 | | | |
| KAS28568 | | 52 | 1.2 | 11.4 | 1360 | 64.9 | | | |
| KAS28569 | | 69 | 1.4 | 12.3 | 1400 | 77.6 | | | |
| KAS28574 | | 78 | 1.3 | 15.0 | 926 | 80.5 | | | |
| KAS28575 | | 66 | 1.0 | 16.1 | 768 | 60.4 | | | |
| KAS28576 | | 62 | 1.0 | 17.2 | 801 | 60.4 | | | |
| KAS28577 | | 75 | 1.4 | 11.8 | 571 | 83.4 | | | |
| KAS28578 | | 75 | 1.3 | 14.0 | 575 | 77.3 | | | |
| KAS28579 | | 88 | 1.2 | 20.1 | 495 | 75.6 | | | |
| KAS28581 | | 74 | 1.1 | 13.8 | 393 | 72.9 | | | |
| KAS28582 | | 78 | 1.4 | 10.6 | 885 | 85.6 | | | |
| KAS28583 | | 76 | 1.5 | 12.8 | 1160 | 93.6 | | | |
| KAS28584 | | 77 | 1.4 | 16.8 | 1380 | 79.1 | | | |
| KAS28585 | | 69 | 1.1 | 14.0 | 1220 | 80.8 | | | |
| KAS28586 | | 72 | 1.7 | 15.6 | 1160 | 82.3 | | | |
| KAS28283 | | 79 | 1.1 | 11.9 | 630 | 83.8 | | | |
| KAS28284 | | 77 | 1.2 | 12.3 | 665 | 91.7 | | | |
| KAS28285 | | 71 | 1.0 | 11.5 | 801 | 87.9 | | | |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAS28286 | | 0.22 | 0.001 | 0.21 | 6.43 | 14.2 | 620 | 2.08 | 0.46 | 0.18 | 1.09 | 71.6 | 16.2 | 131 | 4.75 | 21.2 |
| KAS28287 | | 0.22 | 0.001 | 0.46 | 5.50 | 31.0 | 470 | 1.87 | 0.80 | 3.25 | 2.20 | 67.7 | 16.3 | 116 | 4.07 | 37.2 |
| KAS28288 | | 0.24 | 0.001 | 0.12 | 2.47 | 6.2 | 180 | 0.90 | 0.20 | 13.70 | 1.14 | 29.3 | 3.4 | 33 | 1.67 | 10.0 |
| KAS28289 | | 0.24 | 0.001 | 0.12 | 0.33 | 5.4 | 20 | 0.20 | 0.14 | 20.1 | 1.62 | 7.84 | 1.3 | 4 | 0.17 | 4.0 |
| KAS28290 | | 0.24 | 0.001 | 0.27 | 0.65 | 11.7 | 50 | 0.42 | 0.33 | 18.25 | 1.97 | 11.20 | 2.6 | 9 | 0.56 | 6.2 |
| KAS28291 | | 0.24 | 0.002 | 0.43 | 1.05 | 32.1 | 110 | 0.45 | 0.83 | 17.15 | 0.96 | 17.05 | 5.3 | 13 | 0.65 | 36.8 |
| KAS28292 | | 0.24 | 0.001 | 0.12 | 1.44 | 42.4 | 150 | 0.45 | 0.24 | 17.65 | 0.71 | 16.40 | 3.5 | 12 | 0.64 | 8.3 |
| KAS28293 | | 0.24 | 0.001 | 0.33 | 1.42 | 39.4 | 190 | 0.47 | 1.10 | 17.30 | 1.53 | 14.25 | 5.5 | 13 | 0.81 | 22.1 |
| KAS28294 | | 0.24 | 0.001 | 0.64 | 0.74 | 51.2 | 80 | 0.30 | 2.48 | 19.10 | 3.30 | 10.70 | 2.4 | 7 | 0.43 | 71.2 |
| KAS28295 | | 0.24 | 0.002 | 0.24 | 1.06 | 19.9 | 130 | 0.42 | 0.56 | 18.95 | 0.67 | 13.10 | 4.0 | 11 | 0.60 | 22.0 |
| KAS28521 | | 0.22 | 0.001 | 0.81 | 3.62 | 81.2 | 270 | 1.16 | 2.21 | 9.99 | 1.23 | 46.0 | 9.8 | 74 | 2.16 | 94.0 |
| KAS28522 | | 0.22 | 0.001 | 0.35 | 3.89 | 36.7 | 300 | 1.21 | 1.57 | 9.38 | 0.93 | 50.5 | 11.6 | 82 | 2.50 | 72.9 |
| KAS28523 | | 0.24 | 0.001 | 0.23 | 5.76 | 28.1 | 450 | 2.06 | 0.76 | 2.96 | 0.46 | 75.2 | 18.0 | 93 | 4.50 | 43.3 |
| KAS28524 | | 0.24 | 0.002 | 0.35 | 6.28 | 61.9 | 470 | 2.31 | 3.65 | 0.56 | 0.67 | 79.3 | 21.3 | 145 | 4.73 | 160.5 |
| KAS28526 | | 0.22 | 0.001 | 0.44 | 4.74 | 21.9 | 340 | 1.54 | 0.64 | 7.14 | 2.78 | 54.1 | 10.7 | 64 | 3.25 | 27.3 |
| KAS28527 | | 0.24 | 0.001 | 0.67 | 4.27 | 26.9 | 320 | 1.47 | 0.70 | 8.02 | 3.54 | 51.0 | 13.4 | 60 | 3.26 | 37.6 |
| KAS28528 | | 0.24 | 0.002 | 0.67 | 4.24 | 40.5 | 320 | 1.49 | 0.66 | 8.21 | 3.03 | 49.4 | 12.2 | 55 | 3.07 | 40.5 |
| KAS28067 | | 0.22 | 0.002 | 0.19 | 5.75 | 18.0 | 520 | 1.46 | 0.31 | 4.86 | 0.23 | 59.0 | 11.8 | 110 | 1.99 | 18.9 |
| KAS28068 | | 0.24 | 0.004 | 0.81 | 4.29 | 30.9 | 320 | 1.05 | 0.46 | 9.62 | 0.43 | 48.3 | 10.2 | 61 | 1.77 | 17.6 |
| KAS28069 | | 0.22 | 0.002 | 0.30 | 3.96 | 14.9 | 300 | 0.98 | 0.26 | 9.85 | 0.15 | 43.7 | 8.7 | 71 | 1.37 | 14.9 |
| KAS28070 | | 0.18 | 0.002 | 0.73 | 3.88 | 87.5 | 240 | 1.00 | 0.22 | 9.32 | 0.68 | 45.3 | 9.0 | 57 | 1.75 | 23.9 |
| KAS28071 | | 0.26 | 0.002 | 0.11 | 5.59 | 7.6 | 380 | 1.52 | 0.25 | 5.40 | 0.15 | 53.6 | 13.7 | 102 | 2.84 | 26.3 |
| KAS28072 | | 0.30 | 0.001 | 0.14 | 6.44 | 9.6 | 500 | 1.94 | 0.32 | 3.23 | 0.28 | 67.7 | 17.9 | 157 | 3.39 | 41.5 |
| KAS28073 | | 0.28 | 0.001 | 0.16 | 4.92 | 8.3 | 430 | 1.60 | 0.23 | 6.49 | 0.21 | 59.3 | 20.0 | 136 | 3.74 | 41.9 |
| KAS28074 | | 0.26 | 0.001 | 0.28 | 6.15 | 7.4 | 530 | 1.91 | 0.24 | 2.36 | 0.53 | 75.8 | 29.3 | 134 | 5.62 | 43.3 |
| KAS28075 | | 0.28 | 0.001 | 0.10 | 4.32 | 7.1 | 370 | 1.45 | 0.21 | 11.30 | 0.17 | 52.7 | 17.7 | 95 | 2.73 | 33.0 |
| KAS28076 | | 0.28 | 0.001 | 0.11 | 5.73 | 7.4 | 440 | 2.07 | 0.24 | 4.53 | 0.23 | 55.2 | 16.0 | 131 | 3.41 | 34.9 |
| KAS28077 | | 0.26 | 0.001 | 0.11 | 4.98 | 6.1 | 400 | 1.47 | 0.21 | 8.54 | 0.20 | 53.9 | 15.9 | 95 | 2.54 | 32.7 |
| KAS28078 | | 0.28 | 0.003 | 0.23 | 5.48 | 8.0 | 410 | 1.57 | 0.31 | 4.33 | 0.21 | 65.1 | 18.2 | 120 | 3.35 | 50.0 |
| KAS28079 | | 0.28 | 0.002 | 0.54 | 4.41 | 25.1 | 270 | 1.09 | 0.25 | 9.71 | 0.30 | 47.5 | 9.6 | 66 | 1.87 | 16.5 |
| KAS28080 | | 0.32 | 0.001 | 0.11 | 5.53 | 7.1 | 380 | 1.55 | 0.23 | 4.69 | 0.15 | 54.4 | 14.4 | 97 | 2.99 | 29.2 |
| KAS28081 | | 0.24 | 0.002 | 0.14 | 5.08 | 7.1 | 380 | 1.80 | 0.25 | 6.38 | 0.21 | 51.3 | 16.2 | 94 | 2.85 | 34.9 |
| KAS28082 | | 0.26 | 0.002 | 0.19 | 5.92 | 8.2 | 520 | 2.00 | 0.26 | 3.05 | 0.30 | 61.4 | 16.3 | 170 | 3.50 | 34.5 |
| KAS28083 | | 0.22 | 0.001 | 0.18 | 5.04 | 7.4 | 470 | 2.06 | 0.22 | 4.58 | 0.27 | 60.0 | 15.4 | 149 | 3.38 | 34.8 |
| KAS28084 | | 0.24 | 0.001 | 0.09 | 5.06 | 5.3 | 480 | 1.85 | 0.20 | 5.12 | 0.25 | 46.8 | 11.6 | 166 | 2.96 | 16.3 |
| KAS28085 | | 0.28 | 0.001 | 0.11 | 4.19 | 5.8 | 330 | 1.67 | 0.19 | 11.45 | 0.18 | 46.9 | 14.1 | 91 | 2.36 | 27.0 |
| KAS28086 | | 0.24 | 0.003 | 1.19 | 5.66 | 33.1 | 490 | 1.83 | 0.46 | 0.89 | 1.13 | 63.9 | 15.2 | 166 | 4.08 | 44.5 |
| KAS28089 | | 0.22 | 0.001 | 0.05 | 0.99 | 2.1 | 60 | 0.53 | 0.10 | 15.65 | 0.07 | 12.95 | 3.3 | 43 | 0.63 | 7.4 |
| KAS28164 | | 0.24 | 0.001 | 0.24 | 5.19 | 8.3 | 480 | 1.81 | 0.21 | 4.29 | 0.24 | 51.4 | 13.2 | 116 | 2.75 | 21.2 |
| KAS28165 | | 0.24 | 0.002 | 0.17 | 5.14 | 6.2 | 420 | 1.74 | 0.19 | 4.28 | 0.24 | 54.5 | 12.6 | 114 | 3.56 | 24.4 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 Fe % | ME-MS61 Ga ppm | ME-MS61 Ge ppm | ME-MS61 Hf ppm | ME-MS61 In ppm | ME-MS61 K % | ME-MS61 La ppm | ME-MS61 Li ppm | ME-MS61 Mg % | ME-MS61 Mn ppm | ME-MS61 Mo ppm | ME-MS61 Na % | ME-MS61 Nb ppm | ME-MS61 Ni ppm | ME-MS61 P ppm |
|--------------------|-----------------------------------|--------------------|----------------------|----------------------|----------------------|----------------------|-------------------|----------------------|----------------------|--------------------|----------------------|----------------------|--------------------|----------------------|----------------------|---------------------|
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| KAS28286 | | 3.28 | 16.15 | 0.14 | 2.1 | 0.060 | 3.69 | 33.7 | 45.4 | 1.19 | 1380 | 0.95 | 0.14 | 8.6 | 23.4 | 540 |
| KAS28287 | | 3.28 | 14.40 | 0.15 | 2.1 | 0.065 | 3.21 | 33.0 | 38.2 | 2.76 | 1840 | 1.07 | 0.09 | 7.9 | 27.8 | 410 |
| KAS28288 | | 2.13 | 6.27 | 0.09 | 0.9 | 0.054 | 1.36 | 15.3 | 17.5 | 8.77 | 1780 | 0.53 | 0.04 | 3.3 | 10.5 | 230 |
| KAS28289 | | 1.97 | 0.88 | 0.06 | 0.1 | 0.042 | 0.10 | 4.1 | 3.8 | 12.15 | 2090 | 0.58 | 0.03 | 0.5 | 4.5 | 140 |
| KAS28290 | | 2.21 | 1.72 | 0.07 | 0.2 | 0.044 | 0.17 | 5.8 | 4.6 | 11.40 | 2390 | 1.63 | 0.05 | 1.0 | 9.5 | 370 |
| KAS28291 | | 4.98 | 3.03 | 0.07 | 0.4 | 0.107 | 0.37 | 8.2 | 7.3 | 10.35 | 5520 | 0.91 | 0.07 | 1.3 | 16.6 | 270 |
| KAS28292 | | 2.89 | 3.48 | 0.07 | 0.5 | 0.068 | 0.52 | 7.7 | 10.0 | 10.55 | 3210 | 0.40 | 0.22 | 1.6 | 11.7 | 210 |
| KAS28293 | | 3.56 | 4.13 | 0.07 | 0.5 | 0.095 | 0.68 | 6.5 | 12.2 | 10.10 | 3640 | 0.45 | 0.04 | 1.6 | 16.3 | 230 |
| KAS28294 | | 3.31 | 2.17 | 0.08 | 0.2 | 0.096 | 0.25 | 5.0 | 7.6 | 11.50 | 3290 | 0.61 | 0.03 | 1.0 | 9.7 | 150 |
| KAS28295 | | 2.94 | 3.11 | 0.08 | 0.4 | 0.075 | 0.49 | 5.8 | 10.1 | 11.30 | 3080 | 0.59 | 0.04 | 1.5 | 11.7 | 190 |
| KAS28521 | | 4.83 | 9.72 | 0.10 | 1.4 | 0.114 | 2.04 | 23.2 | 22.7 | 6.24 | 4060 | 0.82 | 0.12 | 5.2 | 28.4 | 540 |
| KAS28522 | | 4.55 | 10.85 | 0.12 | 1.5 | 0.106 | 2.19 | 24.8 | 24.0 | 6.08 | 3530 | 0.87 | 0.14 | 5.8 | 32.5 | 660 |
| KAS28523 | | 3.60 | 15.70 | 0.16 | 2.2 | 0.087 | 3.53 | 36.3 | 33.5 | 2.62 | 2320 | 0.71 | 0.08 | 9.0 | 42.9 | 780 |
| KAS28524 | | 5.31 | 16.90 | 0.14 | 2.2 | 0.130 | 3.36 | 38.5 | 35.8 | 1.20 | 3650 | 4.05 | 0.18 | 8.4 | 53.4 | 1000 |
| KAS28526 | | 2.75 | 12.65 | 0.11 | 1.7 | 0.056 | 2.89 | 26.5 | 37.0 | 4.84 | 1660 | 0.66 | 0.09 | 6.5 | 22.1 | 370 |
| KAS28527 | | 3.00 | 11.55 | 0.13 | 1.5 | 0.065 | 2.65 | 25.7 | 32.4 | 5.03 | 1740 | 0.83 | 0.08 | 6.0 | 24.7 | 370 |
| KAS28528 | | 3.06 | 11.25 | 0.10 | 1.5 | 0.065 | 2.74 | 25.0 | 33.0 | 5.29 | 2090 | 0.80 | 0.07 | 5.7 | 21.9 | 350 |
| KAS28067 | | 1.71 | 17.50 | 0.17 | 2.1 | 0.066 | 5.38 | 29.2 | 48.6 | 3.23 | 636 | 0.62 | 0.08 | 9.8 | 18.3 | 900 |
| KAS28068 | | 2.14 | 12.35 | 0.12 | 1.7 | 0.044 | 3.36 | 24.4 | 33.2 | 6.71 | 924 | 1.11 | 0.04 | 6.4 | 25.7 | 770 |
| KAS28069 | | 1.73 | 11.35 | 0.12 | 1.7 | 0.038 | 3.36 | 20.9 | 28.9 | 6.28 | 923 | 0.48 | 0.06 | 6.2 | 18.5 | 600 |
| KAS28070 | | 1.99 | 11.05 | 0.13 | 1.4 | 0.050 | 3.09 | 21.4 | 29.1 | 6.00 | 1160 | 0.35 | 0.04 | 5.9 | 17.6 | 500 |
| KAS28071 | | 1.91 | 16.10 | 0.15 | 2.0 | 0.041 | 4.49 | 27.1 | 66.7 | 4.86 | 604 | 0.47 | 0.09 | 9.3 | 25.8 | 500 |
| KAS28072 | | 2.41 | 19.00 | 0.17 | 2.5 | 0.060 | 5.24 | 34.6 | 76.8 | 3.15 | 1160 | 0.71 | 0.13 | 11.8 | 29.0 | 520 |
| KAS28073 | | 2.83 | 14.05 | 0.14 | 2.0 | 0.048 | 3.65 | 30.4 | 61.8 | 4.52 | 1080 | 0.67 | 0.17 | 9.3 | 27.6 | 560 |
| KAS28074 | | 4.50 | 17.20 | 0.15 | 2.3 | 0.059 | 3.34 | 37.8 | 74.3 | 3.24 | 1420 | 0.84 | 0.54 | 15.6 | 34.4 | 850 |
| KAS28075 | | 2.47 | 12.55 | 0.14 | 2.0 | 0.038 | 2.90 | 27.1 | 62.2 | 4.22 | 1020 | 0.45 | 0.15 | 8.5 | 23.3 | 450 |
| KAS28076 | | 2.58 | 17.40 | 0.16 | 2.2 | 0.037 | 4.21 | 27.8 | 84.4 | 4.05 | 1400 | 0.57 | 0.13 | 10.9 | 28.1 | 460 |
| KAS28077 | | 2.10 | 14.40 | 0.13 | 2.0 | 0.032 | 3.70 | 27.2 | 68.2 | 4.46 | 822 | 0.43 | 0.09 | 8.8 | 27.2 | 410 |
| KAS28078 | | 2.42 | 15.40 | 0.16 | 2.2 | 0.045 | 3.77 | 33.1 | 76.9 | 4.78 | 579 | 0.70 | 0.16 | 9.8 | 31.6 | 550 |
| KAS28079 | | 1.75 | 12.80 | 0.14 | 1.6 | 0.039 | 3.61 | 22.7 | 31.3 | 6.10 | 957 | 0.40 | 0.05 | 6.5 | 16.7 | 620 |
| KAS28080 | | 2.06 | 16.00 | 0.16 | 2.0 | 0.043 | 4.22 | 27.4 | 66.2 | 4.79 | 558 | 0.41 | 0.10 | 9.2 | 29.0 | 530 |
| KAS28081 | | 2.06 | 15.25 | 0.08 | 2.0 | 0.041 | 3.84 | 26.0 | 82.6 | 5.30 | 748 | 0.72 | 0.09 | 8.9 | 27.8 | 430 |
| KAS28082 | | 3.01 | 16.45 | 0.11 | 2.4 | 0.055 | 4.50 | 32.8 | 82.9 | 3.06 | 1420 | 0.95 | 0.21 | 9.9 | 25.1 | 600 |
| KAS28083 | | 3.05 | 13.95 | 0.13 | 2.0 | 0.046 | 3.51 | 31.6 | 75.0 | 3.71 | 1670 | 0.87 | 0.21 | 8.6 | 25.2 | 690 |
| KAS28084 | | 2.51 | 14.00 | 0.09 | 2.1 | 0.042 | 4.10 | 23.4 | 76.4 | 4.29 | 1120 | 0.57 | 0.11 | 9.1 | 22.7 | 460 |
| KAS28085 | | 2.29 | 11.95 | 0.08 | 1.8 | 0.030 | 3.03 | 24.4 | 68.0 | 4.01 | 1220 | 0.39 | 0.13 | 7.0 | 19.8 | 390 |
| KAS28086 | | 3.96 | 14.55 | 0.09 | 1.9 | 0.062 | 3.27 | 32.5 | 66.4 | 1.95 | 2210 | 0.89 | 0.27 | 8.3 | 27.4 | 830 |
| KAS28089 | | 0.85 | 2.62 | <0.05 | 0.4 | 0.020 | 0.82 | 7.1 | 13.0 | 10.00 | 650 | 0.20 | 0.02 | 1.5 | 4.6 | 90 |
| KAS28164 | | 3.10 | 13.85 | 0.10 | 1.8 | 0.042 | 4.15 | 27.0 | 62.7 | 3.44 | 1700 | 0.59 | 0.16 | 7.6 | 23.0 | 550 |
| KAS28165 | | 3.01 | 13.55 | 0.11 | 1.8 | 0.038 | 3.28 | 28.5 | 78.9 | 4.00 | 1680 | 0.49 | 0.16 | 8.1 | 22.7 | 600 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 6 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.1 |
| KAS28286 | | 118.0 | 152.5 | <0.002 | 0.03 | 4.05 | 10.4 | 1 | 1.9 | 22.9 | 0.64 | <0.05 | 10.85 | 0.279 | 2.1 |
| KAS28287 | | 213 | 135.5 | <0.002 | 0.02 | 4.96 | 9.4 | 1 | 1.7 | 20.9 | 0.60 | <0.05 | 9.98 | 0.238 | 2.0 |
| KAS28288 | | 57.8 | 56.6 | <0.002 | 0.01 | 1.41 | 4.2 | 1 | 0.8 | 49.1 | 0.25 | <0.05 | 4.11 | 0.100 | 1.3 |
| KAS28289 | | 34.8 | 4.7 | <0.002 | <0.01 | 0.39 | 0.8 | 1 | <0.2 | 91.3 | <0.05 | <0.05 | 0.64 | 0.012 | 0.9 |
| KAS28290 | | 44.8 | 9.6 | 0.002 | 0.01 | 0.58 | 1.8 | 1 | 0.2 | 47.2 | 0.06 | <0.05 | 1.33 | 0.024 | 1.6 |
| KAS28291 | | 46.0 | 18.4 | <0.002 | 0.05 | 1.52 | 2.5 | 1 | 0.4 | 71.3 | 0.09 | <0.05 | 1.80 | 0.041 | 1.2 |
| KAS28292 | | 23.2 | 21.8 | 0.002 | <0.01 | 0.83 | 3.4 | <1 | 0.4 | 62.9 | 0.12 | <0.05 | 2.37 | 0.049 | 0.9 |
| KAS28293 | | 41.6 | 27.5 | <0.002 | <0.01 | 1.39 | 3.2 | 1 | 0.5 | 70.1 | 0.12 | <0.05 | 2.35 | 0.052 | 0.9 |
| KAS28294 | | 58.3 | 10.7 | <0.002 | <0.01 | 1.54 | 1.8 | <1 | 0.3 | 63.0 | 0.06 | <0.05 | 1.19 | 0.027 | 0.9 |
| KAS28295 | | 34.9 | 19.7 | <0.002 | <0.01 | 1.50 | 2.3 | 1 | 0.4 | 72.7 | 0.11 | <0.05 | 1.97 | 0.044 | 1.0 |
| KAS28521 | | 70.7 | 74.6 | <0.002 | 0.01 | 12.00 | 7.0 | 1 | 1.2 | 49.6 | 0.38 | <0.05 | 6.43 | 0.160 | 1.5 |
| KAS28522 | | 55.0 | 82.2 | 0.002 | 0.02 | 11.45 | 7.5 | 1 | 1.3 | 49.4 | 0.42 | <0.05 | 7.32 | 0.175 | 1.5 |
| KAS28523 | | 22.1 | 138.5 | <0.002 | 0.02 | 5.07 | 10.8 | 1 | 1.9 | 25.9 | 0.64 | 0.07 | 11.80 | 0.249 | 1.8 |
| KAS28524 | | 28.0 | 137.5 | <0.002 | 0.04 | 11.95 | 12.6 | 2 | 2.0 | 29.6 | 0.57 | 0.11 | 11.95 | 0.264 | 2.7 |
| KAS28526 | | 241 | 114.0 | <0.002 | 0.02 | 2.67 | 8.2 | 1 | 1.5 | 27.2 | 0.48 | <0.05 | 8.03 | 0.200 | 1.9 |
| KAS28527 | | 815 | 102.5 | <0.002 | 0.02 | 3.35 | 7.8 | 1 | 1.3 | 32.5 | 0.43 | <0.05 | 7.54 | 0.181 | 1.8 |
| KAS28528 | | 328 | 104.0 | <0.002 | 0.02 | 3.24 | 7.5 | <1 | 1.3 | 31.5 | 0.41 | <0.05 | 7.23 | 0.179 | 1.8 |
| KAS28067 | | 36.7 | 112.0 | <0.002 | 0.02 | 3.30 | 9.4 | 1 | 2.0 | 17.8 | 0.67 | <0.05 | 10.40 | 0.291 | 2.1 |
| KAS28068 | | 98.3 | 81.4 | <0.002 | 0.01 | 4.56 | 7.6 | 1 | 1.3 | 26.2 | 0.47 | <0.05 | 7.68 | 0.200 | 1.9 |
| KAS28069 | | 62.1 | 78.1 | <0.002 | 0.01 | 3.67 | 6.2 | 1 | 1.2 | 26.7 | 0.47 | <0.05 | 7.51 | 0.204 | 1.7 |
| KAS28070 | | 140.0 | 83.8 | <0.002 | 0.01 | 5.77 | 7.1 | 1 | 1.3 | 27.7 | 0.42 | <0.05 | 6.26 | 0.187 | 1.4 |
| KAS28071 | | 27.1 | 121.0 | <0.002 | 0.02 | 1.81 | 9.2 | 1 | 1.9 | 22.6 | 0.67 | <0.05 | 9.24 | 0.294 | 2.1 |
| KAS28072 | | 44.9 | 132.5 | 0.002 | 0.03 | 1.97 | 11.4 | 1 | 2.2 | 27.8 | 0.80 | 0.06 | 11.25 | 0.353 | 2.3 |
| KAS28073 | | 39.6 | 102.0 | <0.002 | 0.03 | 1.68 | 9.3 | 1 | 1.6 | 51.0 | 0.67 | <0.05 | 9.00 | 0.301 | 1.9 |
| KAS28074 | | 345 | 112.5 | <0.002 | 0.05 | 1.54 | 14.6 | 1 | 1.7 | 122.5 | 0.95 | 0.05 | 9.02 | 0.597 | 1.9 |
| KAS28075 | | 35.0 | 90.3 | <0.002 | 0.02 | 1.43 | 8.2 | 1 | 1.4 | 74.3 | 0.60 | <0.05 | 8.56 | 0.273 | 1.8 |
| KAS28076 | | 28.9 | 135.5 | <0.002 | 0.02 | 1.50 | 10.3 | 1 | 2.1 | 37.9 | 0.73 | <0.05 | 10.20 | 0.329 | 2.0 |
| KAS28077 | | 28.7 | 101.0 | <0.002 | 0.02 | 1.32 | 8.6 | 1 | 1.6 | 48.0 | 0.64 | <0.05 | 9.10 | 0.276 | 2.0 |
| KAS28078 | | 42.3 | 113.0 | <0.002 | 0.02 | 2.01 | 9.7 | 1 | 1.8 | 36.9 | 0.70 | <0.05 | 9.82 | 0.303 | 2.2 |
| KAS28079 | | 80.8 | 92.2 | <0.002 | 0.01 | 5.43 | 7.6 | 1 | 1.5 | 27.6 | 0.48 | <0.05 | 7.42 | 0.208 | 1.5 |
| KAS28080 | | 25.4 | 118.0 | <0.002 | 0.02 | 1.59 | 9.3 | 1 | 1.8 | 23.8 | 0.66 | <0.05 | 8.95 | 0.295 | 2.1 |
| KAS28081 | | 47.7 | 108.5 | <0.002 | 0.02 | 1.70 | 8.4 | 1 | 1.8 | 26.6 | 0.65 | <0.05 | 9.43 | 0.283 | 2.1 |
| KAS28082 | | 75.9 | 126.0 | <0.002 | 0.04 | 1.79 | 10.6 | 1 | 1.8 | 39.5 | 0.72 | <0.05 | 11.05 | 0.324 | 2.5 |
| KAS28083 | | 56.7 | 104.5 | <0.002 | 0.05 | 1.62 | 9.3 | 1 | 1.6 | 44.5 | 0.62 | <0.05 | 9.68 | 0.282 | 2.2 |
| KAS28084 | | 26.5 | 112.0 | <0.002 | 0.03 | 1.11 | 8.3 | 1 | 1.8 | 32.7 | 0.66 | <0.05 | 10.55 | 0.291 | 2.0 |
| KAS28085 | | 44.8 | 92.4 | <0.002 | 0.02 | 1.20 | 7.3 | 1 | 1.3 | 61.0 | 0.52 | <0.05 | 7.75 | 0.243 | 1.7 |
| KAS28086 | | 232 | 105.0 | <0.002 | 0.06 | 5.23 | 10.9 | 1 | 1.6 | 42.3 | 0.60 | <0.05 | 9.25 | 0.302 | 2.0 |
| KAS28089 | | 13.5 | 19.0 | <0.002 | 0.01 | 0.51 | 1.8 | 1 | 0.4 | 19.7 | 0.12 | <0.05 | 1.81 | 0.046 | 0.5 |
| KAS28164 | | 93.5 | 110.5 | <0.002 | 0.04 | 1.72 | 8.6 | 1 | 1.5 | 29.7 | 0.55 | <0.05 | 9.83 | 0.262 | 2.0 |
| KAS28165 | | 39.2 | 107.0 | <0.002 | 0.03 | 1.08 | 9.3 | 1 | 1.5 | 33.4 | 0.56 | <0.05 | 8.87 | 0.272 | 1.8 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 6 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAS28286 | | 68 | 1.1 | 10.5 | 332 | 79.4 | | | |
| KAS28287 | | 56 | 1.1 | 11.9 | 642 | 75.8 | | | |
| KAS28288 | | 36 | 0.5 | 8.3 | 272 | 33.7 | | | |
| KAS28289 | | 19 | 0.1 | 6.7 | 345 | 5.6 | | | |
| KAS28290 | | 28 | 0.2 | 9.2 | 411 | 10.8 | | | |
| KAS28291 | | 25 | 0.3 | 14.2 | 349 | 16.6 | | | |
| KAS28292 | | 17 | 0.4 | 11.5 | 375 | 17.6 | | | |
| KAS28293 | | 18 | 0.3 | 12.0 | 420 | 18.7 | | | |
| KAS28294 | | 18 | 0.2 | 10.6 | 503 | 9.7 | | | |
| KAS28295 | | 19 | 0.3 | 10.7 | 298 | 15.1 | | | |
| KAS28521 | | 43 | 0.9 | 18.6 | 360 | 49.9 | | | |
| KAS28522 | | 46 | 0.9 | 19.9 | 315 | 55.9 | | | |
| KAS28523 | | 56 | 1.1 | 18.4 | 152 | 77.4 | | | |
| KAS28524 | | 92 | 1.2 | 22.9 | 185 | 91.3 | | | |
| KAS28526 | | 49 | 0.9 | 18.1 | 780 | 60.5 | | | |
| KAS28527 | | 46 | 0.9 | 11.3 | 960 | 57.5 | | | |
| KAS28528 | | 45 | 0.9 | 10.7 | 815 | 55.1 | | | |
| KAS28067 | | 58 | 1.0 | 20.8 | 52 | 85.2 | | | |
| KAS28068 | | 49 | 1.4 | 17.7 | 157 | 60.7 | | | |
| KAS28069 | | 43 | 1.6 | 18.4 | 58 | 61.7 | | | |
| KAS28070 | | 39 | 1.8 | 20.4 | 168 | 51.6 | | | |
| KAS28071 | | 62 | 0.9 | 16.1 | 65 | 75.6 | | | |
| KAS28072 | | 71 | 1.2 | 21.2 | 104 | 98.9 | | | |
| KAS28073 | | 63 | 0.8 | 23.0 | 81 | 74.1 | | | |
| KAS28074 | | 121 | 0.9 | 27.5 | 195 | 93.4 | | | |
| KAS28075 | | 51 | 0.8 | 20.3 | 63 | 69.2 | | | |
| KAS28076 | | 64 | 1.0 | 20.9 | 72 | 75.0 | | | |
| KAS28077 | | 53 | 0.8 | 22.0 | 61 | 71.7 | | | |
| KAS28078 | | 65 | 0.9 | 20.5 | 95 | 78.9 | | | |
| KAS28079 | | 44 | 3.0 | 17.4 | 81 | 59.0 | | | |
| KAS28080 | | 62 | 0.9 | 17.2 | 61 | 75.0 | | | |
| KAS28081 | | 57 | 0.9 | 16.6 | 77 | 72.4 | | | |
| KAS28082 | | 70 | 1.0 | 25.3 | 95 | 82.0 | | | |
| KAS28083 | | 62 | 0.9 | 25.7 | 92 | 70.5 | | | |
| KAS28084 | | 57 | 1.0 | 18.0 | 81 | 83.8 | | | |
| KAS28085 | | 45 | 0.8 | 16.9 | 52 | 58.6 | | | |
| KAS28086 | | 73 | 1.4 | 27.7 | 294 | 66.1 | | | |
| KAS28089 | | 11 | 0.2 | 10.7 | 25 | 14.8 | | | |
| KAS28164 | | 59 | 0.8 | 23.4 | 80 | 64.7 | | | |
| KAS28165 | | 58 | 1.0 | 21.1 | 90 | 67.5 | | | |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAS28166 | | 0.24 | 0.002 | 0.16 | 5.74 | 7.1 | 400 | 2.23 | 0.23 | 4.65 | 0.24 | 51.6 | 14.8 | 117 | 3.62 | 25.9 |
| KAS27972 | | 0.22 | 0.003 | 0.79 | 3.70 | 21.5 | 310 | 1.38 | 0.33 | 8.84 | 0.84 | 47.6 | 7.8 | 112 | 1.74 | 19.3 |
| KAS27973 | | 0.22 | 0.004 | 0.23 | 2.50 | 16.9 | 210 | 0.89 | 0.13 | 13.60 | 0.22 | 30.5 | 4.5 | 71 | 1.01 | 11.5 |
| KAS27974 | | 0.22 | 0.002 | 0.20 | 3.06 | 13.0 | 280 | 1.11 | 0.11 | 12.05 | 0.50 | 37.1 | 4.3 | 45 | 0.98 | 14.9 |
| KAS27975 | | 0.24 | 0.003 | 0.16 | 2.27 | 13.5 | 220 | 0.98 | 0.16 | 13.95 | 0.15 | 32.5 | 6.3 | 50 | 0.96 | 25.8 |
| KAS27976 | | 0.24 | 0.005 | 0.23 | 1.55 | 20.3 | 120 | 0.72 | 0.24 | 16.45 | 0.12 | 15.40 | 5.0 | 33 | 1.05 | 23.9 |
| KAS27977 | | 0.22 | 0.001 | 0.05 | 0.63 | 5.4 | 30 | 0.27 | 0.06 | 19.40 | 0.03 | 8.44 | 1.9 | 13 | 0.34 | 4.4 |
| KAS27978 | | 0.24 | 0.001 | 0.03 | 0.31 | 3.6 | 30 | 0.23 | 0.03 | 19.55 | 0.03 | 6.63 | 0.7 | 5 | 0.13 | 4.2 |
| KAS27979 | | 0.12 | 0.002 | 0.05 | 0.78 | 8.7 | 60 | 0.35 | 0.05 | 18.30 | 0.05 | 12.35 | 1.8 | 11 | 0.30 | 3.5 |
| KAS27980 | | 0.24 | 0.001 | 0.71 | 0.36 | 2.7 | 10 | 0.25 | 0.03 | 19.90 | 0.13 | 7.82 | 0.9 | 5 | 0.24 | 3.7 |
| KAS27981 | | 0.24 | 0.001 | 0.34 | 0.62 | 7.2 | 40 | 0.48 | 0.04 | 19.50 | 0.59 | 11.65 | 1.4 | 8 | 0.50 | 4.9 |
| KAS27982 | | 0.24 | 0.003 | 1.14 | 4.23 | 20.6 | 300 | 1.51 | 0.35 | 9.11 | 1.23 | 51.7 | 7.7 | 76 | 2.54 | 21.3 |
| KAS27983 | | 0.24 | 0.002 | 0.37 | 4.93 | 13.1 | 450 | 1.60 | 0.25 | 5.90 | 0.31 | 57.2 | 8.6 | 100 | 2.29 | 19.4 |
| KAS27984 | | 0.22 | 0.005 | 0.39 | 3.74 | 23.4 | 320 | 1.17 | 0.21 | 9.79 | 0.21 | 47.0 | 8.5 | 60 | 1.43 | 23.0 |
| KAS27985 | | 0.24 | 0.004 | 0.81 | 3.68 | 24.9 | 380 | 1.24 | 0.20 | 8.36 | 0.30 | 48.7 | 12.1 | 77 | 1.64 | 23.6 |
| KAS27986 | | 0.22 | 0.003 | 0.75 | 3.21 | 12.1 | 300 | 1.04 | 0.16 | 11.10 | 0.87 | 39.6 | 6.7 | 73 | 1.19 | 14.1 |
| KAS27987 | | 0.22 | 0.002 | 0.56 | 4.02 | 8.0 | 300 | 1.11 | 0.22 | 8.31 | 3.35 | 42.9 | 7.1 | 97 | 1.95 | 12.1 |
| KAS27987B | | 0.24 | <0.001 | 0.01 | 0.37 | 0.4 | 10 | 0.20 | 0.02 | 0.01 | <0.02 | 12.55 | 0.9 | 464 | 0.25 | 5.3 |
| KAS28044 | | 0.26 | 0.001 | 0.12 | 3.12 | 5.6 | 260 | 1.01 | 0.71 | 9.95 | 0.36 | 36.6 | 6.6 | 78 | 1.95 | 131.5 |
| KAS28045 | | 0.26 | 0.001 | 0.11 | 2.49 | 5.3 | 210 | 0.91 | 0.87 | 11.55 | 0.30 | 29.5 | 5.7 | 64 | 1.57 | 12.6 |
| KAS28530 | | 0.24 | 0.002 | 0.37 | 5.87 | 15.0 | 540 | 1.87 | 0.37 | 1.25 | 1.35 | 63.6 | 14.4 | 162 | 4.58 | 31.2 |
| KAS28531 | | 0.24 | 0.001 | 0.29 | 4.87 | 10.9 | 420 | 1.74 | 0.27 | 5.68 | 1.20 | 54.4 | 11.7 | 113 | 3.89 | 25.5 |
| KAS28532 | | 0.26 | 0.001 | 0.33 | 4.92 | 12.2 | 420 | 1.87 | 0.31 | 5.71 | 1.32 | 56.1 | 13.6 | 88 | 4.17 | 28.8 |
| KAS28533 | | 0.24 | 0.001 | 0.36 | 4.51 | 11.7 | 380 | 1.68 | 0.33 | 6.74 | 1.08 | 49.6 | 9.5 | 96 | 3.69 | 25.3 |
| KAS28534 | | 0.24 | 0.001 | 0.26 | 4.11 | 9.1 | 330 | 1.49 | 0.24 | 8.47 | 1.31 | 44.9 | 7.9 | 78 | 3.16 | 19.3 |
| KAS28535 | | 0.24 | 0.003 | 0.28 | 5.45 | 13.9 | 500 | 1.88 | 0.32 | 1.90 | 1.57 | 59.7 | 11.6 | 231 | 3.86 | 22.1 |
| KAS28536 | | 0.24 | 0.001 | 0.35 | 5.99 | 15.0 | 610 | 1.97 | 0.35 | 0.41 | 1.58 | 66.9 | 14.0 | 212 | 4.40 | 21.8 |
| KAS28537 | | 0.22 | 0.001 | 0.41 | 5.21 | 18.4 | 540 | 1.79 | 0.45 | 1.10 | 2.53 | 55.3 | 14.1 | 205 | 4.08 | 32.0 |
| KAS28538 | | 0.22 | 0.001 | 0.61 | 5.87 | 33.1 | 530 | 2.15 | 0.67 | 0.97 | 4.35 | 64.3 | 15.1 | 190 | 4.54 | 40.4 |
| KAS28539 | | 0.24 | 0.001 | 0.56 | 5.29 | 26.6 | 450 | 1.86 | 0.59 | 4.00 | 2.89 | 57.7 | 12.6 | 166 | 3.92 | 38.3 |
| KAS28570 | | 0.22 | 0.002 | 0.91 | 6.09 | 35.8 | 520 | 2.02 | 0.69 | 2.29 | 4.68 | 63.2 | 19.3 | 146 | 4.93 | 46.9 |
| KAS28571 | | 0.24 | 0.001 | 0.55 | 6.29 | 25.5 | 540 | 2.29 | 0.60 | 1.37 | 3.61 | 67.3 | 16.3 | 135 | 4.79 | 33.5 |
| KAS28572 | | 0.22 | 0.001 | 0.72 | 6.00 | 30.9 | 530 | 2.12 | 0.62 | 1.08 | 4.42 | 64.9 | 18.8 | 154 | 4.66 | 39.4 |
| KAS28573 | | 0.24 | 0.001 | 0.60 | 6.41 | 27.0 | 590 | 2.36 | 0.59 | 0.55 | 3.48 | 69.7 | 16.0 | 169 | 4.91 | 35.2 |
| KAS28540 | | 0.24 | 0.001 | 0.49 | 4.85 | 23.9 | 400 | 1.91 | 0.53 | 5.80 | 2.18 | 52.8 | 10.5 | 117 | 3.44 | 31.5 |
| KAS28580 | | 0.24 | 0.001 | 0.42 | 5.36 | 20.8 | 470 | 1.80 | 0.45 | 3.94 | 2.07 | 61.8 | 13.0 | 156 | 3.71 | 33.9 |
| KAS28699 | | 0.24 | 0.001 | 0.29 | 6.03 | 13.9 | 530 | 2.19 | 0.35 | 1.71 | 1.32 | 69.3 | 14.3 | 202 | 4.61 | 29.0 |
| KAS28700 | | 0.22 | 0.001 | 0.29 | 6.22 | 14.0 | 550 | 2.22 | 0.36 | 1.37 | 1.27 | 65.6 | 14.3 | 193 | 4.73 | 29.1 |
| KAS28063 | | 0.20 | 0.005 | 2.97 | 2.65 | 203 | 250 | 1.11 | 0.66 | 11.65 | 2.51 | 32.2 | 7.0 | 57 | 1.89 | 27.0 |
| KAS28064 | | 0.20 | 0.008 | 0.72 | 4.54 | 659 | 420 | 1.53 | 1.16 | 5.41 | 1.90 | 51.4 | 12.6 | 127 | 3.26 | 24.2 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - B
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|--------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| KAS28166 | | 2.61 | 15.95 | 0.11 | 1.9 | 0.042 | 4.02 | 26.7 | 86.9 | 3.44 | 1590 | 0.50 | 0.11 | 9.0 | 25.4 | 460 |
| KAS27972 | | 2.60 | 9.63 | 0.07 | 1.4 | 0.052 | 2.56 | 25.4 | 29.5 | 5.82 | 1550 | 1.63 | 0.11 | 5.2 | 25.0 | 960 |
| KAS27973 | | 1.55 | 6.39 | 0.07 | 1.0 | 0.026 | 2.18 | 16.8 | 17.5 | 8.58 | 798 | 1.27 | 0.06 | 3.6 | 18.8 | 1190 |
| KAS27974 | | 1.02 | 8.06 | 0.06 | 1.2 | 0.023 | 2.68 | 20.7 | 23.0 | 7.73 | 396 | 0.66 | 0.04 | 4.5 | 16.5 | 680 |
| KAS27975 | | 1.30 | 5.68 | 0.07 | 1.0 | 0.029 | 1.92 | 18.9 | 14.5 | 8.88 | 637 | 1.26 | 0.06 | 3.5 | 23.2 | 580 |
| KAS27976 | | 1.32 | 5.11 | 0.05 | 0.9 | 0.015 | 1.18 | 9.6 | 14.1 | 10.70 | 593 | 1.87 | 0.04 | 2.8 | 21.1 | 650 |
| KAS27977 | | 0.94 | 1.70 | <0.05 | 0.3 | 0.009 | 0.18 | 5.4 | 10.8 | 12.85 | 651 | 0.47 | 0.03 | 1.0 | 8.5 | 170 |
| KAS27978 | | 0.60 | 0.89 | <0.05 | 0.1 | 0.009 | 0.23 | 4.3 | 3.2 | 12.65 | 522 | 0.50 | 0.01 | 0.4 | 3.4 | 70 |
| KAS27979 | | 0.88 | 2.00 | <0.05 | 0.4 | 0.021 | 0.47 | 8.0 | 7.8 | 12.05 | 577 | 0.60 | 0.03 | 1.2 | 5.4 | 150 |
| KAS27980 | | 0.84 | 0.95 | <0.05 | 0.2 | 0.018 | 0.07 | 4.5 | 5.7 | 13.05 | 717 | 0.37 | 0.01 | 0.5 | 3.2 | 80 |
| KAS27981 | | 1.11 | 1.66 | <0.05 | 0.3 | 0.025 | 0.23 | 6.7 | 6.4 | 12.35 | 943 | 0.45 | 0.02 | 0.9 | 6.1 | 200 |
| KAS27982 | | 2.64 | 11.00 | 0.07 | 1.7 | 0.074 | 2.64 | 28.7 | 26.8 | 5.84 | 1560 | 0.96 | 0.11 | 5.7 | 21.8 | 830 |
| KAS27983 | | 2.45 | 12.75 | 0.09 | 2.1 | 0.065 | 3.65 | 30.5 | 37.3 | 4.34 | 1460 | 0.94 | 0.12 | 7.5 | 23.7 | 780 |
| KAS27984 | | 1.47 | 9.91 | 0.06 | 1.4 | 0.028 | 3.40 | 26.0 | 32.6 | 6.39 | 397 | 2.63 | 0.04 | 5.4 | 33.6 | 710 |
| KAS27985 | | 2.00 | 9.34 | 0.07 | 1.6 | 0.041 | 3.33 | 25.2 | 33.7 | 5.37 | 836 | 1.73 | 0.07 | 5.2 | 35.3 | 630 |
| KAS27986 | | 1.60 | 8.31 | 0.08 | 1.1 | 0.036 | 2.83 | 19.5 | 25.4 | 6.94 | 823 | 0.92 | 0.07 | 4.6 | 19.0 | 580 |
| KAS27987 | | 2.28 | 10.75 | 0.08 | 1.5 | 0.130 | 2.87 | 19.9 | 33.5 | 5.50 | 1320 | 0.49 | 0.09 | 5.4 | 12.9 | 730 |
| KAS27987B | | 0.45 | 1.10 | <0.05 | 0.2 | <0.005 | 0.16 | 5.7 | 2.7 | 0.02 | 37 | 1.30 | 0.01 | 1.0 | 10.5 | 10 |
| KAS28044 | | 2.73 | 8.13 | 0.06 | 1.2 | 0.096 | 1.75 | 18.2 | 33.0 | 6.57 | 2050 | 0.37 | 0.11 | 4.8 | 14.3 | 350 |
| KAS28045 | | 2.65 | 6.32 | 0.05 | 0.9 | 0.119 | 1.46 | 14.2 | 28.4 | 7.30 | 2110 | 0.30 | 0.07 | 3.7 | 11.8 | 300 |
| KAS28530 | | 3.24 | 14.70 | 0.08 | 2.2 | 0.053 | 3.43 | 32.2 | 45.8 | 1.78 | 1350 | 1.07 | 0.13 | 7.8 | 26.7 | 390 |
| KAS28531 | | 2.66 | 12.40 | 0.08 | 1.8 | 0.043 | 2.99 | 27.8 | 40.5 | 3.91 | 1060 | 0.98 | 0.10 | 6.6 | 21.7 | 350 |
| KAS28532 | | 2.83 | 12.75 | 0.08 | 1.9 | 0.049 | 2.99 | 28.0 | 42.4 | 3.78 | 1040 | 0.90 | 0.10 | 6.7 | 23.7 | 340 |
| KAS28533 | | 2.47 | 11.50 | 0.05 | 1.7 | 0.047 | 2.76 | 25.3 | 38.4 | 4.42 | 967 | 0.82 | 0.08 | 6.2 | 19.5 | 300 |
| KAS28534 | | 2.31 | 10.45 | 0.07 | 1.5 | 0.043 | 2.57 | 23.0 | 34.5 | 4.90 | 1130 | 0.59 | 0.08 | 5.6 | 16.6 | 320 |
| KAS28535 | | 2.87 | 13.85 | 0.09 | 1.9 | 0.046 | 3.19 | 29.8 | 39.1 | 1.84 | 1300 | 1.39 | 0.12 | 7.6 | 22.4 | 460 |
| KAS28536 | | 4.06 | 15.05 | 0.09 | 2.2 | 0.074 | 3.20 | 33.7 | 44.1 | 1.23 | 2620 | 1.21 | 0.22 | 8.1 | 26.9 | 540 |
| KAS28537 | | 3.53 | 13.15 | 0.07 | 1.8 | 0.059 | 2.69 | 26.8 | 36.7 | 1.08 | 2330 | 1.79 | 0.24 | 7.0 | 28.0 | 950 |
| KAS28538 | | 4.08 | 15.25 | 0.10 | 2.0 | 0.081 | 3.26 | 32.2 | 38.0 | 1.31 | 3300 | 1.28 | 0.13 | 7.1 | 30.0 | 760 |
| KAS28539 | | 3.83 | 14.00 | 0.10 | 1.9 | 0.073 | 3.03 | 29.5 | 35.7 | 3.14 | 2650 | 1.31 | 0.10 | 7.0 | 28.0 | 490 |
| KAS28570 | | 4.25 | 15.75 | 0.10 | 2.1 | 0.074 | 3.43 | 31.9 | 40.7 | 2.32 | 2180 | 1.14 | 0.13 | 7.5 | 32.9 | 570 |
| KAS28571 | | 3.90 | 16.25 | 0.10 | 2.2 | 0.072 | 3.55 | 33.5 | 44.6 | 1.79 | 2190 | 1.04 | 0.12 | 7.9 | 29.3 | 520 |
| KAS28572 | | 4.35 | 15.15 | 0.10 | 2.0 | 0.071 | 3.34 | 32.9 | 41.7 | 1.59 | 2460 | 1.10 | 0.14 | 7.2 | 31.1 | 700 |
| KAS28573 | | 4.24 | 16.70 | 0.09 | 2.2 | 0.075 | 3.54 | 35.6 | 43.7 | 1.27 | 2400 | 1.39 | 0.14 | 8.1 | 29.7 | 650 |
| KAS28540 | | 3.44 | 12.75 | 0.09 | 1.7 | 0.072 | 2.80 | 26.8 | 31.6 | 4.09 | 2470 | 0.85 | 0.10 | 6.0 | 23.7 | 460 |
| KAS28580 | | 3.48 | 13.75 | 0.08 | 2.2 | 0.056 | 2.97 | 31.1 | 39.9 | 3.29 | 1700 | 1.16 | 0.19 | 7.9 | 28.0 | 490 |
| KAS28699 | | 3.17 | 16.05 | 0.10 | 2.2 | 0.052 | 3.62 | 34.6 | 50.4 | 2.16 | 1270 | 1.11 | 0.11 | 7.7 | 28.1 | 390 |
| KAS28700 | | 3.33 | 15.75 | 0.10 | 2.1 | 0.050 | 3.69 | 32.6 | 48.9 | 2.00 | 1340 | 1.25 | 0.12 | 7.8 | 27.3 | 400 |
| KAS28063 | | 4.89 | 7.15 | 0.06 | 1.0 | 0.175 | 1.36 | 16.2 | 23.5 | 7.78 | 4130 | 0.45 | 0.11 | 3.8 | 15.9 | 400 |
| KAS28064 | | 6.65 | 12.20 | 0.09 | 1.6 | 0.154 | 2.71 | 26.5 | 42.0 | 3.90 | 5810 | 0.87 | 0.13 | 6.0 | 26.9 | 560 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 7 - C
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.1 |
| KAS28166 | | 39.2 | 127.5 | <0.002 | 0.03 | 1.45 | 9.8 | 1 | 1.9 | 24.9 | 0.66 | 0.06 | 9.74 | 0.295 | 1.9 |
| KAS27972 | | 146.0 | 67.4 | <0.002 | 0.05 | 3.02 | 7.9 | 1 | 1.2 | 27.0 | 0.38 | <0.05 | 6.46 | 0.178 | 2.4 |
| KAS27973 | | 34.3 | 46.0 | <0.002 | 0.03 | 2.12 | 6.5 | 1 | 0.8 | 23.0 | 0.27 | <0.05 | 4.99 | 0.117 | 2.1 |
| KAS27974 | | 18.8 | 57.8 | <0.002 | 0.03 | 1.70 | 7.4 | 1 | 0.9 | 19.2 | 0.34 | <0.05 | 6.56 | 0.144 | 1.6 |
| KAS27975 | | 24.3 | 39.2 | <0.002 | 0.03 | 1.48 | 6.9 | 1 | 0.7 | 21.0 | 0.27 | <0.05 | 5.31 | 0.106 | 2.1 |
| KAS27976 | | 22.7 | 29.5 | <0.002 | 0.03 | 1.78 | 5.8 | 1 | 0.6 | 20.7 | 0.21 | <0.05 | 4.61 | 0.082 | 2.3 |
| KAS27977 | | 7.2 | 5.9 | <0.002 | 0.01 | 0.47 | 2.5 | 1 | <0.2 | 21.7 | 0.07 | <0.05 | 1.32 | 0.029 | 1.2 |
| KAS27978 | | 5.3 | 4.6 | <0.002 | <0.01 | 0.35 | 1.3 | 1 | <0.2 | 15.1 | <0.05 | <0.05 | 0.63 | 0.013 | 1.0 |
| KAS27979 | | 8.1 | 9.2 | <0.002 | <0.01 | 0.54 | 2.4 | 1 | 0.3 | 17.2 | 0.09 | <0.05 | 2.18 | 0.034 | 1.3 |
| KAS27980 | | 15.1 | 2.6 | <0.002 | <0.01 | 0.45 | 1.6 | 1 | <0.2 | 20.8 | <0.05 | <0.05 | 0.90 | 0.015 | 0.8 |
| KAS27981 | | 26.3 | 9.8 | <0.002 | <0.01 | 0.60 | 2.3 | 1 | 0.2 | 27.4 | 0.07 | <0.05 | 1.32 | 0.029 | 0.8 |
| KAS27982 | | 185.0 | 80.1 | <0.002 | 0.02 | 2.18 | 10.0 | 1 | 1.2 | 34.5 | 0.43 | <0.05 | 8.10 | 0.199 | 2.0 |
| KAS27983 | | 66.7 | 94.0 | <0.002 | 0.04 | 2.66 | 8.6 | 1 | 1.6 | 26.6 | 0.56 | <0.05 | 9.87 | 0.236 | 2.3 |
| KAS27984 | | 43.2 | 74.7 | <0.002 | 0.03 | 4.22 | 7.8 | 1 | 1.1 | 17.6 | 0.41 | <0.05 | 7.08 | 0.183 | 1.9 |
| KAS27985 | | 130.0 | 70.6 | <0.002 | 0.04 | 4.54 | 6.7 | 1 | 1.0 | 23.5 | 0.38 | <0.05 | 7.27 | 0.182 | 1.9 |
| KAS27986 | | 133.5 | 64.4 | <0.002 | 0.03 | 2.27 | 6.3 | 1 | 0.9 | 24.4 | 0.34 | <0.05 | 5.83 | 0.154 | 1.4 |
| KAS27987 | | 153.5 | 77.6 | <0.002 | 0.04 | 1.77 | 7.2 | 1 | 1.4 | 25.2 | 0.40 | 0.07 | 6.88 | 0.184 | 1.5 |
| KAS27987B | | 0.8 | 4.9 | <0.002 | <0.01 | 0.21 | 0.5 | <1 | 0.4 | 5.4 | <0.05 | <0.05 | 2.10 | 0.029 | 0.3 |
| KAS28044 | | 19.4 | 60.5 | <0.002 | 0.02 | 0.89 | 5.6 | 1 | 1.0 | 31.1 | 0.33 | <0.05 | 5.11 | 0.146 | 1.0 |
| KAS28045 | | 17.4 | 45.2 | <0.002 | 0.01 | 0.88 | 4.5 | 1 | 0.8 | 31.8 | 0.26 | <0.05 | 4.16 | 0.112 | 0.8 |
| KAS28530 | | 170.5 | 140.5 | <0.002 | 0.02 | 2.98 | 9.5 | 1 | 1.7 | 20.3 | 0.59 | <0.05 | 10.70 | 0.253 | 1.9 |
| KAS28531 | | 130.0 | 119.5 | <0.002 | 0.01 | 2.32 | 7.9 | 1 | 1.5 | 23.3 | 0.51 | <0.05 | 8.63 | 0.215 | 1.7 |
| KAS28532 | | 147.5 | 127.0 | <0.002 | 0.01 | 2.34 | 8.1 | 1 | 1.5 | 23.7 | 0.50 | <0.05 | 9.05 | 0.215 | 1.7 |
| KAS28533 | | 104.5 | 114.0 | <0.002 | 0.01 | 2.53 | 7.5 | 1 | 1.4 | 21.7 | 0.46 | <0.05 | 7.91 | 0.193 | 1.5 |
| KAS28534 | | 128.5 | 100.0 | <0.002 | <0.01 | 1.69 | 6.8 | 1 | 1.2 | 22.7 | 0.42 | <0.05 | 7.09 | 0.176 | 1.4 |
| KAS28535 | | 161.0 | 131.0 | <0.002 | 0.03 | 2.50 | 8.8 | 1 | 1.7 | 24.7 | 0.54 | <0.05 | 9.53 | 0.237 | 1.8 |
| KAS28536 | | 165.5 | 129.5 | <0.002 | 0.03 | 2.62 | 10.2 | 1 | 1.8 | 34.0 | 0.60 | <0.05 | 10.40 | 0.265 | 2.2 |
| KAS28537 | | 228 | 110.5 | <0.002 | 0.10 | 2.72 | 9.1 | 1 | 1.6 | 40.9 | 0.51 | 0.07 | 8.48 | 0.240 | 1.9 |
| KAS28538 | | 406 | 128.5 | <0.002 | 0.07 | 3.98 | 10.1 | 1 | 1.7 | 23.8 | 0.53 | <0.05 | 10.10 | 0.241 | 1.9 |
| KAS28539 | | 321 | 115.5 | <0.002 | 0.04 | 3.51 | 8.8 | 1 | 1.6 | 23.5 | 0.54 | <0.05 | 8.86 | 0.227 | 1.7 |
| KAS28570 | | 603 | 133.5 | <0.002 | 0.04 | 4.39 | 10.4 | 1 | 1.8 | 28.1 | 0.58 | 0.05 | 10.20 | 0.258 | 1.9 |
| KAS28571 | | 387 | 140.0 | <0.002 | 0.03 | 3.65 | 10.6 | 1 | 1.8 | 20.3 | 0.60 | <0.05 | 10.75 | 0.259 | 2.0 |
| KAS28572 | | 478 | 128.0 | <0.002 | 0.04 | 3.77 | 10.1 | 1 | 1.6 | 24.2 | 0.53 | 0.05 | 10.40 | 0.248 | 2.1 |
| KAS28573 | | 423 | 142.5 | <0.002 | 0.04 | 3.25 | 10.9 | 1 | 1.8 | 24.0 | 0.60 | 0.07 | 11.00 | 0.275 | 2.2 |
| KAS28540 | | 266 | 105.0 | <0.002 | 0.03 | 3.07 | 8.2 | 1 | 1.5 | 28.8 | 0.46 | <0.05 | 8.08 | 0.201 | 1.6 |
| KAS28580 | | 245 | 113.0 | <0.002 | 0.01 | 2.76 | 9.3 | 1 | 1.6 | 39.3 | 0.60 | <0.05 | 9.12 | 0.257 | 1.8 |
| KAS28699 | | 151.5 | 140.5 | <0.002 | 0.03 | 2.79 | 10.2 | 1 | 1.8 | 18.8 | 0.59 | <0.05 | 10.60 | 0.247 | 1.9 |
| KAS28700 | | 170.5 | 142.5 | <0.002 | 0.02 | 3.14 | 10.0 | 1 | 1.8 | 17.3 | 0.58 | <0.05 | 10.35 | 0.256 | 1.9 |
| KAS28063 | | 62.5 | 52.3 | <0.002 | 0.03 | 10.05 | 4.9 | 1 | 0.9 | 38.7 | 0.27 | <0.05 | 4.07 | 0.121 | 1.0 |
| KAS28064 | | 110.0 | 92.3 | <0.002 | 0.03 | 3.39 | 8.6 | 1 | 1.4 | 35.7 | 0.44 | <0.05 | 7.19 | 0.202 | 1.7 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 7 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAS28166 | | 60 | 1.1 | 19.2 | 78 | 70.4 | | | |
| KAS27972 | | 59 | 0.9 | 28.1 | 189 | 47.2 | | | |
| KAS27973 | | 42 | 0.4 | 20.8 | 69 | 34.4 | | | |
| KAS27974 | | 32 | 0.5 | 16.4 | 103 | 40.8 | | | |
| KAS27975 | | 34 | 0.4 | 17.2 | 58 | 35.4 | | | |
| KAS27976 | | 32 | 0.3 | 16.0 | 43 | 29.8 | | | |
| KAS27977 | | 17 | 0.1 | 11.6 | 16 | 11.2 | | | |
| KAS27978 | | 14 | 0.1 | 8.0 | 9 | 5.0 | | | |
| KAS27979 | | 16 | 0.1 | 13.0 | 22 | 15.3 | | | |
| KAS27980 | | 11 | 0.1 | 10.7 | 36 | 5.9 | | | |
| KAS27981 | | 16 | 0.2 | 14.0 | 103 | 9.5 | | | |
| KAS27982 | | 50 | 1.8 | 26.2 | 254 | 58.2 | | | |
| KAS27983 | | 56 | 1.1 | 26.8 | 119 | 71.9 | | | |
| KAS27984 | | 52 | 0.6 | 17.0 | 52 | 57.9 | | | |
| KAS27985 | | 53 | 0.7 | 22.4 | 99 | 53.0 | | | |
| KAS27986 | | 42 | 0.7 | 20.3 | 149 | 38.9 | | | |
| KAS27987 | | 43 | 0.8 | 19.5 | 658 | 48.2 | | | |
| KAS27987B | | 5 | 0.1 | 1.3 | 2 | 4.5 | | | |
| KAS28044 | | 35 | 0.6 | 14.4 | 86 | 37.5 | | | |
| KAS28045 | | 28 | 0.5 | 13.2 | 70 | 29.5 | | | |
| KAS28530 | | 63 | 1.0 | 11.6 | 457 | 77.3 | | | |
| KAS28531 | | 52 | 0.9 | 10.0 | 372 | 62.8 | | | |
| KAS28532 | | 51 | 0.9 | 10.4 | 432 | 64.8 | | | |
| KAS28533 | | 48 | 0.8 | 9.9 | 319 | 58.3 | | | |
| KAS28534 | | 42 | 0.7 | 9.8 | 349 | 61.0 | | | |
| KAS28535 | | 57 | 1.0 | 10.2 | 432 | 65.6 | | | |
| KAS28536 | | 74 | 1.1 | 14.1 | 476 | 74.7 | | | |
| KAS28537 | | 66 | 1.0 | 11.6 | 691 | 61.8 | | | |
| KAS28538 | | 65 | 1.1 | 12.7 | 1130 | 68.0 | | | |
| KAS28539 | | 57 | 1.1 | 13.0 | 867 | 65.3 | | | |
| KAS28570 | | 66 | 1.2 | 12.5 | 1440 | 73.8 | | | |
| KAS28571 | | 68 | 2.4 | 12.2 | 1030 | 75.0 | | | |
| KAS28572 | | 68 | 1.1 | 13.4 | 1290 | 69.3 | | | |
| KAS28573 | | 74 | 1.2 | 13.5 | 1080 | 76.4 | | | |
| KAS28540 | | 52 | 1.0 | 11.8 | 717 | 58.9 | | | |
| KAS28580 | | 67 | 1.0 | 13.0 | 630 | 69.0 | | | |
| KAS28699 | | 62 | 1.0 | 11.5 | 396 | 73.9 | | | |
| KAS28700 | | 65 | 1.0 | 12.1 | 430 | 73.4 | | | |
| KAS28063 | | 31 | 1.0 | 17.2 | 484 | 31.2 | | | |
| KAS28064 | | 49 | 1.4 | 20.4 | 506 | 52.7 | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 8 - A
Total # Pages: 8 (A - D)
Plus Appendix Pages
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-ICP22 Au ppm | ME-MS61 Ag ppm | ME-MS61 Al % | ME-MS61 As ppm | ME-MS61 Ba ppm | ME-MS61 Be ppm | ME-MS61 Bi ppm | ME-MS61 Ca % | ME-MS61 Cd ppm | ME-MS61 Ce ppm | ME-MS61 Co ppm | ME-MS61 Cr ppm | ME-MS61 Cs ppm | ME-MS61 Cu ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|--------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| | | 0.02 | 0.001 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| KAS28065 | | 0.22 | 0.002 | 0.47 | 5.98 | 15.9 | 560 | 1.99 | 0.39 | 1.89 | 2.24 | 60.6 | 14.3 | 152 | 4.51 | 26.9 |
| KAS28066 | | 0.22 | 0.001 | 0.22 | 5.40 | 29.1 | 530 | 2.01 | 0.40 | 2.67 | 1.16 | 65.0 | 15.8 | 158 | 3.78 | 27.1 |
| KAS28087 | | 0.24 | 0.001 | 0.26 | 5.09 | 9.2 | 410 | 1.76 | 0.22 | 4.79 | 0.41 | 52.5 | 12.0 | 181 | 3.07 | 21.3 |
| KAS28088 | | 0.24 | 0.001 | 0.17 | 2.88 | 6.4 | 220 | 1.02 | 0.17 | 13.10 | 0.26 | 33.2 | 8.2 | 51 | 2.06 | 19.3 |
| KAS28487 | | 0.24 | 0.002 | 0.67 | 6.49 | 26.3 | 640 | 2.32 | 1.09 | 0.22 | 1.08 | 75.4 | 27.3 | 215 | 4.86 | 50.3 |
| KAS28488 | | 0.24 | 0.001 | 0.34 | 6.06 | 23.8 | 520 | 2.04 | 0.67 | 1.79 | 1.97 | 67.1 | 17.7 | 126 | 4.25 | 33.3 |
| KAS28489 | | 0.22 | 0.001 | 0.36 | 0.29 | 20.5 | 30 | 0.22 | 0.64 | 20.8 | 1.31 | 7.12 | 1.4 | 4 | 0.22 | 27.4 |
| KAS28490 | | 0.24 | <0.001 | 0.12 | 0.55 | 6.6 | 40 | 0.37 | 0.19 | 19.70 | 0.48 | 10.10 | 2.0 | 12 | 0.39 | 7.4 |
| KAS28491 | | 0.22 | 0.001 | 0.15 | 1.04 | 10.5 | 110 | 0.54 | 0.23 | 17.40 | 0.32 | 19.05 | 3.4 | 16 | 0.87 | 9.6 |
| KAS28492 | | 0.22 | 0.001 | 0.06 | 0.40 | 6.8 | 20 | 0.28 | 0.09 | 20.6 | 0.13 | 9.94 | 1.4 | 5 | 0.28 | 3.5 |
| KAS28493 | | 0.24 | 0.001 | 0.42 | 0.61 | 71.3 | 60 | 0.32 | 0.45 | 20.2 | 1.31 | 11.40 | 2.2 | 7 | 0.45 | 50.2 |
| KAS28494 | | 0.24 | <0.001 | 0.45 | 0.35 | 28.1 | 20 | 0.27 | 0.36 | 21.8 | 1.76 | 10.50 | 1.7 | 4 | 0.32 | 21.9 |
| KAS28495 | | 0.26 | 0.001 | 0.50 | 0.57 | 68.5 | 40 | 0.39 | 1.01 | 20.7 | 0.94 | 10.15 | 2.2 | 6 | 0.33 | 40.0 |
| KAS28496 | | 0.34 | 0.001 | 0.98 | 0.63 | 61.4 | 60 | 0.40 | 1.51 | 20.6 | 1.35 | 9.41 | 2.7 | 6 | 0.37 | 66.7 |
| KAS28497 | | 0.38 | 0.001 | 0.64 | 1.05 | 108.0 | 100 | 0.57 | 1.28 | 20.0 | 1.61 | 11.10 | 5.0 | 10 | 0.55 | 53.0 |
| KAS28498 | | 0.34 | <0.001 | 1.18 | 1.17 | 165.0 | 110 | 0.58 | 1.49 | 19.45 | 2.78 | 11.45 | 5.4 | 10 | 0.70 | 79.9 |
| KAS28499 | | 0.32 | 0.001 | 0.76 | 1.42 | 123.5 | 150 | 0.62 | 1.60 | 19.55 | 1.64 | 12.20 | 5.5 | 11 | 0.75 | 50.9 |
| KAS28500 | | 0.26 | 0.001 | 1.28 | 1.78 | 218 | 220 | 0.74 | 2.91 | 18.45 | 4.22 | 11.75 | 8.7 | 15 | 1.00 | 116.5 |
| KAS28046 | | 0.36 | 0.001 | 0.13 | 2.71 | 7.2 | 230 | 0.94 | 0.57 | 11.75 | 0.54 | 29.1 | 5.9 | 44 | 1.64 | 12.3 |
| KAS28047 | | 0.26 | 0.001 | 0.12 | 3.39 | 6.7 | 290 | 1.10 | 0.39 | 9.42 | 0.58 | 35.7 | 7.3 | 84 | 2.29 | 14.3 |
| KAS28048 | | 0.30 | 0.001 | 0.29 | 4.05 | 55.9 | 400 | 1.46 | 0.45 | 7.24 | 1.93 | 46.9 | 9.3 | 107 | 2.56 | 19.0 |
| KAS28049 | | 0.28 | 0.002 | 0.32 | 3.66 | 74.4 | 430 | 1.26 | 0.38 | 8.26 | 1.76 | 43.7 | 9.2 | 105 | 2.47 | 22.7 |
| KAS28050 | | 0.26 | 0.003 | 0.37 | 5.20 | 48.3 | 560 | 1.71 | 0.33 | 4.13 | 2.21 | 59.0 | 12.1 | 138 | 3.55 | 18.3 |
| KAS28051 | | 0.22 | 0.005 | 0.55 | 5.43 | 117.5 | 590 | 1.76 | 0.52 | 2.74 | 3.30 | 61.2 | 14.1 | 154 | 4.44 | 33.0 |
| KAS28052 | | 0.30 | 0.002 | 0.29 | 5.24 | 15.0 | 500 | 1.52 | 0.41 | 1.88 | 1.56 | 56.5 | 12.4 | 229 | 3.39 | 17.4 |
| KAS28053 | | 0.20 | 0.001 | 0.15 | 5.75 | 9.6 | 490 | 1.60 | 0.27 | 0.80 | 0.69 | 52.4 | 10.3 | 228 | 3.10 | 13.9 |
| KAS28054 | | 0.50 | 0.001 | 0.17 | 5.78 | 9.3 | 500 | 1.45 | 0.26 | 0.58 | 0.63 | 59.0 | 12.3 | 230 | 3.06 | 14.1 |
| KAS28055 | | 0.20 | 0.001 | 0.11 | 5.58 | 13.4 | 530 | 1.49 | 0.28 | 0.65 | 0.42 | 56.6 | 12.8 | 215 | 3.24 | 14.2 |
| KAS28056 | | 0.28 | 0.010 | 0.78 | 3.23 | 137.0 | 280 | 0.95 | 0.45 | 8.45 | 5.01 | 34.4 | 8.6 | 129 | 2.07 | 16.0 |
| KAS28057 | | 0.24 | 0.013 | 0.81 | 3.26 | 193.5 | 290 | 1.06 | 0.50 | 10.35 | 4.93 | 36.0 | 8.9 | 83 | 2.68 | 18.5 |
| KAS28058 | | 0.26 | 0.018 | 1.10 | 3.29 | 260 | 320 | 1.20 | 0.68 | 9.75 | 6.05 | 38.3 | 9.4 | 100 | 2.97 | 19.9 |
| KAS28059 | | 0.36 | 0.004 | 0.54 | 1.37 | 82.2 | 110 | 0.49 | 0.22 | 16.35 | 2.75 | 16.25 | 3.3 | 20 | 0.91 | 6.4 |
| KAS28060 | | 0.28 | 0.002 | 0.66 | 1.32 | 55.1 | 120 | 0.59 | 0.17 | 16.80 | 2.86 | 15.20 | 3.3 | 23 | 1.15 | 7.4 |
| KAS28061 | | 0.22 | 0.005 | 0.61 | 3.98 | 203 | 400 | 1.41 | 0.59 | 7.29 | 2.59 | 43.4 | 9.7 | 107 | 3.44 | 19.2 |
| KAS28062 | | 0.22 | 0.004 | 0.54 | 2.77 | 139.5 | 250 | 1.02 | 0.40 | 11.15 | 3.16 | 31.6 | 6.6 | 73 | 2.28 | 20.1 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 8 - B
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| KAS28065 | | 4.01 | 15.65 | 0.10 | 2.0 | 0.088 | 3.22 | 31.7 | 59.1 | 2.20 | 2720 | 0.88 | 0.26 | 8.4 | 28.4 | 820 |
| KAS28066 | | 3.60 | 14.35 | 0.09 | 1.8 | 0.064 | 3.04 | 32.1 | 53.3 | 2.23 | 3010 | 0.83 | 0.22 | 8.8 | 29.7 | 830 |
| KAS28087 | | 3.06 | 13.55 | 0.08 | 1.8 | 0.085 | 3.76 | 27.1 | 52.5 | 3.57 | 1720 | 0.68 | 0.16 | 7.5 | 20.6 | 550 |
| KAS28088 | | 1.74 | 7.86 | 0.06 | 1.1 | 0.038 | 2.05 | 17.2 | 33.9 | 8.82 | 1220 | 0.37 | 0.08 | 4.3 | 12.5 | 290 |
| KAS28487 | | 3.80 | 17.25 | 0.10 | 2.3 | 0.068 | 3.53 | 37.0 | 47.3 | 1.16 | 1500 | 1.55 | 0.19 | 9.0 | 33.6 | 490 |
| KAS28488 | | 3.40 | 15.35 | 0.10 | 2.2 | 0.068 | 3.50 | 33.4 | 42.5 | 1.96 | 1830 | 0.98 | 0.10 | 7.9 | 28.5 | 360 |
| KAS28489 | | 1.91 | 0.81 | <0.05 | 0.1 | 0.037 | 0.09 | 3.8 | 4.3 | 12.70 | 1960 | 0.54 | 0.02 | 0.4 | 4.3 | 100 |
| KAS28490 | | 2.23 | 1.50 | <0.05 | 0.2 | 0.045 | 0.12 | 5.5 | 6.0 | 12.30 | 2300 | 0.97 | 0.04 | 0.9 | 7.8 | 220 |
| KAS28491 | | 3.59 | 3.04 | 0.05 | 0.4 | 0.086 | 0.36 | 9.4 | 8.6 | 10.50 | 3440 | 0.92 | 0.07 | 1.3 | 14.3 | 340 |
| KAS28492 | | 1.80 | 1.28 | <0.05 | 0.2 | 0.036 | 0.11 | 4.9 | 5.1 | 12.60 | 1970 | 0.32 | 0.03 | 0.5 | 6.5 | 130 |
| KAS28493 | | 3.05 | 2.09 | <0.05 | 0.3 | 0.074 | 0.22 | 5.3 | 5.7 | 12.30 | 3280 | 0.37 | 0.02 | 0.7 | 9.8 | 160 |
| KAS28494 | | 2.45 | 1.28 | <0.05 | 0.1 | 0.061 | 0.10 | 4.9 | 4.2 | 12.05 | 2880 | 0.39 | 0.02 | 0.4 | 7.3 | 100 |
| KAS28495 | | 2.86 | 1.79 | <0.05 | 0.2 | 0.061 | 0.22 | 4.9 | 6.1 | 12.15 | 3100 | 0.36 | 0.02 | 0.6 | 8.7 | 140 |
| KAS28496 | | 3.21 | 1.97 | <0.05 | 0.2 | 0.067 | 0.24 | 4.6 | 5.7 | 11.90 | 3590 | 0.46 | 0.02 | 0.7 | 10.3 | 130 |
| KAS28497 | | 3.59 | 3.24 | <0.05 | 0.4 | 0.074 | 0.43 | 5.4 | 8.5 | 11.10 | 3700 | 1.13 | 0.02 | 1.1 | 17.6 | 190 |
| KAS28498 | | 4.13 | 3.66 | <0.05 | 0.4 | 0.093 | 0.50 | 5.6 | 9.3 | 10.45 | 4760 | 0.74 | 0.02 | 1.3 | 17.1 | 200 |
| KAS28499 | | 3.80 | 4.36 | <0.05 | 0.5 | 0.084 | 0.62 | 5.8 | 10.8 | 10.35 | 4130 | 0.67 | 0.02 | 1.5 | 18.0 | 210 |
| KAS28500 | | 5.09 | 5.44 | <0.05 | 0.6 | 0.113 | 0.82 | 5.7 | 13.5 | 9.91 | 5730 | 0.93 | 0.02 | 1.5 | 23.7 | 230 |
| KAS28046 | | 2.15 | 6.95 | <0.05 | 0.9 | 0.060 | 1.74 | 14.2 | 30.3 | 6.83 | 1680 | 0.22 | 0.07 | 3.9 | 11.4 | 290 |
| KAS28047 | | 2.75 | 8.86 | 0.05 | 1.1 | 0.065 | 2.04 | 17.3 | 38.5 | 6.12 | 2040 | 0.42 | 0.11 | 4.6 | 15.6 | 420 |
| KAS28048 | | 3.14 | 10.70 | 0.08 | 1.5 | 0.071 | 2.41 | 23.8 | 37.4 | 4.93 | 2570 | 0.49 | 0.14 | 6.0 | 19.3 | 490 |
| KAS28049 | | 3.86 | 9.50 | 0.07 | 1.3 | 0.095 | 1.80 | 22.5 | 28.3 | 5.50 | 3260 | 0.74 | 0.20 | 5.9 | 21.3 | 600 |
| KAS28050 | | 4.20 | 13.30 | 0.09 | 1.8 | 0.093 | 2.49 | 29.4 | 40.5 | 3.13 | 3100 | 0.85 | 0.30 | 8.4 | 27.5 | 830 |
| KAS28051 | | 4.78 | 14.00 | 0.14 | 1.9 | 0.119 | 2.47 | 31.7 | 43.6 | 2.51 | 3710 | 1.36 | 0.35 | 8.8 | 34.8 | 840 |
| KAS28052 | | 3.99 | 13.50 | 0.15 | 1.8 | 0.073 | 2.74 | 28.5 | 46.0 | 1.87 | 2910 | 1.16 | 0.26 | 8.0 | 26.6 | 690 |
| KAS28053 | | 3.53 | 14.80 | 0.14 | 2.0 | 0.058 | 3.55 | 26.3 | 55.8 | 1.11 | 2600 | 1.20 | 0.25 | 7.6 | 22.4 | 610 |
| KAS28054 | | 3.65 | 14.30 | 0.16 | 1.9 | 0.054 | 3.38 | 28.9 | 48.6 | 1.05 | 2790 | 0.99 | 0.32 | 8.9 | 22.6 | 600 |
| KAS28055 | | 3.93 | 14.15 | 0.15 | 1.9 | 0.053 | 3.14 | 27.5 | 45.3 | 1.31 | 2750 | 0.98 | 0.30 | 9.2 | 24.1 | 590 |
| KAS28056 | | 2.93 | 8.06 | 0.12 | 1.3 | 0.071 | 2.03 | 17.5 | 25.8 | 5.51 | 2660 | 0.68 | 0.13 | 5.1 | 19.1 | 390 |
| KAS28057 | | 3.35 | 8.44 | 0.12 | 1.2 | 0.099 | 1.82 | 18.6 | 27.6 | 6.82 | 2710 | 0.62 | 0.16 | 5.9 | 18.0 | 500 |
| KAS28058 | | 3.64 | 8.09 | 0.10 | 1.2 | 0.118 | 1.83 | 19.8 | 27.6 | 6.43 | 3190 | 0.68 | 0.16 | 5.0 | 19.1 | 490 |
| KAS28059 | | 1.53 | 3.71 | 0.08 | 0.6 | 0.047 | 0.80 | 8.3 | 13.0 | 10.50 | 1480 | 0.26 | 0.04 | 2.3 | 6.9 | 150 |
| KAS28060 | | 1.63 | 3.41 | 0.08 | 0.5 | 0.061 | 0.67 | 8.3 | 12.6 | 10.85 | 1560 | 0.24 | 0.06 | 2.0 | 7.4 | 200 |
| KAS28061 | | 4.35 | 10.30 | 0.10 | 1.4 | 0.109 | 2.12 | 22.4 | 35.2 | 5.01 | 3650 | 0.71 | 0.19 | 5.8 | 22.6 | 570 |
| KAS28062 | | 3.53 | 7.22 | 0.11 | 1.0 | 0.108 | 1.36 | 16.8 | 23.9 | 7.30 | 3160 | 0.47 | 0.13 | 4.2 | 16.2 | 450 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 8 - C
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 Pb ppm 0.5 | ME-MS61 Rb ppm 0.1 | ME-MS61 Re ppm 0.002 | ME-MS61 S % 0.01 | ME-MS61 Sb ppm 0.05 | ME-MS61 Sc ppm 0.1 | ME-MS61 Se ppm 1 | ME-MS61 Sn ppm 0.2 | ME-MS61 Sr ppm 0.2 | ME-MS61 Ta ppm 0.05 | ME-MS61 Te ppm 0.05 | ME-MS61 Th ppm 0.01 | ME-MS61 Ti % 0.005 | ME-MS61 Tl ppm 0.02 | ME-MS61 U ppm 0.1 |
|--------------------|-----------------------------------|-----------------------------|-----------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|------------------------------|----------------------------|
| KAS28065 | | 105.5 | 113.5 | <0.002 | 0.05 | 1.81 | 11.0 | 1 | 1.8 | 41.9 | 0.62 | 0.05 | 9.29 | 0.279 | 0.48 | 2.0 |
| KAS28066 | | 65.2 | 103.5 | <0.002 | 0.05 | 1.60 | 9.8 | 1 | 1.7 | 39.7 | 0.62 | 0.06 | 8.97 | 0.269 | 0.52 | 1.8 |
| KAS28087 | | 117.5 | 97.9 | <0.002 | 0.05 | 2.14 | 8.8 | 1 | 1.5 | 28.4 | 0.55 | <0.05 | 8.72 | 0.256 | 0.43 | 1.9 |
| KAS28088 | | 50.3 | 57.9 | <0.002 | 0.01 | 1.41 | 5.0 | 1 | 0.9 | 28.2 | 0.30 | 0.05 | 5.07 | 0.138 | 0.23 | 1.1 |
| KAS28487 | | 199.0 | 150.5 | <0.002 | 0.02 | 5.75 | 10.7 | 1 | 2.0 | 32.6 | 0.66 | 0.07 | 11.50 | 0.287 | 0.77 | 2.3 |
| KAS28488 | | 178.0 | 138.0 | <0.002 | 0.02 | 4.28 | 9.8 | 1 | 1.7 | 18.6 | 0.56 | 0.05 | 10.95 | 0.249 | 0.71 | 2.0 |
| KAS28489 | | 31.7 | 4.2 | <0.002 | <0.01 | 0.67 | 0.9 | 1 | <0.2 | 67.1 | <0.05 | <0.05 | 0.60 | 0.012 | 0.03 | 1.0 |
| KAS28490 | | 34.5 | 6.5 | <0.002 | 0.01 | 0.47 | 1.3 | 1 | 0.2 | 65.6 | 0.07 | <0.05 | 1.16 | 0.021 | 0.06 | 1.2 |
| KAS28491 | | 32.1 | 16.0 | <0.002 | 0.02 | 0.85 | 2.9 | 1 | 0.3 | 81.1 | 0.10 | <0.05 | 1.85 | 0.042 | 0.10 | 1.1 |
| KAS28492 | | 13.3 | 4.7 | <0.002 | <0.01 | 0.43 | 1.6 | 1 | <0.2 | 45.6 | <0.05 | <0.05 | 0.83 | 0.014 | 0.04 | 0.6 |
| KAS28493 | | 139.5 | 9.8 | <0.002 | <0.01 | 2.52 | 1.8 | 1 | 0.2 | 51.1 | 0.06 | <0.05 | 1.26 | 0.024 | 0.05 | 0.9 |
| KAS28494 | | 31.7 | 4.6 | <0.002 | <0.01 | 1.31 | 1.4 | 1 | <0.2 | 51.2 | <0.05 | <0.05 | 0.74 | 0.011 | 0.04 | 0.7 |
| KAS28495 | | 25.3 | 8.9 | <0.002 | <0.01 | 2.03 | 1.7 | 1 | 0.2 | 50.3 | <0.05 | <0.05 | 1.09 | 0.017 | 0.05 | 0.9 |
| KAS28496 | | 49.9 | 10.3 | <0.002 | <0.01 | 2.69 | 2.0 | 1 | 0.2 | 49.6 | 0.05 | <0.05 | 1.13 | 0.021 | 0.05 | 1.0 |
| KAS28497 | | 108.0 | 18.1 | <0.002 | <0.01 | 3.95 | 2.5 | 1 | 0.4 | 47.6 | 0.08 | <0.05 | 1.98 | 0.037 | 0.12 | 1.3 |
| KAS28498 | | 146.5 | 21.3 | <0.002 | <0.01 | 5.68 | 2.8 | 1 | 0.4 | 48.9 | 0.09 | <0.05 | 2.07 | 0.040 | 0.14 | 1.4 |
| KAS28499 | | 275 | 25.7 | <0.002 | <0.01 | 4.14 | 3.0 | 1 | 0.5 | 51.1 | 0.11 | <0.05 | 2.44 | 0.047 | 0.14 | 1.2 |
| KAS28500 | | 490 | 34.5 | <0.002 | <0.01 | 6.19 | 3.6 | 1 | 0.7 | 54.0 | 0.12 | <0.05 | 3.07 | 0.054 | 0.19 | 1.6 |
| KAS28046 | | 25.3 | 48.4 | <0.002 | <0.01 | 0.80 | 4.7 | 1 | 0.8 | 34.1 | 0.27 | <0.05 | 4.11 | 0.121 | 0.21 | 0.7 |
| KAS28047 | | 26.0 | 58.1 | <0.002 | 0.01 | 0.86 | 6.1 | 1 | 1.1 | 33.9 | 0.33 | 0.05 | 4.77 | 0.149 | 0.23 | 0.9 |
| KAS28048 | | 47.5 | 74.6 | <0.002 | 0.03 | 1.51 | 7.0 | 1 | 1.3 | 34.4 | 0.44 | 0.05 | 6.46 | 0.192 | 0.33 | 1.2 |
| KAS28049 | | 55.0 | 68.5 | <0.002 | 0.04 | 1.70 | 6.6 | 1 | 1.3 | 45.7 | 0.40 | 0.07 | 6.14 | 0.182 | 0.34 | 1.2 |
| KAS28050 | | 113.5 | 91.4 | <0.002 | 0.05 | 1.52 | 9.4 | 1 | 1.7 | 53.0 | 0.59 | <0.05 | 8.33 | 0.264 | 0.47 | 1.6 |
| KAS28051 | | 107.5 | 96.9 | <0.002 | 0.05 | 3.04 | 10.6 | 2 | 1.7 | 58.9 | 0.63 | 0.09 | 8.86 | 0.268 | 0.49 | 1.9 |
| KAS28052 | | 93.6 | 85.5 | <0.002 | 0.04 | 1.57 | 9.4 | 1 | 1.6 | 42.4 | 0.57 | 0.06 | 8.54 | 0.251 | 0.47 | 1.8 |
| KAS28053 | | 55.0 | 96.1 | <0.002 | 0.04 | 1.39 | 9.9 | 1 | 1.9 | 36.9 | 0.57 | 0.08 | 8.82 | 0.248 | 0.47 | 1.7 |
| KAS28054 | | 38.7 | 95.0 | <0.002 | 0.04 | 1.40 | 9.9 | 1 | 1.8 | 49.7 | 0.64 | 0.05 | 8.97 | 0.287 | 0.46 | 1.7 |
| KAS28055 | | 38.5 | 90.1 | <0.002 | 0.03 | 1.36 | 9.7 | 1 | 1.7 | 43.5 | 0.66 | 0.06 | 8.72 | 0.296 | 0.46 | 1.7 |
| KAS28056 | | 484 | 56.8 | <0.002 | 0.03 | 1.87 | 5.4 | 1 | 1.1 | 29.9 | 0.37 | <0.05 | 5.54 | 0.155 | 0.27 | 1.2 |
| KAS28057 | | 181.5 | 62.7 | <0.002 | 0.04 | 1.89 | 6.0 | 1 | 1.1 | 40.0 | 0.41 | <0.05 | 5.36 | 0.172 | 0.31 | 1.2 |
| KAS28058 | | 152.5 | 62.7 | <0.002 | 0.03 | 2.19 | 6.2 | 1 | 1.1 | 40.7 | 0.38 | <0.05 | 5.81 | 0.156 | 0.27 | 1.3 |
| KAS28059 | | 97.4 | 27.0 | <0.002 | <0.01 | 0.84 | 2.3 | <1 | 0.5 | 28.2 | 0.17 | <0.05 | 2.31 | 0.065 | 0.14 | 0.5 |
| KAS28060 | | 251 | 24.9 | <0.002 | 0.01 | 1.03 | 2.5 | 1 | 0.6 | 31.5 | 0.14 | <0.05 | 2.19 | 0.061 | 0.11 | 0.5 |
| KAS28061 | | 77.0 | 74.6 | <0.002 | 0.04 | 2.01 | 7.4 | 1 | 1.3 | 41.8 | 0.44 | <0.05 | 6.44 | 0.185 | 0.38 | 1.4 |
| KAS28062 | | 63.5 | 52.1 | <0.002 | 0.03 | 1.97 | 5.1 | 1 | 1.0 | 40.6 | 0.31 | <0.05 | 4.30 | 0.127 | 0.25 | 1.0 |
| | | | | | | | | | | | | | | | | |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 8 - D
 Total # Pages: 8 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-AUG-2016
 Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

| Sample Description | Method Analyte Units LOR | ME-MS61 V ppm 1 | ME-MS61 W ppm 0.1 | ME-MS61 Y ppm 0.1 | ME-MS61 Zn ppm 2 | ME-MS61 Zr ppm 0.5 | Ag-OG62 Ag ppm 1 | Pb-OG62 Pb % 0.001 | Zn-OG62 Zn % 0.001 |
|--------------------|-----------------------------------|--------------------------|----------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| KAS28065 | | 74 | 1.3 | 24.6 | 484 | 65.3 | | | |
| KAS28066 | | 67 | 1.2 | 20.7 | 257 | 68.5 | | | |
| KAS28087 | | 55 | 0.9 | 22.0 | 155 | 64.0 | | | |
| KAS28088 | | 30 | 0.6 | 14.5 | 95 | 38.1 | | | |
| KAS28487 | | 74 | 1.2 | 11.9 | 517 | 81.1 | | | |
| KAS28488 | | 60 | 1.1 | 10.9 | 614 | 74.9 | | | |
| KAS28489 | | 18 | 0.2 | 6.3 | 463 | 4.3 | | | |
| KAS28490 | | 26 | 0.2 | 8.2 | 225 | 8.9 | | | |
| KAS28491 | | 27 | 0.2 | 14.9 | 182 | 15.3 | | | |
| KAS28492 | | 11 | 0.1 | 9.4 | 139 | 5.7 | | | |
| KAS28493 | | 10 | 0.3 | 11.0 | 770 | 9.8 | | | |
| KAS28494 | | 11 | 0.2 | 10.6 | 510 | 5.8 | | | |
| KAS28495 | | 11 | 0.2 | 9.8 | 452 | 9.0 | | | |
| KAS28496 | | 12 | 0.2 | 9.9 | 649 | 8.4 | | | |
| KAS28497 | | 16 | 0.4 | 11.7 | 1020 | 16.1 | | | |
| KAS28498 | | 17 | 0.5 | 12.2 | 1540 | 16.8 | | | |
| KAS28499 | | 19 | 0.6 | 12.6 | 1240 | 19.4 | | | |
| KAS28500 | | 21 | 0.6 | 13.1 | 1860 | 23.6 | | | |
| KAS28046 | | 29 | 0.5 | 11.7 | 120 | 30.4 | | | |
| KAS28047 | | 37 | 0.6 | 14.9 | 133 | 37.1 | | | |
| KAS28048 | | 46 | 1.1 | 16.7 | 368 | 52.4 | | | |
| KAS28049 | | 49 | 1.0 | 19.0 | 374 | 45.2 | | | |
| KAS28050 | | 73 | 1.2 | 22.2 | 548 | 63.4 | | | |
| KAS28051 | | 77 | 1.4 | 26.3 | 786 | 61.7 | | | |
| KAS28052 | | 71 | 1.2 | 23.6 | 378 | 62.3 | | | |
| KAS28053 | | 71 | 1.0 | 18.8 | 161 | 64.2 | | | |
| KAS28054 | | 78 | 1.1 | 17.8 | 133 | 67.2 | | | |
| KAS28055 | | 80 | 1.2 | 18.4 | 123 | 60.3 | | | |
| KAS28056 | | 37 | 1.3 | 14.7 | 1020 | 39.4 | | | |
| KAS28057 | | 43 | 2.5 | 16.9 | 1160 | 41.9 | | | |
| KAS28058 | | 39 | 1.4 | 18.9 | 1500 | 45.5 | | | |
| KAS28059 | | 16 | 0.6 | 8.4 | 778 | 17.4 | | | |
| KAS28060 | | 16 | 0.7 | 9.1 | 511 | 16.6 | | | |
| KAS28061 | | 48 | 1.3 | 20.5 | 616 | 55.1 | | | |
| KAS28062 | | 33 | 0.9 | 16.7 | 697 | 33.3 | | | |
| | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-AUG-2016
Account: CANMID

Project: RA40

CERTIFICATE OF ANALYSIS VA16127867

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Ag-OG62 Au-ICP22 LOG-24 LOG-QC
ME-MS61 ME-OG62 Pb-OG62 WEI-21
Zn-OG62