

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW001	5.9	31.4	61.5	32.5	0.996	58.6	52.15
17BRW001	6.4	31.1	59.88	34.4	0.9995	58.9	54.05
17BRW001	6.9	31.1	59	34.1	1.0009	58.9	53.75
17BRW001	7.4	30.7	58.61	35.3	0.9987	59.3	54.95
17BRW001	7.9	31.1	58.28	34.5	0.9942	58.9	54.15
17BRW001	8.4	32.2	58.05	34	0.9996	57.8	53.65
17BRW001	8.9	31	57.88	36.8	0.996	59	56.45
17BRW001	9.4	31.4	57.78	34.5	0.998	58.6	54.15
17BRW001	9.9	30.7	57.75	35.3	1.0031	59.3	54.95
17BRW001	10.4	31.7	57.65	35.7	0.9936	58.3	55.35
17BRW001	10.9	32.5	57.61	34.1	0.9912	57.5	53.75
17BRW001	11.4	32.9	57.57	35	0.9958	57.1	54.65
17BRW001	11.9	32.7	57.55	34.8	0.9892	57.3	54.45
17BRW001	12.4	32.2	57.51	34.1	0.9908	57.8	53.75
17BRW001	12.9	32.3	57.54	34.3	0.9957	57.7	53.95
17BRW001	13.4	33.3	57.47	33.3	0.9883	56.7	52.95
17BRW001	13.9	32.3	57.5	34.1	0.9858	57.7	53.75
17BRW001	14.4	33.2	57.44	33.2	0.981	56.8	52.85
17BRW001	14.9	33.7	57.45	33.8	0.9901	56.3	53.45
17BRW001	15.4	32.9	57.46	35.1	0.9968	57.1	54.75
17BRW001	15.9	32.1	57.4	34.4	0.9942	57.9	54.05
17BRW001	16.4	32.8	57.44	33.4	0.9891	57.2	53.05
17BRW001	16.9	33.8	57.4	34.2	0.9961	56.2	53.85
17BRW001	17.4	34.3	57.44	33.9	0.9962	55.7	53.55
17BRW001	17.9	34.3	57.38	34.5	1.0037	55.7	54.15
17BRW001	18.4	34.6	57.4	34.1	1.0002	55.4	53.75
17BRW001	18.9	34.9	57.36	33.6	0.9951	55.1	53.25
17BRW001	19.4	35.5	57.37	34	0.9953	54.5	53.65
17BRW001	19.9	35.6	57.42	33.5	0.9857	54.4	53.15
17BRW001	20.4	35.8	57.4	34.2	0.9949	54.2	53.85
17BRW001	20.9	35.1	57.4	34.1	0.9964	54.9	53.75
17BRW001	21.4	35.3	57.4	33.5	0.9947	54.7	53.15
17BRW001	21.9	35.6	57.37	32.5	0.9966	54.4	52.15
17BRW001	22.4	35.9	57.34	33.9	0.9962	54.1	53.55
17BRW001	22.9	35.4	57.37	35.1	0.9981	54.6	54.75
17BRW001	23.4	35.5	57.4	34.3	0.9941	54.5	53.95
17BRW001	23.9	35.4	57.34	34.2	0.9956	54.6	53.85
17BRW001	24.4	34.8	57.41	33.6	0.9956	55.2	53.25
17BRW001	24.9	34.9	57.39	34.3	0.9996	55.1	53.95
17BRW001	25.4	35.2	57.42	33	0.9946	54.8	52.65
17BRW001	25.9	34.7	57.36	35	0.998	55.3	54.65
17BRW001	26.4	35	57.44	33.9	0.9986	55	53.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW001	26.9	35.1	57.39	34.4	0.9907	54.9	54.05
17BRW001	27.4	35.2	57.39	34.9	0.9888	54.8	54.55
17BRW001	27.9	34.4	57.42	36.9	1.0024	55.6	56.55
17BRW001	28.4	34.7	57.39	35.9	0.9938	55.3	55.55
17BRW001	28.9	33.9	57.39	35.5	0.9963	56.1	55.15
17BRW001	29.4	34.3	57.44	35.4	0.9928	55.7	55.05
17BRW001	29.9	34.7	57.44	34.2	0.9914	55.3	53.85
17BRW001	30.4	34.3	57.4	35.9	0.9941	55.7	55.55
17BRW001	30.9	34.2	57.36	35.9	0.9968	55.8	55.55
17BRW001	31.4	34.5	57.38	35.7	0.9965	55.5	55.35
17BRW001	31.9	34.4	57.36	35.9	0.9856	55.6	55.55
17BRW001	32.4	34.4	57.41	36.2	1.0012	55.6	55.85
17BRW001	32.9	34.9	57.4	35.2	0.9918	55.1	54.85
17BRW001	33.4	35.4	57.38	34.5	1.0009	54.6	54.15
17BRW001	33.9	35.3	57.43	35.1	0.9926	54.7	54.75
17BRW001	34.4	34.2	57.47	36.4	1.0073	55.8	56.05
17BRW001	34.9	35.1	57.45	34.1	1.0004	54.9	53.75
17BRW001	35.4	34.5	57.48	34.9	0.9983	55.5	54.55
17BRW001	35.9	34	57.43	35	1.0026	56	54.65
17BRW001	36.4	34.6	57.42	34.3	0.9945	55.4	53.95
17BRW001	36.9	35.3	57.44	33.7	0.9811	54.7	53.35
17BRW001	37.4	34.8	57.41	34.5	0.9983	55.2	54.15
17BRW001	37.9	34.5	57.42	34.1	0.9947	55.5	53.75
17BRW001	38.4	34.5	57.37	34.6	0.9972	55.5	54.25
17BRW001	38.9	34.3	57.48	37.2	1.0104	55.7	56.85
17BRW001	39.4	35.4	57.42	33.6	0.9804	54.6	53.25
17BRW001	39.9	34.9	57.47	34.4	0.9898	55.1	54.05
17BRW001	40.4	34.6	57.42	34.1	0.9991	55.4	53.75
17BRW001	40.9	34.8	57.44	33.8	0.9939	55.2	53.45
17BRW001	41.4	35	57.47	32.6	0.9778	55	52.25
17BRW001	41.9	35.4	57.37	32.3	0.9929	54.6	51.95
17BRW001	42.4	35.4	57.44	32.1	0.9904	54.6	51.75
17BRW001	42.9	35.5	57.46	32.9	0.9972	54.5	52.55
17BRW001	43.4	35.7	57.44	33.7	1.0011	54.3	53.35
17BRW001	43.9	35.5	57.41	33.8	0.9948	54.5	53.45
17BRW001	44.4	35.9	57.42	34.3	0.9928	54.1	53.95
17BRW001	44.9	35.3	57.41	33.3	0.9932	54.7	52.95
17BRW001	45.4	34.8	57.44	34.8	1.0022	55.2	54.45
17BRW001	45.9	35.8	57.45	33.1	0.9881	54.2	52.75
17BRW001	46.4	35.8	57.47	32.8	0.9912	54.2	52.45
17BRW001	46.9	35.1	57.45	33.9	0.998	54.9	53.55
17BRW001	47.4	35.9	57.41	32.9	0.9881	54.1	52.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW001	47.9	35.3	57.48	34	0.99	54.7	53.65
17BRW001	48.4	36.1	57.46	33.2	0.9844	53.9	52.85
17BRW001	48.9	34.8	57.44	33.9	0.9963	55.2	53.55
17BRW001	49.4	35.8	57.43	33.2	0.9869	54.2	52.85
17BRW001	49.9	36	57.41	32.7	0.9817	54	52.35
17BRW001	50.4	35.5	57.45	33.6	0.9956	54.5	53.25
17BRW001	50.9	35.9	57.46	33.7	0.9961	54.1	53.35
17BRW001	51.4	36.3	57.46	34.5	0.9947	53.7	54.15
17BRW001	51.9	35.6	57.45	36	1.0048	54.4	55.65
17BRW001	52.4	36.2	57.38	34.2	0.9938	53.8	53.85
17BRW001	52.9	36.3	57.45	33.5	0.9918	53.7	53.15
17BRW001	53.4	36.2	57.44	33.8	0.9952	53.8	53.45
17BRW001	53.9	36.8	57.43	33.2	0.9917	53.2	52.85
17BRW001	54.4	36.1	57.43	33.8	0.9906	53.9	53.45
17BRW001	54.9	36.4	57.44	33.1	0.9941	53.6	52.75
17BRW001	55.4	36.9	57.45	33.9	0.9953	53.1	53.55
17BRW001	55.9	36.5	57.49	34.6	1.0101	53.5	54.25
17BRW001	56.4	37.4	57.43	31.3	0.9757	52.6	50.95
17BRW001	56.9	36.5	57.51	33.5	0.999	53.5	53.15
17BRW001	57.4	37.3	57.49	31.6	0.9943	52.7	51.25
17BRW001	57.9	36.7	57.43	31.7	0.9922	53.3	51.35
17BRW001	58.4	36.8	57.45	32.5	0.993	53.2	52.15
17BRW001	58.9	36.8	57.46	33.8	0.9949	53.2	53.45
17BRW001	59.4	36.2	57.49	33.7	1.0029	53.8	53.35
17BRW001	59.9	36.4	57.45	34.2	1.0017	53.6	53.85
17BRW001	60.4	37	57.41	31.7	0.9854	53	51.35
17BRW001	60.9	36.6	57.48	32.1	0.9925	53.4	51.75
17BRW001	61.4	37.3	57.5	31.5	0.9851	52.7	51.15
17BRW001	61.9	36.7	57.45	32.2	0.9946	53.3	51.85
17BRW001	62.4	37.2	57.49	32.2	0.9911	52.8	51.85
17BRW001	62.9	37.4	57.49	31.7	0.9862	52.6	51.35
17BRW001	63.4	39.3	57.48	28.2	0.9539	50.7	47.85
17BRW001	63.9	36.9	57.43	33.7	1.0028	53.1	53.35
17BRW001	64.4	37.4	57.45	32	0.9883	52.6	51.65
17BRW001	64.9	38.8	57.45	28.6	0.9725	51.2	48.25
17BRW001	65.4	37.7	57.47	33.4	1.0076	52.3	53.05
17BRW001	65.9	37.4	57.48	32	0.9941	52.6	51.65
17BRW001	66.4	38.7	57.44	30.7	0.9903	51.3	50.35
17BRW001	66.9	37.3	57.47	31.6	1.0049	52.7	51.25
17BRW001	67.4	37.1	57.49	32	0.9986	52.9	51.65
17BRW001	67.9	37	57.48	32.2	1.0017	53	51.85
17BRW001	68.4	37.7	57.47	30.7	0.9895	52.3	50.35

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW001	68.9	37.8	57.45	31.2	0.999	52.2	50.85
17BRW001	69.4	38	57.45	31.3	0.9914	52	50.95
17BRW001	69.9	37.3	57.48	31.6	0.9944	52.7	51.25
17BRW001	70.4	37.9	57.46	31.7	0.9932	52.1	51.35
17BRW001	70.9	39	57.38	32.8	0.9862	51	52.45
17BRW001	71.4	38.1	57.39	33.2	1.0009	51.9	52.85
17BRW001	71.9	38.1	57.45	31	0.9931	51.9	50.65
17BRW001	72.4	39.5	57.45	28.8	0.9774	50.5	48.45
17BRW001	72.9	39.2	57.47	30.2	0.999	50.8	49.85
17BRW001	73.4	39.3	57.44	30.5	0.9969	50.7	50.15
17BRW001	73.9	38.1	57.49	34	1.0103	51.9	53.65
17BRW001	74.4	38.4	57.42	33.5	1.0109	51.6	53.15
17BRW001	74.9	39.9	57.44	33.4	1.0068	50.1	53.05
17BRW001	75.4	41.4	57.48	29.1	0.9802	48.6	48.75
17BRW001	75.9	41.6	57.46	33.1	1.0135	48.4	52.75
17BRW001	76.4	39.9	57.47	31.6	1.0016	50.1	51.25
17BRW001	76.9	40.3	57.46	32.5	0.9981	49.7	52.15
17BRW001	77.4	39.7	57.46	33.8	1.0101	50.3	53.45
17BRW001	77.9	40.1	57.42	33.8	1.0132	49.9	53.45
17BRW001	78.4	41.6	57.46	30	0.9891	48.4	49.65
17BRW001	78.9	41.2	57.4	32	0.9981	48.8	51.65
17BRW001	79.4	41.6	57.43	29.5	0.9887	48.4	49.15
17BRW001	79.9	40.4	57.4	33.5	0.9867	49.6	53.15
17BRW001	80.4	41.8	57.42	30.6	0.992	48.2	50.25
17BRW001	80.9	42.6	57.49	29.8	0.9887	47.4	49.45
17BRW001	81.4	41.7	57.39	30.8	0.9937	48.3	50.45
17BRW001	81.9	41.2	57.45	31.4	0.9943	48.8	51.05
17BRW001	82.4	42	57.43	30.7	0.9916	48	50.35
17BRW001	82.9	42	57.46	30.2	0.9938	48	49.85
17BRW001	83.4	42.3	57.4	30.7	1.0049	47.7	50.35
17BRW001	83.9	42.3	57.43	29.8	0.9821	47.7	49.45
17BRW001	84.4	42.5	57.42	30.3	0.994	47.5	49.95
17BRW001	84.9	42.7	57.45	30	0.9909	47.3	49.65
17BRW001	85.4	42.4	57.42	29.8	0.993	47.6	49.45
17BRW001	85.9	42.9	57.45	29.2	0.9901	47.1	48.85
17BRW001	86.4	41.9	57.47	30.4	0.996	48.1	50.05
17BRW001	86.9	41.5	57.46	30.3	1	48.5	49.95
17BRW001	87.4	42.3	57.43	29.5	0.9936	47.7	49.15
17BRW001	87.9	43.3	57.44	29.2	0.9865	46.7	48.85
17BRW001	88.4	42.5	57.43	29.5	0.9958	47.5	49.15
17BRW001	88.9	41.8	57.46	30.6	0.9932	48.2	50.25
17BRW001	89.4	42.3	57.46	29.1	0.9921	47.7	48.75

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW001	89.9	42.2	57.44	30.7	0.998	47.8	50.35
17BRW001	90.4	42.6	57.42	29.3	0.9884	47.4	48.95
17BRW001	90.9	42.4	57.42	29.8	0.995	47.6	49.45
17BRW001	91.4	42.9	57.41	27.7	0.9814	47.1	47.35
17BRW001	91.9	42.8	57.44	29.2	0.9983	47.2	48.85
17BRW001	92.4	43.2	57.42	27.6	0.982	46.8	47.25
17BRW001	92.9	42.8	57.45	28.5	0.9915	47.2	48.15
17BRW001	93.4	43.4	57.44	26.2	0.9897	46.6	45.85
17BRW001	93.9	43.7	57.42	27.7	0.9875	46.3	47.35
17BRW002	4	28.6	67.23	22	0.9958	61.4	41.65
17BRW002	4.5	28.5	61.96	24.4	1.0027	61.5	44.05
17BRW002	5	28.3	60.16	26.4	0.9921	61.7	46.05
17BRW002	5.5	27.8	59.23	26.1	1	62.2	45.75
17BRW002	6	28.9	58.73	27	0.9992	61.1	46.65
17BRW002	6.5	28	58.44	28.5	0.999	62	48.15
17BRW002	7	27.7	58.23	27.9	0.9969	62.3	47.55
17BRW002	7.5	28.1	58.1	28.4	0.9889	61.9	48.05
17BRW002	8	27.7	58.07	28	0.997	62.3	47.65
17BRW002	8.5	28	57.93	29.4	0.998	62	49.05
17BRW002	9	28.5	57.91	29	0.9955	61.5	48.65
17BRW002	9.5	27.7	57.84	28.4	0.998	62.3	48.05
17BRW002	10	27.7	57.86	29.4	0.998	62.3	49.05
17BRW002	10.5	27.4	57.76	28.8	0.9956	62.6	48.45
17BRW002	11	27.5	57.73	29.5	0.9911	62.5	49.15
17BRW002	11.5	27.4	57.76	29.2	0.9947	62.6	48.85
17BRW002	12	27.3	57.73	29.7	0.9951	62.7	49.35
17BRW002	12.5	27.6	57.71	29.9	1.0022	62.4	49.55
17BRW002	13	27.5	57.74	30.1	0.9975	62.5	49.75
17BRW002	13.5	27.2	57.71	30.1	0.9984	62.8	49.75
17BRW002	14	27.3	57.68	29.5	0.9973	62.7	49.15
17BRW002	14.5	26.6	57.69	29.4	0.9984	63.4	49.05
17BRW002	15	27.5	57.67	30.6	1.0125	62.5	50.25
17BRW002	15.5	27.6	57.68	29.9	0.9994	62.4	49.55
17BRW002	16	26.5	57.67	29.7	0.9977	63.5	49.35
17BRW002	16.5	27.3	57.65	29	0.9892	62.7	48.65
17BRW002	17	27.1	57.66	30	0.9951	62.9	49.65
17BRW002	17.5	27.3	57.69	28.5	0.9979	62.7	48.15
17BRW002	18	26.6	57.68	29.9	0.9995	63.4	49.55
17BRW002	18.5	26.5	57.66	30.9	0.999	63.5	50.55
17BRW002	19	26.6	57.71	31.5	0.9998	63.4	51.15
17BRW002	19.5	26.8	57.65	31	0.9989	63.2	50.65
17BRW002	20	26.6	57.65	30.6	1.001	63.4	50.25

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW002	20.5	26.5	57.67	30.4	1.0012	63.5	50.05
17BRW002	21	27.1	57.7	30.5	0.9955	62.9	50.15
17BRW002	21.5	26.4	57.68	30.6	1.0021	63.6	50.25
17BRW002	22	26.2	57.67	30.5	0.9988	63.8	50.15
17BRW002	22.5	26.2	57.67	29.5	1.0005	63.8	49.15
17BRW002	23	25.8	57.69	30.8	1.0038	64.2	50.45
17BRW002	23.5	25.5	57.65	29.6	0.9961	64.5	49.25
17BRW002	24	25.6	57.66	30.9	0.9962	64.4	50.55
17BRW002	24.5	25.4	57.68	30.4	1.0011	64.6	50.05
17BRW002	25	25.5	57.68	30.6	0.9999	64.5	50.25
17BRW002	25.5	26	57.63	30	1.0015	64	49.65
17BRW002	26	25.8	57.67	29.2	0.9967	64.2	48.85
17BRW002	26.5	25.7	57.65	30.2	0.9957	64.3	49.85
17BRW002	27	25.4	57.65	31.7	0.9911	64.6	51.35
17BRW002	27.5	25.1	57.67	31.4	1.0032	64.9	51.05
17BRW002	28	25.3	57.63	29	0.9841	64.7	48.65
17BRW002	28.5	24.9	57.62	28.5	1.0378	65.1	48.15
17BRW002	29	24.5	57.62	30.3	0.9909	65.5	49.95
17BRW002	29.5	24.9	57.65	31.4	0.9855	65.1	51.05
17BRW002	30	25.1	57.63	30.2	0.9966	64.9	49.85
17BRW002	30.5	24.3	57.61	30.8	1.004	65.7	50.45
17BRW002	31	25.7	57.62	27.6	0.9886	64.3	47.25
17BRW002	31.5	24.2	57.65	29.5	1	65.8	49.15
17BRW002	32	24.1	57.68	31.8	0.9909	65.9	51.45
17BRW002	32.5	24.2	57.63	30.9	0.991	65.8	50.55
17BRW002	33	24.3	57.68	31.4	0.9975	65.7	51.05
17BRW002	33.5	24.2	57.67	29.6	0.9808	65.8	49.25
17BRW002	34	24.3	57.64	30.5	0.9824	65.7	50.15
17BRW002	34.5	24	57.66	32.2	1.0066	66	51.85
17BRW002	35	24.4	57.66	31.9	0.9976	65.6	51.55
17BRW002	35.5	23.7	57.64	31.7	0.9985	66.3	51.35
17BRW002	36	24.2	57.64	31.6	0.9892	65.8	51.25
17BRW002	36.5	23.6	57.65	33.4	0.9979	66.4	53.05
17BRW002	37	23.9	57.65	33.1	0.9937	66.1	52.75
17BRW002	37.5	23.7	57.65	31.7	0.9947	66.3	51.35
17BRW002	38	22.9	57.68	32.2	0.9977	67.1	51.85
17BRW002	38.5	23.4	57.66	32.5	0.9989	66.6	52.15
17BRW002	39	23.4	57.64	33.3	0.9956	66.6	52.95
17BRW002	39.5	23.9	57.64	32.5	1	66.1	52.15
17BRW002	40	23.8	57.62	32.3	0.9891	66.2	51.95
17BRW002	40.5	23.6	57.65	32.9	0.9964	66.4	52.55
17BRW002	41	22.8	57.63	33.8	1.0036	67.2	53.45

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW002	41.5	23.3	57.63	33.3	0.9985	66.7	52.95
17BRW002	42	23.5	57.69	34.4	0.9914	66.5	54.05
17BRW002	42.5	23.5	57.67	33.8	0.9984	66.5	53.45
17BRW002	43	23.3	57.65	33.4	1.0054	66.7	53.05
17BRW002	43.5	22.7	57.64	34.1	1.0098	67.3	53.75
17BRW002	44	23.4	57.68	32.7	0.9856	66.6	52.35
17BRW002	44.5	23.7	57.67	33.9	0.9977	66.3	53.55
17BRW002	45	23.2	57.66	33.6	0.9889	66.8	53.25
17BRW002	45.5	23.2	57.71	35.1	1	66.8	54.75
17BRW002	46	23.2	57.66	35.8	1.0043	66.8	55.45
17BRW002	46.5	23.6	57.64	34	0.9918	66.4	53.65
17BRW002	47	23.4	57.66	34.3	0.9991	66.6	53.95
17BRW002	47.5	23.3	57.67	34.2	1.0111	66.7	53.85
17BRW002	48	23.3	57.62	35.4	1.0091	66.7	55.05
17BRW002	48.5	23.4	57.62	34.3	0.9917	66.6	53.95
17BRW002	49	22.2	57.66	36.4	0.9933	67.8	56.05
17BRW002	49.5	23.1	57.65	33.6	0.9861	66.9	53.25
17BRW002	50	23.2	57.66	33.5	0.9945	66.8	53.15
17BRW002	50.5	21.9	57.63	37	1.0376	68.1	56.65
17BRW002	51	23	57.67	35.3	1.0041	67	54.95
17BRW002	51.5	23.7	57.64	34.9	0.9933	66.3	54.55
17BRW002	52	22.5	57.66	35.8	1.0125	67.5	55.45
17BRW002	52.5	23	57.66	35.5	1.0036	67	55.15
17BRW002	53	23.2	57.66	36.1	0.9993	66.8	55.75
17BRW002	53.5	22.6	57.64	34.7	1.0005	67.4	54.35
17BRW002	54	23.1	57.66	37	0.9943	66.9	56.65
17BRW002	54.5	24.1	57.67	34.2	0.9926	65.9	53.85
17BRW002	55	23.3	57.66	34.7	0.9929	66.7	54.35
17BRW002	55.5	22.6	57.65	36	1.0025	67.4	55.65
17BRW002	56	22.9	57.64	36.5	0.9912	67.1	56.15
17BRW002	56.5	22.9	57.65	34.4	0.989	67.1	54.05
17BRW002	57	23.5	57.67	35.5	0.9943	66.5	55.15
17BRW002	57.5	23.7	57.64	34.8	0.993	66.3	54.45
17BRW002	58	23.2	57.65	38	1.0019	66.8	57.65
17BRW002	58.5	23.4	57.7	37.7	1.0059	66.6	57.35
17BRW002	59	23.6	57.63	36.8	1.0028	66.4	56.45
17BRW002	59.5	23.5	57.6	38	1.0073	66.5	57.65
17BRW002	60	23.3	57.67	38.2	1.0125	66.7	57.85
17BRW002	60.5	23.7	57.61	37.2	1.0042	66.3	56.85
17BRW002	61	23.7	57.64	37	0.9991	66.3	56.65
17BRW002	61.5	23.8	57.64	37.1	0.9854	66.2	56.75
17BRW002	62	24.8	57.64	36.6	0.9869	65.2	56.25

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW002	62.5	24.5	57.65	35.2	0.9929	65.5	54.85
17BRW002	63	24.1	57.65	36.9	0.9949	65.9	56.55
17BRW002	63.5	24.1	57.66	37.8	1.0085	65.9	57.45
17BRW002	64	23.8	57.67	36.3	1.0018	66.2	55.95
17BRW002	64.5	24	57.63	36.8	1.0075	66	56.45
17BRW002	65	24.1	57.63	36	0.9892	65.9	55.65
17BRW002	65.5	23.7	57.68	37.9	0.9979	66.3	57.55
17BRW002	66	24.4	57.66	37.4	0.9953	65.6	57.05
17BRW002	66.5	23.9	57.69	36.8	1.0026	66.1	56.45
17BRW002	67	24.8	57.65	35.6	0.9858	65.2	55.25
17BRW002	67.5	24.2	57.64	36.5	0.9965	65.8	56.15
17BRW002	68	24.2	57.68	36.7	0.989	65.8	56.35
17BRW002	68.5	24	57.63	37	1.0006	66	56.65
17BRW002	69	23.6	57.61	37.5	1.0163	66.4	57.15
17BRW002	69.5	23.9	57.62	35.7	0.9894	66.1	55.35
17BRW002	70	23.5	57.65	36.9	0.9898	66.5	56.55
17BRW002	70.5	23.4	57.61	36.1	0.992	66.6	55.75
17BRW002	71	23.7	57.6	36.7	0.9975	66.3	56.35
17BRW002	71.5	23.3	57.64	36.7	0.997	66.7	56.35
17BRW002	72	23.8	57.64	36.2	0.9862	66.2	55.85
17BRW002	72.5	23.2	57.63	37.3	0.9971	66.8	56.95
17BRW002	73	23.5	57.58	35.9	0.9964	66.5	55.55
17BRW002	73.5	24.5	57.66	36.7	0.9725	65.5	56.35
17BRW002	74	23.1	57.64	37.7	0.9976	66.9	57.35
17BRW002	74.5	23.1	57.64	39.3	1.0082	66.9	58.95
17BRW002	75	23	57.62	38.2	1.0187	67	57.85
17BRW002	75.5	23.6	57.63	37.3	1.0093	66.4	56.95
17BRW002	76	24.1	57.63	37.1	0.9938	65.9	56.75
17BRW002	76.5	23.4	57.65	38.1	1.001	66.6	57.75
17BRW002	77	23.4	57.65	39.2	1.006	66.6	58.85
17BRW002	77.5	23.5	57.61	38.8	0.9954	66.5	58.45
17BRW002	78	23.9	57.62	37.1	0.9842	66.1	56.75
17BRW002	78.5	23.3	57.67	39.2	0.9984	66.7	58.85
17BRW002	79	23.2	57.66	39.5	1.0012	66.8	59.15
17BRW002	79.5	22.8	57.67	39.8	1.0094	67.2	59.45
17BRW002	80	23	57.68	39.2	0.9961	67	58.85
17BRW002	80.5	23.3	57.62	39.3	1.0082	66.7	58.95
17BRW002	81	24.5	57.63	39.3	0.98	65.5	58.95
17BRW002	81.5	23.4	57.62	39.7	0.9887	66.6	59.35
17BRW002	82	23.3	57.61	39	0.9977	66.7	58.65
17BRW002	82.5	23.6	57.64	38.9	0.9819	66.4	58.55
17BRW002	83	23.4	57.59	37	0.986	66.6	56.65



Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW002	83.5	22.9	57.66	41.2	1.0075	67.1	60.85
17BRW002	84	23.1	57.63	40.5	0.9954	66.9	60.15
17BRW002	84.5	23	57.64	39.9	0.9844	67	59.55
17BRW002	85	23.2	57.65	41	0.9849	66.8	60.65
17BRW002	85.5	22.7	57.66	41	1.0039	67.3	60.65
17BRW002	86	23	57.66	38.4	0.981	67	58.05
17BRW002	86.5	22.9	57.61	40.1	1.0031	67.1	59.75
17BRW002	87	24.1	57.63	38.6	0.9681	65.9	58.25
17BRW002	87.5	22.6	57.62	40.3	1.0007	67.4	59.95
17BRW002	88	22.2	57.64	40.6	1.0043	67.8	60.25
17BRW002	88.5	23.5	57.65	40	0.9872	66.5	59.65
17BRW002	89	22.3	57.67	41.9	1.0063	67.7	61.55
17BRW002	89.5	22.5	57.63	41.2	1.0006	67.5	60.85
17BRW002	90	21.4	57.63	44.7	1.0246	68.6	64.35
17BRW002	90.5	22.8	57.7	38.2	0.9773	67.2	57.85
17BRW002	91	22.8	57.66	40.4	0.9883	67.2	60.05
17BRW002	91.5	21.9	57.67	42.7	1.0031	68.1	62.35
17BRW002	92	22.4	57.64	41.3	0.9965	67.6	60.95
17BRW002	92.5	22.6	57.64	42.1	0.9999	67.4	61.75
17BRW002	93	22.4	57.67	43	0.992	67.6	62.65
17BRW002	93.5	22	57.62	41.7	0.9947	68	61.35
17BRW002	94	21.8	57.64	42.3	0.9935	68.2	61.95
17BRW002	94.5	21.6	57.66	43.4	0.9962	68.4	63.05
17BRW002	95	21.6	57.66	43.7	0.9957	68.4	63.35
17BRW003	4	29.5	67.69	21	0.996	60.5	40.65
17BRW003	4.5	29.5	62.72	24.6	0.9992	60.5	44.25
17BRW003	5	30.1	60.59	27.2	0.9985	59.9	46.85
17BRW003	5.5	29.4	59.45	27.4	0.9959	60.6	47.05
17BRW003	6	29.4	58.85	27.5	0.9949	60.6	47.15
17BRW003	6.5	29.7	58.47	29.2	0.9955	60.3	48.85
17BRW003	7	29.4	58.24	28.4	0.9965	60.6	48.05
17BRW003	7.5	29.6	58.03	27.4	0.9942	60.4	47.05
17BRW003	8	29.4	57.97	28	0.9982	60.6	47.65
17BRW003	8.5	29.1	57.85	29.8	1.0035	60.9	49.45
17BRW003	9	30.1	57.78	29	0.9986	59.9	48.65
17BRW003	9.5	29.5	57.74	29.1	0.9949	60.5	48.75
17BRW003	10	29.2	57.72	29.5	1.0036	60.8	49.15
17BRW003	10.5	28.8	57.69	28.1	0.9995	61.2	47.75
17BRW003	11	29.2	57.73	28	0.9951	60.8	47.65
17BRW003	11.5	29.8	57.67	27.2	1.0053	60.2	46.85
17BRW003	12	29.4	57.66	28.2	1.0001	60.6	47.85
17BRW003	12.5	29.8	57.68	27.2	0.9859	60.2	46.85

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW003	13	29.2	57.68	27.5	0.9987	60.8	47.15
17BRW003	13.5	29	57.66	28.6	0.9984	61	48.25
17BRW003	14	29.3	57.67	28.3	0.9903	60.7	47.95
17BRW003	14.5	29.2	57.66	29.1	0.9909	60.8	48.75
17BRW003	15	29	57.66	29.9	0.9923	61	49.55
17BRW003	15.5	28.8	57.67	28.9	0.9974	61.2	48.55
17BRW003	16	28.9	57.66	29	0.9936	61.1	48.65
17BRW003	16.5	28.7	57.68	29.4	1	61.3	49.05
17BRW003	17	28.8	57.65	28	0.994	61.2	47.65
17BRW003	17.5	28.8	57.65	28.5	0.9963	61.2	48.15
17BRW003	18	28.6	57.68	27.9	0.9966	61.4	47.55
17BRW003	18.5	28.5	57.65	28.9	0.9953	61.5	48.55
17BRW003	19	28.1	57.6	29.5	0.9988	61.9	49.15
17BRW003	19.5	28.1	57.6	29.6	0.9997	61.9	49.25
17BRW003	20	28.2	57.64	29	0.998	61.8	48.65
17BRW003	20.5	28.6	57.64	28.3	0.9889	61.4	47.95
17BRW003	21	28.7	57.66	28.5	0.9936	61.3	48.15
17BRW003	21.5	28.4	57.62	29	0.9933	61.6	48.65
17BRW003	22	28.5	57.62	28.8	0.9951	61.5	48.45
17BRW003	22.5	28.5	57.64	29.7	0.996	61.5	49.35
17BRW003	23	28.5	57.61	28.9	0.9969	61.5	48.55
17BRW003	23.5	28.5	57.62	28.4	0.99	61.5	48.05
17BRW003	24	28.7	57.61	29.4	0.9922	61.3	49.05
17BRW003	24.5	28.4	57.62	30	0.9949	61.6	49.65
17BRW003	25	28.3	57.6	29.1	0.9945	61.7	48.75
17BRW003	25.5	28.5	57.62	30.8	1.0005	61.5	50.45
17BRW003	26	28.7	57.6	29	0.9904	61.3	48.65
17BRW003	26.5	28.3	57.64	29.3	0.9912	61.7	48.95
17BRW003	27	28.3	57.64	30.3	0.991	61.7	49.95
17BRW003	27.5	28.1	57.62	30.6	0.9988	61.9	50.25
17BRW003	28	28.2	57.64	30.8	0.9984	61.8	50.45
17BRW003	28.5	28	57.64	30.3	0.9851	62	49.95
17BRW003	29	27.4	57.65	31.3	0.9951	62.6	50.95
17BRW003	29.5	27.6	57.65	31.9	0.9909	62.4	51.55
17BRW003	30	27.6	57.65	34.1	0.998	62.4	53.75
17BRW003	30.5	28.1	57.62	33.7	0.9907	61.9	53.35
17BRW003	31	27.8	57.6	33.9	0.9947	62.2	53.55
17BRW003	31.5	28.4	57.61	32.5	1.0106	61.6	52.15
17BRW003	32	27.5	57.6	33.4	0.991	62.5	53.05
17BRW003	32.5	28.4	57.64	34	1.0012	61.6	53.65
17BRW003	33	28.2	57.65	35	1.0062	61.8	54.65
17BRW003	33.5	28	57.66	34.6	0.9932	62	54.25

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW003	34	27.4	57.64	34.7	0.995	62.6	54.35
17BRW003	34.5	27.5	57.62	34.7	0.9963	62.5	54.35
17BRW003	35	27.1	57.65	34.8	0.998	62.9	54.45
17BRW003	35.5	27	57.6	35	1.0011	63	54.65
17BRW003	36	26.8	57.63	35	0.9943	63.2	54.65
17BRW003	36.5	26.7	57.65	34.4	0.9907	63.3	54.05
17BRW003	37	27.2	57.63	35.4	0.9911	62.8	55.05
17BRW003	37.5	26.9	57.66	33.9	0.9899	63.1	53.55
17BRW003	38	26.7	57.62	34.9	0.9947	63.3	54.55
17BRW003	38.5	26.1	57.65	35.5	1.0026	63.9	55.15
17BRW003	39	26.6	57.63	36.2	1.0045	63.4	55.85
17BRW003	39.5	26.3	57.65	38.5	1.033	63.7	58.15
17BRW003	40	27	57.69	34.4	0.9967	63	54.05
17BRW003	40.5	27.5	57.65	34.7	0.9824	62.5	54.35
17BRW003	41	26.7	57.66	35.4	0.993	63.3	55.05
17BRW003	41.5	27	57.64	35.8	0.99	63	55.45
17BRW003	42	27.1	57.67	35.6	0.9871	62.9	55.25
17BRW003	42.5	26.4	57.66	38.5	0.9901	63.6	58.15
17BRW003	43	26.4	57.62	38.9	0.9981	63.6	58.55
17BRW003	43.5	26.6	57.68	37.5	0.9911	63.4	57.15
17BRW003	44	26.6	57.64	39.3	0.9964	63.4	58.95
17BRW003	44.5	26	57.64	39.4	1.0032	64	59.05
17BRW003	45	26.3	57.64	38	1.0061	63.7	57.65
17BRW003	45.5	26.4	57.66	36.4	1.005	63.6	56.05
17BRW003	46	26.5	57.66	36.6	0.9896	63.5	56.25
17BRW003	46.5	26	57.67	37.1	0.9997	64	56.75
17BRW003	47	25.7	57.67	38.4	1.0051	64.3	58.05
17BRW003	47.5	25.9	57.63	37	0.9975	64.1	56.65
17BRW003	48	27.2	57.65	36.1	0.9847	62.8	55.75
17BRW003	48.5	26.3	57.64	35.5	0.9874	63.7	55.15
17BRW003	49	25.5	57.65	38.5	0.9936	64.5	58.15
17BRW003	49.5	25.7	57.62	35.9	0.9848	64.3	55.55
17BRW003	50	26.1	57.66	37.5	0.992	63.9	57.15
17BRW003	50.5	26.1	57.67	37.6	0.9934	63.9	57.25
17BRW003	51	26.3	57.66	37.8	0.9926	63.7	57.45
17BRW003	51.5	26	57.63	39.2	1.0007	64	58.85
17BRW003	52	26.4	57.61	36.4	0.982	63.6	56.05
17BRW003	52.5	25.8	57.64	37.9	0.9979	64.2	57.55
17BRW003	53	26.3	57.64	36.4	0.9973	63.7	56.05
17BRW003	53.5	26.6	57.66	36.7	0.9929	63.4	56.35
17BRW003	54	26.4	57.67	38	0.9952	63.6	57.65
17BRW003	54.5	26.2	57.65	37.6	0.9965	63.8	57.25

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW003	55	25.7	57.66	37.8	1.0111	64.3	57.45
17BRW003	55.5	26.2	57.61	37.1	0.9965	63.8	56.75
17BRW003	56	26	57.63	38.1	1.0035	64	57.75
17BRW003	56.5	26.3	57.6	37.1	0.9922	63.7	56.75
17BRW003	57	26.2	57.63	36.6	0.9908	63.8	56.25
17BRW003	57.5	25.7	57.62	37.8	0.9989	64.3	57.45
17BRW003	58	26.5	57.65	37.6	1.0001	63.5	57.25
17BRW003	58.5	26.3	57.65	38.4	1.0007	63.7	58.05
17BRW003	59	26.9	57.63	36.5	0.9975	63.1	56.15
17BRW003	59.5	26.9	57.63	36.8	0.9971	63.1	56.45
17BRW003	60	27.1	57.63	36.5	0.9943	62.9	56.15
17BRW003	60.5	27.6	57.61	35.7	0.989	62.4	55.35
17BRW003	61	27.3	57.63	37.7	1	62.7	57.35
17BRW003	61.5	27.8	57.61	36.4	0.9919	62.2	56.05
17BRW003	62	28	57.62	36.2	0.9934	62	55.85
17BRW003	62.5	28.6	57.62	35.9	0.9924	61.4	55.55
17BRW003	63	28.4	57.65	38.7	1.0072	61.6	58.35
17BRW003	63.5	28.7	57.64	36.6	0.9867	61.3	56.25
17BRW003	64	29.2	57.65	36.2	1.0019	60.8	55.85
17BRW003	64.5	30.4	57.64	35.6	0.9858	59.6	55.25
17BRW003	65	29.8	57.65	37.8	1.001	60.2	57.45
17BRW003	65.5	30.1	57.66	36.8	1.0033	59.9	56.45
17BRW003	66	30.2	57.61	37	0.9964	59.8	56.65
17BRW003	66.5	30.4	57.65	37.1	0.9997	59.6	56.75
17BRW003	67	30.3	57.65	36.8	0.9944	59.7	56.45
17BRW003	67.5	31	57.67	37.4	0.9988	59	57.05
17BRW003	68	32	57.69	35.7	0.9862	58	55.35
17BRW003	68.5	31.3	57.65	37.8	0.9899	58.7	57.45
17BRW003	69	31.2	57.61	37.6	1.011	58.8	57.25
17BRW003	69.5	31.5	57.59	37.9	1.0009	58.5	57.55
17BRW003	70	32.1	57.68	38.7	1.0037	57.9	58.35
17BRW003	70.5	32.3	57.64	35.9	0.9836	57.7	55.55
17BRW003	71	32.5	57.62	36.9	0.9851	57.5	56.55
17BRW003	71.5	32.5	57.62	38.8	1.0071	57.5	58.45
17BRW003	72	31.7	57.68	38.1	0.9948	58.3	57.75
17BRW003	72.5	32.2	57.64	38.5	0.991	57.8	58.15
17BRW003	73	32.8	57.63	36.9	0.9899	57.2	56.55
17BRW003	73.5	32.2	57.62	38.1	0.994	57.8	57.75
17BRW003	74	33.7	57.64	37.2	0.9763	56.3	56.85
17BRW003	74.5	33.3	57.6	38.2	0.9892	56.7	57.85
17BRW003	75	31.7	57.65	40.9	1.0066	58.3	60.55
17BRW003	75.5	32.1	57.64	39.2	0.9917	57.9	58.85

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW003	76	32.1	57.64	38.9	0.9809	57.9	58.55
17BRW003	76.5	31.7	57.62	40.5	1.0003	58.3	60.15
17BRW003	77	33.3	57.63	39.3	0.9968	56.7	58.95
17BRW003	77.5	32.6	57.63	39.8	0.9963	57.4	59.45
17BRW003	78	32.2	57.61	40.5	0.9953	57.8	60.15
17BRW003	78.5	33	57.63	39.1	0.9833	57	58.75
17BRW003	79	32.8	57.64	37.5	0.9877	57.2	57.15
17BRW003	79.5	32.9	57.61	38.9	0.9822	57.1	58.55
17BRW003	80	32.6	57.62	38.6	0.9842	57.4	58.25
17BRW003	80.5	31.8	57.66	40.7	1.008	58.2	60.35
17BRW003	81	32.9	57.64	38.3	0.9777	57.1	57.95
17BRW003	81.5	31.3	57.61	42.1	1.0062	58.7	61.75
17BRW003	82	31.5	57.59	40.2	0.9927	58.5	59.85
17BRW003	82.5	31.9	57.64	39.9	0.9854	58.1	59.55
17BRW003	83	32.4	57.6	39.6	0.9785	57.6	59.25
17BRW003	83.5	31.5	57.6	41.2	0.9886	58.5	60.85
17BRW003	84	30.5	57.63	42.9	1.008	59.5	62.55
17BRW003	84.5	31.1	57.65	40.4	0.9878	58.9	60.05
17BRW003	85	31.3	57.65	40.9	0.9708	58.7	60.55
17BRW003	85.5	30.6	57.64	42.8	0.9958	59.4	62.45
17BRW003	86	29.6	57.62	45.1	1.0334	60.4	64.75
17BRW003	86.5	30.5	57.63	42	0.9885	59.5	61.65
17BRW003	87	29.5	57.65	44.7	1.0118	60.5	64.35
17BRW003	87.5	30.5	57.57	41.8	0.9819	59.5	61.45
17BRW003	88	29.9	57.64	43.9	1.0028	60.1	63.55
17BRW003	88.5	29	57.65	42.5	0.9898	61	62.15
17BRW003	89	29.1	57.66	45.4	1.0163	60.9	65.05
17BRW003	89.5	29.4	57.63	43.7	0.9966	60.6	63.35
17BRW003	90	28.3	57.62	46.5	1.0137	61.7	66.15
17BRW003	90.5	29.7	57.64	41.3	0.9789	60.3	60.95
17BRW003	91	29.2	57.66	43.8	0.9813	60.8	63.45
17BRW003	91.5	29	57.66	44.4	0.9784	61	64.05
17BRW003	92	28.4	57.64	47.5	1.004	61.6	67.15
17BRW003	92.5	28.3	57.63	46	0.989	61.7	65.65
17BRW003	93	27.8	57.66	47.4	1.0013	62.2	67.05
17BRW003	93.5	27.6	57.64	46.6	1.0125	62.4	66.25
17BRW003	94	27.5	57.63	45.6	1.0016	62.5	65.25
17BRW003	94.5	28.3	57.64	45.3	0.9947	61.7	64.95
17BRW004	4	30.6	64.11	221.2	0.9921	59.4	240.85
17BRW004	4.5	30.6	60.81	212.9	0.9984	59.4	232.55
17BRW004	5	32	59.39	207.4	0.9562	58	227.05
17BRW004	5.5	30.9	58.67	212.9	0.9902	59.1	232.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW004	6	31	58.2	211.9	0.9916	59	231.55
17BRW004	6.5	31.3	57.88	209.6	0.994	58.7	229.25
17BRW004	7	31.8	57.74	208.9	0.9932	58.2	228.55
17BRW004	7.5	31	57.6	210.7	0.9879	59	230.35
17BRW004	8	30.6	57.52	210.6	0.9935	59.4	230.25
17BRW004	8.5	30.8	57.43	208	0.9968	59.2	227.65
17BRW004	9	30.9	57.44	209.4	0.9923	59.1	229.05
17BRW004	9.5	31.1	57.41	211.1	0.9973	58.9	230.75
17BRW004	10	31.1	57.36	205.6	1.0103	58.9	225.25
17BRW004	10.5	30.5	57.29	207.8	0.9969	59.5	227.45
17BRW004	11	31.4	57.32	209.8	0.9955	58.6	229.45
17BRW004	11.5	31.4	57.31	209.5	1.0037	58.6	229.15
17BRW004	12	31	57.36	210.5	0.9975	59	230.15
17BRW004	12.5	31.1	57.31	209.7	0.9876	58.9	229.35
17BRW004	13	31.1	57.27	210	0.9981	58.9	229.65
17BRW004	13.5	31.6	57.27	210.4	0.9838	58.4	230.05
17BRW004	14	31.6	57.24	210.1	0.9963	58.4	229.75
17BRW004	14.5	32	57.26	210.9	1.0004	58	230.55
17BRW004	15	31.7	57.25	209.9	0.997	58.3	229.55
17BRW004	15.5	31.4	57.25	210.8	0.9933	58.6	230.45
17BRW004	16	31.5	57.21	209.3	0.9972	58.5	228.95
17BRW004	16.5	31.4	57.26	210.8	0.9983	58.6	230.45
17BRW004	17	30.9	57.24	210	0.9977	59.1	229.65
17BRW004	17.5	31.1	57.24	208.7	1.0045	58.9	228.35
17BRW004	18	31	57.32	205.4	0.9942	59	225.05
17BRW004	18.5	31.5	57.27	211.1	0.9987	58.5	230.75
17BRW004	19	31.7	57.25	210.7	1	58.3	230.35
17BRW004	19.5	31.8	57.25	210.9	0.9968	58.2	230.55
17BRW004	20	32.1	57.2	210.9	1.0061	57.9	230.55
17BRW004	20.5	32.4	57.26	210.5	0.9969	57.6	230.15
17BRW004	21	33.1	57.21	211.5	0.9787	56.9	231.15
17BRW004	21.5	31.9	57.23	209.4	1.0014	58.1	229.05
17BRW004	22	33.1	57.19	211.1	0.992	56.9	230.75
17BRW004	22.5	32.3	57.25	210.9	0.9958	57.7	230.55
17BRW004	23	32.1	57.22	209.1	0.9947	57.9	228.75
17BRW004	23.5	32.7	57.21	209.5	0.9934	57.3	229.15
17BRW004	24	33	57.21	210.1	0.9992	57	229.75
17BRW004	24.5	33	57.24	209.7	0.9938	57	229.35
17BRW004	25	32.9	57.25	208.4	0.9986	57.1	228.05
17BRW004	25.5	33.1	57.22	209.1	1.0008	56.9	228.75
17BRW004	26	33.1	57.21	209.3	0.9973	56.9	228.95
17BRW004	26.5	33.3	57.22	209.9	0.9939	56.7	229.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW004	27	33.1	57.19	209.7	0.9928	56.9	229.35
17BRW004	27.5	33.5	57.24	210.6	0.9755	56.5	230.25
17BRW004	28	33.8	57.24	207.4	0.9958	56.2	227.05
17BRW004	28.5	34.4	57.21	208.4	0.9906	55.6	228.05
17BRW004	29	33.9	57.2	209.7	0.9941	56.1	229.35
17BRW004	29.5	33.3	57.21	207.3	0.9974	56.7	226.95
17BRW004	30	33.8	57.19	208.5	0.9983	56.2	228.15
17BRW004	30.5	33.3	57.21	207.6	0.996	56.7	227.25
17BRW004	31	34.1	57.2	208.7	0.9844	55.9	228.35
17BRW004	31.5	34.6	57.23	210.1	0.9938	55.4	229.75
17BRW004	32	35.1	57.17	208.3	0.9844	54.9	227.95
17BRW004	32.5	34.5	57.18	207.4	0.9959	55.5	227.05
17BRW004	33	35.9	57.16	209.5	0.9753	54.1	229.15
17BRW004	33.5	35.3	57.16	211.6	0.9784	54.7	231.25
17BRW004	34	34.6	57.27	205.7	0.9604	55.4	225.35
17BRW004	34.5	33.5	57.19	207.4	1.0079	56.5	227.05
17BRW004	35	34.1	57.19	207.4	0.988	55.9	227.05
17BRW004	35.5	35.3	57.22	207.7	0.9678	54.7	227.35
17BRW004	36	33.5	57.22	208.8	1.0086	56.5	228.45
17BRW004	36.5	34.2	57.21	207.3	0.9971	55.8	226.95
17BRW004	37	34.2	57.22	208.6	0.9945	55.8	228.25
17BRW004	37.5	33.8	57.2	205.8	0.9932	56.2	225.45
17BRW004	38	33.7	57.27	206.2	0.9919	56.3	225.85
17BRW004	38.5	33.7	57.24	205.7	0.997	56.3	225.35
17BRW004	39	33.4	57.2	207.6	0.9962	56.6	227.25
17BRW004	39.5	34.5	57.15	208.1	0.9837	55.5	227.75
17BRW004	40	34.1	57.2	206.8	0.9881	55.9	226.45
17BRW004	40.5	34.9	57.15	206.7	0.9908	55.1	226.35
17BRW004	41	34.7	57.14	207.3	0.994	55.3	226.95
17BRW004	41.5	34.3	57.21	205.9	0.9927	55.7	225.55
17BRW004	42	34	57.22	207.7	0.9857	56	227.35
17BRW004	42.5	33.5	57.23	205.3	1.0046	56.5	224.95
17BRW004	43	34	57.16	205.5	0.9924	56	225.15
17BRW004	43.5	35	57.2	208.1	0.9677	55	227.75
17BRW004	44	34.8	57.14	204	1	55.2	223.65
17BRW004	44.5	33.4	57.16	205.3	1.0008	56.6	224.95
17BRW004	45	33.7	57.19	203.7	1.0015	56.3	223.35
17BRW004	45.5	34.6	57.15	205.6	0.9776	55.4	225.25
17BRW004	46	34.3	57.17	203.9	1.0016	55.7	223.55
17BRW004	46.5	35.6	57.18	202	0.9682	54.4	221.65
17BRW004	47	35	57.17	205.2	0.9854	55	224.85
17BRW004	47.5	34.1	57.18	204.4	0.9934	55.9	224.05

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW004	48	34.9	57.15	206.6	0.9833	55.1	226.25
17BRW004	48.5	34.9	57.19	203.8	0.9848	55.1	223.45
17BRW004	49	34.5	57.17	204.2	0.9997	55.5	223.85
17BRW004	49.5	33.8	57.17	200.5	1.0285	56.2	220.15
17BRW004	50	34.5	57.25	203.1	0.9936	55.5	222.75
17BRW004	50.5	34.8	57.16	203.8	0.9899	55.2	223.45
17BRW004	51	34.6	57.21	204.3	0.9902	55.4	223.95
17BRW004	51.5	35.9	57.17	208.7	0.9675	54.1	228.35
17BRW004	52	35.2	57.16	202.6	1.0017	54.8	222.25
17BRW004	52.5	35.3	57.18	202.9	1.001	54.7	222.55
17BRW004	53	35	57.22	204.2	0.9903	55	223.85
17BRW004	53.5	35.1	57.19	203.9	0.9961	54.9	223.55
17BRW004	54	34.8	57.18	203.4	0.9852	55.2	223.05
17BRW004	54.5	35.4	57.18	202.4	0.9875	54.6	222.05
17BRW004	55	35.3	57.22	204.8	0.9977	54.7	224.45
17BRW004	55.5	36.6	57.19	205.9	0.981	53.4	225.55
17BRW004	56	35	57.14	204.6	0.9871	55	224.25
17BRW004	56.5	35	57.2	204.7	0.9982	55	224.35
17BRW004	57	34.7	57.2	202.4	0.998	55.3	222.05
17BRW004	57.5	35.2	57.16	204.3	0.997	54.8	223.95
17BRW004	58	35.4	57.22	204	0.9903	54.6	223.65
17BRW004	58.5	34.4	57.21	204.5	0.9906	55.6	224.15
17BRW004	59	35.8	57.15	204.5	0.9807	54.2	224.15
17BRW004	59.5	35.9	57.16	203.3	0.9962	54.1	222.95
17BRW004	60	35.7	57.12	200.9	0.9804	54.3	220.55
17BRW004	60.5	35.5	57.17	204	0.9785	54.5	223.65
17BRW004	61	37	57.17	207.7	0.9481	53	227.35
17BRW004	61.5	36.2	57.17	204.5	0.9927	53.8	224.15
17BRW004	62	35.4	57.23	205.9	1.0002	54.6	225.55
17BRW004	62.5	36.6	57.17	204	0.9811	53.4	223.65
17BRW004	63	36	57.16	202	0.9987	54	221.65
17BRW004	63.5	35.2	57.12	196.7	1.0126	54.8	216.35
17BRW004	64	35.7	57.18	202.6	1.0031	54.3	222.25
17BRW004	64.5	36.1	57.16	204	0.9968	53.9	223.65
17BRW004	65	38.7	57.17	210.4	0.9571	51.3	230.05
17BRW004	65.5	36.4	57.12	202.4	0.9914	53.6	222.05
17BRW004	66	36.4	57.16	202	1.0049	53.6	221.65
17BRW004	66.5	35.8	57.18	202.3	0.9974	54.2	221.95
17BRW004	67	35.8	57.16	204.4	0.9997	54.2	224.05
17BRW004	67.5	36.1	57.13	203.3	0.9936	53.9	222.95
17BRW004	68	36.3	57.19	203.2	0.9841	53.7	222.85
17BRW004	68.5	37.3	57.18	205.4	0.9885	52.7	225.05



Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW004	69	36.7	57.15	202.6	0.9981	53.3	222.25
17BRW004	69.5	35.9	57.18	203.7	0.9902	54.1	223.35
17BRW004	70	35.9	57.18	203.1	0.9961	54.1	222.75
17BRW004	70.5	36	57.18	203.3	0.9927	54	222.95
17BRW004	71	36.1	57.16	204.6	0.9878	53.9	224.25
17BRW004	71.5	36.1	57.15	202.8	0.9949	53.9	222.45
17BRW004	72	36.4	57.15	204.5	0.9848	53.6	224.15
17BRW004	72.5	36.1	57.15	203.2	0.9958	53.9	222.85
17BRW004	73	36.7	57.17	203.7	0.9901	53.3	223.35
17BRW004	73.5	35.8	57.16	203.3	0.9977	54.2	222.95
17BRW004	74	35.2	57.14	202.6	1.0074	54.8	222.25
17BRW004	74.5	35	57.14	203	0.9966	55	222.65
17BRW004	75	35.4	57.19	203.9	0.9935	54.6	223.55
17BRW004	75.5	36.1	57.16	206	0.9903	53.9	225.65
17BRW004	76	36.1	57.15	205.6	0.9736	53.9	225.25
17BRW004	76.5	37.1	57.13	203.6	0.9824	52.9	223.25
17BRW004	77	36.7	57.17	203.8	0.9895	53.3	223.45
17BRW004	77.5	36.4	57.18	203.3	0.9945	53.6	222.95
17BRW004	78	36.1	57.18	203.3	0.9952	53.9	222.95
17BRW004	78.5	36.2	57.18	203.6	0.9885	53.8	223.25
17BRW004	79	35.9	57.14	202.1	1.0079	54.1	221.75
17BRW004	79.5	36.2	57.21	204.8	0.9747	53.8	224.45
17BRW004	80	36.1	57.18	203.4	1.0073	53.9	223.05
17BRW004	80.5	35.2	57.18	201.6	1.0084	54.8	221.25
17BRW004	81	36	57.2	201.9	0.9964	54	221.55
17BRW004	81.5	37.1	57.17	203.5	0.986	52.9	223.15
17BRW004	82	36.5	57.15	202.4	0.9879	53.5	222.05
17BRW004	82.5	36.6	57.16	204.8	0.964	53.4	224.45
17BRW004	83	36.1	57.15	200.8	1.0025	53.9	220.45
17BRW004	83.5	36.7	57.15	202.8	0.9974	53.3	222.45
17BRW004	84	36	57.2	202.8	0.9958	54	222.45
17BRW004	84.5	35.9	57.17	202.2	1.0014	54.1	221.85
17BRW004	85	35.9	57.17	202.4	1.0038	54.1	222.05
17BRW004	85.5	36.4	57.15	204.3	0.9974	53.6	223.95
17BRW004	86	35.1	57.19	202.2	1.0029	54.9	221.85
17BRW004	86.5	36.1	57.2	203.5	0.9942	53.9	223.15
17BRW004	87	35.3	57.18	203.3	0.9919	54.7	222.95
17BRW004	87.5	36	57.18	204.8	0.983	54	224.45
17BRW004	88	34.8	57.19	202.2	1.0044	55.2	221.85
17BRW004	88.5	35.5	57.17	203.1	1.0001	54.5	222.75
17BRW004	89	34.5	57.19	202.1	1.024	55.5	221.75
17BRW004	89.5	34.8	57.21	203.5	1.0081	55.2	223.15

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW004	90	36.1	57.13	200.8	0.9933	53.9	220.45
17BRW004	90.5	35.7	57.16	204.2	0.9827	54.3	223.85
17BRW004	91	36.2	57.19	204.2	0.9757	53.8	223.85
17BRW004	91.5	35.7	57.18	203	0.9923	54.3	222.65
17BRW005	4	31.4	62.47	18.9	0.9979	58.6	38.55
17BRW005	4.5	31.2	60.11	20.6	0.9986	58.8	40.25
17BRW005	5	31	59.13	20.8	0.9954	59	40.45
17BRW005	5.5	31.4	58.58	20.2	0.9923	58.6	39.85
17BRW005	6	30.4	58.4	21.6	1.0184	59.6	41.25
17BRW005	6.5	30.9	58.27	19.4	0.9994	59.1	39.05
17BRW005	7	30.9	58.12	18.5	0.995	59.1	38.15
17BRW005	7.5	30.9	57.97	19.2	0.9977	59.1	38.85
17BRW005	8	31.4	57.9	20.1	0.9809	58.6	39.75
17BRW005	8.5	30.9	57.84	20.2	0.9964	59.1	39.85
17BRW005	9	30.5	57.81	20.6	0.9942	59.5	40.25
17BRW005	9.5	31.1	57.85	20.9	0.9938	58.9	40.55
17BRW005	10	31.3	57.76	20	0.9991	58.7	39.65
17BRW005	10.5	31.9	57.73	19.9	0.9918	58.1	39.55
17BRW005	11	31	57.61	20.5	0.9878	59	40.15
17BRW005	11.5	31.5	57.67	20.2	0.9938	58.5	39.85
17BRW005	12	31.8	57.66	20.2	0.9944	58.2	39.85
17BRW005	12.5	31.3	57.59	21.8	0.9915	58.7	41.45
17BRW005	13	31.2	57.58	21	0.9896	58.8	40.65
17BRW005	13.5	31.4	57.53	21.3	0.9975	58.6	40.95
17BRW005	14	30.7	57.57	21.3	1.0025	59.3	40.95
17BRW005	14.5	30.6	57.56	21.8	0.9994	59.4	41.45
17BRW005	15	31.5	57.58	20.1	0.997	58.5	39.75
17BRW005	15.5	31.2	57.55	20.5	0.9949	58.8	40.15
17BRW005	16	31.6	57.54	20.9	1.0039	58.4	40.55
17BRW005	16.5	31.7	57.54	21.1	0.9923	58.3	40.75
17BRW005	17	31.6	57.5	20.6	0.9826	58.4	40.25
17BRW005	17.5	32.7	57.59	19.6	0.9818	57.3	39.25
17BRW005	18	32.5	57.57	19.9	0.9928	57.5	39.55
17BRW005	18.5	31.7	57.49	21.4	1.01	58.3	41.05
17BRW005	19	32.7	57.51	19.7	0.9909	57.3	39.35
17BRW005	19.5	32.3	57.52	20.6	0.9969	57.7	40.25
17BRW005	20	32.2	57.55	20.2	0.9941	57.8	39.85
17BRW005	20.5	32.1	57.54	19.5	0.9995	57.9	39.15
17BRW005	21	32.7	57.51	20.7	0.997	57.3	40.35
17BRW005	21.5	32.4	57.54	20.2	1.0064	57.6	39.85
17BRW005	22	32.4	57.52	20	0.99	57.6	39.65
17BRW005	22.5	33.2	57.52	19	0.9953	56.8	38.65

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW005	23	33.1	57.53	20.6	1.0147	56.9	40.25
17BRW005	23.5	33.1	57.52	20.9	0.9915	56.9	40.55
17BRW005	24	33.2	57.48	20.6	0.9974	56.8	40.25
17BRW005	24.5	33	57.47	18.9	0.9905	57	38.55
17BRW005	25	33.8	57.52	19.7	0.9914	56.2	39.35
17BRW005	25.5	32.9	57.47	20	0.9943	57.1	39.65
17BRW005	26	33.2	57.45	20.7	0.9958	56.8	40.35
17BRW005	26.5	33.1	57.48	21.9	1.0065	56.9	41.55
17BRW005	27	32.2	57.44	21.2	1.0288	57.8	40.85
17BRW005	27.5	33.1	57.48	21.2	1.0039	56.9	40.85
17BRW005	28	35	57.52	17.7	0.9802	55	37.35
17BRW005	28.5	36.2	57.48	18.8	0.969	53.8	38.45
17BRW005	29	35	57.45	20.8	1.0101	55	40.45
17BRW005	29.5	35	57.41	19.6	0.9894	55	39.25
17BRW005	30	34.8	57.46	20.4	0.9936	55.2	40.05
17BRW005	30.5	36.1	57.46	19.4	0.9851	53.9	39.05
17BRW005	31	35.5	57.4	20	1.0014	54.5	39.65
17BRW005	31.5	34.9	57.41	20.7	0.9989	55.1	40.35
17BRW005	32	35.5	57.4	19.8	0.9886	54.5	39.45
17BRW005	32.5	34.4	57.4	22.3	1.0255	55.6	41.95
17BRW005	33	35.9	57.42	19.4	1.0001	54.1	39.05
17BRW005	33.5	35.3	57.41	22.2	1.0129	54.7	41.85
17BRW005	34	34.9	57.44	22.7	1.0138	55.1	42.35
17BRW005	34.5	36.5	57.48	19.2	0.9981	53.5	38.85
17BRW005	35	36.2	57.47	19.9	0.9984	53.8	39.55
17BRW005	35.5	36.6	57.4	19.9	0.9982	53.4	39.55
17BRW005	36	36.1	57.41	19.2	0.9901	53.9	38.85
17BRW005	36.5	36.5	57.43	18.6	0.9889	53.5	38.25
17BRW005	37	36.5	57.4	19.5	1.0056	53.5	39.15
17BRW005	37.5	35.7	57.46	20.3	0.9988	54.3	39.95
17BRW005	38	36.3	57.41	19.4	0.9872	53.7	39.05
17BRW005	38.5	36.3	57.45	20.5	0.9936	53.7	40.15
17BRW005	39	36.7	57.39	19.7	0.9965	53.3	39.35
17BRW005	39.5	37.3	57.38	19.5	0.992	52.7	39.15
17BRW005	40	37.3	57.37	20.8	0.9864	52.7	40.45
17BRW005	40.5	37	57.46	20.4	0.9947	53	40.05
17BRW005	41	36.9	57.43	20.4	0.9951	53.1	40.05
17BRW005	41.5	36.8	57.4	20.6	0.9908	53.2	40.25
17BRW005	42	36.4	57.43	22.2	1.0042	53.6	41.85
17BRW005	42.5	36.7	57.41	21.5	1.0032	53.3	41.15
17BRW005	43	36.4	57.4	20.9	1.0064	53.6	40.55
17BRW005	43.5	37	57.45	19.5	0.9915	53	39.15

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW005	44	37	57.47	20.8	0.9985	53	40.45
17BRW005	44.5	36.5	57.43	22.5	1.0058	53.5	42.15
17BRW005	45	36.9	57.43	21.5	0.9975	53.1	41.15
17BRW005	45.5	37.3	57.4	19.9	0.9823	52.7	39.55
17BRW005	46	37.6	57.43	21	0.9872	52.4	40.65
17BRW005	46.5	37.4	57.42	21.1	0.9937	52.6	40.75
17BRW005	47	37.3	57.41	21.5	0.9937	52.7	41.15
17BRW005	47.5	37.6	57.42	20.5	0.9979	52.4	40.15
17BRW005	48	37.9	57.46	21	0.9952	52.1	40.65
17BRW005	48.5	36.9	57.39	21.3	1.0081	53.1	40.95
17BRW005	49	37.6	57.42	19.9	0.9953	52.4	39.55
17BRW005	49.5	37.8	57.4	21	0.9876	52.2	40.65
17BRW005	50	37.7	57.42	20.9	0.9852	52.3	40.55
17BRW005	50.5	36.2	57.41	22.6	1.0113	53.8	42.25
17BRW005	51	37.9	57.42	22	1.0099	52.1	41.65
17BRW005	51.5	37.9	57.37	20.7	0.9878	52.1	40.35
17BRW005	52	37.2	57.41	22.2	1.0051	52.8	41.85
17BRW005	52.5	38.7	57.4	20	0.9802	51.3	39.65
17BRW005	53	38.6	57.4	20.3	0.9942	51.4	39.95
17BRW005	53.5	38.9	57.37	20.2	0.9831	51.1	39.85
17BRW005	54	37.6	57.37	23.1	1.0098	52.4	42.75
17BRW005	54.5	38.5	57.4	21.1	0.9904	51.5	40.75
17BRW005	55	38.4	57.4	21.1	0.9982	51.6	40.75
17BRW005	55.5	38.5	57.4	21	0.9944	51.5	40.65
17BRW005	56	38.4	57.38	22	0.9916	51.6	41.65
17BRW005	56.5	38.2	57.35	21	0.9884	51.8	40.65
17BRW005	57	38.2	57.4	21.6	0.9995	51.8	41.25
17BRW005	57.5	37.8	57.42	22.2	0.9979	52.2	41.85
17BRW005	58	37.9	57.42	21.5	0.9992	52.1	41.15
17BRW005	58.5	38.2	57.41	21.1	0.9944	51.8	40.75
17BRW005	59	38.7	57.42	20.9	0.9931	51.3	40.55
17BRW005	59.5	38.4	57.38	20.3	0.9938	51.6	39.95
17BRW005	60	38.2	57.42	21.1	0.9905	51.8	40.75
17BRW005	60.5	36.8	57.39	24.6	1.0194	53.2	44.25
17BRW005	61	38.2	57.4	22.8	0.999	51.8	42.45
17BRW005	61.5	38.1	57.39	21.2	1.0001	51.9	40.85
17BRW005	62	37.7	57.41	22.1	1.001	52.3	41.75
17BRW005	62.5	37.6	57.38	23.7	1.0121	52.4	43.35
17BRW005	63	37.5	57.38	22.8	1.0205	52.5	42.45
17BRW005	63.5	37.5	57.45	22	0.9935	52.5	41.65
17BRW005	64	37.3	57.42	22.3	0.9945	52.7	41.95
17BRW005	64.5	36.4	57.41	23.4	1.0121	53.6	43.05

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW005	65	38.1	57.43	21.6	0.9812	51.9	41.25
17BRW005	65.5	37.1	57.43	23.6	0.9947	52.9	43.25
17BRW005	66	36	57.44	25.2	1.0143	54	44.85
17BRW005	66.5	38	57.43	21.3	0.9723	52	40.95
17BRW005	67	38.1	57.42	22.4	0.9745	51.9	42.05
17BRW005	67.5	35.6	57.43	26.4	1.0314	54.4	46.05
17BRW005	68	36.4	57.43	24.6	1.0068	53.6	44.25
17BRW005	68.5	37.9	57.42	23	0.9738	52.1	42.65
17BRW005	69	37.6	57.42	24.5	0.9843	52.4	44.15
17BRW005	69.5	37.1	57.44	24.5	0.9957	52.9	44.15
17BRW005	70	37.9	57.42	23.7	0.9957	52.1	43.35
17BRW005	70.5	37.4	57.41	22.6	0.9797	52.6	42.25
17BRW005	71	36.6	57.42	25.3	0.9977	53.4	44.95
17BRW005	71.5	37.3	57.41	23.7	0.9861	52.7	43.35
17BRW005	72	37.9	57.37	23.3	0.9775	52.1	42.95
17BRW005	72.5	37.6	57.4	23.8	0.9942	52.4	43.45
17BRW005	73	37.3	57.42	24.7	0.9977	52.7	44.35
17BRW005	73.5	36.5	57.38	24.9	0.9971	53.5	44.55
17BRW005	74	37.8	57.43	23.7	0.9848	52.2	43.35
17BRW005	74.5	37.7	57.44	25.1	0.9967	52.3	44.75
17BRW005	75	36.5	57.39	25	0.9988	53.5	44.65
17BRW005	75.5	36.7	57.41	25.3	0.9926	53.3	44.95
17BRW005	76	37.5	57.41	26.2	0.9978	52.5	45.85
17BRW005	76.5	36.3	57.38	26.4	1.0076	53.7	46.05
17BRW005	77	37.5	57.44	24	0.9708	52.5	43.65
17BRW005	77.5	37.3	57.44	24.8	0.9793	52.7	44.45
17BRW005	78	36.6	57.42	25.2	0.9898	53.4	44.85
17BRW005	78.5	36.1	57.43	26.6	0.998	53.9	46.25
17BRW005	79	36.1	57.4	24.5	0.9865	53.9	44.15
17BRW005	79.5	35.3	57.41	26.2	1.01	54.7	45.85
17BRW005	80	36.7	57.44	23.8	0.9833	53.3	43.45
17BRW005	80.5	36.1	57.39	26.7	1.0095	53.9	46.35
17BRW005	81	36.3	57.41	24	0.9985	53.7	43.65
17BRW005	81.5	36.8	57.41	24.8	0.9894	53.2	44.45
17BRW005	82	36.2	57.39	25.5	1.0009	53.8	45.15
17BRW005	82.5	36.8	57.41	24.6	0.9943	53.2	44.25
17BRW005	83	36	57.41	25.6	0.9894	54	45.25
17BRW005	83.5	36	57.41	26.3	1.0129	54	45.95
17BRW005	84	36.3	57.4	26.3	0.9954	53.7	45.95
17BRW005	84.5	36.1	57.45	28.2	1.0112	53.9	47.85
17BRW005	85	36.2	57.41	27.8	0.9991	53.8	47.45
17BRW005	85.5	35.4	57.38	27.8	1.0088	54.6	47.45

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW005	86	36.9	57.43	24.8	0.9775	53.1	44.45
17BRW005	86.5	36.2	57.41	27.2	1.0075	53.8	46.85
17BRW005	87	36.8	57.43	26.1	1.0058	53.2	45.75
17BRW005	87.5	36.2	57.43	25.5	0.9855	53.8	45.15
17BRW005	88	36.6	57.4	26.9	0.9961	53.4	46.55
17BRW005	88.5	36.2	57.43	22.6	0.9869	53.8	42.25
17BRW005	89	36	57.39	27	0.9882	54	46.65
17BRW005	89.5	36.3	57.41	26.4	0.9916	53.7	46.05
17BRW005	90	37.5	57.4	24.3	0.9612	52.5	43.95
17BRW005	90.5	37.1	57.41	26.2	0.9833	52.9	45.85
17BRW005	91	35.8	57.41	30	1.0236	54.2	49.65
17BRW005	91.5	36.5	57.43	26.3	0.9883	53.5	45.95
17BRW005	92	36.1	57.4	28.1	1.0071	53.9	47.75
17BRW005	92.5	37.9	57.41	23	0.9562	52.1	42.65
17BRW005	93	36.4	57.42	26.2	0.9884	53.6	45.85
17BRW005	93.5	35.7	57.39	26.4	0.9969	54.3	46.05
17BRW005	94	36.8	57.42	25.7	0.9666	53.2	45.35
17BRW005	94.5	35.6	57.4	27.1	0.9942	54.4	46.75
17BRW006	4	25.8	64.72	20.8	0.9947	64.2	40.45
17BRW006	4.5	26.1	61.4	22.9	0.9994	63.9	42.55
17BRW006	5	25.5	59.99	24.7	1.0013	64.5	44.35
17BRW006	5.5	25.3	59.24	24.4	0.9968	64.7	44.05
17BRW006	6	25.7	58.8	26.6	1.0011	64.3	46.25
17BRW006	6.5	25.7	58.48	25.2	0.9996	64.3	44.85
17BRW006	7	24.9	58.3	28.1	0.9974	65.1	47.75
17BRW006	7.5	25	58.15	27	1	65	46.65
17BRW006	8	25.4	58.01	28.1	0.9992	64.6	47.75
17BRW006	8.5	24.9	57.94	27.6	0.9975	65.1	47.25
17BRW006	9	24.8	57.88	26.9	0.9933	65.2	46.55
17BRW006	9.5	24.7	57.79	27	0.9973	65.3	46.65
17BRW006	10	24.8	57.83	27.3	1.0004	65.2	46.95
17BRW006	10.5	25.2	57.75	28.7	0.9966	64.8	48.35
17BRW006	11	25.4	57.75	29.1	0.9999	64.6	48.75
17BRW006	11.5	24.7	57.73	29.9	0.995	65.3	49.55
17BRW006	12	24.2	57.72	29.8	0.9936	65.8	49.45
17BRW006	12.5	24.5	57.71	29.8	0.9975	65.5	49.45
17BRW006	13	24.2	57.66	30.5	0.9991	65.8	50.15
17BRW006	13.5	23.5	57.65	29.7	1.0004	66.5	49.35
17BRW006	14	24.3	57.67	30.4	0.998	65.7	50.05
17BRW006	14.5	23.6	57.63	30	1.0018	66.4	49.65
17BRW006	15	23.3	57.63	30.1	0.9971	66.7	49.75
17BRW006	15.5	23.5	57.66	28.7	0.9941	66.5	48.35

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW006	16	22.5	57.66	29.4	0.9995	67.5	49.05
17BRW006	16.5	23	57.64	29.5	0.9985	67	49.15
17BRW006	17	22.8	57.63	28.6	0.9971	67.2	48.25
17BRW006	17.5	22.6	57.63	28.7	0.9984	67.4	48.35
17BRW006	18	23.2	57.62	28.9	0.9956	66.8	48.55
17BRW006	18.5	22.2	57.65	28.8	0.9945	67.8	48.45
17BRW006	19	22	57.62	27.6	0.9981	68	47.25
17BRW006	19.5	21.7	57.68	27.7	0.9976	68.3	47.35
17BRW006	20	22.2	57.63	28.7	0.9988	67.8	48.35
17BRW006	20.5	21.6	57.64	27.7	0.9939	68.4	47.35
17BRW006	21	21.7	57.63	27.3	1.0008	68.3	46.95
17BRW006	21.5	21.6	57.66	26.6	0.9957	68.4	46.25
17BRW006	22	21.8	57.67	26.7	0.993	68.2	46.35
17BRW006	22.5	21.7	57.62	27.6	0.9955	68.3	47.25
17BRW006	23	21.2	57.62	28	0.9992	68.8	47.65
17BRW006	23.5	21.8	57.64	28.6	0.9966	68.2	48.25
17BRW006	24	21	57.68	27.2	0.9958	69	46.85
17BRW006	24.5	21.2	57.62	27.3	0.9986	68.8	46.95
17BRW006	25	21.3	57.68	27	0.9974	68.7	46.65
17BRW006	25.5	21.1	57.64	26.4	0.9982	68.9	46.05
17BRW006	26	21.2	57.64	27.7	0.999	68.8	47.35
17BRW006	26.5	20.4	57.67	26.5	1.001	69.6	46.15
17BRW006	27	20.5	57.62	25.6	0.9992	69.5	45.25
17BRW006	27.5	20.1	57.63	24.8	0.9963	69.9	44.45
17BRW006	28	19.7	57.63	25	0.9984	70.3	44.65
17BRW006	28.5	19.7	57.66	26.2	1	70.3	45.85
17BRW006	29	19.8	57.65	26.7	0.9956	70.2	46.35
17BRW006	29.5	19.3	57.65	24.2	1.0003	70.7	43.85
17BRW006	30	19.3	57.66	24.8	1.0002	70.7	44.45
17BRW006	30.5	19.2	57.63	25.2	0.9958	70.8	44.85
17BRW006	31	19.1	57.67	26.3	0.9967	70.9	45.95
17BRW006	31.5	19	57.64	24	0.9976	71	43.65
17BRW006	32	18.4	57.67	25.4	0.9973	71.6	45.05
17BRW006	32.5	18.5	57.65	25.1	0.9975	71.5	44.75
17BRW006	33	18.6	57.67	27.1	0.9996	71.4	46.75
17BRW006	33.5	18.5	57.63	23.6	0.9984	71.5	43.25
17BRW006	34	18.5	57.68	25.4	0.9968	71.5	45.05
17BRW006	34.5	18.6	57.65	25.5	0.9964	71.4	45.15
17BRW006	35	18.1	57.67	24	0.9955	71.9	43.65
17BRW006	35.5	17.8	57.67	25.7	0.9971	72.2	45.35
17BRW006	36	17.8	57.68	25.2	0.9994	72.2	44.85
17BRW006	36.5	17.8	57.65	24.4	0.9996	72.2	44.05

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW006	37	17.6	57.7	25.7	0.9988	72.4	45.35
17BRW006	37.5	17.8	57.68	24.2	0.9981	72.2	43.85
17BRW006	38	17.1	57.5	24.3	0.9989	72.9	43.95
17BRW006	38.5	17.1	57.63	24.4	0.9978	72.9	44.05
17BRW006	39	16.7	57.52	24.6	0.9992	73.3	44.25
17BRW006	39.5	16.5	57.54	25.6	0.9939	73.5	45.25
17BRW006	40	16.3	57.71	23.4	0.9975	73.7	43.05
17BRW006	40.5	16.4	57.73	24.6	1.0037	73.6	44.25
17BRW006	41	16.4	57.51	24.5	0.9937	73.6	44.15
17BRW006	41.5	16.2	57.71	24	0.9953	73.8	43.65
17BRW006	42	16	57.72	23.9	0.997	74	43.55
17BRW006	42.5	16.1	57.71	24.7	0.9983	73.9	44.35
17BRW006	43	15.8	57.7	23.6	0.9974	74.2	43.25
17BRW006	43.5	16.1	57.7	25	1.0051	73.9	44.65
17BRW006	44	16.5	57.54	24.6	0.9961	73.5	44.25
17BRW006	44.5	16.6	57.74	25.2	0.9903	73.4	44.85
17BRW006	45	16.4	57.74	26	0.9979	73.6	45.65
17BRW006	45.5	16.3	57.7	25.6	0.9992	73.7	45.25
17BRW006	46	16.2	57.71	27	0.9901	73.8	46.65
17BRW006	46.5	16.1	57.71	27.8	0.995	73.9	47.45
17BRW006	47	16	57.71	27.9	0.9981	74	47.55
17BRW006	47.5	16.3	57.71	29.4	0.9974	73.7	49.05
17BRW006	48	16.6	57.7	27.1	0.9956	73.4	46.75
17BRW006	48.5	16.8	57.7	27.2	0.9962	73.2	46.85
17BRW006	49	16.6	57.7	29.8	0.9985	73.4	49.45
17BRW006	49.5	16.3	57.67	26.6	0.9953	73.7	46.25
17BRW006	50	16.6	57.69	27.8	1.0002	73.4	47.45
17BRW006	50.5	16.2	57.74	28.7	1.0002	73.8	48.35
17BRW006	51	16.9	57.68	29.9	0.9988	73.1	49.55
17BRW006	51.5	17.3	57.71	29.5	0.9966	72.7	49.15
17BRW006	52	17.3	57.7	30.8	0.9953	72.7	50.45
17BRW006	52.5	17	57.69	28.7	0.9956	73	48.35
17BRW006	53	17.1	57.69	29.4	0.9981	72.9	49.05
17BRW006	53.5	17	57.69	30.5	0.9981	73	50.15
17BRW006	54	17.1	57.71	31.3	0.9987	72.9	50.95
17BRW006	54.5	16.8	57.51	30	0.9991	73.2	49.65
17BRW006	55	17.5	57.67	29.5	0.9951	72.5	49.15
17BRW006	55.5	17.8	57.7	31.4	0.9958	72.2	51.05
17BRW006	56	17.4	57.69	31.8	0.9948	72.6	51.45
17BRW006	56.5	17.6	57.52	33.7	0.997	72.4	53.35
17BRW006	57	17.4	57.68	31.8	0.9977	72.6	51.45
17BRW006	57.5	17.2	57.68	31.8	0.9978	72.8	51.45



Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW006	58	17.2	57.72	31	0.9968	72.8	50.65
17BRW006	58.5	18	57.65	30.7	0.9978	72	50.35
17BRW006	59	18.2	57.71	31.9	0.9961	71.8	51.55
17BRW006	59.5	18.1	57.66	31.1	0.9979	71.9	50.75
17BRW006	60	18.2	57.71	30.8	0.9892	71.8	50.45
17BRW006	60.5	17.8	57.73	30.5	0.996	72.2	50.15
17BRW006	61	18	57.53	32.2	0.9956	72	51.85
17BRW006	61.5	17.9	57.56	32	0.9975	72.1	51.65
17BRW006	62	17.8	57.52	31.2	0.9987	72.2	50.85
17BRW006	62.5	17.6	57.56	32.1	0.9971	72.4	51.75
17BRW006	63	17.5	57.54	31.7	0.9963	72.5	51.35
17BRW006	63.5	17.8	57.61	32.6	0.9967	72.2	52.25
17BRW006	64	17.9	57.56	32.5	0.9934	72.1	52.15
17BRW006	64.5	18.1	57.52	32.8	0.9961	71.9	52.45
17BRW007	4	29.4	62.47	16.6	0.9651	60.6	36.25
17BRW007	4.5	29.1	60.68	18.6	0.9862	60.9	38.25
17BRW007	5	29.5	59.97	21.2	0.9967	60.5	40.85
17BRW007	5.5	28.4	59.44	22.7	0.9893	61.6	42.35
17BRW007	6	28.6	59.12	23.1	0.9919	61.4	42.75
17BRW007	6.5	28.8	58.75	27.2	0.9959	61.2	46.85
17BRW007	7	28.1	58.46	27.2	1.0054	61.9	46.85
17BRW007	7.5	29	58.33	25.9	0.9911	61	45.55
17BRW007	8	28.5	58.23	26.9	1.0003	61.5	46.55
17BRW007	8.5	27.3	58.11	29.1	1.0228	62.7	48.75
17BRW007	9	28.2	58.05	26.6	0.9947	61.8	46.25
17BRW007	9.5	27.7	58.04	25.7	0.9894	62.3	45.35
17BRW007	10	28.2	57.99	26.1	0.9867	61.8	45.75
17BRW007	10.5	27.8	57.95	26.4	0.9905	62.2	46.05
17BRW007	11	27.7	57.91	26.6	0.9928	62.3	46.25
17BRW007	11.5	27	57.83	29.4	1.0104	63	49.05
17BRW007	12	27.1	57.88	27.7	0.974	62.9	47.35
17BRW007	12.5	27.7	57.84	28.9	0.9933	62.3	48.55
17BRW007	13	27.8	57.81	28.9	0.9972	62.2	48.55
17BRW007	13.5	27.9	57.76	28.5	0.9885	62.1	48.15
17BRW007	14	27.7	57.76	28.5	0.9872	62.3	48.15
17BRW007	14.5	27.5	57.7	29.6	0.9924	62.5	49.25
17BRW007	15	27.3	57.72	28.6	1.001	62.7	48.25
17BRW007	15.5	27.2	57.82	27.2	0.9965	62.8	46.85
17BRW007	16	26.9	57.76	27.2	1	63.1	46.85
17BRW007	16.5	27.1	57.76	26.7	0.9917	62.9	46.35
17BRW007	17	27.4	57.76	26.2	0.9768	62.6	45.85
17BRW007	17.5	26.8	57.72	26.5	0.9917	63.2	46.15

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW007	18	26.8	57.75	26.4	0.9899	63.2	46.05
17BRW007	18.5	26.7	57.72	27.3	0.9958	63.3	46.95
17BRW007	19	26.7	57.69	28.1	0.9976	63.3	47.75
17BRW007	19.5	26.6	57.72	28.3	0.9958	63.4	47.95
17BRW007	20	26.2	57.74	28.9	0.9983	63.8	48.55
17BRW007	20.5	27	57.74	27.1	0.9822	63	46.75
17BRW007	21	26.7	57.74	28.6	0.991	63.3	48.25
17BRW007	21.5	26.4	57.72	28.4	0.9963	63.6	48.05
17BRW007	22	26.6	57.71	28.5	0.9942	63.4	48.15
17BRW007	22.5	26.4	57.76	28.5	0.99	63.6	48.15
17BRW007	23	26.5	57.76	28.8	0.9942	63.5	48.45
17BRW007	23.5	26.4	57.83	29	0.9941	63.6	48.65
17BRW007	24	26.4	57.79	26.8	0.985	63.6	46.45
17BRW007	24.5	26.3	57.89	28.9	0.9911	63.7	48.55
17BRW007	25	25.9	57.85	30	0.9976	64.1	49.65
17BRW007	25.5	26.4	57.8	30.9	0.9915	63.6	50.55
17BRW007	26	26.5	57.81	30.8	0.996	63.5	50.45
17BRW007	26.5	25.9	57.77	30.4	0.9964	64.1	50.05
17BRW007	27	25.9	57.77	30.9	0.9976	64.1	50.55
17BRW007	27.5	26.1	57.78	29.8	0.9859	63.9	49.45
17BRW007	28	26.9	57.68	28.9	0.9445	63.1	48.55
17BRW007	28.5	26	57.63	29.8	0.9821	64	49.45
17BRW007	29	25.8	57.68	29.5	0.9968	64.2	49.15
17BRW007	29.5	25.5	57.72	30.9	0.9952	64.5	50.55
17BRW007	30	25.2	57.65	31.7	1.0048	64.8	51.35
17BRW007	30.5	25.2	57.68	30.1	0.9978	64.8	49.75
17BRW007	31	25.5	57.7	29.1	0.995	64.5	48.75
17BRW007	31.5	25	57.73	30.1	0.9949	65	49.75
17BRW007	32	25.3	57.74	29.9	0.9838	64.7	49.55
17BRW007	32.5	25	57.75	29.3	0.9894	65	48.95
17BRW007	33	25	57.76	28.8	0.9889	65	48.45
17BRW007	33.5	24.9	57.73	29.4	0.9943	65.1	49.05
17BRW007	34	25.3	57.76	30.6	0.9857	64.7	50.25
17BRW007	34.5	25	57.74	29.5	0.9761	65	49.15
17BRW007	35	24.8	57.73	29	0.9868	65.2	48.65
17BRW007	35.5	25.6	57.73	28.4	0.9889	64.4	48.05
17BRW007	36	24.1	57.66	30.6	0.9972	65.9	50.25
17BRW007	36.5	24.4	57.63	30.4	0.9904	65.6	50.05
17BRW007	37	25.5	57.63	29.1	0.9695	64.5	48.75
17BRW007	37.5	23.5	57.66	31.6	1.0202	66.5	51.25
17BRW007	38	24.1	57.7	28.6	0.9963	65.9	48.25
17BRW007	38.5	24.3	57.69	28.2	0.9778	65.7	47.85

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW007	39	24.2	57.65	30.2	1.0081	65.8	49.85
17BRW007	39.5	24.2	57.66	28.8	0.9747	65.8	48.45
17BRW007	40	23.3	57.7	31.8	1.0063	66.7	51.45
17BRW007	40.5	23.5	57.69	31.1	1.0098	66.5	50.75
17BRW007	41	23.6	57.67	31.3	0.9873	66.4	50.95
17BRW007	41.5	23.6	57.69	31.7	0.995	66.4	51.35
17BRW007	42	23.7	57.69	30.8	0.9763	66.3	50.45
17BRW007	42.5	23.7	57.68	30.7	0.9901	66.3	50.35
17BRW007	43	23.4	57.62	31	0.9953	66.6	50.65
17BRW007	43.5	22.4	57.66	31.6	1.013	67.6	51.25
17BRW007	44	23.3	57.66	31.2	0.9876	66.7	50.85
17BRW007	44.5	23.6	57.72	31.6	1.0003	66.4	51.25
17BRW007	45	22.7	57.78	31.6	1.0042	67.3	51.25
17BRW007	45.5	22.6	57.75	30.5	0.9848	67.4	50.15
17BRW007	46	23.5	57.81	31	0.9904	66.5	50.65
17BRW007	46.5	22.7	57.81	31.2	1.0073	67.3	50.85
17BRW007	47	22.3	57.82	32.2	1.0052	67.7	51.85
17BRW007	47.5	22.8	57.83	31.8	0.9889	67.2	51.45
17BRW007	48	22.7	57.85	32.4	1.0029	67.3	52.05
17BRW007	48.5	22.6	57.81	33.1	0.9968	67.4	52.75
17BRW007	49	22.2	57.85	34	0.9959	67.8	53.65
17BRW007	49.5	21.6	57.85	33.1	1.0058	68.4	52.75
17BRW007	50	22.4	57.88	31.6	0.9863	67.6	51.25
17BRW007	50.5	22.4	57.89	31.7	0.976	67.6	51.35
17BRW007	51	22.1	57.85	31.5	0.9924	67.9	51.15
17BRW007	51.5	21.8	57.87	33.6	1.0022	68.2	53.25
17BRW007	52	22	57.78	30.1	0.9982	68	49.75
17BRW007	52.5	22.4	57.8	31.5	0.9707	67.6	51.15
17BRW007	53	21.7	57.76	33.5	1.0036	68.3	53.15
17BRW007	53.5	22.9	57.83	32.4	0.9805	67.1	52.05
17BRW007	54	21.9	57.84	33.2	1.005	68.1	52.85
17BRW007	54.5	21.3	57.88	32.7	1.0082	68.7	52.35
17BRW007	55	21.9	57.94	32	0.9974	68.1	51.65
17BRW007	55.5	22.7	57.91	33.9	1.0066	67.3	53.55
17BRW007	56	21.9	58	30.5	0.9839	68.1	50.15
17BRW007	56.5	21.8	58	32.4	0.9793	68.2	52.05
17BRW007	57	21.2	57.98	32.2	1.0036	68.8	51.85
17BRW007	57.5	21.6	58.02	31.9	1	68.4	51.55
17BRW007	58	22.2	58.13	31.6	0.9775	67.8	51.25
17BRW007	58.5	21.5	58.09	34.2	0.9937	68.5	53.85
17BRW007	59	22	58.1	32	0.9886	68	51.65
17BRW007	59.5	21.1	58.12	33.6	1.0007	68.9	53.25

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW007	60	20.9	58.16	34.9	1.0088	69.1	54.55
17BRW007	60.5	21.1	58.15	34.7	0.9855	68.9	54.35
17BRW007	61	21.7	58.15	33	0.9855	68.3	52.65
17BRW007	61.5	21.6	58.13	34.7	0.9961	68.4	54.35
17BRW007	62	21.3	58.15	34.1	0.9887	68.7	53.75
17BRW007	62.5	21.2	58.15	33.4	0.9853	68.8	53.05
17BRW007	63	21	58.13	33.9	1.0094	69	53.55
17BRW007	63.5	21.2	58.17	34.5	0.9988	68.8	54.15
17BRW007	64	22.1	58.11	35.9	0.9858	67.9	55.55
17BRW007	64.5	21.5	58.16	37.5	1.0031	68.5	57.15
17BRW007	65	21.5	58.16	37.3	1.006	68.5	56.95
17BRW007	65.5	21.4	58.16	34.4	0.9869	68.6	54.05
17BRW007	66	21.1	58.16	35.6	0.9879	68.9	55.25
17BRW007	66.5	20.3	58.16	36.1	0.9895	69.7	55.75
17BRW007	67	20.7	58.19	37.9	0.9876	69.3	57.55
17BRW007	67.5	21.4	58.18	36.4	0.989	68.6	56.05
17BRW007	68	19.6	58.17	38.2	0.9997	70.4	57.85
17BRW007	68.5	21.3	58.15	36	0.9896	68.7	55.65
17BRW007	69	20.7	58.18	35.2	0.9974	69.3	54.85
17BRW007	69.5	20.6	58.18	37.5	0.999	69.4	57.15
17BRW007	70	20.6	58.14	37.7	0.9908	69.4	57.35
17BRW007	70.5	19.3	58.19	38.1	0.9979	70.7	57.75
17BRW007	71	19.7	58.23	38.5	1.0016	70.3	58.15
17BRW007	71.5	20.3	58.16	39.5	1.0209	69.7	59.15
17BRW007	72	19.6	58.17	40.5	1.0066	70.4	60.15
17BRW007	72.5	19.7	58.16	40.5	1.013	70.3	60.15
17BRW007	73	20.2	58.1	36.1	0.9628	69.8	55.75
17BRW007	73.5	19.3	58.17	38.8	0.9991	70.7	58.45
17BRW007	74	19.3	58.15	40.9	0.9955	70.7	60.55
17BRW007	74.5	19.9	58.14	40.2	0.9916	70.1	59.85
17BRW007	75	19.5	58.12	40.1	1.0031	70.5	59.75
17BRW007	75.5	19.3	58.12	39.1	1.007	70.7	58.75
17BRW007	76	19.5	58.08	40.3	0.9955	70.5	59.95
17BRW007	76.5	20.6	58.06	37.9	0.9854	69.4	57.55
17BRW007	77	20	58.1	40	0.9767	70	59.65
17BRW007	77.5	19.5	58.08	41.1	1.0143	70.5	60.75
17BRW007	78	18.7	58.1	42.7	0.9974	71.3	62.35
17BRW007	78.5	20.6	58.08	40.4	0.9675	69.4	60.05
17BRW007	79	19.3	58.04	43	1.013	70.7	62.65
17BRW007	79.5	19.8	58.07	41.5	0.981	70.2	61.15
17BRW007	80	19.7	58.08	42.5	1.0012	70.3	62.15
17BRW008	4	29.8	66.68	16.1	0.9978	60.2	35.75

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW008	4.5	29.8	62.51	18.9	0.9966	60.2	38.55
17BRW008	5	29.4	60.71	20.6	0.9984	60.6	40.25
17BRW008	5.5	29.7	59.75	21.5	1.0014	60.3	41.15
17BRW008	6	29.5	59.17	22.5	0.9981	60.5	42.15
17BRW008	6.5	29.6	58.78	23.1	0.9966	60.4	42.75
17BRW008	7	28.8	58.53	22.9	0.9957	61.2	42.55
17BRW008	7.5	28.6	58.35	23.9	0.9849	61.4	43.55
17BRW008	8	29.2	58.18	23.4	0.9918	60.8	43.05
17BRW008	8.5	28.6	58.05	24.2	0.9983	61.4	43.85
17BRW008	9	28.7	57.94	24.2	1.0026	61.3	43.85
17BRW008	9.5	29.3	57.92	23.8	0.9878	60.7	43.45
17BRW008	10	29.4	57.88	22.4	0.9914	60.6	42.05
17BRW008	10.5	29.2	57.79	23.1	0.9935	60.8	42.75
17BRW008	11	28.9	57.81	22.5	0.9959	61.1	42.15
17BRW008	11.5	28.3	57.73	23.8	0.9975	61.7	43.45
17BRW008	12	29	57.69	23.1	0.9981	61	42.75
17BRW008	12.5	28.9	57.68	22.3	0.9978	61.1	41.95
17BRW008	13	28.6	57.72	22.9	0.9972	61.4	42.55
17BRW008	13.5	29.1	57.66	23.5	0.9902	60.9	43.15
17BRW008	14	28	57.64	23.5	0.9961	62	43.15
17BRW008	14.5	27.8	57.64	23.3	0.9951	62.2	42.95
17BRW008	15	28.3	57.63	22.7	0.9999	61.7	42.35
17BRW008	15.5	27.7	57.64	22.9	0.9932	62.3	42.55
17BRW008	16	28	57.6	23.7	0.9971	62	43.35
17BRW008	16.5	27.9	57.61	22.4	0.9902	62.1	42.05
17BRW008	17	28.8	57.61	22	0.9986	61.2	41.65
17BRW008	17.5	27.6	57.61	22.8	0.9949	62.4	42.45
17BRW008	18	28.2	57.57	23.4	0.9989	61.8	43.05
17BRW008	18.5	27.3	57.59	24	0.9955	62.7	43.65
17BRW008	19	28.2	57.6	23.2	0.9854	61.8	42.85
17BRW008	19.5	26.8	57.58	23.9	0.9982	63.2	43.55
17BRW008	20	27.6	57.6	22.7	0.9994	62.4	42.35
17BRW008	20.5	27.2	57.58	23.9	1.0038	62.8	43.55
17BRW008	21	26.8	57.58	22.8	1.0005	63.2	42.45
17BRW008	21.5	27.4	57.55	21.9	0.9981	62.6	41.55
17BRW008	22	26.6	57.62	22.4	0.9907	63.4	42.05
17BRW008	22.5	26.4	57.6	21.1	0.9978	63.6	40.75
17BRW008	23	26.5	57.53	23.9	0.9973	63.5	43.55
17BRW008	23.5	26.6	57.58	23.1	0.9956	63.4	42.75
17BRW008	24	26.2	57.52	22.9	0.9968	63.8	42.55
17BRW008	24.5	26.6	57.55	23.4	0.993	63.4	43.05
17BRW008	25	26	57.51	23.8	1.0061	64	43.45

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BRW008	25.5	26	57.55	24.6	1.0097	64	44.25
17BRW008	26	26.4	57.53	24	0.9949	63.6	43.65
17BRW008	26.5	25.7	57.52	22.8	1	64.3	42.45
17BRW008	27	25.6	57.53	24	1.003	64.4	43.65
17BRW008	27.5	25.4	57.54	23.6	0.9941	64.6	43.25
17BRW008	28	24.8	57.56	22.9	0.9998	65.2	42.55
17BRW008	28.5	25	57.53	23	0.9957	65	42.65
17BRW008	29	25.8	57.58	24.3	0.99	64.2	43.95
17BRW008	29.5	25.4	57.53	22.5	0.9957	64.6	42.15
17BRW008	30	25.3	57.56	22.7	0.9953	64.7	42.35
17BRW008	30.5	25.3	57.53	21.9	1.005	64.7	41.55
17BRW008	31	25.2	57.55	23.3	0.9936	64.8	42.95
17BRW008	31.5	24.2	57.52	23.5	1.0114	65.8	43.15
17BRW008	32	24.6	57.54	21.4	1.0063	65.4	41.05
17BRW008	32.5	24	57.54	24.4	0.9985	66	44.05
17BRW008	33	24.3	57.58	22.4	0.9937	65.7	42.05
17BRW008	33.5	24.2	57.56	20.8	0.9975	65.8	40.45
17BRW008	34	24	57.55	21.1	0.9964	66	40.75
17BRW008	34.5	24.4	57.54	23.4	0.9997	65.6	43.05
17BRW008	35	23.8	57.55	23.1	1.0001	66.2	42.75
17BRW008	35.5	24.1	57.52	23.4	0.9798	65.9	43.05
17BRW008	36	24.5	57.55	24.2	0.9962	65.5	43.85
17BRW008	36.5	23.7	57.55	23.5	0.9923	66.3	43.15
17BRW008	37	24	57.55	23.4	0.9965	66	43.05
17BRW008	37.5	23.5	57.51	22.9	0.9952	66.5	42.55
17BRW008	38	23.9	57.5	23.4	0.995	66.1	43.05
17BRW008	38.5	24.6	57.53	23.5	0.9761	65.4	43.15
17BRW008	39	23.7	57.53	23.6	0.9964	66.3	43.25