

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC001	5.9	31.4	61.5	32.5	0.996	58.6	52.15
17BHC001	6	39.7	58.5	22	0.9937	50.3	41.65
17BHC001	6.5	40.3	58.18	23	0.9987	49.7	42.65
17BHC001	7	41.2	58.08	20.8	0.9826	48.8	40.45
17BHC001	7.5	41.1	57.93	22.2	0.9949	48.9	41.85
17BHC001	8	40.9	57.9	22.4	0.9824	49.1	42.05
17BHC001	8.5	40.2	57.75	22.6	0.9946	49.8	42.25
17BHC001	9	40.6	57.71	23	0.9923	49.4	42.65
17BHC001	9.5	41.9	57.71	21.4	0.9805	48.1	41.05
17BHC001	10	40.8	57.69	23.5	0.9922	49.2	43.15
17BHC001	10.5	40.3	57.61	25.3	1.0097	49.7	44.95
17BHC001	11	39.7	57.61	25.2	1.0102	50.3	44.85
17BHC001	11.5	41.4	57.63	22.6	0.9892	48.6	42.25
17BHC001	12	40.4	57.55	23.8	1.0011	49.6	43.45
17BHC001	12.5	40.7	57.45	23.5	0.9913	49.3	43.15
17BHC001	13	41	57.48	23.4	0.9948	49	43.05
17BHC001	13.5	41.3	57.53	22.1	0.9924	48.7	41.75
17BHC001	14	40.8	57.49	23.5	0.9935	49.2	43.15
17BHC001	14.5	41	57.51	23.7	0.9954	49	43.35
17BHC001	15	41.1	57.58	23.3	0.9948	48.9	42.95
17BHC001	15.5	41	57.62	23.7	0.996	49	43.35
17BHC001	16	41	57.36	23.7	0.9909	49	43.35
17BHC001	16.5	41.3	57.49	23.1	0.9822	48.7	42.75
17BHC001	17	41.5	57.57	23.2	0.9835	48.5	42.85
17BHC001	17.5	41.2	57.48	22.7	0.9879	48.8	42.35
17BHC001	18	41.7	57.51	21.1	0.9816	48.3	40.75
17BHC001	18.5	40.4	57.58	23.2	0.9989	49.6	42.85
17BHC001	19	40.8	57.5	23.8	0.9975	49.2	43.45
17BHC001	19.5	41.3	57.5	22.8	0.9798	48.7	42.45
17BHC001	20	40.9	57.44	23.4	0.9935	49.1	43.05
17BHC001	20.5	41.1	57.47	23	0.999	48.9	42.65
17BHC001	21	40.8	57.51	23.1	0.9983	49.2	42.75
17BHC001	21.5	41.5	57.39	23.5	0.9922	48.5	43.15
17BHC001	22	41.2	57.42	22.9	0.9909	48.8	42.55
17BHC001	22.5	40.2	57.5	24.7	0.9976	49.8	44.35
17BHC001	23	40.5	57.39	23.8	1.0003	49.5	43.45
17BHC001	23.5	41.8	57.51	21.9	0.9747	48.2	41.55
17BHC001	24	40.5	57.47	24.1	0.9948	49.5	43.75
17BHC001	24.5	40.7	57.56	23.1	0.9943	49.3	42.75
17BHC001	25	41.4	57.53	21.9	0.9826	48.6	41.55
17BHC001	25.5	40.8	57.52	22.3	0.9991	49.2	41.95
17BHC001	26	40.6	57.45	23.6	0.9943	49.4	43.25
17BHC001	26.5	40.6	57.47	23.5	0.9961	49.4	43.15
17BHC001	27	40.2	57.48	23.4	1.0017	49.8	43.05
17BHC001	27.5	40.4	57.49	23.1	0.996	49.6	42.75
17BHC001	28	40.4	57.48	23.7	0.9918	49.6	43.35
17BHC001	28.5	40.6	57.52	23.7	0.9855	49.4	43.35
17BHC001	29	40.2	57.48	24.7	1.003	49.8	44.35
17BHC001	29.5	40.2	57.45	23.6	0.9932	49.8	43.25
17BHC001	30	40.6	57.52	22.6	0.9925	49.4	42.25
17BHC001	30.5	39.8	57.51	24.7	1.0012	50.2	44.35
17BHC001	31	40.1	57.48	24.1	0.9968	49.9	43.75
17BHC001	31.5	39.1	57.47	26.4	1.0121	50.9	46.05
17BHC001	32	40.3	57.44	23.5	0.9886	49.7	43.15
17BHC001	32.5	40.4	57.36	24.3	0.993	49.6	43.95
17BHC001	33	40.1	57.3	25.8	0.9957	49.9	45.45
17BHC001	33.5	40.3	57.01	22.6	0.9821	49.7	42.25
17BHC001	34	39.9	57.41	23.4	0.9982	50.1	43.05

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC001	34.5	40.7	57.37	23.6	0.9873	49.3	43.25
17BHC001	35	39.9	57.47	23.8	0.9965	50.1	43.45
17BHC001	35.5	39.4	57.49	24.8	1.0024	50.6	44.45
17BHC001	36	40.2	57.51	22.6	0.9933	49.8	42.25
17BHC001	36.5	41.2	57.6	19.9	0.9761	48.8	39.55
17BHC001	37	40.8	57.47	20.9	0.9985	49.2	40.55
17BHC001	37.5	40.6	57.46	25	1.0054	49.4	44.65
17BHC001	38	40.6	57.45	24.6	0.9893	49.4	44.25
17BHC001	38.5	40.8	57.56	22.9	0.9812	49.2	42.55
17BHC001	39	40.2	57.4	23	0.9914	49.8	42.65
17BHC001	39.5	41.2	57.5	22.7	0.9861	48.8	42.35
17BHC001	40	41	57.45	22.5	0.9902	49	42.15
17BHC001	40.5	41.7	57.45	22	0.9763	48.3	41.65
17BHC001	41	41.6	57.49	22.8	0.9893	48.4	42.45
17BHC001	41.5	40.8	57.44	22	0.988	49.2	41.65
17BHC001	42	40.7	57.43	23	0.9913	49.3	42.65
17BHC001	42.5	40.6	57.47	22.5	0.9893	49.4	42.15
17BHC001	43	40.1	57.49	24.6	1.0014	49.9	44.25
17BHC001	43.5	40.4	57.52	23.6	0.9942	49.6	43.25
17BHC001	44	40.7	57.53	23.7	0.9903	49.3	43.35
17BHC001	44.5	40.4	57.5	24.1	0.9931	49.6	43.75
17BHC001	45	39.9	57.49	24.7	1.0015	50.1	44.35
17BHC001	45.5	40	57.51	23.9	0.9938	50	43.55
17BHC001	46	40.1	57.47	23.3	0.9907	49.9	42.95
17BHC001	46.5	41.1	57.64	21.8	0.9745	48.9	41.45
17BHC001	47	39.9	57.3	22.3	0.9936	50.1	41.95
17BHC001	47.5	39.8	57.45	24.2	1.0025	50.2	43.85
17BHC001	48	40.2	57.46	22.6	0.9897	49.8	42.25
17BHC001	48.5	40	57.46	23.8	0.994	50	43.45
17BHC001	49	40.2	57.43	23.8	0.988	49.8	43.45
17BHC001	49.5	39.8	57.79	24.8	0.997	50.2	44.45
17BHC001	50	39.8	57.42	24.6	0.9976	50.2	44.25
17BHC001	50.5	39.8	57.44	24.1	1.0029	50.2	43.75
17BHC001	51	40.9	57.47	22.6	0.9937	49.1	42.25
17BHC002	3.5	31.4	63.89	12.9	0.994	58.6	32.55
17BHC002	4	30.7	60.78	15.1	0.9984	59.3	34.75
17BHC002	4.5	31.2	59.49	16.1	0.9946	58.8	35.75
17BHC002	5	31.2	58.82	14.8	0.9884	58.8	34.45
17BHC002	5.5	30.5	58.4	16.9	1.0109	59.5	36.55
17BHC002	6	31.2	58.12	15.6	0.9915	58.8	35.25
17BHC002	6.5	31.1	57.9	15.9	1.0016	58.9	35.55
17BHC002	7	31.2	57.84	16.1	1.0121	58.8	35.75
17BHC002	7.5	31.5	57.83	13.2	0.9769	58.5	32.85
17BHC002	8	30.4	57.75	14.4	1.0013	59.6	34.05
17BHC002	8.5	31	57.72	13.3	1.0011	59	32.95
17BHC002	9	31.5	57.78	14.7	0.9996	58.5	34.35
17BHC002	9.5	30.8	57.76	13.1	1.0047	59.2	32.75
17BHC002	10	31.4	57.62	14.7	0.995	58.6	34.35
17BHC002	10.5	32.3	57.6	12.9	0.994	57.7	32.55
17BHC002	11	32.3	57.62	13.2	0.9863	57.7	32.85
17BHC002	11.5	31.2	57.64	14	0.9968	58.8	33.65
17BHC002	12	32.8	57.66	13.1	0.9807	57.2	32.75
17BHC002	12.5	32.2	57.66	14.8	0.9925	57.8	34.45
17BHC002	13	32.1	57.62	14.4	0.99	57.9	34.05
17BHC002	13.5	32.4	57.6	15.6	0.9976	57.6	35.25
17BHC002	14	32.4	57.59	14.7	0.9904	57.6	34.35
17BHC002	14.5	32.1	57.58	15.4	1.0031	57.9	35.05
17BHC002	15	33	57.59	14	0.9775	57	33.65

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC002	15.5	32.9	57.57	14	0.9841	57.1	33.65
17BHC002	16	33	57.58	13.9	0.9825	57	33.55
17BHC002	16.5	32.8	57.53	15.1	0.991	57.2	34.75
17BHC002	17	32.5	57.54	15.6	0.9977	57.5	35.25
17BHC002	17.5	32.6	57.53	14.7	0.9975	57.4	34.35
17BHC002	18	32.8	57.54	15.3	0.9954	57.2	34.95
17BHC002	18.5	33	57.52	14.8	0.991	57	34.45
17BHC002	19	32.8	57.51	14.7	1.0024	57.2	34.35
17BHC002	19.5	33.5	57.54	16.1	0.9907	56.5	35.75
17BHC002	20	33.2	57.48	15.7	0.995	56.8	35.35
17BHC002	20.5	33.1	57.54	15.5	0.994	56.9	35.15
17BHC002	21	33.7	57.51	14.7	0.9846	56.3	34.35
17BHC002	21.5	32.6	57.5	15.8	1.0139	57.4	35.45
17BHC002	22	33.2	57.55	16	0.9912	56.8	35.65
17BHC002	22.5	33.1	57.52	16.1	0.9989	56.9	35.75
17BHC002	23	33.8	57.46	15.9	0.9908	56.2	35.55
17BHC002	23.5	33.3	57.54	15.4	0.9956	56.7	35.05
17BHC002	24	33.3	57.37	15.1	0.9962	56.7	34.75
17BHC002	24.5	32.8	57.47	16.5	1.0098	57.2	36.15
17BHC002	25	33.7	57.51	16.9	1.0034	56.3	36.55
17BHC002	25.5	36.7	57.55	12.6	0.9136	53.3	32.25
17BHC002	26	33.4	57.53	15.9	0.9998	56.6	35.55
17BHC002	26.5	34.5	57.53	14.1	0.972	55.5	33.75
17BHC002	27	34.2	57.51	16.1	0.9884	55.8	35.75
17BHC002	27.5	34.6	57.51	16.5	0.9907	55.4	36.15
17BHC002	28	34.1	57.54	17.3	0.9999	55.9	36.95
17BHC002	28.5	33.2	57.51	16.3	1.0017	56.8	35.95
17BHC002	29	34.4	57.54	15.7	0.9866	55.6	35.35
17BHC002	29.5	33.8	57.45	16	1.0057	56.2	35.65
17BHC002	30	33.8	57.55	15.8	0.9823	56.2	35.45
17BHC002	30.5	33	57.51	17.5	1.0055	57	37.15
17BHC002	31	33.5	57.52	18.1	1.0039	56.5	37.75
17BHC002	31.5	33.6	57.54	15.7	0.9823	56.4	35.35
17BHC002	32	34.1	57.52	15.8	0.9839	55.9	35.45
17BHC002	32.5	34.1	57.5	15.7	0.9862	55.9	35.35
17BHC002	33	32.9	57.54	16.3	0.9827	57.1	35.95
17BHC002	33.5	32.9	57.52	16.3	1.003	57.1	35.95
17BHC002	34	33.6	57.53	19	1.007	56.4	38.65
17BHC002	34.5	34.4	57.49	17.1	0.9999	55.6	36.75
17BHC002	35	33.5	57.53	18.6	0.9921	56.5	38.25
17BHC002	35.5	33	57.48	17.1	0.9994	57	36.75
17BHC002	36	32.5	57.52	19.2	1.0197	57.5	38.85
17BHC002	36.5	32.4	57.55	22.1	1.0037	57.6	41.75
17BHC002	37	32.7	57.52	19	1.0003	57.3	38.65
17BHC002	37.5	32	57.52	17.9	1.0168	58	37.55
17BHC002	38	33	57.43	18.5	0.987	57	38.15
17BHC002	38.5	32.7	57.41	18.6	0.9923	57.3	38.25
17BHC002	39	32.8	57.51	17.2	0.9871	57.2	36.85
17BHC002	39.5	32.2	57.51	17	0.9879	57.8	36.65
17BHC002	40	32.2	57.49	17.4	1.0026	57.8	37.05
17BHC002	40.5	32.7	57.52	17.5	1.0094	57.3	37.15
17BHC002	41	32.7	57.51	18.9	0.9982	57.3	38.55
17BHC002	41.5	31.9	57.54	19.9	1.0045	58.1	39.55
17BHC002	42	32.6	57.58	17.5	0.9891	57.4	37.15
17BHC002	42.5	31.1	57.5	19.5	1.0215	58.9	39.15
17BHC002	43	32.8	57.6	18.4	0.9823	57.2	38.05
17BHC002	43.5	31.9	57.57	18.4	1.0005	58.1	38.05
17BHC002	44	31.5	57.58	19.6	1.0062	58.5	39.25

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC002	44.5	31.5	57.52	20.4	1.0049	58.5	40.05
17BHC002	45	32	57.54	17.8	0.9858	58	37.45
17BHC002	45.5	32.7	57.27	18.5	0.9707	57.3	38.15
17BHC002	46	32	57.65	17.6	0.9882	58	37.25
17BHC002	46.5	31.7	57.58	19.5	1.0059	58.3	39.15
17BHC002	47	32.1	57.48	17.4	1.0096	57.9	37.05
17BHC002	47.5	31.9	57.47	18.6	1.0035	58.1	38.25
17BHC002	48	31.2	57.44	19.1	0.9962	58.8	38.75
17BHC002	48.5	30.6	57.31	19	1.0223	59.4	38.65
17BHC002	49	30.8	57.54	20.5	1.0177	59.2	40.15
17BHC002	49.5	30.7	57.56	19.7	1.0132	59.3	39.35
17BHC002	50	32.1	57.57	19.4	0.9764	57.9	39.05
17BHC002	50.5	32.4	57.74	17.9	0.9922	57.6	37.55
17BHC002	51	32	57.55	18.7	1.0037	58	38.35
17BHC002	51.5	32.1	57.53	17.8	1.0003	57.9	37.45
17BHC002	52	31.1	57.44	18.5	0.9962	58.9	38.15
17BHC002	52.5	32.1	57.63	18.9	0.9976	57.9	38.55
17BHC002	53	32.2	57.47	17.4	0.9841	57.8	37.05
17BHC002	53.5	31.7	57.38	17.6	0.9886	58.3	37.25
17BHC002	54	30.4	57.67	18.3	1.0216	59.6	37.95
17BHC002	54.5	31.2	57.43	19	1.0065	58.8	38.65
17BHC002	55	31.2	57.55	18.4	1.0077	58.8	38.05
17BHC002	55.5	32.6	57.74	17.7	0.9772	57.4	37.35
17BHC002	56	32.4	57.47	19.5	0.9869	57.6	39.15
17BHC002	56.5	31.8	57.44	18.5	0.9898	58.2	38.15
17BHC002	57	31.9	57.54	19.2	1.0086	58.1	38.85
17BHC002	57.5	30.7	57.45	22.5	1.019	59.3	42.15
17BHC002	58	31.1	57.5	21.1	1.0104	58.9	40.75
17BHC002	58.5	32.5	57.46	19.7	0.9914	57.5	39.35
17BHC002	59	31.5	57.41	21.6	1.0126	58.5	41.25
17BHC002	59.5	32.1	57.68	19.9	0.9775	57.9	39.55
17BHC002	60	30.9	57.26	21.3	1.0119	59.1	40.95
17BHC002	60.5	32.4	57.45	20.3	0.9852	57.6	39.95
17BHC002	61	33.8	57.5	18.8	0.9873	56.2	38.45
17BHC002	61.5	31.1	57.48	21.7	1.0105	58.9	41.35
17BHC002	62	30.4	57.46	22.7	1.0307	59.6	42.35
17BHC002	62.5	30.9	57.37	21.7	1.0161	59.1	41.35
17BHC002	63	33.1	57.45	18.4	0.9627	56.9	38.05
17BHC002	63.5	33.6	57.49	19.3	0.9661	56.4	38.95
17BHC002	64	32.3	57.44	22.3	1.0023	57.7	41.95
17BHC002	64.5	32.6	57.49	20.4	0.9902	57.4	40.05
17BHC002	65	31.5	57.44	22.6	1.0115	58.5	42.25
17BHC002	65.5	32.3	57.47	20.9	0.9874	57.7	40.55
17BHC002	66	33.3	57.47	20	0.9649	56.7	39.65
17BHC002	66.5	32.3	57.48	22.3	0.9961	57.7	41.95
17BHC002	67	32.5	57.45	21.9	0.995	57.5	41.55
17BHC002	67.5	32.8	57.46	21.3	0.9929	57.2	40.95
17BHC002	68	32.7	57.47	21.8	0.9957	57.3	41.45
17BHC002	68.5	32.6	57.44	21.2	0.9997	57.4	40.85
17BHC002	69	32.5	57.51	21.8	0.9962	57.5	41.45
17BHC002	69.5	32.9	57.5	21.3	0.9968	57.1	40.95
17BHC002	70	33.6	57.49	20.4	0.9772	56.4	40.05
17BHC002	70.5	32.2	57.47	21.9	1.0044	57.8	41.55
17BHC002	71	33	57.46	21.1	0.9899	57	40.75
17BHC002	71.5	33	57.52	21.2	0.9947	57	40.85
17BHC002	72	32.7	57.45	22.1	0.9989	57.3	41.75
17BHC002	72.5	33.2	57.44	21.5	0.9888	56.8	41.15
17BHC002	73	33	57.41	21.9	0.9964	57	41.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC002	73.5	32	57.42	24.5	1.0058	58	44.15
17BHC002	74	34	57.35	21.4	0.9799	56	41.05
17BHC002	74.5	33.2	57.45	21.8	0.9824	56.8	41.45
17BHC002	75	31.5	57.5	21.7	1.036	58.5	41.35
17BHC002	75.5	32.9	57.53	19.8	1.0111	57.1	39.45
17BHC002	76	33	57.55	22.2	1.0132	57	41.85
17BHC002	76.5	31.7	57.53	23.6	1.046	58.3	43.25
17BHC002	77	33.6	57.45	20.3	0.9907	56.4	39.95
17BHC002	77.5	32.7	57.46	20.4	0.9991	57.3	40.05
17BHC002	78	32.2	57.54	22.1	1.0195	57.8	41.75
17BHC002	78.5	32.2	57.57	22	1.0294	57.8	41.65
17BHC002	79	32.8	57.43	20.2	0.999	57.2	39.85
17BHC002	79.5	34	57.55	19.5	0.9794	56	39.15
17BHC002	80	32.6	57.55	21.5	1	57.4	41.15
17BHC002	80.5	33.5	57.5	20	0.9964	56.5	39.65
17BHC002	81	31.9	57.55	25.8	1.0215	58.1	45.45
17BHC002	81.5	36.7	57.58	17.7	0.9539	53.3	37.35
17BHC002	82	33.7	57.53	21.1	0.9919	56.3	40.75
17BHC002	82.5	34.9	57.6	19.9	0.9972	55.1	39.55
17BHC003	4	38.3	59.22	211.2	1.0263	51.7	230.85
17BHC003	4.5	39.9	58.15	211.9	1.0189	50.1	231.55
17BHC003	5	40.6	57.61	214	0.9821	49.4	233.65
17BHC003	5.5	40.7	57.39	212.5	0.987	49.3	232.15
17BHC003	6	41.1	57.18	212.1	0.9938	48.9	231.75
17BHC003	6.5	40.7	57.16	212.4	0.9823	49.3	232.05
17BHC003	7	40.2	57.14	211.8	0.9898	49.8	231.45
17BHC003	7.5	39.4	57.08	210.1	1.0084	50.6	229.75
17BHC003	8	39.9	57.12	210.1	0.9976	50.1	229.75
17BHC003	8.5	40	57.08	209.4	0.9973	50	229.05
17BHC003	9	40.6	57.09	210.1	0.9972	49.4	229.75
17BHC003	9.5	39.9	57.05	209.9	1.0043	50.1	229.55
17BHC003	10	40.6	57.09	210.8	0.9905	49.4	230.45
17BHC003	10.5	40.2	57.12	211.6	0.9918	49.8	231.25
17BHC003	11	39.3	57.08	209.7	0.9954	50.7	229.35
17BHC003	11.5	40	57.15	211	0.9906	50	230.65
17BHC003	12	39.9	57.15	211.7	0.9912	50.1	231.35
17BHC003	12.5	40.3	57.34	211.6	0.9891	49.7	231.25
17BHC003	13	40	57.1	211.9	0.9917	50	231.55
17BHC003	13.5	40.3	57.13	212.8	0.9826	49.7	232.45
17BHC003	14	39.7	57.11	211.3	0.9937	50.3	230.95
17BHC003	14.5	39.9	57.14	211.9	0.9902	50.1	231.55
17BHC003	15	39.7	57.12	211	1.0017	50.3	230.65
17BHC003	15.5	39.3	57.17	210.5	0.9962	50.7	230.15
17BHC003	16	39.5	57.14	210.5	0.9961	50.5	230.15
17BHC003	16.5	39	57.14	210.5	0.9979	51	230.15
17BHC003	17	39.2	57.13	211.9	0.9946	50.8	231.55
17BHC003	17.5	40.1	57.07	212.7	0.9785	49.9	232.35
17BHC003	18	39.6	57.09	210.4	0.9972	50.4	230.05
17BHC003	18.5	40.1	57.13	213.3	0.9788	49.9	232.95
17BHC003	19	39.3	57.1	211.1	1.0002	50.7	230.75
17BHC003	19.5	39.2	57.02	211.2	0.9961	50.8	230.85
17BHC003	20	39.2	57.1	210.5	0.9968	50.8	230.15
17BHC003	20.5	39.4	57.1	211.4	0.9976	50.6	231.05
17BHC003	21	39.3	57.05	210	0.9909	50.7	229.65
17BHC003	21.5	39.3	57.07	211.3	0.9967	50.7	230.95
17BHC003	22	40	57.12	211.9	0.9848	50	231.55
17BHC003	22.5	39.9	57.14	213.7	0.9912	50.1	233.35
17BHC003	23	39.5	57.11	210.9	1.0031	50.5	230.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC003	23.5	41.4	57.11	216.8	0.9713	48.6	236.45
17BHC003	24	39.1	57.09	211	0.9994	50.9	230.65
17BHC003	24.5	39.5	57.15	211.5	0.9905	50.5	231.15
17BHC003	25	39.5	57.07	212.4	0.9902	50.5	232.05
17BHC003	25.5	39	57.09	210.3	0.9989	51	229.95
17BHC003	26	39.1	57.13	211.7	0.9915	50.9	231.35
17BHC003	26.5	39.1	57.13	211.1	0.9994	50.9	230.75
17BHC003	27	39.1	57.13	211.4	0.9937	50.9	231.05
17BHC003	27.5	38.6	57.12	211	0.9939	51.4	230.65
17BHC003	28	39.1	57.14	211.6	0.9908	50.9	231.25
17BHC003	28.5	39.5	57.12	212.7	0.9804	50.5	232.35
17BHC003	29	38.4	57.16	211.7	0.9973	51.6	231.35
17BHC003	29.5	39.3	57.17	214	1.0202	50.7	233.65
17BHC003	30	38.9	57.17	211.6	0.9909	51.1	231.25
17BHC003	30.5	40.5	57.08	215.9	0.9567	49.5	235.55
17BHC003	31	38.4	57.07	209.7	0.9956	51.6	229.35
17BHC003	31.5	39	57.13	210	0.9971	51	229.65
17BHC003	32	38.6	57.06	211.1	0.9955	51.4	230.75
17BHC003	32.5	38.3	57.13	210.9	0.9958	51.7	230.55
17BHC003	33	37.9	57.12	209.5	1.0086	52.1	229.15
17BHC003	33.5	38.6	57.17	210.8	0.9897	51.4	230.45
17BHC003	34	37.9	57.13	209.6	1.0067	52.1	229.25
17BHC003	34.5	39.3	57.16	213.8	0.9662	50.7	233.45
17BHC003	35	38.1	57.18	211.7	0.999	51.9	231.35
17BHC003	35.5	38	57.15	210.9	1.0016	52	230.55
17BHC003	36	38.7	57.14	211.3	0.9925	51.3	230.95
17BHC003	36.5	37.2	57.16	209.3	1.0122	52.8	228.95
17BHC003	37	37.8	57.14	210.1	1.0062	52.2	229.75
17BHC003	37.5	38.4	57.11	211.8	0.9877	51.6	231.45
17BHC003	38	38.6	57.14	211.9	0.9882	51.4	231.55
17BHC003	38.5	38.1	57.04	211.7	0.9921	51.9	231.35
17BHC003	39	37.6	57.12	210.6	1.004	52.4	230.25
17BHC003	39.5	38.2	57.1	211.3	0.9922	51.8	230.95
17BHC003	40	37.9	57.1	210.6	1.0001	52.1	230.25
17BHC003	40.5	38.6	57.17	212.2	0.9879	51.4	231.85
17BHC003	41	38.1	57.03	211.9	0.988	51.9	231.55
17BHC003	41.5	39	57.15	211.7	0.9852	51	231.35
17BHC003	42	38.9	57.12	213.2	0.9841	51.1	232.85
17BHC003	42.5	38.5	57.08	210.3	0.9925	51.5	229.95
17BHC003	43	38.7	57.1	212.9	0.985	51.3	232.55
17BHC003	43.5	36.4	57.13	208.3	1.0019	53.6	227.95
17BHC003	44	37.8	57.09	212.6	0.9941	52.2	232.25
17BHC003	44.5	38.2	57.1	209.4	0.9951	51.8	229.05
17BHC003	45	38.9	57.09	213.9	0.9849	51.1	233.55
17BHC003	45.5	38.1	57.09	211.6	0.9888	51.9	231.25
17BHC003	46	37.9	57.04	211	0.9948	52.1	230.65
17BHC003	46.5	38.3	57.13	211.6	0.9943	51.7	231.25
17BHC003	47	38.1	57.22	209.7	1.0031	51.9	229.35
17BHC003	47.5	37.9	56.68	214.4	0.9948	52.1	234.05
17BHC003	48	37.8	57.16	210.4	1.013	52.2	230.05
17BHC003	48.5	38.6	57.18	213.1	0.9917	51.4	232.75
17BHC003	49	38	57.03	210.6	1.0029	52	230.25
17BHC003	49.5	38.2	57.12	212.5	1.001	51.8	232.15
17BHC003	50	38.5	57.31	210.4	1.0007	51.5	230.05
17BHC003	50.5	39.6	57.05	215.5	0.9974	50.4	235.15
17BHC003	51	39.2	57.08	212.5	0.9969	50.8	232.15
17BHC003	51.5	39	57.1	211.4	1.0006	51	231.05
17BHC003	52	38.2	57.05	211.1	1.0004	51.8	230.75

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC003	52.5	39	57.08	212.8	0.9847	51	232.45
17BHC003	53	38.3	57.18	212.5	0.9959	51.7	232.15
17BHC003	53.5	37.1	57.1	208.4	1.0372	52.9	228.05
17BHC003	54	39.5	57.08	214.2	0.9756	50.5	233.85
17BHC003	54.5	38.7	57.05	211.9	0.9972	51.3	231.55
17BHC003	55	37.7	57.1	211.2	1.0133	52.3	230.85
17BHC003	55.5	38.7	57.04	212.3	0.9895	51.3	231.95
17BHC003	56	38.7	57.12	212.8	0.9839	51.3	232.45
17BHC003	56.5	38.5	57.08	212	0.9982	51.5	231.65
17BHC003	57	38.7	57.08	212.6	0.9904	51.3	232.25
17BHC003	57.5	38.5	57.07	213.2	0.984	51.5	232.85
17BHC003	58	38.4	57.08	212.2	0.9954	51.6	231.85
17BHC003	58.5	38.8	57.07	214.9	0.9802	51.2	234.55
17BHC003	59	38.2	57.1	212	1.0008	51.8	231.65
17BHC003	59.5	38.5	57.08	213	0.9914	51.5	232.65
17BHC003	60	39.3	57.04	212.8	0.9884	50.7	232.45
17BHC003	60.5	38.2	57.07	211.4	1.0045	51.8	231.05
17BHC003	61	38.5	57.07	211.3	1.0084	51.5	230.95
17BHC003	61.5	38.8	57.19	209.3	0.9953	51.2	228.95
17BHC003	62	38.6	57.05	211.6	0.9955	51.4	231.25
17BHC003	62.5	38.6	57.17	214.2	0.9896	51.4	233.85
17BHC003	63	38.4	57.07	210.8	1.0139	51.6	230.45
17BHC003	63.5	38.2	57.09	211.5	0.9867	51.8	231.15
17BHC003	64	38.5	57.06	212.2	0.9991	51.5	231.85
17BHC003	64.5	38.7	57.08	212.4	0.9878	51.3	232.05
17BHC003	65	39	57.06	212.2	0.9985	51	231.85
17BHC003	65.5	39.3	57.11	213.5	0.9863	50.7	233.15
17BHC003	66	39.8	57.05	215.1	0.9733	50.2	234.75
17BHC003	66.5	40	57.1	215.7	0.9781	50	235.35
17BHC003	67	39.4	57.1	212.4	0.9946	50.6	232.05
17BHC003	67.5	39.3	57.06	213.5	0.9857	50.7	233.15
17BHC003	68	39.1	56.95	212.8	0.9944	50.9	232.45
17BHC003	68.5	39.4	57	214.8	0.9901	50.6	234.45
17BHC003	69	39.1	57.03	212.3	0.9878	50.9	231.95
17BHC003	69.5	40.2	57.01	215.2	0.9777	49.8	234.85
17BHC003	70	39.6	57.02	214	0.9873	50.4	233.65
17BHC003	70.5	38.9	57.05	212.2	0.9943	51.1	231.85
17BHC003	71	38	56.95	210.2	1.018	52	229.85
17BHC003	71.5	38.8	57.09	211.9	1.0001	51.2	231.55
17BHC003	72	39.5	57.04	214.5	0.9782	50.5	234.15
17BHC003	72.5	39.3	57.28	212.6	0.9939	50.7	232.25
17BHC003	73	39.1	57.3	211.1	0.9981	50.9	230.75
17BHC003	73.5	38.8	57.1	211.5	0.9969	51.2	231.15
17BHC003	74	38.4	56.9	208.5	1.012	51.6	228.15
17BHC003	74.5	39.3	57.07	211.1	0.9931	50.7	230.75
17BHC004	5	30.4	61.54	20	1.0016	59.6	39.65
17BHC004	5.5	30.9	58.93	20.3	0.9934	59.1	39.95
17BHC004	6	31.6	58.28	19.6	0.983	58.4	39.25
17BHC004	6.5	30.4	57.87	20.5	0.9998	59.6	40.15
17BHC004	7	30.4	57.79	21.9	0.9975	59.6	41.55
17BHC004	7.5	30.1	57.71	21	0.9991	59.9	40.65
17BHC004	8	30.2	57.56	20.6	1.0017	59.8	40.25
17BHC004	8.5	30.9	57.65	18.8	1.005	59.1	38.45
17BHC004	9	30.7	57.61	20.5	0.9827	59.3	40.15
17BHC004	9.5	30.1	57.61	22.7	1.01	59.9	42.35
17BHC004	10	30.2	57.57	21.2	1.0034	59.8	40.85
17BHC004	10.5	30.6	57.56	18.9	0.9886	59.4	38.55
17BHC004	11	31.5	57.55	19	0.9923	58.5	38.65

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC004	11.5	30.4	57.56	21	1.0151	59.6	40.65
17BHC004	12	30.3	57.53	21.1	0.9998	59.7	40.75
17BHC004	12.5	30.5	57.58	19.9	0.9866	59.5	39.55
17BHC004	13	31.5	57.58	19.6	1.0108	58.5	39.25
17BHC004	13.5	30.7	57.57	20.4	0.993	59.3	40.05
17BHC004	14	29.9	57.66	21.2	0.9976	60.1	40.85
17BHC004	14.5	30.2	57.65	23.4	1.0146	59.8	43.05
17BHC004	15	30.4	57.58	20.7	0.989	59.6	40.35
17BHC004	15.5	30.4	57.61	19.6	1.0082	59.6	39.25
17BHC004	16	30.7	56.98	23.5	0.9889	59.3	43.15
17BHC004	16.5	30.8	57.42	18.9	0.9977	59.2	38.55
17BHC004	17	30.2	57.58	20.4	1.0038	59.8	40.05
17BHC004	17.5	30.9	57.57	19.3	0.9887	59.1	38.95
17BHC004	18	30.5	57.56	20.2	0.9952	59.5	39.85
17BHC004	18.5	30.5	57.61	19.4	0.9934	59.5	39.05
17BHC004	19	30.3	57.59	20.5	0.9954	59.7	40.15
17BHC004	19.5	30.3	57.47	20.9	0.9963	59.7	40.55
17BHC004	20	30.2	57.57	19.9	0.9919	59.8	39.55
17BHC004	20.5	30.2	57.53	20.3	0.9965	59.8	39.95
17BHC004	21	30.7	57.51	21	1.0003	59.3	40.65
17BHC004	21.5	30.6	57.54	19.2	0.9964	59.4	38.85
17BHC004	22	29.5	57.55	20.5	1.0259	60.5	40.15
17BHC004	22.5	30.8	57.55	19.9	0.987	59.2	39.55
17BHC004	23	30.7	57.51	20.9	0.9828	59.3	40.55
17BHC004	23.5	30.6	57.56	19.1	0.9995	59.4	38.75
17BHC004	24	30.8	57.59	20.7	1.0016	59.2	40.35
17BHC004	24.5	31	57.49	19.8	0.9899	59	39.45
17BHC004	25	31	57.61	19.3	0.9889	59	38.95
17BHC004	25.5	30.7	57.6	20.1	0.9954	59.3	39.75
17BHC004	26	30.9	57.54	19.9	0.9941	59.1	39.55
17BHC004	26.5	30.6	57.5	20.6	0.9985	59.4	40.25
17BHC004	27	30.8	57.58	19.6	0.9962	59.2	39.25
17BHC004	27.5	31.1	57.56	19.7	0.9898	58.9	39.35
17BHC004	28	31.5	57.55	19.3	0.9873	58.5	38.95
17BHC004	28.5	31.2	57.55	18.9	0.9953	58.8	38.55
17BHC004	29	31.2	57.58	19.5	0.9912	58.8	39.15
17BHC004	29.5	31.4	57.56	20.2	0.9887	58.6	39.85
17BHC004	30	31.3	57.56	20.1	1.0043	58.7	39.75
17BHC004	30.5	29.7	57.56	22.3	1.0477	60.3	41.95
17BHC004	31	32	57.51	17.6	0.9766	58	37.25
17BHC004	31.5	31.4	57.42	21.3	0.9901	58.6	40.95
17BHC004	32	31.7	57.62	19.5	0.9803	58.3	39.15
17BHC004	32.5	31.6	57.55	21	1.0048	58.4	40.65
17BHC004	33	30.8	57.52	20.9	1.0102	59.2	40.55
17BHC004	33.5	32.1	57.46	19.1	0.9944	57.9	38.75
17BHC004	34	32.2	57.47	20.5	0.9982	57.8	40.15
17BHC004	34.5	32.4	57.55	19.9	0.9904	57.6	39.55
17BHC004	35	32	57.49	21.2	1.008	58	40.85
17BHC004	35.5	31.2	57.48	21.6	1.0064	58.8	41.25
17BHC004	36	31.6	57.51	20	1.0018	58.4	39.65
17BHC004	36.5	31.8	57.53	20.9	0.993	58.2	40.55
17BHC004	37	32.4	57.58	19.5	0.9952	57.6	39.15
17BHC004	37.5	32.8	57.54	19.1	0.9841	57.2	38.75
17BHC004	38	32.7	57.51	21.8	0.9918	57.3	41.45
17BHC004	38.5	32.3	57.54	19.9	0.9881	57.7	39.55
17BHC004	39	32.4	57.53	20.4	0.9916	57.6	40.05
17BHC004	39.5	32.6	57.53	19.8	0.9892	57.4	39.45
17BHC004	40	32.4	57.54	19.3	0.9981	57.6	38.95

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC004	40.5	32.1	57.57	20.7	0.9966	57.9	40.35
17BHC004	41	33	57.57	19.7	0.9922	57	39.35
17BHC004	41.5	33.1	57.5	20.4	0.9807	56.9	40.05
17BHC004	42	32.7	57.48	20.3	0.986	57.3	39.95
17BHC004	42.5	32.7	57.53	20.2	0.9976	57.3	39.85
17BHC004	43	32.4	57.55	21.1	0.9975	57.6	40.75
17BHC004	43.5	32.6	57.49	20.7	0.99	57.4	40.35
17BHC004	44	32.6	57.42	21	0.9883	57.4	40.65
17BHC004	44.5	32.1	57.54	20.5	0.9944	57.9	40.15
17BHC004	45	32.7	57.59	21.6	0.9912	57.3	41.25
17BHC005	4	40.9	60.17	21.4	0.9931	49.1	41.05
17BHC005	4.5	40.8	58.79	21.3	0.9953	49.2	40.95
17BHC005	5	40.9	58.16	20.8	0.9885	49.1	40.45
17BHC005	5.5	41	57.8	22.2	0.9929	49	41.85
17BHC005	6	42.2	57.62	20.2	0.9704	47.8	39.85
17BHC005	6.5	41.4	57.53	21.6	0.9824	48.6	41.25
17BHC005	7	39.9	57.5	24.4	1.0156	50.1	44.05
17BHC005	7.5	40.6	57.53	22	0.9966	49.4	41.65
17BHC005	8	40.9	57.48	21.6	0.9961	49.1	41.25
17BHC005	8.5	41.9	57.51	19.3	0.9729	48.1	38.95
17BHC005	9	41	57.52	21	0.9911	49	40.65
17BHC005	9.5	41	57.56	21.7	0.9949	49	41.35
17BHC005	10	41	57.54	22.6	0.9996	49	42.25
17BHC005	10.5	41.3	57.48	20.9	0.9919	48.7	40.55
17BHC005	11	41.2	57.49	22.7	0.9983	48.8	42.35
17BHC005	11.5	41.9	57.47	21	0.9912	48.1	40.65
17BHC005	12	41.7	57.5	20.9	0.9943	48.3	40.55
17BHC005	12.5	41.4	57.47	22.1	0.9998	48.6	41.75
17BHC005	13	41.7	57.49	22	0.9972	48.3	41.65
17BHC005	13.5	41.3	57.47	22.5	1.0035	48.7	42.15
17BHC005	14	41.6	57.44	21.4	0.9936	48.4	41.05
17BHC005	14.5	41.5	57.45	21.3	0.9922	48.5	40.95
17BHC005	15	41.7	57.48	20.7	0.9896	48.3	40.35
17BHC005	15.5	41.5	57.49	20.6	0.9933	48.5	40.25
17BHC005	16	41.8	57.44	21.2	0.9925	48.2	40.85
17BHC005	16.5	41.6	57.45	22.3	0.9954	48.4	41.95
17BHC005	17	41.6	57.44	21.8	0.9961	48.4	41.45
17BHC005	17.5	42.1	57.42	20.2	0.9859	47.9	39.85
17BHC005	18	42	57.47	20.3	0.9924	48	39.95
17BHC005	18.5	42	57.4	20	0.9933	48	39.65
17BHC005	19	41.9	57.47	19.8	0.993	48.1	39.45
17BHC005	19.5	41.9	57.44	20.5	0.9928	48.1	40.15
17BHC005	20	41.8	57.43	20	0.9949	48.2	39.65
17BHC005	20.5	41.8	57.43	20.2	0.9946	48.2	39.85
17BHC005	21	42.4	57.37	18.6	0.9868	47.6	38.25
17BHC005	21.5	42.4	57.35	18.6	0.9918	47.6	38.25
17BHC005	22	42.1	57.39	19.3	0.9952	47.9	38.95
17BHC005	22.5	42.3	57.32	19.5	0.9968	47.7	39.15
17BHC005	23	42.6	57.36	18.6	0.9893	47.4	38.25
17BHC005	23.5	42.3	57.39	19.4	0.9962	47.7	39.05
17BHC005	24	42.5	57.4	18.4	0.9916	47.5	38.05
17BHC005	24.5	42.3	57.37	19	0.9956	47.7	38.65
17BHC005	25	42.5	57.42	18.9	0.9922	47.5	38.55
17BHC005	25.5	42.3	57.45	18.9	0.994	47.7	38.55
17BHC005	26	42.6	57.33	20	0.9947	47.4	39.65
17BHC005	26.5	42.5	57.37	18.8	0.991	47.5	38.45
17BHC005	27	42.8	57.3	19.4	0.9893	47.2	39.05
17BHC005	27.5	42.7	57.36	18	0.9888	47.3	37.65

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC005	28	42.9	57.33	17.9	0.9891	47.1	37.55
17BHC005	28.5	45.6	57.45	15.2	0.9669	44.4	34.85
17BHC005	29	43.1	57.36	17	0.9857	46.9	36.65
17BHC005	29.5	44.1	57.37	18.4	0.9693	45.9	38.05
17BHC005	30	42.2	57.33	19.5	1.017	47.8	39.15
17BHC005	30.5	43.4	57.37	18.5	0.9771	46.6	38.15
17BHC005	31	41.7	57.34	21.1	1.0105	48.3	40.75
17BHC005	31.5	43.2	57.37	18.4	0.9784	46.8	38.05
17BHC005	32	43.6	57.33	17.5	0.9792	46.4	37.15
17BHC005	32.5	43	57.35	19.2	0.9882	47	38.85
17BHC005	33	43.1	57.36	18.5	0.9899	46.9	38.15
17BHC005	33.5	43.7	57.33	18.3	0.978	46.3	37.95
17BHC005	34	42.2	57.34	20.1	1.0063	47.8	39.75
17BHC005	34.5	42.5	57.39	19.1	0.9931	47.5	38.75
17BHC005	35	42.7	57.35	19.4	0.9939	47.3	39.05
17BHC005	35.5	42.8	57.36	19.4	1.0188	47.2	39.05
17BHC005	36	42.8	57.35	18.8	0.9997	47.2	38.45
17BHC005	36.5	42.9	57.36	19.3	0.9945	47.1	38.95
17BHC005	37	41.6	57.39	20.4	1.0104	48.4	40.05
17BHC005	37.5	42	57.35	19.7	1.0035	48	39.35
17BHC005	38	43.2	57.39	19.1	0.9956	46.8	38.75
17BHC005	38.5	44.8	57.43	14.7	0.9595	45.2	34.35
17BHC005	39	42.5	57.41	20.4	0.9999	47.5	40.05
17BHC005	39.5	43	57.39	17.9	0.9867	47	37.55
17BHC005	40	42.9	57.42	17.7	0.9942	47.1	37.35
17BHC005	40.5	42.9	57.42	17.7	0.9879	47.1	37.35
17BHC005	41	42.5	57.38	17	0.9859	47.5	36.65
17BHC005	41.5	43.3	57.38	17.2	0.9881	46.7	36.85
17BHC005	42	42.1	57.36	19.2	1.004	47.9	38.85
17BHC005	42.5	42	57.32	19.4	1.0044	48	39.05
17BHC005	43	42.8	57.39	18.3	0.9908	47.2	37.95
17BHC005	43.5	43.2	57.3	16.3	0.9819	46.8	35.95
17BHC005	44	42.2	57.33	17.5	0.9983	47.8	37.15
17BHC005	44.5	45.5	57.42	15.2	0.9273	44.5	34.85
17BHC005	45	42.4	57.37	16.8	0.9921	47.6	36.45
17BHC005	45.5	42.1	57.36	17.3	0.9885	47.9	36.95
17BHC005	46	43	57.29	15.9	0.9888	47	35.55
17BHC005	46.5	42.6	57.27	17.5	1.0002	47.4	37.15
17BHC005	47	43.8	57.33	14.8	0.9733	46.2	34.45
17BHC005	47.5	-999	-999	-999	-999	1089	-979.35
17BHC005	48	42.3	57.32	18.2	1.0126	47.7	37.85
17BHC005	48.5	43	57.33	16.9	0.9899	47	36.55
17BHC005	49	43.1	57.29	16.7	0.9826	46.9	36.35
17BHC005	49.5	42.6	57.38	16.5	0.9977	47.4	36.15
17BHC005	50	43.3	57.35	15.8	0.9735	46.7	35.45
17BHC005	50.5	43.6	57.23	15.9	0.9873	46.4	35.55
17BHC005	51	43.2	57.32	16.6	0.992	46.8	36.25
17BHC005	51.5	43.1	57.36	18.1	0.9906	46.9	37.75
17BHC005	52	44	57.46	18	0.9805	46	37.65
17BHC005	52.5	44.2	57.31	15.4	0.9753	45.8	35.05
17BHC005	53	43.9	57.3	16.4	0.9732	46.1	36.05
17BHC005	53.5	43.5	57.36	16.9	0.9787	46.5	36.55
17BHC005	54	43.5	57.32	12.7	0.9219	46.5	32.35
17BHC005	54.5	42.1	57.31	19	1.0078	47.9	38.65
17BHC005	55	42	57.37	16.7	1.0135	48	36.35
17BHC005	55.5	43.2	57.32	17.2	0.996	46.8	36.85
17BHC005	56	43.1	57.36	18.4	0.9912	46.9	38.05
17BHC005	56.5	43.3	57.42	17.4	0.9925	46.7	37.05

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC005	57	43	57.33	14.4	0.992	47	34.05
17BHC005	57.5	43	57.37	17.4	0.9857	47	37.05
17BHC005	58	42.6	57.41	18.7	1.0033	47.4	38.35
17BHC005	58.5	43.8	57.32	16	0.9778	46.2	35.65
17BHC005	59	43.2	57.38	17.7	0.9855	46.8	37.35
17BHC005	59.5	42.4	57.37	19.2	1.0057	47.6	38.85
17BHC005	60	43.4	57.46	17.1	0.9836	46.6	36.75
17BHC005	60.5	43.9	57.43	16.3	0.9737	46.1	35.95
17BHC005	61	43.5	57.42	17.2	0.9821	46.5	36.85
17BHC005	61.5	42.7	57.42	18.7	0.9967	47.3	38.35
17BHC005	62	42.6	57.42	17.6	1.0001	47.4	37.25
17BHC005	62.5	42.9	57.42	16.9	0.9934	47.1	36.55
17BHC005	63	43.7	57.38	15.8	0.9827	46.3	35.45
17BHC005	63.5	43	57.42	18.8	1.0028	47	38.45
17BHC005	64	43.1	57.42	16.8	0.988	46.9	36.45
17BHC005	64.5	42.4	57.42	18.7	1.0035	47.6	38.35
17BHC005	65	43.8	57.39	16.9	0.9925	46.2	36.55
17BHC005	65.5	43.3	57.48	14.7	0.9765	46.7	34.35
17BHC005	66	44.2	57.1	14.5	0.9729	45.8	34.15
17BHC005	66.5	42.8	57.37	16.3	0.9658	47.2	35.95
17BHC005	67	41.2	57.31	19	0.9998	48.8	38.65
17BHC005	67.5	43	57.22	16.3	0.9971	47	35.95
17BHC005	68	43.6	57.39	16	0.993	46.4	35.65
17BHC005	68.5	43.6	57.35	15.4	0.9759	46.4	35.05
17BHC005	69	43.6	57.38	15.8	0.9876	46.4	35.45
17BHC005	69.5	44.3	57.27	15.1	0.9776	45.7	34.75
17BHC005	70	43.4	57.56	18.6	0.9908	46.6	38.25
17BHC005	70.5	43.5	57.26	15	0.9903	46.5	34.65
17BHC005	71	44.2	57.26	15.5	0.9831	45.8	35.15
17BHC005	71.5	42.8	57.34	16.3	1.0134	47.2	35.95
17BHC005	72	43	57.34	17.2	1.002	47	36.85
17BHC005	72.5	43.5	57.36	15.6	0.9709	46.5	35.25
17BHC005	73	43.2	57.33	15.3	0.9897	46.8	34.95
17BHC005	73.5	43.6	57.28	16.5	0.9929	46.4	36.15
17BHC005	74	44.3	57.33	15.6	0.9777	45.7	35.25
17BHC005	74.5	42.8	57.28	16.1	0.9944	47.2	35.75
17BHC005	75	42.1	57.3	18.5	1.0126	47.9	38.15
17BHC005	75.5	42.9	57.37	16.4	0.9913	47.1	36.05
17BHC005	76	43.4	57.28	16	0.9806	46.6	35.65
17BHC005	76.5	42.5	57.42	16.1	1.0069	47.5	35.75
17BHC005	77	43.8	57.38	15.3	0.9664	46.2	34.95
17BHC005	77.5	42	57.47	18	1.0235	48	37.65
17BHC005	78	43.4	57.46	15.2	0.9864	46.6	34.85
17BHC005	78.5	41.6	57.32	15.7	1.015	48.4	35.35
17BHC005	79	41.3	57.37	18.3	1.0161	48.7	37.95
17BHC005	79.5	43.1	57.35	15.4	0.9904	46.9	35.05
17BHC005	80	44.1	57.42	15.7	0.9682	45.9	35.35
17BHC005	80.5	43.2	57.41	16.9	0.9892	46.8	36.55
17BHC005	81	43	57.32	17.6	1.0032	47	37.25
17BHC005	81.5	43.4	57.43	15.9	0.9889	46.6	35.55
17BHC005	82	43.2	57.5	15.8	0.988	46.8	35.45
17BHC005	82.5	43.3	57.36	17.6	0.9926	46.7	37.25
17BHC005	83	43.2	57.22	18.8	0.9931	46.8	38.45
17BHC005	83.5	42.5	57.38	19.6	0.9964	47.5	39.25
17BHC005	84	42.4	57.32	17.5	1.0013	47.6	37.15
17BHC005	84.5	42.4	57.33	17.4	0.9947	47.6	37.05
17BHC006	4	32.2	64.28	27.4	0.9944	57.8	47.05
17BHC006	4.5	32.2	61.52	31.2	0.9973	57.8	50.85

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC006	5	31.8	60.16	34	0.9987	58.2	53.65
17BHC006	5.5	31.5	59.31	36.3	0.9992	58.5	55.95
17BHC006	6	32.4	58.9	36.1	0.9922	57.6	55.75
17BHC006	6.5	32.9	58.47	37.1	0.9975	57.1	56.75
17BHC006	7	32.7	58.28	36.6	0.9966	57.3	56.25
17BHC006	7.5	32.2	58.13	36.4	0.9983	57.8	56.05
17BHC006	8	32.7	58.01	37	1.0115	57.3	56.65
17BHC006	8.5	32.5	57.92	35.7	0.99	57.5	55.35
17BHC006	9	32.4	57.81	36.8	1.0006	57.6	56.45
17BHC006	9.5	32	57.78	38.5	0.9969	58	58.15
17BHC006	10	32.8	57.68	37	1.0055	57.2	56.65
17BHC006	10.5	33.4	57.69	36.3	0.9935	56.6	55.95
17BHC006	11	32.8	57.63	37.1	0.9921	57.2	56.75
17BHC006	11.5	32.2	57.66	36.4	1.0011	57.8	56.05
17BHC006	12	32	57.57	38.5	1.0042	58	58.15
17BHC006	12.5	32.7	57.59	37.4	1.0074	57.3	57.05
17BHC006	13	33.2	57.56	37.6	0.9915	56.8	57.25
17BHC006	13.5	32.3	57.56	39.3	1.0156	57.7	58.95
17BHC006	14	32.8	57.62	36.2	0.9847	57.2	55.85
17BHC006	14.5	32.6	57.51	38.3	1.0051	57.4	57.95
17BHC006	15	32.9	57.43	36.2	0.9871	57.1	55.85
17BHC006	15.5	32.4	57.49	38	0.9917	57.6	57.65
17BHC006	16	32	57.55	37.9	0.9946	58	57.55
17BHC006	16.5	31.6	57.52	39.1	1.0066	58.4	58.75
17BHC006	17	33	57.48	35.7	0.995	57	55.35
17BHC006	17.5	32.3	57.48	36.3	0.9975	57.7	55.95
17BHC006	18	32.3	57.4	37.3	0.9924	57.7	56.95
17BHC006	18.5	32.8	57.52	36.1	0.9923	57.2	55.75
17BHC006	19	32.1	57.55	37.2	0.9963	57.9	56.85
17BHC006	19.5	32.3	57.67	37.1	1.0026	57.7	56.75
17BHC006	20	32.7	57.49	38.1	0.9978	57.3	57.75
17BHC006	20.5	32.6	57.39	35.8	0.9884	57.4	55.45
17BHC006	21	32.5	57.37	37.2	0.9987	57.5	56.85
17BHC006	21.5	32.2	57.5	37.2	0.9917	57.8	56.85
17BHC006	22	32.9	57.49	37.5	0.9928	57.1	57.15
17BHC006	22.5	32.3	57.41	38.9	0.9975	57.7	58.55
17BHC006	23	32.9	57.5	37.4	0.9957	57.1	57.05
17BHC006	23.5	33.3	57.47	38.7	0.9925	56.7	58.35
17BHC006	24	33.5	57.51	38.3	0.9843	56.5	57.95
17BHC006	24.5	32.7	57.44	37.9	0.9977	57.3	57.55
17BHC006	25	32.3	57.48	38.8	1.0004	57.7	58.45
17BHC006	25.5	32.5	57.41	38.4	0.9967	57.5	58.05
17BHC006	26	33	57.3	40.2	0.9947	57	59.85
17BHC006	26.5	32.5	57.47	38.5	1.0026	57.5	58.15
17BHC006	27	32.8	57.42	38.2	0.9896	57.2	57.85
17BHC006	27.5	33.1	57.51	37.2	0.9889	56.9	56.85
17BHC006	28	32.2	57.48	39.2	1.0021	57.8	58.85
17BHC006	28.5	32.8	57.5	38.1	0.9928	57.2	57.75
17BHC006	29	32.5	57.41	40.2	0.9921	57.5	59.85
17BHC006	29.5	32.1	57.5	39.1	0.984	57.9	58.75
17BHC006	30	32.7	57.44	37.7	0.9942	57.3	57.35
17BHC006	30.5	33.3	57.43	38.5	0.9916	56.7	58.15
17BHC006	31	32.7	57.47	38.7	0.9915	57.3	58.35
17BHC006	31.5	33	57.46	36.1	0.988	57	55.75
17BHC006	32	32.6	57.44	38.1	0.9998	57.4	57.75
17BHC006	32.5	32.2	57.42	39.4	1.0056	57.8	59.05
17BHC006	33	32.8	57.46	37.9	1.0027	57.2	57.55
17BHC006	33.5	32.8	57.48	37	0.9822	57.2	56.65

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC006	34	32.7	57.43	37.6	1.0007	57.3	57.25
17BHC006	34.5	33.5	57.51	34.1	0.9905	56.5	53.75
17BHC006	35	32.2	57.44	35.5	0.9931	57.8	55.15
17BHC006	35.5	32.5	57.49	37.2	1.0006	57.5	56.85
17BHC006	36	32.7	58.03	39.3	0.9952	57.3	58.95
17BHC006	36.5	31.5	57.46	37.3	1.0016	58.5	56.95
17BHC006	37	32.1	57.47	35.4	0.9997	57.9	55.05
17BHC006	37.5	31.8	57.48	37.3	1.0176	58.2	56.95
17BHC006	38	32.1	57.43	34.3	1.008	57.9	53.95
17BHC006	38.5	32.6	57.46	34.9	0.9943	57.4	54.55
17BHC006	39	32.9	57.46	33.9	1.0018	57.1	53.55
17BHC006	39.5	32.5	57.42	35	0.9999	57.5	54.65
17BHC006	40	32.2	57.58	36.1	0.9974	57.8	55.75
17BHC006	40.5	32.3	57.33	34.6	0.9921	57.7	54.25
17BHC006	41	33.2	57.39	34.2	0.9891	56.8	53.85
17BHC006	41.5	32.9	57.48	34.7	0.999	57.1	54.35
17BHC006	42	33.7	57.44	33.9	0.999	56.3	53.55
17BHC006	42.5	34.5	57.47	35.5	0.9933	55.5	55.15
17BHC006	43	32.7	57.51	35.7	1.0174	57.3	55.35
17BHC006	43.5	34.3	57.51	32.9	0.99	55.7	52.55
17BHC006	44	34.1	57.47	34.3	1.0102	55.9	53.95
17BHC006	44.5	33.5	57.44	35.8	1.0002	56.5	55.45
17BHC006	45	34.6	57.46	33.6	0.9881	55.4	53.25
17BHC006	45.5	34.3	57.52	33.8	1.0073	55.7	53.45
17BHC006	46	35.9	57.46	32.1	0.9924	54.1	51.75
17BHC006	46.5	35	57.52	34.1	0.993	55	53.75
17BHC006	47	34.7	57.44	34	0.9976	55.3	53.65
17BHC006	47.5	34.7	57.44	32.6	0.996	55.3	52.25
17BHC006	48	34.8	57.37	33.5	0.9952	55.2	53.15
17BHC006	48.5	34	57.49	35.7	1.004	56	55.35
17BHC006	49	35	57.23	34	1.0013	55	53.65
17BHC006	49.5	35.5	57.38	32.7	0.9749	54.5	52.35
17BHC006	50	36	57.41	30.2	0.9821	54	49.85
17BHC006	50.5	35.9	57.52	31.8	0.9832	54.1	51.45
17BHC006	51	34.6	57.44	34	0.9984	55.4	53.65
17BHC006	51.5	34.5	57.42	33.2	0.991	55.5	52.85
17BHC006	52	35.4	57.44	32.1	0.9863	54.6	51.75
17BHC006	52.5	35	57.41	31.7	0.9881	55	51.35
17BHC006	53	34.4	57.42	34.8	1.0068	55.6	54.45
17BHC006	53.5	35	57.24	35.4	1.0019	55	55.05
17BHC006	54	35.5	57.59	35.5	0.9964	54.5	55.15
17BHC006	54.5	35.4	57.44	33.5	1.0054	54.6	53.15
17BHC006	55	35.4	57.47	33.4	0.9954	54.6	53.05
17BHC006	55.5	36	57.44	32.9	1.0022	54	52.55
17BHC006	56	35.6	57.33	33	0.9808	54.4	52.65
17BHC006	56.5	35.5	57.45	32.9	0.9938	54.5	52.55
17BHC006	57	36.1	57.54	30	0.9705	53.9	49.65
17BHC006	57.5	35.9	57.56	33	0.9838	54.1	52.65
17BHC006	58	35.6	57.44	32.7	0.9936	54.4	52.35
17BHC006	58.5	35	57.89	33	1.0034	55	52.65
17BHC006	59	35.5	57.45	32.8	0.9834	54.5	52.45
17BHC006	59.5	34.7	57.44	31.5	0.9991	55.3	51.15
17BHC006	60	35.4	57.45	34.1	0.9983	54.6	53.75
17BHC006	60.5	37.4	57.43	29.7	0.9685	52.6	49.35
17BHC006	61	35.8	57.44	32.6	0.9924	54.2	52.25
17BHC006	61.5	36.1	57.44	32.8	0.9867	53.9	52.45
17BHC006	62	36	57.49	32.5	0.9835	54	52.15
17BHC006	62.5	36.3	57.58	31.9	0.9833	53.7	51.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17BHC006	63	35.7	57.5	32.9	0.9928	54.3	52.55
17BHC006	63.5	35.8	57.46	32.5	0.9837	54.2	52.15
17BHC006	64	36.2	57.41	32.1	0.9741	53.8	51.75
17BHC006	64.5	35.9	57.42	33.3	0.988	54.1	52.95
17BHC006	65	35.1	57.57	34	0.9918	54.9	53.65
17BHC006	65.5	34.3	57.16	36.6	0.9835	55.7	56.25
17BHC006	66	35.4	57.45	34.4	0.9963	54.6	54.05
17BHC006	66.5	35	57.47	34	0.9996	55	53.65
17BHC006	67	35.7	57.4	33.2	0.9885	54.3	52.85
17BHC006	67.5	35.4	57.4	34.7	0.9959	54.6	54.35
17BHC006	68	35.2	57.67	33.2	0.9889	54.8	52.85
17BHC006	68.5	35	57.48	34.3	1.0003	55	53.95
17BHC006	69	35	57.43	35.8	0.9919	55	55.45
17BHC006	69.5	35.1	57.47	33.8	0.9901	54.9	53.45
17BHC006	70	34.9	57.33	34.1	1.0023	55.1	53.75
17BHC006	70.5	35.7	57.63	32.5	0.9874	54.3	52.15
17BHC006	71	34.6	57.51	33.5	0.9986	55.4	53.15
17BHC006	71.5	34.9	57.33	35.6	0.997	55.1	55.25
17BHC006	72	34.2	57.38	36.2	1.0147	55.8	55.85
17BHC006	72.5	35.3	57.59	31.9	0.9935	54.7	51.55
17BHC006	73	35.6	57.43	32.8	0.9921	54.4	52.45
17BHC006	73.5	36	57.55	31.3	0.9661	54	50.95
17BHC006	74	34.5	57.45	33	0.9994	55.5	52.65
17BHC006	74.5	35.5	57.4	33.1	1.0106	54.5	52.75
17BHC006	75	35.6	57.43	31.8	0.9738	54.4	51.45
17BHC006	75.5	35	57.38	33	0.9772	55	52.65
17BHC006	76	35.2	57.5	32.8	0.9889	54.8	52.45
17BHC006	76.5	35.1	57.44	32.5	0.9855	54.9	52.15
17BHC006	77	35.3	57.47	31.7	0.9854	54.7	51.35
17BHC006	77.5	35.2	57.47	32.1	0.9844	54.8	51.75
17BHC006	78	34.6	57.32	33.8	0.9952	55.4	53.45
17BHC006	78.5	34	57.41	34.3	1.002	56	53.95
17BHC006	79	35.3	57.45	32.5	0.9893	54.7	52.15
17BHC006	79.5	35	57.44	33.2	0.9948	55	52.85
17BHC006	80	35.7	57.44	30.8	0.9703	54.3	50.45
17BHC006	80.5	34.4	57.47	33.1	0.9999	55.6	52.75
17BHC006	81	34	57.45	33.4	0.9875	56	53.05
17BHC006	81.5	35.2	57.48	30.1	0.9708	54.8	49.75
17BHC006	82	34	57.44	34	0.997	56	53.65
17BHC006	82.5	34.5	57.45	33	0.9828	55.5	52.65
17BHC006	83	33.6	57.48	32.2	0.9926	56.4	51.85
17BHC006	83.5	34.3	57.51	31.8	0.9978	55.7	51.45
17BHC006	84	34	57.51	33.7	0.997	56	53.35
17BHC006	84.5	33.4	57.62	33.1	1.0029	56.6	52.75
17BHC006	85	33.5	57.27	35	1.0013	56.5	54.65
17BHC006	85.5	33.7	57.24	34.1	1.0013	56.3	53.75
17BHC006	86	33.9	57.48	32.9	0.9873	56.1	52.55
17BHC006	86.5	33.2	57.52	33	0.9966	56.8	52.65
17BHC006	87	33.5	57.52	32.7	0.9972	56.5	52.35
17BHC006	87.5	33.7	57.48	33.7	0.9969	56.3	53.35
17BHC006	88	34	57.49	33.2	0.987	56	52.85
17BHC006	88.5	33.6	57.8	34.8	1.0021	56.4	54.45
17BHC006	89	33.9	57.33	32.3	0.9889	56.1	51.95
17BHC006	89.5	33.5	57.43	34.5	0.9968	56.5	54.15