

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17INDRC001	5.5	30.1	56.74	148.8	0.9969	59.9	168.45
17INDRC001	6	29.8	57.35	148.2	1.0015	60.2	167.85
17INDRC001	6.5	29.9	57.53	147.6	0.999	60.1	167.25
17INDRC001	7	30.2	57.65	147.4	0.9949	59.8	167.05
17INDRC001	7.5	29.8	57.71	148.2	0.9983	60.2	167.85
17INDRC001	8	29.9	57.69	148.1	1.0008	60.1	167.75
17INDRC001	8.5	29.9	57.67	147.6	1.0013	60.1	167.25
17INDRC001	9	29.7	57.61	148.2	0.9987	60.3	167.85
17INDRC001	9.5	29.8	57.6	148	0.9994	60.2	167.65
17INDRC001	10	30	57.48	148.1	1.0012	60	167.75
17INDRC001	10.5	30.2	57.46	148.5	1.0002	59.8	168.15
17INDRC001	11	30.1	57.43	148.2	1.0007	59.9	167.85
17INDRC001	11.5	29.9	57.38	147.8	0.9976	60.1	167.45
17INDRC001	12	30.1	57.42	148	0.9994	59.9	167.65
17INDRC001	12.5	30.1	57.41	148.3	1.0001	59.9	167.95
17INDRC001	13	29.8	57.43	147.2	1.0062	60.2	166.85
17INDRC001	13.5	29.8	57.43	149.2	1.0044	60.2	168.85
17INDRC001	14	30.1	57.35	148.8	0.9959	59.9	168.45
17INDRC001	14.5	30.3	57.29	149.7	1.0059	59.7	169.35
17INDRC001	15	30.5	57.31	147.9	0.9998	59.5	167.55
17INDRC001	15.5	29.8	57.22	149.6	1.0012	60.2	169.25
17INDRC001	16	30.4	57.03	148.3	0.9957	59.6	167.95
17INDRC001	16.5	30.2	57.28	149.5	1.0059	59.8	169.15
17INDRC001	17	30	57.41	149.2	1.0039	60	168.85
17INDRC001	17.5	30.4	57.54	147.1	0.9983	59.6	166.75
17INDRC001	18	30.6	57.3	147.9	0.9991	59.4	167.55
17INDRC001	18.5	30.8	57.32	147.6	1.0019	59.2	167.25
17INDRC001	19	30.7	57.36	147.9	0.9991	59.3	167.55
17INDRC001	19.5	30.3	57.29	149.1	1.0018	59.7	168.75
17INDRC001	20	30.5	57.37	148.7	1.0071	59.5	168.35
17INDRC002	5.5	29	58.92	332.7	0.9975	61	352.35
17INDRC002	6	28.7	58.74	331.7	0.9892	61.3	351.35
17INDRC002	6.5	28.6	58.53	331.8	0.9956	61.4	351.45
17INDRC002	7	28.6	58.37	332.6	0.999	61.4	352.25
17INDRC002	7.5	28.2	58.24	331.8	0.9896	61.8	351.45
17INDRC002	8	28.7	58.15	332.1	0.9988	61.3	351.75
17INDRC002	8.5	28.6	58.02	331.9	1.0003	61.4	351.55
17INDRC002	9	29.2	57.98	332.7	1.0197	60.8	352.35
17INDRC002	9.5	28.5	57.93	333.3	1.0139	61.5	352.95
17INDRC002	10	28.5	57.86	332.5	0.991	61.5	352.15
17INDRC002	10.5	27.9	57.91	332.7	1.0027	62.1	352.35
17INDRC002	11	27.5	57.84	332.3	1.0035	62.5	351.95
17INDRC002	11.5	27.7	57.83	332.5	1.0007	62.3	352.15
17INDRC002	12	28.2	57.86	333.3	0.9964	61.8	352.95
17INDRC002	12.5	28	57.83	333.3	0.9983	62	352.95
17INDRC002	13	27.5	57.79	333.2	0.9937	62.5	352.85
17INDRC002	13.5	27.3	57.82	332.5	1.0069	62.7	352.15
17INDRC002	14	27.7	57.79	332.7	0.998	62.3	352.35
17INDRC002	14.5	27.4	57.85	332	1.0043	62.6	351.65
17INDRC002	15	28	57.76	333	1.0021	62	352.65
17INDRC002	15.5	27.5	57.71	333.4	0.9954	62.5	353.05
17INDRC002	16	27.9	57.79	334.1	0.9957	62.1	353.75
17INDRC002	16.5	27.9	57.8	334	0.9895	62.1	353.65
17INDRC002	17	27.4	57.78	334	0.998	62.6	353.65
17INDRC002	17.5	27.6	57.75	334	1.0014	62.4	353.65
17INDRC002	18	27.4	57.64	332.6	0.9993	62.6	352.25
17INDRC002	18.5	27.2	57.67	333.2	1.0117	62.8	352.85
17INDRC002	19	27.1	57.79	332.7	1.0195	62.9	352.35
17INDRC002	19.5	27.7	57.75	333.9	0.9954	62.3	353.55
17INDRC002	20	27.6	57.74	333.9	1.0035	62.4	353.55
17INDRC002	20.5	27.3	57.77	334.7	0.9979	62.7	354.35

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17INDRC002	21	27.2	57.74	333.9	0.9986	62.8	353.55
17INDRC002	21.5	27.6	57.77	333.5	0.9986	62.4	353.15
17INDRC002	22	27.6	57.79	333.3	0.9963	62.4	352.95
17INDRC002	22.5	27.3	57.64	334.8	1.0094	62.7	354.45
17INDRC002	23	27.9	57.62	334.3	0.9992	62.1	353.95
17INDRC003	6.5	29.8	55.65	325.2	1.0024	60.2	344.85
17INDRC003	7	29.7	57.65	329.5	0.9934	60.3	349.15
17INDRC003	7.5	29.5	57.98	328.4	1.0025	60.5	348.05
17INDRC003	8	30.3	58.04	329.5	1.0042	59.7	349.15
17INDRC003	8.5	29.8	58	328.9	0.9989	60.2	348.55
17INDRC003	9	29.6	57.96	328.8	1.001	60.4	348.45
17INDRC003	9.5	29.3	57.96	327.9	1.0047	60.7	347.55
17INDRC003	10	29.6	57.87	328.6	0.9968	60.4	348.25
17INDRC003	10.5	29.8	57.82	328.4	0.9936	60.2	348.05
17INDRC003	11	29.4	57.82	327.8	1.0011	60.6	347.45
17INDRC003	11.5	29.8	57.73	330.1	0.9948	60.2	349.75
17INDRC003	12	29.2	57.77	328.1	0.9989	60.8	347.75
17INDRC003	12.5	29.5	57.76	327.1	1.005	60.5	346.75
17INDRC003	13	29.1	57.66	327.5	1.0002	60.9	347.15
17INDRC003	13.5	29.4	57.63	328.4	0.9977	60.6	348.05
17INDRC003	14	29.4	57.64	326.9	0.9964	60.6	346.55
17INDRC004	5	29.4	56.48	152.3	0.9945	60.6	171.95
17INDRC004	5.5	28.9	57.47	151.4	0.9956	61.1	171.05
17INDRC004	6	29.8	57.71	149.3	1.0001	60.2	168.95
17INDRC004	6.5	29.2	57.67	151.1	1.0017	60.8	170.75
17INDRC004	7	29.2	57.65	152	0.995	60.8	171.65
17INDRC004	7.5	29.1	57.56	151.8	0.9985	60.9	171.45
17INDRC004	8	29.1	57.49	151.3	1.0002	60.9	170.95
17INDRC004	8.5	29.5	57.54	148	0.9944	60.5	167.65
17INDRC004	9	29	57.42	151.3	0.9972	61	170.95
17INDRC004	9.5	28.7	57.45	150.8	1.01	61.3	170.45
17INDRC004	10	28.9	57.4	149.7	0.995	61.1	169.35
17INDRC004	10.5	28.9	57.43	151.3	1.0017	61.1	170.95
17INDRC004	11	29.1	57.33	150.7	0.9949	60.9	170.35
17INDRC004	11.5	28.5	57.34	151.6	1.0033	61.5	171.25
17INDRC004	12	28.9	57.32	150.4	1.002	61.1	170.05
17INDRC004	12.5	28.7	57.35	150.8	1.005	61.3	170.45
17INDRC004	13	28.6	57.37	152.1	1.0093	61.4	171.75
17INDRC004	13.5	28.5	57.33	151.1	0.9937	61.5	170.75
17INDRC004	14	28.6	57.26	150.7	1.0007	61.4	170.35
17INDRC004	14.5	28.3	57.34	150.9	1.0059	61.7	170.55
17INDRC004	15	28.4	57.23	151.5	1.0035	61.6	171.15
17INDRC004	15.5	28.3	57.28	149.9	1.0019	61.7	169.55
17INDRC004	16	28.5	57.31	150.6	1.01	61.5	170.25
17INDRC004	16.5	28.7	57.26	150.6	1.0028	61.3	170.25
17INDRC004	17	28.5	57.27	150.2	0.9894	61.5	169.85
17INDRC004	17.5	28.1	57.45	150.4	0.9923	61.9	170.05
17INDRC004	18	27.4	57.52	152.1	1.0152	62.6	171.75
17INDRC004	18.5	27.9	57.47	149.8	0.9931	62.1	169.45
17INDRC004	19	28.1	57.45	148.7	1.0064	61.9	168.35
17INDRC004	19.5	27.7	57.44	151.1	0.9977	62.3	170.75
17INDRC004	20	28	57.4	150.3	0.9973	62	169.95
17INDRC004	20.5	28.3	57.26	146.3	0.9877	61.7	165.95
17INDRC004	21	28.2	57.24	150.3	0.9947	61.8	169.95
17INDRC004	21.5	27.8	57.26	151.5	1.0031	62.2	171.15
17INDRC004	22	28.3	57.27	149.3	0.9979	61.7	168.95
17INDRC004	22.5	27.8	57.25	150.1	0.9948	62.2	169.75
17INDRC004	23	27.3	57.31	150.4	0.9997	62.7	170.05
17INDRC004	23.5	27.8	57.26	149	0.9943	62.2	168.65
17INDRC004	24	27.8	57.38	149.2	0.9956	62.2	168.85
17INDRC004	24.5	27.5	57.38	149.9	0.9983	62.5	169.55

Hole ID	Depth_m	Tilt	MagnField	Azimuth_MN	Gravity	Dip	Azimuth_TN
17INDRC004	25	27.5	57.47	148.3	1.0021	62.5	167.95
17INDRC004	25.5	27.5	57.5	149.4	0.9995	62.5	169.05
17INDRC004	26	26.4	57.53	148.1	1.0033	63.6	167.75
17INDRC004	26.5	28	57.8	145.3	1.0089	62	164.95
17INDRC004	27	27	57.73	146.9	1.0027	63	166.55
17INDRC004	27.5	30.3	57.77	140.9	0.9934	59.7	160.55
17INDRC004	28	27.6	57.52	147.4	0.9997	62.4	167.05
17INDRC004	28.5	28	57.36	148	0.9939	62	167.65
17INDRC004	29	28.6	57.23	148.4	0.9831	61.4	168.05
17INDRC004	29.5	28	57.24	148.9	1.0038	62	168.55
17INDRC004	30	28	57.17	150.2	1.0026	62	169.85
17INDRC004	30.5	28.2	57.19	148.5	1.0002	61.8	168.15
17INDRC004	31	27.3	57.3	149.9	0.9994	62.7	169.55
17INDRC004	31.5	27.7	57.15	147.7	0.9946	62.3	167.35