



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Jodie Gibson

Receiving Lab: Canada-Whitehorse

Received: June 30, 2017

Report Date: July 21, 2017

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17000195.1

CLIENT JOB INFORMATION

Project: DIM
Shipment ID: DIM-20170629-001-ROCK
P.O. Number
Number of Samples: 9

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Isaac Fage
Shawn Ryan
Greg Dawson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	9	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	9	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	9	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	9	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	9	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: DIM
Report Date: July 21, 2017

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17000195.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1611303	Rock	3.50	0.093	1.0	3.8	8.2	39	0.2	11.6	7.4	631	2.15	92.6	125.6	5.5	493	0.2	0.2	<0.1	16	2.53
1611304	Rock	4.04	0.287	1.1	2.6	34.5	11	0.3	3.1	2.3	216	0.98	49.7	154.0	3.4	122	<0.1	0.2	<0.1	3	0.64
1611305	Rock	3.57	0.101	0.9	3.1	10.3	22	0.3	4.1	3.4	358	1.30	45.5	165.3	2.0	222	<0.1	0.2	<0.1	5	1.12
1611306	Rock	3.59	0.052	0.9	2.3	6.4	24	0.1	3.3	2.0	290	1.08	34.2	48.2	4.2	175	<0.1	0.1	<0.1	4	0.88
1611307	Rock	3.75	0.061	0.9	2.7	4.6	31	<0.1	3.8	1.9	335	1.04	21.6	19.7	5.4	200	0.1	<0.1	<0.1	5	1.08
1611308	Rock	3.28	0.046	0.8	1.8	4.1	25	<0.1	3.2	2.2	284	1.03	24.0	31.2	1.8	179	<0.1	<0.1	<0.1	7	0.91
1611309	Rock	3.68	0.075	1.0	2.2	3.2	33	<0.1	3.4	1.9	283	1.07	17.5	22.2	2.4	162	<0.1	0.1	<0.1	4	0.89
1611310	Rock	3.63	0.143	1.1	2.9	8.0	29	0.5	4.6	2.9	321	1.63	60.4	84.9	5.0	177	<0.1	0.3	<0.1	5	0.98
1611311	Rock	3.07	0.043	1.0	2.8	4.9	19	0.3	3.7	2.0	284	1.28	45.6	47.1	4.4	172	<0.1	0.3	<0.1	4	0.89



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: DIM
Report Date: July 21, 2017

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI17000195.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1611303	Rock	0.037	16	10	0.78	187	0.001	<20	0.29	0.037	0.26	1.4	<0.01	6.9	<0.1	0.42	<1	<0.5	<0.2
1611304	Rock	0.012	7	5	0.17	144	<0.001	<20	0.31	0.026	0.34	2.5	<0.01	1.2	<0.1	0.43	<1	<0.5	<0.2
1611305	Rock	0.019	5	6	0.31	152	<0.001	<20	0.26	0.040	0.28	2.3	<0.01	2.6	<0.1	0.47	<1	<0.5	<0.2
1611306	Rock	0.016	5	6	0.22	138	<0.001	<20	0.29	0.052	0.29	1.4	<0.01	1.6	<0.1	0.39	1	<0.5	<0.2
1611307	Rock	0.017	7	7	0.28	226	<0.001	<20	0.17	0.032	0.17	2.2	<0.01	2.3	<0.1	0.16	<1	<0.5	<0.2
1611308	Rock	0.015	7	6	0.22	162	<0.001	<20	0.13	0.023	0.14	2.9	<0.01	1.7	<0.1	0.32	<1	<0.5	<0.2
1611309	Rock	0.013	8	7	0.22	183	<0.001	<20	0.19	0.012	0.25	3.4	<0.01	1.6	<0.1	0.29	<1	<0.5	<0.2
1611310	Rock	0.020	9	6	0.27	172	<0.001	<20	0.20	0.011	0.23	1.8	<0.01	2.2	<0.1	0.81	<1	<0.5	<0.2
1611311	Rock	0.018	9	6	0.23	119	<0.001	<20	0.18	0.021	0.21	3.1	<0.01	1.7	<0.1	0.47	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: DIM
Report Date: July 21, 2017

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI17000195.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1611304	Rock	4.04	0.287	1.1	2.6	34.5	11	0.3	3.1	2.3	216	0.98	49.7	154.0	3.4	122	<0.1	0.2	<0.1	3	0.64
REP 1611304	QC			1.0	2.5	33.0	9	0.3	3.4	2.2	212	0.96	46.6	241.3	3.4	114	<0.1	0.2	<0.1	3	0.62
Reference Materials																					
STD DS10	Standard			13.6	158.7	151.3	373	1.8	76.4	13.1	888	2.78	42.0	563.1	6.8	69	2.6	8.1	11.9	43	1.09
STD OREAS45EA	Standard			1.5	734.4	14.5	30	0.3	392.6	52.0	405	23.58	11.0	55.2	10.2	4	<0.1	0.2	0.3	321	0.03
STD OXC145	Standard		0.206																		
STD OXH122	Standard		1.196																		
STD OXN117	Standard		7.776																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXN117 Expected			7.679																		
STD OXC145 Expected			0.212																		
STD OXH122 Expected			1.247																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	5.7	2.0	36	<0.1	0.9	3.9	564	1.81	1.0	1.3	2.1	22	<0.1	<0.1	<0.1	23	0.61



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: DIM
Report Date: July 21, 2017

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI17000195.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1611304	Rock	0.012	7	5	0.17	144	<0.001	<20	0.31	0.026	0.34	2.5	<0.01	1.2	<0.1	0.43	<1	<0.5	<0.2
REP 1611304	QC	0.014	7	6	0.17	140	<0.001	<20	0.31	0.025	0.34	2.2	<0.01	1.2	<0.1	0.42	<1	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.077	18	55	0.80	422	0.080	<20	1.07	0.071	0.33	2.9	0.25	2.9	5.1	0.29	4	2.5	4.7
STD OREAS45EA	Standard	0.028	7	849	0.11	139	0.097	<20	3.48	0.021	0.06	<0.1	<0.01	80.6	<0.1	<0.05	12	0.9	<0.2
STD OXC145	Standard																		
STD OXH122	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXN117 Expected																			
STD OXC145 Expected																			
STD OXH122 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.038	6	2	0.50	62	0.091	<20	0.97	0.121	0.13	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2