



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: **STRIKEPOINT GOLD**
837 WEST HASTINGS, #507
VANCOUVER BC V6C 3N6

Page: 1
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2017
Account: POINGO

CERTIFICATE WH17127788

Project: Mahtin

This report is for 39 Rock samples submitted to our lab in Whitehorse, YT, Canada on 21-JUN-2017.

The following have access to data associated with this certificate:

ANDY RANDELL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	ICP-AES
As-OG62	Ore Grade As - Four Acid	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRIKEPOINT GOLD**
ATTN: ANDY RANDELL
837 WEST HASTINGS, #507
VANCOUVER BC V6C 3N6

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRIKEPOINT GOLD
837 WEST HASTINGS, #507
VANCOUVER BC V6C 3N6

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2017
Account: POINGO

Project: Mahtin

CERTIFICATE OF ANALYSIS WH17127788

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
V176262		1.01	0.004	0.14	3.23	66.9	540	1.27	0.40	1.84	13.30	52.9	4.5	24	6.58	24.2
V176263		0.62	0.480	1.09	5.59	41.2	10	5.58	30.1	12.20	170.5	53.4	8.2	22	3.69	236
V176264		0.61	0.002	0.06	2.79	16.8	350	0.57	0.28	0.60	0.94	47.2	4.5	26	3.68	10.6
V176265		1.25	0.028	0.32	2.03	12.1	150	0.82	3.21	2.37	3.26	22.7	4.2	26	3.46	104.0
V176266		0.95	0.040	0.14	6.68	60.2	2540	4.17	0.24	0.99	0.20	67.2	0.6	7	13.35	16.1
V176267		1.16	2.12	3.59	2.96	261	40	7.27	83.0	10.90	55.6	45.6	10.3	20	27.9	4070
V176268		1.11	0.005	0.31	7.93	6.6	1140	2.70	0.31	3.22	0.42	90.5	16.5	85	8.03	117.5
V176269		0.68	0.017	5.70	7.99	63.8	1540	1.32	1.20	8.53	23.1	57.6	23.0	60	8.23	1055
V176270		1.04	0.026	0.99	8.08	25.7	1440	1.18	1.41	8.12	0.80	53.2	37.3	53	5.66	297
V177001		1.28	0.063	1.35	5.99	100.5	60	1.75	27.3	11.05	0.56	77.9	10.3	47	1.88	525
V177002		1.16	0.012	0.33	2.06	79.8	1420	0.98	0.51	6.90	0.63	21.3	3.4	58	2.66	35.0
V177003		1.71	0.001	0.53	6.66	17.5	1310	0.96	0.49	11.05	1.46	34.6	9.0	46	13.65	16.2
V177004		0.98	0.002	1.56	1.59	109.0	250	0.78	0.72	0.04	5.47	16.75	1.4	23	4.59	12.5
V177005		1.06	0.001	0.39	1.77	11.1	70	0.31	2.22	0.04	0.20	17.20	3.1	26	0.56	9.1
V177006		1.31	0.016	0.65	5.99	188.0	140	0.65	3.64	0.03	0.23	12.80	21.0	19	1.49	19.1
V177007		0.84	0.004	0.31	5.88	6.5	870	1.63	0.33	1.77	0.37	74.0	6.6	50	7.82	86.4
V177008		1.18	0.076	6.50	4.53	43.0	130	2.86	5.58	10.30	288	44.1	5.3	27	8.92	1350
V177009		1.52	0.046	0.16	7.99	7.5	2200	2.17	1.25	5.29	1.12	74.1	18.3	120	10.40	65.7
V177010		2.03	0.139	1.82	6.41	102.5	410	7.75	9.26	13.30	12.30	73.2	9.5	45	16.10	2790
V177011		0.77	1.745	3.43	5.43	27.1	30	6.43	113.0	9.89	739	48.5	5.7	22	4.93	550
V177012		1.00	0.004	0.89	7.50	12.3	460	1.56	0.54	4.91	5.48	93.2	16.3	73	9.81	268
V177013		1.68	0.025	21.3	2.73	47.6	740	3.94	2.95	14.25	35.8	30.2	14.9	18	17.30	7570
V177051		1.45	0.002	3.68	7.16	870	1700	2.72	1.50	5.44	0.82	63.5	23.9	377	13.95	834
V177052		0.71	0.013	0.81	3.15	10.7	1970	1.12	0.59	3.97	3.41	32.0	4.4	69	3.43	227
V177053		0.75	0.014	2.22	3.43	5.3	2880	1.63	0.74	1.42	0.32	21.8	3.6	105	19.40	330
V177054		0.73	0.015	0.84	3.41	127.5	2740	1.16	1.00	6.46	3.92	39.8	7.2	41	7.73	65.3
V177055		1.05	0.024	0.34	4.68	15.8	340	1.11	1.03	4.65	2.51	55.6	3.5	38	3.03	80.8
V177056		0.70	0.014	4.68	4.57	94.5	420	2.49	3.96	0.09	4.04	25.3	7.6	22	5.73	133.5
V177057		1.03	0.028	18.00	1.92	83.5	170	1.39	0.71	0.05	0.76	14.10	1.2	42	9.89	31.1
V177058		0.91	0.389	2.29	4.71	20.1	20	4.49	26.8	7.94	443	54.5	7.1	32	3.83	322
V177059		0.96	0.654	2.79	5.04	11.7	10	5.83	38.1	10.20	560	50.4	9.4	23	3.63	548
V177060		0.49	0.007	0.06	0.09	1.5	20	0.09	0.41	33.5	7.50	1.27	0.7	1	0.08	8.1
V177061		0.71	0.249	2.08	6.03	204	30	13.50	10.25	8.74	27.4	21.3	1.6	45	0.63	170.5
V177062		0.76	0.003	0.30	8.99	26.6	1380	2.98	0.51	4.05	2.43	101.5	5.0	83	10.95	109.5
V177063		1.02	0.006	0.15	7.54	8.8	2150	3.34	0.63	3.10	2.63	78.6	7.1	62	5.32	26.2
V177064		0.68	0.017	0.23	7.32	48.3	2570	3.28	1.50	2.58	5.41	71.9	7.0	61	11.15	30.3
V177065		0.72	2.22	23.0	2.05	54.3	30	12.15	105.0	12.30	41.6	23.6	5.7	11	9.11	>10000
V177066		0.86	0.010	0.25	9.51	5.4	1190	2.69	0.86	0.79	0.58	135.0	16.9	81	12.60	80.0
V177067		1.18	0.001	0.10	10.70	1.8	790	2.94	0.37	0.74	0.16	155.0	20.5	82	14.30	36.5



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRIKEPOINT GOLD
837 WEST HASTINGS, #507
VANCOUVER BC V6C 3N6

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2017
Account: POINGO

Project: Mahtin

CERTIFICATE OF ANALYSIS WH17127788

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
V176262		1.76	6.89	0.08	0.6	0.412	1.73	25.4	15.4	0.24	2280	0.34	0.39	4.3	5.0	80
V176263		8.18	10.55	0.07	1.0	7.89	0.02	25.4	26.1	0.45	20500	0.10	<0.01	5.9	21.0	160
V176264		1.04	5.43	0.07	0.8	0.069	0.94	22.5	15.3	0.20	194	0.17	0.89	3.2	28.7	80
V176265		2.53	6.20	<0.05	0.4	0.886	0.18	12.5	15.5	0.35	800	1.11	0.06	1.7	5.3	110
V176266		1.11	16.85	0.12	3.3	0.027	3.89	36.2	20.0	0.09	167	0.74	1.71	15.0	2.1	130
V176267		14.35	13.30	0.07	1.1	13.90	0.08	23.5	10.7	0.52	12950	0.31	0.05	6.3	14.1	230
V176268		4.36	24.6	0.15	2.0	0.100	4.43	41.2	90.7	1.10	467	0.27	0.46	14.8	42.6	1210
V176269		7.06	23.8	0.11	0.8	0.639	1.24	28.3	22.5	2.24	2380	1.25	1.70	27.0	14.9	1530
V176270		9.37	22.8	0.12	0.7	0.315	0.98	26.6	19.8	3.36	1820	1.34	1.56	27.2	17.0	1460
V177001		4.73	14.55	0.12	1.9	0.079	0.31	39.9	12.9	1.60	412	0.55	1.72	11.0	11.4	1210
V177002		2.16	6.33	0.07	1.1	0.060	0.58	13.8	11.1	2.84	490	2.39	0.15	6.8	31.0	7510
V177003		5.21	16.60	0.08	1.6	0.057	1.17	20.4	32.2	4.77	600	0.26	0.86	9.5	29.8	1300
V177004		3.47	4.10	0.07	0.5	0.184	0.74	8.8	81.1	0.07	11400	0.43	0.01	1.9	3.0	120
V177005		2.26	4.26	0.06	0.1	0.043	0.06	9.5	109.0	1.57	860	0.16	0.01	0.6	8.6	30
V177006		13.05	20.3	0.07	0.2	0.341	0.08	7.3	114.0	2.79	3830	0.53	0.01	2.2	45.2	110
V177007		2.49	16.50	0.12	2.6	0.094	2.82	37.9	34.9	0.92	433	0.30	0.86	8.2	16.3	190
V177008		9.63	16.00	0.09	0.8	16.00	0.42	23.7	10.3	0.58	5750	0.20	0.04	6.5	19.9	260
V177009		5.91	21.7	0.15	1.5	0.229	2.00	32.9	62.2	3.39	1200	0.89	0.88	13.7	13.8	1980
V177010		12.20	28.7	0.10	1.3	34.8	0.70	40.0	15.4	1.40	6830	0.60	0.07	12.6	16.7	310
V177011		10.20	9.74	0.09	1.0	26.4	0.02	23.9	17.3	0.53	20000	0.16	0.01	7.3	19.9	260
V177012		5.72	22.1	0.13	1.4	1.295	1.61	43.0	60.0	1.49	1380	1.90	0.79	16.4	39.3	370
V177013		18.55	14.15	0.10	0.9	14.35	0.09	16.5	4.4	0.55	9590	0.29	0.07	8.4	17.7	230
V177051		5.21	16.25	0.14	3.1	0.336	3.12	32.5	49.1	3.86	405	1.31	1.12	13.0	10.9	1340
V177052		1.89	8.58	0.08	1.7	0.210	1.61	18.0	6.6	1.90	292	4.89	0.21	11.0	26.2	780
V177053		1.82	9.40	0.11	1.8	0.224	2.14	14.2	47.3	0.97	141	5.96	0.40	11.2	63.0	4550
V177054		2.24	9.10	0.09	2.2	0.072	2.54	23.0	11.3	2.60	389	9.06	0.22	10.2	37.5	280
V177055		3.47	11.40	0.09	0.8	3.66	0.83	27.2	12.1	0.49	1460	0.23	0.73	6.4	10.3	120
V177056		6.63	12.55	0.06	0.6	0.216	1.05	12.7	63.9	0.84	3130	1.25	0.03	3.2	7.2	70
V177057		1.48	5.42	0.06	0.5	0.193	0.73	7.6	218	0.27	316	0.44	0.01	2.4	2.7	150
V177058		7.65	14.95	0.09	1.0	17.70	0.05	27.2	39.7	0.45	10300	0.23	0.01	7.9	12.7	460
V177059		8.83	10.95	0.10	0.8	19.65	0.03	25.1	19.2	0.40	16900	0.13	<0.01	6.4	22.1	120
V177060		0.25	0.33	0.07	0.1	0.268	0.01	1.2	1.6	3.76	248	0.07	0.02	0.2	0.6	90
V177061		7.73	8.58	0.06	1.3	39.5	0.02	11.5	6.2	0.13	22100	2.43	<0.01	13.3	2.2	180
V177062		3.90	27.2	0.15	1.4	0.950	2.94	49.8	59.0	1.05	692	0.80	1.49	18.5	17.1	380
V177063		3.36	18.20	0.15	1.4	1.130	3.32	42.9	38.5	1.29	726	2.06	1.46	13.6	8.8	830
V177064		3.24	19.15	0.15	1.5	1.375	3.40	37.7	45.3	1.22	632	0.83	1.53	13.0	9.0	800
V177065		16.30	8.65	0.08	0.4	14.75	0.03	13.5	6.1	0.46	16550	0.25	0.03	2.9	11.9	640
V177066		4.62	29.5	0.19	2.0	0.139	5.08	69.2	99.9	1.17	254	0.46	1.94	17.0	37.8	330
V177067		4.51	32.1	0.20	1.9	0.094	3.97	81.7	84.2	1.24	482	0.48	1.28	18.1	56.3	500



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRIKEPOINT GOLD
837 WEST HASTINGS, #507
VANCOUVER BC V6C 3N6

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2017
Account: POINGO

Project: Mahtin

CERTIFICATE OF ANALYSIS WH17127788

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
V176262		6.6	150.5	<0.002	0.13	0.69	2.9	1	77.6	87.8	0.37	<0.05	15.30	0.128	2.24	1.1
V176263		2.5	2.8	<0.002	2.64	1.15	4.3	4	470	75.3	0.48	0.60	11.40	0.154	0.43	1.7
V176264		4.6	58.2	<0.002	0.06	0.62	2.5	1	4.2	60.2	0.27	<0.05	10.95	0.096	0.47	1.0
V176265		3.2	26.2	<0.002	0.55	2.23	1.2	2	84.9	107.0	0.15	0.05	4.24	0.039	0.48	1.0
V176266		26.2	250	<0.002	0.16	4.22	0.9	<1	9.0	396	1.09	<0.05	20.3	0.049	2.85	5.8
V176267		2.1	12.3	<0.002	0.01	1.65	4.4	1	>500	102.0	0.45	1.03	7.19	0.165	0.24	3.7
V176268		15.5	155.5	<0.002	1.15	0.33	14.6	4	5.2	306	1.00	0.09	15.55	0.400	1.58	3.3
V176269		7.5	131.0	0.002	0.80	1.48	39.5	2	316	412	1.42	<0.05	3.97	1.445	1.88	0.8
V176270		8.2	92.5	0.003	1.71	0.57	37.8	2	50.4	423	1.37	<0.05	3.52	1.370	1.52	0.5
V177001		22.9	7.6	<0.002	1.30	3.33	8.7	10	25.7	313	0.70	0.85	11.20	0.292	0.16	2.1
V177002		20.4	24.3	0.016	0.01	5.09	4.1	1	5.3	262	0.40	0.05	3.03	0.109	0.21	3.4
V177003		36.8	61.5	0.002	0.55	5.01	6.8	1	5.7	525	0.62	<0.05	9.97	0.251	0.66	1.8
V177004		33.0	97.8	<0.002	0.01	2.62	1.4	1	36.1	14.4	0.15	<0.05	4.01	0.056	1.59	0.7
V177005		22.2	5.8	<0.002	<0.01	0.98	0.7	<1	7.4	2.6	0.05	<0.05	1.04	0.018	0.11	0.1
V177006		5.5	7.8	<0.002	0.02	0.45	4.2	<1	19.3	8.4	0.16	<0.05	2.54	0.064	0.15	0.4
V177007		14.8	159.0	<0.002	0.24	0.53	7.7	1	14.6	181.5	0.60	<0.05	15.90	0.232	1.55	2.4
V177008		6.7	31.7	0.002	1.23	2.34	5.1	4	>500	369	0.47	0.07	8.20	0.165	0.60	1.6
V177009		5.9	151.5	0.002	0.48	0.64	38.2	3	35.2	503	0.65	0.09	8.43	0.650	2.28	3.0
V177010		5.7	91.4	<0.002	0.01	24.5	9.8	1	>500	321	0.83	0.10	12.90	0.325	1.73	3.5
V177011		6.5	2.9	0.002	5.07	1.27	4.8	9	500	53.3	0.53	1.92	11.15	0.187	0.60	1.4
V177012		9.9	107.0	0.004	0.90	1.63	17.6	3	136.5	297	1.14	<0.05	18.05	0.432	1.76	3.4
V177013		2.5	8.4	0.002	0.22	5.95	4.1	2	>500	175.0	0.33	<0.05	5.34	0.146	0.25	2.8
V177051		27.1	170.0	<0.002	1.68	5.10	23.6	13	52.5	576	0.84	<0.05	11.05	0.434	1.05	4.9
V177052		8.3	57.5	0.007	0.38	6.24	4.6	2	14.5	197.0	0.59	<0.05	5.78	0.158	0.44	2.6
V177053		17.7	97.9	0.017	0.40	5.83	6.6	7	15.9	142.0	0.64	0.08	5.10	0.257	1.37	5.9
V177054		50.6	102.5	0.006	0.03	5.05	5.2	1	4.3	333	0.58	<0.05	6.90	0.186	0.73	6.2
V177055		5.8	59.9	<0.002	0.25	1.37	4.6	1	392	252	0.49	<0.05	11.60	0.167	0.96	1.5
V177056		449	130.5	<0.002	0.01	3.64	1.7	1	70.6	10.8	0.24	0.07	6.53	0.086	1.90	0.7
V177057		99.9	105.5	<0.002	0.02	7.99	3.2	1	42.8	10.8	0.18	<0.05	3.35	0.070	1.71	1.4
V177058		8.2	6.0	<0.002	2.80	0.99	5.3	6	>500	127.5	0.58	0.49	11.30	0.201	0.28	2.2
V177059		4.6	3.4	<0.002	4.32	0.88	4.1	7	490	69.9	0.48	0.65	10.50	0.174	0.39	1.8
V177060		0.6	0.5	<0.002	0.03	0.09	0.2	1	5.4	76.8	<0.05	<0.05	0.15	0.007	0.02	0.1
V177061		5.7	1.5	<0.002	0.07	1.70	4.8	1	>500	14.9	0.77	0.10	13.00	0.311	0.05	2.4
V177062		17.4	165.5	0.002	0.24	1.85	15.2	2	83.2	403	1.34	<0.05	22.6	0.479	2.64	3.3
V177063		17.0	158.0	0.002	0.06	0.45	14.3	1	36.4	528	0.87	<0.05	18.40	0.344	1.74	5.7
V177064		27.4	178.5	0.002	0.06	0.63	13.7	1	25.0	523	0.81	<0.05	16.50	0.332	2.35	4.7
V177065		1.7	3.2	<0.002	0.23	1.49	2.4	2	448	23.1	0.20	1.54	2.77	0.080	0.12	1.9
V177066		26.1	236	0.002	0.95	0.35	17.0	1	7.6	183.5	1.24	0.05	26.2	0.455	1.64	4.1
V177067		20.5	222	<0.002	0.34	0.25	18.7	1	4.4	189.0	1.34	<0.05	27.0	0.445	1.43	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: STRIKEPOINT GOLD
 837 WEST HASTINGS, #507
 VANCOUVER BC V6C 3N6

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-JUL-2017
 Account: POINGO

Project: Mahtin

CERTIFICATE OF ANALYSIS WH17127788

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Cu-OG62 Cu % 0.001	Zn-OG62 Zn % 0.001	As-OG62 As % 0.001
V176262		16	5.9	11.2	989	20.7			
V176263		26	26.2	12.4	>10000	23.0		1.395	
V176264		13	0.9	9.5	137	19.4			
V176265		9	115.0	5.5	266	11.3			
V176266		1	2.6	2.1	21	94.7			
V176267		25	72.0	13.4	4180	30.7			0.031
V176268		110	1.2	20.5	120	70.6			
V176269		351	4.4	32.4	1460	25.3			
V176270		335	2.2	30.8	200	19.0			
V177001		59	0.8	19.2	71	69.6			
V177002		268	0.6	22.2	92	47.9			
V177003		62	2.0	10.5	174	59.2			
V177004		10	6.0	4.4	537	12.4			
V177005		9	1.4	0.8	106	2.9			
V177006		46	9.4	2.7	344	6.1			
V177007		53	1.6	18.6	74	69.5			
V177008		29	16.5	15.1	>10000	21.0		1.995	
V177009		231	7.3	28.8	213	41.9			
V177010		64	30.5	15.3	1680	44.3			
V177011		31	79.8	11.1	>10000	22.9		5.16	
V177012		75	3.4	36.0	551	45.2			
V177013		25	31.1	10.9	5430	27.8			
V177051		141	2.4	22.4	111	123.0			0.082
V177052		137	1.1	13.3	379	66.2			
V177053		262	1.5	19.2	59	74.2			
V177054		250	0.7	14.5	309	84.9			
V177055		26	10.0	15.9	319	22.6			
V177056		14	5.9	3.2	437	22.1			
V177057		23	3.4	2.0	165	15.8			
V177058		30	8.2	13.0	>10000	24.7		3.16	
V177059		27	52.9	11.8	>10000	17.8		3.98	
V177060		1	0.2	2.1	588	1.7			
V177061		40	3.6	5.2	2370	30.4			
V177062		90	28.9	29.4	272	47.0			
V177063		86	1.1	18.0	297	40.7			
V177064		82	4.9	17.1	491	43.4			
V177065		15	35.0	7.1	3760	14.5	1.065		
V177066		94	1.4	16.1	158	68.4			
V177067		98	1.8	13.3	165	67.8			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: STRIKEPOINT GOLD
837 WEST HASTINGS, #507
VANCOUVER BC V6C 3N6

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-JUL-2017
Account: POINGO

Project: Mahtin

CERTIFICATE OF ANALYSIS WH17127788

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-22 PUL-31
PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
As-OG62 Au-ICP21 Cu-OG62 ME-MS61
ME-OG62 Zn-OG62