



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Strike Point Gold**
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1 Canada

Submitted By: Andy Randell
Receiving Lab: Canada-Whitehorse
Received: June 26, 2017
Report Date: July 26, 2017
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI17000151.1

CLIENT JOB INFORMATION

Project: MAHTIN
Shipment ID: SKP RAB 001
P.O. Number: SKP RAB 001
Number of Samples: 138

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Strike Point Gold
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1
Canada

CC: Scott Dorian
Shawn Khunkhun

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	134	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA430	138	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

2 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630026	Rab Sample	2.62	<0.005	1.3	14.8	7.1	56	0.1	18.3	7.5	181	1.01	8.5	1.3	8.0	259	0.1	1.2	0.1	18	8.64
1630027	Rab Sample	5.17	<0.005	0.7	12.1	11.0	27	<0.1	13.4	5.0	232	0.60	2.1	1.2	7.7	335	0.2	0.7	0.1	10	13.67
1630028	Rab Sample	3.55	<0.005	1.0	11.1	11.4	30	0.1	11.8	5.5	300	0.90	1.5	1.1	8.1	311	0.3	0.6	0.1	18	14.24
1630029	Rab Sample	3.11	<0.005	1.2	10.7	10.5	30	0.1	12.7	5.4	298	0.91	1.4	0.7	8.0	326	0.2	0.7	<0.1	17	14.56
1630030	Rab Sample	3.13	<0.005	0.9	9.8	5.0	25	<0.1	11.8	4.9	232	0.76	7.0	0.9	9.3	257	0.1	1.0	<0.1	16	10.83
1630031	Rab Sample	2.80	<0.005	0.9	9.7	6.2	26	<0.1	13.2	5.3	286	0.75	6.1	2.3	8.2	311	0.1	1.3	<0.1	14	12.55
1630032	Rab Sample	2.90	<0.005	0.7	11.3	6.2	25	<0.1	13.2	5.2	206	0.74	7.0	0.9	8.2	376	<0.1	1.3	0.2	14	13.24
1630033	Rab Sample	2.95	<0.005	0.6	8.4	7.4	31	<0.1	11.3	5.8	568	1.19	7.3	<0.5	7.5	475	<0.1	0.7	0.1	23	17.71
1630034	Rab Sample	2.92	<0.005	0.5	10.4	8.4	43	<0.1	11.7	5.9	372	0.93	3.2	<0.5	7.7	438	<0.1	0.8	0.2	17	16.36
1630035	Rab Sample	2.80	<0.005	0.5	12.3	9.2	40	<0.1	12.5	5.1	211	0.55	3.3	1.3	8.0	358	<0.1	1.2	0.2	9	15.03
1630036	Rab Sample	3.32	<0.005	0.7	9.5	9.5	45	<0.1	9.8	4.5	361	0.62	2.8	<0.5	7.5	419	<0.1	0.9	0.2	9	17.10
1630037	Rab Sample	2.82	<0.005	0.4	8.7	11.0	47	<0.1	8.2	4.4	613	0.82	4.4	1.3	7.2	441	0.2	1.0	0.1	12	19.89
1630038	Rab Sample	3.19	<0.005	0.5	9.0	21.0	72	0.1	8.9	4.2	731	0.81	6.7	0.6	6.7	424	0.3	2.2	0.1	12	19.12
1630039	Rab Sample	3.05	<0.005	0.5	9.3	8.4	50	<0.1	10.3	4.6	418	0.65	4.4	0.9	6.7	413	<0.1	1.1	0.1	12	17.17
1630040	Rock Pulp	0.11	4.990	7.3	190.3	23.4	72	0.8	13.0	10.4	543	3.93	10.6	4769.8	2.9	66	0.1	3.7	0.5	98	0.82
1630041	Rab Sample	2.93	<0.005	0.4	11.7	6.1	58	<0.1	14.3	7.0	154	0.79	27.8	2.0	8.4	282	<0.1	1.7	<0.1	17	10.37
1630042	Rab Sample	3.06	<0.005	0.5	11.4	6.0	60	<0.1	12.7	5.9	177	0.78	15.9	2.2	7.5	359	<0.1	1.5	<0.1	17	12.93
1630043	Rab Sample	3.01	<0.005	0.4	9.9	7.2	53	<0.1	11.7	4.4	227	0.60	3.2	1.4	6.8	424	<0.1	0.9	<0.1	10	16.77
1630044	Rab Sample	2.85	<0.005	0.4	9.9	8.3	57	<0.1	11.0	4.3	223	0.65	2.7	1.2	6.8	420	<0.1	1.3	<0.1	11	16.46
1630045	Rab Sample	3.10	<0.005	0.4	10.0	7.7	59	<0.1	11.0	5.0	162	0.58	11.5	1.1	7.8	318	0.1	1.7	0.2	9	12.85
1630046	Rab Sample	3.55	<0.005	0.6	8.5	9.7	58	0.1	10.4	5.0	212	0.54	28.6	0.7	9.4	226	0.3	1.2	0.4	14	10.94
1630047	Rab Sample	2.89	<0.005	0.5	10.0	12.5	63	0.2	12.5	5.9	211	0.68	24.6	1.2	9.2	264	0.4	1.5	0.3	16	11.48
1630048	Rab Sample	3.31	<0.005	0.6	12.9	8.1	61	0.1	13.6	6.1	144	0.85	14.2	1.6	8.5	264	0.2	1.9	0.2	15	10.24
1630049	Rab Sample	3.32	<0.005	0.5	11.0	7.5	53	<0.1	9.5	4.8	182	0.70	4.4	0.9	7.3	337	<0.1	1.4	0.1	15	13.78
1630050	Rab Sample	3.12	<0.005	0.4	11.2	7.4	53	<0.1	9.0	4.4	165	0.62	5.0	1.6	6.6	338	<0.1	1.1	0.1	12	13.81
1630051	Rab Sample	3.13	<0.005	0.4	10.7	8.0	56	<0.1	8.9	4.0	178	0.67	5.4	1.4	6.7	323	<0.1	1.1	0.1	13	13.98
1630052	Rab Sample	2.92	<0.005	0.7	9.9	9.7	44	<0.1	10.9	5.0	202	0.66	14.6	1.8	7.0	320	0.1	2.0	0.2	12	13.99
1630053	Rab Sample	3.03	<0.005	0.5	11.4	8.2	31	<0.1	10.4	5.1	205	0.70	15.1	1.2	7.4	328	<0.1	1.3	0.2	14	14.15
1630054	Rab Sample	2.77	<0.005	0.5	11.1	7.8	27	<0.1	10.1	4.7	170	0.66	17.0	<0.5	7.5	335	<0.1	1.5	0.2	12	12.37
1630055	Rab Sample	2.67	<0.005	0.6	10.8	8.3	28	<0.1	9.4	4.6	189	0.67	17.1	1.0	7.7	298	<0.1	1.6	0.1	13	12.32



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

2 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630026	Rab Sample	0.098	14	26	0.31	103	0.072	<20	3.30	0.407	0.20	0.6	<0.01	2.4	0.1	0.14	9	<0.5	<0.2			
1630027	Rab Sample	0.094	15	17	0.24	65	0.073	<20	3.19	0.470	0.17	0.8	<0.01	1.1	0.1	0.10	8	<0.5	<0.2			
1630028	Rab Sample	0.091	14	21	0.31	72	0.058	<20	2.59	0.326	0.18	0.5	<0.01	2.3	0.1	0.08	6	<0.5	<0.2			
1630029	Rab Sample	0.090	14	21	0.33	66	0.062	<20	2.78	0.345	0.15	0.3	<0.01	2.7	<0.1	0.06	7	<0.5	<0.2			
1630030	Rab Sample	0.083	15	22	0.36	90	0.084	<20	2.63	0.390	0.26	0.6	<0.01	1.8	0.2	0.08	7	<0.5	<0.2			
1630031	Rab Sample	0.086	13	21	0.36	87	0.075	<20	2.86	0.417	0.23	0.5	<0.01	1.7	0.1	0.09	7	<0.5	<0.2			
1630032	Rab Sample	0.081	11	19	0.31	96	0.073	<20	3.20	0.446	0.23	0.5	<0.01	1.6	0.2	0.12	8	<0.5	<0.2			
1630033	Rab Sample	0.096	12	28	0.81	128	0.100	<20	2.28	0.258	0.40	0.3	<0.01	4.1	0.2	0.07	7	<0.5	<0.2			
1630034	Rab Sample	0.099	13	21	0.49	155	0.088	<20	3.30	0.423	0.36	0.4	<0.01	2.1	0.2	0.14	8	<0.5	<0.2			
1630035	Rab Sample	0.082	13	13	0.19	121	0.071	<20	3.39	0.456	0.16	0.5	<0.01	1.3	0.1	0.14	8	<0.5	<0.2			
1630036	Rab Sample	0.103	13	13	0.27	139	0.066	<20	3.00	0.395	0.20	0.4	<0.01	1.2	0.1	0.13	7	<0.5	<0.2			
1630037	Rab Sample	0.092	11	16	0.49	115	0.067	<20	2.16	0.244	0.19	0.4	<0.01	1.8	0.1	0.09	5	<0.5	<0.2			
1630038	Rab Sample	0.097	10	17	0.47	116	0.064	<20	2.15	0.271	0.17	0.4	<0.01	1.6	0.2	0.10	6	<0.5	<0.2			
1630039	Rab Sample	0.093	10	17	0.29	133	0.068	<20	2.81	0.386	0.23	0.4	<0.01	1.4	0.1	0.12	7	<0.5	<0.2			
1630040	Rock Pulp	0.056	7	18	0.84	130	0.132	<20	1.62	0.168	0.23	5.4	0.18	3.0	<0.1	<0.05	5	<0.5	<0.2			
1630041	Rab Sample	0.079	11	21	0.33	163	0.079	<20	3.37	0.438	0.26	0.6	<0.01	2.6	0.2	0.14	8	<0.5	<0.2			
1630042	Rab Sample	0.077	11	21	0.35	173	0.076	<20	3.33	0.419	0.28	0.6	<0.01	2.4	0.2	0.12	8	<0.5	<0.2			
1630043	Rab Sample	0.080	11	14	0.25	133	0.069	<20	3.07	0.396	0.21	0.5	<0.01	1.2	0.1	0.13	7	<0.5	<0.2			
1630044	Rab Sample	0.085	12	16	0.28	150	0.074	<20	3.26	0.399	0.25	0.5	<0.01	1.3	0.2	0.13	8	<0.5	<0.2			
1630045	Rab Sample	0.086	12	12	0.23	130	0.062	<20	3.10	0.381	0.18	0.7	<0.01	1.1	0.1	0.14	8	<0.5	<0.2			
1630046	Rab Sample	0.096	13	15	0.24	132	0.064	<20	1.52	0.249	0.14	1.0	<0.01	1.2	0.1	0.10	4	<0.5	<0.2			
1630047	Rab Sample	0.105	15	16	0.28	132	0.060	<20	2.11	0.308	0.17	1.0	<0.01	1.6	0.1	0.15	6	<0.5	<0.2			
1630048	Rab Sample	0.096	14	19	0.33	151	0.067	<20	3.12	0.419	0.25	0.9	<0.01	1.7	0.2	0.21	8	<0.5	<0.2			
1630049	Rab Sample	0.084	11	19	0.31	143	0.070	<20	3.13	0.405	0.24	0.6	<0.01	1.8	0.1	0.12	8	<0.5	<0.2			
1630050	Rab Sample	0.088	10	16	0.29	141	0.060	<20	3.16	0.406	0.24	0.5	<0.01	1.3	0.1	0.12	7	<0.5	<0.2			
1630051	Rab Sample	0.085	11	16	0.34	119	0.058	<20	3.02	0.334	0.19	0.4	<0.01	1.8	<0.1	0.07	7	<0.5	<0.2			
1630052	Rab Sample	0.090	13	15	0.34	81	0.057	<20	2.97	0.373	0.14	0.4	<0.01	1.6	<0.1	0.05	7	<0.5	<0.2			
1630053	Rab Sample	0.084	12	19	0.34	88	0.065	<20	2.98	0.366	0.17	0.4	<0.01	1.9	0.1	0.07	7	<0.5	<0.2			
1630054	Rab Sample	0.084	13	16	0.30	87	0.069	<20	3.12	0.409	0.19	0.5	<0.01	1.6	0.1	0.10	8	<0.5	<0.2			
1630055	Rab Sample	0.082	13	18	0.33	90	0.070	<20	2.96	0.399	0.21	0.5	<0.01	1.5	0.1	0.09	7	<0.5	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

3 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630056	Rab Sample	2.42	<0.005	0.5	11.3	9.0	26	<0.1	9.7	4.3	189	0.74	9.0	1.9	7.3	303	<0.1	1.4	0.2	15	13.27
1630057	Rab Sample	2.71	<0.005	0.6	10.7	8.8	20	<0.1	8.2	4.1	180	0.57	12.0	<0.5	7.0	328	<0.1	1.3	0.1	12	13.82
1630058	Rab Sample	2.80	<0.005	0.6	11.5	9.8	19	<0.1	11.1	5.2	162	0.67	17.0	1.3	6.7	356	<0.1	1.7	0.2	11	13.45
1630059	Rab Sample	2.19	<0.005	0.6	10.8	8.5	20	<0.1	9.7	4.8	166	0.69	9.6	0.9	6.0	334	<0.1	1.4	0.2	13	14.93
1630060	Rab Sample	0.87	<0.005	0.4	1.5	4.7	20	0.1	2.7	0.8	100	0.16	3.5	1.9	0.2	262	0.3	1.3	<0.1	15	20.35
1630061	Rab Sample	2.97	<0.005	0.7	9.8	7.9	16	<0.1	8.0	4.2	154	0.56	7.0	1.0	5.5	356	<0.1	1.3	0.1	10	15.65
1630062	Rab Sample	2.60	<0.005	0.5	7.5	9.0	16	<0.1	7.8	3.9	255	0.65	4.4	0.7	5.3	451	<0.1	1.1	0.1	11	21.16
1630063	Rab Sample	1.99	<0.005	0.6	8.0	7.5	12	<0.1	7.7	4.4	198	0.51	3.7	<0.5	5.3	454	<0.1	1.3	0.1	7	19.75
1630064	Rab Sample	2.84	<0.005	0.6	8.9	7.2	15	<0.1	7.9	4.3	215	0.54	5.0	<0.5	6.3	407	0.1	1.3	0.1	9	19.60
1630065	Rab Sample	2.88	<0.005	0.7	7.8	11.5	21	0.1	10.7	5.2	260	0.66	18.3	<0.5	7.0	325	0.3	1.4	0.3	11	17.18
1630066	Rab Sample	2.41	<0.005	0.8	10.2	13.8	25	0.2	12.3	6.8	220	0.77	39.7	<0.5	8.4	276	0.4	1.8	0.6	12	13.30
1630067	Rab Sample	3.45	<0.005	0.8	10.2	9.4	25	0.1	12.2	5.9	181	0.60	29.5	<0.5	8.1	302	0.2	1.7	0.2	12	12.68
1630068	Rab Sample	2.88	<0.005	1.0	9.2	15.8	32	0.3	14.6	6.2	221	0.78	36.4	0.6	8.8	267	0.4	2.1	0.6	12	12.46
1630069	Rab Sample	3.08	<0.005	1.1	12.3	13.8	25	0.3	15.4	7.6	203	0.93	64.6	0.6	8.8	345	0.3	1.5	0.6	12	12.68
1630070	Rab Sample	3.39	<0.005	1.1	12.6	13.3	28	0.2	16.5	7.9	176	0.97	36.8	0.8	8.6	316	0.3	1.9	0.3	12	11.90
1630071	Rab Sample	3.62	<0.005	1.2	13.1	9.8	22	0.1	15.2	7.5	152	0.69	29.0	<0.5	7.8	311	0.2	2.4	0.3	10	13.16
1630072	Rab Sample	3.19	<0.005	1.0	16.4	15.9	34	0.2	16.1	8.1	230	1.25	17.3	0.6	7.5	269	0.3	3.4	0.4	16	13.28
1630073	Rab Sample	2.51	<0.005	1.1	10.4	12.3	28	0.1	13.9	7.0	238	0.91	30.3	0.7	7.7	278	0.3	2.3	0.2	14	13.31
1630074	Rab Sample	3.22	<0.005	1.1	12.4	9.4	13	0.1	14.6	7.8	160	0.69	70.7	<0.5	8.3	341	0.2	1.4	0.2	7	13.64
1630075	Rab Sample	3.18	<0.005	1.0	16.7	9.4	16	0.2	14.9	7.4	173	0.86	33.2	<0.5	7.9	281	0.1	1.2	0.2	9	12.67
1630076	Rab Sample	2.93	<0.005	1.1	11.4	15.3	22	0.2	14.1	7.4	174	0.73	74.9	0.8	9.7	284	0.4	1.5	1.4	10	12.39
1630077	Rab Sample	2.72	<0.005	0.9	8.7	10.5	16	0.2	13.8	5.9	171	0.57	34.6	<0.5	7.7	356	0.3	1.4	0.5	7	14.65
1630078	Rab Sample	2.83	<0.005	1.0	10.1	21.3	32	0.3	12.4	6.7	251	0.79	81.0	2.6	9.9	300	0.5	2.5	1.8	13	13.92
1630079	Rab Sample	2.73	0.013	1.2	13.2	24.7	29	0.4	17.5	9.4	136	0.89	118.6	11.4	10.6	262	0.5	1.7	3.7	14	9.88
1630080	Rock Pulp	0.08	5.285	8.7	195.3	26.4	81	1.0	14.5	11.6	583	4.28	12.0	7167.9	3.3	76	0.2	3.9	0.5	104	0.94
1630081	Rab Sample	2.55	0.010	1.4	12.5	14.2	20	0.2	15.6	8.1	164	0.90	78.8	9.5	9.3	300	0.3	1.9	1.6	12	11.46
1630082	Rab Sample	2.91	<0.005	1.0	9.8	6.2	9	<0.1	11.9	5.9	126	0.51	15.1	<0.5	6.3	410	<0.1	0.8	0.1	6	15.44
1630083	Rab Sample	3.08	<0.005	0.8	9.6	8.1	15	<0.1	7.9	4.2	201	0.62	17.7	<0.5	6.0	540	<0.1	1.3	0.2	9	17.88
1630084	Rab Sample	3.51	<0.005	0.8	9.4	8.9	12	<0.1	7.4	3.7	173	0.55	11.2	2.2	6.1	443	0.1	1.2	0.3	8	17.12
1630085	Rab Sample	2.57	<0.005	0.9	10.9	7.8	9	<0.1	6.7	3.7	140	0.40	8.2	1.9	5.8	501	<0.1	0.9	0.2	7	17.45



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

3 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630056	Rab Sample	0.080	11	19	0.35	100	0.072	<20	3.15	0.405	0.25	0.5	<0.01	1.7	0.2	0.10	7	<0.5	<0.2			
1630057	Rab Sample	0.083	12	16	0.28	82	0.066	<20	3.05	0.398	0.20	0.5	<0.01	1.5	0.1	0.08	7	<0.5	<0.2			
1630058	Rab Sample	0.079	12	15	0.29	82	0.068	<20	3.50	0.411	0.21	0.5	<0.01	1.4	0.1	0.13	9	<0.5	<0.2			
1630059	Rab Sample	0.082	12	19	0.30	88	0.089	<20	3.28	0.371	0.21	0.4	<0.01	2.3	0.2	0.13	8	<0.5	<0.2			
1630060	Rab Sample	0.017	2	3	11.44	16	0.002	<20	0.09	0.003	0.01	0.2	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2			
1630061	Rab Sample	0.086	13	15	0.28	66	0.077	<20	2.89	0.309	0.12	0.3	<0.01	1.8	<0.1	0.07	7	<0.5	<0.2			
1630062	Rab Sample	0.087	9	19	0.39	66	0.071	<20	2.05	0.249	0.16	0.3	<0.01	1.8	0.1	<0.05	5	<0.5	<0.2			
1630063	Rab Sample	0.068	9	12	0.25	54	0.063	<20	2.29	0.244	0.11	0.3	<0.01	1.9	<0.1	0.09	6	<0.5	<0.2			
1630064	Rab Sample	0.094	10	14	0.27	69	0.064	<20	2.36	0.271	0.13	0.4	<0.01	1.6	<0.1	0.10	6	<0.5	<0.2			
1630065	Rab Sample	0.092	12	17	0.34	61	0.065	<20	1.70	0.210	0.12	0.5	<0.01	2.1	<0.1	0.11	4	<0.5	<0.2			
1630066	Rab Sample	0.078	16	19	0.29	81	0.076	<20	2.15	0.289	0.15	0.8	<0.01	2.0	0.2	0.19	6	<0.5	<0.2			
1630067	Rab Sample	0.085	15	18	0.24	78	0.078	<20	2.54	0.349	0.15	0.7	<0.01	2.2	0.1	0.09	7	<0.5	<0.2			
1630068	Rab Sample	0.085	16	19	0.31	61	0.078	<20	2.41	0.341	0.13	0.9	<0.01	2.1	0.1	0.16	7	<0.5	<0.2			
1630069	Rab Sample	0.103	15	21	0.26	91	0.071	<20	2.88	0.357	0.16	1.2	<0.01	2.7	0.2	0.28	7	<0.5	<0.2			
1630070	Rab Sample	0.076	13	21	0.35	68	0.079	<20	4.02	0.386	0.15	1.0	<0.01	2.4	0.1	0.27	10	<0.5	<0.2			
1630071	Rab Sample	0.089	17	19	0.25	52	0.083	<20	3.20	0.363	0.08	0.9	<0.01	2.2	<0.1	0.14	8	<0.5	<0.2			
1630072	Rab Sample	0.080	15	24	0.56	47	0.095	<20	3.41	0.345	0.08	0.8	<0.01	2.9	<0.1	0.22	9	<0.5	<0.2			
1630073	Rab Sample	0.074	16	20	0.41	50	0.080	<20	3.22	0.379	0.08	0.7	<0.01	2.8	<0.1	0.12	8	<0.5	<0.2			
1630074	Rab Sample	0.075	17	14	0.12	51	0.074	<20	3.10	0.445	0.07	0.8	<0.01	1.7	<0.1	0.22	8	<0.5	<0.2			
1630075	Rab Sample	0.071	16	15	0.20	50	0.067	<20	2.75	0.369	0.07	0.8	<0.01	1.8	<0.1	0.26	7	<0.5	<0.2			
1630076	Rab Sample	0.094	18	16	0.19	58	0.079	<20	2.69	0.367	0.09	0.9	<0.01	1.9	<0.1	0.21	7	<0.5	<0.2			
1630077	Rab Sample	0.080	14	15	0.15	59	0.069	<20	2.52	0.350	0.09	0.7	<0.01	1.8	<0.1	0.15	6	<0.5	<0.2			
1630078	Rab Sample	0.114	18	18	0.31	61	0.076	<20	2.26	0.315	0.13	0.9	<0.01	2.3	0.2	0.15	6	<0.5	<0.2			
1630079	Rab Sample	0.105	19	20	0.23	77	0.080	<20	2.77	0.434	0.16	1.2	<0.01	2.2	0.1	0.30	8	<0.5	<0.2			
1630080	Rock Pulp	0.058	8	19	0.89	144	0.146	<20	1.80	0.186	0.23	5.7	0.18	3.3	<0.1	<0.05	5	<0.5	<0.2			
1630081	Rab Sample	0.096	18	21	0.24	80	0.080	<20	3.03	0.452	0.16	1.4	<0.01	2.1	0.2	0.31	8	<0.5	<0.2			
1630082	Rab Sample	0.081	12	13	0.14	56	0.069	<20	3.23	0.404	0.08	0.6	<0.01	1.7	<0.1	0.13	8	<0.5	<0.2			
1630083	Rab Sample	0.082	12	15	0.30	72	0.061	<20	2.57	0.233	0.11	0.5	<0.01	2.2	<0.1	<0.05	6	<0.5	<0.2			
1630084	Rab Sample	0.083	14	13	0.30	64	0.068	<20	2.86	0.256	0.09	0.4	<0.01	1.9	<0.1	0.06	7	<0.5	<0.2			
1630085	Rab Sample	0.082	12	15	0.22	113	0.064	<20	2.80	0.299	0.13	0.4	<0.01	2.4	<0.1	<0.05	7	<0.5	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

4 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1630086	Rab Sample	2.89	<0.005	1.0	9.1	6.0	8	<0.1	5.3	3.6	118	0.35	18.5	1.1	6.2	454	<0.1	1.1	0.1	5	17.63
1630087	Rab Sample	2.87	<0.005	1.0	10.9	6.3	9	<0.1	8.6	4.8	176	0.44	15.2	<0.5	6.5	436	<0.1	1.2	0.2	7	17.34
1630088	Rab Sample	2.53	<0.005	1.0	10.8	6.0	10	<0.1	8.6	4.6	191	0.45	15.6	1.1	6.8	417	0.1	1.1	0.2	8	17.01
1630089	Rab Sample	3.07	<0.005	1.1	11.7	6.2	14	<0.1	11.0	5.5	201	0.49	18.8	0.9	7.6	402	0.1	1.0	0.1	8	16.32
1630090	Rab Sample	3.19	<0.005	0.9	11.4	6.8	10	<0.1	13.0	5.5	245	0.50	14.1	0.6	7.1	456	<0.1	0.8	0.1	7	17.17
1630091	Rab Sample	3.08	<0.005	1.0	15.0	7.7	17	0.1	16.6	7.8	170	0.83	14.1	0.7	8.4	367	0.2	0.9	0.2	12	13.21
1630092	Rab Sample	2.67	<0.005	1.2	9.8	7.2	10	<0.1	15.9	6.2	155	0.61	20.2	0.9	8.1	332	0.1	0.9	0.2	8	13.02
1630093	Rab Sample	3.39	<0.005	1.2	9.7	6.5	11	<0.1	15.3	6.6	172	0.64	24.4	<0.5	8.8	365	<0.1	1.0	0.2	10	14.22
1630094	Rab Sample	2.28	<0.005	1.0	9.8	5.7	7	<0.1	11.1	5.3	209	0.46	24.4	0.8	7.3	359	<0.1	0.8	0.1	6	16.98
1630095	Rab Sample	3.82	<0.005	0.5	22.2	15.7	33	0.2	13.4	6.6	186	1.09	15.8	2.0	7.9	235	0.3	2.1	0.4	15	11.54
1630096	Rab Sample	3.91	<0.005	0.3	16.2	6.4	19	0.1	9.0	4.4	191	0.74	11.7	1.1	5.5	393	0.1	1.0	7.5	11	15.64
1630097	Rab Sample	3.50	<0.005	0.4	12.2	11.1	24	<0.1	8.4	4.8	219	0.99	6.5	0.7	5.4	405	0.2	1.1	0.2	16	16.16
1630098	Rab Sample	3.20	<0.005	0.5	13.3	11.2	40	<0.1	8.4	4.5	173	0.58	5.1	2.1	5.5	465	0.2	1.0	0.1	8	17.39
1630099	Rab Sample	3.46	<0.005	0.5	12.8	7.4	18	<0.1	9.0	4.6	169	0.58	5.3	0.7	6.0	432	0.1	1.0	<0.1	8	16.42
1630100	Rab Sample	0.92	0.005	0.4	1.4	3.8	18	0.1	3.2	0.7	100	0.15	2.7	3.5	0.3	256	0.2	1.2	<0.1	15	19.41
1630101	Rab Sample	3.20	<0.005	0.4	11.7	6.0	10	<0.1	8.3	3.5	151	0.41	3.6	<0.5	6.7	423	<0.1	0.6	<0.1	7	16.59
1630102	Rab Sample	3.13	<0.005	0.4	11.2	7.3	11	<0.1	7.5	4.4	236	0.58	4.4	<0.5	5.9	395	0.1	0.7	<0.1	10	17.12
1630103	Rab Sample	2.98	<0.005	0.4	13.4	31.4	17	0.2	8.9	4.7	242	0.72	7.3	0.7	6.6	329	0.4	1.2	0.2	14	15.16
1630104	Rab Sample	3.35	<0.005	0.4	11.7	15.8	11	0.1	9.7	4.1	254	0.55	7.1	0.6	6.1	407	0.2	0.9	0.1	8	16.03
1630105	Rab Sample	2.76	<0.005	0.7	10.1	11.6	10	0.1	7.7	3.7	141	0.32	4.4	<0.5	7.1	389	0.2	0.9	0.2	4	16.71
1630106	Rab Sample	2.99	<0.005	0.5	47.1	9.2	22	0.3	9.5	3.8	124	0.45	13.9	1.9	9.3	253	0.3	0.9	0.2	10	11.32
1630107	Rab Sample	3.49	0.007	0.7	67.9	9.2	19	0.5	6.8	3.2	111	0.36	16.9	3.4	10.0	226	0.2	1.4	3.3	8	8.97
1630108	Rab Sample	3.32	0.009	0.7	49.1	9.2	25	0.3	8.9	3.9	294	0.76	19.3	7.5	9.2	254	0.2	2.1	0.8	16	11.93
1630109	Rab Sample	3.19	<0.005	0.7	27.7	7.0	13	0.1	9.1	4.2	162	0.44	16.3	0.9	7.5	309	0.2	1.4	0.2	7	14.55
1630110	Rab Sample	2.84	<0.005	0.8	25.8	7.3	10	0.1	8.9	3.8	147	0.27	10.9	1.9	7.5	349	0.2	0.9	0.2	4	15.99
1630111	Rab Sample	3.27	<0.005	0.7	24.8	9.2	14	0.2	10.3	3.5	94	0.24	14.8	1.3	8.4	275	0.2	0.8	0.2	4	10.90
1630112	Rab Sample	2.83	0.006	0.9	62.7	6.3	17	0.2	9.7	4.1	79	0.31	15.5	2.5	8.3	241	0.2	1.0	0.3	6	7.93
1630113	Rab Sample	3.42	0.010	0.9	47.7	9.1	19	0.2	6.5	2.4	67	0.24	7.6	6.6	8.7	248	0.3	0.9	0.4	6	8.63
1630114	Rab Sample	2.91	0.885	1.1	96.5	20.6	35	0.9	13.3	8.0	123	0.83	104.5	723.6	10.0	183	0.5	2.2	32.4	15	7.68
1630115	Rab Sample	3.02	2.723	1.6	109.4	15.2	28	1.3	10.3	16.3	134	0.70	533.0	2658.1	10.5	169	0.4	3.0	183.6	10	4.74



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

4 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630086	Rab Sample	0.084	14	10	0.17	60	0.071	<20	2.83	0.321	0.08	0.5	<0.01	1.9	<0.1	<0.05	7	<0.5	<0.2
1630087	Rab Sample	0.073	14	14	0.24	81	0.078	<20	2.77	0.321	0.10	0.5	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2
1630088	Rab Sample	0.071	14	14	0.25	93	0.072	<20	2.74	0.332	0.13	0.4	<0.01	2.3	<0.1	<0.05	7	<0.5	<0.2
1630089	Rab Sample	0.071	16	17	0.27	89	0.077	<20	3.02	0.346	0.11	0.5	<0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
1630090	Rab Sample	0.071	15	15	0.25	89	0.074	<20	2.86	0.328	0.10	0.5	<0.01	2.1	<0.1	0.05	8	<0.5	<0.2
1630091	Rab Sample	0.071	16	23	0.33	122	0.091	<20	3.68	0.418	0.23	0.9	<0.01	2.5	0.2	0.19	10	<0.5	<0.2
1630092	Rab Sample	0.084	18	17	0.19	90	0.078	<20	3.24	0.442	0.13	0.9	<0.01	2.0	<0.1	0.15	7	<0.5	<0.2
1630093	Rab Sample	0.072	17	19	0.24	117	0.078	<20	3.15	0.411	0.18	0.6	<0.01	2.4	0.1	0.16	7	<0.5	<0.2
1630094	Rab Sample	0.095	16	14	0.13	70	0.068	<20	2.33	0.328	0.09	0.6	<0.01	1.5	<0.1	0.10	5	<0.5	<0.2
1630095	Rab Sample	0.074	19	19	0.39	63	0.035	<20	2.79	0.222	0.10	0.5	<0.01	3.1	<0.1	0.06	8	<0.5	<0.2
1630096	Rab Sample	0.072	15	16	0.42	64	0.056	<20	2.90	0.178	0.11	0.2	<0.01	2.4	<0.1	<0.05	8	<0.5	0.5
1630097	Rab Sample	0.077	13	22	0.65	168	0.079	<20	3.07	0.154	0.30	0.6	<0.01	2.7	0.2	<0.05	7	<0.5	<0.2
1630098	Rab Sample	0.086	15	15	0.35	107	0.082	<20	3.03	0.211	0.22	0.6	0.01	1.8	0.1	0.10	8	<0.5	<0.2
1630099	Rab Sample	0.083	15	16	0.35	106	0.082	<20	2.99	0.327	0.20	0.4	<0.01	1.9	0.1	0.09	7	<0.5	<0.2
1630100	Rab Sample	0.020	1	4	11.21	15	0.003	<20	0.11	0.004	0.01	0.2	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
1630101	Rab Sample	0.087	15	12	0.20	97	0.078	<20	3.19	0.346	0.14	0.4	<0.01	1.9	<0.1	0.06	8	<0.5	<0.2
1630102	Rab Sample	0.072	14	16	0.37	115	0.082	<20	2.61	0.288	0.20	0.3	<0.01	2.0	0.1	0.08	6	<0.5	<0.2
1630103	Rab Sample	0.057	14	19	0.42	104	0.085	<20	3.10	0.323	0.22	0.4	<0.01	2.3	0.1	0.06	7	<0.5	<0.2
1630104	Rab Sample	0.061	15	12	0.30	61	0.074	<20	2.70	0.241	0.10	0.4	<0.01	1.8	<0.1	0.06	7	<0.5	<0.2
1630105	Rab Sample	0.078	16	7	0.06	37	0.080	<20	2.27	0.260	0.07	0.6	<0.01	1.4	<0.1	0.07	6	<0.5	<0.2
1630106	Rab Sample	0.074	21	12	0.16	53	0.087	<20	3.25	0.314	0.08	0.6	<0.01	1.7	<0.1	<0.05	8	<0.5	<0.2
1630107	Rab Sample	0.077	21	11	0.16	49	0.090	<20	2.87	0.370	0.09	0.7	<0.01	1.7	<0.1	<0.05	7	<0.5	<0.2
1630108	Rab Sample	0.081	20	18	0.40	46	0.089	<20	2.76	0.312	0.14	0.6	<0.01	2.4	0.2	<0.05	7	<0.5	<0.2
1630109	Rab Sample	0.084	18	9	0.14	38	0.077	<20	2.13	0.294	0.14	0.5	<0.01	1.5	0.1	0.07	5	<0.5	<0.2
1630110	Rab Sample	0.090	18	6	0.06	37	0.076	<20	1.99	0.288	0.09	0.5	<0.01	1.4	<0.1	0.07	5	<0.5	<0.2
1630111	Rab Sample	0.086	22	6	0.06	42	0.087	<20	2.55	0.375	0.10	0.8	<0.01	1.4	<0.1	0.05	6	<0.5	<0.2
1630112	Rab Sample	0.082	21	10	0.10	57	0.095	<20	3.19	0.451	0.11	1.1	<0.01	1.7	<0.1	<0.05	8	<0.5	<0.2
1630113	Rab Sample	0.103	22	11	0.07	61	0.097	<20	3.24	0.451	0.11	1.2	<0.01	1.7	<0.1	<0.05	9	<0.5	<0.2
1630114	Rab Sample	0.093	24	21	0.26	52	0.098	278	3.55	0.443	0.15	4.4	<0.01	2.5	0.1	0.19	11	1.0	0.8
1630115	Rab Sample	0.108	19	19	0.22	53	0.076	<20	2.16	0.429	0.10	29.3	<0.01	1.5	<0.1	0.18	6	2.0	3.6



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

5 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630116	Rab Sample	2.89	0.018	0.8	8.0	14.8	23	0.1	4.5	2.2	86	0.35	5.6	14.5	13.7	97	0.3	0.8	1.0	14	1.65
1630117	Rab Sample	3.22	0.016	0.7	9.0	14.3	21	0.1	4.8	2.2	83	0.39	4.4	6.5	13.1	108	0.3	0.9	0.9	17	1.45
1630118	Rab Sample	3.17	0.006	1.2	5.9	15.0	18	0.1	3.4	1.8	102	0.27	4.3	3.2	14.8	102	0.3	0.9	0.4	10	1.79
1630119	Rab Sample	2.94	0.006	1.1	5.3	12.7	21	0.1	2.5	1.6	115	0.32	3.3	3.5	12.9	105	0.3	0.9	0.6	12	2.47
1630120	Rock Pulp	0.08	5.437	7.5	196.9	22.1	70	0.8	13.4	12.1	535	4.14	11.3	4759.1	2.9	66	0.2	3.7	0.5	101	0.90
1630121	Rab Sample	2.58	<0.005	2.3	3.1	18.2	21	0.2	2.4	1.3	115	0.29	2.9	1.7	13.4	105	0.4	0.8	0.4	13	2.50
1630122	Rab Sample	3.02	<0.005	1.6	4.1	24.4	29	0.2	2.8	1.7	98	0.27	3.9	1.1	14.6	106	0.6	0.8	0.3	10	2.33
1630123	Rab Sample	2.76	<0.005	1.1	4.9	16.8	23	0.1	2.8	1.6	113	0.30	2.9	1.5	13.0	120	0.5	0.9	0.2	12	2.49
1630124	Rab Sample	2.86	<0.005	1.2	14.4	18.1	27	0.2	4.1	2.4	82	0.32	8.2	1.0	14.6	141	0.6	1.2	0.3	10	1.94
1630125	Rab Sample	3.15	1.430	1.5	290.7	9.7	29	1.2	22.6	32.5	199	1.90	1179.4	1163.4	7.4	125	0.4	3.5	63.2	8	5.83
1630126	Rab Sample	3.26	2.422	0.9	200.2	18.6	32	1.4	16.6	12.4	206	1.37	318.4	2302.1	10.0	135	0.4	3.1	100.0	7	6.73
1630127	Rab Sample	3.19	1.021	0.9	218.9	16.2	31	0.9	18.2	11.4	226	1.52	239.6	662.0	10.2	168	0.3	2.6	31.7	8	6.82
1630128	Rab Sample	3.14	0.197	0.9	256.0	10.8	28	0.9	20.4	10.2	194	1.63	144.9	172.3	8.6	171	0.4	2.3	10.2	8	6.15
1630129	Rab Sample	3.16	0.130	1.3	315.9	10.3	25	0.9	24.0	26.1	189	1.94	669.6	130.2	8.7	129	0.5	2.5	10.9	8	5.88
1630130	Rab Sample	3.15	0.007	2.5	5.8	15.5	20	0.1	3.5	1.6	91	0.30	5.9	1.3	11.4	120	0.5	1.2	0.4	12	2.06
1630131	Rab Sample	3.10	0.005	1.9	5.3	17.1	23	0.2	2.3	1.2	83	0.22	3.9	1.9	13.5	102	0.4	1.2	0.3	7	1.93
1630132	Rab Sample	3.07	<0.005	2.1	57.7	13.2	26	0.5	7.3	2.7	188	0.82	4.8	3.7	13.6	147	0.5	2.7	0.3	20	2.95
1630133	Rab Sample	3.05	<0.005	2.4	12.1	11.8	54	0.1	7.7	8.2	439	2.49	4.5	<0.5	11.9	235	0.2	2.1	0.2	90	3.57
1630134	Rab Sample	2.90	<0.005	1.7	16.5	17.5	83	0.2	10.9	15.2	673	3.64	2.0	<0.5	9.8	249	0.2	0.9	0.2	135	3.44
1630135	Rab Sample	2.49	<0.005	1.8	14.9	20.0	86	0.2	11.2	14.3	686	3.63	3.6	3.0	10.1	262	0.2	1.0	0.3	140	3.60
1630136	Rab Sample	3.04	<0.005	1.4	10.0	11.3	53	0.1	7.1	8.9	435	2.34	4.9	<0.5	11.8	184	0.2	1.2	0.2	84	3.42
1630137	Rab Sample	2.87	<0.005	0.7	3.4	8.7	17	<0.1	2.6	1.3	155	0.54	6.0	<0.5	12.7	173	0.1	1.4	0.1	20	3.24
1630138	Rab Sample	2.95	0.006	1.1	8.2	10.9	21	0.2	3.0	1.8	111	0.32	11.4	2.3	13.0	179	0.4	1.3	0.6	10	2.80
1630139	Rab Sample	2.59	<0.005	0.8	6.7	14.2	28	0.2	3.1	1.9	158	0.51	13.4	2.9	11.9	159	0.5	2.1	0.2	19	4.20
1630140	Rab Sample	0.97	0.006	0.3	1.7	4.7	19	0.1	3.2	0.4	104	0.16	3.1	1.6	0.2	309	0.3	1.5	<0.1	17	20.21
1630141	Rab Sample	3.07	<0.005	1.3	3.5	15.7	21	0.2	3.1	1.6	110	0.33	7.4	2.5	11.2	181	0.3	1.1	0.2	13	2.61
1630142	Rab Sample	2.69	0.339	1.1	29.3	6.9	27	0.2	10.4	5.9	268	1.13	56.8	309.1	7.9	508	0.2	2.0	10.3	20	11.19
1630143	Rab Sample	2.97	<0.005	0.5	17.7	4.2	14	<0.1	7.1	2.3	135	0.43	14.4	<0.5	6.6	546	<0.1	0.7	0.2	7	15.88
1630144	Rab Sample	3.20	0.043	1.2	108.3	3.9	15	0.6	6.7	3.3	139	0.41	67.4	33.7	7.2	344	0.2	1.4	2.3	7	12.24
1630145	Rab Sample	2.65	<0.005	0.8	16.0	6.6	9	0.1	10.0	2.9	141	0.42	10.0	1.3	6.2	380	0.1	1.4	0.2	6	15.66



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

5 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630116	Rab Sample	0.088	25	19	0.24	75	0.109	<20	0.90	0.127	0.15	2.5	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1630117	Rab Sample	0.088	20	23	0.27	91	0.115	<20	1.01	0.151	0.16	2.6	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
1630118	Rab Sample	0.081	23	16	0.16	72	0.096	<20	0.87	0.135	0.10	2.6	<0.01	1.1	<0.1	<0.05	3	<0.5	<0.2
1630119	Rab Sample	0.076	12	16	0.18	59	0.081	<20	1.06	0.174	0.10	3.8	<0.01	1.5	<0.1	<0.05	3	<0.5	<0.2
1630120	Rock Pulp	0.063	7	19	0.86	126	0.147	<20	1.72	0.177	0.23	4.7	0.15	3.2	<0.1	<0.05	5	<0.5	<0.2
1630121	Rab Sample	0.075	13	20	0.21	67	0.096	<20	1.03	0.147	0.10	3.1	<0.01	2.0	<0.1	<0.05	3	<0.5	<0.2
1630122	Rab Sample	0.080	23	16	0.16	71	0.088	<20	1.24	0.130	0.10	1.8	<0.01	1.4	<0.1	<0.05	4	<0.5	<0.2
1630123	Rab Sample	0.084	13	18	0.19	73	0.091	<20	1.18	0.146	0.09	2.9	<0.01	1.8	<0.1	<0.05	4	<0.5	<0.2
1630124	Rab Sample	0.093	16	19	0.15	84	0.103	<20	1.33	0.194	0.11	2.7	<0.01	1.4	<0.1	<0.05	5	<0.5	<0.2
1630125	Rab Sample	0.092	16	14	0.17	20	0.062	<20	2.16	0.483	0.07	4.6	<0.01	1.7	<0.1	0.83	6	4.9	1.5
1630126	Rab Sample	0.084	23	12	0.16	11	0.068	<20	2.27	0.562	0.08	1.7	<0.01	1.3	<0.1	0.57	5	3.5	2.8
1630127	Rab Sample	0.095	23	12	0.17	14	0.076	<20	2.44	0.585	0.08	1.7	<0.01	1.5	0.1	0.64	6	3.9	0.8
1630128	Rab Sample	0.086	23	12	0.17	13	0.073	<20	2.76	0.595	0.09	1.4	<0.01	1.6	<0.1	0.72	7	4.5	0.2
1630129	Rab Sample	0.094	23	12	0.15	17	0.067	<20	2.29	0.490	0.08	6.7	<0.01	0.9	<0.1	0.94	6	6.7	<0.2
1630130	Rab Sample	0.086	11	19	0.18	72	0.087	<20	1.15	0.185	0.11	2.8	<0.01	1.2	<0.1	<0.05	4	<0.5	<0.2
1630131	Rab Sample	0.077	16	13	0.10	68	0.083	<20	0.89	0.171	0.11	5.5	<0.01	0.6	<0.1	<0.05	3	<0.5	<0.2
1630132	Rab Sample	0.071	21	26	0.37	58	0.075	<20	1.35	0.207	0.12	2.1	<0.01	2.4	<0.1	0.14	4	0.6	<0.2
1630133	Rab Sample	0.107	24	172	1.70	545	0.239	<20	2.49	0.155	1.03	3.5	<0.01	9.6	0.9	<0.05	8	<0.5	<0.2
1630134	Rab Sample	0.123	23	272	2.70	1027	0.343	<20	3.35	0.190	2.03	1.8	<0.01	14.3	1.6	0.07	10	<0.5	<0.2
1630135	Rab Sample	0.128	23	274	2.77	1035	0.359	<20	3.50	0.207	2.04	1.5	<0.01	17.5	1.6	<0.05	11	<0.5	<0.2
1630136	Rab Sample	0.102	17	160	1.54	536	0.207	<20	2.45	0.174	0.89	1.2	<0.01	9.7	0.7	<0.05	7	<0.5	<0.2
1630137	Rab Sample	0.067	10	26	0.29	63	0.057	<20	1.86	0.202	0.09	0.2	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
1630138	Rab Sample	0.075	13	16	0.14	75	0.073	<20	1.56	0.267	0.10	30.8	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
1630139	Rab Sample	0.079	11	24	0.13	72	0.056	<20	2.41	0.279	0.09	4.0	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2
1630140	Rab Sample	0.018	1	3	12.53	17	0.002	<20	0.09	0.003	0.01	0.2	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1630141	Rab Sample	0.081	8	20	0.26	66	0.067	<20	1.70	0.200	0.10	0.8	<0.01	1.5	<0.1	<0.05	4	<0.5	<0.2
1630142	Rab Sample	0.094	22	26	0.33	59	0.072	<20	4.47	0.461	0.09	0.4	<0.01	3.1	0.2	<0.05	11	<0.5	0.3
1630143	Rab Sample	0.084	18	10	0.14	42	0.066	<20	3.39	0.369	0.07	0.3	<0.01	1.1	<0.1	<0.05	6	<0.5	<0.2
1630144	Rab Sample	0.074	21	10	0.14	45	0.076	<20	3.20	0.455	0.10	1.0	<0.01	0.7	<0.1	0.07	8	<0.5	<0.2
1630145	Rab Sample	0.055	16	10	0.13	35	0.067	<20	3.19	0.385	0.12	0.4	<0.01	0.8	<0.1	0.11	7	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

6 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1630146	Rab Sample	2.83	<0.005	1.9	13.5	12.8	33	<0.1	8.4	5.5	355	2.05	2.7	2.1	16.8	146	0.1	1.9	0.7	44	4.67
1630147	Rab Sample	3.33	<0.005	0.8	25.4	11.3	22	0.2	13.2	4.9	162	0.71	16.9	3.0	8.9	316	0.2	1.5	0.7	11	10.66
1630148	Rab Sample	3.35	<0.005	1.1	46.9	4.8	14	0.2	9.7	3.5	95	0.34	19.6	1.3	8.0	256	0.1	0.7	0.2	5	9.57
1630149	Rab Sample	2.50	0.008	1.3	158.5	8.6	18	0.5	11.6	3.8	81	0.32	21.8	6.0	9.1	264	0.4	1.1	0.3	6	8.41
1630150	Rab Sample	2.93	0.006	1.2	146.0	6.8	15	0.4	13.0	5.1	96	0.33	74.7	4.2	8.0	275	0.2	0.8	0.2	5	10.80
1630151	Rab Sample	2.50	<0.005	1.0	53.2	5.6	12	0.2	10.3	3.6	99	0.30	67.8	1.7	6.7	277	0.2	0.6	0.1	5	13.93
1630152	Rab Sample	3.25	<0.005	0.9	123.3	6.2	14	0.4	11.9	4.3	110	0.29	156.7	3.4	7.1	285	0.2	0.7	0.1	4	13.42
1630153	Rab Sample	2.96	<0.005	0.8	41.2	4.8	8	0.1	10.2	3.1	109	0.35	16.3	1.4	6.3	316	0.1	0.8	0.2	5	14.28
1630154	Rab Sample	3.25	<0.005	0.8	39.9	6.0	7	0.1	10.8	3.0	100	0.31	17.8	0.9	6.7	306	0.2	0.9	0.2	4	12.81
1630155	Rab Sample	3.61	<0.005	0.8	27.9	4.4	6	<0.1	9.5	3.1	103	0.32	13.2	<0.5	6.4	376	<0.1	0.8	0.1	4	13.99
1630156	Rab Sample	3.05	<0.005	0.6	23.4	5.0	10	<0.1	8.8	3.2	131	0.46	13.7	<0.5	6.1	360	<0.1	1.0	0.1	7	13.34
1630157	Rab Sample	3.33	<0.005	0.8	20.5	5.7	9	<0.1	8.8	3.1	103	0.32	28.1	1.6	7.0	309	0.2	0.9	0.1	5	11.57
1630158	Rab Sample	2.46	<0.005	1.0	20.4	4.9	9	<0.1	8.8	3.1	90	0.31	22.9	3.4	7.0	296	<0.1	1.1	0.2	5	10.87
1630159	Rab Sample	3.70	<0.005	0.7	15.9	4.1	6	<0.1	7.9	2.8	118	0.30	17.5	1.5	6.3	316	0.1	1.0	0.1	4	13.55
1630160	Rock Pulp	0.09	4.994	7.8	181.4	22.2	72	0.8	13.2	9.7	578	4.13	10.9	4249.6	2.7	72	0.1	4.0	0.5	100	0.90
1630161	Rab Sample	3.02	0.008	1.1	39.2	5.6	12	0.2	8.0	3.1	125	0.45	32.7	7.6	7.3	310	0.2	1.8	0.2	6	11.46
1630162	Rab Sample	4.98	0.008	1.3	18.0	3.9	9	<0.1	9.8	3.2	112	0.34	14.2	4.0	7.0	349	<0.1	0.5	0.5	4	14.41
1630163	Rab Sample	3.22	<0.005	0.6	14.2	3.9	8	<0.1	9.4	3.2	74	0.23	16.9	3.4	8.3	318	0.1	0.5	0.2	4	11.86



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

6 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000151.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630146	Rab Sample	0.072	28	20	0.63	278	0.210	<20	1.82	0.153	0.68	3.2	<0.01	4.6	0.8	0.08	9	<0.5	<0.2
1630147	Rab Sample	0.097	21	16	0.27	55	0.089	<20	3.52	0.491	0.22	0.8	<0.01	1.0	0.2	0.13	8	<0.5	<0.2
1630148	Rab Sample	0.085	19	10	0.09	45	0.075	<20	2.96	0.470	0.13	1.1	<0.01	0.6	<0.1	0.06	7	<0.5	<0.2
1630149	Rab Sample	0.078	21	12	0.07	63	0.095	<20	4.76	0.539	0.08	0.9	<0.01	0.8	<0.1	<0.05	12	<0.5	<0.2
1630150	Rab Sample	0.099	19	11	0.07	53	0.080	<20	3.85	0.476	0.08	0.9	<0.01	0.9	<0.1	0.07	10	<0.5	<0.2
1630151	Rab Sample	0.088	16	9	0.05	39	0.071	<20	3.35	0.433	0.07	0.6	<0.01	0.7	<0.1	0.07	8	<0.5	<0.2
1630152	Rab Sample	0.107	17	9	0.06	40	0.060	<20	3.20	0.397	0.06	0.6	<0.01	0.7	<0.1	0.07	8	<0.5	<0.2
1630153	Rab Sample	0.081	16	9	0.08	34	0.069	<20	3.54	0.399	0.06	0.5	<0.01	0.7	<0.1	0.07	8	<0.5	<0.2
1630154	Rab Sample	0.091	17	9	0.07	41	0.068	<20	3.47	0.405	0.07	0.7	<0.01	0.7	<0.1	0.09	8	<0.5	<0.2
1630155	Rab Sample	0.080	16	8	0.07	38	0.067	<20	3.56	0.411	0.07	0.5	<0.01	0.6	<0.1	0.08	7	<0.5	<0.2
1630156	Rab Sample	0.096	15	10	0.23	36	0.056	<20	3.33	0.348	0.07	0.5	<0.01	1.0	<0.1	0.06	7	<0.5	<0.2
1630157	Rab Sample	0.093	19	10	0.13	43	0.069	<20	3.72	0.409	0.07	0.6	<0.01	0.7	<0.1	<0.05	8	<0.5	<0.2
1630158	Rab Sample	0.101	18	9	0.11	50	0.070	<20	3.49	0.420	0.10	0.6	<0.01	0.7	<0.1	<0.05	8	<0.5	<0.2
1630159	Rab Sample	0.079	16	8	0.10	40	0.063	<20	3.43	0.369	0.07	0.4	<0.01	0.6	<0.1	<0.05	8	<0.5	<0.2
1630160	Rock Pulp	0.056	7	17	0.85	134	0.143	<20	1.73	0.183	0.22	4.8	0.15	2.9	<0.1	<0.05	5	<0.5	<0.2
1630161	Rab Sample	0.076	17	11	0.12	56	0.060	<20	3.77	0.384	0.08	0.5	<0.01	1.0	<0.1	<0.05	8	<0.5	<0.2
1630162	Rab Sample	0.091	16	9	0.04	39	0.058	<20	3.16	0.364	0.06	0.4	<0.01	0.6	<0.1	<0.05	7	<0.5	<0.2
1630163	Rab Sample	0.082	19	5	0.03	34	0.073	<20	2.94	0.403	0.08	0.9	<0.01	0.5	<0.1	0.06	7	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI17000151.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1630043	Rab Sample	3.01	<0.005	0.4	9.9	7.2	53	<0.1	11.7	4.4	227	0.60	3.2	1.4	6.8	424	<0.1	0.9	<0.1	10	16.77
REP 1630043	QC		<0.005																		
1630047	Rab Sample	2.89	<0.005	0.5	10.0	12.5	63	0.2	12.5	5.9	211	0.68	24.6	1.2	9.2	264	0.4	1.5	0.3	16	11.48
REP 1630047	QC		<0.005																		
1630052	Rab Sample	2.92	<0.005	0.7	9.9	9.7	44	<0.1	10.9	5.0	202	0.66	14.6	1.8	7.0	320	0.1	2.0	0.2	12	13.99
REP 1630052	QC			0.6	10.4	9.8	45	<0.1	10.0	4.9	204	0.66	13.7	1.3	7.1	315	<0.1	1.9	0.2	12	14.17
1630087	Rab Sample	2.87	<0.005	1.0	10.9	6.3	9	<0.1	8.6	4.8	176	0.44	15.2	<0.5	6.5	436	<0.1	1.2	0.2	7	17.34
REP 1630087	QC			0.9	9.4	6.2	9	<0.1	7.7	4.3	163	0.43	14.2	1.2	6.1	421	<0.1	1.2	0.2	7	17.24
1630100	Rab Sample	0.92	0.005	0.4	1.4	3.8	18	0.1	3.2	0.7	100	0.15	2.7	3.5	0.3	256	0.2	1.2	<0.1	15	19.41
REP 1630100	QC			0.4	1.4	4.0	18	0.1	3.0	0.7	101	0.16	2.7	1.9	0.2	275	0.3	1.3	<0.1	15	19.50
1630116	Rab Sample	2.89	0.018	0.8	8.0	14.8	23	0.1	4.5	2.2	86	0.35	5.6	14.5	13.7	97	0.3	0.8	1.0	14	1.65
REP 1630116	QC		0.016																		
1630120	Rock Pulp	0.08	5.437	7.5	196.9	22.1	70	0.8	13.4	12.1	535	4.14	11.3	4759.1	2.9	66	0.2	3.7	0.5	101	0.90
REP 1630120	QC		5.202																		
1630135	Rab Sample	2.49	<0.005	1.8	14.9	20.0	86	0.2	11.2	14.3	686	3.63	3.6	3.0	10.1	262	0.2	1.0	0.3	140	3.60
REP 1630135	QC			1.7	14.4	20.6	91	0.2	11.5	15.0	692	3.69	3.7	1.4	10.4	275	0.2	1.0	0.3	143	3.68
Core Reject Duplicates																					
1630036	Rab Sample	3.32	<0.005	0.7	9.5	9.5	45	<0.1	9.8	4.5	361	0.62	2.8	<0.5	7.5	419	<0.1	0.9	0.2	9	17.10
DUP 1630036	QC		<0.005	0.5	9.3	8.9	44	<0.1	10.5	4.2	362	0.60	3.0	0.7	7.0	408	<0.1	0.8	0.1	9	16.67
1630070	Rab Sample	3.39	<0.005	1.1	12.6	13.3	28	0.2	16.5	7.9	176	0.97	36.8	0.8	8.6	316	0.3	1.9	0.3	12	11.90
DUP 1630070	QC		<0.005	1.3	12.2	13.9	37	0.2	16.9	8.5	172	0.97	37.1	0.7	9.0	329	0.4	2.6	0.3	12	11.64
1630104	Rab Sample	3.35	<0.005	0.4	11.7	15.8	11	0.1	9.7	4.1	254	0.55	7.1	0.6	6.1	407	0.2	0.9	0.1	8	16.03
DUP 1630104	QC		<0.005	0.5	11.7	17.0	11	0.1	9.4	4.5	253	0.54	7.1	1.5	6.5	399	0.2	1.0	0.1	7	16.46
1630138	Rab Sample	2.95	0.006	1.1	8.2	10.9	21	0.2	3.0	1.8	111	0.32	11.4	2.3	13.0	179	0.4	1.3	0.6	10	2.80
DUP 1630138	QC		0.007	0.9	7.0	10.6	19	0.1	2.5	1.7	113	0.31	10.2	2.2	12.6	168	0.3	1.2	0.3	10	2.84
Reference Materials																					
STD DS10	Standard			12.5	147.7	143.3	368	1.7	71.2	12.0	909	2.77	43.8	70.0	7.0	69	2.4	8.0	11.9	44	1.06
STD DS10	Standard			12.3	146.4	153.9	340	1.7	67.4	12.1	888	2.63	41.8	76.2	7.5	62	2.5	7.2	12.8	41	1.02



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI17000151.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1630043	Rab Sample	0.080	11	14	0.25	133	0.069	<20	3.07	0.396	0.21	0.5	<0.01	1.2	0.1	0.13	7	<0.5	<0.2
REP 1630043	QC																		
1630047	Rab Sample	0.105	15	16	0.28	132	0.060	<20	2.11	0.308	0.17	1.0	<0.01	1.6	0.1	0.15	6	<0.5	<0.2
REP 1630047	QC																		
1630052	Rab Sample	0.090	13	15	0.34	81	0.057	<20	2.97	0.373	0.14	0.4	<0.01	1.6	<0.1	0.05	7	<0.5	<0.2
REP 1630052	QC	0.094	13	15	0.34	82	0.058	<20	2.98	0.377	0.14	0.5	<0.01	1.5	<0.1	<0.05	7	<0.5	<0.2
1630087	Rab Sample	0.073	14	14	0.24	81	0.078	<20	2.77	0.321	0.10	0.5	<0.01	2.4	0.1	<0.05	7	<0.5	<0.2
REP 1630087	QC	0.075	14	14	0.23	75	0.076	<20	2.76	0.317	0.10	0.4	<0.01	2.3	<0.1	<0.05	7	<0.5	<0.2
1630100	Rab Sample	0.020	1	4	11.21	15	0.003	<20	0.11	0.004	0.01	0.2	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
REP 1630100	QC	0.018	1	3	11.06	16	0.003	<20	0.11	0.003	0.02	0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2
1630116	Rab Sample	0.088	25	19	0.24	75	0.109	<20	0.90	0.127	0.15	2.5	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2
REP 1630116	QC																		
1630120	Rock Pulp	0.063	7	19	0.86	126	0.147	<20	1.72	0.177	0.23	4.7	0.15	3.2	<0.1	<0.05	5	<0.5	<0.2
REP 1630120	QC																		
1630135	Rab Sample	0.128	23	274	2.77	1035	0.359	<20	3.50	0.207	2.04	1.5	<0.01	17.5	1.6	<0.05	11	<0.5	<0.2
REP 1630135	QC	0.126	24	282	2.79	1040	0.361	<20	3.51	0.208	2.05	1.3	<0.01	17.0	1.6	<0.05	11	<0.5	<0.2
Core Reject Duplicates																			
1630036	Rab Sample	0.103	13	13	0.27	139	0.066	<20	3.00	0.395	0.20	0.4	<0.01	1.2	0.1	0.13	7	<0.5	<0.2
DUP 1630036	QC	0.106	12	13	0.26	125	0.060	<20	2.87	0.384	0.20	0.4	<0.01	1.1	0.1	0.13	7	<0.5	<0.2
1630070	Rab Sample	0.076	13	21	0.35	68	0.079	<20	4.02	0.386	0.15	1.0	<0.01	2.4	0.1	0.27	10	<0.5	<0.2
DUP 1630070	QC	0.093	14	22	0.35	73	0.081	<20	3.92	0.391	0.15	1.0	<0.01	2.4	0.1	0.26	10	<0.5	<0.2
1630104	Rab Sample	0.061	15	12	0.30	61	0.074	<20	2.70	0.241	0.10	0.4	<0.01	1.8	<0.1	0.06	7	<0.5	<0.2
DUP 1630104	QC	0.058	15	12	0.30	60	0.074	<20	2.72	0.238	0.09	0.4	<0.01	1.9	<0.1	0.05	7	<0.5	<0.2
1630138	Rab Sample	0.075	13	16	0.14	75	0.073	<20	1.56	0.267	0.10	30.8	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
DUP 1630138	QC	0.076	13	15	0.14	73	0.069	<20	1.57	0.271	0.10	27.6	<0.01	1.0	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.082	17	55	0.77	422	0.079	<20	1.04	0.071	0.33	3.3	0.25	2.8	5.0	0.29	5	2.2	4.9
STD DS10	Standard	0.076	16	57	0.74	396	0.077	<20	0.96	0.065	0.34	3.6	0.33	2.7	5.2	0.28	4	1.8	4.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

2 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI17000151.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD DS10	Standard			12.8	162.6	151.9	338	1.7	68.8	13.6	811	2.68	42.5	66.5	7.4	60	2.9	7.8	12.3	42	1.04
STD DS10	Standard			14.6	157.8	164.1	363	1.9	73.1	13.9	857	2.74	46.9	88.5	8.4	66	3.0	7.7	13.6	42	1.05
STD OREAS45EA	Standard			1.4	711.3	12.8	29	0.2	375.1	47.3	421	22.51	10.7	57.2	9.6	4	<0.1	0.3	0.3	308	0.04
STD OREAS45EA	Standard			1.5	685.8	15.6	30	0.3	374.8	50.2	400	20.89	9.6	52.8	11.4	4	<0.1	0.3	0.3	297	0.03
STD OREAS45EA	Standard			1.5	659.5	14.1	29	0.3	356.3	45.9	378	20.15	10.7	50.7	10.4	4	<0.1	0.4	0.2	302	0.03
STD OREAS45EA	Standard			1.5	667.8	14.7	30	0.3	355.7	50.7	388	20.32	12.1	55.2	10.7	4	<0.1	0.4	0.3	306	0.03
STD OXC145	Standard		0.215																		
STD OXC145	Standard		0.215																		
STD OXH122	Standard		1.201																		
STD OXH122	Standard		1.213																		
STD OXN117	Standard		7.550																		
STD OXN117	Standard		7.560																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXN117 Expected			7.679																		
STD OXC145 Expected			0.212																		
STD OXH122 Expected			1.247																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	3.8	1.1	34	<0.1	0.9	3.5	517	1.64	1.1	1.6	2.4	21	<0.1	<0.1	<0.1	20	0.50
ROCK-WHI	Prep Blank		<0.005	0.6	6.3	0.9	33	<0.1	1.0	3.5	518	1.70	0.8	1.6	2.3	19	<0.1	<0.1	<0.1	20	0.48



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 26, 2017

Page:

2 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI17000151.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD DS10	Standard	0.078	17	54	0.77	438	0.078	<20	1.03	0.068	0.33	2.9	0.27	2.9	4.9	0.27	4	2.2	4.5
STD DS10	Standard	0.073	18	52	0.78	437	0.082	<20	1.03	0.069	0.34	3.2	0.29	2.8	5.5	0.27	5	1.9	5.2
STD OREAS45EA	Standard	0.028	6	807	0.09	140	0.099	<20	3.42	0.020	0.05	<0.1	0.01	76.9	<0.1	<0.05	12	0.6	<0.2
STD OREAS45EA	Standard	0.027	7	790	0.09	142	0.101	<20	3.04	0.023	0.06	<0.1	<0.01	76.9	<0.1	<0.05	12	0.6	<0.2
STD OREAS45EA	Standard	0.029	7	817	0.08	141	0.095	<20	3.00	0.019	0.05	<0.1	0.01	76.1	<0.1	<0.05	12	1.0	<0.2
STD OREAS45EA	Standard	0.025	7	810	0.08	147	0.095	<20	3.15	0.019	0.05	<0.1	0.01	68.3	<0.1	<0.05	12	1.4	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH122	Standard																		
STD OXH122	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXN117 Expected																			
STD OXC145 Expected																			
STD OXH122 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.040	5	3	0.44	55	0.069	<20	0.80	0.077	0.10	0.1	<0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.038	5	5	0.47	48	0.068	<20	0.82	0.078	0.09	<0.1	<0.01	2.4	<0.1	<0.05	3	<0.5	<0.2