



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada  
PHONE (604) 253-3158

**Client:** **Strike Point Gold**  
Suite 507 - 837 W. Hastings St.  
Vancouver British Columbia V6C 2X1 Canada

Submitted By: Andy Randell  
Receiving Lab: Canada-Whitehorse  
Received: June 26, 2017  
Report Date: July 28, 2017  
Page: 1 of 6

## CERTIFICATE OF ANALYSIS

WHI17000152.1

### CLIENT JOB INFORMATION

Project: MAHTIN  
Shipment ID: SKP RAB 001  
P.O. Number: SKP RAB 001  
Number of Samples: 136

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Strike Point Gold  
Suite 507 - 837 W. Hastings St.  
Vancouver British Columbia V6C 2X1  
Canada

CC: Scott Dorian  
Shawn Khunkhun

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	133	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA430	136	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	136	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	136	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	136	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

2 of 6

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630164	Rab Sample	3.34	0.005	0.5	28.2	7.0	15	0.2	10.4	4.2	78	0.25	17.3	3.3	9.4	283	0.3	0.6	0.3	5	10.63
1630165	Rab Sample	3.77	0.021	0.8	65.0	10.5	22	0.3	11.5	3.9	98	0.50	17.9	15.2	10.1	243	0.3	1.0	1.4	13	8.64
1630166	Rab Sample	3.94	0.024	0.8	68.6	8.6	21	0.3	8.9	2.9	77	0.33	17.0	27.1	9.4	227	0.3	0.8	1.4	9	8.47
1630167	Rab Sample	3.42	0.221	0.8	70.4	5.5	16	0.3	7.3	2.7	131	0.32	15.4	139.4	7.0	279	0.2	0.7	7.8	5	13.65
1630168	Rab Sample	3.64	0.012	0.7	20.2	8.0	17	0.2	3.7	1.1	82	0.16	9.8	8.4	9.5	242	0.2	0.7	0.6	5	10.68
1630169	Rab Sample	3.50	0.017	0.9	13.1	8.5	20	0.1	3.9	1.4	97	0.21	13.8	15.4	10.1	216	0.2	1.0	0.6	6	8.99
1630170	Rab Sample	3.86	0.225	1.2	24.0	8.8	21	0.2	4.5	1.6	101	0.26	12.8	124.8	10.0	202	0.2	1.3	6.7	6	8.91
1630171	Rab Sample	2.62	0.041	0.9	20.8	8.5	20	0.2	3.9	1.3	89	0.23	9.7	37.2	10.0	231	0.2	1.1	1.8	6	9.25
1630172	Rab Sample	3.61	0.053	1.0	16.4	7.8	22	0.2	4.9	2.2	122	0.30	14.8	61.0	9.4	220	0.2	1.2	1.9	7	10.89
1630173	Rab Sample	3.79	0.033	0.7	28.8	10.1	23	0.3	3.8	1.2	77	0.21	8.4	33.5	9.4	233	0.3	1.0	1.1	5	10.24
1630174	Rab Sample	3.75	0.005	0.5	26.4	7.1	18	0.2	8.6	2.7	141	0.47	7.8	8.5	7.9	350	0.2	1.1	0.4	9	12.86
1630175	Rab Sample	3.86	<0.005	0.6	15.3	6.3	12	<0.1	9.2	3.1	148	0.44	6.6	1.1	7.7	401	<0.1	1.4	0.2	7	14.53
1630176	Rab Sample	4.12	<0.005	0.5	13.9	9.9	14	0.1	8.3	2.9	152	0.46	5.3	0.8	7.1	401	0.3	1.5	0.1	7	14.88
1630177	Rab Sample	3.85	<0.005	0.6	11.1	11.4	9	0.1	8.3	3.0	136	0.39	3.5	1.8	6.9	419	0.1	1.3	0.1	6	15.46
1630178	Rab Sample	3.40	<0.005	0.6	11.9	8.6	14	0.1	9.1	3.1	140	0.43	5.9	1.2	7.5	354	0.1	2.4	<0.1	7	13.09
1630179	Rab Sample	3.38	<0.005	2.0	10.9	23.2	46	0.2	7.6	6.2	434	2.40	7.1	1.3	18.6	81	0.2	1.7	0.4	49	2.23
1630180	Rab Sample	0.92	<0.005	0.4	1.3	4.7	21	0.1	2.5	0.4	109	0.16	3.5	3.0	0.2	295	0.3	1.4	<0.1	16	21.10
1630181	Rab Sample	3.53	<0.005	1.8	12.9	20.1	43	0.1	7.7	6.7	435	2.58	14.0	1.1	18.4	66	0.2	2.0	0.2	46	2.00
1630182	Rab Sample	3.30	<0.005	2.0	13.1	20.4	47	0.1	8.2	6.7	434	2.61	9.3	0.7	20.1	66	0.2	1.2	0.3	46	1.95
1630183	Rab Sample	3.73	0.006	1.7	93.0	23.8	50	0.7	9.4	9.1	495	2.71	794.6	7.8	17.2	139	0.2	5.5	5.9	47	4.02
1630184	Rab Sample	3.89	<0.005	0.7	10.6	10.7	14	<0.1	7.1	2.5	159	0.34	14.3	0.9	7.2	394	0.1	1.6	0.2	5	14.89
1630185	Rab Sample	3.80	<0.005	0.6	12.2	8.9	10	<0.1	9.6	3.1	134	0.40	10.5	2.5	7.7	370	<0.1	1.3	0.1	7	13.54
1630186	Rab Sample	3.07	3.626	1.3	332.0	8.4	30	1.7	19.8	13.3	185	1.67	192.8	2378.8	6.3	276	0.2	1.9	100.9	67	8.35
1630187	Rab Sample	3.78	0.012	1.0	23.2	11.4	9	0.1	10.4	3.1	149	0.46	16.5	5.3	7.9	389	<0.1	1.5	1.2	7	14.56
1630188	Rab Sample	4.16	0.006	0.7	17.3	10.6	12	<0.1	11.6	4.0	175	0.57	8.0	4.8	7.7	419	0.1	1.4	0.5	8	15.92
1630189	Rab Sample	3.88	<0.005	0.6	11.8	15.5	11	<0.1	10.6	3.7	187	0.52	12.5	1.8	7.5	459	0.1	1.5	0.2	9	16.76
1630190	Rab Sample	3.48	<0.005	0.8	14.3	37.7	21	0.3	13.5	4.3	146	0.59	12.9	2.6	9.5	411	0.7	2.3	0.3	11	12.30
1630191	Rab Sample	3.54	<0.005	1.0	19.3	10.3	13	0.1	12.9	4.2	103	0.47	14.8	1.1	9.7	327	0.2	1.4	0.3	7	10.55
1630192	Rab Sample	3.50	<0.005	0.7	17.4	9.7	15	0.2	12.9	4.1	103	0.48	10.8	3.4	9.1	346	0.2	1.4	0.3	8	11.78
1630193	Rab Sample	3.93	0.007	0.7	18.3	8.5	14	0.1	11.1	3.8	106	0.39	15.3	3.3	7.5	343	0.2	1.0	0.2	6	14.33



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

2 of 6

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1630164	Rab Sample	0.092	24	7	0.04	50	0.112	<20	3.22	0.486	0.11	1.0	<0.01	0.5	<0.1	0.05	8	<0.5	<0.2
1630165	Rab Sample	0.095	25	17	0.17	100	0.134	<20	3.99	0.496	0.21	1.2	<0.01	1.5	0.2	0.08	12	<0.5	<0.2
1630166	Rab Sample	0.100	25	12	0.10	61	0.122	<20	3.80	0.517	0.13	1.1	<0.01	0.9	<0.1	0.05	11	<0.5	<0.2
1630167	Rab Sample	0.082	20	7	0.05	34	0.092	<20	3.45	0.427	0.08	1.1	<0.01	0.5	<0.1	0.07	9	<0.5	<0.2
1630168	Rab Sample	0.084	24	7	0.04	55	0.093	<20	3.38	0.492	0.11	0.6	<0.01	0.5	<0.1	<0.05	9	<0.5	<0.2
1630169	Rab Sample	0.094	25	9	0.06	53	0.113	<20	3.37	0.572	0.12	0.8	<0.01	0.5	<0.1	<0.05	9	<0.5	<0.2
1630170	Rab Sample	0.088	25	9	0.06	45	0.092	<20	3.28	0.500	0.11	1.1	<0.01	0.6	<0.1	<0.05	8	<0.5	<0.2
1630171	Rab Sample	0.086	24	8	0.07	52	0.095	<20	3.54	0.538	0.12	0.7	<0.01	0.7	<0.1	<0.05	10	<0.5	<0.2
1630172	Rab Sample	0.095	26	11	0.11	46	0.096	<20	3.15	0.486	0.11	0.6	<0.01	0.7	<0.1	<0.05	8	<0.5	<0.2
1630173	Rab Sample	0.091	24	8	0.05	39	0.092	<20	3.35	0.479	0.11	0.8	<0.01	0.5	<0.1	<0.05	9	<0.5	<0.2
1630174	Rab Sample	0.085	23	12	0.24	46	0.096	<20	3.63	0.414	0.20	0.4	<0.01	0.8	0.2	<0.05	9	<0.5	<0.2
1630175	Rab Sample	0.088	23	11	0.19	45	0.102	<20	3.75	0.376	0.17	0.4	<0.01	0.8	0.2	<0.05	9	<0.5	<0.2
1630176	Rab Sample	0.085	22	11	0.19	46	0.099	<20	3.73	0.385	0.18	0.4	<0.01	0.8	0.2	<0.05	9	<0.5	<0.2
1630177	Rab Sample	0.087	22	9	0.15	43	0.097	<20	3.67	0.407	0.11	0.6	<0.01	0.6	<0.1	<0.05	9	<0.5	<0.2
1630178	Rab Sample	0.085	23	11	0.18	51	0.114	<20	3.93	0.422	0.13	0.6	<0.01	0.8	0.1	<0.05	9	<0.5	<0.2
1630179	Rab Sample	0.077	42	22	0.62	339	0.195	<20	1.41	0.087	0.63	0.9	<0.01	4.8	0.7	<0.05	8	<0.5	<0.2
1630180	Rab Sample	0.015	1	3	11.59	15	0.002	<20	0.10	0.003	0.01	0.2	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1630181	Rab Sample	0.076	47	20	0.64	237	0.127	<20	1.61	0.081	0.40	<0.1	<0.01	4.2	0.4	<0.05	9	<0.5	<0.2
1630182	Rab Sample	0.080	46	21	0.71	235	0.138	<20	1.37	0.068	0.40	0.2	<0.01	4.6	0.4	<0.05	9	<0.5	<0.2
1630183	Rab Sample	0.084	37	23	0.71	339	0.226	22	1.76	0.110	0.65	2.4	<0.01	4.9	0.8	0.28	9	2.8	<0.2
1630184	Rab Sample	0.079	21	9	0.13	51	0.098	<20	3.83	0.385	0.09	0.5	<0.01	0.6	<0.1	<0.05	9	<0.5	<0.2
1630185	Rab Sample	0.078	21	11	0.18	61	0.103	<20	4.03	0.452	0.13	0.5	<0.01	0.7	0.1	<0.05	10	<0.5	<0.2
1630186	Rab Sample	0.121	21	20	0.56	232	0.189	<20	4.24	0.470	0.50	1.6	<0.01	3.7	0.6	0.40	12	<0.5	3.3
1630187	Rab Sample	0.079	24	11	0.18	70	0.102	<20	3.83	0.491	0.13	0.7	<0.01	0.8	<0.1	<0.05	9	<0.5	<0.2
1630188	Rab Sample	0.072	21	13	0.25	63	0.102	<20	3.81	0.421	0.17	0.5	<0.01	0.9	0.1	0.07	9	<0.5	<0.2
1630189	Rab Sample	0.068	20	13	0.20	60	0.106	<20	3.45	0.387	0.11	0.5	<0.01	0.9	0.1	0.07	9	<0.5	<0.2
1630190	Rab Sample	0.088	25	16	0.21	80	0.109	<20	3.81	0.498	0.13	0.6	<0.01	1.2	<0.1	<0.05	10	<0.5	<0.2
1630191	Rab Sample	0.088	24	13	0.14	56	0.118	<20	3.56	0.531	0.17	1.0	<0.01	0.7	0.1	0.07	10	<0.5	<0.2
1630192	Rab Sample	0.092	25	14	0.14	56	0.127	<20	3.85	0.464	0.16	0.8	<0.01	0.7	<0.1	0.09	10	<0.5	<0.2
1630193	Rab Sample	0.096	22	11	0.09	43	0.111	<20	3.32	0.414	0.10	0.8	<0.01	0.6	<0.1	0.08	9	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

3 of 6

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630194	Rab Sample	3.84	0.006	0.9	55.5	7.5	14	0.2	9.1	3.0	82	0.25	30.7	2.9	8.5	276	0.3	0.8	0.2	5	12.17
1630195	Rab Sample	4.02	0.005	0.6	17.2	6.4	10	0.1	6.5	2.7	98	0.21	34.9	1.7	7.6	329	0.2	0.7	0.1	5	14.78
1630196	Rab Sample	4.06	0.007	0.9	34.1	9.2	16	0.2	10.1	3.9	125	0.44	48.9	4.2	8.2	338	0.2	1.3	0.3	9	12.91
1630197	Rab Sample	4.20	<0.005	0.8	32.3	7.3	15	0.2	12.0	4.5	103	0.53	13.3	2.3	8.1	384	0.2	1.4	0.1	9	12.52
1630198	Rab Sample	3.68	<0.005	0.6	73.0	5.5	16	0.2	9.6	4.6	110	0.48	36.1	3.0	7.4	433	0.2	0.7	0.2	7	14.68
1630199	Rab Sample	3.63	0.185	0.7	1649.6	6.7	74	5.6	20.1	54.7	252	1.92	2775.2	161.5	8.2	292	1.4	1.9	9.6	10	10.96
1630200	Rock Pulp	0.08	5.097	9.1	203.8	24.3	81	0.9	14.0	11.6	628	4.30	13.5	5623.4	3.3	91	0.2	4.1	0.6	107	1.06
1630201	Rab Sample	3.83	<0.005	0.7	24.3	9.7	17	0.1	8.5	3.8	115	0.48	17.7	2.3	8.8	389	0.2	1.1	0.1	8	12.41
1630202	Rab Sample	3.52	<0.005	0.7	22.5	4.6	17	<0.1	9.7	4.7	153	0.74	10.6	1.9	8.1	332	0.1	0.8	0.1	12	13.18
1630203	Rab Sample	4.06	<0.005	0.7	29.1	4.3	21	<0.1	10.3	4.3	160	0.79	16.5	1.0	7.3	374	<0.1	0.9	0.2	12	14.04
1630204	Rab Sample	3.46	0.092	0.7	47.1	6.6	32	0.3	9.5	6.5	250	1.15	69.9	86.2	9.2	323	0.2	1.1	8.2	12	9.74
1630205	Rab Sample	3.68	0.972	0.8	184.2	5.9	24	0.7	12.6	11.7	304	1.69	149.9	1330.9	9.0	250	0.2	1.2	54.2	9	7.71
1630206	Rab Sample	1.98	0.339	1.1	339.7	9.7	33	1.2	12.2	9.5	275	0.84	189.5	330.6	8.7	310	0.6	1.1	19.9	13	12.10
1630207	Rab Sample	4.19	0.041	1.8	215.2	16.5	29	0.9	10.3	5.5	193	0.70	56.7	35.4	8.7	324	0.4	3.6	2.7	16	10.12
1630208	Rab Sample	3.52	0.009	1.2	10.7	7.5	15	<0.1	3.9	2.6	173	0.55	6.1	6.9	11.6	251	0.1	1.5	0.7	21	3.77
1630209	Rab Sample	3.24	<0.005	1.6	17.3	10.9	23	0.1	8.5	7.2	162	0.92	29.9	2.7	13.4	173	0.3	1.6	0.3	37	2.37
1630210	Rab Sample	3.47	<0.005	1.5	8.6	11.5	28	0.1	8.5	8.5	223	1.20	45.2	2.0	14.7	201	0.3	1.1	0.3	47	2.97
1630211	Rab Sample	3.57	<0.005	1.0	8.2	13.0	22	0.1	5.7	3.0	199	0.59	10.1	6.0	16.2	155	0.2	1.3	0.4	21	2.76
1630212	Rab Sample	3.24	0.006	1.7	14.2	12.0	33	0.2	6.4	3.1	399	1.50	10.4	6.9	15.9	140	0.2	1.4	1.0	46	3.48
1630213	Rab Sample	3.68	<0.005	2.1	15.2	15.3	43	0.2	7.6	5.4	468	2.19	9.7	3.1	17.7	81	0.2	1.1	0.8	52	2.15
1630214	Rab Sample	3.15	<0.005	2.4	14.1	17.3	41	0.1	7.3	6.9	520	2.44	8.1	2.3	19.7	104	0.2	1.2	0.9	51	1.79
1630215	Rab Sample	3.57	<0.005	2.4	14.1	16.3	41	0.1	7.9	7.2	488	2.47	16.3	2.1	19.1	100	0.2	1.2	0.7	50	2.00
1630216	Rab Sample	3.46	<0.005	2.6	19.2	15.5	43	0.1	7.3	6.9	533	2.61	10.3	2.9	20.5	84	0.2	0.9	0.7	54	1.76
1630217	Rab Sample	3.48	<0.005	3.0	53.9	16.2	40	0.3	7.5	7.0	397	2.80	16.2	1.3	18.0	66	0.2	1.2	1.2	40	1.43
1630218	Rab Sample	3.53	<0.005	2.7	28.2	13.4	39	0.2	7.1	5.8	458	2.52	60.4	7.7	19.3	70	0.2	1.6	0.7	48	1.66
1630219	Rab Sample	3.65	<0.005	2.4	16.0	18.0	43	0.1	8.0	7.2	477	2.46	3.9	1.3	19.2	99	0.2	0.8	0.3	49	2.15
1630220	Rab Sample	0.82	0.007	0.4	2.2	4.1	21	0.1	1.9	0.7	101	0.16	3.6	2.7	0.3	268	0.3	1.3	<0.1	16	20.09
1630221	Rab Sample	3.92	<0.005	2.7	17.1	14.7	40	0.1	7.3	7.0	485	2.55	5.4	1.3	19.8	84	0.1	0.8	0.3	53	1.61
1630222	Rab Sample	3.09	<0.005	2.5	19.1	16.3	41	0.1	8.0	7.4	486	2.63	4.1	1.0	17.9	90	0.2	0.7	0.2	54	1.92
1630223	Rab Sample	3.35	<0.005	2.5	16.9	15.8	41	0.1	6.9	6.3	443	2.53	2.5	1.3	18.0	86	0.2	0.8	0.2	52	1.63



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

3 of 6

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630194	Rab Sample	0.083	22	10	0.05	47	0.105	<20	3.73	0.463	0.09	0.8	<0.01	0.6	<0.1	<0.05	10	<0.5	<0.2			
1630195	Rab Sample	0.091	21	9	0.05	45	0.103	<20	3.39	0.406	0.08	0.6	<0.01	0.7	<0.1	<0.05	9	<0.5	<0.2			
1630196	Rab Sample	0.092	24	14	0.18	54	0.109	<20	3.62	0.388	0.08	0.6	<0.01	0.9	<0.1	<0.05	10	<0.5	<0.2			
1630197	Rab Sample	0.078	22	13	0.10	53	0.101	<20	3.73	0.401	0.08	0.7	<0.01	1.9	<0.1	0.08	10	<0.5	<0.2			
1630198	Rab Sample	0.084	18	10	0.11	49	0.084	<20	3.26	0.349	0.07	0.5	<0.01	1.6	<0.1	0.11	8	<0.5	<0.2			
1630199	Rab Sample	0.089	21	15	0.28	45	0.054	<20	3.95	0.544	0.11	0.7	0.03	1.8	0.1	0.80	10	4.5	0.2			
1630200	Rock Pulp	0.059	9	17	0.89	142	0.156	<20	1.88	0.210	0.24	5.0	0.17	4.0	<0.1	<0.05	6	<0.5	<0.2			
1630201	Rab Sample	0.100	23	12	0.25	60	0.098	<20	4.07	0.421	0.08	0.6	<0.01	1.7	<0.1	0.06	10	<0.5	<0.2			
1630202	Rab Sample	0.100	21	16	0.37	54	0.065	<20	3.89	0.364	0.08	0.3	<0.01	2.3	<0.1	0.06	10	<0.5	<0.2			
1630203	Rab Sample	0.091	19	16	0.38	57	0.075	<20	3.29	0.351	0.10	0.4	<0.01	2.3	<0.1	<0.05	8	<0.5	<0.2			
1630204	Rab Sample	0.110	25	16	0.43	55	0.084	<20	4.10	0.505	0.08	0.6	<0.01	2.4	<0.1	<0.05	12	<0.5	<0.2			
1630205	Rab Sample	0.082	25	11	0.29	25	0.078	<20	4.25	0.452	0.05	0.8	<0.01	1.6	<0.1	0.45	14	3.9	0.7			
1630206	Rab Sample	0.092	24	13	0.29	52	0.097	<20	4.23	0.485	0.08	0.7	<0.01	1.7	<0.1	0.25	13	1.7	0.3			
1630207	Rab Sample	0.084	21	20	0.28	62	0.111	<20	3.51	0.432	0.07	0.8	<0.01	1.9	<0.1	0.12	10	<0.5	<0.2			
1630208	Rab Sample	0.106	24	37	0.41	81	0.144	<20	2.07	0.382	0.07	1.4	<0.01	1.9	<0.1	<0.05	7	<0.5	<0.2			
1630209	Rab Sample	0.097	27	55	0.68	179	0.161	<20	1.62	0.194	0.34	1.3	<0.01	3.7	0.2	<0.05	5	<0.5	<0.2			
1630210	Rab Sample	0.089	32	66	0.66	182	0.169	<20	1.85	0.163	0.37	0.7	<0.01	6.5	0.2	<0.05	7	<0.5	<0.2			
1630211	Rab Sample	0.080	32	35	0.29	94	0.103	<20	1.16	0.124	0.17	0.5	<0.01	2.9	0.2	<0.05	4	<0.5	<0.2			
1630212	Rab Sample	0.078	29	55	0.79	82	0.091	<20	1.87	0.094	0.28	<0.1	<0.01	7.0	0.4	<0.05	7	<0.5	<0.2			
1630213	Rab Sample	0.076	35	37	0.82	239	0.158	<20	1.45	0.094	0.55	0.6	<0.01	6.4	0.6	<0.05	8	<0.5	<0.2			
1630214	Rab Sample	0.075	40	22	0.69	399	0.215	<20	1.51	0.101	0.71	1.7	<0.01	5.6	0.6	<0.05	8	<0.5	<0.2			
1630215	Rab Sample	0.078	43	22	0.63	380	0.195	<20	1.44	0.081	0.68	1.7	<0.01	5.5	0.6	<0.05	8	<0.5	<0.2			
1630216	Rab Sample	0.077	47	23	0.72	421	0.253	<20	1.45	0.118	0.81	3.4	<0.01	6.3	0.7	0.14	8	<0.5	<0.2			
1630217	Rab Sample	0.079	53	20	0.64	195	0.095	<20	1.33	0.063	0.40	0.4	<0.01	4.3	0.4	0.09	8	<0.5	<0.2			
1630218	Rab Sample	0.084	51	22	0.68	307	0.173	<20	1.33	0.079	0.57	1.0	<0.01	5.5	0.5	0.15	7	<0.5	<0.2			
1630219	Rab Sample	0.080	53	22	0.63	362	0.193	<20	1.57	0.079	0.62	0.8	<0.01	5.6	0.5	<0.05	9	<0.5	<0.2			
1630220	Rab Sample	0.018	2	3	11.18	16	0.003	<20	0.10	0.002	0.02	0.2	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2			
1630221	Rab Sample	0.074	52	23	0.70	402	0.224	<20	1.43	0.094	0.75	2.2	<0.01	5.7	0.6	0.06	8	<0.5	<0.2			
1630222	Rab Sample	0.075	49	24	0.71	367	0.221	<20	1.61	0.079	0.69	1.7	<0.01	5.5	0.6	0.10	9	<0.5	<0.2			
1630223	Rab Sample	0.067	46	22	0.69	370	0.232	<20	1.42	0.118	0.76	3.7	<0.01	5.7	0.6	0.10	7	<0.5	<0.2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

4 of 6

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630224	Rab Sample	3.59	<0.005	2.6	29.4	15.1	41	0.2	7.8	7.4	408	2.61	18.4	1.6	18.7	74	0.2	1.3	0.5	51	1.53
1630225	Rab Sample	4.08	<0.005	2.9	27.6	14.3	41	0.1	9.6	7.4	495	2.62	9.7	2.1	20.1	87	0.2	1.3	0.6	50	1.64
1630226	Rab Sample	3.25	<0.005	2.9	17.9	13.9	42	0.1	7.9	7.2	501	2.55	7.9	1.8	19.3	83	0.1	0.9	1.0	53	1.67
1630227	Rab Sample	3.49	<0.005	3.2	29.2	13.8	40	0.2	8.0	7.4	434	2.75	22.2	2.0	19.4	86	0.2	1.0	1.6	52	1.46
1630228	Rab Sample	3.48	<0.005	2.6	26.3	12.6	36	0.1	7.6	5.9	444	2.31	30.0	1.0	17.3	100	0.1	1.5	0.7	44	1.82
1630229	Rab Sample	3.34	<0.005	1.5	3.9	10.5	24	<0.1	7.3	2.7	265	1.17	8.0	0.7	15.2	84	0.2	1.4	0.1	48	2.60
1630230	Rab Sample	3.32	<0.005	1.5	3.4	11.3	23	<0.1	8.4	2.8	215	1.00	5.2	3.6	15.9	89	0.2	1.0	0.1	44	2.46
1630231	Rab Sample	3.17	0.028	1.6	40.9	16.0	44	0.2	22.1	9.3	316	1.78	33.7	32.1	10.0	165	0.4	1.3	2.3	36	4.28
1630232	Rab Sample	2.36	0.012	0.4	36.4	17.2	28	0.2	19.1	7.7	189	1.58	34.3	8.8	9.8	245	0.3	1.3	1.0	40	6.88
1630233	Rab Sample	2.16	0.016	0.5	47.5	11.2	39	0.1	26.7	10.4	197	2.48	47.5	7.5	10.1	170	0.3	1.5	0.9	73	3.17
1630234	Rab Sample	1.62	0.010	0.7	46.0	13.9	41	0.2	23.1	9.9	187	1.89	38.4	4.0	9.1	213	0.4	1.9	0.6	41	4.74
1630235	Rab Sample	1.58	0.010	1.4	58.2	15.8	62	0.2	25.0	9.5	207	1.99	52.9	2.6	7.6	184	0.7	2.8	0.7	35	3.35
1630236	Rab Sample	1.69	0.011	1.9	71.2	6.4	52	0.2	31.7	9.5	147	2.31	46.6	4.9	9.6	136	0.3	2.3	0.4	183	1.37
1630237	Rab Sample	1.79	0.018	2.1	88.1	5.2	45	0.2	40.6	12.1	154	2.69	59.5	10.6	12.0	185	0.1	2.3	1.4	235	1.92
1630238	Rab Sample	2.02	0.014	6.7	93.5	5.8	43	0.3	32.5	8.8	139	2.95	94.2	7.9	10.9	161	0.2	2.1	1.4	220	1.69
1630239	Rab Sample	2.54	0.019	4.7	86.1	6.0	41	0.4	36.6	10.8	110	2.22	48.7	10.2	9.9	190	0.3	2.8	1.6	108	1.79
1630240	Rock Pulp	0.08	4.940	9.1	200.8	24.6	80	0.9	15.1	10.9	601	4.35	12.5	5151.7	3.1	84	0.2	4.3	0.5	107	1.04
1630241	Rab Sample	2.34	0.015	4.6	82.3	4.9	56	0.2	36.5	9.3	103	2.20	70.2	11.3	10.3	187	0.2	3.4	0.5	263	2.13
1630242	Rab Sample	2.43	0.011	2.1	74.4	5.2	58	0.2	31.9	9.4	129	2.41	35.5	6.1	10.6	196	0.2	2.4	0.3	187	2.01
1630243	Rab Sample	2.46	0.015	3.1	80.6	4.4	98	0.2	36.0	9.9	111	2.03	40.0	9.8	9.8	215	1.1	2.7	0.3	267	2.06
1630244	Rab Sample	2.25	0.007	1.5	43.2	4.0	47	0.1	31.7	8.8	140	3.02	39.9	3.4	11.7	144	0.2	1.6	0.2	152	1.03
1630245	Rab Sample	2.42	0.008	4.5	68.0	3.9	48	0.2	40.7	10.3	141	3.20	33.2	3.9	12.6	119	0.1	2.4	0.8	206	1.13
1630246	Rab Sample	2.59	0.006	2.0	30.0	20.7	40	0.2	11.8	7.2	267	2.26	23.5	4.2	20.6	72	0.3	2.9	0.7	55	0.77
1630247	Rab Sample	2.59	0.021	2.7	92.0	6.4	37	0.3	32.0	9.4	169	2.37	90.0	17.6	10.5	241	0.2	2.5	1.5	195	2.00
1630248	Rab Sample	3.29	0.015	5.5	90.5	5.0	43	0.3	38.5	10.9	139	2.72	53.2	10.8	10.1	234	0.2	1.8	0.6	265	1.98
1630249	Rab Sample	2.99	0.006	6.1	75.4	6.2	33	0.3	38.3	10.6	97	2.23	40.2	4.0	9.4	236	0.3	3.2	0.4	156	1.95
1630250	Rab Sample	3.54	0.026	4.5	82.9	4.6	51	0.2	39.5	11.5	161	3.02	40.9	11.8	10.4	222	0.1	1.7	0.5	302	2.07
1630251	Rab Sample	3.37	0.010	4.0	70.2	3.9	59	0.1	35.4	11.6	156	3.43	60.0	5.5	11.6	117	0.1	1.4	0.7	179	0.89
1630252	Rab Sample	3.69	0.010	4.1	72.4	4.0	57	0.1	42.2	14.0	153	3.38	36.4	8.0	10.4	96	0.1	1.6	0.5	237	0.82
1630253	Rab Sample	2.89	0.008	1.5	65.7	3.8	55	0.1	34.0	12.8	167	3.19	41.6	2.3	11.9	29	0.2	1.4	0.4	162	0.51



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

4 of 6

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630224	Rab Sample	0.081	52	24	0.67	384	0.210	<20	1.38	0.089	0.67	1.5	<0.01	6.0	0.6	0.14	8	<0.5	<0.2			
1630225	Rab Sample	0.084	54	26	0.67	332	0.195	<20	1.45	0.100	0.64	1.4	<0.01	5.7	0.6	0.06	8	<0.5	<0.2			
1630226	Rab Sample	0.079	48	24	0.69	400	0.232	<20	1.38	0.101	0.80	2.9	<0.01	5.8	0.8	0.07	8	<0.5	<0.2			
1630227	Rab Sample	0.079	46	23	0.72	350	0.206	<20	1.51	0.107	0.69	0.9	<0.01	5.1	0.6	<0.05	8	<0.5	<0.2			
1630228	Rab Sample	0.078	39	31	0.71	223	0.137	<20	1.41	0.086	0.52	0.5	<0.01	5.2	0.5	<0.05	6	<0.5	<0.2			
1630229	Rab Sample	0.071	33	55	0.94	78	0.105	<20	1.55	0.104	0.36	0.9	<0.01	7.1	0.3	<0.05	6	<0.5	<0.2			
1630230	Rab Sample	0.083	33	57	0.88	72	0.115	<20	1.41	0.108	0.33	1.2	<0.01	7.2	0.3	<0.05	6	<0.5	<0.2			
1630231	Rab Sample	0.085	25	29	0.49	359	0.114	<20	2.53	0.227	0.24	1.2	0.02	4.0	0.2	<0.05	7	<0.5	<0.2			
1630232	Rab Sample	0.091	21	37	0.69	257	0.140	<20	3.97	0.354	0.42	0.4	<0.01	4.4	0.3	<0.05	11	<0.5	<0.2			
1630233	Rab Sample	0.078	25	57	1.28	375	0.193	<20	4.88	0.340	0.82	0.4	<0.01	7.0	0.5	<0.05	13	<0.5	<0.2			
1630234	Rab Sample	0.079	20	37	0.94	265	0.153	<20	4.03	0.344	0.53	0.4	<0.01	4.2	0.4	<0.05	12	<0.5	<0.2			
1630235	Rab Sample	0.080	18	28	0.73	203	0.109	<20	3.30	0.249	0.30	0.8	<0.01	3.4	0.3	<0.05	10	<0.5	<0.2			
1630236	Rab Sample	0.136	18	64	1.68	381	0.165	<20	3.88	0.158	0.95	0.7	<0.01	7.3	0.7	<0.05	12	<0.5	<0.2			
1630237	Rab Sample	0.164	19	70	1.96	358	0.210	<20	4.62	0.329	1.05	0.3	<0.01	7.4	0.9	<0.05	14	1.4	<0.2			
1630238	Rab Sample	0.209	18	78	1.96	477	0.214	<20	3.95	0.229	1.19	0.5	<0.01	7.7	1.0	0.17	13	2.5	<0.2			
1630239	Rab Sample	0.148	17	54	1.52	239	0.178	<20	3.89	0.371	0.87	0.6	<0.01	5.8	0.7	0.11	11	2.1	<0.2			
1630240	Rock Pulp	0.063	8	19	0.90	134	0.157	<20	1.89	0.206	0.24	5.8	0.16	3.5	<0.1	<0.05	6	<0.5	<0.2			
1630241	Rab Sample	0.208	20	66	1.54	346	0.189	<20	4.04	0.300	1.03	0.6	<0.01	6.3	0.7	0.19	12	2.7	<0.2			
1630242	Rab Sample	0.179	21	69	1.91	368	0.216	<20	4.56	0.322	1.18	0.4	<0.01	7.0	0.8	0.09	13	1.6	<0.2			
1630243	Rab Sample	0.142	21	66	1.55	349	0.183	<20	4.42	0.218	1.02	0.4	<0.01	6.4	0.7	0.17	12	1.8	<0.2			
1630244	Rab Sample	0.114	19	63	2.76	682	0.161	<20	4.79	0.172	1.55	0.2	<0.01	7.5	1.0	<0.05	14	<0.5	<0.2			
1630245	Rab Sample	0.126	22	69	2.12	451	0.157	<20	4.54	0.141	1.37	0.2	<0.01	9.3	1.1	<0.05	14	0.8	<0.2			
1630246	Rab Sample	0.093	52	21	0.74	271	0.200	<20	1.62	0.107	0.56	1.5	<0.01	5.0	0.6	<0.05	9	<0.5	<0.2			
1630247	Rab Sample	0.181	19	51	1.57	263	0.158	<20	3.90	0.198	0.83	0.6	<0.01	4.8	0.8	<0.05	12	0.8	<0.2			
1630248	Rab Sample	0.151	14	73	2.02	354	0.219	<20	4.60	0.279	1.23	0.9	<0.01	7.1	0.9	0.38	14	2.4	<0.2			
1630249	Rab Sample	0.251	18	55	1.13	190	0.160	<20	3.25	0.263	0.76	1.5	<0.01	4.7	0.6	0.55	11	2.7	<0.2			
1630250	Rab Sample	0.253	16	77	2.14	425	0.208	<20	4.98	0.334	1.45	0.8	<0.01	8.2	1.0	0.23	15	2.5	<0.2			
1630251	Rab Sample	0.112	24	64	2.17	462	0.172	<20	3.96	0.111	1.36	0.4	<0.01	9.1	1.0	0.14	13	2.2	<0.2			
1630252	Rab Sample	0.100	20	64	2.09	412	0.158	<20	4.01	0.144	1.30	0.5	<0.01	7.5	1.0	0.16	13	2.2	<0.2			
1630253	Rab Sample	0.105	29	67	1.93	381	0.143	<20	3.45	0.071	1.33	0.2	<0.01	7.9	1.0	<0.05	11	0.7	<0.2			





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

5 of 6

Part: 1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630254	Rab Sample	2.37	0.015	1.9	79.4	4.5	71	0.1	39.8	13.9	198	3.47	71.1	8.9	13.2	42	0.3	3.7	0.7	195	0.55
1630255	Rab Sample	2.62	<0.005	1.2	71.2	4.4	63	0.2	36.5	11.1	216	3.18	79.5	<0.5	13.5	27	0.4	2.8	0.4	101	0.40
1630256	Rab Sample	2.88	0.016	2.5	65.6	8.6	74	0.2	34.2	13.0	362	2.65	92.7	6.9	10.7	30	0.5	3.4	0.8	70	4.23
1630257	Rab Sample	3.32	<0.005	2.2	31.1	24.6	45	0.2	13.9	6.5	341	1.85	26.5	1.2	12.5	121	0.3	3.1	0.4	35	4.86
1630258	Rab Sample	2.23	<0.005	2.0	23.3	22.0	41	0.2	9.8	5.4	328	1.75	32.2	<0.5	14.8	64	0.2	5.6	0.6	28	3.71
1630259	Rab Sample	3.69	0.011	5.0	165.5	15.6	50	0.9	26.9	12.1	348	2.33	48.9	6.7	8.2	168	0.4	6.3	1.1	37	5.20
1630260	Rab Sample	1.23	<0.005	0.4	2.9	4.6	19	0.1	2.6	0.5	107	0.16	3.4	<0.5	0.3	291	0.4	1.4	<0.1	16	20.21
1630261	Rab Sample	3.15	0.006	3.6	40.7	11.3	42	0.3	14.9	10.0	448	2.61	94.4	5.7	15.2	106	0.1	3.6	0.4	77	3.28
1630262	Rab Sample	3.35	<0.005	5.2	6.9	9.2	16	0.1	8.2	2.6	200	0.72	13.1	0.8	14.0	66	0.2	1.7	0.2	30	2.77
1630263	Rab Sample	3.57	<0.005	3.8	9.5	7.4	21	<0.1	6.1	2.4	279	1.15	14.7	<0.5	14.0	76	0.2	1.8	0.3	43	3.52
1630264	Rab Sample	3.54	<0.005	3.6	5.5	9.4	18	<0.1	6.3	2.3	234	0.92	12.1	0.6	14.9	71	0.1	2.3	0.3	40	3.12
1630265	Rab Sample	3.72	<0.005	6.8	10.0	10.0	36	0.1	5.6	2.2	316	0.91	42.0	<0.5	14.2	82	1.2	3.3	0.8	36	3.72
1630266	Rab Sample	3.80	<0.005	5.2	5.2	12.3	21	0.1	4.9	2.3	216	0.81	21.0	<0.5	14.3	77	0.2	2.6	0.2	38	3.30
1630267	Rab Sample	3.60	<0.005	5.4	4.4	11.6	22	<0.1	5.9	1.8	246	0.99	12.9	1.3	14.0	67	0.1	2.0	0.2	40	3.75
1630268	Rab Sample	3.62	<0.005	4.7	25.2	7.0	25	0.1	7.0	3.3	302	1.50	6.0	1.0	14.3	67	0.1	1.8	0.4	54	3.41
1630269	Rab Sample	3.67	<0.005	2.1	7.7	6.5	22	<0.1	6.6	2.3	266	0.93	25.8	2.5	14.8	78	0.2	1.8	0.4	40	3.23
1630270	Rab Sample	3.33	<0.005	2.1	5.3	5.8	19	<0.1	7.5	2.3	216	0.97	18.4	3.5	15.4	66	0.1	1.5	0.2	42	2.60
1630271	Rab Sample	3.29	<0.005	1.9	6.2	6.5	19	<0.1	7.2	2.1	210	0.97	17.1	1.4	15.1	64	0.2	4.0	0.2	44	2.88
1630272	Rab Sample	3.39	<0.005	2.9	7.0	6.4	23	<0.1	7.2	2.8	307	0.98	39.8	5.9	13.9	75	0.2	2.7	0.4	40	3.92
1630273	Rab Sample	3.58	<0.005	3.3	43.3	3.2	31	0.3	28.2	13.6	207	2.13	162.3	2.5	12.1	86	<0.1	1.5	0.3	158	2.07
1630274	Rab Sample	3.31	<0.005	4.3	125.8	4.6	31	0.6	36.4	11.5	168	2.69	105.8	2.7	10.5	26	0.1	3.9	0.4	191	1.01
1630275	Rab Sample	3.63	0.005	4.6	103.7	3.9	29	0.6	39.4	10.7	181	2.50	229.0	2.7	10.7	48	0.1	2.5	0.3	186	1.52
1630276	Rab Sample	3.21	0.009	4.1	103.5	3.7	34	0.6	32.3	10.5	183	2.63	91.8	6.0	11.1	62	<0.1	4.0	0.3	164	1.49
1630277	Rab Sample	3.26	0.006	3.9	111.0	6.2	46	0.7	40.6	12.8	179	2.70	90.3	5.7	10.9	77	<0.1	14.1	0.3	166	2.17
1630278	Rab Sample	3.25	0.008	3.4	150.8	6.7	51	0.7	47.5	13.4	184	2.80	76.5	3.6	9.1	88	0.3	19.1	0.3	180	2.32
1630279	Rab Sample	3.77	<0.005	4.0	99.2	8.0	41	0.5	37.5	13.1	213	2.59	87.1	3.3	11.4	134	0.3	17.1	0.5	106	2.85
1630280	Rock Pulp	0.09	5.251	8.2	189.1	21.6	72	0.8	14.0	10.9	624	4.30	11.7	4767.3	2.8	75	0.2	4.0	0.5	109	0.99
1630281	Rab Sample	3.24	<0.005	2.0	16.1	3.4	32	<0.1	23.5	8.0	241	2.36	52.2	0.8	13.6	177	<0.1	15.6	0.2	66	2.63
1630282	Rab Sample	3.32	<0.005	3.3	47.8	13.0	41	0.4	29.9	15.1	303	2.67	121.7	1.0	13.1	150	0.5	16.6	0.8	58	2.55
1630283	Rab Sample	2.98	<0.005	3.6	74.6	11.2	62	0.6	30.9	10.3	394	2.52	53.0	1.0	10.7	280	1.0	16.9	0.8	40	4.36





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

5 of 6

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630254	Rab Sample	0.092	28	66	2.23	546	0.183	<20	4.22	0.085	1.65	0.2	<0.01	9.6	1.4	<0.05	13	<0.5	<0.2			
1630255	Rab Sample	0.065	34	59	1.72	551	0.137	<20	3.34	0.053	1.46	0.4	<0.01	8.1	1.5	<0.05	11	0.7	<0.2			
1630256	Rab Sample	0.181	29	21	0.27	98	0.002	<20	1.37	0.005	0.38	0.3	0.03	4.6	0.5	<0.05	4	<0.5	<0.2			
1630257	Rab Sample	0.096	27	13	0.45	255	0.001	<20	1.03	0.012	0.32	<0.1	0.01	4.1	0.4	0.07	3	<0.5	<0.2			
1630258	Rab Sample	0.089	37	12	0.38	124	0.014	<20	1.14	0.042	0.33	0.5	0.01	3.1	0.3	<0.05	4	<0.5	<0.2			
1630259	Rab Sample	0.087	14	30	1.41	593	0.119	<20	2.38	0.287	0.23	0.9	0.04	2.6	0.5	0.72	9	1.6	<0.2			
1630260	Rab Sample	0.016	2	3	11.19	21	0.003	<20	0.11	0.003	0.03	0.2	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
1630261	Rab Sample	0.137	24	77	1.60	241	0.182	<20	2.11	0.153	0.50	1.9	0.02	8.4	0.9	0.59	8	1.0	<0.2			
1630262	Rab Sample	0.070	8	37	0.59	103	0.098	<20	0.88	0.079	0.15	0.9	<0.01	3.5	0.1	<0.05	3	<0.5	<0.2			
1630263	Rab Sample	0.074	12	51	0.96	79	0.054	<20	1.09	0.047	0.17	0.5	<0.01	5.4	0.2	<0.05	5	<0.5	<0.2			
1630264	Rab Sample	0.072	9	44	0.81	65	0.056	<20	0.96	0.056	0.13	0.6	<0.01	5.1	<0.1	<0.05	4	<0.5	<0.2			
1630265	Rab Sample	0.066	9	44	0.72	68	0.042	<20	0.94	0.052	0.18	0.9	<0.01	5.6	0.2	0.08	3	<0.5	<0.2			
1630266	Rab Sample	0.068	8	43	0.73	72	0.061	<20	0.97	0.070	0.14	0.6	<0.01	5.2	0.1	<0.05	4	<0.5	<0.2			
1630267	Rab Sample	0.075	9	50	0.91	97	0.040	<20	1.05	0.062	0.16	0.3	<0.01	4.7	0.2	<0.05	4	<0.5	<0.2			
1630268	Rab Sample	0.088	13	55	1.13	210	0.095	20	1.26	0.062	0.40	0.7	<0.01	5.4	0.6	0.18	5	0.9	<0.2			
1630269	Rab Sample	0.075	15	48	0.87	106	0.071	<20	1.11	0.081	0.30	0.9	<0.01	4.7	0.5	<0.05	4	<0.5	<0.2			
1630270	Rab Sample	0.074	28	51	0.94	98	0.088	<20	1.18	0.094	0.40	1.2	<0.01	4.6	0.7	<0.05	5	<0.5	<0.2			
1630271	Rab Sample	0.075	17	48	1.04	116	0.067	<20	1.31	0.083	0.30	0.5	<0.01	5.6	0.5	<0.05	5	<0.5	<0.2			
1630272	Rab Sample	0.076	8	51	1.04	69	0.021	<20	1.10	0.038	0.21	0.4	<0.01	5.0	0.3	0.07	5	<0.5	<0.2			
1630273	Rab Sample	0.121	24	75	2.19	461	0.194	<20	3.19	0.251	1.43	0.4	<0.01	9.1	1.6	0.06	11	0.7	<0.2			
1630274	Rab Sample	0.127	28	63	1.83	260	0.109	<20	2.43	0.030	1.13	0.3	<0.01	6.1	1.4	0.34	9	1.0	<0.2			
1630275	Rab Sample	0.147	35	66	1.84	345	0.115	<20	2.20	0.023	1.18	0.3	<0.01	6.1	1.4	0.20	9	0.9	<0.2			
1630276	Rab Sample	0.126	32	59	1.99	368	0.138	<20	2.43	0.034	1.43	0.3	<0.01	7.7	1.6	0.21	9	1.2	<0.2			
1630277	Rab Sample	0.159	27	54	1.56	336	0.073	<20	2.06	0.011	1.04	0.4	0.02	7.1	1.2	0.37	8	2.3	<0.2			
1630278	Rab Sample	0.151	22	61	1.68	278	0.080	<20	1.86	0.010	1.05	0.4	0.01	7.2	1.2	0.41	7	2.9	<0.2			
1630279	Rab Sample	0.136	24	34	1.48	217	0.033	<20	1.43	0.012	0.76	0.6	0.03	6.6	1.2	0.49	5	1.7	<0.2			
1630280	Rock Pulp	0.060	7	19	0.90	139	0.152	<20	1.87	0.200	0.24	5.1	0.15	3.3	<0.1	<0.05	5	<0.5	<0.2			
1630281	Rab Sample	0.111	28	34	1.56	189	0.058	<20	1.49	0.021	0.76	0.4	<0.01	7.2	1.2	0.10	5	<0.5	<0.2			
1630282	Rab Sample	0.092	23	33	1.51	151	0.064	<20	1.34	0.011	0.75	0.6	0.01	7.3	1.3	0.45	5	<0.5	<0.2			
1630283	Rab Sample	0.179	20	15	1.58	103	0.002	<20	0.69	0.004	0.32	0.5	0.04	6.2	0.7	0.50	2	<0.5	<0.2			



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

6 of 6

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630284	Rab Sample	3.21	<0.005	1.9	37.3	23.1	42	0.8	13.0	5.7	288	2.00	24.2	1.3	9.0	300	0.2	6.7	0.2	28	4.76
1630285	Rab Sample	3.12	<0.005	1.5	15.7	13.4	47	<0.1	4.0	4.9	260	2.00	8.0	0.9	14.0	130	<0.1	4.9	0.1	16	2.68
1630286	Rab Sample	3.36	<0.005	1.4	13.0	13.0	44	<0.1	3.6	4.5	291	1.90	11.1	<0.5	14.5	168	<0.1	2.3	0.2	13	3.52
1630287	Rab Sample	3.25	<0.005	1.8	13.7	11.8	56	<0.1	6.9	6.7	333	2.37	5.4	0.6	16.1	96	0.1	13.1	0.2	49	2.88
1630288	Rab Sample	3.51	<0.005	2.5	32.8	8.6	53	0.2	22.5	9.3	412	2.89	46.8	1.1	11.3	121	0.2	9.6	0.7	166	3.04
1630289	Rab Sample	3.12	0.492	3.0	35.2	11.3	41	0.4	19.9	12.0	473	2.04	378.4	462.1	9.4	129	0.4	9.9	15.4	70	5.29
1630290	Rab Sample	3.62	0.006	4.4	87.9	6.4	35	0.3	29.1	7.8	285	2.81	38.6	4.2	11.4	118	0.2	9.1	1.7	122	2.99
1630291	Rab Sample	3.64	<0.005	3.8	76.0	6.5	27	0.3	33.6	9.3	192	2.26	22.4	5.7	10.8	142	<0.1	4.6	1.5	219	2.66
1630292	Rab Sample	3.68	<0.005	4.0	70.5	9.4	37	0.3	31.4	8.7	249	2.46	19.5	2.8	10.6	108	0.2	15.4	1.5	127	3.33
1630293	Rab Sample	3.62	0.005	3.1	60.6	6.3	34	0.3	26.2	7.5	210	2.48	72.9	3.8	10.5	100	0.1	8.3	1.6	136	2.25
1630294	Rab Sample	3.73	0.015	10.6	127.7	9.6	28	0.4	40.4	10.1	188	2.64	28.4	6.4	8.9	240	<0.1	18.8	2.9	115	6.83
1630295	Rab Sample	4.06	0.012	4.7	140.3	148.2	42	1.2	22.1	9.9	202	2.08	16.3	8.7	5.9	247	0.7	44.1	7.9	14	8.96
1630296	Rab Sample	3.36	0.115	3.2	211.0	653.7	47	2.5	23.5	9.4	368	3.16	57.1	94.2	6.6	166	0.5	455.3	6.8	42	8.53
1630297	Rab Sample	3.24	0.018	1.7	1039.8	364.1	190	12.5	20.8	11.1	490	6.45	5688.9	19.2	7.4	187	2.5	224.4	56.6	24	7.36
1630298	Rab Sample	3.90	<0.005	1.6	30.3	37.3	64	0.4	4.7	5.4	354	1.86	104.2	<0.5	13.9	215	0.3	7.2	1.2	8	3.64
1630299	Rab Sample	3.42	<0.005	1.7	15.8	23.4	76	0.1	4.4	5.7	329	1.88	22.8	1.0	15.2	182	0.4	6.7	0.4	14	2.76



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

6 of 6

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000152.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630284	Rab Sample	0.127	16	12	1.69	171	<0.001	<20	0.75	0.002	0.29	0.2	0.01	5.2	0.3	0.07	2	<0.5	<0.2			
1630285	Rab Sample	0.082	29	13	0.82	176	0.003	<20	0.62	0.006	0.22	0.2	0.02	4.8	0.2	0.14	2	<0.5	<0.2			
1630286	Rab Sample	0.077	30	12	1.00	231	<0.001	<20	0.69	0.006	0.28	0.2	0.01	4.7	0.3	0.14	2	<0.5	<0.2			
1630287	Rab Sample	0.102	39	69	0.95	456	0.106	<20	1.51	0.041	0.67	0.6	<0.01	6.4	0.8	0.15	6	<0.5	<0.2			
1630288	Rab Sample	0.201	23	105	2.23	820	0.223	<20	3.00	0.136	1.51	1.1	<0.01	7.8	2.6	0.19	10	<0.5	<0.2			
1630289	Rab Sample	0.162	24	32	1.99	372	0.073	22	1.97	0.182	0.55	1.7	<0.01	2.8	1.5	0.23	7	<0.5	0.3			
1630290	Rab Sample	0.203	24	54	2.54	463	0.172	<20	3.24	0.172	1.29	0.9	<0.01	6.2	2.3	0.59	11	1.1	<0.2			
1630291	Rab Sample	0.249	22	58	2.08	480	0.151	<20	3.19	0.281	0.93	1.1	<0.01	4.6	1.7	0.50	11	1.3	<0.2			
1630292	Rab Sample	0.213	17	53	2.34	438	0.164	<20	3.20	0.175	1.13	0.6	<0.01	5.9	2.0	0.47	12	1.2	<0.2			
1630293	Rab Sample	0.185	20	57	2.51	506	0.164	<20	3.36	0.206	1.39	4.7	<0.01	6.1	2.0	0.36	12	1.0	<0.2			
1630294	Rab Sample	0.215	15	43	1.52	431	0.116	<20	2.88	0.264	0.70	1.3	<0.01	4.2	1.9	1.10	11	2.9	<0.2			
1630295	Rab Sample	0.069	16	15	0.69	379	0.080	41	1.85	0.243	0.21	1.3	<0.01	1.3	0.9	1.10	7	0.8	<0.2			
1630296	Rab Sample	0.079	16	31	1.63	367	0.094	<20	1.95	0.144	0.30	0.7	<0.01	3.8	1.0	1.36	8	<0.5	<0.2			
1630297	Rab Sample	0.065	17	21	1.35	175	0.009	<20	1.06	0.031	0.28	1.4	0.12	4.6	1.4	2.92	4	2.0	<0.2			
1630298	Rab Sample	0.087	29	10	1.15	79	<0.001	<20	0.59	0.004	0.24	0.3	0.02	5.5	0.3	0.15	2	<0.5	<0.2			
1630299	Rab Sample	0.083	35	14	0.80	451	0.002	<20	0.80	0.005	0.28	0.1	0.02	5.7	0.4	0.12	3	<0.5	<0.2			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

1 of 3

Part:

1 of 2

## QUALITY CONTROL REPORT

WHI17000152.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1630167	Rab Sample	3.42	0.221	0.8	70.4	5.5	16	0.3	7.3	2.7	131	0.32	15.4	139.4	7.0	279	0.2	0.7	7.8	5	13.65
REP 1630167	QC			0.9	72.4	5.7	17	0.3	8.0	2.7	126	0.31	16.2	147.2	7.3	294	0.2	0.7	8.7	5	13.48
1630178	Rab Sample	3.40	<0.005	0.6	11.9	8.6	14	0.1	9.1	3.1	140	0.43	5.9	1.2	7.5	354	0.1	2.4	<0.1	7	13.09
REP 1630178	QC		<0.005																		
1630200	Rock Pulp	0.08	5.097	9.1	203.8	24.3	81	0.9	14.0	11.6	628	4.30	13.5	5623.4	3.3	91	0.2	4.1	0.6	107	1.06
REP 1630200	QC			8.6	203.3	23.5	75	0.9	14.5	11.4	598	4.36	12.4	4614.6	3.1	92	0.2	3.8	0.6	106	1.07
1630222	Rab Sample	3.09	<0.005	2.5	19.1	16.3	41	0.1	8.0	7.4	486	2.63	4.1	1.0	17.9	90	0.2	0.7	0.2	54	1.92
REP 1630222	QC		<0.005																		
1630235	Rab Sample	1.58	0.010	1.4	58.2	15.8	62	0.2	25.0	9.5	207	1.99	52.9	2.6	7.6	184	0.7	2.8	0.7	35	3.35
REP 1630235	QC			1.4	57.6	15.8	57	0.2	26.1	10.0	211	2.02	52.1	2.4	7.7	182	0.6	2.6	0.6	36	3.39
1630270	Rab Sample	3.33	<0.005	2.1	5.3	5.8	19	<0.1	7.5	2.3	216	0.97	18.4	3.5	15.4	66	0.1	1.5	0.2	42	2.60
REP 1630270	QC			2.2	4.8	5.4	19	<0.1	7.9	2.4	220	0.97	18.7	1.8	14.8	64	0.2	1.4	0.2	42	2.61
1630273	Rab Sample	3.58	<0.005	3.3	43.3	3.2	31	0.3	28.2	13.6	207	2.13	162.3	2.5	12.1	86	<0.1	1.5	0.3	158	2.07
REP 1630273	QC		<0.005																		
Core Reject Duplicates																					
1630184	Rab Sample	3.89	<0.005	0.7	10.6	10.7	14	<0.1	7.1	2.5	159	0.34	14.3	0.9	7.2	394	0.1	1.6	0.2	5	14.89
DUP 1630184	QC		<0.005	0.6	11.3	10.1	16	<0.1	7.2	2.2	159	0.32	13.7	0.5	7.0	383	0.1	1.5	0.2	5	14.93
1630218	Rab Sample	3.53	<0.005	2.7	28.2	13.4	39	0.2	7.1	5.8	458	2.52	60.4	7.7	19.3	70	0.2	1.6	0.7	48	1.66
DUP 1630218	QC		<0.005	2.5	27.2	12.8	39	0.2	7.4	6.1	441	2.51	63.2	2.5	18.6	71	0.2	1.6	0.7	48	1.66
1630252	Rab Sample	3.69	0.010	4.1	72.4	4.0	57	0.1	42.2	14.0	153	3.38	36.4	8.0	10.4	96	0.1	1.6	0.5	237	0.82
DUP 1630252	QC		0.010	4.1	74.7	3.9	57	0.1	44.2	14.5	153	3.31	36.5	5.1	10.3	97	0.1	1.6	0.5	238	0.83
1630286	Rab Sample	3.36	<0.005	1.4	13.0	13.0	44	<0.1	3.6	4.5	291	1.90	11.1	<0.5	14.5	168	<0.1	2.3	0.2	13	3.52
DUP 1630286	QC		<0.005	1.7	13.1	12.8	43	<0.1	3.4	4.4	297	1.94	10.0	<0.5	14.3	172	0.1	2.5	0.1	12	3.63
Reference Materials																					
STD DS10	Standard			15.8	155.5	152.6	372	1.8	72.5	12.8	914	2.74	47.8	56.8	8.0	72	2.6	8.8	12.7	44	1.12
STD DS10	Standard			15.1	157.2	155.5	357	2.3	72.0	12.5	883	2.76	45.0	79.5	8.0	70	2.5	8.3	12.0	43	1.08
STD DS10	Standard			13.6	164.8	162.3	380	1.9	76.3	12.5	913	2.83	46.0	67.1	8.2	72	2.8	8.6	12.7	44	1.09
STD DS10	Standard			14.0	158.3	136.5	348	1.7	74.0	14.3	901	2.77	45.3	50.0	7.6	69	2.7	8.0	11.6	45	1.10



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

1 of 3

Part:

2 of 2

## QUALITY CONTROL REPORT

WHI17000152.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1630167	Rab Sample	0.082	20	7	0.05	34	0.092	<20	3.45	0.427	0.08	1.1	<0.01	0.5	<0.1	0.07	9	<0.5	<0.2
REP 1630167	QC	0.079	20	7	0.05	33	0.093	<20	3.46	0.427	0.08	1.0	<0.01	0.5	<0.1	0.07	9	<0.5	0.2
1630178	Rab Sample	0.085	23	11	0.18	51	0.114	<20	3.93	0.422	0.13	0.6	<0.01	0.8	0.1	<0.05	9	<0.5	<0.2
REP 1630178	QC																		
1630200	Rock Pulp	0.059	9	17	0.89	142	0.156	<20	1.88	0.210	0.24	5.0	0.17	4.0	<0.1	<0.05	6	<0.5	<0.2
REP 1630200	QC	0.057	8	18	0.89	143	0.152	<20	1.92	0.215	0.24	4.7	0.16	3.9	<0.1	<0.05	6	<0.5	<0.2
1630222	Rab Sample	0.075	49	24	0.71	367	0.221	<20	1.61	0.079	0.69	1.7	<0.01	5.5	0.6	0.10	9	<0.5	<0.2
REP 1630222	QC																		
1630235	Rab Sample	0.080	18	28	0.73	203	0.109	<20	3.30	0.249	0.30	0.8	<0.01	3.4	0.3	<0.05	10	<0.5	<0.2
REP 1630235	QC	0.084	18	26	0.74	200	0.107	<20	3.34	0.251	0.30	0.8	<0.01	3.3	0.3	<0.05	10	<0.5	<0.2
1630270	Rab Sample	0.074	28	51	0.94	98	0.088	<20	1.18	0.094	0.40	1.2	<0.01	4.6	0.7	<0.05	5	<0.5	<0.2
REP 1630270	QC	0.075	27	52	0.96	94	0.089	<20	1.17	0.094	0.40	1.2	<0.01	4.8	0.7	<0.05	5	<0.5	<0.2
1630273	Rab Sample	0.121	24	75	2.19	461	0.194	<20	3.19	0.251	1.43	0.4	<0.01	9.1	1.6	0.06	11	0.7	<0.2
REP 1630273	QC																		
Core Reject Duplicates																			
1630184	Rab Sample	0.079	21	9	0.13	51	0.098	<20	3.83	0.385	0.09	0.5	<0.01	0.6	<0.1	<0.05	9	<0.5	<0.2
DUP 1630184	QC	0.076	20	9	0.13	48	0.097	<20	3.79	0.384	0.09	0.5	<0.01	0.6	<0.1	<0.05	9	<0.5	<0.2
1630218	Rab Sample	0.084	51	22	0.68	307	0.173	<20	1.33	0.079	0.57	1.0	<0.01	5.5	0.5	0.15	7	<0.5	<0.2
DUP 1630218	QC	0.081	49	21	0.68	297	0.170	<20	1.29	0.081	0.57	1.0	<0.01	4.9	0.5	0.15	7	<0.5	<0.2
1630252	Rab Sample	0.100	20	64	2.09	412	0.158	<20	4.01	0.144	1.30	0.5	<0.01	7.5	1.0	0.16	13	2.2	<0.2
DUP 1630252	QC	0.101	20	67	2.07	402	0.163	<20	3.89	0.144	1.29	0.4	<0.01	8.2	1.1	0.15	12	2.5	<0.2
1630286	Rab Sample	0.077	30	12	1.00	231	<0.001	<20	0.69	0.006	0.28	0.2	0.01	4.7	0.3	0.14	2	<0.5	<0.2
DUP 1630286	QC	0.077	31	12	1.03	225	<0.001	<20	0.57	0.005	0.23	0.2	0.01	4.5	0.2	0.14	2	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.077	19	58	0.80	449	0.091	<20	1.12	0.074	0.35	3.3	0.29	3.1	5.1	0.28	5	2.3	5.2
STD DS10	Standard	0.072	19	54	0.79	420	0.084	<20	1.11	0.072	0.35	3.5	0.27	3.0	5.5	0.28	5	2.0	5.0
STD DS10	Standard	0.074	18	53	0.80	437	0.085	<20	1.07	0.075	0.35	3.4	0.30	3.0	5.4	0.29	5	1.6	4.8
STD DS10	Standard	0.083	19	55	0.80	424	0.087	<20	1.10	0.073	0.35	2.6	0.27	3.2	4.9	0.28	4	2.6	4.9



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

2 of 3

Part:

1 of 2

## QUALITY CONTROL REPORT

WHI17000152.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OREAS45EA	Standard			1.5	729.1	14.4	33	0.2	394.0	49.7	426	22.36	12.1	53.0	10.3	4	<0.1	0.3	0.3	333	0.04
STD OREAS45EA	Standard			1.7	735.8	14.9	30	0.3	408.4	52.6	418	23.25	12.0	58.9	10.7	4	<0.1	0.3	0.2	318	0.04
STD OREAS45EA	Standard			1.5	716.0	14.0	31	0.3	393.3	49.8	421	21.96	11.0	60.3	10.0	4	<0.1	0.3	0.3	329	0.03
STD OREAS45EA	Standard			1.7	734.0	15.0	33	0.3	399.6	56.0	422	23.54	12.4	58.9	10.8	4	<0.1	0.2	0.3	308	0.04
STD OXC145	Standard		0.209																		
STD OXC145	Standard		0.217																		
STD OXC145	Standard		0.208																		
STD OXH122	Standard		1.271																		
STD OXH122	Standard		1.271																		
STD OXH122	Standard		1.201																		
STD OXN117	Standard		7.633																		
STD OXN117	Standard		7.936																		
STD OXN117	Standard		7.575																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXN117 Expected			7.679																		
STD OXC145 Expected			0.212																		
STD OXH122 Expected			1.247																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

**Project:**

MAHTIN

**Report Date:**

July 28, 2017

**Page:**

2 of 3

**Part:**

2 of 2

## QUALITY CONTROL REPORT

WHI17000152.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS45EA	Standard	0.028	7	830	0.10	141	0.102	<20	3.53	0.020	0.05	<0.1	<0.01	77.7	<0.1	<0.05	14	1.1	<0.2
STD OREAS45EA	Standard	0.027	8	846	0.10	147	0.107	<20	3.63	0.015	0.06	<0.1	<0.01	76.7	<0.1	<0.05	12	1.0	<0.2
STD OREAS45EA	Standard	0.027	7	848	0.10	149	0.101	<20	3.40	0.021	0.05	<0.1	<0.01	78.6	<0.1	<0.05	12	1.4	<0.2
STD OREAS45EA	Standard	0.028	8	844	0.09	150	0.098	<20	3.63	0.015	0.06	<0.1	<0.01	78.3	<0.1	<0.05	13	0.9	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH122	Standard																		
STD OXH122	Standard																		
STD OXH122	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXN117 Expected																			
STD OXC145 Expected																			
STD OXH122 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

3 of 3

Part:

1 of 2

## QUALITY CONTROL REPORT

WHI17000152.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
ROCK-WHI	Prep Blank		<0.005	0.7	3.8	1.2	35	<0.1	1.2	3.5	578	1.77	1.0	2.4	2.1	23	<0.1	<0.1	<0.1	22	0.61
ROCK-WHI	Prep Blank		<0.005	0.7	5.5	1.1	35	<0.1	1.4	3.8	550	1.86	1.3	1.6	2.3	23	<0.1	<0.1	<0.1	23	0.59



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 28, 2017

Page:

3 of 3

Part:

2 of 2

## QUALITY CONTROL REPORT

WHI17000152.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
ROCK-WHI	Prep Blank	0.040	6	3	0.48	60	0.094	<20	1.03	0.125	0.12	<0.1	<0.01	2.7	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	6	3	0.48	53	0.094	<20	0.93	0.099	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2