



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Submitted By: Andy Randell

Receiving Lab: Canada-Whitehorse

Received: July 04, 2017

Report Date: August 03, 2017

Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI17000226.1

### CLIENT JOB INFORMATION

Project: MAHTIN  
Shipment ID: SKP RAB 002  
P.O. Number: SKPRAB002  
Number of Samples: 69

### SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage  
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Strike Point Gold  
Suite 507 - 837 W. Hastings St.  
Vancouver British Columbia V6C 2X1  
Canada

CC: Scott Dorian  
Shawn Khunkhun

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	67	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	69	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	69	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

  
JEFFREY CANNON  
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

2 of 4

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000226.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1630390	Rab Sample	3.14	0.018	1.3	369.6	91.9	151	4.6	22.6	7.8	428	3.67	450.8	10.7	10.8	118	4.4	39.7	35.5	39	7.83
1630391	Rab Sample	5.91	<0.005	0.5	144.4	14.3	56	0.5	29.9	11.3	244	2.98	122.4	1.9	10.5	79	1.6	9.8	3.0	48	3.07
1630392	Rab Sample	2.80	0.062	0.5	448.0	43.4	68	27.9	16.2	6.2	320	7.17	4766.4	60.5	8.9	172	2.5	15.0	245.7	31	5.03
1630393	Rab Sample	3.27	0.035	0.5	264.4	47.6	98	2.0	9.2	3.4	190	4.01	3183.6	31.7	8.2	203	1.5	10.6	14.5	24	5.31
1630394	Rab Sample	4.65	0.014	0.6	56.7	35.4	53	0.9	9.9	3.5	131	0.54	120.1	7.0	6.7	335	1.1	4.8	4.2	7	12.15
1630395	Rab Sample	4.26	0.131	0.5	29.5	30.5	45	0.5	5.2	1.8	143	0.34	78.5	215.0	7.8	309	0.8	5.2	3.0	6	8.86
1630396	Rab Sample	4.31	0.017	0.5	31.3	24.2	40	0.4	6.0	1.9	134	0.37	59.6	13.0	6.6	364	0.7	3.9	2.1	6	11.34
1630397	Rab Sample	3.92	0.037	0.5	35.6	8.9	16	0.2	8.5	2.8	113	0.29	46.1	33.5	4.5	397	0.2	1.1	1.7	3	16.95
1630398	Rab Sample	4.37	0.294	0.5	145.4	11.8	23	0.5	7.6	5.9	106	0.65	45.5	225.9	5.1	373	0.5	2.0	14.7	4	15.87
1630399	Rab Sample	4.14	<0.005	0.5	18.1	11.1	14	0.2	10.1	3.6	102	0.43	34.1	<0.5	6.4	344	<0.1	1.3	0.9	6	14.36
1630400	Rock Pulp	0.08	5.095	7.9	191.7	22.9	75	0.8	14.5	10.2	573	4.14	11.8	4302.6	2.9	75	0.1	4.2	0.5	105	0.91
1630401	Rab Sample	4.67	0.052	0.6	27.8	20.8	42	0.5	7.1	2.5	137	0.36	46.7	36.9	8.0	290	0.6	1.7	4.8	6	9.91
1630402	Rab Sample	4.39	<0.005	0.6	28.8	24.3	25	0.5	9.4	2.8	124	0.32	45.0	<0.5	6.7	291	0.4	1.2	1.8	4	13.37
1630403	Rab Sample	3.69	<0.005	0.8	21.0	21.9	20	0.2	10.5	3.5	86	0.40	49.0	1.1	7.1	340	0.4	1.4	1.0	4	12.16
1630404	Rab Sample	3.47	<0.005	0.7	40.3	19.4	32	0.3	12.1	3.9	77	0.52	42.1	2.5	7.0	190	0.5	2.6	0.8	8	6.95
1630405	Rab Sample	4.80	0.042	0.4	72.9	9.2	26	0.3	11.3	4.8	231	1.25	168.3	96.8	8.2	225	0.2	3.4	4.9	15	5.02
1630406	Rab Sample	4.04	0.106	0.6	138.4	8.3	18	0.3	8.1	6.8	179	1.27	526.5	90.4	6.6	145	0.2	1.6	12.2	4	4.37
1630407	Rab Sample	4.08	0.526	0.7	283.6	7.2	32	0.8	17.3	8.3	250	2.64	333.7	732.6	8.4	220	0.2	2.1	55.4	32	5.17
1630408	Rab Sample	4.07	0.435	0.7	140.4	11.4	28	0.5	13.3	9.0	166	1.43	813.6	420.6	7.2	212	0.3	2.7	38.8	8	5.75
1630409	Rab Sample	4.58	0.295	0.7	132.4	7.7	24	0.4	9.3	6.4	155	1.37	590.7	230.1	8.1	211	0.1	2.1	17.4	6	4.84
1630410	Rab Sample	4.51	0.036	0.6	46.7	6.4	18	0.3	5.7	3.9	164	0.86	150.2	22.7	6.4	159	0.2	0.8	4.1	5	4.83
1630411	Rab Sample	3.68	0.234	0.7	58.3	7.3	24	0.3	6.7	3.2	168	0.88	223.1	259.2	6.6	205	0.2	1.4	17.4	7	4.75
1630412	Rab Sample	4.41	0.111	0.7	60.4	9.2	40	0.4	9.6	4.8	438	1.69	190.2	96.6	8.4	226	0.2	10.5	10.6	11	6.15
1630413	Rab Sample	4.12	0.284	0.5	295.4	5.6	17	0.5	11.9	9.2	265	2.77	1385.7	259.6	3.7	179	0.1	3.3	26.9	5	5.97
1630414	Rab Sample	4.29	0.056	0.6	121.5	6.1	23	0.3	8.9	5.7	314	1.93	385.7	53.9	7.4	170	0.2	3.4	6.3	8	5.49
1630415	Rab Sample	3.69	0.025	0.6	126.9	4.5	13	0.3	10.0	6.3	209	1.55	400.8	18.3	6.3	180	<0.1	1.3	3.3	5	5.19
1630416	Rab Sample	4.16	0.009	0.7	130.7	5.5	18	0.3	14.2	7.6	201	1.81	312.8	3.8	9.6	188	0.1	2.5	2.1	11	5.00
1630417	Rab Sample	3.74	0.057	0.7	66.9	8.3	24	0.3	7.2	3.8	177	1.05	162.6	48.6	8.7	203	0.1	1.7	6.0	6	4.51
1630418	Rab Sample	4.20	0.036	0.6	112.0	7.8	26	0.3	9.9	5.2	285	1.68	231.9	40.3	9.9	264	0.1	2.7	3.9	8	5.43
1630419	Rab Sample	4.15	0.046	0.6	103.4	6.2	28	0.3	10.3	5.6	295	1.88	295.6	28.4	9.2	210	0.1	5.6	3.8	13	5.63



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

2 of 4

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000226.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630390	Rab Sample	0.096	32	32	0.50	659	0.031	<20	1.90	0.079	0.21	0.5	0.15	6.1	0.4	<0.05	6	0.6	<0.2			
1630391	Rab Sample	0.073	25	46	0.87	617	0.089	<20	2.78	0.106	0.46	0.3	<0.01	6.6	0.7	<0.05	11	<0.5	<0.2			
1630392	Rab Sample	0.073	29	29	0.62	698	0.037	<20	2.12	0.091	0.38	0.5	0.03	4.9	1.0	0.46	10	2.3	<0.2			
1630393	Rab Sample	0.073	19	20	1.15	317	0.041	78	2.94	0.236	0.19	0.5	<0.01	2.3	0.5	0.28	13	1.1	<0.2			
1630394	Rab Sample	0.060	15	7	0.22	107	0.068	30	3.37	0.358	0.08	0.7	<0.01	0.8	<0.1	0.10	8	<0.5	<0.2			
1630395	Rab Sample	0.075	20	7	0.28	134	0.072	24	4.46	0.590	0.11	0.9	<0.01	0.6	<0.1	<0.05	10	<0.5	<0.2			
1630396	Rab Sample	0.077	17	8	0.40	220	0.068	<20	4.21	0.491	0.11	0.6	<0.01	0.6	<0.1	<0.05	9	<0.5	<0.2			
1630397	Rab Sample	0.065	12	4	0.05	32	0.052	<20	3.14	0.399	0.06	0.4	<0.01	0.3	<0.1	0.09	7	<0.5	<0.2			
1630398	Rab Sample	0.071	12	6	0.06	34	0.058	<20	2.99	0.454	0.08	0.6	<0.01	0.6	<0.1	0.27	7	2.8	0.3			
1630399	Rab Sample	0.082	15	9	0.25	70	0.077	23	3.63	0.396	0.09	0.7	<0.01	0.6	<0.1	0.11	9	<0.5	<0.2			
1630400	Rock Pulp	0.058	7	18	0.87	133	0.148	<20	1.72	0.187	0.23	5.2	0.15	3.2	<0.1	<0.05	5	<0.5	<0.2			
1630401	Rab Sample	0.077	19	9	0.12	46	0.081	<20	4.75	0.484	0.10	0.8	<0.01	0.5	<0.1	<0.05	11	<0.5	<0.2			
1630402	Rab Sample	0.078	16	6	0.05	30	0.073	21	4.15	0.464	0.05	0.7	<0.01	0.7	<0.1	0.10	9	<0.5	<0.2			
1630403	Rab Sample	0.080	17	8	0.08	44	0.081	<20	3.83	0.423	0.06	0.8	<0.01	0.7	<0.1	0.11	9	<0.5	<0.2			
1630404	Rab Sample	0.063	19	10	0.27	47	0.087	<20	3.54	0.293	0.08	0.9	<0.01	1.0	<0.1	0.14	9	<0.5	<0.2			
1630405	Rab Sample	0.063	20	17	0.48	84	0.084	<20	4.01	0.396	0.17	0.7	<0.01	1.4	0.1	0.14	11	0.6	<0.2			
1630406	Rab Sample	0.064	15	7	0.09	13	0.059	<20	2.56	0.450	0.07	1.4	<0.01	0.7	<0.1	0.54	6	0.7	0.2			
1630407	Rab Sample	0.081	16	33	0.73	149	0.133	<20	4.41	0.398	0.42	1.0	<0.01	3.0	0.2	0.92	12	3.1	0.9			
1630408	Rab Sample	0.078	16	11	0.13	43	0.072	<20	3.31	0.556	0.12	1.3	<0.01	0.8	<0.1	0.63	8	1.6	0.7			
1630409	Rab Sample	0.077	17	8	0.11	33	0.071	<20	3.71	0.664	0.10	1.7	<0.01	0.8	<0.1	0.63	9	1.6	0.4			
1630410	Rab Sample	0.072	17	8	0.09	16	0.073	<20	4.51	0.406	0.04	1.2	<0.01	0.4	<0.1	0.21	11	<0.5	<0.2			
1630411	Rab Sample	0.065	18	9	0.13	44	0.077	<20	4.21	0.657	0.10	1.5	<0.01	0.6	<0.1	0.23	10	<0.5	0.4			
1630412	Rab Sample	0.079	21	13	0.46	868	0.055	<20	3.92	0.542	0.14	0.9	<0.01	1.9	0.2	0.23	10	<0.5	<0.2			
1630413	Rab Sample	0.062	8	6	0.13	21	0.047	<20	2.81	0.467	0.07	1.3	<0.01	0.7	<0.1	1.47	7	1.7	0.4			
1630414	Rab Sample	0.061	21	10	0.28	28	0.066	<20	3.56	0.552	0.08	1.3	<0.01	1.0	<0.1	0.63	9	1.0	<0.2			
1630415	Rab Sample	0.056	19	7	0.11	14	0.072	<20	3.82	0.396	0.05	1.3	<0.01	0.5	<0.1	0.69	10	0.8	<0.2			
1630416	Rab Sample	0.072	23	15	0.30	45	0.082	<20	3.40	0.391	0.08	1.1	<0.01	0.9	<0.1	0.78	9	<0.5	<0.2			
1630417	Rab Sample	0.089	19	9	0.11	23	0.083	<20	3.85	0.684	0.10	1.5	<0.01	0.7	<0.1	0.35	9	<0.5	<0.2			
1630418	Rab Sample	0.091	23	10	0.28	119	0.072	<20	3.75	0.683	0.11	1.2	<0.01	0.9	<0.1	0.57	9	0.8	<0.2			
1630419	Rab Sample	0.092	22	13	0.30	97	0.098	<20	3.43	0.519	0.09	1.2	<0.01	1.4	<0.1	0.66	9	0.8	<0.2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

3 of 4

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000226.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630420	Rock	0.68	<0.005	0.4	1.3	4.6	23	0.1	3.0	0.5	112	0.16	3.9	2.1	0.2	306	0.2	1.4	<0.1	17	20.12
1630421	Rab Sample	4.16	0.031	0.8	101.6	5.9	21	0.2	9.6	4.7	174	1.31	181.3	27.3	8.1	155	<0.1	1.3	4.6	5	4.68
1630422	Rab Sample	4.34	0.021	0.8	70.1	9.8	30	0.3	7.1	4.4	192	1.04	181.8	12.7	8.6	172	0.1	1.3	2.6	6	4.82
1630423	Rab Sample	4.01	0.228	0.8	90.9	12.5	40	0.4	9.8	6.4	278	1.54	327.5	201.0	8.9	262	0.2	2.8	22.0	9	5.69
1630424	Rab Sample	4.09	0.041	0.7	258.6	8.1	29	0.4	9.0	5.2	285	2.37	180.7	29.6	9.9	186	0.2	1.8	5.2	7	5.36
1630425	Rab Sample	4.04	0.061	0.7	429.7	7.1	27	1.1	9.6	7.6	190	2.82	2508.4	58.9	17.9	152	0.3	3.4	9.3	5	5.26
1630426	Rab Sample	4.16	0.008	0.7	29.1	13.3	25	0.2	10.2	4.2	147	0.66	69.6	4.7	9.6	200	0.3	1.6	1.1	10	6.80
1630427	Rab Sample	4.25	0.018	0.8	30.2	29.9	45	0.4	13.8	4.7	191	0.62	43.1	15.0	9.4	212	0.8	4.8	2.0	12	7.94
1630428	Rab Sample	3.90	0.170	0.7	173.5	7.1	25	0.4	14.7	7.4	299	2.62	232.1	166.3	9.6	116	0.2	2.5	38.2	6	5.81
1630429	Rab Sample	4.35	0.122	0.7	133.3	6.9	27	0.3	12.0	8.5	275	2.03	487.8	112.0	8.1	131	<0.1	2.9	12.3	6	6.12
1630430	Rab Sample	2.02	0.028	0.2	101.1	6.5	33	0.3	6.6	5.3	1575	2.78	352.4	27.3	5.4	152	0.2	28.9	4.3	19	19.87
1630431	Rab Sample	4.00	0.013	0.1	157.3	13.1	49	0.4	6.6	8.1	754	3.66	534.9	6.5	13.2	162	0.3	9.8	1.7	26	5.62
1630432	Rab Sample	4.12	<0.005	0.3	66.2	16.4	63	0.3	11.8	6.0	522	1.90	65.2	0.7	7.6	346	0.4	5.1	1.1	22	6.52
1630433	Rab Sample	3.80	0.012	0.5	110.6	15.8	37	0.5	10.4	6.5	384	1.29	460.2	9.8	6.6	835	0.4	3.6	1.5	14	5.48
1630434	Rab Sample	4.24	0.021	0.4	456.4	4.2	33	1.3	9.2	17.4	739	2.38	2423.8	20.1	1.7	66	0.4	4.3	3.7	7	6.68
1630435	Rab Sample	4.28	0.035	0.7	92.4	12.3	31	0.3	13.4	12.0	307	1.40	1172.8	35.5	7.9	155	0.2	5.9	6.5	11	4.16
1630436	Rab Sample	3.03	0.018	0.5	265.7	5.3	21	0.4	11.3	8.3	694	2.72	728.8	7.0	3.3	107	0.2	11.0	1.8	11	9.46
1630437	Rab Sample	3.99	0.013	0.4	210.4	9.9	34	0.4	11.6	10.6	579	2.65	926.0	10.2	4.0	114	0.2	8.1	2.5	11	7.02
1630438	Rab Sample	4.01	0.006	0.5	24.8	23.6	49	0.2	7.0	2.8	333	0.85	55.1	3.5	7.2	193	0.4	5.0	0.8	8	6.03
1630439	Rab Sample	3.06	0.147	0.7	203.1	8.4	33	0.4	15.4	10.0	651	2.81	205.6	78.1	4.6	139	0.2	6.7	14.6	10	7.13
1630440	Rock Pulp	0.08	4.940	8.3	207.6	25.5	78	1.1	14.5	11.2	567	4.25	11.9	7599.3	3.5	83	0.2	4.4	0.6	110	0.87
1630441	Rab Sample	3.72	0.016	1.6	124.4	10.2	32	0.3	12.9	6.9	351	1.55	106.8	10.6	8.6	133	0.3	3.1	2.3	19	4.14
1630442	Rab Sample	4.96	0.022	0.8	116.2	8.5	30	0.3	10.3	5.6	484	1.95	68.6	14.7	6.5	158	0.1	2.6	2.8	14	5.24
1630443	Rab Sample	3.92	0.009	1.3	229.4	9.6	44	0.6	17.8	7.5	589	2.80	50.5	3.4	9.2	124	0.2	4.4	0.4	43	7.29
1630444	Rab Sample	4.69	0.033	1.4	137.4	7.5	32	0.4	13.8	6.8	279	1.57	79.4	12.1	8.9	136	0.2	1.9	2.9	23	3.87
1630445	Rab Sample	4.28	0.029	1.4	121.8	13.9	36	0.3	10.6	5.0	254	1.34	80.7	19.3	7.7	172	0.4	3.8	4.8	9	4.49
1630446	Rab Sample	4.30	0.023	1.3	312.4	11.3	32	0.6	15.4	7.9	331	2.93	171.3	14.7	7.3	176	0.3	2.9	7.9	18	4.86
1630447	Rab Sample	4.55	0.027	1.1	244.6	7.1	37	0.6	15.1	8.5	612	3.64	194.6	25.5	7.2	138	0.2	3.2	4.2	27	7.07
1630448	Rab Sample	3.91	0.047	1.2	477.2	8.1	23	0.8	12.6	11.7	381	4.19	497.9	18.7	5.6	108	0.3	1.3	5.5	11	5.36
1630449	Rab Sample	4.32	0.009	0.9	103.8	7.8	21	0.3	7.6	4.7	204	1.37	75.1	3.7	7.1	174	0.2	1.7	1.4	9	3.90



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

3 of 4

Part:

2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000226.1

	Method	Analyte	AQ200																	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
			0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
1630420	Rock	0.015	2	3	12.31	20	0.002	<20	0.10	0.004	0.01	0.2	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
1630421	Rab Sample	0.100	22	10	0.08	20	0.076	<20	3.71	0.675	0.09	1.8	<0.01	0.7	<0.1	0.49	9	0.9	<0.2	
1630422	Rab Sample	0.116	22	9	0.12	27	0.078	<20	4.11	0.762	0.10	1.5	<0.01	0.5	<0.1	0.33	10	<0.5	<0.2	
1630423	Rab Sample	0.098	23	13	0.30	139	0.083	<20	4.71	0.750	0.12	1.4	<0.01	1.0	<0.1	0.36	11	1.0	0.4	
1630424	Rab Sample	0.088	25	11	0.23	96	0.081	<20	3.73	0.512	0.08	1.3	<0.01	0.9	<0.1	1.03	10	2.2	<0.2	
1630425	Rab Sample	0.067	44	9	0.11	19	0.062	<20	3.88	0.496	0.06	1.5	<0.01	0.8	<0.1	1.46	10	4.4	<0.2	
1630426	Rab Sample	0.087	24	14	0.23	64	0.105	<20	4.24	0.519	0.12	1.4	<0.01	0.7	<0.1	0.14	10	<0.5	<0.2	
1630427	Rab Sample	0.084	24	17	0.78	242	0.104	77	3.68	0.303	0.09	1.2	<0.01	0.9	<0.1	0.13	9	<0.5	<0.2	
1630428	Rab Sample	0.093	24	9	0.27	159	0.071	<20	2.74	0.273	0.04	1.6	<0.01	0.8	<0.1	1.33	8	1.8	0.3	
1630429	Rab Sample	0.091	26	9	0.28	365	0.071	<20	3.36	0.424	0.06	1.3	<0.01	1.0	<0.1	0.86	9	0.9	<0.2	
1630430	Rab Sample	0.032	5	19	1.66	92	0.011	<20	2.74	0.066	0.03	0.1	<0.01	3.1	0.2	1.08	9	<0.5	<0.2	
1630431	Rab Sample	0.058	4	27	2.40	240	0.016	<20	4.24	0.187	0.05	0.2	<0.01	4.2	<0.1	0.73	12	1.3	<0.2	
1630432	Rab Sample	0.078	15	24	2.08	999	0.052	<20	4.49	0.284	0.08	0.2	<0.01	3.2	<0.1	0.12	11	<0.5	<0.2	
1630433	Rab Sample	0.055	14	14	1.37	1896	0.063	<20	3.27	0.158	0.10	0.4	<0.01	1.2	<0.1	0.15	8	<0.5	<0.2	
1630434	Rab Sample	0.051	2	7	0.92	95	0.026	<20	0.74	0.055	0.03	0.6	<0.01	0.9	<0.1	0.48	3	1.9	<0.2	
1630435	Rab Sample	0.081	13	14	0.64	335	0.063	<20	2.88	0.308	0.08	1.0	<0.01	1.0	<0.1	0.32	8	0.7	<0.2	
1630436	Rab Sample	0.077	5	9	0.61	205	0.046	<20	1.63	0.211	0.05	1.2	<0.01	1.0	<0.1	1.07	5	2.8	<0.2	
1630437	Rab Sample	0.072	7	11	0.84	289	0.041	<20	2.70	0.416	0.07	0.6	<0.01	1.2	<0.1	0.85	6	2.3	<0.2	
1630438	Rab Sample	0.066	19	9	0.78	378	0.059	<20	4.59	0.447	0.07	0.6	<0.01	1.0	<0.1	0.07	11	<0.5	<0.2	
1630439	Rab Sample	0.065	18	12	0.84	343	0.049	<20	3.10	0.147	0.03	1.5	<0.01	1.5	<0.1	0.83	9	2.2	<0.2	
1630440	Rock Pulp	0.055	9	19	0.90	144	0.156	<20	1.79	0.190	0.23	5.3	0.20	3.3	<0.1	<0.05	5	<0.5	<0.2	
1630441	Rab Sample	0.068	19	17	0.64	231	0.086	<20	2.82	0.271	0.08	1.6	<0.01	1.5	<0.1	0.30	8	0.6	<0.2	
1630442	Rab Sample	0.066	14	15	0.93	181	0.078	<20	2.83	0.188	0.07	0.8	<0.01	1.2	<0.1	0.35	8	0.7	<0.2	
1630443	Rab Sample	0.060	26	32	1.39	172	0.104	<20	2.98	0.132	0.12	0.7	<0.01	3.3	0.1	0.55	10	1.7	<0.2	
1630444	Rab Sample	0.068	20	19	0.61	140	0.100	<20	2.63	0.303	0.08	1.6	<0.01	1.2	<0.1	0.38	8	0.8	<0.2	
1630445	Rab Sample	0.060	22	12	0.48	201	0.087	28	3.26	0.216	0.05	1.8	<0.01	0.6	<0.1	0.42	9	2.3	<0.2	
1630446	Rab Sample	0.080	18	15	0.60	188	0.076	<20	2.83	0.215	0.05	1.9	<0.01	1.1	<0.1	1.25	8	5.0	<0.2	
1630447	Rab Sample	0.076	17	20	0.92	167	0.067	<20	3.69	0.155	0.05	1.2	<0.01	2.2	0.1	1.12	11	3.4	<0.2	
1630448	Rab Sample	0.060	13	13	0.45	94	0.055	<20	3.32	0.143	0.04	35.1	<0.01	1.2	0.1	2.02	10	9.7	<0.2	
1630449	Rab Sample	0.052	16	11	0.36	226	0.075	<20	3.58	0.285	0.06	5.9	<0.01	0.7	<0.1	0.45	9	1.1	<0.2	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

4 of 4

Part:

1 of 2

# CERTIFICATE OF ANALYSIS

WHI17000226.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630450	Rab Sample	4.19	0.017	1.6	252.8	15.7	35	0.9	9.3	5.4	240	1.92	82.9	18.6	10.2	117	0.3	2.1	3.5	25	2.50
1630451	Rab Sample	4.00	0.007	2.3	54.6	23.0	53	0.3	7.6	8.8	462	2.80	92.6	7.7	18.4	75	0.2	2.0	2.7	65	2.64
1630452	Rab Sample	4.83	0.076	1.5	2657.7	13.6	115	8.5	16.5	19.5	241	3.94	1233.0	79.1	6.5	135	1.7	3.4	26.4	8	2.80
1630453	Rab Sample	2.78	0.060	1.5	667.1	9.2	38	2.2	13.6	8.6	186	1.90	527.4	66.2	7.9	107	0.6	2.3	8.9	17	2.57
1630454	Rab Sample	3.77	0.027	3.1	493.3	6.7	36	1.3	21.5	12.3	241	2.22	187.4	13.0	8.0	121	0.3	6.1	3.0	68	3.65
1630455	Rab Sample	3.66	0.006	3.7	131.2	2.8	36	0.4	28.9	8.9	241	2.76	62.9	1.9	11.2	58	0.1	0.8	0.7	155	1.84
1630456	Rab Sample	3.86	0.047	5.6	421.4	5.2	38	1.5	28.6	12.6	218	2.55	405.8	66.3	10.3	71	0.4	3.5	2.8	132	2.34
1630457	Rab Sample	3.85	0.023	2.1	230.2	5.6	42	0.6	17.2	8.6	259	2.06	114.3	16.9	9.9	120	0.3	3.2	1.4	82	3.51
1630458	Rab Sample	3.91	<0.005	2.2	88.5	6.1	52	0.6	21.8	6.3	365	3.14	65.1	2.0	10.5	69	0.3	7.1	4.7	145	4.53



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:** **Strike Point Gold**  
Suite 507 - 837 W. Hastings St.  
Vancouver British Columbia V6C 2X1 Canada

**Project:** MAHTIN  
**Report Date:** August 03, 2017

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI17000226.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630450	Rab Sample	0.056	19	24	0.79	255	0.131	<20	2.22	0.114	0.14	3.4	<0.01	1.7	0.2	0.46	8	3.5	<0.2
1630451	Rab Sample	0.090	31	54	1.19	228	0.218	<20	1.87	0.059	0.33	4.3	<0.01	4.9	0.3	0.25	9	0.8	<0.2
1630452	Rab Sample	0.044	14	13	0.64	80	0.063	<20	2.85	0.136	0.06	12.6	<0.01	1.0	0.3	2.06	9	23.1	0.2
1630453	Rab Sample	0.064	16	20	0.75	121	0.109	<20	2.36	0.178	0.21	3.7	<0.01	1.0	0.3	0.68	7	5.2	<0.2
1630454	Rab Sample	0.096	19	28	0.98	152	0.091	<20	2.49	0.105	0.35	4.1	<0.01	3.1	0.4	0.63	8	4.9	<0.2
1630455	Rab Sample	0.163	19	65	2.81	808	0.252	<20	3.32	0.146	1.90	1.7	<0.01	8.0	1.7	0.26	11	1.1	<0.2
1630456	Rab Sample	0.132	19	33	2.00	442	0.114	<20	2.32	0.110	0.50	23.4	<0.01	3.0	0.8	0.60	9	4.0	<0.2
1630457	Rab Sample	0.135	21	32	1.82	1054	0.109	<20	2.27	0.122	0.38	3.1	<0.01	2.8	0.5	0.38	7	2.8	<0.2
1630458	Rab Sample	0.117	24	58	2.67	342	0.159	<20	2.82	0.014	1.17	2.0	<0.01	6.8	1.3	0.58	10	0.8	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

1 of 2

Part:

1 of 2

## QUALITY CONTROL REPORT

WHI17000226.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1630419	Rab Sample	4.15	0.046	0.6	103.4	6.2	28	0.3	10.3	5.6	295	1.88	295.6	28.4	9.2	210	0.1	5.6	3.8	13	5.63
REP 1630419	QC			0.6	100.0	6.0	28	0.3	9.8	5.6	287	1.85	300.1	23.5	9.4	207	0.2	5.2	3.9	12	5.55
1630429	Rab Sample	4.35	0.122	0.7	133.3	6.9	27	0.3	12.0	8.5	275	2.03	487.8	112.0	8.1	131	<0.1	2.9	12.3	6	6.12
REP 1630429	QC		0.133																		
1630438	Rab Sample	4.01	0.006	0.5	24.8	23.6	49	0.2	7.0	2.8	333	0.85	55.1	3.5	7.2	193	0.4	5.0	0.8	8	6.03
REP 1630438	QC		0.006																		
1630455	Rab Sample	3.66	0.006	3.7	131.2	2.8	36	0.4	28.9	8.9	241	2.76	62.9	1.9	11.2	58	0.1	0.8	0.7	155	1.84
REP 1630455	QC			3.5	123.0	2.7	37	0.4	29.4	8.8	241	2.72	71.9	3.1	11.0	58	0.1	0.8	0.7	154	1.81
Core Reject Duplicates																					
1630406	Rab Sample	4.04	0.106	0.6	138.4	8.3	18	0.3	8.1	6.8	179	1.27	526.5	90.4	6.6	145	0.2	1.6	12.2	4	4.37
DUP 1630406	QC		0.103	0.7	144.0	8.1	20	0.4	8.2	7.0	195	1.36	486.2	89.7	6.8	150	0.2	1.5	12.3	5	4.47
Reference Materials																					
STD DS10	Standard			14.6	156.4	157.4	385	2.0	75.4	13.3	878	2.82	47.3	79.3	8.2	72	2.7	9.2	13.7	45	1.10
STD DS10	Standard			14.6	165.0	151.3	387	2.4	78.4	13.3	894	2.79	46.9	71.8	8.4	73	2.8	8.6	14.4	45	1.06
STD OREAS45EA	Standard			1.6	684.9	14.9	32	0.3	363.6	49.3	400	21.97	12.2	61.0	11.6	4	<0.1	0.3	0.3	306	0.03
STD OREAS45EA	Standard			1.7	711.7	15.1	32	0.3	378.0	54.2	398	22.56	11.4	62.9	11.8	4	<0.1	0.3	0.3	310	0.03
STD OXC145	Standard		0.204																		
STD OXH122	Standard		1.205																		
STD OXN117	Standard		7.469																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXN117 Expected			7.679																		
STD OXC145 Expected			0.212																		
STD OXH122 Expected			1.247																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

1 of 2

Part:

2 of 2

## QUALITY CONTROL REPORT

WHI17000226.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1630419	Rab Sample	0.092	22	13	0.30	97	0.098	<20	3.43	0.519	0.09	1.2	<0.01	1.4	<0.1	0.66	9	0.8	<0.2
REP 1630419	QC	0.094	22	12	0.29	95	0.099	<20	3.39	0.513	0.09	1.2	<0.01	1.4	<0.1	0.66	8	0.5	<0.2
1630429	Rab Sample	0.091	26	9	0.28	365	0.071	<20	3.36	0.424	0.06	1.3	<0.01	1.0	<0.1	0.86	9	0.9	<0.2
REP 1630429	QC																		
1630438	Rab Sample	0.066	19	9	0.78	378	0.059	<20	4.59	0.447	0.07	0.6	<0.01	1.0	<0.1	0.07	11	<0.5	<0.2
REP 1630438	QC																		
1630455	Rab Sample	0.163	19	65	2.81	808	0.252	<20	3.32	0.146	1.90	1.7	<0.01	8.0	1.7	0.26	11	1.1	<0.2
REP 1630455	QC	0.161	18	63	2.79	800	0.250	<20	3.30	0.145	1.88	1.7	<0.01	7.6	1.7	0.26	11	1.0	<0.2
Core Reject Duplicates																			
1630406	Rab Sample	0.064	15	7	0.09	13	0.059	<20	2.56	0.450	0.07	1.4	<0.01	0.7	<0.1	0.54	6	0.7	0.2
DUP 1630406	QC	0.062	16	8	0.10	14	0.071	<20	2.73	0.495	0.08	1.4	<0.01	0.7	<0.1	0.55	7	1.4	<0.2
Reference Materials																			
STD DS10	Standard	0.075	19	54	0.82	438	0.085	<20	1.05	0.070	0.33	3.2	0.31	2.7	5.4	0.30	5	2.3	5.0
STD DS10	Standard	0.073	19	56	0.82	436	0.086	<20	1.04	0.070	0.33	3.6	0.31	2.9	5.6	0.29	5	1.7	5.3
STD OREAS45EA	Standard	0.027	8	789	0.09	150	0.096	<20	3.19	0.020	0.05	<0.1	<0.01	74.3	<0.1	<0.05	13	0.6	<0.2
STD OREAS45EA	Standard	0.028	8	814	0.09	151	0.109	<20	3.40	0.021	0.06	<0.1	<0.01	81.0	<0.1	<0.05	12	<0.5	<0.2
STD OXC145	Standard																		
STD OXH122	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXN117 Expected																			
STD OXC145 Expected																			
STD OXH122 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

2 of 2

Part:

1 of 2

## QUALITY CONTROL REPORT

WHI17000226.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.7	4.1	1.3	31	<0.1	1.7	3.7	502	1.83	1.1	<0.5	2.3	23	<0.1	<0.1	<0.1	26	0.55	
ROCK-WHI	Prep Blank	<0.005	0.7	4.6	1.1	33	<0.1	1.0	3.7	528	1.74	0.9	<0.5	2.3	23	<0.1	<0.1	<0.1	25	0.56	



**BUREAU**  
**VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

**Client:**

**Strike Point Gold**

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 03, 2017

Page:

2 of 2

Part:

2 of 2

## QUALITY CONTROL REPORT

WHI17000226.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.039	6	5	0.46	162	0.085	<20	0.89	0.103	0.10	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	6	2	0.50	54	0.081	<20	0.86	0.083	0.09	0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2