



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Submitted By: Andy Randell

Receiving Lab: Canada-Whitehorse

Received: July 07, 2017

Report Date: August 08, 2017

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI17000254.1

CLIENT JOB INFORMATION

Project: MAHTIN
Shipment ID: SKPRAB003
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Strike Point Gold
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1
Canada

CC: Scott Dorian
Shawn Khunkhun

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	135	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	3	Sort, label and box pulps			WHI
FA430	138	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

2 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630459	Rab Sample	2.87	0.035	2.6	83.9	8.5	361	0.4	22.2	18.8	1042	2.81	107.9	22.9	7.0	90	6.0	1.3	2.2	62	1.73
1630460	Rock	0.70	0.005	0.3	1.5	4.7	22	0.1	4.0	0.8	112	0.16	3.5	1.8	0.2	260	0.4	1.4	<0.1	15	20.57
1630461	Rab Sample	5.37	0.006	2.8	20.8	7.0	133	0.1	18.0	14.1	1314	2.72	59.0	2.9	6.7	162	1.6	1.0	0.5	64	3.43
1630462	Rab Sample	5.95	0.016	3.0	6.1	3.4	223	0.1	10.7	3.2	2663	3.40	15.4	11.4	4.6	137	2.8	1.2	1.7	10	4.30
1630463	Rab Sample	2.78	0.012	1.6	17.0	4.8	272	1.2	10.0	3.9	818	6.23	562.9	9.6	12.8	76	2.3	5.9	0.9	18	1.24
1630464	Rab Sample	3.20	0.010	0.8	41.2	7.5	61	0.6	13.9	2.9	120	3.04	115.0	7.0	18.2	11	0.3	2.4	0.3	19	0.16
1630465	Rab Sample	3.49	<0.005	1.0	30.4	5.5	61	0.3	36.0	13.9	402	3.01	63.2	3.2	18.0	18	0.3	1.5	0.1	38	0.19
1630466	Rab Sample	3.47	0.005	0.9	19.5	10.3	31	0.2	16.8	5.9	384	1.60	23.8	5.7	12.1	9	<0.1	0.7	0.2	14	0.26
1630467	Rab Sample	3.37	<0.005	0.7	24.6	6.0	31	0.2	19.6	7.4	250	1.92	21.7	0.7	12.1	24	<0.1	0.8	0.2	23	0.54
1630468	Rab Sample	3.48	<0.005	0.7	23.2	7.9	29	0.4	16.8	6.4	907	1.61	93.9	1.2	12.2	61	<0.1	1.5	0.1	9	2.89
1630469	Rab Sample	3.61	0.006	1.2	16.0	8.1	26	0.4	19.0	6.7	1356	1.93	126.4	9.9	11.9	78	0.1	1.5	0.2	9	4.48
1630470	Rab Sample	3.60	<0.005	0.7	25.7	6.9	31	0.3	17.2	6.3	525	1.82	47.3	1.3	12.5	55	<0.1	0.9	0.1	13	1.67
1630471	Rab Sample	3.66	0.021	1.4	31.2	8.4	74	0.3	16.5	6.6	502	1.95	47.6	14.8	10.2	41	0.6	1.0	1.4	14	1.23
1630472	Rab Sample	3.39	0.015	1.1	43.9	7.3	234	0.4	20.1	9.7	1233	3.46	116.9	10.9	8.7	118	2.7	2.0	0.7	18	3.80
1630473	Rab Sample	2.95	0.010	1.3	28.8	10.4	151	0.6	20.0	7.6	760	2.14	111.8	8.6	11.2	40	1.6	1.8	0.8	11	1.51
1630474	Rab Sample	2.05	<0.005	1.2	20.5	8.8	42	0.4	16.9	7.4	438	1.82	50.0	1.9	13.3	12	0.5	0.8	0.2	13	0.29
1630475	Rab Sample	3.03	0.016	1.0	24.9	4.7	100	0.4	20.6	8.6	320	1.83	132.2	8.5	14.1	8	1.3	1.7	0.2	14	0.17
1630476	Rab Sample	2.97	0.172	1.3	117.9	8.9	264	0.9	42.7	19.7	1191	3.57	275.9	154.8	18.8	19	2.1	3.3	4.6	29	0.34
1630477	Rab Sample	2.96	0.009	0.8	28.0	8.4	55	0.2	13.9	6.2	318	1.45	71.0	2.4	12.8	12	0.9	1.5	0.3	11	0.39
1630478	Rab Sample	2.95	0.169	1.2	31.7	8.0	74	0.4	26.1	11.2	556	1.98	71.1	41.3	13.7	17	1.4	1.6	0.9	18	0.63
1630479	Rab Sample	3.26	0.012	0.8	30.8	10.0	35	0.6	15.0	5.4	353	1.60	78.7	9.7	15.0	10	0.4	1.3	0.3	10	0.54
1630480	Rock Pulp	0.08	5.121	8.8	197.9	26.8	78	1.2	15.7	12.0	559	4.23	11.5	8271.6	3.2	73	0.2	4.1	0.5	103	0.90
1630481	Rab Sample	3.17	<0.005	1.2	21.0	8.5	27	0.3	13.0	5.5	177	1.56	77.8	2.2	10.7	7	<0.1	1.3	0.1	11	0.18
1630482	Rab Sample	3.75	0.008	0.6	37.0	5.3	56	0.3	32.9	13.3	329	3.33	111.3	5.6	16.6	18	<0.1	1.2	0.3	33	0.44
1630483	Rab Sample	3.54	0.006	1.3	45.2	6.7	81	<0.1	43.4	17.8	431	4.39	47.0	6.0	13.2	32	<0.1	0.6	0.5	52	0.47
1630484	Rab Sample	3.47	<0.005	0.8	34.0	6.0	51	0.1	33.8	12.2	362	2.95	39.6	3.4	12.9	35	<0.1	0.7	0.3	34	0.70
1630485	Rab Sample	3.37	0.006	1.3	25.1	5.0	36	0.1	31.1	11.6	219	2.58	103.6	4.8	12.8	22	<0.1	0.8	0.2	30	0.43
1630486	Rab Sample	3.35	<0.005	0.9	25.5	9.1	50	0.2	41.3	15.9	400	3.20	61.8	3.2	14.6	32	<0.1	1.0	0.4	33	0.90
1630487	Rab Sample	3.57	<0.005	1.0	27.2	6.8	45	0.2	31.3	12.6	350	3.15	63.3	3.5	12.9	36	<0.1	0.8	0.1	26	0.92
1630488	Rab Sample	3.52	0.011	0.9	35.3	5.1	64	0.3	36.9	10.4	304	3.97	94.6	6.6	15.6	45	<0.1	1.2	0.2	37	0.87



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

2 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630459	Rab Sample	0.107	21	137	0.91	187	0.097	<20	1.65	0.041	0.20	3.7	0.01	7.1	0.3	<0.05	5	<0.5	<0.2			
1630460	Rock	0.012	2	4	10.91	15	0.002	<20	0.10	0.002	0.02	0.2	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2			
1630461	Rab Sample	0.116	17	164	1.19	156	0.138	<20	1.56	0.098	0.18	16.1	<0.01	8.2	0.3	<0.05	6	<0.5	<0.2			
1630462	Rab Sample	0.013	11	12	0.24	18	0.067	53	0.87	0.003	0.04	>100	0.06	2.3	0.6	<0.05	3	<0.5	<0.2			
1630463	Rab Sample	0.045	24	27	0.16	103	0.021	28	0.98	0.005	0.29	8.6	0.06	3.1	2.9	0.20	7	0.5	<0.2			
1630464	Rab Sample	0.015	39	28	0.30	50	0.004	<20	1.14	0.004	0.30	0.8	0.01	2.8	1.0	<0.05	5	<0.5	<0.2			
1630465	Rab Sample	0.025	45	52	0.75	126	0.071	<20	2.02	0.016	0.84	0.5	<0.01	5.3	1.1	<0.05	6	<0.5	<0.2			
1630466	Rab Sample	0.012	26	25	0.33	33	0.007	<20	0.87	0.005	0.26	0.6	<0.01	1.6	0.4	<0.05	3	<0.5	<0.2			
1630467	Rab Sample	0.019	26	33	0.48	71	0.046	<20	1.16	0.017	0.48	1.7	<0.01	2.7	0.6	<0.05	4	<0.5	<0.2			
1630468	Rab Sample	0.022	29	13	0.32	33	0.001	<20	0.79	0.002	0.24	0.7	<0.01	1.7	0.5	<0.05	3	<0.5	<0.2			
1630469	Rab Sample	0.019	28	17	0.41	40	0.001	<20	0.89	0.002	0.26	0.8	<0.01	1.9	0.5	<0.05	3	<0.5	<0.2			
1630470	Rab Sample	0.023	29	19	0.37	28	0.002	<20	0.93	0.002	0.22	0.6	<0.01	1.7	0.5	<0.05	3	<0.5	<0.2			
1630471	Rab Sample	0.015	21	26	0.29	33	0.020	<20	0.85	0.004	0.22	36.6	0.01	1.9	0.5	<0.05	3	<0.5	<0.2			
1630472	Rab Sample	0.016	24	21	0.49	27	0.009	<20	1.37	0.002	0.18	9.0	<0.01	3.6	0.5	0.07	5	<0.5	<0.2			
1630473	Rab Sample	0.013	27	19	0.30	23	0.001	<20	0.85	0.003	0.20	1.1	<0.01	1.8	0.5	<0.05	2	<0.5	<0.2			
1630474	Rab Sample	0.015	27	27	0.33	27	0.002	<20	0.81	0.002	0.22	0.8	<0.01	1.5	0.4	<0.05	3	<0.5	<0.2			
1630475	Rab Sample	0.030	35	21	0.34	36	0.002	<20	0.91	0.002	0.27	0.9	<0.01	2.0	0.5	<0.05	3	<0.5	<0.2			
1630476	Rab Sample	0.050	47	37	0.63	81	0.009	<20	1.75	0.005	0.46	1.3	<0.01	4.3	0.9	<0.05	5	<0.5	0.3			
1630477	Rab Sample	0.018	29	18	0.28	33	0.002	<20	0.80	0.003	0.22	0.8	<0.01	1.5	0.4	<0.05	3	<0.5	<0.2			
1630478	Rab Sample	0.029	33	35	0.41	53	0.009	<20	1.09	0.004	0.33	0.8	<0.01	2.3	0.5	<0.05	4	<0.5	<0.2			
1630479	Rab Sample	0.026	31	19	0.27	19	0.001	<20	0.73	0.001	0.20	0.8	<0.01	1.5	0.5	<0.05	2	<0.5	<0.2			
1630480	Rock Pulp	0.063	8	20	0.90	141	0.154	<20	1.73	0.183	0.23	5.6	0.20	3.8	<0.1	<0.05	5	<0.5	<0.2			
1630481	Rab Sample	0.016	23	24	0.25	22	0.001	<20	0.70	0.002	0.21	0.8	<0.01	1.2	0.4	<0.05	3	<0.5	<0.2			
1630482	Rab Sample	0.038	46	50	0.77	64	0.013	<20	1.83	0.006	0.43	0.3	<0.01	3.1	0.5	<0.05	6	<0.5	<0.2			
1630483	Rab Sample	0.021	32	70	1.07	121	0.076	<20	2.52	0.025	0.80	0.6	<0.01	6.0	0.7	0.10	8	<0.5	<0.2			
1630484	Rab Sample	0.015	30	48	0.80	78	0.027	<20	1.78	0.014	0.48	0.8	<0.01	3.7	0.6	<0.05	6	<0.5	<0.2			
1630485	Rab Sample	0.021	26	49	0.61	64	0.028	<20	1.48	0.018	0.44	0.8	<0.01	3.0	0.5	0.07	5	<0.5	<0.2			
1630486	Rab Sample	0.058	36	46	0.81	69	0.017	<20	1.91	0.007	0.48	0.3	<0.01	3.9	0.5	<0.05	5	<0.5	<0.2			
1630487	Rab Sample	0.034	36	41	0.68	53	0.007	<20	1.68	0.005	0.38	0.2	<0.01	2.8	0.5	<0.05	5	<0.5	<0.2			
1630488	Rab Sample	0.048	40	51	0.81	86	0.011	<20	2.09	0.006	0.44	0.2	<0.01	3.9	0.5	<0.05	6	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

3 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
1630489	Rab Sample	3.52	0.073	1.6	44.3	11.9	34	0.4	15.5	6.5	386	2.08	675.6	74.1	11.8	36	0.2	1.6	0.3	16	1.08
1630490	Rab Sample	3.24	0.014	1.5	19.5	6.3	27	<0.1	10.3	4.7	194	1.25	687.0	12.5	10.6	36	0.1	1.1	0.1	13	0.95
1630491	Rab Sample	3.30	0.038	1.9	24.7	4.9	24	<0.1	10.4	4.6	202	1.68	682.5	27.6	11.0	27	<0.1	1.2	0.6	17	0.52
1630492	Rab Sample	3.15	0.014	2.2	35.4	4.9	24	<0.1	10.8	4.9	162	1.43	148.7	12.7	11.8	25	0.1	0.5	0.2	16	0.49
1630493	Rab Sample	3.26	0.011	2.1	29.4	4.1	32	<0.1	8.7	3.9	173	1.05	70.4	13.4	10.3	43	0.2	0.5	0.2	13	0.57
1630494	Rab Sample	3.29	0.026	2.2	39.1	4.6	30	<0.1	15.9	6.7	163	1.81	127.2	12.2	11.3	48	0.2	0.7	0.4	21	0.41
1630495	Rab Sample	3.59	0.007	1.5	50.1	4.8	59	0.1	29.9	12.7	253	3.09	20.5	3.3	13.8	60	<0.1	0.4	0.2	42	0.74
1630496	Rab Sample	3.30	0.037	1.5	74.0	4.3	68	0.2	40.7	14.6	293	3.93	17.4	227.7	14.8	111	<0.1	0.5	0.4	49	0.61
1630497	Rab Sample	3.45	0.017	1.0	66.9	3.0	84	0.1	39.4	15.8	300	3.80	34.3	12.2	15.3	67	<0.1	0.7	0.6	50	0.80
1630498	Rab Sample	3.32	0.016	2.9	82.6	3.3	55	0.1	41.3	13.9	308	3.48	63.5	7.8	15.9	101	<0.1	0.8	1.0	54	1.29
1630499	Rab Sample	3.09	0.009	2.5	77.6	3.3	98	0.1	26.7	11.1	244	2.89	142.9	2.5	12.6	61	0.7	0.5	0.4	49	0.96
1630500	Rock	0.63	<0.005	0.5	3.4	4.8	23	0.1	3.6	1.1	116	0.22	4.9	1.5	0.6	268	0.2	1.4	<0.1	16	18.84
1630501	Rab Sample	3.00	0.077	1.3	32.9	3.6	165	0.2	5.5	3.1	164	0.83	109.8	138.5	7.8	40	2.1	0.7	7.5	6	0.57
1630502	Rab Sample	3.01	0.020	1.7	53.8	3.4	68	0.1	19.0	7.0	190	1.78	409.6	17.0	13.0	52	0.7	1.3	0.5	29	0.72
1630503	Rab Sample	2.88	0.012	2.0	68.6	4.7	107	0.2	27.4	10.4	268	2.80	111.7	15.4	15.7	92	1.0	3.0	0.3	47	1.17
1630504	Rab Sample	2.63	0.033	1.6	37.6	3.5	119	<0.1	24.8	9.6	336	2.49	17.9	11.5	14.2	89	1.1	0.6	0.3	48	2.62
1630505	Rab Sample	3.29	0.006	2.7	32.1	4.8	95	0.1	18.5	8.6	470	2.04	25.0	4.9	13.9	122	1.1	0.5	0.1	34	4.80
1630506	Rab Sample	3.31	0.035	2.5	195.4	25.6	103	2.5	14.7	8.0	396	2.30	953.9	26.6	15.1	42	0.9	3.1	3.3	14	1.64
1630507	Rab Sample	3.35	0.173	2.3	57.6	17.0	390	0.5	6.7	3.2	250	1.38	2667.3	159.8	15.8	65	5.7	5.1	1.4	5	1.88
1630508	Rab Sample	2.99	0.192	4.3	87.5	9.4	556	0.4	26.2	12.6	429	3.01	3699.8	175.2	11.2	66	8.3	16.0	1.8	37	1.58
1630509	Rab Sample	3.10	0.030	5.1	91.1	7.0	135	0.1	32.3	13.4	359	2.79	190.3	29.6	13.9	48	1.2	4.0	0.4	46	1.64
1630510	Rab Sample	2.85	0.025	8.9	203.6	5.3	159	0.3	19.3	20.9	409	3.93	826.6	20.9	6.8	101	1.6	6.7	0.5	94	2.25
1630511	Rab Sample	3.03	0.013	3.5	93.5	4.0	255	0.2	21.1	8.8	317	2.28	123.8	5.9	11.7	70	3.5	2.1	0.3	39	0.99
1630512	Rab Sample	2.21	0.010	4.5	45.9	4.8	455	0.1	19.5	6.7	521	2.08	47.7	13.5	16.1	59	6.8	1.3	0.9	36	1.54
1630513	Rab Sample	3.45	0.027	3.4	56.8	6.6	576	0.2	22.4	10.4	1248	2.96	106.8	32.3	11.8	60	8.7	2.2	2.2	33	3.22
1630514	Rab Sample	2.94	0.023	5.4	79.1	6.8	272	0.2	19.1	8.4	945	2.72	364.9	14.2	14.1	39	2.9	2.8	2.8	43	3.71
1630515	Rab Sample	3.03	<0.005	35.6	41.7	8.7	124	<0.1	16.6	8.5	972	2.26	56.9	<0.5	13.2	34	1.0	1.8	0.1	47	3.63
1630516	Rab Sample	3.30	0.011	10.7	40.8	4.6	98	<0.1	14.9	6.2	559	1.76	32.4	7.9	10.6	52	0.8	0.9	0.2	34	2.18
1630517	Rab Sample	5.60	0.068	0.9	120.1	4.3	100	0.4	32.6	11.1	310	4.27	54.1	42.9	15.9	43	0.4	0.7	3.4	59	0.53
1630518	Rab Sample	2.46	0.090	1.0	189.4	5.9	76	1.8	22.8	9.0	256	4.52	725.4	86.5	15.3	51	0.7	13.1	1.3	31	0.29



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

3 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630489	Rab Sample	0.031	28	30	0.45	38	0.003	<20	1.03	0.003	0.26	0.7	<0.01	2.0	0.4	<0.05	3	<0.5	<0.2			
1630490	Rab Sample	0.011	18	22	0.30	17	0.005	<20	0.70	0.018	0.14	2.9	<0.01	1.7	0.2	0.16	3	<0.5	<0.2			
1630491	Rab Sample	0.023	15	29	0.30	32	0.031	<20	0.73	0.052	0.16	6.2	<0.01	2.5	0.1	0.24	3	0.6	<0.2			
1630492	Rab Sample	0.013	13	30	0.27	27	0.041	<20	0.66	0.068	0.10	8.7	<0.01	2.0	0.1	0.27	3	<0.5	<0.2			
1630493	Rab Sample	0.011	12	21	0.24	33	0.040	<20	0.69	0.057	0.10	8.5	<0.01	1.7	0.1	0.17	3	<0.5	<0.2			
1630494	Rab Sample	0.019	16	33	0.38	73	0.063	<20	1.07	0.077	0.38	7.4	<0.01	2.7	0.3	0.40	4	<0.5	<0.2			
1630495	Rab Sample	0.032	21	48	0.79	108	0.123	<20	2.31	0.116	0.75	4.0	<0.01	6.3	0.6	0.61	7	<0.5	<0.2			
1630496	Rab Sample	0.055	23	54	0.99	136	0.114	<20	2.67	0.103	1.17	1.3	<0.01	6.6	1.5	0.70	8	<0.5	<0.2			
1630497	Rab Sample	0.047	23	57	1.03	127	0.125	<20	3.00	0.114	1.24	1.7	<0.01	6.9	2.1	0.62	9	0.9	<0.2			
1630498	Rab Sample	0.064	24	61	1.11	136	0.124	<20	3.60	0.207	1.11	1.7	<0.01	7.5	1.9	0.57	10	0.5	<0.2			
1630499	Rab Sample	0.028	19	52	0.80	101	0.156	<20	2.49	0.155	0.88	5.4	<0.01	7.6	0.9	0.66	8	0.7	<0.2			
1630500	Rock	0.015	2	5	10.55	20	0.006	<20	0.16	0.003	0.05	0.3	<0.01	1.1	<0.1	<0.05	<1	<0.5	<0.2			
1630501	Rab Sample	0.013	9	14	0.09	15	0.032	<20	0.63	0.064	0.07	36.2	<0.01	1.0	<0.1	0.16	2	<0.5	0.3			
1630502	Rab Sample	0.019	20	36	0.44	82	0.089	<20	1.61	0.128	0.48	8.2	<0.01	3.8	0.5	0.39	5	<0.5	<0.2			
1630503	Rab Sample	0.027	25	58	0.73	134	0.181	<20	2.78	0.210	0.85	7.7	<0.01	7.3	0.9	0.47	9	<0.5	<0.2			
1630504	Rab Sample	0.020	24	54	0.72	130	0.195	<20	2.45	0.145	0.98	11.7	<0.01	7.7	0.8	0.29	9	<0.5	<0.2			
1630505	Rab Sample	0.015	19	47	0.58	110	0.160	<20	1.85	0.127	0.61	16.2	<0.01	5.2	0.5	0.17	6	<0.5	<0.2			
1630506	Rab Sample	0.022	15	21	0.36	56	0.003	<20	0.94	0.004	0.29	1.2	<0.01	1.7	0.8	0.69	3	<0.5	<0.2			
1630507	Rab Sample	0.011	17	13	0.26	47	0.003	<20	0.98	0.021	0.19	12.4	<0.01	1.0	0.4	0.56	3	<0.5	<0.2			
1630508	Rab Sample	0.013	16	46	0.80	82	0.065	<20	2.16	0.043	0.48	7.6	<0.01	4.4	0.7	0.85	7	<0.5	<0.2			
1630509	Rab Sample	0.038	18	59	0.86	132	0.143	<20	2.46	0.046	0.70	2.5	<0.01	7.5	0.8	0.48	8	<0.5	<0.2			
1630510	Rab Sample	0.078	12	40	1.32	133	0.197	<20	3.20	0.139	0.86	2.9	<0.01	7.3	1.3	1.34	9	1.7	<0.2			
1630511	Rab Sample	0.015	18	38	0.69	110	0.119	<20	1.99	0.104	0.55	7.8	<0.01	4.7	0.8	0.49	6	<0.5	<0.2			
1630512	Rab Sample	0.014	23	43	0.62	122	0.123	<20	1.93	0.079	0.50	6.8	<0.01	4.8	0.5	0.19	6	<0.5	<0.2			
1630513	Rab Sample	0.016	20	44	0.87	92	0.098	<20	2.38	0.055	0.31	7.1	<0.01	4.6	0.3	0.18	6	<0.5	<0.2			
1630514	Rab Sample	0.013	25	49	0.91	109	0.068	<20	2.77	0.009	0.52	0.7	<0.01	7.4	0.6	<0.05	8	<0.5	<0.2			
1630515	Rab Sample	0.015	24	51	0.90	215	0.117	<20	2.65	0.011	0.74	0.6	<0.01	6.8	0.7	<0.05	6	<0.5	<0.2			
1630516	Rab Sample	0.013	18	42	0.61	129	0.104	<20	1.98	0.065	0.52	3.4	<0.01	4.8	0.3	0.12	6	<0.5	<0.2			
1630517	Rab Sample	0.036	26	63	0.91	134	0.156	<20	2.83	0.079	1.07	3.0	<0.01	5.9	1.7	0.46	9	<0.5	0.3			
1630518	Rab Sample	0.035	26	37	0.57	97	0.090	<20	2.04	0.062	0.88	2.0	<0.01	2.9	2.5	0.23	6	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

4 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630519	Rab Sample	3.13	0.007	0.8	88.7	3.7	89	0.2	43.3	17.7	524	3.38	54.6	4.6	16.8	32	0.4	0.7	0.4	33	0.38
1630520	Rock Pulp	0.08	4.848	7.7	214.9	23.2	78	1.0	14.8	12.3	533	4.25	11.5	6306.5	2.9	71	0.2	4.2	0.5	106	0.92
1630521	Rab Sample	3.13	0.006	1.0	52.0	3.7	75	<0.1	33.6	11.8	210	3.65	12.5	4.1	16.1	29	<0.1	0.4	0.3	35	0.29
1630522	Rab Sample	3.25	0.008	0.9	51.4	6.3	130	0.2	40.2	20.9	405	4.18	39.7	6.0	18.2	16	0.8	1.0	0.3	29	0.10
1630523	Rab Sample	3.25	0.005	0.5	51.4	3.3	131	0.1	39.5	14.4	237	4.24	13.6	3.5	14.9	24	1.0	0.3	0.3	43	0.22
1630524	Rab Sample	2.24	0.016	0.9	58.4	3.8	51	0.1	25.8	9.3	270	2.84	10.4	11.5	10.1	61	0.3	0.1	0.3	33	0.90
1630525	Rab Sample	2.72	0.007	0.7	60.5	2.8	140	0.1	36.4	13.2	284	3.59	14.3	3.6	11.1	52	1.2	<0.1	0.3	42	0.76
1630526	Rab Sample	2.70	0.008	0.9	48.5	3.3	58	0.1	31.1	13.5	233	3.05	9.4	6.1	11.6	59	0.1	0.1	0.3	36	0.77
1630527	Rab Sample	3.13	0.007	0.8	33.1	3.6	51	<0.1	18.1	8.2	187	2.07	12.0	6.8	10.7	37	0.2	0.1	0.3	27	0.36
1630528	Rab Sample	3.02	0.013	1.2	41.6	2.5	108	<0.1	19.0	7.6	233	2.41	38.8	7.4	10.4	50	1.1	0.2	0.8	30	0.48
1630529	Rab Sample	2.95	0.009	2.6	31.7	2.6	59	<0.1	13.9	5.8	218	1.81	13.2	9.7	9.3	53	0.5	0.3	0.4	23	0.38
1630530	Rab Sample	2.99	0.010	1.6	21.8	2.4	45	<0.1	11.2	4.9	174	1.44	11.0	5.0	8.1	33	0.4	0.2	0.4	18	0.38
1630531	Rab Sample	2.85	0.023	1.0	30.9	2.6	35	<0.1	17.1	8.7	122	1.65	9.6	13.9	9.1	37	<0.1	0.1	0.3	19	0.42
1630532	Rab Sample	2.96	0.011	1.2	32.7	2.9	57	<0.1	22.6	9.9	191	2.30	11.1	7.6	12.2	76	0.2	0.1	0.3	23	0.77
1630533	Rab Sample	2.83	0.025	1.7	84.5	3.8	439	0.2	25.8	12.0	320	2.89	5.6	26.4	10.6	58	6.9	0.3	0.9	27	0.79
1630534	Rab Sample	2.73	0.008	1.2	28.4	2.8	36	<0.1	17.0	6.9	211	2.06	11.8	3.0	12.0	36	0.1	0.2	0.3	26	0.44
1630535	Rab Sample	2.87	0.013	0.8	20.7	2.7	41	<0.1	18.0	7.1	178	1.91	12.1	11.9	12.3	18	<0.1	0.3	0.2	26	0.22
1630536	Rab Sample	2.76	0.094	1.2	34.9	3.9	83	0.1	20.4	8.6	340	2.53	569.4	72.5	11.8	29	1.4	2.9	0.4	25	0.26
1630537	Rab Sample	2.86	0.013	0.9	21.5	3.1	30	<0.1	15.8	5.5	235	1.67	51.2	8.0	11.4	25	<0.1	0.8	0.2	20	0.27
1630538	Rab Sample	2.77	0.034	1.6	22.8	4.3	30	<0.1	15.6	6.1	267	2.16	18.4	31.1	10.5	24	<0.1	0.6	0.4	18	0.24
1630539	Rab Sample	2.97	0.023	0.9	22.7	2.5	49	<0.1	26.2	11.6	165	2.20	104.5	18.0	14.2	21	<0.1	0.6	0.3	26	0.23
1630540	Rock	0.49	<0.005	0.5	2.7	4.3	23	0.1	3.6	0.8	127	0.33	4.8	3.4	0.5	275	0.3	1.3	<0.1	16	20.36
1630541	Rab Sample	2.27	0.063	1.2	30.1	4.1	32	<0.1	14.0	5.8	202	1.74	25.6	51.3	11.5	17	<0.1	0.3	1.0	18	0.26
1630542	Rab Sample	2.70	0.024	1.7	41.8	4.1	44	0.1	19.2	7.0	282	2.24	66.3	16.2	11.8	30	<0.1	0.3	0.9	20	0.45
1630543	Rab Sample	2.55	0.008	0.9	14.2	4.7	32	<0.1	9.2	3.4	207	1.08	23.3	8.4	11.4	12	<0.1	0.4	0.2	9	0.20
1630544	Rab Sample	3.15	<0.005	1.3	16.3	3.4	32	<0.1	14.9	5.6	263	1.63	9.2	4.3	12.6	20	<0.1	0.2	0.2	16	0.29
1630545	Rab Sample	3.52	<0.005	1.5	30.0	29.0	274	0.4	19.8	7.5	847	2.19	30.6	2.6	14.0	18	2.2	0.9	0.2	21	0.41
1630546	Rab Sample	2.88	0.008	1.5	27.9	6.4	248	<0.1	16.7	5.8	334	2.23	30.2	8.3	13.9	38	3.1	0.3	1.3	25	0.53
1630547	Rab Sample	3.20	0.042	1.2	130.8	11.1	542	0.4	12.8	8.6	526	2.34	368.9	38.2	6.1	72	8.9	0.3	8.7	12	0.87
1630548	Rab Sample	1.93	0.048	1.9	50.8	5.2	681	0.1	19.4	7.8	345	2.32	138.7	31.9	10.4	89	12.2	0.4	2.7	21	0.83



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

4 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630519	Rab Sample	0.027	32	48	0.72	76	0.080	<20	2.17	0.065	0.69	2.0	<0.01	3.3	1.8	0.23	7	<0.5	<0.2
1630520	Rock Pulp	0.054	8	20	0.89	134	0.151	<20	1.74	0.182	0.23	5.0	0.17	3.2	0.1	<0.05	5	<0.5	<0.2
1630521	Rab Sample	0.038	38	46	0.84	67	0.067	<20	2.09	0.038	0.54	0.9	<0.01	3.2	0.8	0.19	6	<0.5	<0.2
1630522	Rab Sample	0.041	49	52	0.84	61	0.029	<20	2.02	0.014	0.43	1.5	<0.01	3.0	0.6	0.08	6	<0.5	<0.2
1630523	Rab Sample	0.028	36	57	0.95	87	0.099	<20	2.36	0.025	0.83	0.6	<0.01	3.9	1.1	0.24	7	<0.5	<0.2
1630524	Rab Sample	0.027	18	43	0.57	71	0.092	<20	2.27	0.144	0.49	5.1	<0.01	3.6	0.5	0.62	6	<0.5	<0.2
1630525	Rab Sample	0.029	18	52	0.85	92	0.153	<20	2.59	0.105	0.98	3.3	<0.01	4.8	0.9	0.68	7	<0.5	<0.2
1630526	Rab Sample	0.030	20	47	0.65	86	0.121	<20	2.28	0.105	0.75	3.9	<0.01	3.8	0.6	0.61	6	<0.5	<0.2
1630527	Rab Sample	0.016	16	35	0.44	58	0.092	<20	1.31	0.069	0.41	8.0	<0.01	3.0	0.3	0.25	4	<0.5	<0.2
1630528	Rab Sample	0.011	14	40	0.47	58	0.088	<20	1.49	0.090	0.39	23.9	<0.01	3.6	0.5	0.25	5	<0.5	<0.2
1630529	Rab Sample	0.014	13	33	0.35	43	0.080	<20	1.08	0.078	0.22	8.2	<0.01	2.5	0.3	0.14	4	<0.5	<0.2
1630530	Rab Sample	0.010	11	30	0.23	18	0.060	<20	0.76	0.086	0.07	12.5	<0.01	1.7	<0.1	0.16	3	<0.5	<0.2
1630531	Rab Sample	0.022	16	25	0.40	68	0.074	<20	1.23	0.077	0.42	13.0	<0.01	2.4	0.3	0.25	4	<0.5	<0.2
1630532	Rab Sample	0.039	21	33	0.45	87	0.095	<20	1.83	0.112	0.57	7.8	<0.01	3.1	0.4	0.47	5	<0.5	<0.2
1630533	Rab Sample	0.030	17	33	0.53	73	0.100	<20	1.99	0.086	0.65	43.8	<0.01	2.9	0.4	0.78	5	1.0	<0.2
1630534	Rab Sample	0.016	15	39	0.42	48	0.087	<20	1.19	0.095	0.30	9.7	<0.01	2.8	0.2	0.25	5	<0.5	<0.2
1630535	Rab Sample	0.024	17	33	0.47	72	0.096	<20	1.13	0.046	0.51	6.1	<0.01	2.6	0.5	0.13	4	<0.5	<0.2
1630536	Rab Sample	0.016	16	39	0.53	73	0.078	<20	1.31	0.059	0.46	4.9	<0.01	2.7	0.5	0.17	5	<0.5	<0.2
1630537	Rab Sample	0.011	15	28	0.41	47	0.063	<20	0.99	0.053	0.28	6.7	<0.01	2.3	0.2	0.14	4	<0.5	<0.2
1630538	Rab Sample	0.025	17	31	0.35	45	0.065	<20	0.80	0.045	0.27	9.4	<0.01	2.4	0.2	0.12	4	<0.5	<0.2
1630539	Rab Sample	0.051	27	34	0.59	95	0.089	<20	1.37	0.035	0.73	4.8	<0.01	2.8	0.9	0.17	5	<0.5	<0.2
1630540	Rock	0.014	2	4	11.03	20	0.004	<20	0.11	0.003	0.03	0.4	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1630541	Rab Sample	0.010	16	28	0.34	41	0.041	<20	0.72	0.036	0.22	11.1	<0.01	1.7	0.2	0.21	3	<0.5	<0.2
1630542	Rab Sample	0.019	16	36	0.45	75	0.047	<20	0.98	0.033	0.37	8.3	<0.01	2.1	0.4	0.24	4	<0.5	<0.2
1630543	Rab Sample	0.009	20	18	0.20	28	0.004	<20	0.50	0.021	0.15	3.0	<0.01	0.8	0.3	<0.05	2	<0.5	<0.2
1630544	Rab Sample	0.010	19	31	0.33	79	0.045	<20	0.87	0.029	0.37	5.2	<0.01	1.8	0.5	0.06	3	<0.5	<0.2
1630545	Rab Sample	0.043	24	32	0.48	87	0.060	<20	1.17	0.020	0.58	4.5	<0.01	2.3	0.9	<0.05	4	<0.5	<0.2
1630546	Rab Sample	0.014	18	38	0.44	54	0.075	<20	1.05	0.052	0.33	13.6	<0.01	2.6	0.4	0.14	4	<0.5	<0.2
1630547	Rab Sample	0.019	9	19	0.25	30	0.053	<20	1.07	0.053	0.17	43.7	<0.01	1.5	0.2	0.85	3	0.6	<0.2
1630548	Rab Sample	0.017	15	37	0.32	64	0.084	<20	1.60	0.136	0.30	96.9	<0.01	2.4	0.3	0.30	5	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

5 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630549	Rab Sample	2.46	0.005	0.9	30.8	3.9	80	<0.1	28.7	11.5	317	2.61	18.9	5.1	13.8	17	0.3	0.1	0.7	27	0.17
1630550	Rab Sample	2.55	0.050	1.7	104.9	5.8	277	0.2	14.4	9.9	562	3.47	305.3	49.4	14.9	98	3.3	0.8	2.9	66	0.95
1630551	Rab Sample	4.74	0.035	1.5	116.2	4.3	428	0.2	12.1	7.6	595	3.38	399.0	32.8	17.3	159	5.5	1.2	1.9	71	1.45
1630552	Rab Sample	3.17	0.050	1.2	155.9	5.5	238	0.3	11.9	8.6	596	3.80	212.5	46.4	16.7	130	2.6	0.8	4.1	68	1.63
1630553	Rab Sample	3.20	0.033	1.5	158.8	11.4	183	1.5	11.5	9.0	597	3.13	247.0	27.5	16.8	97	1.8	0.9	7.5	64	1.49
1630554	Rab Sample	2.92	0.041	3.0	108.3	39.5	404	1.2	13.4	9.2	643	3.47	271.5	42.1	17.8	76	4.8	2.9	2.4	58	0.81
1630555	Rab Sample	2.63	0.022	11.2	91.1	5.9	209	0.3	12.7	8.5	468	2.98	169.9	17.1	17.4	121	2.9	0.6	1.5	67	1.36
1630556	Rab Sample	3.31	0.017	2.9	73.9	5.0	83	0.2	10.9	8.9	389	2.95	47.5	17.1	16.6	121	0.5	0.1	2.3	67	1.60
1630557	Rab Sample	3.02	0.021	2.0	66.8	4.1	103	0.1	11.5	8.4	412	2.86	16.4	26.3	17.4	134	0.8	0.1	1.2	68	1.33
1630558	Rab Sample	2.96	0.015	3.8	93.0	4.5	175	0.2	12.1	7.3	492	3.00	16.3	20.9	15.9	106	2.0	0.2	1.7	64	1.24
1630559	Rab Sample	3.18	0.011	1.0	107.9	4.6	140	0.3	12.1	9.5	429	2.95	207.2	9.5	16.1	105	1.3	0.2	1.3	65	1.31
1630560	Rock Pulp	0.08	5.179	8.2	211.1	23.5	84	0.8	15.3	11.6	596	4.20	11.8	4507.7	3.0	71	0.2	4.0	0.5	104	0.93
1630561	Rab Sample	3.16	0.021	3.5	120.4	5.5	235	0.3	11.9	10.5	431	2.90	433.0	19.3	16.5	115	2.9	0.9	1.3	63	1.31
1630562	Rab Sample	3.12	0.011	1.3	95.3	5.3	152	0.3	12.1	9.5	448	2.90	243.0	12.7	16.6	120	1.4	0.2	2.0	66	1.40
1630563	Rab Sample	3.26	0.015	2.2	67.2	4.4	95	0.1	12.3	9.2	398	2.93	160.8	9.2	16.7	140	0.7	0.2	0.9	68	1.32
1630564	Rab Sample	3.34	0.063	1.3	112.1	4.3	181	0.3	12.0	13.3	483	3.52	2699.8	64.9	16.1	128	2.5	3.5	2.4	72	1.27
1630565	Rab Sample	2.46	0.017	1.2	137.7	5.5	106	0.7	12.9	11.3	655	3.54	348.4	13.2	15.3	122	1.0	0.4	2.0	67	1.87
1630566	Rab Sample	3.28	0.007	1.3	85.5	4.5	86	0.2	12.0	10.2	400	3.02	81.5	5.1	16.2	126	0.8	0.2	1.0	72	1.34
1630567	Rab Sample	3.19	0.009	1.3	102.6	4.1	104	0.2	13.1	10.0	359	2.98	19.3	6.9	16.9	135	0.8	<0.1	2.4	67	1.27
1630568	Rab Sample	3.55	0.019	3.8	82.3	4.4	167	0.2	11.8	9.8	477	3.04	134.5	17.6	17.4	118	1.8	0.2	2.3	68	1.28
1630569	Rab Sample	2.96	0.022	5.0	169.0	4.3	97	0.4	11.3	9.7	403	3.24	145.9	15.4	14.9	105	0.9	0.3	2.9	68	1.27
1630570	Rab Sample	3.15	0.030	3.7	102.5	5.0	67	0.3	11.7	9.1	373	3.18	81.4	11.5	16.3	122	0.5	0.1	5.6	70	1.45
1630571	Rab Sample	4.19	0.034	2.1	462.8	91.0	2286	3.5	13.8	11.5	464	3.37	447.3	41.0	17.0	123	32.4	1.1	6.2	70	1.30
1630572	Rab Sample	3.65	0.009	1.5	112.6	23.1	522	0.7	11.3	10.3	647	3.14	87.4	3.2	16.6	105	8.8	0.5	1.1	71	1.56
1630573	Rab Sample	3.38	0.008	1.7	73.7	4.8	113	0.2	13.2	10.7	430	3.27	50.4	3.5	16.9	139	0.9	0.1	0.7	78	1.48
1630574	Rab Sample	3.63	0.012	9.5	110.3	4.8	121	0.3	12.3	9.4	428	3.19	181.4	11.3	16.0	119	1.3	0.2	5.8	72	1.48
1630575	Rab Sample	3.37	0.009	1.7	88.6	4.4	93	0.2	12.3	8.3	439	3.15	32.3	5.4	15.6	103	0.6	0.3	2.1	70	1.49
1630576	Rab Sample	2.98	<0.005	1.6	85.7	4.2	135	0.2	11.3	8.7	422	2.90	8.0	2.0	15.5	115	1.2	0.2	0.6	69	1.37
1630577	Rab Sample	3.23	0.015	2.3	99.4	4.3	120	0.2	13.1	16.2	420	3.35	2196.0	14.4	15.5	121	1.0	0.2	5.5	68	1.19
1630578	Rab Sample	2.59	0.011	1.9	99.3	4.3	91	0.2	11.4	9.0	406	3.06	104.3	9.0	15.1	117	0.8	0.4	1.0	69	1.29



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

5 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630549	Rab Sample	0.027	21	37	0.65	144	0.132	<20	1.63	0.033	0.97	4.2	<0.01	2.9	1.3	0.18	5	<0.5	<0.2			
1630550	Rab Sample	0.054	28	70	1.06	156	0.132	<20	2.66	0.199	0.42	4.1	<0.01	7.4	0.9	0.29	9	0.6	<0.2			
1630551	Rab Sample	0.067	29	78	1.20	142	0.168	<20	3.50	0.340	0.70	5.9	<0.01	8.7	1.9	0.53	11	0.6	<0.2			
1630552	Rab Sample	0.069	24	73	1.24	102	0.135	<20	2.95	0.243	0.55	5.7	<0.01	8.8	1.5	0.82	10	1.4	<0.2			
1630553	Rab Sample	0.062	31	67	1.10	226	0.129	<20	2.22	0.144	0.42	2.6	<0.01	6.8	0.7	0.56	8	0.9	<0.2			
1630554	Rab Sample	0.060	31	70	1.05	184	0.087	<20	2.27	0.121	0.42	1.7	<0.01	5.9	0.7	0.21	7	<0.5	<0.2			
1630555	Rab Sample	0.062	32	69	1.09	327	0.186	<20	2.65	0.244	0.53	3.6	<0.01	5.9	0.7	0.53	9	1.4	<0.2			
1630556	Rab Sample	0.058	32	74	1.09	321	0.168	<20	2.41	0.189	0.44	2.9	<0.01	5.5	0.4	0.49	8	1.0	<0.2			
1630557	Rab Sample	0.067	34	76	1.10	404	0.226	<20	2.69	0.246	0.51	4.5	<0.01	6.3	0.4	0.49	9	0.9	<0.2			
1630558	Rab Sample	0.061	27	68	1.07	271	0.172	<20	2.37	0.194	0.41	16.8	<0.01	6.7	0.5	0.45	8	0.6	<0.2			
1630559	Rab Sample	0.064	27	70	1.09	273	0.180	<20	2.40	0.197	0.44	10.4	<0.01	6.5	0.5	0.53	9	1.0	<0.2			
1630560	Rock Pulp	0.060	8	18	0.90	138	0.147	<20	1.73	0.185	0.23	5.1	0.14	3.4	<0.1	<0.05	5	<0.5	<0.2			
1630561	Rab Sample	0.066	29	66	1.02	279	0.180	<20	2.60	0.257	0.45	5.4	<0.01	5.6	0.5	0.56	9	1.7	<0.2			
1630562	Rab Sample	0.064	32	76	1.11	349	0.191	<20	2.55	0.210	0.46	3.4	<0.01	5.6	0.4	0.48	9	1.2	<0.2			
1630563	Rab Sample	0.076	32	78	1.13	372	0.218	<20	2.84	0.269	0.53	4.0	<0.01	6.1	0.5	0.53	10	0.6	<0.2			
1630564	Rab Sample	0.066	30	75	1.17	312	0.186	<20	2.97	0.264	0.56	10.7	<0.01	6.9	0.8	0.85	10	1.8	<0.2			
1630565	Rab Sample	0.063	32	72	1.13	288	0.181	<20	2.74	0.231	0.48	10.7	<0.01	5.5	0.6	0.74	9	1.8	<0.2			
1630566	Rab Sample	0.062	32	76	1.16	356	0.212	<20	2.81	0.256	0.58	4.0	<0.01	6.7	0.8	0.59	9	1.5	<0.2			
1630567	Rab Sample	0.062	33	76	1.06	463	0.243	<20	2.71	0.246	0.60	5.3	<0.01	5.7	0.5	0.67	9	1.3	<0.2			
1630568	Rab Sample	0.067	32	75	1.11	385	0.212	<20	2.68	0.229	0.61	5.7	<0.01	7.3	0.7	0.54	9	1.1	<0.2			
1630569	Rab Sample	0.061	30	75	1.10	308	0.194	<20	2.51	0.207	0.46	7.0	<0.01	6.7	0.5	0.73	8	1.4	<0.2			
1630570	Rab Sample	0.064	32	72	1.13	407	0.217	<20	2.68	0.229	0.56	7.5	<0.01	5.8	0.4	0.70	9	1.5	<0.2			
1630571	Rab Sample	0.069	33	77	1.11	433	0.218	<20	2.72	0.236	0.57	5.8	<0.01	6.1	0.4	0.72	9	1.8	<0.2			
1630572	Rab Sample	0.066	32	78	1.19	300	0.175	<20	2.49	0.183	0.45	2.6	<0.01	6.7	0.5	0.49	8	1.4	<0.2			
1630573	Rab Sample	0.077	40	74	1.24	577	0.288	<20	3.10	0.274	0.80	6.1	<0.01	8.2	0.6	0.48	10	1.2	<0.2			
1630574	Rab Sample	0.054	33	78	1.16	237	0.169	<20	2.35	0.179	0.38	6.5	<0.01	7.4	0.4	0.72	8	1.4	<0.2			
1630575	Rab Sample	0.070	31	76	1.18	240	0.173	<20	2.49	0.193	0.43	3.9	<0.01	7.0	0.5	0.54	8	1.6	<0.2			
1630576	Rab Sample	0.064	32	78	1.12	283	0.193	<20	2.56	0.239	0.45	4.9	<0.01	6.3	0.4	0.56	8	1.7	<0.2			
1630577	Rab Sample	0.067	31	79	1.14	349	0.187	<20	2.70	0.242	0.53	11.8	<0.01	6.9	0.6	0.71	9	1.7	<0.2			
1630578	Rab Sample	0.062	30	77	1.12	269	0.201	<20	2.65	0.236	0.44	8.6	<0.01	7.1	0.5	0.62	8	1.3	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

6 of 6

Part:

1 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630579	Rab Sample	2.38	0.048	1.5	117.7	4.4	125	0.2	13.1	12.8	470	3.50	1311.1	47.1	16.7	125	0.9	1.5	2.1	71	1.29
1630580	Rock	0.65	<0.005	0.4	3.6	4.5	26	0.1	3.3	0.8	116	0.20	18.8	3.3	0.4	282	0.3	1.5	<0.1	16	19.61
1630581	Rab Sample	3.17	0.371	1.6	144.8	4.9	239	0.3	11.7	17.3	434	3.39	3826.8	401.6	16.6	101	3.2	5.9	2.7	60	1.15
1630582	Rab Sample	3.38	0.013	1.5	98.4	4.3	93	0.2	12.5	10.4	359	3.01	119.5	6.5	17.4	141	0.6	0.3	0.9	71	1.32
1630583	Rab Sample	2.89	0.016	1.6	83.5	3.9	80	0.2	12.0	11.4	354	3.04	204.4	13.3	16.8	140	0.4	0.4	1.1	75	1.35
1630584	Rab Sample	2.69	0.014	1.8	63.1	4.2	59	0.1	13.1	11.3	320	2.99	112.8	13.7	16.9	145	0.1	0.4	0.9	73	1.34
1630585	Rab Sample	3.26	0.006	1.3	64.3	4.0	67	0.1	12.7	10.5	369	2.96	18.4	2.8	15.9	143	0.3	<0.1	0.8	76	1.34
1630586	Rab Sample	3.67	0.059	1.9	95.2	5.7	128	0.3	12.4	10.3	460	3.19	447.3	47.0	17.1	126	1.0	1.0	0.8	73	1.32
1630587	Rab Sample	2.84	0.010	1.6	62.7	4.7	118	0.1	13.1	10.2	386	2.94	130.0	6.9	16.2	113	1.1	0.5	0.5	73	1.38
1630588	Rab Sample	2.98	0.009	2.6	75.4	3.3	62	0.1	12.2	11.8	369	3.21	15.3	3.6	15.8	140	0.2	<0.1	1.4	79	1.42
1630589	Rab Sample	3.05	0.008	1.8	93.8	3.5	74	0.2	11.9	12.5	351	3.33	199.5	5.7	15.9	130	0.2	0.2	1.7	78	1.40
1630590	Rab Sample	3.08	<0.005	1.7	58.9	3.6	57	0.1	12.7	13.0	288	3.03	5.2	2.2	14.0	118	0.1	0.1	0.2	73	1.48
1630591	Rab Sample	2.92	0.018	1.4	81.2	3.8	72	0.2	12.2	12.1	345	3.27	112.1	12.8	14.7	133	0.3	0.4	0.3	77	1.46
1630592	Rab Sample	3.29	0.006	4.8	78.2	4.9	69	0.3	13.9	13.9	478	3.15	380.2	4.3	15.5	106	0.3	2.4	0.4	65	1.47
1630593	Rab Sample	3.15	1.001	2.6	137.0	389.9	1129	66.0	13.6	9.2	599	4.40	2691.8	379.6	10.6	19	10.1	133.3	1.7	15	1.06
1630594	Rab Sample	3.47	0.349	3.0	106.6	41.3	82	>100	7.1	2.9	887	1.93	2729.6	292.9	2.5	9	0.6	95.0	1.0	8	2.69
1630595	Rab Sample	3.52	0.015	2.4	23.4	6.8	42	3.4	14.7	5.9	401	2.24	481.9	13.2	10.5	9	0.1	3.4	0.4	21	0.34
1630596	Rab Sample	3.05	0.008	3.1	34.9	4.6	63	0.5	30.4	11.2	461	2.56	151.3	5.7	10.8	52	0.2	1.1	0.2	55	0.89



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

6 of 6

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI17000254.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630579	Rab Sample	0.061	32	79	1.18	265	0.180	<20	2.78	0.250	0.47	9.2	<0.01	7.3	0.6	0.76	9	1.4	<0.2
1630580	Rock	0.014	2	4	11.06	21	0.006	<20	0.11	0.003	0.03	0.4	<0.01	1.0	<0.1	<0.05	<1	<0.5	<0.2
1630581	Rab Sample	0.060	33	73	1.02	171	0.134	<20	2.29	0.216	0.31	12.4	<0.01	5.7	0.4	0.91	7	1.4	<0.2
1630582	Rab Sample	0.061	35	82	1.15	427	0.250	<20	2.84	0.266	0.62	8.1	<0.01	7.3	0.5	0.56	9	1.6	<0.2
1630583	Rab Sample	0.068	35	82	1.21	453	0.231	<20	3.02	0.296	0.71	6.3	<0.01	7.6	0.6	0.63	9	1.8	<0.2
1630584	Rab Sample	0.059	34	85	1.15	457	0.244	<20	2.92	0.293	0.70	9.9	<0.01	8.1	0.5	0.60	9	1.6	<0.2
1630585	Rab Sample	0.068	33	79	1.20	500	0.244	<20	3.00	0.296	0.80	5.0	<0.01	8.4	0.6	0.60	9	1.2	<0.2
1630586	Rab Sample	0.058	31	82	1.19	324	0.207	<20	2.94	0.284	0.67	15.8	<0.01	7.6	0.8	0.59	9	1.4	<0.2
1630587	Rab Sample	0.061	32	86	1.21	240	0.202	<20	2.52	0.214	0.36	12.3	<0.01	7.9	0.3	0.49	9	1.3	<0.2
1630588	Rab Sample	0.062	33	88	1.28	481	0.258	<20	3.07	0.295	0.74	5.1	<0.01	9.3	0.5	0.65	10	1.6	<0.2
1630589	Rab Sample	0.060	31	86	1.29	373	0.231	<20	2.93	0.270	0.60	3.9	<0.01	9.0	0.5	0.72	10	1.4	<0.2
1630590	Rab Sample	0.059	25	84	1.23	346	0.205	<20	2.64	0.240	0.64	3.3	<0.01	9.7	0.5	0.60	8	1.6	<0.2
1630591	Rab Sample	0.058	26	87	1.29	361	0.223	<20	2.93	0.271	0.67	4.4	<0.01	9.9	0.7	0.70	9	1.8	<0.2
1630592	Rab Sample	0.066	28	84	1.17	297	0.141	<20	2.39	0.160	0.59	3.7	<0.01	8.8	1.8	0.69	8	2.0	<0.2
1630593	Rab Sample	0.043	11	26	0.24	27	0.001	<20	0.72	0.005	0.28	2.1	3.85	2.2	27.2	4.14	3	1.7	0.9
1630594	Rab Sample	0.014	4	19	0.14	11	0.002	<20	0.36	0.002	0.11	8.7	0.27	0.9	2.9	1.09	1	1.7	0.5
1630595	Rab Sample	0.033	17	33	0.43	21	0.002	<20	0.93	0.003	0.24	3.2	0.02	2.3	0.8	0.37	4	<0.5	<0.2
1630596	Rab Sample	0.041	20	72	0.94	172	0.109	<20	1.90	0.069	0.85	3.4	<0.01	4.0	1.4	0.21	6	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI17000254.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1630459	Rab Sample	2.87	0.035	2.6	83.9	8.5	361	0.4	22.2	18.8	1042	2.81	107.9	22.9	7.0	90	6.0	1.3	2.2	62	1.73
REP 1630459	QC			2.3	83.5	8.5	371	0.4	22.4	17.5	1026	2.76	108.3	35.8	7.3	87	6.6	1.2	2.3	63	1.73
1630492	Rab Sample	3.15	0.014	2.2	35.4	4.9	24	<0.1	10.8	4.9	162	1.43	148.7	12.7	11.8	25	0.1	0.5	0.2	16	0.49
REP 1630492	QC			2.2	36.8	4.9	25	<0.1	11.2	4.9	170	1.42	146.1	8.5	11.8	27	<0.1	0.6	0.2	16	0.49
1630509	Rab Sample	3.10	0.030	5.1	91.1	7.0	135	0.1	32.3	13.4	359	2.79	190.3	29.6	13.9	48	1.2	4.0	0.4	46	1.64
REP 1630509	QC		0.039																		
1630527	Rab Sample	3.13	0.007	0.8	33.1	3.6	51	<0.1	18.1	8.2	187	2.07	12.0	6.8	10.7	37	0.2	0.1	0.3	27	0.36
REP 1630527	QC			0.8	33.5	3.4	50	<0.1	17.7	7.6	182	2.07	11.3	13.1	11.0	36	0.2	0.1	0.4	28	0.36
1630528	Rab Sample	3.02	0.013	1.2	41.6	2.5	108	<0.1	19.0	7.6	233	2.41	38.8	7.4	10.4	50	1.1	0.2	0.8	30	0.48
REP 1630528	QC		0.013																		
1630562	Rab Sample	3.12	0.011	1.3	95.3	5.3	152	0.3	12.1	9.5	448	2.90	243.0	12.7	16.6	120	1.4	0.2	2.0	66	1.40
REP 1630562	QC			1.3	88.2	5.5	172	0.3	12.4	9.7	430	2.85	239.3	8.8	16.2	124	1.3	0.2	2.1	66	1.39
1630584	Rab Sample	2.69	0.014	1.8	63.1	4.2	59	0.1	13.1	11.3	320	2.99	112.8	13.7	16.9	145	0.1	0.4	0.9	73	1.34
REP 1630584	QC		0.016																		
Core Reject Duplicates																					
1630473	Rab Sample	2.95	0.010	1.3	28.8	10.4	151	0.6	20.0	7.6	760	2.14	111.8	8.6	11.2	40	1.6	1.8	0.8	11	1.51
DUP 1630473	QC		0.015	0.9	28.9	9.3	154	0.7	19.6	7.6	784	1.96	118.8	7.5	12.3	45	1.8	1.9	0.8	10	1.54
1630507	Rab Sample	3.35	0.173	2.3	57.6	17.0	390	0.5	6.7	3.2	250	1.38	2667.3	159.8	15.8	65	5.7	5.1	1.4	5	1.88
DUP 1630507	QC		0.158	2.0	59.7	18.2	390	0.5	5.8	3.6	266	1.30	2920.9	155.1	17.6	67	6.0	5.6	1.7	6	1.92
1630541	Rab Sample	2.27	0.063	1.2	30.1	4.1	32	<0.1	14.0	5.8	202	1.74	25.6	51.3	11.5	17	<0.1	0.3	1.0	18	0.26
DUP 1630541	QC		0.059	1.1	25.4	4.0	30	<0.1	13.1	5.3	209	1.76	25.6	35.1	11.1	16	<0.1	0.3	1.2	18	0.25
1630575	Rab Sample	3.37	0.009	1.7	88.6	4.4	93	0.2	12.3	8.3	439	3.15	32.3	5.4	15.6	103	0.6	0.3	2.1	70	1.49
DUP 1630575	QC		0.008	1.7	94.4	4.7	94	0.2	11.6	8.1	429	3.05	33.2	5.5	16.2	106	0.7	0.3	2.1	69	1.46
Reference Materials																					
STD DS10	Standard			15.0	170.3	167.9	367	2.1	80.8	13.8	909	2.80	48.6	99.7	7.8	69	2.9	9.1	14.2	42	1.06
STD DS10	Standard			13.0	151.5	148.7	391	2.0	73.0	12.6	909	2.70	49.5	62.1	8.7	72	2.9	8.8	12.8	43	1.06
STD DS10	Standard			13.6	162.8	144.6	353	2.0	72.6	13.9	841	2.70	44.5	88.5	7.9	67	2.7	9.2	12.6	43	1.02
STD DS10	Standard			13.9	155.2	145.2	364	1.8	80.1	13.4	861	2.74	41.1	47.6	7.2	62	2.7	8.6	12.1	42	1.06



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI17000254.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1630459	Rab Sample	0.107	21	137	0.91	187	0.097	<20	1.65	0.041	0.20	3.7	0.01	7.1	0.3	<0.05	5	<0.5	<0.2
REP 1630459	QC	0.105	20	134	0.91	174	0.094	<20	1.63	0.041	0.20	3.5	<0.01	7.8	0.3	<0.05	5	<0.5	<0.2
1630492	Rab Sample	0.013	13	30	0.27	27	0.041	<20	0.66	0.068	0.10	8.7	<0.01	2.0	0.1	0.27	3	<0.5	<0.2
REP 1630492	QC	0.012	12	30	0.27	27	0.041	<20	0.66	0.068	0.09	8.5	<0.01	2.3	0.1	0.28	3	<0.5	<0.2
1630509	Rab Sample	0.038	18	59	0.86	132	0.143	<20	2.46	0.046	0.70	2.5	<0.01	7.5	0.8	0.48	8	<0.5	<0.2
REP 1630509	QC																		
1630527	Rab Sample	0.016	16	35	0.44	58	0.092	<20	1.31	0.069	0.41	8.0	<0.01	3.0	0.3	0.25	4	<0.5	<0.2
REP 1630527	QC	0.015	17	35	0.44	58	0.093	<20	1.29	0.069	0.41	7.8	<0.01	3.1	0.3	0.26	4	<0.5	<0.2
1630528	Rab Sample	0.011	14	40	0.47	58	0.088	<20	1.49	0.090	0.39	23.9	<0.01	3.6	0.5	0.25	5	<0.5	<0.2
REP 1630528	QC																		
1630562	Rab Sample	0.064	32	76	1.11	349	0.191	<20	2.55	0.210	0.46	3.4	<0.01	5.6	0.4	0.48	9	1.2	<0.2
REP 1630562	QC	0.062	32	76	1.09	349	0.203	<20	2.52	0.207	0.46	3.9	<0.01	6.0	0.4	0.48	9	1.6	<0.2
1630584	Rab Sample	0.059	34	85	1.15	457	0.244	<20	2.92	0.293	0.70	9.9	<0.01	8.1	0.5	0.60	9	1.6	<0.2
REP 1630584	QC																		
Core Reject Duplicates																			
1630473	Rab Sample	0.013	27	19	0.30	23	0.001	<20	0.85	0.003	0.20	1.1	<0.01	1.8	0.5	<0.05	2	<0.5	<0.2
DUP 1630473	QC	0.013	27	14	0.30	21	<0.001	<20	0.81	0.001	0.19	1.0	<0.01	1.9	0.5	<0.05	3	<0.5	<0.2
1630507	Rab Sample	0.011	17	13	0.26	47	0.003	<20	0.98	0.021	0.19	12.4	<0.01	1.0	0.4	0.56	3	<0.5	<0.2
DUP 1630507	QC	0.011	17	10	0.26	45	0.002	<20	0.97	0.023	0.20	11.7	<0.01	1.1	0.4	0.57	3	<0.5	<0.2
1630541	Rab Sample	0.010	16	28	0.34	41	0.041	<20	0.72	0.036	0.22	11.1	<0.01	1.7	0.2	0.21	3	<0.5	<0.2
DUP 1630541	QC	0.010	14	27	0.35	38	0.041	<20	0.71	0.035	0.21	11.0	<0.01	1.7	0.2	0.21	3	<0.5	<0.2
1630575	Rab Sample	0.070	31	76	1.18	240	0.173	<20	2.49	0.193	0.43	3.9	<0.01	7.0	0.5	0.54	8	1.6	<0.2
DUP 1630575	QC	0.060	32	76	1.15	251	0.177	<20	2.43	0.191	0.43	3.9	<0.01	7.1	0.5	0.53	8	1.8	<0.2
Reference Materials																			
STD DS10	Standard	0.072	19	60	0.78	422	0.087	<20	1.03	0.069	0.34	3.5	0.31	3.0	5.6	0.29	4	2.4	4.9
STD DS10	Standard	0.078	18	55	0.79	432	0.088	<20	1.03	0.071	0.34	3.4	0.29	3.1	5.1	0.28	4	1.6	5.1
STD DS10	Standard	0.081	18	59	0.78	414	0.088	<20	1.02	0.066	0.33	4.1	0.28	3.0	5.0	0.28	4	2.6	4.9
STD DS10	Standard	0.070	18	56	0.78	385	0.085	<20	1.00	0.070	0.34	2.8	0.29	3.2	4.9	0.29	4	2.2	4.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

2 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI17000254.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
STD OREAS45EA	Standard			1.6	683.6	14.8	30	0.3	370.1	53.6	366	20.66	10.5	55.6	11.2	4	<0.1	0.3	0.3	298	0.04
STD OREAS45EA	Standard			1.8	710.8	15.2	35	0.3	388.1	54.6	400	22.45	12.3	59.3	11.9	4	<0.1	0.4	0.3	310	0.04
STD OREAS45EA	Standard			1.7	702.3	15.2	32	0.3	381.0	50.7	364	21.80	11.4	63.0	10.9	4	<0.1	0.4	0.3	309	0.04
STD OREAS45EA	Standard			1.6	710.0	15.2	34	0.3	382.9	52.6	391	22.50	11.9	54.2	11.4	4	<0.1	0.3	0.3	308	0.04
STD OXC145	Standard		0.206																		
STD OXC145	Standard		0.210																		
STD OXH122	Standard		1.253																		
STD OXH122	Standard		1.232																		
STD OXN117	Standard		7.544																		
STD OXN117	Standard		7.569																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXN117 Expected			7.679																		
STD OXC145 Expected			0.212																		
STD OXH122 Expected			1.247																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.7	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	8.2	1.1	39	<0.1	1.7	4.9	570	1.85	1.0	1.6	2.4	26	<0.1	<0.1	<0.1	23	0.59
ROCK-WHI	Prep Blank		<0.005	0.6	6.1	1.1	36	<0.1	0.8	3.6	540	1.66	1.0	<0.5	2.4	20	<0.1	<0.1	<0.1	20	0.52



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

August 08, 2017

Page:

2 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI17000254.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS45EA	Standard	0.031	8	869	0.09	148	0.108	<20	3.15	0.014	0.06	<0.1	0.01	76.6	<0.1	<0.05	12	0.6	<0.2
STD OREAS45EA	Standard	0.029	8	842	0.10	151	0.109	<20	3.34	0.016	0.06	<0.1	<0.01	80.8	<0.1	<0.05	12	0.8	<0.2
STD OREAS45EA	Standard	0.028	8	871	0.09	147	0.103	<20	3.21	0.016	0.06	<0.1	0.02	84.4	<0.1	<0.05	13	1.0	<0.2
STD OREAS45EA	Standard	0.027	8	814	0.08	148	0.104	<20	3.29	0.015	0.06	<0.1	<0.01	77.7	<0.1	<0.05	13	0.7	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH122	Standard																		
STD OXH122	Standard																		
STD OXN117	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXN117 Expected																			
STD OXC145 Expected																			
STD OXH122 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.034	6	2	0.54	58	0.086	<20	0.99	0.092	0.09	0.1	<0.01	3.2	<0.1	0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.035	6	2	0.47	52	0.079	<20	0.83	0.083	0.09	<0.1	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2