



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Strike Point Gold**
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1 Canada

Submitted By: Andy Randell
Receiving Lab: Canada-Whitehorse
Received: July 07, 2017
Report Date: July 31, 2017
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17000255.1

CLIENT JOB INFORMATION

Project: MAHTIN
Shipment ID: SKPRAB003
P.O. Number
Number of Samples: 11

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
STOR-RJT Store After 60 days Invoice for Storage

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Strike Point Gold
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1
Canada

CC: Scott Dorian
Shawn Khunkhun

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	10	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	11	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	11	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	11	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	11	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Strike Point Gold**
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1 Canada

Project: MAHTIN
Report Date: July 31, 2017

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17000255.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1630597	Rab Sample	3.18	0.008	2.1	45.6	5.8	48	0.3	15.0	9.2	368	2.39	117.4	6.3	8.3	82	0.2	1.1	0.2	54	1.26
1630598	Rab Sample	2.43	0.029	2.1	59.0	5.3	69	0.2	27.7	14.7	406	3.53	507.1	23.3	9.4	131	0.1	1.2	0.2	93	1.60
1630599	Rab Sample	3.22	0.026	3.7	27.2	5.0	51	0.3	29.0	8.7	621	2.44	474.9	28.8	12.4	63	0.2	1.4	0.2	51	1.14
1630600	Rock Pulp	0.08	5.222	8.3	187.3	23.5	76	0.8	14.6	11.7	572	4.22	11.6	4547.6	3.0	67	0.2	4.3	0.5	107	0.94
1630601	Rab Sample	2.98	<0.005	5.6	20.9	3.9	99	0.1	48.7	12.8	496	3.81	47.8	7.2	16.6	129	0.2	0.5	0.1	101	1.27
1630602	Rab Sample	2.92	0.025	3.3	46.2	3.7	49	0.2	30.4	15.7	256	2.61	776.2	25.9	12.2	76	<0.1	1.0	0.3	46	0.57
1630603	Rab Sample	3.01	<0.005	2.8	79.6	2.7	94	0.2	51.5	14.0	411	3.91	53.6	7.9	15.3	67	<0.1	0.2	0.2	84	0.52
1630604	Rab Sample	3.16	0.247	5.5	45.8	49.2	894	1.0	56.6	42.7	1300	4.37	4150.3	187.6	14.5	44	11.5	5.3	3.4	56	1.09
1630605	Rab Sample	2.87	0.007	3.6	48.4	4.1	95	0.2	48.9	15.5	423	3.98	480.3	3.1	13.3	68	0.2	0.3	0.6	87	0.82
1630606	Rab Sample	2.52	<0.005	2.9	44.7	7.1	100	0.2	45.9	15.4	1073	3.92	49.2	8.2	15.7	86	0.3	0.4	0.5	73	1.32
1630607	Rab Sample	2.87	0.007	3.5	38.5	4.8	66	0.2	42.2	12.3	949	3.43	53.9	5.3	14.2	67	0.2	0.5	0.7	72	1.07



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Strike Point Gold**
Suite 507 - 837 W. Hastings St.
Vancouver British Columbia V6C 2X1 Canada

Project: MAHTIN
Report Date: July 31, 2017

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI17000255.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1630597	Rab Sample	0.036	13	61	0.82	242	0.091	<20	1.88	0.118	0.46	15.6	0.01	5.7	0.6	0.28	6	0.5	<0.2
1630598	Rab Sample	0.046	15	89	1.46	531	0.194	<20	3.61	0.233	1.15	5.3	0.02	9.3	1.2	0.57	10	1.0	<0.2
1630599	Rab Sample	0.014	21	67	0.80	105	0.065	<20	1.87	0.089	0.66	9.6	0.02	4.0	1.5	0.13	6	<0.5	<0.2
1630600	Rock Pulp	0.061	7	19	0.88	130	0.147	<20	1.78	0.193	0.24	5.7	0.16	3.1	0.1	<0.05	5	<0.5	<0.2
1630601	Rab Sample	0.025	21	110	1.69	231	0.195	<20	4.22	0.260	1.63	4.2	<0.01	9.0	3.7	0.11	12	<0.5	<0.2
1630602	Rab Sample	0.011	17	64	0.82	72	0.093	<20	2.03	0.122	0.58	9.7	<0.01	3.1	0.9	0.41	6	0.8	<0.2
1630603	Rab Sample	0.029	27	92	1.48	228	0.179	<20	3.50	0.128	1.85	4.5	<0.01	7.0	3.5	0.20	10	<0.5	<0.2
1630604	Rab Sample	0.018	22	71	1.29	181	0.074	<20	2.76	0.057	1.24	2.8	<0.01	3.9	2.6	0.59	8	1.0	<0.2
1630605	Rab Sample	0.012	21	99	1.48	214	0.184	<20	3.70	0.176	1.65	24.6	<0.01	7.5	2.7	0.33	11	0.9	<0.2
1630606	Rab Sample	0.026	25	85	1.35	187	0.118	<20	3.67	0.172	1.09	4.1	0.01	7.7	1.7	0.30	10	0.8	<0.2
1630607	Rab Sample	0.016	22	83	1.17	127	0.111	<20	2.49	0.101	0.79	2.8	<0.01	6.6	1.9	0.17	9	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 31, 2017

Page:

1 of 1

Part:

1 of 2

QUALITY CONTROL REPORT

WHI17000255.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1630601	Rab Sample	2.98	<0.005	5.6	20.9	3.9	99	0.1	48.7	12.8	496	3.81	47.8	7.2	16.6	129	0.2	0.5	0.1	101	1.27
REP 1630601	QC			5.0	20.4	3.9	92	<0.1	46.6	12.7	497	3.77	45.5	5.1	17.2	124	0.1	0.4	0.1	100	1.26
Reference Materials																					
STD DS10	Standard			12.8	149.5	153.4	357	1.8	73.9	13.1	859	2.73	47.4	56.0	7.9	63	2.6	8.2	11.7	44	1.06
STD OREAS45EA	Standard			1.7	692.7	14.4	30	0.2	394.9	53.0	405	21.85	11.9	49.0	10.2	4	<0.1	0.3	0.2	305	0.03
STD OXC145	Standard		0.213																		
STD OXH122	Standard		1.210																		
STD OXN117	Standard		7.777																		
STD DS10 Expected				13.6	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	91.9	7.5	67.1	2.62	9	11.65	43	1.0625
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	23.51	10.3	53	10.7	3.5	0.03	0.32	0.26	303	0.036
STD OXN117 Expected			7.679																		
STD OXC145 Expected			0.212																		
STD OXH122 Expected			1.247																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.0	7.8	1.9	40	0.4	2.6	4.3	532	2.08	16.2	1.3	2.4	22	<0.1	0.8	<0.1	24	0.55
ROCK-WHI	Prep Blank		<0.005	0.8	5.0	1.6	33	0.4	1.1	3.8	512	1.76	12.3	1.1	2.4	18	<0.1	0.5	<0.1	23	0.54



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Strike Point Gold

Suite 507 - 837 W. Hastings St.

Vancouver British Columbia V6C 2X1 Canada

Project:

MAHTIN

Report Date:

July 31, 2017

Page:

1 of 1

Part:

2 of 2

QUALITY CONTROL REPORT

WHI17000255.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1630601	Rab Sample	0.025	21	110	1.69	231	0.195	<20	4.22	0.260	1.63	4.2	<0.01	9.0	3.7	0.11	12	<0.5	<0.2
REP 1630601	QC	0.025	21	108	1.67	218	0.193	<20	4.15	0.258	1.61	4.3	<0.01	8.4	3.8	0.10	12	<0.5	<0.2
Reference Materials																			
STD DS10	Standard	0.074	17	53	0.78	412	0.079	<20	1.04	0.071	0.34	3.2	0.30	2.6	5.1	0.28	4	2.1	4.7
STD OREAS45EA	Standard	0.028	7	873	0.09	145	0.101	<20	3.32	0.025	0.06	<0.1	0.02	77.4	<0.1	<0.05	13	1.2	<0.2
STD OXC145	Standard																		
STD OXH122	Standard																		
STD OXN117	Standard																		
STD DS10 Expected		0.0765	17.5	54.6	0.775	412	0.0817		1.0259	0.067	0.338	3.32	0.3	2.8	5.1	0.29	4.3	2.3	5.01
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.13	0.02	0.053			78	0.072	0.036	12.4	0.78	0.07
STD OXN117 Expected																			
STD OXC145 Expected																			
STD OXH122 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	6	11	0.46	62	0.082	<20	0.91	0.103	0.12	0.3	0.02	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.039	5	5	0.46	56	0.080	<20	0.92	0.108	0.11	0.2	0.02	2.4	<0.1	0.08	4	<0.5	<0.2