



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 1
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

CERTIFICATE WH17157004

Project: YUKON2017

P.O. No.: CDB2017-1

This report is for 196 Soil samples submitted to our lab in Whitehorse, YT, Canada on 28-JUL-2017.

The following have access to data associated with this certificate:

DANIELE HEON

D. JACOB

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41L	Super Trace Lowest DL AR by ICP-MS	

To: COUREUR DES BOIS
ATTN: DANIELE HEON
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Insufficient soil material received for sample TOP191

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm
		0.02	0.001	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01
TOP173		0.11	NSS	0.0009	0.113	0.42	1.27	10	135.5	0.36	0.044	1.13	0.276	97.4	1.050	4.29
TOP174		0.12	NSS	0.0005	0.084	0.54	1.67	10	150.0	0.28	0.067	1.98	0.426	88.9	3.18	6.85
TOP175		0.39	0.001	0.0008	0.072	1.80	6.58	<10	202	0.44	0.294	0.26	0.141	52.6	13.20	28.1
TOP176		0.24	<0.001	0.0013	0.120	1.85	5.99	<10	144.0	0.65	0.231	0.58	0.320	72.3	15.15	26.7
TOP177		0.46	<0.001	0.0032	0.079	1.98	6.81	<10	241	0.54	0.251	0.54	0.264	35.2	14.65	34.7
TOP178		0.62	0.003	0.0029	0.087	1.80	6.55	<10	231	0.53	0.191	0.46	0.214	38.0	10.40	31.8
TOP179		0.51	0.002	0.0029	0.092	1.91	7.19	<10	250	0.57	0.232	0.52	0.133	32.4	11.50	35.3
TOP180		0.48	0.001	0.0010	0.144	2.31	7.33	<10	178.0	0.62	0.278	0.23	0.099	31.7	10.70	32.8
TOP181		0.32	0.001	0.0007	0.144	2.09	5.82	<10	195.5	0.66	0.352	0.41	0.179	41.9	13.65	57.5
TOP182		0.30	<0.001	0.0011	0.101	1.12	3.31	<10	66.8	0.32	0.214	0.15	0.158	15.45	3.44	13.25
TOP183		0.35	<0.001	0.0005	0.094	0.41	1.28	<10	135.5	0.40	0.067	0.66	0.270	37.6	2.53	23.1
TOP184		0.41	<0.001	0.0005	0.133	0.69	1.98	<10	100.5	0.17	0.146	0.15	0.748	12.10	3.11	69.2
TOP185		0.40	<0.001	0.0032	0.196	1.94	6.25	<10	192.5	0.48	0.425	0.28	0.154	44.0	6.35	26.1
TOP186		0.42	<0.001	0.0003	0.306	1.11	3.82	<10	270	0.68	0.249	0.34	1.460	28.3	9.71	195.5
TOP187		0.35	0.004	0.0009	0.126	1.80	7.72	<10	134.5	0.40	0.333	0.21	0.155	22.6	8.96	33.9
TOP188		0.42	0.002	0.0007	0.111	1.82	7.26	<10	189.0	0.60	0.264	0.22	0.330	34.1	7.20	27.7
TOP189		0.12	0.011	0.0016	0.120	1.33	4.73	10	172.0	0.70	0.291	1.78	0.420	36.7	6.53	17.25
TOP190		0.44	0.003	0.0005	0.077	1.80	16.10	<10	148.5	0.52	0.491	0.22	0.186	26.3	10.50	41.8
TOP191	I/S															
TOP192		0.49	0.004	0.0011	0.069	2.08	14.65	<10	150.5	0.64	0.542	0.17	0.124	33.7	8.37	29.4
TOP193		0.46	0.005	0.0008	0.082	2.28	12.90	<10	157.0	0.48	0.382	0.18	0.155	29.1	7.71	31.0
TOP194		0.37	0.005	0.0009	0.101	1.68	9.23	<10	132.5	0.41	0.471	0.14	0.228	21.0	5.99	23.3
TOP195		0.40	<0.001	0.0004	0.073	2.08	13.15	<10	112.5	0.48	0.496	0.14	0.376	19.45	6.84	25.9
TOP196		0.24	0.002	0.0003	0.047	0.45	2.07	<10	68.8	0.12	0.237	0.11	0.134	7.30	2.40	7.70
TOP197		0.36	0.002	0.0008	0.100	1.92	43.9	<10	163.5	0.72	1.030	0.37	0.103	31.7	13.60	29.0
TOP198		0.42	0.003	0.0014	0.101	1.86	64.7	<10	173.0	0.70	0.472	0.36	0.234	43.6	14.05	30.7
TOP199		0.31	0.002	0.0002	0.120	1.39	38.5	<10	99.7	0.32	0.356	0.16	0.171	19.15	10.65	20.9
TOP200		0.42	0.001	0.0008	0.124	1.65	10.50	<10	102.5	0.55	0.282	0.16	0.197	25.4	8.07	22.4
TOP201		0.35	<0.001	0.0008	0.040	2.39	10.60	<10	168.5	0.77	0.289	0.39	0.122	44.1	16.20	46.1
TOP202		0.40	<0.001	0.0006	0.083	2.14	15.50	<10	121.0	0.82	0.355	0.32	0.124	30.7	12.20	26.4
TOP203		0.26	0.002	0.0002	0.106	0.47	0.90	<10	129.0	0.24	0.135	0.54	0.770	61.4	3.21	7.40
TOP204		0.40	0.003	0.0104	0.167	1.50	6.76	<10	176.5	1.32	1.020	0.77	0.152	58.6	7.84	23.2
TOP205		0.42	0.002	0.0008	0.105	1.34	5.89	<10	116.5	0.93	0.376	0.86	0.064	46.3	7.08	24.2
TOP206		0.30	0.001	0.0006	0.104	0.89	3.22	<10	152.0	0.22	0.428	0.95	0.113	10.60	3.24	21.3
TOP207		0.33	0.003	0.0008	0.093	2.31	6.77	<10	178.5	0.87	0.627	0.29	0.191	32.5	10.20	32.6
TOP208		0.24	0.003	0.0014	0.195	2.57	5.42	<10	246	0.89	0.486	0.33	0.096	75.0	10.65	38.5
TOP209		0.37	0.004	0.0014	0.138	2.06	5.48	<10	141.5	0.54	0.360	0.28	0.087	29.8	11.70	39.0
TOP210		0.37	0.001	0.0006	0.064	2.03	5.68	<10	125.5	0.57	0.351	0.18	0.126	31.4	11.50	45.4
TOP211		0.68	0.003	0.0013	0.059	1.80	5.47	<10	116.0	0.43	0.327	0.20	0.093	26.6	9.74	32.6
TOP212		0.30	0.001	0.0007	0.224	1.44	3.62	<10	130.0	0.40	0.361	0.19	0.166	20.5	8.74	28.6

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.005	0.01	0.001	0.004	0.005	0.002	0.004	0.005	0.01	0.002	0.1	0.01	0.1	0.01
TOP173		0.119	11.90	0.450	1.185	0.143	0.010	0.078	0.009	0.04	53.3	0.7	0.10	139.5	1.68
TOP174		0.285	16.15	0.570	1.465	0.162	0.014	0.092	0.010	0.05	62.8	1.9	0.17	399	1.26
TOP175		1.200	13.55	2.73	6.24	0.090	0.035	0.038	0.030	0.09	27.1	17.3	0.48	668	1.23
TOP176		1.655	18.55	2.62	5.66	0.147	0.020	0.043	0.031	0.11	48.0	42.9	0.47	1130	0.94
TOP177		1.615	17.40	2.88	7.03	0.081	0.036	0.035	0.031	0.13	16.95	34.6	0.54	936	1.64
TOP178		1.220	29.2	2.77	5.73	0.086	0.040	0.026	0.028	0.09	19.80	20.3	0.57	324	0.88
TOP179		1.245	28.7	3.07	5.95	0.078	0.042	0.027	0.027	0.08	17.05	21.1	0.62	364	0.90
TOP180		2.75	21.6	3.28	7.56	0.069	0.034	0.027	0.028	0.12	18.05	21.0	0.43	324	1.25
TOP181		2.42	23.3	3.28	7.75	0.087	0.019	0.042	0.030	0.24	26.2	25.9	0.55	490	3.63
TOP182		1.110	15.05	1.710	5.42	0.039	0.011	0.043	0.018	0.09	8.30	6.6	0.15	163.0	0.91
TOP183		0.321	11.85	0.590	1.180	0.067	0.006	0.074	0.009	0.06	26.4	1.1	0.05	62.3	2.65
TOP184		0.752	20.7	1.070	3.25	0.029	<0.002	0.041	0.014	0.06	6.93	2.2	0.07	219	7.02
TOP185		2.12	14.00	2.22	6.69	0.079	0.015	0.057	0.029	0.09	26.0	17.2	0.39	170.0	0.68
TOP186		1.235	28.5	1.520	4.08	0.053	0.008	0.055	0.021	0.10	14.55	5.9	0.12	765	19.75
TOP187		1.315	13.35	2.63	6.14	0.058	0.017	0.029	0.023	0.06	10.85	13.8	0.41	362	1.48
TOP188		1.525	19.40	2.32	5.98	0.061	0.013	0.026	0.026	0.07	17.60	28.0	0.34	347	1.14
TOP189		1.310	18.15	1.430	3.43	0.082	0.029	0.070	0.019	0.09	18.95	27.6	0.34	461	0.57
TOP190		2.39	14.75	2.75	6.26	0.059	0.015	0.031	0.035	0.14	11.75	21.5	0.39	506	2.54
TOP191															
TOP192		2.74	16.75	3.06	7.35	0.065	0.019	0.018	0.032	0.18	17.10	22.0	0.43	372	1.05
TOP193		2.23	19.05	3.22	7.76	0.065	0.023	0.036	0.037	0.12	14.90	19.6	0.49	216	1.04
TOP194		1.515	15.60	2.43	6.42	0.052	0.023	0.023	0.024	0.09	10.70	13.5	0.34	173.0	0.99
TOP195		1.675	12.75	3.45	9.19	0.052	0.014	0.018	0.029	0.08	9.59	21.1	0.32	232	1.36
TOP196		0.477	5.20	1.050	4.22	0.022	0.008	0.011	0.010	0.05	3.74	3.0	0.06	148.0	0.39
TOP197		4.50	19.75	3.44	6.82	0.078	0.033	0.024	0.035	0.22	16.05	25.1	0.51	686	1.29
TOP198		7.08	29.3	3.76	5.69	0.101	0.038	0.027	0.063	0.38	22.8	31.6	0.63	542	0.93
TOP199		3.51	13.50	3.01	7.74	0.051	0.018	0.022	0.026	0.15	9.60	21.7	0.36	518	1.00
TOP200		3.07	18.20	3.22	7.42	0.060	0.029	0.024	0.026	0.23	13.15	20.1	0.43	232	1.04
TOP201		4.36	19.15	4.22	6.96	0.089	0.038	0.031	0.045	0.26	21.8	28.4	0.69	450	1.02
TOP202		4.02	15.90	3.56	7.01	0.075	0.027	0.036	0.032	0.21	15.00	27.2	0.64	370	0.95
TOP203		1.090	15.00	0.770	2.81	0.100	0.007	0.026	0.010	0.06	57.8	2.4	0.08	448	0.63
TOP204		4.55	12.05	3.03	4.78	0.112	0.022	0.049	0.047	0.11	31.1	20.6	0.35	608	1.57
TOP205		3.51	13.25	2.24	4.62	0.102	0.032	0.048	0.027	0.08	35.9	14.5	0.35	460	0.62
TOP206		2.44	10.55	1.560	4.95	0.036	0.022	0.062	0.022	0.06	5.45	8.7	0.21	213	1.07
TOP207		3.38	13.15	3.64	8.40	0.078	0.025	0.046	0.044	0.09	19.45	37.3	0.52	482	0.99
TOP208		3.62	35.4	3.25	8.56	0.133	0.036	0.081	0.037	0.15	44.5	32.1	0.61	288	1.30
TOP209		3.39	27.1	3.49	7.12	0.086	0.035	0.038	0.027	0.29	15.60	30.4	0.71	353	0.95
TOP210		3.77	25.3	3.92	7.63	0.086	0.037	0.026	0.023	0.38	15.20	33.0	0.77	464	1.08
TOP211		2.82	17.20	3.22	7.22	0.076	0.032	0.022	0.021	0.22	13.35	26.1	0.64	318	0.89
TOP212		2.89	28.9	2.69	5.84	0.058	0.015	0.036	0.022	0.21	9.73	15.6	0.44	280	1.24

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Nb	Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.04	0.001	0.005	0.001	0.002	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005
TOP173		0.101	5.86	0.087	5.87	0.002	<0.002	1.025	<0.001	0.16	0.431	1.430	0.7	0.07	52.6	<0.005
TOP174		0.250	8.09	0.084	2.17	<0.001	<0.002	4.14	<0.001	0.20	0.339	1.195	1.0	0.13	85.7	<0.005
TOP175		1.600	17.75	0.048	10.40	0.001	<0.002	16.00	<0.001	0.03	0.304	4.62	0.4	0.67	20.2	<0.005
TOP176		1.650	22.9	0.076	7.95	0.003	<0.002	19.20	0.001	0.05	0.360	4.53	1.1	0.65	40.4	<0.005
TOP177		2.39	25.4	0.080	8.65	0.002	<0.002	24.3	<0.001	0.03	0.304	5.30	0.5	0.78	43.2	<0.005
TOP178		1.945	26.2	0.068	8.01	0.001	<0.002	16.15	<0.001	0.02	0.430	5.51	0.5	0.57	33.7	<0.005
TOP179		1.680	27.4	0.060	9.31	0.002	<0.002	14.25	<0.001	0.01	0.455	5.38	0.4	0.57	35.9	<0.005
TOP180		1.830	24.2	0.032	13.65	0.001	<0.002	22.5	<0.001	0.01	0.336	4.47	0.3	0.65	21.6	<0.005
TOP181		2.37	41.0	0.063	13.00	0.001	<0.002	28.1	0.001	0.05	0.285	4.03	0.5	0.78	34.3	<0.005
TOP182		1.310	8.08	0.036	7.65	<0.001	<0.002	11.25	<0.001	0.03	0.209	1.635	0.4	0.61	16.10	<0.005
TOP183		0.419	17.25	0.098	2.21	0.003	<0.002	3.78	<0.001	0.13	0.211	0.881	0.6	0.18	52.6	<0.005
TOP184		0.155	46.5	0.048	5.21	0.001	<0.002	7.59	0.001	0.03	0.228	0.313	0.4	0.48	14.20	<0.005
TOP185		1.665	17.35	0.078	9.63	0.001	<0.002	19.70	<0.001	0.06	0.327	3.48	0.5	0.79	25.3	<0.005
TOP186		0.884	135.0	0.134	7.80	0.003	<0.002	14.00	0.003	0.04	0.286	1.260	0.5	0.61	29.8	<0.005
TOP187		1.100	21.2	0.064	10.65	0.001	0.002	12.70	<0.001	0.03	0.398	2.89	0.3	0.57	18.70	<0.005
TOP188		1.275	18.60	0.098	9.00	<0.001	<0.002	12.85	<0.001	0.02	0.294	3.37	0.3	0.83	21.6	<0.005
TOP189		1.255	12.85	0.129	5.57	0.001	0.002	14.35	0.003	0.23	0.428	2.32	0.6	0.56	122.5	<0.005
TOP190		1.715	25.6	0.063	8.44	<0.001	<0.002	25.7	<0.001	0.02	0.330	3.18	0.2	1.43	19.35	<0.005
TOP191																
TOP192		2.08	17.50	0.063	9.21	0.001	<0.002	32.3	<0.001	0.02	0.379	3.99	0.2	1.57	15.50	<0.005
TOP193		1.820	19.20	0.048	9.60	0.001	<0.002	23.3	<0.001	0.02	0.366	3.49	0.4	1.07	17.95	<0.005
TOP194		1.915	15.05	0.034	7.85	0.001	<0.002	14.95	<0.001	0.02	0.343	2.70	0.3	0.98	15.85	<0.005
TOP195		2.07	14.75	0.064	10.65	<0.001	<0.002	18.15	<0.001	0.01	0.393	2.72	0.3	1.14	15.30	<0.005
TOP196		0.600	3.93	0.027	5.03	<0.001	<0.002	6.44	<0.001	0.01	0.146	0.786	0.1	0.58	11.90	<0.005
TOP197		2.29	21.8	0.081	11.00	0.002	<0.002	39.5	<0.001	0.02	0.743	3.95	0.4	1.30	31.3	<0.005
TOP198		2.55	28.9	0.068	7.04	0.004	<0.002	50.9	<0.001	0.08	0.941	5.22	0.4	2.26	35.0	<0.005
TOP199		2.37	16.55	0.036	8.35	0.002	<0.002	34.2	<0.001	0.03	0.641	2.63	0.2	1.65	20.7	<0.005
TOP200		2.43	16.25	0.039	9.51	<0.001	<0.002	35.3	<0.001	0.04	0.465	3.04	0.3	1.03	19.65	<0.005
TOP201		3.23	31.4	0.091	9.38	0.002	<0.002	35.1	<0.001	0.02	0.456	5.50	0.3	1.00	26.6	<0.005
TOP202		2.58	21.4	0.076	8.10	<0.001	<0.002	40.3	<0.001	0.06	0.403	3.71	0.5	0.94	24.7	<0.005
TOP203		0.693	6.75	0.044	4.29	0.005	<0.002	17.50	<0.001	0.04	0.174	0.918	0.3	0.48	35.2	<0.005
TOP204		1.400	17.10	0.078	22.1	0.002	<0.002	26.9	<0.001	0.07	0.457	6.96	0.6	0.96	42.2	<0.005
TOP205		1.035	13.20	0.079	10.10	0.001	<0.002	21.8	<0.001	0.08	0.408	4.29	0.6	0.77	37.3	<0.005
TOP206		1.440	9.10	0.107	8.06	0.001	<0.002	17.50	<0.001	0.13	0.281	2.35	0.6	1.10	42.3	0.005
TOP207		2.45	21.2	0.054	14.95	<0.001	<0.002	29.2	<0.001	0.04	0.310	5.42	0.3	1.32	21.1	<0.005
TOP208		2.07	36.5	0.108	15.35	0.002	<0.002	32.2	<0.001	0.13	0.431	5.50	0.8	0.94	23.1	<0.005
TOP209		2.47	26.7	0.072	10.75	0.002	<0.002	43.1	<0.001	0.09	0.293	5.02	0.4	0.80	24.4	<0.005
TOP210		3.00	28.3	0.048	9.77	0.002	<0.002	50.8	<0.001	0.07	0.291	4.49	0.4	0.87	18.95	<0.005
TOP211		2.43	22.9	0.041	9.88	<0.001	<0.002	36.0	<0.001	0.03	0.299	4.21	0.3	0.76	16.75	<0.005
TOP212		1.715	19.40	0.094	8.01	<0.001	<0.002	36.5	<0.001	0.10	0.300	2.32	0.5	0.93	20.3	<0.005

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.002	0.001	0.002	0.005	0.1	0.001	0.003	0.1
TOP173		0.02	1.630	0.008	0.034	2.67	4.7	0.033	23.0	34.2
TOP174		0.02	0.603	0.012	0.069	3.05	8.5	0.048	30.7	30.0
TOP175		0.02	7.70	0.082	0.123	1.665	63.6	0.200	11.10	63.5
TOP176		0.01	2.36	0.072	0.159	29.7	45.4	0.195	27.8	76.8
TOP177		0.01	3.43	0.088	0.156	4.94	56.7	0.335	9.05	72.2
TOP178		0.03	3.52	0.102	0.128	1.160	56.8	0.279	10.45	70.6
TOP179		0.02	3.17	0.094	0.118	1.075	59.1	0.215	8.70	73.7
TOP180		0.02	3.79	0.065	0.172	1.010	58.6	0.250	6.97	63.0
TOP181		0.02	2.38	0.090	0.184	1.395	55.1	0.387	8.80	74.5
TOP182		0.02	0.411	0.051	0.080	0.619	38.8	0.144	2.98	30.2
TOP183		0.02	0.078	0.014	0.032	1.750	10.6	0.104	12.85	19.6
TOP184		0.02	0.009	0.006	0.042	0.593	25.1	0.226	2.12	43.3
TOP185		0.01	0.887	0.054	0.166	2.20	37.1	0.290	9.86	59.2
TOP186		0.03	0.103	0.033	0.055	2.32	27.0	0.599	8.37	72.6
TOP187		0.03	1.470	0.083	0.110	1.360	57.3	0.233	5.18	55.9
TOP188		0.03	1.470	0.077	0.113	4.97	48.1	0.242	7.81	49.9
TOP189		0.02	0.594	0.044	0.137	30.8	19.9	0.124	27.1	35.1
TOP190		0.03	2.10	0.098	0.174	1.705	51.4	0.360	5.60	54.9
TOP191										
TOP192		0.03	3.80	0.111	0.216	3.20	58.3	0.766	7.30	58.1
TOP193		0.03	1.080	0.089	0.185	2.43	69.1	0.236	5.89	57.9
TOP194		0.03	1.520	0.076	0.148	1.430	55.7	0.245	4.07	48.6
TOP195		0.03	1.265	0.075	0.144	0.811	80.4	0.291	2.71	50.1
TOP196		0.01	0.153	0.047	0.056	0.219	30.8	0.083	0.822	25.1
TOP197		0.02	3.94	0.108	0.252	5.49	63.0	0.327	8.32	78.6
TOP198		0.02	5.20	0.126	0.395	2.36	51.7	0.293	12.30	90.4
TOP199		0.04	2.02	0.093	0.230	0.764	59.2	0.174	2.36	47.2
TOP200		0.02	2.68	0.111	0.240	0.890	60.0	0.160	3.17	52.8
TOP201		0.03	6.07	0.112	0.248	1.445	72.2	0.240	7.85	63.9
TOP202		0.02	1.775	0.112	0.249	1.300	65.2	0.204	4.96	52.9
TOP203		0.02	0.221	0.032	0.051	2.45	20.1	0.103	16.70	24.4
TOP204		0.02	2.93	0.031	0.164	10.15	46.3	0.208	28.8	72.3
TOP205		0.01	1.390	0.044	0.155	9.20	41.5	0.196	27.6	41.3
TOP206		0.03	0.426	0.039	0.142	2.20	41.9	0.258	3.62	27.0
TOP207		0.04	3.28	0.074	0.202	2.76	72.2	0.496	8.79	59.2
TOP208		0.04	1.365	0.083	0.294	8.93	59.9	0.457	28.6	59.2
TOP209		0.02	1.940	0.138	0.300	2.74	60.3	0.256	7.78	67.5
TOP210		0.03	3.05	0.164	0.324	1.510	66.8	0.214	5.13	73.3
TOP211		0.03	2.28	0.137	0.258	1.140	61.3	0.258	4.10	63.8
TOP212		0.03	0.276	0.087	0.219	2.08	51.8	0.161	4.85	50.8

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 3 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm
		0.02	0.001	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01
TOP213		0.20	0.001	0.0010	0.119	2.24	9.65	<10	128.5	0.85	0.526	0.23	0.144	27.5	12.70	39.5
TOP214		0.16	<0.001	0.0003	0.110	1.54	6.17	<10	93.9	0.57	0.301	0.18	0.058	20.7	8.55	21.9
TOP215		0.26	0.003	0.0006	0.071	2.17	8.76	<10	121.5	0.67	0.424	0.15	0.156	25.1	11.20	32.1
TOP216		0.18	0.002	0.0016	0.133	2.15	9.71	<10	113.0	1.01	0.617	0.19	0.063	29.8	9.10	31.3
TOP217		0.22	0.001	0.0006	0.124	2.50	9.29	<10	124.5	0.95	0.707	0.13	0.150	21.6	13.80	34.0
TOP218		0.14	0.003	0.0011	0.155	2.52	10.50	<10	198.0	1.87	0.920	0.49	0.179	39.3	17.25	38.1
TOP219		0.19	0.002	0.0022	0.283	2.18	10.25	<10	169.0	1.17	1.720	0.26	0.211	27.5	12.85	33.5
TOP220		0.14	0.001	0.0015	0.084	1.56	6.56	<10	103.0	0.45	0.373	0.21	0.090	28.8	6.07	27.6
TOP221		0.24	0.004	0.0010	0.067	1.78	7.86	<10	126.5	0.40	0.214	0.30	0.104	48.4	7.91	26.2
TOP222		0.21	0.017	0.0007	0.051	1.94	7.08	<10	173.0	0.29	0.174	0.38	0.109	34.8	7.79	30.0
TOP223		0.19	0.002	0.0015	0.137	2.06	7.58	<10	258	0.55	0.234	0.41	0.188	100.0	8.60	30.3
TOP224		0.26	<0.001	0.0024	0.048	1.81	8.43	<10	107.0	0.34	0.283	0.20	0.116	33.2	7.39	27.1
TOP225		0.26	0.001	0.0005	0.102	1.96	7.14	<10	134.5	0.42	0.280	0.25	0.104	47.1	10.45	33.1
TOP226		0.21	0.005	0.0542	0.152	2.62	8.68	<10	239	0.59	0.359	0.25	0.138	105.0	8.60	33.3
TOP227		0.19	<0.001	0.0006	0.126	2.36	7.83	<10	182.0	0.45	0.302	0.16	0.118	42.3	8.93	30.6
TOP228		0.16	<0.001	0.0004	0.083	1.19	3.88	<10	90.1	0.27	0.275	0.15	0.095	37.6	4.87	18.15
TOP229		0.20	0.004	0.0017	0.057	0.76	0.99	<10	66.4	0.25	0.205	0.06	0.033	32.3	1.705	11.65
TOP230		0.24	0.004	0.0006	0.031	2.16	9.25	<10	99.6	0.45	0.359	0.13	0.092	37.9	8.80	32.3
TOP231		0.18	0.005	0.0006	0.045	1.22	6.02	<10	72.9	0.40	0.325	0.11	0.092	24.3	6.17	19.10
TOP232		0.21	0.002	0.0006	0.043	1.30	3.26	<10	72.3	0.18	0.228	0.16	0.068	35.5	3.88	20.1
TOP233		0.43	0.001	0.0005	0.064	1.86	5.54	<10	128.5	0.43	0.205	0.22	0.091	24.3	7.09	25.3
TOP234		0.20	0.004	0.0007	0.115	2.26	6.98	<10	145.0	0.35	0.262	0.11	0.121	19.70	5.86	26.0
TOP235		0.24	0.001	0.0006	0.050	2.62	7.63	<10	134.0	0.39	0.355	0.12	0.118	25.1	6.66	29.9
TOP236		0.17	<0.001	0.0010	0.086	1.16	6.81	<10	71.8	0.15	0.199	0.10	0.153	15.40	2.94	16.60
TOP237		0.16	0.002	0.0007	0.058	1.99	7.29	<10	116.0	0.27	0.224	0.10	0.085	20.2	5.84	25.2
TOP238		0.22	0.001	0.0015	0.135	2.83	8.56	<10	135.5	0.52	0.212	0.16	0.254	21.8	8.75	32.2
TOP239		0.14	0.003	0.0015	0.179	2.40	8.44	<10	206	0.43	0.272	0.24	0.219	20.9	6.62	32.1
TOP240		0.16	0.001	0.0098	0.150	1.22	3.42	<10	89.2	0.17	0.222	0.11	0.096	16.50	3.08	19.40
TOP241		0.18	0.001	0.0005	0.068	1.12	3.66	<10	70.7	0.27	0.177	0.09	0.125	15.90	3.28	15.30
TOP242		0.28	0.005	0.0007	0.078	1.72	6.65	<10	99.0	0.35	0.232	0.17	0.124	27.1	9.29	25.1
TOP243		0.33	<0.001	0.0005	0.045	1.58	4.91	<10	102.5	0.67	0.190	0.24	0.146	41.3	7.93	23.0
TOP244		0.24	0.006	0.0030	0.077	1.67	4.84	<10	151.5	0.37	0.201	0.25	0.138	28.6	6.97	22.4
TOP245		0.21	0.001	0.0011	0.105	1.96	6.33	<10	146.5	0.42	0.364	0.22	0.144	25.9	6.80	26.1
TOP246		0.24	0.001	0.0007	0.149	1.87	7.03	<10	166.0	0.43	0.205	0.21	0.144	32.4	6.74	31.0
TOP247		0.18	<0.001	0.0016	0.323	2.22	6.81	<10	358	0.89	0.254	0.65	0.235	96.5	7.08	32.1
TOP248		0.41	0.002	0.0029	0.059	2.61	13.20	<10	142.5	0.66	0.230	0.20	0.156	26.5	11.55	37.4
TOP249		0.30	0.003	0.0009	0.091	1.80	6.43	<10	129.0	0.34	0.225	0.16	0.117	19.50	6.96	26.9
TOP250		0.26	0.002	0.0004	0.027	1.61	5.43	<10	50.6	0.30	0.168	0.11	0.141	23.8	3.89	18.80
TOP251		0.39	<0.001	0.0009	0.261	2.97	13.45	<10	212	2.92	0.649	0.15	0.199	29.5	18.45	39.9
TOP252		0.46	<0.001	0.0006	0.128	2.42	14.00	<10	167.0	1.06	0.410	0.17	0.231	31.6	10.25	42.4

Comments: Insufficient soil material received for sample TOP191



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 3 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm 0.005	ppm 0.01	% 0.001	ppm 0.004	ppm 0.005	ppm 0.002	ppm 0.004	ppm 0.005	% 0.01	ppm 0.002	ppm 0.1	% 0.01	ppm 0.1	ppm 0.01	% 0.001
TOP213		1.825	24.3	3.25	7.30	0.073	0.018	0.033	0.024	0.08	12.95	31.5	0.53	721	1.42	0.016
TOP214		1.100	13.30	2.39	6.36	0.044	0.025	0.022	0.019	0.07	9.62	18.4	0.29	397	1.08	0.018
TOP215		1.845	14.00	3.54	6.77	0.060	0.035	0.033	0.019	0.10	11.70	42.4	0.54	368	1.04	0.011
TOP216		2.56	20.1	3.50	7.05	0.069	0.063	0.030	0.027	0.10	16.05	37.8	0.50	295	1.05	0.013
TOP217		2.70	18.20	3.85	8.76	0.058	0.043	0.041	0.030	0.09	9.94	43.9	0.53	582	1.35	0.014
TOP218		2.83	29.1	3.90	7.95	0.081	0.019	0.039	0.029	0.13	20.9	37.6	0.61	926	1.33	0.019
TOP219		3.05	27.6	3.40	6.58	0.061	0.007	0.112	0.024	0.12	14.30	31.6	0.42	832	1.42	0.015
TOP220		2.33	12.50	2.20	5.29	0.056	0.017	0.046	0.017	0.11	13.95	21.7	0.49	147.5	0.54	0.015
TOP221		2.45	15.75	2.99	7.58	0.114	0.078	0.023	0.037	0.25	29.1	22.0	0.37	261	0.88	0.016
TOP222		1.190	15.80	2.85	6.36	0.072	0.090	0.020	0.029	0.13	18.65	20.4	0.54	248	0.75	0.020
TOP223		1.665	25.9	2.88	7.99	0.150	0.068	0.031	0.030	0.12	59.1	20.6	0.44	325	1.06	0.021
TOP224		2.06	12.45	2.92	7.35	0.070	0.048	0.015	0.035	0.15	19.75	22.6	0.45	258	1.03	0.014
TOP225		2.94	16.00	3.00	9.35	0.092	0.071	0.054	0.042	0.21	26.5	27.4	0.50	439	1.43	0.015
TOP226		2.88	20.0	3.52	11.10	0.145	0.056	0.042	0.052	0.18	54.1	30.3	0.51	294	1.15	0.014
TOP227		2.40	17.80	3.33	10.45	0.073	0.058	0.042	0.043	0.14	21.9	21.6	0.41	473	1.23	0.015
TOP228		2.20	13.00	1.820	7.31	0.063	0.021	0.034	0.028	0.14	23.0	11.7	0.25	163.0	1.04	0.013
TOP229		1.115	10.55	0.970	7.01	0.045	0.011	0.017	0.012	0.05	19.90	2.3	0.08	44.6	0.52	0.008
TOP230		2.95	11.85	4.30	11.35	0.084	0.062	0.021	0.041	0.16	19.70	26.9	0.54	379	1.39	0.010
TOP231		1.435	11.05	2.44	6.46	0.052	0.032	0.040	0.023	0.08	11.45	13.4	0.25	313	1.56	0.019
TOP232		1.880	7.10	1.840	6.11	0.059	0.019	0.026	0.022	0.12	17.85	13.2	0.33	118.5	0.50	0.011
TOP233		1.840	11.30	2.63	7.24	0.063	0.044	0.019	0.024	0.18	11.75	21.8	0.48	252	0.66	0.014
TOP234		1.255	14.45	2.65	8.57	0.054	0.035	0.038	0.023	0.10	9.05	14.4	0.36	176.0	0.82	0.017
TOP235		1.610	12.90	3.01	9.41	0.060	0.076	0.025	0.031	0.11	12.50	20.7	0.46	194.0	0.88	0.015
TOP236		0.879	7.72	1.970	7.78	0.038	0.031	0.033	0.015	0.05	7.18	5.8	0.21	96.0	0.91	0.010
TOP237		1.355	12.75	2.64	8.03	0.051	0.031	0.077	0.028	0.08	9.51	15.6	0.38	169.5	0.79	0.014
TOP238		1.860	16.05	3.32	8.16	0.061	0.107	0.030	0.037	0.10	10.20	27.9	0.53	277	0.92	0.013
TOP239		1.450	16.70	2.89	8.84	0.056	0.041	0.058	0.028	0.10	10.00	17.8	0.43	184.0	0.95	0.015
TOP240		1.275	16.10	1.720	6.22	0.038	0.019	0.045	0.018	0.05	7.78	4.9	0.17	74.0	0.61	0.012
TOP241		1.260	11.20	1.650	5.38	0.039	0.020	0.066	0.022	0.06	7.62	8.3	0.19	105.0	0.68	0.016
TOP242		1.625	13.55	2.54	7.03	0.058	0.033	0.037	0.030	0.10	13.15	19.4	0.45	369	0.79	0.015
TOP243		1.915	11.75	2.48	5.36	0.067	0.030	0.020	0.034	0.11	21.3	20.1	0.43	249	0.71	0.017
TOP244		2.21	11.65	2.34	6.56	0.059	0.037	0.036	0.033	0.11	14.70	20.0	0.43	237	0.76	0.018
TOP245		2.10	14.50	2.54	8.27	0.056	0.034	0.066	0.039	0.12	13.65	20.9	0.42	241	0.98	0.017
TOP246		1.365	17.35	2.57	8.11	0.080	0.024	0.051	0.041	0.08	16.00	18.5	0.42	180.5	1.30	0.015
TOP247		1.345	21.3	2.25	7.53	0.154	0.025	0.080	0.042	0.09	53.2	19.7	0.34	241	1.75	0.020
TOP248		1.900	16.00	3.87	8.85	0.071	0.056	0.026	0.046	0.10	12.25	34.6	0.55	468	1.51	0.014
TOP249		1.305	14.35	2.59	8.04	0.061	0.022	0.021	0.030	0.09	9.42	16.4	0.38	304	1.38	0.014
TOP250		0.852	11.25	2.46	8.51	0.045	0.027	0.038	0.028	0.05	12.00	11.8	0.20	128.5	0.87	0.009
TOP251		3.12	32.7	3.48	9.63	0.057	0.090	0.044	0.032	0.08	14.40	19.7	0.42	601	1.83	0.024
TOP252		4.57	20.8	3.37	8.30	0.057	0.040	0.015	0.028	0.12	16.00	40.9	0.60	274	1.46	0.015

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 3 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Nb ppm	Ni ppm	P %	Pb ppm	Pd ppm	Pt ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
		0.002	0.04	0.001	0.005	0.001	0.002	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005
TOP213		1.360	28.2	0.048	15.25	0.001	<0.002	15.10	<0.001	0.02	0.335	3.61	0.3	0.66	20.8	<0.005
TOP214		1.145	14.60	0.027	11.80	0.001	<0.002	11.80	<0.001	0.01	0.218	2.68	0.2	0.59	16.05	<0.005
TOP215		1.565	23.3	0.039	11.90	<0.001	<0.002	18.00	<0.001	0.01	0.268	3.44	0.3	0.66	13.50	<0.005
TOP216		1.745	27.1	0.031	12.95	0.001	<0.002	18.50	<0.001	0.02	0.266	4.23	0.4	0.71	17.65	<0.005
TOP217		1.620	24.6	0.052	15.65	0.001	<0.002	18.65	<0.001	0.02	0.354	3.62	0.4	0.75	13.65	<0.005
TOP218		1.580	35.4	0.053	17.25	0.005	<0.002	25.5	<0.001	0.03	0.337	5.30	0.4	0.76	39.3	<0.005
TOP219		1.755	28.0	0.092	21.8	<0.001	<0.002	24.8	<0.001	0.05	0.359	4.19	0.5	0.70	25.0	<0.005
TOP220		1.345	18.05	0.043	8.82	<0.001	<0.002	19.00	<0.001	0.04	0.266	3.18	0.5	0.58	18.00	<0.005
TOP221		3.84	15.05	0.074	6.28	0.002	<0.002	44.2	<0.001	0.01	0.309	6.44	0.4	1.61	17.75	<0.005
TOP222		2.53	18.20	0.060	7.10	0.002	<0.002	22.8	<0.001	0.01	0.355	5.57	0.3	1.01	26.5	<0.005
TOP223		2.69	20.4	0.060	8.63	0.002	<0.002	24.9	<0.001	0.02	0.387	7.07	0.5	1.12	31.7	<0.005
TOP224		3.02	17.10	0.050	7.53	<0.001	<0.002	30.7	<0.001	0.01	0.319	4.85	0.2	1.26	14.55	<0.005
TOP225		4.41	18.85	0.049	8.09	<0.001	<0.002	52.5	<0.001	0.01	0.292	6.61	0.4	1.98	18.20	<0.005
TOP226		4.20	19.40	0.057	11.45	0.002	<0.002	44.5	<0.001	0.04	0.334	7.75	0.6	1.87	23.6	<0.005
TOP227		3.76	16.35	0.044	11.15	<0.001	<0.002	34.2	<0.001	0.02	0.309	5.70	0.3	1.78	14.50	<0.005
TOP228		3.21	9.99	0.035	6.26	<0.001	<0.002	32.8	<0.001	0.02	0.253	4.17	0.3	1.66	14.65	<0.005
TOP229		1.310	3.98	0.020	7.32	<0.001	<0.002	12.70	<0.001	0.01	0.139	1.595	0.2	1.34	7.51	<0.005
TOP230		4.48	18.20	0.039	9.88	0.001	<0.002	37.3	<0.001	0.01	0.393	5.93	0.3	1.81	12.35	<0.005
TOP231		2.31	10.90	0.035	9.55	0.001	<0.002	18.00	<0.001	0.02	0.340	2.90	0.3	1.07	10.55	<0.005
TOP232		2.45	9.62	0.044	5.89	0.001	<0.002	24.6	<0.001	0.02	0.154	3.52	0.3	1.29	11.45	<0.005
TOP233		3.46	14.80	0.057	6.47	0.001	<0.002	33.1	<0.001	0.01	0.247	4.32	0.3	1.71	15.70	<0.005
TOP234		2.53	13.90	0.048	8.56	<0.001	<0.002	20.3	<0.001	0.04	0.275	4.14	0.4	1.19	13.30	<0.005
TOP235		3.24	15.70	0.029	9.48	0.001	<0.002	23.7	<0.001	0.01	0.526	5.17	0.3	1.63	11.10	<0.005
TOP236		1.785	7.36	0.028	7.66	0.001	<0.002	13.60	<0.001	0.02	0.262	2.19	0.2	0.93	10.40	<0.005
TOP237		2.19	13.30	0.035	8.56	0.002	<0.002	14.50	<0.001	0.02	0.267	3.67	0.4	1.06	11.00	<0.005
TOP238		3.00	19.65	0.035	8.90	<0.001	<0.002	22.9	<0.001	0.01	0.349	4.71	0.3	1.30	13.80	<0.005
TOP239		2.50	18.85	0.080	11.90	<0.001	<0.002	19.80	<0.001	0.07	0.360	4.47	0.6	1.36	25.0	<0.005
TOP240		1.585	8.61	0.050	7.46	<0.001	<0.002	11.20	<0.001	0.05	0.250	1.775	0.4	1.32	12.25	<0.005
TOP241		1.745	8.53	0.053	6.82	<0.001	<0.002	10.15	<0.001	0.04	0.219	1.540	0.3	1.26	9.49	<0.005
TOP242		2.83	15.65	0.062	7.81	0.001	<0.002	22.0	<0.001	0.03	0.283	3.62	0.3	1.54	13.25	<0.005
TOP243		2.27	15.25	0.085	11.25	<0.001	<0.002	22.1	<0.001	0.01	0.280	3.84	0.3	1.30	14.20	<0.005
TOP244		3.58	14.55	0.075	6.74	<0.001	<0.002	27.7	<0.001	0.03	0.242	4.01	0.2	1.96	17.65	<0.005
TOP245		4.74	16.15	0.069	8.51	<0.001	<0.002	33.9	<0.001	0.04	0.253	4.03	0.3	2.33	17.10	<0.005
TOP246		5.17	17.45	0.060	8.80	<0.001	<0.002	17.50	<0.001	0.04	0.292	4.09	0.4	1.96	20.1	<0.005
TOP247		5.81	20.6	0.116	10.45	0.001	<0.002	19.00	<0.001	0.10	0.355	4.66	0.8	1.57	52.2	0.005
TOP248		5.22	23.0	0.055	14.10	<0.001	<0.002	21.6	<0.001	0.01	0.400	4.80	0.4	1.82	15.60	<0.005
TOP249		5.92	14.80	0.030	9.43	<0.001	<0.002	24.6	<0.001	0.01	0.254	3.36	0.3	2.04	17.10	<0.005
TOP250		3.26	8.81	0.034	9.00	<0.001	<0.002	6.21	<0.001	0.03	0.383	2.25	0.4	2.21	11.05	<0.005
TOP251		1.995	25.3	0.031	19.40	<0.001	<0.002	24.0	<0.001	0.01	0.403	6.19	0.5	1.04	23.1	<0.005
TOP252		2.12	27.9	0.021	11.60	0.001	<0.002	27.2	<0.001	0.01	0.420	4.48	0.2	1.06	19.50	<0.005

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 3 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.01	ppm 0.002	% 0.001	ppm 0.002	ppm 0.005	ppm 0.1	ppm 0.001	ppm 0.003	ppm 0.1
TOP213		0.04	2.01	0.082	0.132	1.965	61.3	0.263	4.34	79.9
TOP214		0.03	2.46	0.058	0.103	0.685	50.2	0.139	2.46	41.8
TOP215		0.03	3.31	0.081	0.135	0.706	61.8	0.210	2.75	63.4
TOP216		0.03	4.32	0.070	0.147	2.68	55.2	0.190	5.70	57.6
TOP217		0.04	3.08	0.074	0.142	1.015	68.3	0.175	2.58	71.3
TOP218		0.03	2.75	0.064	0.171	4.77	57.7	0.237	12.10	79.9
TOP219		0.06	1.555	0.060	0.163	9.00	49.0	0.237	8.33	69.9
TOP220		0.02	1.940	0.072	0.176	1.295	34.9	0.151	4.27	54.1
TOP221		0.03	9.99	0.147	0.249	2.11	54.7	0.479	14.50	55.4
TOP222		0.03	5.76	0.126	0.140	1.225	59.5	0.273	8.15	58.2
TOP223		0.03	9.12	0.113	0.153	4.15	59.3	0.337	23.8	56.9
TOP224		0.02	5.42	0.125	0.196	1.070	62.2	2.07	7.29	61.6
TOP225		0.02	9.87	0.160	0.287	2.16	65.7	0.622	10.55	63.1
TOP226		0.03	8.20	0.143	0.282	4.15	71.4	0.448	18.65	70.4
TOP227		0.03	8.52	0.131	0.248	1.805	74.6	0.347	7.53	60.6
TOP228		0.02	2.50	0.101	0.210	1.545	41.0	0.406	6.38	39.1
TOP229		0.01	0.733	0.072	0.108	1.775	34.2	0.128	4.47	15.2
TOP230		0.03	5.88	0.159	0.278	1.245	94.2	0.539	6.60	64.1
TOP231		0.03	4.39	0.093	0.158	1.355	52.1	0.577	3.62	38.6
TOP232		0.01	2.82	0.090	0.189	1.345	35.8	1.035	5.93	38.6
TOP233		0.01	2.92	0.139	0.219	1.910	56.3	1.180	6.14	58.4
TOP234		0.02	1.005	0.109	0.166	2.03	55.3	0.750	3.75	62.6
TOP235		0.03	3.00	0.130	0.214	1.720	67.2	0.794	4.83	55.9
TOP236		0.03	1.100	0.104	0.105	0.340	63.1	0.202	1.590	27.9
TOP237		0.02	0.941	0.095	0.171	1.230	61.5	0.380	3.35	44.0
TOP238		0.02	3.90	0.126	0.198	1.080	72.4	0.628	4.00	64.9
TOP239		0.04	0.785	0.084	0.185	3.03	58.3	1.235	5.63	66.9
TOP240		0.03	0.198	0.062	0.101	1.870	39.0	0.710	2.82	25.2
TOP241		0.03	0.317	0.064	0.102	1.155	39.0	0.453	2.88	31.4
TOP242		0.04	2.31	0.110	0.178	2.34	61.2	1.245	6.32	51.2
TOP243		0.03	7.39	0.082	0.162	2.39	47.9	0.808	10.15	62.4
TOP244		0.02	2.64	0.110	0.178	1.280	52.3	0.543	7.10	51.4
TOP245		0.03	2.02	0.109	0.174	1.450	58.2	0.781	6.25	61.3
TOP246		0.05	1.760	0.108	0.180	2.31	62.2	0.371	7.42	58.4
TOP247		0.05	1.260	0.076	0.116	7.91	41.0	0.342	26.6	57.0
TOP248		0.06	6.15	0.116	0.154	1.500	81.9	0.314	6.28	73.4
TOP249		0.03	3.38	0.114	0.130	1.375	62.4	0.275	5.05	56.6
TOP250		0.02	1.820	0.084	0.085	0.765	62.8	0.317	3.58	32.6
TOP251		0.04	3.51	0.098	0.187	1.930	76.0	0.408	7.44	59.0
TOP252		0.03	3.98	0.114	0.241	0.827	73.5	0.202	4.24	63.2

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 4 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm
		0.02	0.001	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01
TOP253		0.54	0.002	0.0014	0.090	3.06	12.95	<10	227	1.45	0.362	0.20	0.072	32.6	14.05	52.0
TOP254		0.55	0.002	0.0013	0.038	3.28	12.60	<10	205	0.74	0.237	0.14	0.106	34.5	13.75	45.0
TOP255		0.40	0.002	0.0009	0.028	3.40	11.55	<10	119.5	0.82	0.372	0.12	0.230	26.1	17.55	44.2
TOP256		0.33	0.004	0.0009	0.161	1.86	7.92	<10	233	0.49	0.352	0.80	0.271	44.7	13.40	26.0
TOP257		0.56	0.003	0.0019	0.107	2.56	8.73	<10	207	0.48	0.369	0.37	0.106	35.3	11.00	35.0
TOP258		0.42	0.002	0.0010	0.111	2.05	5.76	<10	185.0	0.36	0.286	0.24	0.106	32.6	6.89	27.2
TOP259		0.28	0.002	0.0015	0.203	1.32	3.62	<10	157.5	0.38	0.311	0.24	1.025	42.9	6.27	18.10
TOP260		0.52	0.002	0.0051	0.128	2.57	9.57	<10	203	0.55	0.232	0.25	0.260	51.6	11.15	34.8
TOP261		0.49	<0.001	0.0007	0.068	2.67	8.14	<10	166.5	0.60	0.207	0.22	0.123	50.2	14.95	36.9
TOP262		0.53	<0.001	0.0009	0.046	2.74	8.58	<10	153.5	0.47	0.182	0.16	0.095	38.7	9.93	38.6
TOP263		0.39	0.001	0.0008	0.070	2.60	11.85	<10	164.0	0.56	0.423	0.17	0.178	70.2	11.10	35.4
TOP264		0.53	0.002	0.0015	0.053	2.44	7.67	<10	176.0	0.62	0.199	0.29	0.141	57.2	11.20	34.1
TOP265		0.38	0.001	0.0014	0.068	1.92	11.15	<10	107.5	0.39	0.468	0.15	0.159	46.3	7.86	26.6
TOP266		0.35	0.001	0.0025	0.172	1.23	4.17	<10	143.5	0.34	0.309	0.23	0.255	42.8	5.52	20.2
TOP267		0.23	0.005	0.0016	0.274	1.17	7.31	<10	181.5	0.36	0.299	0.31	0.246	58.3	28.3	19.15
TOP268		0.24	0.001	0.0010	0.103	0.62	1.94	<10	215	0.25	0.088	0.67	0.253	40.6	3.19	7.12
TOP269		0.42	0.004	0.0009	0.134	2.45	6.11	<10	279	0.43	0.235	0.29	0.123	23.0	13.50	84.0
TOP270		0.53	0.002	0.0011	0.084	2.49	7.81	<10	257	0.52	0.312	0.38	0.136	31.9	12.75	33.6
TOP271		0.32	0.001	0.0003	0.103	0.41	1.43	<10	45.5	0.09	0.101	0.06	0.232	6.43	2.04	6.70
TOP272		0.39	0.003	0.0010	0.081	2.01	9.05	<10	161.0	0.35	0.203	0.19	0.166	25.3	8.61	29.1
TOP273		0.39	<0.001	0.0004	0.063	0.42	2.88	<10	26.9	0.06	0.116	0.05	0.041	6.08	2.08	6.11
TOP274		0.37	0.003	0.0010	0.039	1.77	8.30	<10	96.2	0.28	0.406	0.18	0.155	25.7	7.56	28.6
TOP275		0.43	0.006	0.0037	0.041	2.38	11.30	<10	113.0	0.50	0.221	0.17	0.198	26.4	8.53	30.4
TOP276		0.45	0.002	0.0007	0.053	1.28	7.65	<10	86.0	0.21	0.401	0.17	0.155	22.4	3.83	19.40
TOP277		0.15	0.005	0.0015	0.182	2.29	6.07	<10	374	0.71	0.262	0.66	0.417	45.8	16.40	35.1
TOP278		0.41	0.002	0.0004	0.035	1.27	5.27	<10	73.3	0.17	0.196	0.07	0.081	12.25	4.01	17.10
TOP279		0.34	0.001	0.0009	0.147	2.02	5.93	<10	267	0.44	0.227	0.41	0.134	27.6	15.05	32.5
TOP280		0.62	0.001	0.0014	0.075	2.25	7.18	<10	212	0.56	0.239	0.40	0.151	33.3	11.90	32.7
TOP281		0.82	0.002	0.0010	0.093	2.30	6.52	<10	192.0	0.56	0.408	0.36	0.103	30.0	10.75	42.9
TOP282		0.40	0.002	0.0025	0.204	3.51	10.80	<10	292	1.33	0.578	0.36	0.180	116.0	14.40	56.1
TOP283		0.52	0.001	0.0013	0.091	1.56	5.31	<10	104.5	0.36	0.427	0.14	0.128	18.90	8.75	24.1
TOP284		0.55	<0.001	0.0030	0.078	2.00	7.71	<10	237	0.52	0.154	0.39	0.100	38.8	8.55	38.9
TOP285		0.45	0.002	0.0006	0.054	2.98	8.68	<10	117.5	0.55	0.152	0.15	0.226	27.6	11.05	31.6
TOP286		0.32	<0.001	0.0006	0.128	0.88	1.88	<10	107.5	0.27	0.118	0.09	0.125	21.7	2.72	14.15
TOP287		0.39	0.002	0.0010	0.054	2.22	7.33	<10	108.5	0.83	0.165	0.18	0.173	28.6	9.74	30.3
TOP288		0.59	0.002	0.0007	0.053	1.90	10.35	<10	110.5	0.60	0.202	0.12	0.292	33.9	9.41	25.9
TOP289		0.64	<0.001	0.0003	0.109	1.39	6.96	<10	83.0	0.35	0.552	0.09	0.140	28.3	5.12	22.2
TOP290		0.69	<0.001	0.0013	0.078	1.83	7.61	<10	242	0.56	0.236	0.38	0.132	78.2	9.38	37.2
TOP291		0.68	0.002	0.0008	0.047	2.64	6.45	<10	176.5	0.88	0.278	0.22	0.123	56.5	11.45	35.3
TOP292		0.68	<0.001	0.0015	0.040	2.32	7.81	<10	243	0.59	0.287	0.29	0.090	70.5	10.80	40.8

Comments: Insufficient soil material received for sample TOP191



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 4 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.005	0.01	0.001	0.004	0.005	0.002	0.004	0.005	0.01	0.002	0.1	0.01	0.1	0.01	0.001
TOP253		3.78	26.9	4.10	9.49	0.064	0.151	0.019	0.037	0.12	16.40	29.7	0.73	439	1.28	0.015
TOP254		3.62	31.7	3.86	8.78	0.063	0.240	0.028	0.036	0.17	17.40	28.0	0.66	316	1.14	0.013
TOP255		3.27	20.8	4.43	9.03	0.063	0.065	0.035	0.042	0.13	12.85	43.3	0.62	485	1.29	0.014
TOP256		1.480	22.4	2.60	6.11	0.068	0.033	0.065	0.034	0.07	20.8	20.9	0.46	884	0.91	0.019
TOP257		2.79	20.0	3.54	9.18	0.069	0.046	0.032	0.041	0.12	18.95	34.1	0.61	350	0.93	0.011
TOP258		2.52	13.25	2.63	8.01	0.061	0.031	0.039	0.031	0.11	17.70	22.4	0.46	207	0.76	0.017
TOP259		1.505	21.0	1.890	6.25	0.068	0.023	0.053	0.024	0.13	26.1	9.8	0.24	344	0.90	0.022
TOP260		2.53	21.5	3.74	10.35	0.092	0.047	0.063	0.048	0.17	28.6	29.4	0.59	525	1.37	0.015
TOP261		3.93	20.3	3.96	11.20	0.088	0.112	0.022	0.057	0.33	25.3	39.8	0.67	647	1.01	0.015
TOP262		3.05	19.85	3.64	10.20	0.070	0.112	0.014	0.044	0.19	17.85	33.6	0.69	350	1.03	0.018
TOP263		4.26	17.80	4.08	11.10	0.096	0.048	0.028	0.048	0.30	30.9	33.2	0.65	510	1.33	0.014
TOP264		3.58	18.15	3.53	9.02	0.100	0.072	0.018	0.049	0.30	31.7	41.1	0.69	446	0.93	0.016
TOP265		3.03	13.30	3.19	8.77	0.081	0.033	0.046	0.039	0.19	28.1	27.4	0.45	335	1.16	0.015
TOP266		1.570	12.50	1.940	5.69	0.064	0.027	0.092	0.029	0.08	22.3	9.9	0.30	179.5	1.20	0.016
TOP267		0.974	15.85	2.94	4.13	0.077	0.010	0.113	0.026	0.07	26.8	9.8	0.27	2380	2.75	0.020
TOP268		0.424	11.65	1.110	1.445	0.066	0.011	0.112	0.012	0.04	20.5	2.6	0.14	88.3	1.08	0.019
TOP269		4.14	14.55	3.18	8.71	0.076	0.025	0.024	0.035	0.36	11.15	26.8	0.96	623	1.17	0.023
TOP270		2.08	17.55	3.38	9.06	0.078	0.045	0.032	0.040	0.20	15.80	33.8	0.65	547	0.91	0.010
TOP271		0.581	6.27	0.880	2.90	0.018	0.005	0.015	0.006	0.03	3.26	1.2	0.06	58.7	0.55	0.023
TOP272		1.245	16.90	2.94	7.81	0.056	0.045	0.027	0.029	0.11	12.65	17.7	0.53	282	1.10	0.014
TOP273		0.463	4.62	1.130	5.15	0.018	0.010	0.020	0.006	0.04	3.09	1.3	0.10	61.6	0.56	0.022
TOP274		1.895	14.85	3.23	8.62	0.055	0.043	0.031	0.030	0.12	12.95	17.4	0.48	271	1.01	0.015
TOP275		1.600	21.2	3.71	9.79	0.057	0.036	0.038	0.032	0.06	13.05	18.3	0.39	292	1.46	0.015
TOP276		1.285	13.95	2.34	11.35	0.042	0.033	0.038	0.024	0.08	11.00	6.4	0.23	122.0	1.04	0.010
TOP277		2.12	27.3	2.91	7.53	0.078	0.042	0.112	0.043	0.16	21.0	20.6	0.59	1345	1.18	0.017
TOP278		1.365	10.35	1.980	7.95	0.030	0.023	0.036	0.021	0.04	5.94	8.8	0.22	179.0	0.89	0.013
TOP279		2.42	14.50	2.76	6.96	0.058	0.032	0.053	0.036	0.11	13.90	21.4	0.58	940	0.98	0.020
TOP280		2.81	20.1	3.16	8.01	0.072	0.052	0.034	0.037	0.17	16.80	31.7	0.68	438	0.75	0.019
TOP281		3.19	22.8	3.29	9.12	0.066	0.038	0.029	0.042	0.20	15.70	29.8	0.76	365	0.90	0.015
TOP282		3.14	33.8	4.46	12.20	0.173	0.064	0.058	0.067	0.20	76.1	39.5	0.73	742	1.94	0.017
TOP283		1.935	14.15	2.48	7.79	0.042	0.034	0.027	0.034	0.10	9.19	20.3	0.37	478	1.32	0.014
TOP284		1.465	25.5	3.02	6.63	0.073	0.052	0.063	0.042	0.10	20.6	23.7	0.59	332	0.80	0.014
TOP285		1.640	14.15	3.16	8.19	0.050	0.075	0.047	0.040	0.08	12.05	24.5	0.46	309	1.26	0.012
TOP286		0.907	15.75	1.260	4.11	0.033	0.008	0.049	0.015	0.06	11.25	4.5	0.13	74.6	0.94	0.018
TOP287		1.930	15.55	3.28	8.55	0.059	0.053	0.043	0.038	0.09	13.35	26.5	0.51	266	1.12	0.013
TOP288		1.605	15.55	3.37	7.16	0.056	0.037	0.033	0.034	0.06	14.15	14.0	0.38	432	1.65	0.008
TOP289		2.09	13.35	3.01	9.82	0.048	0.032	0.043	0.025	0.09	12.60	9.4	0.22	280	1.78	0.011
TOP290		2.42	28.6	3.19	6.87	0.126	0.089	0.028	0.039	0.18	43.6	22.5	0.60	426	1.00	0.016
TOP291		3.85	17.70	3.77	10.40	0.086	0.050	0.021	0.052	0.37	26.0	34.6	0.63	648	1.01	0.010
TOP292		2.93	25.5	3.59	9.15	0.110	0.083	0.025	0.046	0.21	36.8	29.4	0.70	428	0.92	0.013

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 4 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Nb ppm	Ni ppm	P %	Pb ppm	Pd ppm	Pt ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm
		0.002	0.04	0.001	0.005	0.001	0.002	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005
TOP253		1.795	34.5	0.025	11.70	0.001	<0.002	28.6	<0.001	0.01	0.416	5.78	0.3	1.21	21.4	<0.005
TOP254		2.07	31.5	0.023	10.45	0.001	<0.002	30.1	<0.001	0.01	0.486	6.07	0.3	1.00	17.70	0.006
TOP255		2.61	31.1	0.045	15.15	0.001	<0.002	22.6	<0.001	0.01	0.378	5.13	0.3	0.72	13.00	<0.005
TOP256		2.11	22.3	0.063	8.56	0.001	<0.002	16.25	<0.001	0.06	0.412	4.32	0.5	1.00	47.4	<0.005
TOP257		3.64	20.1	0.056	9.81	0.001	<0.002	30.5	<0.001	0.02	0.294	6.13	0.4	1.91	23.4	<0.005
TOP258		3.13	15.85	0.058	8.56	<0.001	<0.002	30.6	<0.001	0.03	0.245	5.03	0.3	1.56	23.1	<0.005
TOP259		2.22	14.85	0.088	7.87	<0.001	<0.002	26.7	<0.001	0.04	0.256	2.95	0.3	1.25	25.8	<0.005
TOP260		4.21	21.6	0.065	9.58	0.001	<0.002	42.5	<0.001	0.02	0.372	6.56	0.3	1.91	23.7	<0.005
TOP261		5.12	21.9	0.085	9.14	<0.001	<0.002	68.3	<0.001	<0.01	0.324	8.43	0.3	2.64	16.65	<0.005
TOP262		3.30	23.6	0.031	8.34	<0.001	0.007	46.5	<0.001	0.01	0.431	6.76	0.3	1.95	16.10	<0.005
TOP263		4.86	22.3	0.041	9.30	0.001	<0.002	60.1	<0.001	0.02	0.404	6.42	0.3	2.36	17.60	<0.005
TOP264		4.23	21.9	0.051	8.56	0.001	<0.002	54.4	<0.001	0.01	0.342	7.05	0.3	1.97	19.30	<0.005
TOP265		4.67	16.00	0.061	10.00	0.002	<0.002	46.6	<0.001	0.04	0.338	5.12	0.3	1.84	14.20	<0.005
TOP266		1.930	11.65	0.104	7.69	<0.001	<0.002	15.95	<0.001	0.11	0.318	2.87	0.5	0.92	23.2	<0.005
TOP267		1.130	11.80	0.133	7.03	<0.001	<0.002	10.95	<0.001	0.13	0.387	1.910	0.7	0.66	27.0	<0.005
TOP268		0.558	8.50	0.111	2.80	0.001	<0.002	4.96	<0.001	0.19	0.355	1.750	0.6	0.20	50.6	<0.005
TOP269		2.53	31.2	0.074	6.15	<0.001	<0.002	47.1	<0.001	0.03	0.265	8.10	0.3	2.25	20.9	<0.005
TOP270		3.36	20.9	0.085	7.78	0.002	<0.002	41.4	<0.001	0.01	0.281	6.35	0.3	1.69	25.6	<0.005
TOP271		0.514	3.58	0.025	3.83	<0.001	<0.002	8.48	<0.001	0.02	0.148	0.738	0.1	0.38	9.87	<0.005
TOP272		2.57	19.90	0.049	8.54	0.001	<0.002	22.2	<0.001	0.02	0.384	4.22	0.3	1.00	19.60	<0.005
TOP273		0.829	2.89	0.015	3.98	<0.001	<0.002	4.90	<0.001	0.01	0.160	0.871	0.1	0.46	7.06	<0.005
TOP274		3.23	19.10	0.055	7.78	0.001	<0.002	24.1	<0.001	0.02	0.409	3.66	0.3	1.55	14.75	<0.005
TOP275		2.55	20.3	0.055	10.90	<0.001	<0.002	11.60	<0.001	0.03	0.585	3.60	0.4	1.26	15.80	0.010
TOP276		3.38	9.77	0.036	9.52	0.001	<0.002	14.10	<0.001	0.04	0.387	2.76	0.4	2.47	18.65	<0.005
TOP277		2.44	26.7	0.108	9.30	0.002	<0.002	33.8	<0.001	0.10	0.597	5.84	0.8	1.49	52.2	<0.005
TOP278		1.410	9.33	0.030	7.42	<0.001	<0.002	9.33	<0.001	0.03	0.282	1.895	0.3	0.96	9.81	<0.005
TOP279		1.940	21.2	0.080	9.27	<0.001	<0.002	20.1	<0.001	0.05	0.342	4.73	0.4	1.44	29.5	<0.005
TOP280		2.66	22.5	0.109	7.53	0.002	<0.002	33.7	<0.001	0.01	0.337	5.06	0.3	2.08	19.70	<0.005
TOP281		2.75	23.7	0.084	8.37	<0.001	<0.002	38.9	<0.001	0.02	0.333	5.37	0.3	2.28	20.4	<0.005
TOP282		4.74	33.5	0.086	13.50	0.001	<0.002	41.3	<0.001	0.05	0.562	9.77	0.7	2.52	31.3	<0.005
TOP283		2.71	13.80	0.051	8.34	0.001	<0.002	25.3	<0.001	0.02	0.331	2.98	0.3	1.69	11.90	<0.005
TOP284		2.58	24.3	0.071	8.10	0.002	<0.002	19.40	<0.001	0.01	0.437	6.36	0.3	1.66	26.7	<0.005
TOP285		5.40	24.8	0.032	10.40	0.001	<0.002	16.70	<0.001	0.02	0.430	4.38	0.4	1.53	14.00	0.015
TOP286		0.800	7.01	0.049	5.88	<0.001	<0.002	9.53	<0.001	0.03	0.207	1.220	0.3	1.39	10.90	<0.005
TOP287		3.70	20.5	0.038	11.25	<0.001	<0.002	17.90	<0.001	0.02	0.522	4.54	0.4	1.88	14.90	0.007
TOP288		2.28	17.85	0.040	20.8	0.002	<0.002	10.75	<0.001	0.02	1.230	3.70	0.4	0.75	12.65	<0.005
TOP289		3.02	11.65	0.036	12.90	0.001	<0.002	28.1	<0.001	0.01	0.441	2.87	0.3	1.52	9.01	<0.005
TOP290		1.905	24.7	0.066	8.88	<0.001	<0.002	34.7	<0.001	0.01	0.479	7.60	0.4	1.31	25.6	<0.005
TOP291		3.10	20.3	0.052	9.37	0.001	<0.002	64.2	<0.001	0.01	0.306	7.53	0.4	3.37	16.70	<0.005
TOP292		1.940	26.8	0.038	7.50	0.003	<0.002	39.2	<0.001	<0.01	0.455	8.92	0.4	1.76	22.7	<0.005

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 4 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.002	0.001	0.002	0.005	0.1	0.001	0.003	0.1
TOP253		0.04	5.89	0.140	0.267	0.825	84.1	0.345	4.89	67.0
TOP254		0.04	6.95	0.140	0.274	0.963	81.2	0.137	5.46	62.8
TOP255		0.05	3.96	0.117	0.191	0.769	76.4	0.192	3.63	81.2
TOP256		0.03	1.365	0.074	0.125	4.20	49.1	0.252	9.56	58.6
TOP257		0.03	4.52	0.124	0.260	3.63	73.1	0.612	7.13	67.3
TOP258		0.03	2.55	0.105	0.221	2.03	49.1	0.374	6.05	57.1
TOP259		0.03	0.922	0.071	0.100	3.11	35.6	0.254	7.33	46.6
TOP260		0.04	6.10	0.147	0.229	2.26	78.0	0.336	10.55	74.1
TOP261		0.02	14.60	0.195	0.405	1.740	75.9	0.464	10.85	79.9
TOP262		0.02	8.92	0.177	0.296	1.070	75.5	0.484	6.38	68.2
TOP263		0.04	6.20	0.170	0.342	1.570	84.6	0.586	9.28	80.7
TOP264		0.02	12.50	0.166	0.337	1.860	66.0	0.295	10.90	77.1
TOP265		0.03	3.49	0.126	0.252	2.67	64.3	0.658	9.37	72.5
TOP266		0.03	0.914	0.056	0.154	3.23	34.5	0.267	8.93	46.1
TOP267		0.04	0.456	0.036	0.150	6.04	59.3	0.192	10.45	48.7
TOP268		0.02	0.233	0.018	0.053	4.78	12.1	0.073	9.74	22.3
TOP269		0.02	1.530	0.132	0.303	1.545	74.9	1.980	5.31	67.0
TOP270		0.03	3.17	0.147	0.262	3.43	66.6	3.16	9.97	68.0
TOP271		0.02	0.082	0.041	0.058	0.352	21.6	0.099	1.105	14.7
TOP272		0.03	2.23	0.122	0.161	1.295	70.2	0.356	4.74	59.2
TOP273		0.02	0.201	0.062	0.059	0.205	31.5	0.124	0.788	21.5
TOP274		0.03	1.765	0.145	0.190	0.870	79.3	2.53	4.55	57.3
TOP275		0.05	1.485	0.126	0.161	0.781	93.0	0.331	5.29	60.9
TOP276		0.04	0.953	0.140	0.133	1.055	88.9	2.35	3.17	32.1
TOP277		0.02	1.170	0.088	0.278	9.00	53.1	0.445	18.80	79.7
TOP278		0.03	0.401	0.079	0.119	0.488	54.1	0.348	1.745	34.4
TOP279		0.03	1.590	0.106	0.185	1.990	63.2	0.532	7.21	58.4
TOP280		0.02	4.40	0.148	0.232	1.900	74.2	0.489	9.19	67.7
TOP281		0.03	2.62	0.158	0.245	2.06	76.7	1.075	8.31	67.0
TOP282		0.03	8.49	0.129	0.266	7.21	90.0	0.825	37.9	101.0
TOP283		0.04	2.17	0.108	0.141	0.735	63.3	1.270	3.55	51.9
TOP284		0.03	4.03	0.120	0.152	1.795	65.2	0.258	14.65	65.1
TOP285		0.03	4.78	0.104	0.144	0.769	64.6	0.222	5.10	62.8
TOP286		0.02	0.307	0.042	0.104	0.984	30.3	0.163	4.17	22.2
TOP287		0.04	6.96	0.113	0.162	1.510	71.5	0.294	7.56	48.2
TOP288		0.02	8.66	0.070	0.121	1.630	63.0	0.242	7.65	54.0
TOP289		0.04	3.80	0.103	0.185	1.090	81.1	0.164	3.38	46.0
TOP290		0.02	10.85	0.138	0.239	5.98	63.7	0.229	23.0	74.9
TOP291		0.02	9.11	0.169	0.407	2.91	66.4	0.277	10.15	77.8
TOP292		0.03	10.10	0.156	0.283	2.50	72.2	0.552	18.85	72.8

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 5 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	WEI-21	Au-ICP21	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Recvd Wt. kg	Au ppm	Au ppm	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.001	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01
TOP293		0.69	<0.001	0.0010	0.267	2.68	11.35	<10	256	0.84	0.559	0.25	0.264	36.9	17.55	54.0
TOP294		0.71	0.004	0.0013	0.028	2.11	7.75	<10	189.0	0.41	0.151	0.32	0.072	30.6	10.00	44.2
TOP295		0.64	<0.001	0.0039	0.049	2.47	5.91	<10	196.5	0.65	0.194	0.30	0.103	32.1	13.60	69.6
TOP296		0.63	0.002	0.0005	0.039	2.53	5.89	<10	216	0.49	0.149	0.28	0.079	26.4	11.35	83.3
TOP297		0.62	0.004	0.0012	0.071	2.14	8.67	<10	182.0	0.44	0.247	0.31	0.217	27.0	12.40	31.9
TOP298		0.62	<0.001	0.0013	0.080	2.02	7.60	<10	188.0	0.38	0.180	0.36	0.217	25.7	10.90	29.8
TOP299		0.61	0.001	0.0008	0.057	1.91	6.72	<10	162.5	0.39	0.137	0.32	0.088	27.6	8.85	29.6
TOP300		0.71	<0.001	0.0014	0.081	2.31	8.80	<10	173.0	0.47	0.187	0.25	0.146	28.6	12.80	34.6
TOP301		0.64	0.002	0.0011	0.044	2.39	9.07	<10	196.5	0.51	0.226	0.23	0.119	28.4	11.10	37.5
TOP302		0.44	<0.001	0.0008	0.048	2.15	7.70	<10	148.5	0.49	0.255	0.22	0.125	25.5	11.80	30.7
TOP303		0.58	0.002	0.0009	0.041	2.54	10.25	<10	175.5	0.56	0.198	0.21	0.138	25.1	10.95	35.5
TOP304		0.59	0.003	0.0006	0.045	2.58	8.79	<10	178.0	0.71	0.261	0.22	0.228	28.1	10.75	34.5
TOP305		0.33	NSS	0.0002	0.027	1.13	2.57	<10	103.0	0.24	0.149	0.19	0.093	32.5	6.84	148.5
TOP306		0.68	0.001	0.0007	0.033	2.04	6.50	<10	138.5	0.65	0.248	0.30	0.127	35.0	11.35	35.0
TOP307		0.58	0.002	0.0007	0.085	2.07	8.53	<10	166.0	0.68	0.279	0.19	0.186	39.7	9.76	33.3
TOP310		0.47	<0.001	0.0008	0.035	2.00	7.25	<10	137.5	0.31	0.194	0.17	0.063	25.8	8.16	28.6
TOP311		0.56	0.001	0.0007	0.077	2.07	7.20	<10	156.5	0.37	0.192	0.30	0.047	48.7	10.10	29.3
TOP312		0.35	<0.001	0.0002	0.067	1.78	5.37	<10	164.5	0.28	0.178	0.25	0.064	38.0	7.93	23.4
TOP313		0.41	<0.001	0.0007	0.041	2.24	7.24	<10	146.0	0.41	0.183	0.25	0.072	40.6	9.81	30.8
TOP314		0.41	<0.001	0.0070	0.111	1.55	4.56	<10	131.0	0.47	0.193	0.17	0.109	46.4	5.89	18.45
TOP315		0.46	0.003	0.0009	0.037	1.93	7.84	<10	144.5	0.51	0.191	0.23	0.086	39.2	6.89	27.4
TOP316		0.52	<0.001	0.0003	0.080	1.21	7.40	<10	70.8	0.38	0.222	0.15	0.058	26.8	4.23	15.20
TOP317		0.47	<0.001	0.0021	0.073	2.26	6.39	<10	165.0	0.88	0.414	0.21	0.071	43.5	11.80	35.4
TOP318		0.54	<0.001	0.0009	0.037	3.25	3.90	<10	180.5	0.64	0.297	0.23	0.040	28.7	13.45	58.4
TOP319		0.36	<0.001	0.0009	0.091	2.59	5.77	<10	193.5	0.58	0.306	0.22	0.057	32.4	11.15	44.0
TOP320		0.44	<0.001	0.0009	0.118	2.21	6.48	<10	170.0	0.78	0.385	0.31	0.094	47.2	12.55	43.8
TOP321		0.46	<0.001	0.0006	0.047	2.14	6.23	<10	180.0	0.85	0.410	0.31	0.083	54.8	10.70	39.2
TOP324		0.53	<0.001	0.0004	0.029	1.78	6.04	<10	128.5	0.53	0.235	0.25	0.056	35.4	7.47	28.8
TOP325		0.46	<0.001	<0.0002	0.068	2.45	7.87	<10	202	0.85	0.338	0.60	0.087	45.3	12.75	40.5
TOP326		0.43	0.001	0.0013	0.046	1.83	7.00	<10	170.0	0.27	0.239	0.32	0.054	33.4	9.54	34.0
TOP327		0.34	<0.001	0.0033	0.087	1.98	6.32	<10	204	0.74	0.385	0.35	0.067	45.3	10.95	30.2
TOP328		0.49	<0.001	0.0012	0.053	2.03	7.12	<10	176.0	0.47	0.349	0.24	0.065	26.4	8.82	29.7
TOP329		0.41	<0.001	0.0006	0.080	1.64	7.16	<10	226	0.58	0.193	0.50	0.091	32.8	8.27	27.9
TOP330		0.36	0.004	0.0012	0.079	1.51	7.17	<10	222	0.43	0.204	0.66	0.190	26.3	8.51	28.1
TOP331		0.41	0.001	0.0002	0.053	1.38	7.37	<10	174.0	0.79	0.448	0.31	0.103	51.3	7.59	30.3
TOP332		0.49	<0.001	0.0018	0.022	2.56	13.35	<10	178.5	0.93	0.453	0.17	0.081	33.0	11.55	49.3
TOP333		0.47	<0.001	0.0005	0.055	1.79	6.19	<10	127.5	0.66	0.420	0.15	0.089	30.1	7.43	29.8
TOP334		0.32	<0.001	0.0015	0.363	3.04	5.48	<10	385	1.31	0.357	0.75	0.286	92.5	10.80	37.9
TOP335		0.44	<0.001	0.0011	0.104	2.25	5.47	<10	224	0.51	0.324	0.56	0.173	33.6	9.12	31.4
TOP336		0.73	0.001	0.0017	0.082	1.96	5.55	<10	246	0.86	0.246	0.47	0.088	73.4	9.08	35.7

Comments: Insufficient soil material received for sample TOP191



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 5 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.005	0.01	0.001	0.004	0.005	0.002	0.004	0.005	0.01	0.002	0.1	0.01	0.1	0.01	0.001
TOP293		3.23	23.3	3.90	10.35	0.067	0.024	0.032	0.042	0.11	17.95	28.6	0.62	1505	2.27	0.014
TOP294		1.440	23.5	2.96	6.51	0.062	0.051	0.018	0.027	0.10	15.70	19.9	0.69	337	0.66	0.014
TOP295		3.69	19.70	3.48	8.84	0.085	0.057	0.020	0.035	0.34	15.55	40.9	1.00	524	0.70	0.014
TOP296		2.84	17.90	3.49	8.81	0.082	0.042	0.016	0.034	0.44	13.60	35.4	1.14	470	0.67	0.015
TOP297		1.535	17.45	3.17	7.27	0.052	0.048	0.029	0.033	0.16	13.15	20.5	0.55	705	1.06	0.014
TOP298		1.665	15.75	2.95	7.42	0.057	0.045	0.020	0.030	0.18	12.35	23.4	0.53	595	0.89	0.016
TOP299		1.360	17.00	2.75	6.41	0.056	0.039	0.018	0.030	0.11	13.65	20.4	0.56	349	0.73	0.014
TOP300		1.965	19.35	3.36	8.65	0.065	0.063	0.060	0.035	0.13	13.60	24.3	0.64	568	0.96	0.015
TOP301		1.680	18.95	3.26	7.97	0.060	0.053	0.023	0.035	0.10	13.85	24.9	0.62	492	0.93	0.013
TOP302		1.885	15.55	3.10	8.32	0.053	0.069	0.017	0.036	0.12	12.10	23.1	0.55	702	0.96	0.016
TOP303		1.860	16.75	3.44	8.52	0.053	0.073	0.028	0.033	0.11	12.65	26.6	0.67	446	1.06	0.013
TOP304		2.26	15.65	3.20	8.74	0.055	0.061	0.043	0.037	0.12	13.25	28.5	0.60	348	1.15	0.014
TOP305		3.77	8.72	2.03	7.12	0.067	0.013	0.023	0.038	0.48	15.50	35.9	0.37	400	16.10	0.013
TOP306		2.43	16.55	3.13	7.57	0.072	0.098	0.020	0.035	0.16	18.60	32.4	0.68	506	0.86	0.016
TOP307		1.455	19.95	3.12	8.35	0.070	0.046	0.032	0.038	0.09	24.1	21.4	0.49	430	1.56	0.015
TOP310		1.980	13.45	3.18	8.76	0.058	0.065	0.015	0.030	0.28	13.40	21.7	0.56	271	0.90	0.014
TOP311		2.40	17.70	3.32	8.60	0.094	0.057	0.022	0.032	0.33	30.4	32.4	0.60	408	0.91	0.019
TOP312		1.835	10.85	2.97	9.62	0.068	0.032	0.013	0.026	0.37	19.70	20.4	0.50	363	0.80	0.016
TOP313		2.66	15.65	3.33	8.76	0.077	0.081	0.014	0.035	0.27	23.3	26.6	0.59	324	0.80	0.014
TOP314		1.615	17.30	2.19	7.24	0.072	0.053	0.017	0.022	0.16	30.7	12.5	0.34	318	0.68	0.022
TOP315		1.585	11.85	3.04	7.45	0.078	0.053	0.018	0.028	0.15	23.8	24.4	0.47	218	0.85	0.011
TOP316		2.45	6.37	2.14	6.32	0.073	0.053	0.007	0.019	0.19	15.05	13.7	0.29	148.5	0.76	0.015
TOP317		4.05	20.8	3.85	7.27	0.085	0.027	0.018	0.026	0.40	23.3	36.4	0.69	385	0.83	0.013
TOP318		2.84	24.8	3.99	10.60	0.078	0.079	0.015	0.034	0.53	12.05	37.0	1.11	310	0.71	0.021
TOP319		2.47	13.80	3.56	9.07	0.075	0.048	0.026	0.032	0.31	15.65	30.7	0.75	444	0.82	0.020
TOP320		3.18	19.60	3.60	8.56	0.102	0.057	0.022	0.042	0.31	27.9	30.4	0.69	614	0.94	0.019
TOP321		4.95	13.90	4.05	10.40	0.122	0.028	0.022	0.038	0.40	23.1	41.1	0.73	385	1.07	0.012
TOP324		1.685	13.10	2.99	6.45	0.073	0.109	0.016	0.028	0.15	17.30	28.1	0.57	256	0.82	0.013
TOP325		1.740	21.1	3.47	7.71	0.092	0.153	0.027	0.037	0.15	18.05	31.6	0.72	534	0.78	0.025
TOP326		0.825	16.25	2.97	5.53	0.065	0.111	0.017	0.024	0.10	13.55	6.9	0.57	274	0.85	0.018
TOP327		2.54	15.20	3.18	7.17	0.086	0.089	0.026	0.032	0.19	24.3	24.0	0.53	866	1.17	0.018
TOP328		1.270	13.05	3.28	6.70	0.060	0.135	0.018	0.036	0.09	14.35	24.0	0.47	257	1.15	0.012
TOP329		0.937	21.0	2.54	4.75	0.070	0.158	0.035	0.025	0.07	16.55	17.1	0.55	279	0.57	0.030
TOP330		0.783	26.5	2.65	4.46	0.096	0.149	0.025	0.019	0.09	12.95	16.7	0.59	323	0.61	0.036
TOP331		4.08	12.75	2.82	5.15	0.087	0.019	0.027	0.033	0.14	33.7	19.7	0.41	271	1.11	0.018
TOP332		2.86	18.50	4.03	6.99	0.059	0.088	0.018	0.038	0.08	14.40	35.9	0.59	281	1.43	0.011
TOP333		2.63	14.00	3.01	5.96	0.045	0.073	0.020	0.036	0.10	15.45	19.7	0.38	242	1.14	0.013
TOP334		1.945	40.8	3.80	8.12	0.150	0.224	0.081	0.053	0.13	48.2	20.8	0.41	737	1.03	0.029
TOP335		1.235	19.85	3.02	6.43	0.087	0.056	0.049	0.041	0.10	15.80	14.6	0.41	326	0.98	0.024
TOP336		2.13	24.5	3.08	6.18	0.136	0.152	0.054	0.033	0.12	40.3	18.5	0.54	410	0.76	0.023

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 5 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Nb	Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.04	0.001	0.005	0.001	0.002	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005
TOP293		1.355	30.1	0.084	17.85	0.002	<0.002	27.2	<0.001	0.02	0.389	4.84	0.4	1.04	21.8	<0.005
TOP294		1.180	25.6	0.055	7.56	0.002	<0.002	16.80	<0.001	<0.01	0.411	5.86	0.3	0.84	21.5	<0.005
TOP295		1.965	30.9	0.051	7.28	0.001	<0.002	52.2	<0.001	0.01	0.309	8.26	0.3	1.76	19.55	<0.005
TOP296		1.935	29.4	0.042	7.25	0.002	<0.002	50.2	<0.001	0.01	0.306	9.26	0.2	1.90	18.70	<0.005
TOP297		2.67	20.5	0.084	8.50	0.001	<0.002	28.2	<0.001	0.02	0.360	3.76	0.2	1.27	19.65	<0.005
TOP298		3.02	18.65	0.089	7.39	<0.001	<0.002	31.5	<0.001	0.01	0.315	4.41	0.3	1.48	21.1	<0.005
TOP299		2.07	18.75	0.072	7.09	0.002	<0.002	20.6	<0.001	0.01	0.293	4.34	0.3	1.13	18.00	<0.005
TOP300		2.39	21.8	0.069	8.57	<0.001	<0.002	27.2	<0.001	0.01	0.383	4.96	0.3	1.79	16.60	<0.005
TOP301		1.965	22.2	0.063	8.38	0.002	<0.002	22.3	<0.001	0.01	0.370	5.08	0.3	1.40	17.05	<0.005
TOP302		2.74	18.30	0.060	8.25	0.002	<0.002	28.5	<0.001	0.01	0.328	4.67	0.3	1.65	15.35	<0.005
TOP303		2.13	23.2	0.040	9.36	<0.001	<0.002	24.5	<0.001	0.01	0.401	4.95	0.3	1.29	17.05	<0.005
TOP304		2.80	23.0	0.059	9.19	0.001	<0.002	26.8	<0.001	0.01	0.410	4.89	0.3	2.04	15.70	<0.005
TOP305		5.01	98.8	0.094	3.43	0.001	<0.002	71.5	0.002	0.01	0.131	3.43	0.1	4.64	5.88	<0.005
TOP306		3.64	21.3	0.061	7.47	0.001	<0.002	31.8	<0.001	<0.01	0.356	5.04	0.3	2.35	16.35	<0.005
TOP307		4.05	20.1	0.054	10.35	0.001	<0.002	19.00	<0.001	0.01	0.366	4.66	0.3	1.52	15.50	<0.005
TOP310		2.95	17.65	0.034	7.48	<0.001	<0.002	45.4	<0.001	<0.01	0.259	4.62	0.1	1.08	15.90	<0.005
TOP311		3.67	18.50	0.041	7.57	0.001	<0.002	48.0	<0.001	0.01	0.268	5.28	0.2	1.06	25.0	<0.005
TOP312		3.89	14.45	0.053	7.12	<0.001	<0.002	47.6	<0.001	0.01	0.228	4.35	0.2	1.28	23.4	<0.005
TOP313		3.19	20.8	0.061	7.28	0.001	<0.002	45.2	<0.001	<0.01	0.284	4.88	0.2	1.08	19.25	<0.005
TOP314		2.06	12.95	0.041	7.91	0.001	<0.002	28.8	<0.001	0.01	0.185	3.68	0.2	0.71	18.20	<0.005
TOP315		2.08	15.20	0.039	8.96	<0.001	<0.002	24.3	<0.001	0.01	0.258	4.12	<0.1	0.83	20.6	<0.005
TOP316		2.21	8.14	0.020	5.93	<0.001	<0.002	43.8	<0.001	<0.01	0.252	2.56	<0.1	0.93	13.90	<0.005
TOP317		2.75	27.3	0.039	8.70	0.002	<0.002	46.6	<0.001	0.02	0.253	4.65	0.2	0.88	21.0	<0.005
TOP318		1.495	27.7	0.014	7.01	<0.001	<0.002	55.4	<0.001	0.01	0.173	8.35	0.1	1.16	21.9	<0.005
TOP319		3.05	24.0	0.051	7.27	0.003	<0.002	45.0	<0.001	0.01	0.204	5.12	0.4	1.57	20.3	<0.005
TOP320		2.52	22.0	0.054	8.29	<0.001	<0.002	57.3	<0.001	0.01	0.291	5.50	0.3	1.97	24.3	<0.005
TOP321		2.70	21.8	0.051	8.13	0.004	<0.002	70.5	<0.001	0.01	0.286	5.69	0.2	2.17	26.7	<0.005
TOP324		1.830	17.95	0.033	6.81	<0.001	<0.002	31.1	<0.001	0.01	0.331	4.12	0.1	1.29	21.6	<0.005
TOP325		1.955	24.4	0.034	9.35	<0.001	0.002	28.7	<0.001	0.01	0.320	6.10	0.2	1.02	29.7	<0.005
TOP326		1.055	20.7	0.022	7.71	<0.001	<0.002	14.95	<0.001	0.01	0.363	3.65	0.2	0.79	24.0	<0.005
TOP327		1.905	19.05	0.042	8.60	<0.001	<0.002	41.7	<0.001	0.01	0.271	4.53	0.3	1.41	23.4	<0.005
TOP328		1.060	17.20	0.031	9.46	<0.001	<0.002	20.1	<0.001	0.01	0.324	3.79	0.2	1.42	20.9	<0.005
TOP329		1.170	18.70	0.057	7.97	<0.001	<0.002	11.45	<0.001	0.01	0.451	4.61	0.2	0.54	33.0	<0.005
TOP330		1.315	23.2	0.080	6.76	<0.001	<0.002	11.25	<0.001	0.01	0.459	4.79	0.1	0.57	37.5	<0.005
TOP331		0.961	17.95	0.046	9.08	0.002	0.002	25.8	<0.001	0.01	0.610	3.84	0.2	0.84	21.2	<0.005
TOP332		0.884	33.3	0.020	12.35	<0.001	0.002	20.2	<0.001	0.01	0.619	4.45	0.3	1.02	19.30	<0.005
TOP333		1.050	16.80	0.029	11.20	<0.001	<0.002	18.40	<0.001	0.01	0.365	3.92	<0.1	0.78	14.65	<0.005
TOP334		1.535	30.9	0.052	9.35	<0.001	<0.002	17.95	0.001	0.02	0.501	8.16	0.6	0.86	54.4	<0.005
TOP335		1.270	18.20	0.061	8.48	0.002	<0.002	16.25	<0.001	0.03	0.442	4.87	0.6	0.76	40.1	<0.005
TOP336		1.220	22.9	0.046	8.38	<0.001	<0.002	25.2	<0.001	0.01	0.373	7.35	0.4	0.81	32.4	<0.005

Comments: Insufficient soil material received for sample TOP191



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 5 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.002	0.001	0.002	0.005	0.1	0.001	0.003	0.1
TOP293		0.03	1.300	0.095	0.177	2.29	87.3	1.190	8.41	92.6
TOP294		0.03	3.33	0.120	0.150	1.625	69.4	1.200	7.82	56.6
TOP295		0.02	4.26	0.156	0.336	1.480	77.0	0.607	7.98	69.7
TOP296		0.01	3.31	0.178	0.301	1.890	81.5	1.330	5.57	83.1
TOP297		0.03	3.00	0.125	0.171	1.305	69.9	0.650	6.61	66.2
TOP298		0.02	3.10	0.128	0.190	1.145	61.9	0.630	7.00	75.6
TOP299		0.02	3.05	0.116	0.159	1.190	59.1	0.345	7.12	52.6
TOP300		0.03	3.90	0.138	0.195	1.160	74.5	1.110	6.30	62.3
TOP301		0.03	3.48	0.123	0.152	1.350	72.3	0.379	6.40	61.9
TOP302		0.03	4.57	0.127	0.166	1.080	68.9	2.95	5.24	54.1
TOP303		0.03	4.16	0.132	0.172	1.300	77.5	0.228	5.02	64.5
TOP304		0.03	4.44	0.127	0.186	1.530	75.0	0.315	6.25	61.4
TOP305		0.01	6.64	0.127	0.401	1.260	29.1	0.621	9.36	31.5
TOP306		0.02	6.54	0.144	0.202	1.560	64.8	0.760	10.65	63.8
TOP307		0.04	5.34	0.112	0.127	1.945	70.3	0.372	12.95	60.8
TOP310		0.02	5.01	0.159	0.267	0.539	63.8	0.127	3.70	52.6
TOP311		0.02	10.00	0.158	0.273	1.170	61.4	0.150	8.81	55.3
TOP312		0.02	5.06	0.173	0.300	0.692	57.3	0.141	4.94	52.2
TOP313		0.03	8.97	0.151	0.295	0.960	61.2	0.178	6.72	60.4
TOP314		0.01	6.04	0.091	0.137	1.225	39.6	0.120	6.66	44.9
TOP315		<0.01	4.99	0.117	0.157	0.766	61.6	0.201	6.45	51.8
TOP316		0.01	4.72	0.105	0.257	0.516	43.3	0.121	3.19	33.5
TOP317		0.02	6.75	0.125	0.302	1.130	51.2	0.106	6.88	63.9
TOP318		0.02	5.36	0.226	0.340	0.665	90.3	1.060	3.73	56.7
TOP319		0.04	5.13	0.179	0.259	0.741	70.0	0.232	4.91	48.7
TOP320		0.03	8.66	0.149	0.282	1.500	71.1	0.381	9.03	54.1
TOP321		0.01	7.98	0.145	0.376	1.475	72.1	0.325	14.30	57.3
TOP324		0.02	8.77	0.117	0.187	0.912	58.4	0.213	7.15	45.9
TOP325		0.03	7.61	0.133	0.170	1.910	63.7	0.296	8.24	58.2
TOP326		<0.01	7.19	0.104	0.104	0.719	64.1	0.218	4.91	50.6
TOP327		0.02	6.52	0.106	0.214	1.140	59.4	0.233	11.85	47.6
TOP328		0.02	7.04	0.090	0.134	0.934	61.6	0.186	6.17	50.2
TOP329		0.03	5.25	0.099	0.088	1.130	50.2	0.245	9.72	55.9
TOP330		0.02	4.21	0.098	0.084	0.580	52.4	0.342	9.35	56.8
TOP331		0.04	8.73	0.069	0.155	1.480	45.3	0.179	14.35	46.2
TOP332		0.03	8.11	0.061	0.163	1.340	67.0	0.157	5.47	59.7
TOP333		0.02	7.34	0.071	0.130	0.820	56.7	0.151	5.15	41.2
TOP334		0.03	9.49	0.108	0.110	2.77	51.5	0.174	20.8	58.0
TOP335		0.02	3.26	0.096	0.099	1.460	48.6	0.144	7.53	53.5
TOP336		0.02	13.90	0.103	0.167	2.46	52.9	0.155	23.9	53.0

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 6 - A
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm
		0.02	0.001	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.003	0.001	0.01
TOP337		0.47	0.009	0.0004	0.016	1.16	3.86	<10	111.0	0.76	0.271	0.18	0.048	53.8	7.43	25.9
TOP338		0.40	<0.001	0.0124	0.046	0.77	5.72	<10	97.3	0.55	0.241	0.10	0.051	25.8	5.19	14.30
TOP339		0.45	<0.001	0.0006	0.054	1.66	8.61	<10	251	0.36	0.314	0.14	0.108	31.1	6.05	19.40
TOP340		0.38	<0.001	0.0006	0.032	1.43	4.13	<10	204	0.38	0.240	0.18	0.104	35.6	6.48	16.55
TOP341		0.48	0.001	0.0003	0.063	1.02	4.36	<10	281	0.39	0.221	0.23	0.096	28.4	5.69	19.25
TOP342		0.46	<0.001	0.0003	0.055	1.17	4.14	<10	279	0.72	0.532	0.25	0.100	75.0	6.56	22.4
TOP343		0.43	0.004	0.0002	0.106	1.53	4.96	<10	284	0.55	0.276	0.42	0.177	46.5	7.95	22.9
TOP344		0.38	<0.001	<0.0002	0.082	1.27	2.94	<10	350	0.67	0.228	0.20	0.179	65.0	6.85	16.90
TOP345		0.42	<0.001	0.0002	0.040	1.50	5.87	<10	230	0.36	0.193	0.21	0.115	18.25	7.23	22.0
TOP346		0.41	0.002	0.0009	0.251	3.20	7.76	<10	868	2.28	0.418	0.93	0.210	184.5	9.83	36.9
TOP347		0.34	0.003	0.0016	0.213	3.60	7.59	<10	1165	2.50	0.402	1.09	0.303	235	13.30	34.7
TOP348		0.25	<0.001	0.0016	0.083	2.49	4.73	<10	735	1.20	0.354	1.04	0.101	108.0	6.90	23.4
TOP349		0.43	0.001	0.0012	0.102	1.64	7.14	<10	639	0.73	0.408	0.67	0.271	71.0	20.8	25.7
TOP350		0.41	0.001	0.0017	0.085	1.68	5.29	<10	330	0.63	0.289	0.47	0.119	47.0	8.00	26.5
TOP351		0.35	<0.001	0.0017	0.078	1.76	6.58	<10	260	0.60	0.206	0.59	0.102	44.7	9.38	29.7
TOP352		0.37	<0.001	0.0009	0.058	1.10	4.28	<10	58.6	0.25	0.112	0.14	0.047	13.55	3.40	12.15
TOP353		0.50	0.004	0.0037	0.052	1.90	13.75	<10	211	0.57	0.194	0.30	0.128	70.9	10.40	33.7
TOP354		0.48	<0.001	0.0009	0.050	2.34	8.60	<10	167.0	0.82	0.309	0.20	0.108	82.4	11.30	34.1
TOP355		0.44	<0.001	0.0004	0.053	1.97	9.59	<10	97.5	0.34	0.624	0.12	0.141	24.4	5.37	24.8
TOP356		0.44	<0.001	0.0016	0.033	1.54	7.95	<10	121.0	0.38	0.275	0.21	0.149	47.0	6.62	26.9
TOP357		0.48	0.001	0.0005	0.045	1.96	7.61	<10	116.0	0.35	0.205	0.16	0.111	29.0	6.03	27.0
TOP358		0.44	<0.001	0.0006	0.099	2.58	9.75	<10	193.5	0.90	0.255	0.10	0.156	57.3	7.41	31.1
TOP359		0.48	<0.001	0.0010	0.059	1.97	8.63	<10	138.5	0.58	0.277	0.16	0.123	25.1	8.12	26.3
TOP360		0.48	0.001	0.0011	0.032	1.21	11.80	<10	126.0	0.43	0.499	0.10	0.091	38.8	6.34	19.45
TOP361		0.48	0.001	0.0041	0.066	2.27	10.25	<10	174.5	0.79	0.256	0.14	0.114	37.4	10.15	32.2
TOP362		0.48	0.001	0.0004	0.117	1.81	10.95	<10	133.0	0.47	0.531	0.12	0.148	47.6	8.87	22.8
TOP363		0.48	0.001	0.0020	0.049	2.21	9.27	<10	158.5	0.64	0.224	0.19	0.149	44.4	10.10	32.7
TOP364		0.45	<0.001	0.0012	0.097	2.17	9.26	<10	210	0.62	0.252	0.19	0.132	32.7	8.07	30.2
TOP365		0.46	<0.001	<0.0002	0.107	2.04	9.46	<10	220	0.40	0.331	0.21	0.132	48.6	16.50	31.3
TOP366		0.40	0.001	0.0004	0.134	1.51	5.76	<10	238	0.45	0.357	0.25	0.398	63.3	6.94	25.0
TOP367		0.45	<0.001	0.0006	0.100	1.96	6.82	<10	472	0.58	0.359	0.44	0.214	100.5	11.55	32.1
TOP368		0.51	<0.001	0.0013	0.114	2.09	6.46	<10	511	0.52	0.365	0.45	0.132	63.2	11.45	38.1
TOP369		0.49	<0.001	0.0015	0.086	3.46	13.85	<10	537	0.68	0.510	0.50	0.126	57.2	13.90	51.0
TOP370		0.34	<0.001	0.0014	0.320	3.72	10.35	<10	475	0.87	0.304	0.72	0.164	194.5	11.20	47.5
TOP371		0.49	<0.001	0.0008	0.033	1.97	6.67	<10	195.0	0.57	0.222	0.30	0.111	57.7	9.70	31.9
TOP372		0.50	0.001	0.0017	0.109	2.37	6.71	<10	212	0.45	0.231	0.36	0.083	51.7	9.06	33.9

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 6 - B
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm 0.005	ppm 0.01	% 0.001	ppm 0.004	ppm 0.005	ppm 0.002	ppm 0.004	ppm 0.005	% 0.01	ppm 0.002	ppm 0.1	% 0.01	ppm 0.1	ppm 0.01
TOP337		3.41	10.65	2.58	3.63	0.085	0.056	0.022	0.025	0.12	33.8	11.2	0.29	239	0.89
TOP338		0.857	9.28	2.79	4.13	0.045	0.017	0.015	0.017	0.11	10.30	4.6	0.10	190.0	1.24
TOP339		0.564	12.00	3.04	5.75	0.045	0.006	0.015	0.021	0.08	14.55	11.9	0.26	743	1.18
TOP340		1.125	9.46	3.12	6.74	0.057	0.043	0.022	0.026	0.07	14.20	6.9	0.13	934	1.40
TOP341		2.72	10.45	2.51	5.07	0.041	0.019	0.010	0.028	0.10	14.90	7.0	0.23	698	1.46
TOP342		3.31	14.60	2.65	3.98	0.132	0.153	0.015	0.031	0.09	57.1	7.8	0.25	291	1.03
TOP343		1.180	18.35	2.41	4.70	0.096	0.081	0.020	0.024	0.09	26.6	9.4	0.33	600	0.88
TOP344		0.818	10.65	2.21	5.03	0.108	0.029	0.012	0.020	0.09	49.7	11.6	0.21	680	1.10
TOP345		0.647	9.42	2.76	5.58	0.036	0.053	0.013	0.008	0.08	9.01	16.0	0.33	415	1.31
TOP346		2.72	48.5	3.95	9.26	0.283	0.146	0.085	0.052	0.14	134.0	21.1	0.36	587	1.57
TOP347		3.39	42.2	3.88	9.87	0.405	0.463	0.037	0.045	0.13	156.0	27.1	0.36	796	1.01
TOP348		1.700	26.0	2.79	7.26	0.206	0.134	0.058	0.035	0.06	63.4	12.6	0.23	276	1.18
TOP349		0.800	21.8	2.79	4.65	0.103	0.065	0.065	0.028	0.05	32.2	8.8	0.32	2650	1.37
TOP350		0.953	26.8	2.40	4.85	0.087	0.083	0.089	0.020	0.05	25.1	9.8	0.35	328	0.56
TOP351		0.754	27.3	2.49	5.33	0.088	0.088	0.049	0.026	0.06	23.1	10.6	0.37	343	0.68
TOP352		0.925	13.70	1.660	4.10	0.028	0.007	0.024	0.014	0.03	6.33	4.4	0.20	108.0	0.69
TOP353		1.715	25.3	3.39	5.44	0.107	0.073	0.029	0.021	0.06	36.7	12.8	0.56	343	0.70
TOP354		1.285	20.7	3.48	7.16	0.133	0.068	0.043	0.029	0.06	51.1	15.7	0.48	532	1.10
TOP355		0.991	11.95	3.94	11.60	0.045	0.045	0.021	0.027	0.06	10.80	13.4	0.29	213	1.40
TOP356		1.095	17.95	2.82	5.88	0.095	0.029	0.025	0.026	0.06	36.0	9.9	0.39	313	1.06
TOP357		1.535	12.40	2.91	7.68	0.068	0.041	0.028	0.027	0.08	16.75	14.5	0.43	258	1.11
TOP358		4.17	23.2	4.17	9.47	0.109	0.007	0.035	0.041	0.08	47.4	15.5	0.37	298	1.48
TOP359		2.01	13.20	3.06	5.64	0.059	0.020	0.022	0.033	0.06	12.20	15.2	0.45	328	0.95
TOP360		3.30	11.20	3.00	4.49	0.076	0.018	0.024	0.020	0.07	18.25	8.7	0.28	278	1.50
TOP361		1.555	16.90	3.28	6.02	0.064	0.053	0.061	0.020	0.07	16.80	13.1	0.49	355	1.29
TOP362		3.78	14.30	3.46	4.61	0.072	0.046	0.031	0.021	0.07	22.3	6.2	0.29	303	1.99
TOP363		2.02	18.35	3.50	6.46	0.075	0.037	0.026	0.024	0.08	23.0	14.8	0.55	427	1.40
TOP364		2.46	16.75	3.52	7.17	0.066	0.018	0.021	0.035	0.07	17.35	17.0	0.52	316	1.32
TOP365		1.390	15.90	3.62	9.15	0.085	0.017	0.032	0.031	0.13	27.9	12.2	0.43	1705	1.68
TOP366		1.160	17.30	2.64	7.13	0.113	0.018	0.027	0.027	0.09	47.0	8.2	0.27	628	1.39
TOP367		1.315	22.2	3.47	7.44	0.185	0.030	0.016	0.031	0.13	82.3	15.4	0.45	840	1.45
TOP368		1.655	18.75	3.24	6.71	0.116	0.035	0.040	0.032	0.11	47.3	16.5	0.47	631	2.06
TOP369		1.585	27.2	4.64	9.76	0.085	0.050	0.030	0.036	0.13	34.2	20.9	0.72	679	2.12
TOP370		1.620	28.5	4.20	11.15	0.241	0.089	0.083	0.045	0.15	114.0	19.1	0.53	511	1.77
TOP371		1.810	17.60	3.06	6.53	0.101	0.074	0.026	0.040	0.13	28.6	17.3	0.54	435	0.86
TOP372		1.495	17.10	3.19	7.53	0.092	0.045	0.048	0.035	0.10	27.6	20.1	0.59	256	0.87

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 6 - C
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	
		Nb	Ni	P	Pb	Pd	Pt	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.002	0.04	0.001	0.005	0.001	0.002	0.005	0.001	0.01	0.005	0.005	0.1	0.01	0.01	0.005
TOP337		0.845	14.90	0.036	9.99	<0.001	<0.002	21.0	<0.001	0.01	0.317	3.51	0.2	0.53	19.30	<0.005
TOP338		0.715	11.60	0.031	9.10	<0.001	<0.002	13.50	<0.001	0.01	0.229	2.34	<0.1	0.61	12.15	<0.005
TOP339		0.836	12.60	0.053	8.95	<0.001	<0.002	10.45	<0.001	0.01	0.400	2.30	<0.1	0.80	14.80	<0.005
TOP340		1.160	8.88	0.052	10.15	0.002	<0.002	13.40	<0.001	0.01	0.341	2.69	<0.1	0.98	17.55	<0.005
TOP341		1.040	11.55	0.028	8.83	<0.001	<0.002	18.45	<0.001	0.01	0.263	2.60	0.1	0.93	21.3	<0.005
TOP342		0.950	13.75	0.035	8.62	<0.001	<0.002	13.60	<0.001	0.01	0.379	4.16	<0.1	0.68	23.4	<0.005
TOP343		1.200	14.50	0.045	8.25	<0.001	<0.002	11.95	<0.001	0.01	0.345	3.62	0.4	0.55	35.7	<0.005
TOP344		1.000	8.77	0.031	9.48	<0.001	<0.002	10.20	<0.001	0.01	0.224	2.40	0.1	0.62	19.90	<0.005
TOP345		1.060	11.60	0.041	8.67	<0.001	<0.002	13.20	<0.001	0.01	0.322	2.43	0.2	0.60	18.00	<0.005
TOP346		1.610	23.3	0.050	15.85	0.003	<0.002	20.5	<0.001	0.02	0.612	9.68	0.8	0.93	51.1	<0.005
TOP347		1.585	32.6	0.130	14.25	<0.001	0.003	15.20	<0.001	0.03	0.622	12.60	0.8	0.96	68.4	0.007
TOP348		1.230	15.90	0.066	11.15	<0.001	<0.002	10.35	0.001	0.06	0.435	7.53	0.5	0.66	58.5	<0.005
TOP349		0.904	17.45	0.071	9.84	<0.001	<0.002	9.93	<0.001	0.04	0.437	4.99	0.5	0.44	41.0	<0.005
TOP350		1.090	16.40	0.057	8.74	<0.001	0.002	10.25	<0.001	0.02	0.397	5.99	0.2	0.49	34.0	<0.005
TOP351		1.165	17.70	0.064	9.10	<0.001	<0.002	8.91	<0.001	0.03	0.463	5.87	0.4	0.49	42.3	<0.005
TOP352		0.354	6.15	0.067	5.80	<0.001	<0.002	3.54	<0.001	0.05	0.250	0.898	0.4	0.29	12.40	<0.005
TOP353		1.150	24.1	0.063	9.37	<0.001	<0.002	9.50	<0.001	0.01	0.584	5.98	0.3	0.49	20.9	<0.005
TOP354		1.390	21.3	0.043	9.97	<0.001	<0.002	10.45	<0.001	0.01	0.461	5.50	0.4	0.74	17.85	<0.005
TOP355		2.24	11.55	0.042	10.95	0.002	<0.002	14.90	<0.001	0.01	0.493	3.13	0.3	1.23	12.60	<0.005
TOP356		1.060	16.75	0.052	8.82	<0.001	<0.002	8.64	<0.001	0.01	0.418	2.55	0.3	0.64	15.90	<0.005
TOP357		1.745	14.25	0.033	8.67	<0.001	<0.002	18.70	<0.001	0.01	0.344	3.61	0.2	0.73	15.20	<0.005
TOP358		1.460	17.55	0.065	13.00	<0.001	<0.002	19.70	<0.001	0.02	0.375	4.22	0.5	0.83	12.25	<0.005
TOP359		1.160	15.75	0.044	11.00	<0.001	<0.002	11.45	<0.001	0.02	0.309	2.99	0.5	0.47	17.90	<0.005
TOP360		1.065	13.95	0.032	13.65	0.002	<0.002	15.20	<0.001	0.03	0.299	2.42	0.3	0.49	18.90	<0.005
TOP361		1.465	21.3	0.047	10.80	0.001	<0.002	12.00	<0.001	0.02	0.499	4.43	0.6	0.48	16.40	0.007
TOP362		1.175	17.55	0.035	13.55	0.002	<0.002	12.40	<0.001	0.03	0.352	3.15	0.4	0.41	17.90	<0.005
TOP363		1.525	22.2	0.042	10.70	<0.001	<0.002	13.70	0.001	0.02	0.466	4.37	0.3	0.56	17.00	<0.005
TOP364		1.290	18.55	0.039	10.90	<0.001	<0.002	13.40	<0.001	0.02	0.346	3.55	0.3	0.60	17.90	<0.005
TOP365		1.440	18.35	0.052	13.30	<0.001	<0.002	19.65	0.001	0.03	0.386	3.42	0.2	0.69	21.1	<0.005
TOP366		0.890	16.30	0.058	8.89	<0.001	<0.002	17.70	0.001	0.03	0.342	2.34	0.2	0.71	24.2	<0.005
TOP367		1.230	23.3	0.062	8.85	<0.001	<0.002	19.25	<0.001	0.02	0.402	4.16	0.3	0.73	32.0	<0.005
TOP368		1.345	24.0	0.048	8.84	<0.001	<0.002	22.6	<0.001	0.02	0.263	4.82	0.2	0.71	32.4	<0.005
TOP369		1.730	28.4	0.068	10.50	<0.001	<0.002	23.1	<0.001	0.02	0.424	6.82	0.4	1.07	39.6	<0.005
TOP370		2.12	26.4	0.079	10.70	<0.001	<0.002	26.5	0.001	0.05	0.558	11.90	0.7	0.92	58.7	<0.005
TOP371		1.740	17.80	0.045	7.30	<0.001	<0.002	24.5	<0.001	0.01	0.335	5.28	0.6	0.84	21.7	<0.005
TOP372		1.655	19.45	0.065	8.83	0.001	<0.002	18.60	<0.001	0.01	0.402	5.68	0.4	0.80	24.5	<0.005

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 6 - D
Total # Pages: 6 (A - D)
Plus Appendix Pages
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Te	Th	Ti	Ti	U	V	W	Y	Zn
		ppm 0.01	ppm 0.002	% 0.001	ppm 0.002	ppm 0.005	ppm 0.1	ppm 0.001	ppm 0.003	ppm 0.1
TOP337		0.01	13.70	0.066	0.139	1.710	40.6	0.100	13.65	38.7
TOP338		0.02	5.88	0.038	0.100	1.925	44.8	0.110	7.51	37.2
TOP339		0.02	3.80	0.032	0.107	0.986	53.8	0.172	5.68	41.3
TOP340		0.02	5.42	0.035	0.158	0.750	62.0	0.138	4.63	47.7
TOP341		0.01	4.20	0.068	0.108	0.687	52.8	0.132	5.95	41.3
TOP342		0.02	12.00	0.082	0.108	2.07	45.1	0.229	25.5	41.4
TOP343		<0.01	5.77	0.089	0.065	1.565	47.0	0.151	16.20	41.7
TOP344		<0.01	6.27	0.050	0.077	0.798	46.0	0.130	14.85	39.5
TOP345		0.01	3.65	0.065	0.083	0.473	59.8	0.127	3.62	46.2
TOP346		0.02	21.5	0.066	0.105	6.83	59.9	0.175	67.1	51.9
TOP347		0.03	23.5	0.084	0.154	4.43	54.4	0.151	111.0	48.3
TOP348		0.03	6.94	0.067	0.070	5.28	39.7	0.149	41.6	31.9
TOP349		0.02	5.10	0.060	0.079	2.84	52.2	0.139	23.2	43.1
TOP350		0.02	6.68	0.081	0.079	2.32	47.6	0.178	18.55	44.6
TOP351		0.03	5.61	0.091	0.072	3.46	56.3	0.144	15.40	46.8
TOP352		0.02	0.094	0.045	0.074	0.496	36.7	0.092	3.14	31.2
TOP353		<0.01	6.71	0.103	0.092	2.14	61.2	0.196	18.80	58.2
TOP354		<0.01	7.09	0.100	0.112	2.63	66.2	0.258	24.0	52.5
TOP355		<0.01	4.82	0.096	0.126	0.703	92.7	0.219	4.03	43.7
TOP356		0.01	1.935	0.090	0.088	1.540	65.3	0.225	12.75	53.7
TOP357		0.02	4.30	0.094	0.137	0.741	64.5	0.182	6.66	46.2
TOP358		0.01	5.21	0.060	0.149	1.235	76.8	0.220	12.60	53.3
TOP359		0.01	1.875	0.069	0.098	1.415	54.8	0.166	6.97	43.8
TOP360		<0.01	6.39	0.056	0.083	1.675	45.4	0.134	7.61	41.4
TOP361		0.01	5.73	0.088	0.117	1.575	60.6	0.224	6.42	48.3
TOP362		0.02	10.25	0.062	0.109	1.365	47.6	0.136	7.41	48.1
TOP363		<0.01	5.40	0.092	0.120	1.035	67.9	0.287	8.93	56.9
TOP364		0.01	2.17	0.069	0.108	0.771	67.2	0.221	5.42	54.3
TOP365		0.02	2.50	0.098	0.131	0.604	80.5	0.188	7.91	59.6
TOP366		0.01	0.764	0.070	0.086	1.010	60.1	0.145	13.70	52.6
TOP367		<0.01	3.33	0.085	0.100	1.635	71.1	0.222	26.9	60.4
TOP368		<0.01	6.38	0.088	0.116	1.970	62.7	0.233	18.35	58.7
TOP369		0.03	7.06	0.108	0.146	2.47	91.8	0.347	15.95	78.0
TOP370		0.02	9.71	0.100	0.146	4.38	71.7	0.319	49.9	67.5
TOP371		<0.01	12.05	0.119	0.190	1.420	57.8	0.217	11.50	54.3
TOP372		0.02	8.42	0.103	0.152	1.535	61.1	0.379	13.00	60.3

Comments: Insufficient soil material received for sample TOP191

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-SEP-2017
Account: COUDES

Project: YUKON2017

CERTIFICATE OF ANALYSIS WH17157004

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: NSS is non-sufficient sample.
ALL METHODS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP21 ME-MS41L