



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Jodie Gibson

Receiving Lab: Canada-Whitehorse

Received: November 02, 2017

Report Date: November 15, 2017

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17001125.1

CLIENT JOB INFORMATION

Project: WHT
Shipment ID: WHT-20171030-002-SOIL
P.O. Number
Number of Samples: 15

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Isaac Fage
Shawn Ryan
Greg Dawson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	15	Dry at 60C			WHI
SS80	15	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201-U	15	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	15	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: November 15, 2017

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI17001125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1509662	Soil	0.3	53.5	3.6	61	<0.1	21.7	12.4	338	3.07	5.4	0.5	1.0	2.2	29	<0.1	0.3	<0.1	73	0.45	0.050
1509659	Soil	0.5	30.5	6.2	53	<0.1	26.2	11.2	409	2.55	7.4	0.4	6.6	3.1	48	0.1	0.6	0.1	62	0.89	0.077
1509655	Soil	1.2	17.1	6.5	57	<0.1	16.1	9.9	392	2.58	8.5	1.0	1.6	4.7	30	0.2	0.3	0.2	58	0.48	0.065
1509651	Soil	0.9	22.9	10.6	69	<0.1	21.4	10.4	422	2.69	61.8	2.8	2.1	11.4	32	0.2	0.4	0.2	54	0.65	0.053
1509660	Soil	0.5	24.7	5.9	58	<0.1	21.7	9.9	343	2.38	6.5	0.9	3.3	2.9	45	0.2	0.5	0.1	58	0.82	0.071
1509665	Soil	0.2	13.9	2.0	61	<0.1	7.7	8.1	255	2.35	3.0	0.2	<0.5	0.9	13	<0.1	0.1	<0.1	52	0.32	0.078
1509664	Soil	0.4	22.5	5.4	52	<0.1	15.0	10.6	360	2.72	5.4	0.3	7.6	2.2	25	<0.1	0.3	<0.1	63	0.41	0.043
1509654	Soil	0.7	12.9	6.5	54	<0.1	13.4	5.9	196	2.04	7.8	0.8	4.3	3.7	23	0.1	0.2	0.4	44	0.36	0.057
1509657	Soil	0.8	24.7	5.7	48	<0.1	20.7	8.7	339	2.52	6.2	3.4	2.7	4.4	51	0.2	0.4	0.4	50	0.80	0.068
1509658	Soil	0.6	31.0	6.3	51	<0.1	25.5	10.5	450	2.56	6.9	0.8	4.6	3.2	40	0.3	0.5	0.1	59	0.64	0.060
1509652	Soil	0.4	22.6	9.3	65	<0.1	19.4	9.2	247	2.35	18.4	1.9	1.4	8.6	25	0.2	0.4	0.3	54	0.43	0.056
1509656	Soil	0.9	23.1	5.9	47	<0.1	18.9	9.2	343	2.22	7.1	1.0	2.7	2.7	45	0.2	0.3	0.2	50	0.74	0.064
1509653	Soil	0.7	16.5	7.3	56	<0.1	14.8	8.1	385	2.57	30.3	1.6	2.7	5.9	25	<0.1	0.4	0.3	44	0.39	0.061
1509661	Soil	0.5	57.1	4.6	54	0.1	20.2	9.9	571	2.24	4.6	0.7	2.5	1.6	47	0.1	0.4	0.1	52	0.90	0.082
1509663	Soil	0.5	44.6	5.5	50	<0.1	20.8	11.7	317	3.08	6.9	0.3	1.8	2.4	27	<0.1	0.3	0.1	74	0.41	0.025



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: November 15, 2017

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI17001125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1509662	Soil	7	43	1.19	138	0.152	<1	1.91	0.013	0.24	0.2	<0.01	6.6	0.1	<0.05	7	<0.5
1509659	Soil	12	28	0.68	201	0.098	2	1.40	0.041	0.08	0.2	0.02	4.5	<0.1	<0.05	4	<0.5
1509655	Soil	18	26	0.58	232	0.087	1	1.51	0.021	0.07	0.2	0.02	3.4	<0.1	<0.05	5	<0.5
1509651	Soil	58	33	0.63	364	0.104	1	1.76	0.019	0.11	0.2	0.04	5.1	0.2	<0.05	6	<0.5
1509660	Soil	12	28	0.58	210	0.090	3	1.34	0.040	0.07	0.2	0.01	4.0	<0.1	<0.05	4	<0.5
1509665	Soil	3	15	0.82	158	0.115	<1	1.60	0.016	0.20	<0.1	<0.01	3.1	<0.1	<0.05	7	<0.5
1509664	Soil	7	28	0.70	184	0.111	1	1.75	0.014	0.11	<0.1	0.02	6.0	<0.1	<0.05	6	<0.5
1509654	Soil	16	23	0.53	211	0.071	2	1.46	0.015	0.06	0.2	0.03	2.9	<0.1	<0.05	5	<0.5
1509657	Soil	19	25	0.63	232	0.097	2	1.35	0.035	0.12	<0.1	0.02	4.2	<0.1	<0.05	4	0.9
1509658	Soil	13	28	0.58	247	0.092	2	1.47	0.035	0.08	0.2	0.02	4.7	<0.1	<0.05	4	<0.5
1509652	Soil	29	31	0.60	295	0.094	<1	1.67	0.017	0.08	0.2	0.04	4.2	0.1	<0.05	5	<0.5
1509656	Soil	14	25	0.53	255	0.071	2	1.36	0.026	0.06	0.2	0.04	3.7	<0.1	<0.05	4	<0.5
1509653	Soil	26	24	0.54	296	0.071	2	1.49	0.015	0.08	0.1	0.04	3.3	0.1	<0.05	5	<0.5
1509661	Soil	8	32	0.70	231	0.082	2	1.36	0.025	0.18	<0.1	0.03	4.1	<0.1	<0.05	4	<0.5
1509663	Soil	8	37	0.79	160	0.117	<1	2.02	0.016	0.19	0.1	0.01	6.6	<0.1	<0.05	7	<0.5



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI17001125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%	
		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	0.1	2	0.01	0.001
Reference Materials																						
STD DS11	Standard	14.3	152.2	136.3	335	1.7	80.9	14.2	1045	3.33	42.4	2.6	69.0	7.6	72	2.3	8.8	12.4	52	1.09	0.069	
STD DS11	Standard	13.7	139.9	128.1	320	1.6	72.0	12.7	976	3.04	41.2	2.4	67.9	7.0	66	2.2	8.5	11.3	47	0.96	0.064	
STD OXC129	Standard	1.2	26.2	5.9	41	<0.1	80.6	20.9	421	3.16	<0.5	0.7	211.9	1.7	193	<0.1	<0.1	<0.1	54	0.72	0.103	
STD OXC129	Standard	1.2	25.6	5.8	42	<0.1	77.9	19.6	399	3.03	0.7	0.6	192.6	1.7	185	<0.1	<0.1	0.1	52	0.66	0.105	
STD OXC129 Expected		1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51	0.665	0.102	
STD DS11 Expected		14.6	156	138	345	1.71	81.9	14.2	1055	3.2082	42.8	2.59	79	7.65	67.3	2.37	8.74	12.2	50	1.063	0.0701	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI17001125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
Reference Materials																		
STD DS11	Standard	19	60	0.84	382	0.099	8	1.13	0.072	0.42	3.2	0.23	3.3	5.2	0.20	5	2.2	4.9
STD DS11	Standard	17	55	0.80	372	0.086	7	1.04	0.070	0.38	2.9	0.24	3.2	4.8	0.18	5	1.8	4.3
STD OXC129	Standard	12	53	1.58	51	0.429	1	1.58	0.599	0.38	<0.1	<0.01	1.0	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	12	50	1.54	49	0.401	<1	1.50	0.563	0.36	<0.1	<0.01	0.7	<0.1	<0.05	5	<0.5	<0.2
STD OXC129 Expected		13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.3	3.4	4.9	0.2835	5.1	1.9	4.56
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2