

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETBLKRAB18-003	0	-999	1.0015	59	168.55
BETBLKRAB18-003	5	-999	1.0015	59	168.55
BETBLKRAB18-003	10	9.73	1.0015	59	168.55
BETBLKRAB18-003	15	57.11	1.0015	59.6	168.55
BETBLKRAB18-003	20	56.76	1.0059	59.9	169.55
BETFRDRAB18-001	0	-999	0.9877	53.6	178.55
BETFRDRAB18-001	5	93.41	0.9877	53.6	178.55
BETFRDRAB18-001	10	57.1	0.9877	53.6	178.55
BETFRDRAB18-001	15	56.88	1.0108	52.5	178.25
BETFRDRAB18-001	20	56.86	0.9975	52.5	178.85
BETFRDRAB18-001	25	56.85	1.003	54.1	174.35
BETFRDRAB18-001	30	56.82	0.9783	53.5	181.35
BETFRDRAB18-001	35	56.84	0.9872	53.6	180.25
BETFRDRAB18-001	40	56.88	1.0092	54.3	181.35
BETFRDRAB18-001	45	56.88	0.9958	54.3	182.25
BETFRDRAB18-001	50	56.85	1.0022	54.6	180.55
BETFRDRAB18-001	55	56.91	0.9924	54.2	182.05
BETFRDRAB18-001	60	56.85	0.9858	54.7	183.05
BETFRDRAB18-001	65	56.91	0.9899	56.4	181.95
BETFRDRAB18-001	70	56.83	0.9872	55.8	183.35
BETFRDRAB18-001	75	56.86	1.01	56.2	181.75
BETFRDRAB18-001	80	56.86	1.005	56.4	180.95
BETFRDRAB18-001	85	56.98	0.9908	57.6	181.05
BETFRDRAB18-001	90	56.88	0.96	59.6	182.55
BETFRDRAB18-001	95	56.95	0.9873	60	179.45
BETFRDRAB18-001	100	56.99	0.9954	61.2	181.05
BETFRDRAB18-002	0	-999	1.0013	58.4	185.65
BETFRDRAB18-002	5	86.8	1.0013	58.4	185.65
BETFRDRAB18-002	10	57.25	1.0026	58.2	185.65
BETFRDRAB18-002	15	56.99	0.9973	58.5	185.65
BETFRDRAB18-002	20	56.95	1.0001	59.1	185.05
BETFRDRAB18-002	25	56.97	1.0143	60.3	185.15
BETFRDRAB18-002	30	56.98	1.0004	60.7	185.65
BETFRDRAB18-002	35	56.98	1.0091	60.9	187.65
BETFRDRAB18-002	40	57.01	1.0049	61.4	188.25
BETFRDRAB18-002	45	56.98	1.0083	61.8	187.25
BETFRDRAB18-002	50	57.02	0.9903	61.5	188.35
BETFRDRAB18-002	55	56.97	0.9921	62	188.75
BETFRDRAB18-002	60	56.98	1.0024	62.7	187.35
BETFRDRAB18-002	65	56.98	1.0056	62.4	188.95
BETFRDRAB18-002	70	56.94	0.9857	62.1	189.95
BETFRDRAB18-002	75	56.97	0.9951	62.7	191.55
BETFRDRAB18-002	80	56.99	0.9871	62.8	190.15
BETFRDRAB18-002	85	56.95	0.9932	62.9	190.95
BETFRDRAB18-002	90	56.99	1.0105	63.7	193.35
BETFRDRAB18-002	95	56.99	0.9972	64.2	191.35

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETFRDRAB18-002	100	57	0.9924	64.6	192.25
BETFRDRAB18-003	0	-999	0.9979	57	16.15
BETFRDRAB18-003	5	103.24	0.9979	57	16.15
BETFRDRAB18-003	10	65.23	1.0001	56.5	16.15
BETFRDRAB18-003	15	57.52	0.9977	56.5	14.15
BETFRDRAB18-003	20	57.38	0.9956	56.2	12.75
BETFRDRAB18-003	25	57.28	1.0024	56.4	10.95
BETFRDRAB18-003	30	57.29	1.0111	56.5	10.15
BETFRDRAB18-003	35	57.3	0.9998	55.9	10.25
BETFRDRAB18-003	40	57.29	0.9938	56.7	8.85
BETFRDRAB18-003	45	57.27	0.9831	56.8	7.25
BETFRDRAB18-003	50	57.33	0.9959	57.8	8.05
BETFRDRAB18-003	55	57.36	0.9818	58.2	5.45
BETFRDRAB18-003	60	57.29	0.9918	59.2	4.05
BETFRDRAB18-003	65	56.95	0.9802	59.4	3.25
BETFRDRAB18-003	70	57.35	0.9876	60.1	4.35
BETFRDRAB18-003	75	57.3	0.9939	60.1	2.85
BETFRDRAB18-003	80	57.34	1.0058	61	1.75
BETFRDRAB18-003	85	57.28	0.9977	61.4	2.05
BETFRDRAB18-003	90	57.31	0.997	62	0.75
BETFRDRAB18-003	95	57.28	0.9904	61.5	0.35
BETFRDRAB18-003	100	57.34	0.9976	62.5	0.85
BETFRDRAB18-004	1.43	109.18	0.9912	55	179.25
BETFRDRAB18-004	6.43	83.58	0.9956	55	179.25
BETFRDRAB18-004	11.43	60.71	1.0181	55.1	179.25
BETFRDRAB18-004	16.43	57.16	1.0096	55.9	185.55
BETFRDRAB18-004	21.43	57.06	1.0003	56.8	183.85
BETFRDRAB18-004	26.43	57.07	0.995	58	184.75
BETFRDRAB18-004	31.43	57.05	0.994	59.6	183.25
BETFRDRAB18-004	36.44	57.11	0.9998	60.5	181.65
BETFRDRAB18-004	41.44	57.19	0.9892	62	179.15
BETFRDRAB18-005	0	-999	-999	53.6	0.05
BETFRDRAB18-005	5	104.02	1.0018	53.6	0.05
BETFRDRAB18-005	10	102.4	1.0008	53.4	0.05
BETFRDRAB18-005	15	58.86	0.9896	53.2	0.05
BETFRDRAB18-005	20	57.6	0.9863	53.6	359.95
BETFRDRAB18-005	25	57.51	0.9987	54.4	359.15
BETFRDRAB18-005	30	57.54	0.9989	54.1	0.05
BETFRDRAB18-005	35	57.49	0.9922	54.7	359.85
BETFRDRAB18-005	40	57.51	0.9952	54.5	358.55
BETFRDRAB18-005	45	57.47	0.995	55.1	356.15
BETFRDRAB18-005	50	57.5	0.9938	55	0.05
BETFRDRAB18-005	55	57.53	0.9962	55	359.15
BETFRDRAB18-005	60	57.5	0.9946	54.8	1.05
BETFRDRAB18-005	65	57.46	0.9861	55.4	1.45
BETFRDRAB18-006	1.43	31.48	0.996	53.8	358.55

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETFRDRAB18-006	6.43	122.93	1.002	53.8	358.55
BETFRDRAB18-006	11.43	57.9	0.9849	54.4	358.55
BETFRDRAB18-006	16.43	57.31	0.9991	54.2	355.05
BETFRDRAB18-006	21.43	57.38	0.9998	54.7	354.65
BETFRDRAB18-006	26.43	57.31	0.9794	54.7	356.45
BETFRDRAB18-006	31.43	57.24	1.0047	55.8	354.05
BETFRDRAB18-006	36.44	57.28	1.0052	56.7	353.65
BETFRDRAB18-006	41.44	57.35	0.9927	56.6	354.55
BETFRDRAB18-006	46.44	57.34	0.9849	57	354.75
BETFRDRAB18-006	51.44	57.3	1.0103	58.8	355.25
BETFRDRAB18-006	56.44	57.33	0.9912	58.5	354.85
BETFRDRAB18-006	61.44	57.32	0.9929	59.4	355.55
BETFRDRAB18-006	66.43	57.32	1.0021	60.5	353.75
BETFRDRAB18-006	71.43	57.37	0.9954	60.6	353.35
BETFRDRAB18-006	76.43	57.44	1.0004	61.6	354.05
BETFRDRAB18-006	81.43	57.4	1.0027	61.8	354.35
BETFRDRAB18-006	86.43	57.43	1.0077	62.3	355.65
BETGRBRAB18-001	0	-999	-999	56.9	358.85
BETGRBRAB18-001	5	-999	-999	56.9	358.85
BETGRBRAB18-001	10	-999	-999	56.9	358.85
BETGRBRAB18-001	15	57.48	0.9957	56.9	358.15
BETGRBRAB18-001	20	57.33	1.0128	56.5	358.75
BETGRBRAB18-001	25	57.31	0.9935	55.9	0.25
BETGRBRAB18-001	30	57.37	1.0086	55.6	0.35
BETGRBRAB18-001	35	57.37	0.9968	54.7	1.35
BETGRBRAB18-001	40	57.31	1.003	55	1.35
BETGRBRAB18-001	45	57.31	1.0049	54	359.85
BETGRBRAB18-001	50	57.3	1.0161	53.7	1.45
BETGRBRAB18-001	55	57.29	0.9712	52.5	5.95
BETGRBRAB18-001	60	57.26	0.9973	49.5	6.25
BETGRBRAB18-001	65	-999	-999	49.5	6.25
BETGRBRAB18-001	70	-999	-999	49.5	6.25
BETGRBRAB18-001	75	-999	-999	49.5	6.25
BETGRBRAB18-001	80	-999	-999	49.5	6.25
BETGRBRAB18-001	85	-999	-999	49.5	6.25
BETGRBRAB18-001	90	-999	-999	49.5	6.25
BETGRBRAB18-002	0	-999	-999	57	4.85
BETGRBRAB18-002	5	-999	-999	57	4.85
BETGRBRAB18-002	10	57.5	0.9974	57	4.85
BETGRBRAB18-002	15	57.33	0.9988	56.5	2.85
BETGRBRAB18-002	20	57.28	1.0116	56.3	3.65
BETGRBRAB18-002	25	57.23	1.0008	54.8	3.45
BETGRBRAB18-002	30	57.22	0.9959	54.5	1.05
BETGRBRAB18-002	35	57.28	0.9982	53.9	1.65
BETGRBRAB18-002	40	57.18	1.0108	53.9	359.25
BETGRBRAB18-002	45	57.23	0.9966	53.7	359.15

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETGRBRAB18-002	50	57.25	0.9986	54.6	357.35
BETGRBRAB18-002	55	57.25	1.0059	54.4	357.15
BETGRBRAB18-002	60	57.24	0.997	54.6	355.65
BETGRBRAB18-002	65	57.27	0.999	54.6	355.05
BETGRBRAB18-002	70	57.28	1.0088	56	354.25
BETGRBRAB18-002	75	57.32	1.0054	56	354.25
BETGRBRAB18-002	80	57.3	0.9962	55.8	353.15
BETGRBRAB18-002	85	57.28	0.9978	56.2	353.85
BETGRBRAB18-002	90	57.33	0.9933	56.6	354.25
BETGRBRAB18-002	95	57.29	1.0043	57.3	352.95
BETGRBRAB18-002	100	57.31	0.9992	56.9	354.15
BETGRBRAB18-003	0	-999	-999	57.7	354.15
BETGRBRAB18-003	5	-999	-999	57.7	354.15
BETGRBRAB18-003	10	57.36	0.9966	57.7	354.15
BETGRBRAB18-003	15	57.04	0.9919	57.7	351.95
BETGRBRAB18-003	20	57	1	57.3	352.25
BETGRBRAB18-003	25	56.98	0.9991	55.8	351.05
BETGRBRAB18-003	30	56.97	0.9924	54.5	349.05
BETGRBRAB18-003	35	56.9	0.9952	54.1	347.65
BETGRBRAB18-003	40	56.94	1.0075	53.3	343.65
BETGRBRAB18-003	45	56.89	0.9752	52.5	343.05
BETGRBRAB18-003	50	56.9	0.9918	52.7	341.25
BETGRBRAB18-003	55	56.87	1.0053	53.2	338.65
BETGRBRAB18-003	60	56.84	1.0065	53.1	334.55
BETGRBRAB18-003	65	56.89	0.9985	52.8	333.85
BETMASRAB18-001	1.43	6.91	0.9863	57.2	73.45
BETMASRAB18-001	6.43	100.89	0.9865	57.2	73.45
BETMASRAB18-001	11.43	57.4	1.0102	57.7	73.45
BETMASRAB18-001	16.43	57.1	1.0145	58.4	74.35
BETMASRAB18-001	21.43	57.08	1.0117	58.7	73.95
BETMASRAB18-001	26.43	57	0.9807	58.1	71.55
BETMASRAB18-001	31.43	56.97	1.0069	58.7	73.05
BETMASRAB18-001	36.44	57.01	1.0117	59.6	75.95
BETMASRAB18-001	41.44	57.03	0.9901	59.5	72.45
BETMASRAB18-001	46.44	57	0.9979	60.1	72.75
BETMASRAB18-001	51.44	56.95	0.9897	60.1	73.15
BETMASRAB18-001	56.44	56.93	1.0078	60.5	72.65
BETMASRAB18-001	61.44	56.91	1.0001	61	73.75
BETMASRAB18-002	1.43	78.68	0.9861	60.5	80.75
BETMASRAB18-002	6.43	60.01	1.0007	60.5	80.75
BETMASRAB18-002	11.43	57.04	1.0007	61.6	80.75
BETMASRAB18-002	16.43	57	0.9895	60.9	78.75
BETMASRAB18-002	21.43	56.92	0.9965	60.9	79.85
BETMASRAB18-002	26.43	56.87	1	61.3	80.35
BETMASRAB18-002	31.43	56.86	0.9985	62	79.55
BETMASRAB18-002	36.44	57.03	0.9924	61.6	79.85

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETMASRAB18-002	41.44	56.86	0.9982	61.5	79.85
BETMASRAB18-002	46.44	56.88	0.9923	62.2	79.55
BETMASRAB18-002	51.44	56.84	0.9954	62.3	78.85
BETMASRAB18-002	56.44	57.02	1.0046	63.3	80.45
BETMASRAB18-002	61.44	56.93	1.0075	63.4	81.55
BETMASRAB18-002	66.43	57.03	0.9991	63.5	80.45
BETMASRAB18-002	71.43	56.81	0.9895	64.5	81.25
BETMASRAB18-003	1.43	10.86	1.0016	60.8	78.15
BETMASRAB18-003	6.43	105.1	0.999	60.8	78.15
BETMASRAB18-003	11.43	57.28	1.0026	61	78.15
BETMASRAB18-003	16.43	56.91	1.002	61.2	79.25
BETMASRAB18-003	21.43	56.81	1.0015	60.7	79.45
BETMASRAB18-003	26.43	56.86	1.0008	61.4	80.75
BETMASRAB18-003	31.43	56.87	1.007	62.3	82.05
BETMASRAB18-003	36.44	57.03	1.0086	62.3	82.35
BETMASRAB18-003	41.44	56.82	1.0023	62.9	82.85
BETMASRAB18-003	46.44	56.72	1.0066	63.5	84.15
BETMASRAB18-003	51.44	56.96	0.9877	63.3	79.05
BETMASRAB18-003	56.44	56.73	0.9925	63.3	81.55
BETMASRAB18-003	61.44	56.85	0.9899	64	81.15
BETMASRAB18-003	66.43	57.02	0.9931	64	83.65
BETMASRAB18-003	71.43	56.87	0.9889	63.6	82.85
BETMASRAB18-003	76.43	56.92	0.9963	64.8	83.65
BETMASRAB18-003	81.43	56.72	1.0109	65.2	85.25
BETMASRAB18-003	86.43	56.82	1.012	66.1	85.35
BETMASRAB18-003	91.43	56.86	1.0028	66	84.45
BETWHERAB18-001	0	-999	-999	60.3	3.25
BETWHERAB18-001	5	-999	-999	60.3	3.25
BETWHERAB18-001	10	59.03	0.9957	60.3	3.25
BETWHERAB18-001	15	57.3	1.0032	60.8	1.95
BETWHERAB18-001	20	57.42	0.995	62.1	2.15
BETWHERAB18-001	25	57.29	1.0024	64.3	359.75
BETWHERAB18-001	30	57.05	1.007	64.6	358.75
BETWHERAB18-001	35	57.08	0.9954	65.5	358.55
BETWHERAB18-001	40	57.1	0.977	65.1	0.45
BETWHERAB18-001	45	57.35	1.0023	66.1	0.15
BETWHERAB18-001	50	-999	-999	66.1	0.15
BETWHERAB18-001	55	-999	-999	66.1	0.15
BETWHERAB18-001	60	-999	-999	66.1	0.15
BETWHERAB18-001	65	-999	-999	66.1	0.15
BETWHTRAB18-015	0	-999	-999	53.7	183.95
BETWHTRAB18-015	5	-999	-999	53.7	183.95
BETWHTRAB18-015	10	56.62	0.9905	53.7	183.95
BETWHTRAB18-015	15	56.57	1.0003	53.4	183.75
BETWHTRAB18-015	20	56.57	1.0123	53.2	186.85
BETWHTRAB18-015	25	56.56	0.9936	51.5	185.75

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETWHTRAB18-015	30	56.55	0.9947	51.3	188.05
BETWHTRAB18-015	35	56.68	0.9943	51.3	187.55
BETWHTRAB18-015	40	56.58	1.0051	51.4	188.45
BETWHTRAB18-015	45	56.6	1.0057	51.2	188.65
BETWHTRAB18-015	50	56.63	0.9781	51.1	188.45
BETWHTRAB18-015	55	56.58	1.0083	52.6	187.75
BETWHTRAB18-015	60	56.52	1.0073	52.7	186.25
BETWHTRAB18-015	65	56.54	1.0195	52.5	187.65
BETWHTRAB18-015	70	56.57	0.9918	51	187.45
BETWHTRAB18-015	75	56.51	0.9998	50.7	187.65
BETWHTRAB18-015	80	56.66	1.0092	52.4	187.45
BETWHTRAB18-015	85	56.63	1.003	52.5	188.75
BETWHTRAB18-015	90	56.52	0.9993	52.4	188.15
BETWHTRAB18-015	95	56.97	0.9992	52.5	187.25
BETWHTRAB18-015	100	-999	-999	52.5	187.25
BETWHTRAB18-016	0	-999	-999	53.9	181.85
BETWHTRAB18-016	5	-999	-999	53.9	181.85
BETWHTRAB18-016	10	56.99	1.0052	53.9	181.85
BETWHTRAB18-016	15	56.83	1.0032	54.5	184.85
BETWHTRAB18-016	20	56.79	1.0003	55.1	184.25
BETWHTRAB18-016	25	56.79	0.9909	55.3	184.45
BETWHTRAB18-016	30	56.82	0.9963	55.9	183.85
BETWHTRAB18-016	35	56.79	0.9882	56.5	182.15
BETWHTRAB18-016	40	56.78	0.9951	57.8	183.85
BETWHTRAB18-016	45	56.82	0.9874	59.3	184.35
BETWHTRAB18-016	50	56.8	0.9988	60.8	184.15
BETWHTRAB18-016	55	56.85	0.986	60.8	185.25
BETWHTRAB18-016	60	56.85	0.9802	62.3	183.75
BETWHTRAB18-016	65	56.84	0.9863	64.1	182.35
BETWHTRAB18-016	70	56.91	0.9967	66.3	181.75
BETWHTRAB18-016	75	57.03	1.0023	68	181.45
BETWHTRAB18-016	80	56.98	1.0024	69.7	183.25
BETWHTRAB18-016	85	57.03	1.0165	70.9	185.15
BETWHTRAB18-016	90	57.06	0.9895	70.7	182.15
BETWHTRAB18-016	95	57.11	0.999	72.3	187.85
BETWHTRAB18-016	100	57.44	0.9918	74.3	186.55
BETWHTRAB18-017	0	-999	-999	58.7	357.15
BETWHTRAB18-017	5	-999	-999	58.7	357.15
BETWHTRAB18-017	10	57.7	1.0028	58.7	357.15
BETWHTRAB18-017	15	57.2	0.9998	60.4	358.75
BETWHTRAB18-017	20	57.15	0.9992	60.2	1.25
BETWHTRAB18-017	25	57.15	1.002	60.7	359.75
BETWHTRAB18-017	30	57.12	0.998	60.4	0.25
BETWHTRAB18-017	35	57.17	1.0037	59.8	2.65
BETWHTRAB18-017	40	57.15	1.0033	60.5	1.35
BETWHTRAB18-017	45	57.05	1.0006	59.7	4.55

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETWHTRAB18-017	50	57.15	1.003	59.3	3.55
BETWHTRAB18-017	55	55.99	1.0008	60.1	2.25
BETWHTRAB18-017	60	57.12	1.0018	60.6	359.95
BETWHTRAB18-017	65	57.17	0.9808	61.4	359.05
BETWHTRAB18-017	70	57.14	0.9902	62.2	356.45
BETWHTRAB18-017	75	57.15	0.9861	61.9	355.65
BETWHTRAB18-017	80	57.16	0.9882	62.4	354.25
BETWHTRAB18-017	85	57.14	1.0084	61.5	356.05
BETWHTRAB18-017	90	57.11	1.0109	60.4	356.95
BETWHTRAB18-017	95	57.11	0.9972	62.4	357.55
BETWHTRAB18-017	100	-999	-999	62.4	357.55
BETWHTRAB18-018	0	-999	-999	56.2	4.35
BETWHTRAB18-018	5	-999	-999	56.2	4.35
BETWHTRAB18-018	10	57.38	0.999	56.2	4.35
BETWHTRAB18-018	15	57.35	0.999	56.6	3.45
BETWHTRAB18-018	20	57.2	0.9893	57.3	4.65
BETWHTRAB18-018	25	57.13	0.9921	59.1	3.25
BETWHTRAB18-018	30	57.14	1.0021	60.9	2.75
BETWHTRAB18-018	35	57.19	1.0019	62.2	1.45
BETWHTRAB18-018	40	57.16	0.9959	62.9	2.65
BETWHTRAB18-018	45	57.18	0.9933	64.2	3.25
BETWHTRAB18-018	50	57.21	0.9916	65.4	4.15
BETWHTRAB18-018	55	57.18	1.0001	66.8	4.95
BETWHTRAB18-018	60	57.18	1.0123	67.8	4.05
BETWHTRAB18-018	65	57.2	0.9922	67.8	4.65
BETWHTRAB18-018	70	57.21	0.9975	69	7.15
BETWHTRAB18-018	75	57.06	0.9988	69.3	1.55
BETWHTRAB18-018	80	57.03	1.0003	70.5	357.65
BETWHTRAB18-018	85	57.03	0.9999	70.5	356.15
BETWHTRAB18-018	90	56.99	0.9994	69.9	352.55
BETWHTRAB18-018	95	57.09	1.0027	68.2	356.85
BETWHTRAB18-018	100	-999	-999	68.2	356.85
BETWHTRAB18-019	0	-999	-999	52.5	0.95
BETWHTRAB18-019	5	-999	-999	52.5	0.95
BETWHTRAB18-019	10	-999	-999	52.5	0.95
BETWHTRAB18-019	15	57.31	0.9774	52.5	0.95
BETWHTRAB18-019	20	57.13	1.0009	54	358.75
BETWHTRAB18-019	25	57.14	1.0049	55.4	359.15
BETWHTRAB18-019	30	57.07	0.9945	54.7	359.75
BETWHTRAB18-019	35	57.09	0.9881	55	1.45
BETWHTRAB18-019	40	57.1	1.0052	56.4	358.85
BETWHTRAB18-019	45	57.11	1.0067	56.8	1.55
BETWHTRAB18-019	50	57.06	1.0022	56.9	1.55
BETWHTRAB18-019	55	57.08	1.0044	57.4	1.65
BETWHTRAB18-019	60	57.1	0.9852	57.3	3.05
BETWHTRAB18-019	65	57.13	0.9962	56.5	3.65

Hole_ID	Depth (m)	MagnField	Gravity	Dip	Azimuth(TN)
BETWHTRAB18-019	70	57.09	1.0039	56.6	4.55
BETWHTRAB18-019	75	57.12	0.9976	56.1	5.95
BETWHTRAB18-019	80	57.02	0.9818	52.7	4.75
BETWHTRAB18-020	0	-999	-999	71.4	181.65
BETWHTRAB18-020	5	-999	-999	71.4	181.65
BETWHTRAB18-020	10	56.81	1.0017	71.4	181.65
BETWHTRAB18-020	15	57.13	0.9998	72.8	175.35
BETWHTRAB18-020	20	57.28	1.0038	74.9	171.85
BETWHTRAB18-020	25	57.47	1.0017	76.6	166.05
BETWHTRAB18-020	30	57.26	1.0028	78.2	161.65
BETWHTRAB18-020	35	57.42	1.0051	80.4	157.65
BETWHTRAB18-020	40	57.55	1.0061	82.1	153.15
BETWHTRAB18-020	45	57.5	0.9998	82.8	137.05
BETWHTRAB18-020	50	57.21	0.994	84.6	139.15
BETWHTRAB18-020	55	57.57	0.9977	85.3	106.95
BETWHTRAB18-020	60	57.36	1.0008	85.8	91.35
BETWHTRAB18-020	65	57.47	0.9916	85.6	71.65
BETWHTRAB18-020	70	57.48	1.0036	84	54.75
BETWHTRAB18-020	75	57.45	1.005	83.1	43.75
BETWHTRAB18-020	80	57.47	0.9897	81.7	37.45
BETWHTRAB18-020	85	57.47	1.002	80.8	40.35
BETWHTRAB18-020	90	57.83	1.0027	81.2	41.85
BETWHTRAB18-020	95	57.55	1.0037	81.7	44.15
BETWHTRAB18-020	100	57.44	0.99	82.5	49.15
BETWHTRAB18-021	0	-999	-999	54.4	1.55
BETWHTRAB18-021	5	86.8	1.0021	54.4	1.55
BETWHTRAB18-021	10	57.44	0.9906	53.8	1.55
BETWHTRAB18-021	15	57.13	1.0257	55	359.75
BETWHTRAB18-021	20	57.16	0.9866	53	0.15