



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: June 15, 2018
Report Date: July 05, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000116.1

CLIENT JOB INFORMATION

Project: WHT
Shipment ID: WHT180614-03-RAB
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	68	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	69	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	69	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000116.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696305	Rab Sample	6.01	<0.005	1.0	5.9	1.2	62	<0.1	3.1	9.7	586	3.36	1.1	<0.5	1.0	31	<0.1	0.2	<0.1	51	1.54
1696306	Rab Sample	4.48	<0.005	1.5	11.0	0.8	42	<0.1	5.9	7.9	476	2.62	1.1	<0.5	1.0	25	<0.1	0.2	<0.1	46	1.16
1696307	Rab Sample	3.56	0.015	0.8	11.6	116.5	292	3.1	2.9	10.9	1040	4.18	244.2	9.5	1.1	59	3.4	6.7	<0.1	51	2.18
1696308	Rab Sample	3.61	<0.005	0.7	3.2	3.5	79	0.1	2.6	10.2	768	3.94	8.7	<0.5	1.5	64	0.1	1.6	<0.1	49	2.07
1696309	Rab Sample	3.36	0.040	0.6	6.8	9.4	204	0.7	2.8	10.4	1647	4.25	164.6	40.2	1.4	108	0.9	1.8	<0.1	37	3.57
1696310	Rab Sample	3.82	0.006	0.5	22.0	5.7	79	0.2	16.7	12.1	1065	4.23	23.5	14.9	1.1	82	0.3	1.3	<0.1	53	2.61
1696311	Rab Sample	3.66	<0.005	0.9	26.1	3.5	79	<0.1	26.3	14.3	1013	4.36	48.8	<0.5	2.7	135	0.1	1.9	0.3	55	3.76
1696312	Rab Sample	3.50	<0.005	0.5	20.9	12.8	86	0.2	13.9	11.6	777	3.44	5.6	<0.5	2.9	873	0.1	1.1	<0.1	88	1.58
1696313	Rab Sample	3.85	0.008	0.6	36.5	7.7	81	0.2	21.3	13.3	509	3.00	9.0	1.0	1.0	70	0.2	1.2	<0.1	69	1.62
1696314	Rab Sample	3.24	0.348	0.5	91.4	547.4	881	21.3	59.8	23.0	1317	4.38	1310.8	314.5	0.6	109	13.5	160.3	<0.1	94	2.78
1696315	Rab Sample	4.11	0.009	0.5	32.9	9.6	57	0.3	56.5	16.4	587	2.97	31.5	6.5	1.2	66	0.3	6.9	0.1	78	2.10
1696316	Rab Sample	3.45	0.006	1.4	41.0	13.3	87	0.3	91.0	22.1	1106	3.71	111.4	4.8	3.5	95	0.6	7.7	0.4	71	3.55
1696317	Rab Sample	3.39	0.013	1.7	43.0	13.0	81	0.5	38.6	10.1	475	3.10	52.6	6.9	6.7	44	0.4	3.6	0.3	27	1.56
1696318	Rab Sample	3.90	<0.005	1.5	43.2	8.2	93	0.3	44.1	9.8	452	2.95	22.0	3.1	6.9	34	0.3	2.6	0.2	31	1.15
1696319	Rab Sample	3.54	<0.005	2.2	45.2	5.4	88	0.4	31.3	6.5	310	2.75	24.0	0.9	6.8	29	0.3	3.9	0.1	34	0.66
1696320	Rock	1.09	<0.005	<0.1	0.8	0.9	2	<0.1	0.6	0.8	90	0.11	1.5	<0.5	<0.1	69	<0.1	0.3	<0.1	<1	30.50
1696321	Rab Sample	3.33	<0.005	4.7	45.9	9.4	135	0.4	21.0	4.6	335	2.15	40.4	1.4	3.5	28	1.4	5.6	0.2	21	0.86
1696322	Rab Sample	3.92	0.023	2.3	27.7	15.2	99	1.3	15.8	4.7	583	2.39	881.8	14.6	2.8	43	1.0	8.2	0.1	14	1.15
1696323	Rab Sample	3.56	0.016	11.3	71.3	13.2	202	1.2	39.5	5.3	365	2.13	367.0	7.7	3.5	40	2.5	10.5	0.2	46	0.95
1696324	Rab Sample	3.55	0.007	6.3	67.3	13.5	158	0.6	27.9	6.0	529	2.57	50.4	3.6	4.1	53	1.7	6.9	0.2	49	1.10
1696325	Rab Sample	4.08	0.005	4.3	59.9	8.3	99	0.4	24.7	8.8	840	2.85	47.0	2.4	3.7	25	0.9	9.0	0.2	40	1.29
1696326	Rab Sample	3.04	<0.005	4.0	51.3	7.6	123	0.4	31.9	6.5	449	2.17	201.3	1.4	5.2	34	0.9	5.1	0.1	34	1.01
1696327	Rab Sample	3.01	0.018	3.1	45.7	7.9	118	0.4	30.2	7.2	354	2.57	82.9	11.0	6.6	18	1.0	3.4	0.2	31	0.72
1696328	Rab Sample	3.15	0.011	5.3	57.1	8.0	138	0.5	43.5	8.1	587	3.07	60.7	3.5	7.0	21	1.1	7.6	0.2	56	0.82
1696329	Rab Sample	3.49	0.006	3.9	55.8	6.5	102	0.4	23.7	5.1	304	2.40	34.5	2.2	6.0	23	1.1	4.6	0.2	33	0.82
1696330	Rab Sample	2.72	0.006	4.4	65.0	10.1	105	0.6	24.4	6.3	682	2.39	36.4	1.0	4.0	26	1.0	5.3	0.1	34	1.00
1696331	Rab Sample	3.80	0.026	4.5	67.1	18.5	108	1.8	27.8	6.4	483	2.65	58.7	10.0	4.2	74	1.1	5.9	0.3	34	0.53
1696332	Rab Sample	2.92	0.015	3.4	56.6	10.3	93	1.0	27.1	7.1	717	2.26	102.7	138.1	3.2	53	1.0	7.9	0.2	24	0.91
1696333	Rab Sample	3.95	<0.005	3.3	46.7	7.0	120	0.4	35.8	8.1	352	2.47	30.4	1.4	5.4	30	0.9	3.9	0.2	44	0.55
1696334	Rab Sample	3.65	<0.005	1.4	40.2	5.5	106	0.2	37.7	15.2	353	4.06	10.1	0.9	7.5	32	0.2	0.5	0.2	85	0.71



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000116.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696305	Rab Sample	0.057	3	6	0.68	179	0.048	<20	1.57	0.076	0.21	0.2	<0.01	10.5	<0.1	<0.05	5	<0.5	<0.2			
1696306	Rab Sample	0.045	2	13	0.58	142	0.066	<20	1.28	0.110	0.18	0.6	<0.01	8.7	<0.1	<0.05	5	<0.5	<0.2			
1696307	Rab Sample	0.064	4	4	0.60	201	0.033	<20	1.24	0.061	0.28	0.2	<0.01	15.2	0.1	<0.05	4	<0.5	<0.2			
1696308	Rab Sample	0.060	6	4	0.51	197	0.035	<20	1.15	0.046	0.29	<0.1	0.01	16.8	0.1	<0.05	4	<0.5	<0.2			
1696309	Rab Sample	0.056	7	3	0.97	157	0.001	<20	0.78	0.019	0.17	<0.1	0.01	12.8	0.1	<0.05	2	<0.5	<0.2			
1696310	Rab Sample	0.045	5	39	0.63	635	0.005	<20	0.90	0.026	0.19	<0.1	0.04	16.3	0.1	<0.05	3	<0.5	<0.2			
1696311	Rab Sample	0.053	10	30	0.68	284	0.001	<20	1.15	0.009	0.12	<0.1	0.05	17.4	0.1	<0.05	4	<0.5	<0.2			
1696312	Rab Sample	0.048	40	24	0.96	2347	0.070	<20	1.43	0.068	0.61	<0.1	0.02	18.5	0.3	0.12	7	<0.5	<0.2			
1696313	Rab Sample	0.047	3	49	0.95	186	0.092	<20	1.51	0.125	0.21	0.1	<0.01	11.0	0.1	<0.05	4	<0.5	<0.2			
1696314	Rab Sample	0.024	2	83	1.18	101	0.007	<20	1.19	0.046	0.21	<0.1	0.05	19.0	0.2	<0.05	3	<0.5	<0.2			
1696315	Rab Sample	0.028	4	85	1.34	131	0.093	<20	1.38	0.099	0.22	<0.1	0.02	14.2	<0.1	<0.05	4	<0.5	<0.2			
1696316	Rab Sample	0.088	15	101	1.20	200	0.003	<20	0.91	0.009	0.14	0.2	0.08	12.4	0.2	<0.05	3	0.7	<0.2			
1696317	Rab Sample	0.058	23	16	0.52	250	0.002	<20	0.50	0.016	0.24	0.4	<0.01	3.7	0.2	<0.05	2	<0.5	<0.2			
1696318	Rab Sample	0.050	23	22	0.42	395	0.005	<20	0.56	0.014	0.29	0.4	<0.01	4.5	0.3	<0.05	2	1.0	<0.2			
1696319	Rab Sample	0.063	21	16	0.17	407	0.003	<20	0.47	0.015	0.23	0.4	0.01	3.1	0.2	<0.05	2	0.6	<0.2			
1696320	Rock	0.006	1	<1	0.81	15	<0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
1696321	Rab Sample	0.092	11	10	0.30	429	0.002	<20	0.52	0.006	0.23	0.6	0.02	2.9	0.2	<0.05	1	1.8	<0.2			
1696322	Rab Sample	0.061	8	7	0.39	498	<0.001	<20	0.53	0.006	0.22	0.5	0.01	5.1	0.3	<0.05	1	0.5	<0.2			
1696323	Rab Sample	0.195	12	28	0.24	688	0.003	<20	0.55	0.007	0.23	1.1	0.04	4.1	0.4	<0.05	2	2.9	<0.2			
1696324	Rab Sample	0.179	16	20	0.23	6407	0.006	<20	0.73	0.014	0.25	0.6	0.04	4.4	0.3	0.05	2	1.7	<0.2			
1696325	Rab Sample	0.131	16	17	0.18	950	0.009	<20	0.61	0.010	0.23	0.5	<0.01	4.1	0.2	<0.05	2	1.4	<0.2			
1696326	Rab Sample	0.100	18	16	0.29	820	0.003	<20	0.57	0.017	0.26	0.8	<0.01	3.1	0.1	<0.05	2	1.7	<0.2			
1696327	Rab Sample	0.064	20	21	0.43	228	0.008	<20	0.83	0.012	0.28	0.8	<0.01	2.8	0.2	<0.05	3	1.5	<0.2			
1696328	Rab Sample	0.085	22	28	0.37	800	0.033	<20	0.93	0.012	0.41	0.7	<0.01	4.5	0.3	<0.05	3	2.8	<0.2			
1696329	Rab Sample	0.063	17	16	0.19	463	0.004	<20	0.51	0.010	0.22	0.6	<0.01	2.4	0.2	<0.05	2	1.6	<0.2			
1696330	Rab Sample	0.115	14	16	0.19	389	0.003	<20	0.50	0.007	0.23	0.8	<0.01	3.2	0.3	<0.05	2	1.7	<0.2			
1696331	Rab Sample	0.116	14	16	0.11	211	0.002	<20	0.45	0.009	0.25	0.8	0.02	3.4	0.4	0.14	1	2.6	<0.2			
1696332	Rab Sample	0.112	12	14	0.18	2399	0.004	<20	0.48	0.006	0.23	1.2	0.02	2.8	0.3	0.09	2	1.7	<0.2			
1696333	Rab Sample	0.093	17	24	0.42	1257	0.039	<20	0.92	0.017	0.49	1.1	0.01	3.3	0.4	0.14	3	2.6	<0.2			
1696334	Rab Sample	0.062	25	45	1.30	526	0.135	<20	2.12	0.046	1.25	0.6	<0.01	7.6	0.5	0.38	7	1.3	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000116.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696335	Rab Sample	4.18	0.104	1.3	41.3	51.1	100	5.9	43.9	11.9	209	3.33	429.8	70.9	8.7	26	0.2	14.7	0.2	52	0.36
1696336	Rab Sample	4.18	0.007	1.5	40.6	7.7	101	0.3	51.8	12.5	243	3.37	47.3	164.0	8.4	20	0.2	1.5	0.2	45	0.50
1696337	Rab Sample	3.79	<0.005	1.4	32.3	6.0	92	0.2	38.8	11.6	263	3.27	16.6	0.5	7.4	22	0.2	1.7	0.1	54	0.72
1696338	Rab Sample	3.53	0.036	1.2	34.9	27.6	129	2.4	40.5	12.1	445	3.35	195.7	21.8	8.1	35	0.7	7.4	0.2	39	1.23
1696339	Rab Sample	3.62	<0.005	1.0	32.4	6.9	88	0.2	46.0	11.2	235	3.06	30.4	144.1	7.8	27	0.2	1.5	0.2	37	0.93
1696340	Rock Pulp	0.08	1.302	5.0	165.5	44.0	250	0.7	93.7	15.7	501	2.87	16.4	1217.5	3.8	88	1.2	0.8	0.2	74	1.62
1696341	Rab Sample	3.23	0.109	1.2	52.7	409.0	375	12.2	40.2	9.7	391	2.98	416.8	100.6	7.0	36	4.7	64.5	0.1	20	1.36
1696342	Rab Sample	3.31	0.029	1.2	36.4	32.3	125	1.1	42.5	10.7	508	3.14	101.9	115.6	7.4	26	0.9	5.1	0.1	24	1.12
1696343	Rab Sample	4.05	0.107	1.2	35.0	34.1	160	0.5	42.8	11.3	284	3.19	319.7	84.8	8.3	23	1.3	10.1	0.2	30	0.85
1696344	Rab Sample	3.87	0.005	1.3	33.7	8.5	89	0.2	37.5	9.4	210	2.93	33.7	5.3	7.4	23	0.2	5.4	0.1	28	0.72
1696345	Rab Sample	3.87	0.089	1.4	35.9	10.6	79	0.4	34.4	8.6	269	2.55	252.1	65.9	7.5	18	0.4	5.8	0.1	23	0.49
1696346	Rab Sample	3.95	0.007	1.2	45.9	9.2	125	0.4	44.8	12.3	335	3.15	86.1	101.2	7.7	24	0.4	7.7	0.2	37	0.84
1696347	Rab Sample	3.93	0.384	1.2	44.3	55.2	238	2.0	39.5	11.0	309	3.10	645.0	98.8	8.1	23	2.8	21.1	0.2	31	0.67
1696348	Rab Sample	3.72	0.012	1.3	37.4	8.4	120	0.3	39.1	9.7	260	3.00	88.8	8.3	8.2	22	0.4	7.8	0.1	22	0.60
1696349	Rab Sample	4.11	0.132	1.2	49.0	374.2	470	10.6	37.6	11.2	275	3.08	527.2	99.0	6.9	31	8.3	89.2	0.1	30	0.92
1696350	Rab Sample	3.81	0.183	1.1	36.8	102.5	251	3.1	38.7	10.3	392	3.09	386.7	148.7	6.7	51	3.4	32.9	0.2	23	1.67
1696351	Rab Sample	4.32	0.014	3.1	45.9	15.8	119	0.7	45.1	9.2	299	2.74	89.8	6.3	5.7	26	0.7	10.3	0.2	21	0.89
1696352	Rab Sample	3.35	0.007	1.2	34.6	14.5	90	0.7	38.7	10.2	372	3.01	60.8	3.1	6.6	47	0.4	8.2	0.2	16	1.20
1696353	Rab Sample	4.42	0.105	0.9	61.5	604.3	1489	35.0	38.5	11.6	527	3.10	611.3	96.3	5.1	62	26.3	131.5	0.2	18	1.72
1696354	Rab Sample	4.35	0.242	1.6	48.0	228.0	181	13.5	36.6	10.0	554	2.71	3619.7	161.9	3.6	64	2.9	142.4	0.2	16	1.60
1696355	Rab Sample	3.87	0.019	1.2	37.0	19.1	69	1.1	28.0	8.0	434	2.89	840.8	13.1	5.4	62	0.4	13.9	0.2	15	1.77
1696356	Rab Sample	3.52	<0.005	1.1	35.7	10.4	87	0.4	41.1	10.8	234	3.16	58.3	1.7	7.0	50	0.2	4.2	0.2	17	0.75
1696357	Rab Sample	3.90	<0.005	1.0	34.5	8.2	85	0.3	40.4	10.9	224	3.05	24.0	0.9	7.2	26	0.2	2.4	0.2	17	0.53
1696358	Rab Sample	4.01	<0.005	1.1	32.0	8.2	82	0.2	33.4	11.3	343	3.13	31.1	0.8	6.1	46	0.2	5.0	0.2	30	1.23
1696359	Rab Sample	4.60	0.023	1.2	27.3	9.0	63	0.6	31.7	9.7	292	2.52	91.0	18.9	5.3	35	0.2	6.6	0.1	17	1.06
1696360	Rock	0.73	<0.005	<0.1	0.6	1.1	2	<0.1	0.3	0.3	102	0.10	4.9	<0.5	<0.1	80	<0.1	0.5	<0.1	<1	32.62
1696361	Rab Sample	4.28	0.049	4.4	53.1	23.4	155	1.7	43.4	8.9	413	2.67	539.0	13.9	4.2	52	1.6	21.3	0.2	23	1.07
1696362	Rab Sample	4.30	0.055	3.6	50.5	45.9	134	3.1	41.3	7.9	354	2.29	225.2	15.3	3.4	45	1.5	21.6	0.2	19	1.07
1696363	Rab Sample	3.99	0.020	4.5	55.4	15.1	124	1.3	47.3	9.3	417	2.65	121.9	6.9	4.8	38	1.2	17.6	0.2	22	0.98
1696364	Rab Sample	4.27	0.087	3.5	58.9	105.3	99	6.7	44.3	8.9	401	2.67	395.6	42.2	4.0	57	0.9	31.0	0.2	16	0.86



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000116.1

	Method	Analyte	AQ200																	AQ200	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se		Te
			%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm		ppm
			0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5		0.2
1696335	Rab Sample	0.057	25	41	0.99	265	0.116	<20	1.77	0.024	1.11	0.7	<0.01	4.2	0.6	0.22	5	0.6	<0.2		
1696336	Rab Sample	0.054	26	38	0.90	246	0.096	<20	1.64	0.023	0.97	0.7	<0.01	3.7	0.6	0.33	5	1.1	<0.2		
1696337	Rab Sample	0.062	24	55	1.07	264	0.114	<20	1.79	0.037	0.97	0.6	<0.01	5.2	0.6	0.30	6	1.0	<0.2		
1696338	Rab Sample	0.057	27	27	0.59	289	0.027	<20	0.92	0.013	0.45	0.5	0.01	5.6	0.4	0.10	3	1.8	<0.2		
1696339	Rab Sample	0.050	25	29	0.79	176	0.056	<20	1.19	0.014	0.67	0.5	<0.01	3.4	0.6	0.18	4	1.6	<0.2		
1696340	Rock Pulp	0.040	8	68	1.28	152	0.141	<20	2.54	0.310	0.29	7.5	0.07	2.6	0.1	0.11	6	<0.5	<0.2		
1696341	Rab Sample	0.047	21	14	0.55	160	0.003	<20	0.45	0.005	0.23	0.5	0.01	2.8	0.3	0.29	1	2.1	<0.2		
1696342	Rab Sample	0.053	23	17	0.73	94	0.003	<20	0.51	0.012	0.24	0.4	0.01	3.9	0.3	0.34	2	0.8	<0.2		
1696343	Rab Sample	0.055	25	22	0.82	116	0.024	<20	0.76	0.011	0.39	0.6	<0.01	3.5	0.6	0.34	3	0.7	<0.2		
1696344	Rab Sample	0.049	23	21	0.66	121	0.022	<20	0.74	0.010	0.39	0.7	<0.01	2.9	0.3	0.27	2	1.0	<0.2		
1696345	Rab Sample	0.042	23	17	0.39	102	0.008	<20	0.53	0.012	0.26	0.8	<0.01	2.6	0.2	0.20	2	1.0	<0.2		
1696346	Rab Sample	0.051	24	29	0.75	117	0.018	<20	0.82	0.014	0.35	0.5	<0.01	4.6	0.3	0.28	2	0.5	<0.2		
1696347	Rab Sample	0.051	25	21	0.68	112	0.021	<20	0.71	0.012	0.36	0.7	<0.01	3.8	0.4	0.31	2	0.8	<0.2		
1696348	Rab Sample	0.052	25	16	0.71	74	0.003	<20	0.43	0.008	0.20	0.4	<0.01	3.0	0.1	0.23	2	0.6	<0.2		
1696349	Rab Sample	0.051	19	20	0.92	94	0.007	<20	0.54	0.008	0.22	0.5	0.02	4.4	0.3	0.33	2	0.7	<0.2		
1696350	Rab Sample	0.049	18	24	1.27	88	0.002	<20	0.40	0.009	0.17	0.4	0.03	3.9	0.2	0.37	1	<0.5	<0.2		
1696351	Rab Sample	0.080	16	12	0.86	105	0.002	<20	0.37	0.010	0.21	2.0	0.01	2.2	0.2	0.78	1	1.5	<0.2		
1696352	Rab Sample	0.054	17	12	1.08	100	0.001	<20	0.36	0.012	0.23	1.1	0.03	2.5	0.2	0.87	<1	<0.5	<0.2		
1696353	Rab Sample	0.048	10	12	1.10	89	<0.001	<20	0.35	0.009	0.22	0.8	0.03	3.7	0.3	1.29	1	<0.5	<0.2		
1696354	Rab Sample	0.046	7	12	0.96	146	<0.001	<20	0.30	0.008	0.21	2.2	0.02	3.2	0.3	1.13	<1	0.8	<0.2		
1696355	Rab Sample	0.044	14	11	1.21	257	0.001	<20	0.36	0.009	0.23	1.1	0.02	2.9	0.1	0.47	<1	<0.5	<0.2		
1696356	Rab Sample	0.049	21	12	1.07	99	0.001	<20	0.40	0.014	0.23	0.8	<0.01	3.3	0.2	0.73	1	<0.5	<0.2		
1696357	Rab Sample	0.049	20	12	0.96	99	0.001	<20	0.43	0.016	0.25	0.6	<0.01	2.8	0.2	0.67	1	<0.5	<0.2		
1696358	Rab Sample	0.055	17	14	1.09	175	0.001	<20	0.48	0.012	0.23	0.5	0.01	5.6	0.2	0.54	1	<0.5	<0.2		
1696359	Rab Sample	0.032	15	14	0.81	130	<0.001	<20	0.37	0.010	0.20	1.9	0.01	3.2	0.3	0.72	<1	<0.5	<0.2		
1696360	Rock	0.006	1	<1	0.70	18	<0.001	<20	0.03	0.002	0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2		
1696361	Rab Sample	0.078	10	12	0.66	114	0.001	<20	0.37	0.007	0.21	1.3	0.02	2.9	0.3	1.20	<1	2.6	<0.2		
1696362	Rab Sample	0.107	8	11	0.44	253	0.002	<20	0.37	0.005	0.21	1.8	0.01	1.9	0.2	1.71	1	3.2	<0.2		
1696363	Rab Sample	0.069	13	11	0.66	174	0.001	<20	0.37	0.008	0.23	1.7	0.01	2.7	0.2	1.48	<1	3.0	<0.2		
1696364	Rab Sample	0.066	8	10	0.46	237	0.001	<20	0.36	0.006	0.22	1.9	0.01	1.7	0.2	2.14	<1	3.2	<0.2		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000116.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696365	Rab Sample	4.12	0.024	3.7	56.3	28.1	144	1.2	44.5	9.5	571	2.56	198.2	3.4	4.2	88	1.5	20.5	0.2	23	1.35
1696366	Rab Sample	4.32	0.261	3.4	79.4	281.3	425	17.4	39.2	9.0	729	2.76	607.3	94.8	2.4	106	6.6	159.3	0.4	32	2.40
1696367	Rab Sample	4.56	0.537	3.2	54.3	108.2	166	8.9	33.6	8.4	759	2.45	2357.4	141.9	2.6	132	2.4	78.4	0.3	23	2.05
1696368	Rab Sample	4.39	0.896	2.1	40.3	74.2	216	1.8	35.9	11.3	565	3.04	3571.2	247.3	4.4	131	2.6	49.7	0.3	26	2.21
1696369	Rab Sample	4.54	0.099	3.0	55.2	12.1	92	0.5	48.0	12.2	543	3.06	1978.7	23.5	4.5	101	0.4	26.4	0.2	24	1.52
1696370	Rab Sample	4.12	0.013	2.0	45.0	7.3	97	0.3	126.1	16.2	524	3.38	282.0	6.0	5.7	129	0.3	23.7	0.1	35	1.21
1696371	Rab Sample	4.69	0.365	12.6	49.5	19.5	85	0.6	44.0	11.6	572	2.94	2547.2	151.0	3.6	141	0.9	257.0	0.1	23	1.68
1696372	Rab Sample	4.20	0.890	4.5	51.0	75.2	181	1.2	38.6	9.9	517	2.61	4005.8	175.2	3.2	116	3.0	85.6	0.2	16	1.70
1696373	Rab Sample	3.85	0.232	2.8	45.2	19.1	97	0.5	46.7	14.0	817	3.23	2630.0	43.7	4.1	107	0.7	1189.8	0.2	28	1.94



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000116.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696365	Rab Sample	0.070	8	14	0.75	262	0.001	<20	0.39	0.007	0.22	0.9	<0.01	2.2	0.2	1.23	1	1.6	<0.2
1696366	Rab Sample	0.119	7	23	1.09	264	0.002	<20	0.49	0.006	0.19	0.7	0.04	4.1	0.2	1.36	1	1.8	<0.2
1696367	Rab Sample	0.077	6	15	0.95	148	0.001	<20	0.37	0.005	0.20	0.9	0.04	3.7	0.2	1.62	<1	0.8	<0.2
1696368	Rab Sample	0.101	13	24	1.23	351	0.001	<20	0.47	0.006	0.18	0.3	0.14	4.3	0.2	1.03	1	<0.5	<0.2
1696369	Rab Sample	0.079	12	17	0.88	278	<0.001	<20	0.46	0.006	0.25	0.5	0.03	4.2	0.3	1.24	1	<0.5	<0.2
1696370	Rab Sample	0.047	17	48	1.21	720	0.001	<20	0.46	0.011	0.23	0.5	0.02	5.8	0.2	0.80	2	<0.5	<0.2
1696371	Rab Sample	0.061	9	17	1.01	438	0.001	<20	0.39	0.007	0.24	1.2	0.05	3.7	0.3	1.05	1	<0.5	<0.2
1696372	Rab Sample	0.060	7	12	0.90	380	0.001	<20	0.36	0.005	0.23	2.6	0.08	3.1	0.2	1.19	1	1.0	<0.2
1696373	Rab Sample	0.071	10	24	1.03	720	0.002	<20	0.51	0.007	0.29	1.2	0.06	5.0	0.2	0.79	1	0.7	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000116.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																						
1696317	Rab Sample	3.39	0.013	1.7	43.0	13.0	81	0.5	38.6	10.1	475	3.10	52.6	6.9	6.7	44	0.4	3.6	0.3	27	1.56	
REP 1696317	QC	0.015																				
1696322	Rab Sample	3.92	0.023	2.3	27.7	15.2	99	1.3	15.8	4.7	583	2.39	881.8	14.6	2.8	43	1.0	8.2	0.1	14	1.15	
REP 1696322	QC			2.4	27.0	14.4	95	1.2	15.5	4.8	554	2.29	853.3	14.7	2.6	41	0.9	8.5	<0.1	14	1.11	
1696336	Rab Sample	4.18	0.007	1.5	40.6	7.7	101	0.3	51.8	12.5	243	3.37	47.3	164.0	8.4	20	0.2	1.5	0.2	45	0.50	
REP 1696336	QC	0.005																				
1696355	Rab Sample	3.87	0.019	1.2	37.0	19.1	69	1.1	28.0	8.0	434	2.89	840.8	13.1	5.4	62	0.4	13.9	0.2	15	1.77	
REP 1696355	QC			1.1	34.7	18.2	66	1.0	26.6	7.6	425	2.85	837.6	14.8	5.4	60	0.3	12.7	0.2	15	1.75	
Core Reject Duplicates																						
1696310	Rab Sample	3.82	0.006	0.5	22.0	5.7	79	0.2	16.7	12.1	1065	4.23	23.5	14.9	1.1	82	0.3	1.3	<0.1	53	2.61	
DUP 1696310	QC			0.006	0.6	22.0	6.2	82	0.2	16.0	12.2	1118	4.46	25.9	16.8	1.1	88	0.2	1.4	<0.1	53	2.75
1696344	Rab Sample	3.87	0.005	1.3	33.7	8.5	89	0.2	37.5	9.4	210	2.93	33.7	5.3	7.4	23	0.2	5.4	0.1	28	0.72	
DUP 1696344	QC			0.007	1.4	37.5	9.4	99	0.3	39.7	10.3	220	3.06	39.0	7.0	7.9	24	0.1	5.8	0.2	29	0.76
Reference Materials																						
STD DS11	Standard			13.0	146.6	133.2	332	1.6	76.3	13.3	1025	3.03	42.3	79.6	7.5	68	2.2	9.0	12.0	47	1.02	
STD DS11	Standard			14.4	148.3	137.0	343	1.7	79.1	13.4	977	3.05	43.7	76.2	7.6	67	2.5	7.2	11.6	48	1.04	
STD DS11	Standard			12.8	140.6	131.2	348	1.7	73.4	13.0	1001	3.05	43.4	300.4	7.5	67	2.1	6.5	11.3	47	1.01	
STD OREAS45EA	Standard			1.6	676.3	14.2	31	0.3	380.4	51.6	406	22.76	10.8	50.9	10.5	4	<0.1	0.3	0.3	317	0.03	
STD OREAS45EA	Standard			1.8	689.1	14.8	32	0.2	388.4	50.4	415	23.12	11.8	60.7	11.1	4	<0.1	0.4	0.3	317	0.03	
STD OREAS45EA	Standard			1.4	679.1	13.5	29	0.2	366.2	48.7	409	22.06	10.5	43.5	9.4	4	<0.1	0.2	0.2	293	0.03	
STD OXC145	Standard	0.217																				
STD OXC145	Standard	0.209																				
STD OXH139	Standard	1.285																				
STD OXH139	Standard	1.325																				
STD OXN134	Standard	7.922																				
STD OXN134	Standard	7.740																				
STD OXN134 Expected		7.667																				
STD OXC145 Expected		0.212																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000116.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696317	Rab Sample	0.058	23	16	0.52	250	0.002	<20	0.50	0.016	0.24	0.4	<0.01	3.7	0.2	<0.05	2	<0.5	<0.2
REP 1696317	QC																		
1696322	Rab Sample	0.061	8	7	0.39	498	<0.001	<20	0.53	0.006	0.22	0.5	0.01	5.1	0.3	<0.05	1	0.5	<0.2
REP 1696322	QC	0.057	8	7	0.37	474	<0.001	<20	0.50	0.006	0.21	0.5	<0.01	4.8	0.3	<0.05	1	<0.5	<0.2
1696336	Rab Sample	0.054	26	38	0.90	246	0.096	<20	1.64	0.023	0.97	0.7	<0.01	3.7	0.6	0.33	5	1.1	<0.2
REP 1696336	QC																		
1696355	Rab Sample	0.044	14	11	1.21	257	0.001	<20	0.36	0.009	0.23	1.1	0.02	2.9	0.1	0.47	<1	<0.5	<0.2
REP 1696355	QC	0.042	14	11	1.19	249	0.001	<20	0.36	0.009	0.22	1.1	<0.01	3.1	0.2	0.46	<1	<0.5	<0.2
Core Reject Duplicates																			
1696310	Rab Sample	0.045	5	39	0.63	635	0.005	<20	0.90	0.026	0.19	<0.1	0.04	16.3	0.1	<0.05	3	<0.5	<0.2
DUP 1696310	QC	0.046	6	38	0.66	668	0.005	<20	0.94	0.025	0.19	<0.1	0.05	16.6	0.1	<0.05	3	<0.5	<0.2
1696344	Rab Sample	0.049	23	21	0.66	121	0.022	<20	0.74	0.010	0.39	0.7	<0.01	2.9	0.3	0.27	2	1.0	<0.2
DUP 1696344	QC	0.052	26	22	0.69	130	0.023	<20	0.74	0.010	0.40	0.7	<0.01	3.4	0.3	0.29	3	0.7	<0.2
Reference Materials																			
STD DS11	Standard	0.069	17	57	0.82	406	0.086	<20	1.10	0.071	0.39	2.8	0.30	2.9	5.0	0.28	4	1.5	4.6
STD DS11	Standard	0.068	19	58	0.82	421	0.094	<20	1.12	0.073	0.39	2.8	0.26	2.9	5.0	0.28	5	2.2	4.3
STD DS11	Standard	0.069	18	53	0.81	389	0.086	<20	1.08	0.068	0.39	2.4	0.25	3.1	4.9	0.28	5	1.9	4.6
STD OREAS45EA	Standard	0.029	7	801	0.09	145	0.098	<20	3.02	0.022	0.05	<0.1	0.01	76.1	<0.1	<0.05	12	<0.5	<0.2
STD OREAS45EA	Standard	0.027	7	813	0.09	143	0.099	<20	3.15	0.023	0.05	<0.1	<0.01	78.4	<0.1	<0.05	13	1.0	<0.2
STD OREAS45EA	Standard	0.029	7	839	0.08	134	0.097	<20	3.26	0.023	0.05	<0.1	<0.01	76.5	<0.1	<0.05	12	1.1	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000116.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	0.3	0.1	2	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.9	4.3	1.1	43	<0.1	0.9	4.1	571	1.80	1.2	<0.5	2.4	28	<0.1	<0.1	<0.1	22	0.68
ROCK-WHI	Prep Blank		<0.005	1.0	2.7	1.1	40	<0.1	0.8	3.6	615	1.80	1.7	<0.5	2.3	24	<0.1	<0.1	<0.1	20	0.66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: WHT
Report Date: July 05, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000116.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	7	2	0.49	70	0.088	<20	1.06	0.110	0.13	<0.1	<0.01	3.0	<0.1	0.06	5	<0.5	<0.2
ROCK-WHI	Prep Blank	0.044	7	2	0.48	66	0.075	<20	1.00	0.101	0.12	<0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson

Receiving Lab: Canada-Whitehorse

Received: June 25, 2018

Report Date: July 13, 2018

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI18000128.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180618-01RAB
P.O. Number
Number of Samples: 138

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	134	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	4	Sort, label and box pulps			WHI
FA430	138	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	138	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	138	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	138	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696098	Rab Sample	3.36	<0.005	1.0	2.0	4.1	60	<0.1	125.6	22.5	840	3.85	7.6	2.7	0.8	110	0.1	0.4	<0.1	80	5.99
1696099	Rab Sample	5.56	<0.005	0.5	4.7	3.5	53	<0.1	121.2	21.1	816	3.89	2.0	1.3	1.9	111	<0.1	0.1	<0.1	89	4.75
1696100	Rock Pulp	0.08	1.074	4.9	169.4	47.3	276	0.7	99.5	16.5	539	3.10	18.2	1733.6	4.0	100	1.3	1.0	0.3	83	1.78
1696101	Rab Sample	2.06	0.006	0.4	6.4	3.3	44	<0.1	41.3	15.5	727	3.55	1.5	0.7	0.6	86	<0.1	0.1	<0.1	86	4.37
1696102	Rab Sample	3.63	<0.005	0.4	30.3	4.1	55	<0.1	19.0	16.8	902	4.56	2.0	2.3	0.7	115	<0.1	0.2	<0.1	86	4.00
1696103	Rab Sample	3.66	<0.005	0.5	13.3	4.3	62	<0.1	35.9	17.1	919	4.11	1.5	1.0	0.8	84	<0.1	<0.1	0.1	75	3.67
1696104	Rab Sample	3.82	<0.005	0.4	8.6	5.0	43	<0.1	67.9	16.6	733	3.32	32.5	1.5	0.7	118	0.2	0.2	0.1	52	5.59
1696105	Rab Sample	3.70	<0.005	0.6	7.4	4.5	64	<0.1	61.1	19.2	877	3.63	17.5	1.9	0.6	106	0.1	0.4	<0.1	39	5.08
1696106	Rab Sample	3.55	<0.005	1.2	9.0	17.1	58	0.1	35.6	15.6	777	3.14	30.1	1.7	1.3	105	0.1	1.3	0.2	30	4.91
1696107	Rab Sample	3.40	0.006	1.7	70.2	23.0	50	0.5	31.0	10.0	431	2.24	36.9	1.8	2.9	70	0.1	4.2	0.2	21	1.98
1696108	Rab Sample	3.74	<0.005	1.8	29.2	10.9	96	0.2	40.0	17.0	847	3.98	80.6	1.4	3.4	181	0.3	4.2	0.1	53	4.07
1696109	Rab Sample	3.56	<0.005	1.9	18.2	5.5	84	<0.1	40.0	17.9	920	4.62	30.4	<0.5	3.7	255	0.2	1.1	<0.1	54	3.62
1696110	Rab Sample	3.79	0.006	1.7	17.4	7.1	89	<0.1	38.7	18.0	885	4.18	63.3	2.6	3.4	255	0.2	1.1	<0.1	49	4.24
1696111	Rab Sample	3.68	0.013	2.0	24.2	14.5	110	0.2	51.1	22.2	799	4.41	185.1	7.3	3.5	191	0.4	1.7	0.2	73	3.74
1696112	Rab Sample	3.94	<0.005	1.7	20.9	6.7	86	0.1	30.4	15.3	945	4.45	38.1	2.2	2.5	218	0.2	1.3	<0.1	59	3.28
1696113	Rab Sample	3.84	0.017	6.5	22.8	21.0	108	0.3	44.1	20.4	804	4.10	79.8	9.0	3.2	189	0.4	6.5	0.2	56	3.52
1696114	Rab Sample	3.29	0.007	2.2	22.4	14.0	140	0.1	56.1	21.0	1077	5.22	83.9	3.5	3.9	136	0.3	6.0	0.1	69	3.27
1696115	Rab Sample	3.74	0.037	3.0	67.6	19.1	65	0.6	31.4	10.6	781	2.49	155.1	17.5	2.4	101	0.3	20.4	0.2	32	2.89
1696116	Rab Sample	3.34	0.005	1.6	96.3	19.3	143	0.4	27.9	10.2	1000	2.63	125.5	2.4	2.1	58	0.9	26.3	0.1	23	1.59
1696117	Rab Sample	2.92	0.056	2.8	42.1	104.9	138	0.5	39.5	9.6	443	2.66	563.0	35.7	5.2	83	0.6	23.2	0.2	25	1.45
1696118	Rab Sample	2.98	0.005	2.1	56.0	12.6	92	0.2	37.4	10.7	546	2.90	108.3	2.8	3.7	59	0.4	14.0	0.1	39	1.89
1696119	Rab Sample	2.90	0.070	7.9	35.6	109.8	63	0.5	51.0	9.5	747	2.31	581.2	25.4	2.5	112	0.7	17.7	0.1	34	2.22
1696120	Rock	1.21	<0.005	<0.1	0.4	0.4	<1	<0.1	<0.1	0.7	75	0.07	0.6	<0.5	<0.1	69	<0.1	<0.1	<0.1	<1	31.40
1696121	Rab Sample	3.24	0.008	6.7	28.0	16.7	65	0.4	52.0	11.6	818	2.67	155.4	3.7	3.2	103	0.3	11.1	0.1	25	2.65
1696122	Rab Sample	2.97	<0.005	2.6	33.8	11.3	74	0.2	34.6	11.1	727	2.99	118.6	3.7	3.4	126	0.3	16.9	0.1	34	3.00
1696123	Rab Sample	3.04	<0.005	2.3	17.1	11.1	155	0.1	49.5	19.8	1170	4.73	55.7	1.6	3.1	220	0.2	10.5	<0.1	69	5.51
1696124	Rab Sample	3.51	<0.005	2.0	18.0	10.6	126	0.1	44.0	18.2	981	4.72	57.4	1.2	3.7	240	0.2	8.5	<0.1	53	3.92
1696125	Rab Sample	3.30	0.017	2.6	45.4	42.1	241	0.3	60.8	18.0	768	4.24	260.7	9.9	3.4	178	1.2	22.2	0.1	47	3.43
1696126	Rab Sample	3.59	0.045	6.6	73.8	42.5	253	0.5	62.3	16.1	841	3.78	1092.0	26.4	2.9	155	3.3	30.5	0.2	46	3.03
1696127	Rab Sample	2.73	0.010	1.9	54.2	14.2	87	0.3	52.8	13.4	846	3.67	114.4	3.5	3.9	118	0.2	18.4	0.2	37	2.88



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696098	Rab Sample	0.039	3	198	3.17	128	0.001	<20	1.45	0.028	0.15	<0.1	<0.01	17.2	<0.1	<0.05	4	<0.5	<0.2
1696099	Rab Sample	0.049	7	179	2.93	124	0.001	<20	1.75	0.041	0.16	<0.1	<0.01	14.4	<0.1	<0.05	5	<0.5	<0.2
1696100	Rock Pulp	0.046	9	72	1.37	169	0.149	<20	2.72	0.344	0.30	8.2	0.07	3.2	0.1	0.10	7	<0.5	<0.2
1696101	Rab Sample	0.048	4	83	2.30	140	0.001	<20	1.79	0.031	0.15	<0.1	<0.01	12.4	<0.1	<0.05	5	<0.5	<0.2
1696102	Rab Sample	0.065	4	23	2.00	494	0.001	<20	1.61	0.033	0.19	<0.1	<0.01	11.6	<0.1	0.06	4	<0.5	<0.2
1696103	Rab Sample	0.062	4	51	2.10	122	0.001	<20	1.32	0.030	0.20	<0.1	<0.01	9.1	<0.1	<0.05	4	<0.5	<0.2
1696104	Rab Sample	0.044	3	47	2.39	267	<0.001	<20	0.73	0.032	0.22	<0.1	0.01	10.2	<0.1	<0.05	2	<0.5	<0.2
1696105	Rab Sample	0.037	2	50	2.05	164	<0.001	<20	0.45	0.021	0.19	0.1	<0.01	9.2	<0.1	<0.05	<1	<0.5	<0.2
1696106	Rab Sample	0.056	5	21	2.01	105	<0.001	<20	0.67	0.022	0.20	<0.1	<0.01	7.1	<0.1	<0.05	1	<0.5	<0.2
1696107	Rab Sample	0.059	9	12	0.73	133	<0.001	<20	0.38	0.007	0.19	0.3	0.01	2.8	<0.1	<0.05	<1	<0.5	<0.2
1696108	Rab Sample	0.191	31	51	1.71	483	0.013	<20	1.13	0.017	0.20	<0.1	0.02	9.1	<0.1	<0.05	3	<0.5	<0.2
1696109	Rab Sample	0.245	44	60	1.91	493	0.046	<20	1.51	0.107	0.34	<0.1	0.07	10.3	0.1	<0.05	4	<0.5	<0.2
1696110	Rab Sample	0.229	41	57	2.14	964	0.048	<20	1.42	0.085	0.37	<0.1	0.09	9.7	0.1	<0.05	4	<0.5	<0.2
1696111	Rab Sample	0.181	29	62	1.95	678	0.044	<20	1.20	0.036	0.43	<0.1	0.08	10.6	0.2	<0.05	5	<0.5	<0.2
1696112	Rab Sample	0.230	39	59	1.85	923	0.039	<20	1.30	0.091	0.39	<0.1	0.05	10.2	0.2	<0.05	4	<0.5	<0.2
1696113	Rab Sample	0.233	37	48	1.69	332	0.016	<20	1.09	0.031	0.28	<0.1	0.02	8.4	0.2	<0.05	4	<0.5	<0.2
1696114	Rab Sample	0.332	44	73	1.41	78	0.003	<20	1.44	0.008	0.13	<0.1	0.02	11.7	0.1	<0.05	4	<0.5	<0.2
1696115	Rab Sample	0.066	9	24	1.22	381	<0.001	<20	0.51	0.009	0.19	0.2	0.02	3.8	<0.1	0.07	1	<0.5	<0.2
1696116	Rab Sample	0.054	7	16	0.66	162	<0.001	<20	0.41	0.010	0.23	0.3	0.02	2.9	0.1	0.05	1	<0.5	<0.2
1696117	Rab Sample	0.106	10	21	0.43	253	<0.001	<20	0.38	0.019	0.24	0.5	0.02	3.2	0.2	0.48	1	1.4	<0.2
1696118	Rab Sample	0.088	9	19	0.83	269	<0.001	<20	0.51	0.010	0.23	0.2	0.01	4.3	0.1	0.06	1	0.5	<0.2
1696119	Rab Sample	0.147	5	15	0.95	2237	<0.001	<20	0.39	0.008	0.19	0.5	0.03	3.2	0.1	0.09	<1	0.8	<0.2
1696120	Rock	0.007	1	<1	0.46	12	0.001	<20	0.02	0.002	0.01	0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1696121	Rab Sample	0.121	7	17	1.18	849	<0.001	<20	0.42	0.010	0.24	0.4	0.02	4.1	0.1	0.09	1	1.7	<0.2
1696122	Rab Sample	0.122	14	25	1.11	226	0.002	<20	0.51	0.008	0.17	0.2	0.02	4.8	0.1	0.06	1	0.9	<0.2
1696123	Rab Sample	0.253	38	64	1.93	111	0.002	<20	1.42	0.008	0.12	<0.1	0.05	10.4	0.1	<0.05	4	<0.5	<0.2
1696124	Rab Sample	0.285	46	52	2.36	464	0.003	<20	1.04	0.008	0.17	<0.1	0.03	11.2	0.1	<0.05	3	<0.5	<0.2
1696125	Rab Sample	0.191	19	43	1.27	390	0.001	<20	0.86	0.009	0.21	0.2	0.04	7.4	0.4	0.78	2	1.1	<0.2
1696126	Rab Sample	0.205	16	32	1.23	373	0.001	<20	0.74	0.005	0.24	0.4	0.06	5.8	0.6	0.54	2	1.7	<0.2
1696127	Rab Sample	0.131	18	31	1.24	192	<0.001	<20	0.60	0.006	0.20	0.3	0.03	5.3	0.3	0.48	2	0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 3 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696128	Rab Sample	3.25	0.047	2.1	63.2	10.9	61	0.4	45.4	11.8	537	3.36	291.8	29.2	3.3	91	0.2	19.8	0.2	20	1.53
1696129	Rab Sample	3.23	0.020	2.1	48.3	14.1	84	0.4	91.5	19.4	630	3.03	163.1	16.0	3.8	59	0.2	10.6	0.2	18	1.62
1696130	Rab Sample	3.13	0.009	2.6	58.5	8.1	68	0.3	44.6	10.8	769	2.56	69.1	4.5	4.9	32	0.3	14.5	0.1	20	0.87
1696131	Rab Sample	3.41	<0.005	2.3	104.0	9.2	71	0.4	38.4	10.4	643	2.80	125.0	1.9	4.2	46	0.2	25.7	0.1	23	0.90
1696132	Rab Sample	2.64	0.473	2.1	44.4	10.1	62	0.5	45.3	11.5	617	2.91	567.5	330.3	3.3	69	0.3	18.8	0.1	18	1.43
1696133	Rab Sample	2.96	0.027	6.1	61.3	18.2	65	0.8	54.7	10.8	665	2.88	155.2	12.0	2.5	73	0.6	23.9	0.1	27	2.03
1696134	Rab Sample	3.15	0.011	6.0	41.8	24.1	39	0.5	44.7	9.9	458	1.88	79.6	4.0	1.3	41	0.4	18.1	0.1	17	1.22
1696135	Rab Sample	3.33	0.006	4.3	36.2	10.4	39	0.3	51.3	11.2	691	2.41	74.6	2.3	1.3	49	0.2	15.5	0.1	20	1.51
1696136	Rab Sample	3.03	0.009	2.7	63.2	38.8	53	0.6	89.2	21.2	1551	3.68	107.7	4.2	0.9	53	0.2	18.7	0.2	21	1.69
1696137	Rab Sample	2.92	0.116	5.3	71.5	44.0	48	0.6	48.2	12.1	773	2.82	394.8	51.4	2.8	82	0.5	17.5	0.2	23	2.07
1696138	Rab Sample	3.16	0.060	2.8	52.7	11.3	89	0.3	50.1	16.6	865	3.97	616.2	39.2	3.4	170	0.3	17.4	<0.1	36	2.81
1696139	Rab Sample	3.36	0.031	2.3	94.0	8.9	78	0.5	79.9	22.9	1122	4.09	563.5	19.2	2.1	255	0.2	17.7	0.2	36	4.29
1696140	Rock Pulp	0.08	7.357	8.9	190.6	18.9	73	0.7	13.3	11.0	569	4.52	13.9	6848.3	2.7	69	0.2	4.9	0.6	113	0.92
1696141	Rab Sample	3.46	0.010	2.8	76.2	16.4	67	0.4	56.1	14.5	790	3.53	186.6	3.8	3.6	149	0.2	16.2	0.1	32	2.55
1696142	Rab Sample	3.75	0.023	2.6	99.2	66.8	72	0.8	41.0	13.4	733	3.27	322.4	14.2	3.0	145	0.4	22.7	0.2	35	2.62
1696143	Rab Sample	3.25	0.077	1.3	76.0	26.7	81	0.7	35.6	17.5	1080	4.08	342.7	70.6	1.2	231	0.4	23.4	0.2	42	4.49
1696144	Rab Sample	3.75	0.013	1.5	14.6	6.4	86	0.2	37.8	19.4	885	4.59	67.1	13.1	1.4	167	0.3	3.6	0.2	83	3.54
1696145	Rab Sample	3.86	<0.005	2.1	17.8	4.7	91	<0.1	38.9	16.9	834	4.53	42.3	7.1	2.5	158	0.2	3.1	<0.1	82	2.94
1696146	Rab Sample	3.60	<0.005	2.3	17.9	3.2	92	<0.1	39.3	17.8	872	4.67	61.2	5.1	2.3	209	0.2	3.9	<0.1	75	3.09
1696147	Rab Sample	3.80	0.024	2.2	16.7	3.3	93	0.1	36.0	16.7	921	4.47	108.1	20.2	2.3	219	0.3	3.3	<0.1	85	3.04
1696148	Rab Sample	1.81	0.020	2.5	26.6	5.4	101	<0.1	36.3	16.8	809	4.68	28.3	17.1	2.7	270	0.2	1.9	<0.1	87	3.24
1696149	Rab Sample	2.97	0.042	2.6	33.3	5.5	89	0.1	28.7	16.2	766	4.02	69.6	37.9	2.3	337	0.2	2.8	0.1	66	2.83
1696150	Rab Sample	2.36	0.005	2.1	8.8	3.6	59	<0.1	13.8	13.1	722	3.35	25.2	3.4	2.1	146	<0.1	1.3	<0.1	42	2.63
1696151	Rab Sample	2.82	<0.005	2.7	10.3	2.0	47	<0.1	12.3	12.9	756	2.96	13.3	3.0	1.9	96	0.1	0.7	<0.1	28	3.11
1696152	Rab Sample	2.95	<0.005	1.6	17.1	3.3	66	<0.1	14.0	17.2	874	3.67	13.2	2.9	1.7	139	<0.1	1.0	<0.1	49	3.18
1696153	Rab Sample	2.48	0.006	1.5	25.4	2.0	56	0.1	15.5	16.9	958	3.34	132.9	1.7	1.0	121	<0.1	1.1	<0.1	32	3.52
1696154	Rab Sample	3.22	<0.005	1.2	18.2	3.5	59	<0.1	10.0	14.4	1105	3.26	17.1	1.0	1.4	226	0.1	1.6	<0.1	45	4.20
1696155	Rab Sample	3.24	<0.005	1.3	32.6	3.9	57	<0.1	20.6	15.3	838	3.52	12.2	1.4	0.9	162	<0.1	2.1	<0.1	49	3.30
1696156	Rab Sample	3.12	<0.005	1.4	20.3	3.6	63	<0.1	35.3	16.5	1045	3.90	18.9	<0.5	1.8	170	0.1	1.1	<0.1	50	4.78
1696157	Rab Sample	3.50	<0.005	2.7	27.0	5.1	53	<0.1	21.2	15.1	744	3.22	163.3	1.7	1.5	173	<0.1	3.9	0.2	37	3.50



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 3 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696128	Rab Sample	0.071	6	15	0.34	216	<0.001	<20	0.40	0.015	0.27	0.6	0.02	2.4	0.3	1.25	1	1.3	<0.2
1696129	Rab Sample	0.095	6	17	0.48	632	<0.001	<20	0.49	0.004	0.20	0.7	0.01	3.2	0.2	1.31	1	1.6	<0.2
1696130	Rab Sample	0.055	11	14	0.33	359	<0.001	<20	0.38	0.006	0.21	1.0	0.02	2.1	0.1	0.77	<1	1.2	<0.2
1696131	Rab Sample	0.076	11	13	0.63	157	<0.001	<20	0.38	0.008	0.20	0.6	0.01	2.6	0.1	0.66	<1	1.0	<0.2
1696132	Rab Sample	0.081	6	14	0.64	425	<0.001	<20	0.36	0.005	0.23	0.7	0.01	2.5	0.1	1.40	<1	1.3	<0.2
1696133	Rab Sample	0.287	6	22	0.75	348	0.001	<20	0.48	0.005	0.26	0.9	0.02	2.6	0.1	1.02	1	3.5	<0.2
1696134	Rab Sample	0.137	3	12	0.23	143	0.001	<20	0.22	0.004	0.13	2.4	0.01	1.4	<0.1	0.90	<1	2.5	<0.2
1696135	Rab Sample	0.081	4	14	0.45	146	<0.001	<20	0.26	0.003	0.15	1.4	0.02	2.0	<0.1	0.71	<1	1.6	<0.2
1696136	Rab Sample	0.054	4	16	0.48	104	<0.001	<20	0.18	0.003	0.10	2.8	0.01	2.3	<0.1	1.87	<1	3.9	<0.2
1696137	Rab Sample	0.141	5	16	0.66	386	0.001	<20	0.34	0.004	0.20	1.4	0.02	2.8	0.1	1.08	<1	2.3	<0.2
1696138	Rab Sample	0.176	17	30	1.57	623	0.004	<20	0.60	0.008	0.19	0.3	0.02	6.0	0.1	0.56	2	0.6	<0.2
1696139	Rab Sample	0.117	11	40	1.99	819	0.008	<20	0.69	0.010	0.27	0.5	<0.01	6.8	0.1	0.82	2	1.3	<0.2
1696140	Rock Pulp	0.065	8	17	0.82	126	0.128	<20	1.66	0.175	0.22	4.5	0.22	3.3	0.2	<0.05	5	<0.5	<0.2
1696141	Rab Sample	0.127	15	31	1.27	415	0.005	<20	0.60	0.010	0.22	0.5	<0.01	4.4	0.1	0.74	2	0.9	<0.2
1696142	Rab Sample	0.129	17	42	1.33	359	0.013	<20	0.98	0.020	0.29	0.3	0.01	5.1	0.2	0.79	3	1.0	<0.2
1696143	Rab Sample	0.074	8	43	2.02	229	0.004	<20	1.30	0.024	0.27	0.1	0.02	8.1	0.1	0.58	3	<0.5	<0.2
1696144	Rab Sample	0.154	23	74	2.60	250	0.029	<20	2.34	0.050	0.35	<0.1	0.02	9.8	0.2	0.24	8	<0.5	<0.2
1696145	Rab Sample	0.239	35	103	2.61	453	0.090	<20	2.28	0.094	0.31	<0.1	0.02	8.4	0.1	0.12	8	<0.5	<0.2
1696146	Rab Sample	0.243	33	110	2.58	477	0.100	<20	2.36	0.115	0.34	<0.1	0.03	8.3	<0.1	0.13	8	<0.5	<0.2
1696147	Rab Sample	0.237	36	103	2.45	444	0.090	<20	2.27	0.121	0.27	<0.1	0.02	8.2	<0.1	0.16	8	<0.5	<0.2
1696148	Rab Sample	0.232	37	97	2.34	478	0.112	<20	2.40	0.137	0.27	<0.1	0.02	7.7	0.1	0.19	8	<0.5	<0.2
1696149	Rab Sample	0.183	27	77	1.74	520	0.043	<20	1.97	0.085	0.30	<0.1	0.02	7.8	0.3	0.37	6	<0.5	<0.2
1696150	Rab Sample	0.046	7	21	1.47	605	0.006	<20	1.32	0.046	0.34	0.2	<0.01	6.2	0.2	0.29	3	<0.5	<0.2
1696151	Rab Sample	0.041	5	17	1.38	406	0.004	<20	0.64	0.035	0.27	0.4	<0.01	5.9	<0.1	0.27	1	<0.5	<0.2
1696152	Rab Sample	0.040	6	15	1.64	571	0.005	<20	0.86	0.049	0.32	0.2	<0.01	7.9	0.1	0.28	2	<0.5	<0.2
1696153	Rab Sample	0.033	4	14	1.77	401	0.004	<20	1.01	0.021	0.35	0.2	<0.01	5.5	0.1	0.15	2	<0.5	<0.2
1696154	Rab Sample	0.032	5	12	1.93	893	0.004	<20	0.73	0.036	0.28	0.2	<0.01	8.2	<0.1	0.08	2	<0.5	<0.2
1696155	Rab Sample	0.039	5	23	1.59	400	0.003	<20	0.85	0.031	0.21	0.4	<0.01	7.0	<0.1	0.28	2	<0.5	<0.2
1696156	Rab Sample	0.051	5	24	2.01	497	0.002	<20	0.63	0.038	0.26	0.3	<0.01	9.5	<0.1	0.13	2	<0.5	<0.2
1696157	Rab Sample	0.036	6	21	1.52	326	0.002	<20	0.58	0.036	0.24	0.5	0.03	7.7	0.1	0.25	2	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 4 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696158	Rab Sample	3.85	<0.005	3.1	25.3	4.8	91	<0.1	40.5	20.1	975	4.59	64.3	<0.5	2.2	225	0.2	3.6	<0.1	73	3.90
1696159	Rab Sample	2.32	<0.005	2.1	16.9	3.9	79	<0.1	32.2	15.8	833	4.36	20.6	<0.5	2.2	216	0.1	3.4	<0.1	51	3.51
1696160	Rock	1.53	<0.005	<0.1	0.7	0.3	1	<0.1	1.8	0.7	85	0.09	1.3	<0.5	<0.1	72	<0.1	<0.1	<0.1	<1	29.98
1696161	Rab Sample	2.25	<0.005	1.6	17.5	4.0	77	<0.1	55.3	18.1	830	3.89	55.6	<0.5	2.1	186	0.2	3.5	<0.1	55	3.99
1696162	Rab Sample	3.28	<0.005	1.8	13.2	4.0	80	<0.1	84.7	20.7	1094	4.26	106.8	<0.5	1.8	253	0.2	3.2	<0.1	62	5.00
1696163	Rab Sample	3.77	<0.005	2.1	13.2	3.3	90	<0.1	56.2	19.7	1091	4.38	40.5	<0.5	1.7	227	0.3	4.1	<0.1	63	4.81
1696164	Rab Sample	3.34	<0.005	1.2	18.6	4.3	77	<0.1	50.1	19.7	1087	3.91	44.8	<0.5	1.4	159	0.2	3.5	<0.1	54	5.11
1696165	Rab Sample	3.24	<0.005	1.1	16.3	5.2	93	<0.1	66.2	24.7	1251	4.52	63.3	<0.5	1.2	191	0.2	6.9	<0.1	74	6.18
1696166	Rab Sample	3.66	<0.005	0.6	7.3	2.7	63	<0.1	72.5	22.2	1091	3.94	47.3	1.5	1.1	202	0.1	3.3	<0.1	68	6.12
1696167	Rab Sample	3.22	<0.005	0.5	17.3	2.1	47	<0.1	108.0	26.7	929	3.87	25.3	0.8	0.5	233	<0.1	3.7	<0.1	96	6.63
1696168	Rab Sample	4.43	<0.005	1.9	90.9	16.4	121	0.4	70.5	28.2	1324	5.41	49.5	0.7	9.5	95	0.4	44.4	0.8	75	3.02
1696169	Rab Sample	4.64	<0.005	1.8	50.6	8.9	113	0.3	41.2	15.1	655	3.78	17.5	<0.5	6.6	21	0.4	18.0	0.2	55	1.24
1696170	Rab Sample	1.92	<0.005	1.8	51.2	9.1	135	0.3	44.0	12.0	263	3.56	18.4	1.0	8.9	10	0.4	19.5	0.2	34	0.22
1696171	Rab Sample	2.81	<0.005	2.2	43.0	8.9	91	0.2	37.9	9.8	282	3.21	25.3	0.7	6.6	27	0.3	21.9	0.2	30	0.70
1696172	Rab Sample	2.45	<0.005	2.3	44.0	10.7	105	0.3	45.8	11.1	416	3.14	41.7	0.8	5.9	61	0.3	19.9	0.2	22	1.61
1696173	Rab Sample	3.26	<0.005	1.3	38.9	6.3	91	0.3	34.5	8.7	230	2.88	318.9	1.2	7.4	24	0.3	8.6	0.1	20	0.46
1696174	Rab Sample	2.92	<0.005	1.5	40.1	7.8	90	0.4	37.0	9.0	294	3.03	122.3	0.8	7.6	34	0.4	6.5	0.1	18	0.90
1696175	Rab Sample	2.82	<0.005	2.8	47.6	8.7	117	0.5	49.5	11.0	277	3.42	154.4	0.7	8.2	36	0.5	12.3	0.2	26	0.78
1696176	Rab Sample	2.95	<0.005	2.8	48.1	7.8	112	0.4	45.0	9.6	240	3.21	75.0	0.9	7.2	26	0.6	16.3	0.2	25	0.68
1696177	Rab Sample	3.11	<0.005	3.0	55.3	10.6	129	0.4	50.0	11.7	326	3.50	90.0	<0.5	7.9	37	0.6	24.5	0.2	26	1.01
1696178	Rab Sample	2.51	0.381	2.5	53.4	9.7	123	0.4	41.9	10.3	267	3.23	1739.3	203.9	6.5	75	0.5	74.4	0.2	19	0.45
1696179	Rab Sample	2.71	1.399	2.6	57.0	129.3	109	1.5	42.5	7.7	270	3.65	7333.7	927.3	5.3	153	1.1	153.2	0.3	17	0.26
1696180	Rock Pulp	0.08	1.292	4.5	178.0	42.3	263	0.6	93.3	15.6	539	3.09	34.2	874.8	3.7	93	1.2	1.0	0.3	81	1.70
1696181	Rab Sample	3.60	0.388	2.1	43.9	39.7	117	0.6	104.6	14.6	490	3.64	3055.2	235.1	6.6	103	0.7	63.7	0.2	18	1.24
1696182	Rab Sample	2.32	0.940	2.3	74.2	92.0	170	2.5	57.0	12.1	458	3.30	4528.5	623.6	6.4	118	2.5	103.8	0.3	13	1.00
1696183	Rab Sample	3.15	0.231	2.5	54.7	46.1	174	1.5	46.6	8.6	445	2.30	1615.1	133.1	4.9	59	2.2	64.6	0.2	15	0.78
1696184	Rab Sample	3.51	0.188	2.4	50.6	68.6	238	1.4	50.1	9.5	413	2.83	1568.7	100.1	6.0	76	3.1	83.0	0.2	16	0.98
1696185	Rab Sample	3.28	0.042	2.0	45.1	17.4	133	0.4	52.5	10.4	308	3.08	474.8	31.3	7.7	57	1.0	49.9	0.2	19	0.91
1696186	Rab Sample	3.24	0.015	1.7	39.5	9.4	97	0.2	42.3	9.7	306	3.14	277.7	15.5	7.7	36	0.5	37.6	0.2	20	0.66
1696187	Rab Sample	2.87	0.017	1.7	36.1	8.0	85	0.2	35.9	8.5	253	3.25	1812.4	12.1	7.2	62	0.3	42.3	0.2	18	0.26



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 4 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696158	Rab Sample	0.173	25	76	1.87	571	0.045	<20	1.80	0.112	0.37	<0.1	0.02	11.7	0.1	0.24	6	<0.5	<0.2
1696159	Rab Sample	0.247	36	59	1.75	494	0.046	<20	1.38	0.085	0.36	<0.1	0.02	8.7	0.1	0.17	4	<0.5	<0.2
1696160	Rock	0.006	1	<1	0.39	17	0.001	<20	0.03	0.002	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1696161	Rab Sample	0.159	24	117	2.09	509	0.036	<20	1.57	0.072	0.30	<0.1	0.02	11.0	<0.1	0.09	5	<0.5	<0.2
1696162	Rab Sample	0.161	22	181	2.63	353	0.042	<20	1.70	0.083	0.29	<0.1	0.01	12.8	0.1	0.12	5	<0.5	<0.2
1696163	Rab Sample	0.199	26	114	2.30	386	0.056	<20	1.75	0.121	0.34	<0.1	0.02	10.2	0.1	0.13	5	<0.5	<0.2
1696164	Rab Sample	0.088	11	67	2.17	83	0.002	<20	0.92	0.026	0.17	<0.1	0.03	10.8	<0.1	0.20	3	<0.5	<0.2
1696165	Rab Sample	0.120	15	97	2.47	212	0.001	<20	1.28	0.011	0.20	<0.1	0.02	12.4	0.2	0.15	3	<0.5	<0.2
1696166	Rab Sample	0.041	4	110	2.71	78	<0.001	<20	1.23	0.019	0.21	<0.1	<0.01	12.6	<0.1	0.18	3	<0.5	<0.2
1696167	Rab Sample	0.032	3	189	2.74	175	0.003	<20	1.81	0.021	0.19	<0.1	<0.01	17.7	<0.1	0.11	4	<0.5	<0.2
1696168	Rab Sample	0.279	46	65	1.37	327	0.111	<20	2.54	0.010	0.49	0.2	0.02	7.4	0.3	<0.05	8	2.0	<0.2
1696169	Rab Sample	0.073	26	32	0.68	369	0.004	<20	1.24	0.014	0.24	0.6	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
1696170	Rab Sample	0.066	29	21	0.46	103	0.002	<20	0.91	0.009	0.21	1.2	0.01	2.8	<0.1	<0.05	3	0.8	<0.2
1696171	Rab Sample	0.064	22	16	0.27	176	0.001	<20	0.59	0.009	0.24	0.9	<0.01	2.8	<0.1	<0.05	2	0.8	<0.2
1696172	Rab Sample	0.059	17	11	0.41	1152	<0.001	<20	0.40	0.009	0.20	1.1	0.01	2.1	<0.1	<0.05	1	0.5	<0.2
1696173	Rab Sample	0.036	20	12	0.16	162	0.001	<20	0.42	0.012	0.24	1.1	<0.01	1.9	<0.1	0.07	1	0.8	<0.2
1696174	Rab Sample	0.042	19	10	0.24	135	<0.001	<20	0.34	0.012	0.20	1.2	<0.01	1.7	<0.1	<0.05	1	0.8	<0.2
1696175	Rab Sample	0.073	26	13	0.25	154	0.001	<20	0.50	0.012	0.27	1.3	0.01	2.1	<0.1	<0.05	1	1.2	<0.2
1696176	Rab Sample	0.073	26	12	0.26	253	0.001	<20	0.45	0.011	0.25	1.0	0.02	2.2	0.1	<0.05	1	1.7	<0.2
1696177	Rab Sample	0.094	25	14	0.39	195	0.001	<20	0.49	0.011	0.28	0.9	0.02	2.2	0.1	<0.05	2	2.2	<0.2
1696178	Rab Sample	0.053	23	11	0.18	249	<0.001	<20	0.35	0.008	0.23	0.9	0.04	2.7	0.2	<0.05	<1	1.3	<0.2
1696179	Rab Sample	0.062	21	18	0.16	266	<0.001	<20	0.34	0.009	0.29	0.7	0.08	4.9	0.3	0.16	1	2.0	<0.2
1696180	Rock Pulp	0.045	9	67	1.36	168	0.146	<20	2.66	0.333	0.30	8.6	0.05	3.1	0.1	0.11	6	<0.5	<0.2
1696181	Rab Sample	0.069	24	19	0.37	156	<0.001	<20	0.33	0.007	0.23	0.6	0.05	4.4	0.2	0.06	1	1.0	<0.2
1696182	Rab Sample	0.062	23	11	0.35	229	<0.001	<20	0.31	0.007	0.26	1.1	0.05	2.8	0.3	0.06	<1	1.3	<0.2
1696183	Rab Sample	0.051	19	9	0.24	187	<0.001	<20	0.32	0.006	0.23	1.2	0.03	2.2	0.2	<0.05	<1	0.9	<0.2
1696184	Rab Sample	0.058	22	11	0.28	200	<0.001	<20	0.40	0.008	0.26	0.8	0.04	2.7	0.2	<0.05	1	1.0	<0.2
1696185	Rab Sample	0.065	29	11	0.24	278	<0.001	<20	0.42	0.009	0.25	0.7	0.04	2.8	0.2	<0.05	1	1.0	<0.2
1696186	Rab Sample	0.053	28	13	0.19	232	<0.001	<20	0.50	0.010	0.28	0.9	0.02	2.7	0.2	<0.05	1	0.7	<0.2
1696187	Rab Sample	0.050	28	12	0.11	441	<0.001	<20	0.45	0.010	0.31	0.7	0.03	3.0	0.2	0.15	2	0.7	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 5 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696188	Rab Sample	3.22	0.171	1.9	33.4	8.8	85	0.5	25.7	5.2	147	3.55	5147.9	83.9	6.3	146	0.5	62.1	0.2	18	0.12
1696189	Rab Sample	2.51	0.527	2.0	41.9	70.1	178	0.9	58.9	13.9	645	3.62	2411.1	378.2	5.8	116	1.9	83.8	0.2	29	1.88
1696190	Rab Sample	2.94	0.065	2.8	46.1	18.1	122	0.3	50.1	10.9	333	3.09	394.1	33.4	6.7	56	0.7	22.9	0.2	21	1.22
1696191	Rab Sample	2.90	0.040	2.6	40.7	15.6	113	0.2	47.2	9.7	313	2.91	356.4	23.6	7.0	53	0.5	16.2	0.3	17	1.26
1696192	Rab Sample	3.13	0.015	3.1	52.2	11.4	108	0.2	45.3	9.9	402	3.15	207.2	8.4	7.3	48	0.7	10.9	0.2	24	1.05
1696193	Rab Sample	3.40	0.014	4.3	62.3	16.8	134	0.3	51.2	11.3	794	2.99	196.2	8.7	5.3	61	0.9	12.9	0.2	32	0.99
1696194	Rab Sample	3.09	0.011	3.4	58.2	14.3	113	0.3	54.2	13.5	1066	3.21	189.0	7.0	6.1	80	0.7	16.5	0.2	34	1.77
1696195	Rab Sample	3.05	0.010	3.6	61.2	7.7	110	0.2	67.8	13.6	880	3.18	221.5	4.6	5.5	47	0.4	18.7	0.1	41	1.33
1696196	Rab Sample	3.51	0.008	3.1	53.8	8.7	113	0.3	50.7	14.1	978	3.25	153.9	7.4	6.5	56	0.7	17.9	0.1	46	1.72
1696197	Rab Sample	3.27	0.009	2.1	39.5	9.7	72	0.2	28.9	11.6	989	2.83	101.0	3.9	8.0	38	0.2	8.9	0.1	27	0.95
1696198	Rab Sample	3.48	0.121	1.7	44.0	6.1	68	0.2	42.2	15.9	970	3.27	1216.3	92.7	5.2	59	0.2	21.9	<0.1	52	1.65
1696199	Rab Sample	3.29	0.081	2.4	57.7	6.6	72	0.2	47.9	15.3	994	3.36	1248.2	61.1	3.6	71	0.2	29.1	0.1	52	1.85
1696200	Rock	1.62	<0.005	0.1	0.9	0.5	<1	<0.1	1.9	2.8	107	0.12	7.4	0.9	0.1	88	<0.1	<0.1	<0.1	<1	32.56
1696201	Rab Sample	3.84	0.015	1.8	56.2	8.7	92	0.2	40.3	13.5	872	3.21	211.9	9.7	3.9	54	0.3	24.0	0.2	48	1.50
1696202	Rab Sample	3.74	0.241	1.6	49.0	12.3	79	0.2	39.5	14.4	994	3.34	3817.2	181.8	4.8	91	0.3	22.9	0.2	38	2.12
1696203	Rab Sample	3.13	0.182	4.2	64.9	14.9	139	0.3	38.9	11.6	838	3.17	2887.7	95.8	5.1	92	1.5	34.3	0.2	31	1.91
1696204	Rab Sample	3.33	0.041	0.9	49.5	12.2	86	0.2	34.0	25.1	1245	5.98	650.6	32.5	0.9	154	0.3	16.2	0.2	83	4.85
1696205	Rab Sample	3.83	0.112	1.4	41.0	11.4	80	0.3	42.7	18.4	1254	4.88	2589.5	71.2	2.7	184	0.3	20.8	0.1	45	4.84
1696206	Rab Sample	2.96	0.279	4.1	90.5	136.8	329	2.8	42.4	11.0	1187	3.14	1164.1	83.8	2.7	141	9.7	82.3	0.2	29	3.44
1696207	Rab Sample	3.53	0.109	2.1	65.1	26.0	141	0.8	29.1	10.1	615	2.79	1439.8	72.2	4.2	83	2.8	43.3	0.1	13	1.38
1696208	Rab Sample	4.01	0.338	2.6	49.9	18.5	189	0.5	50.0	22.3	839	4.87	1164.4	209.5	4.0	81	1.0	44.5	0.2	67	1.31
1696209	Rab Sample	3.44	0.018	1.4	45.3	6.8	82	0.1	36.4	18.1	872	3.99	249.0	11.3	3.1	57	0.2	31.2	0.2	48	1.70
1696210	Rab Sample	3.85	0.139	2.4	49.4	8.3	91	0.3	61.5	17.5	787	3.67	838.0	90.6	3.7	94	0.4	32.7	0.1	53	2.30
1696211	Rab Sample	3.64	0.069	3.4	60.2	7.5	73	0.3	55.7	13.1	626	3.13	1032.5	49.2	3.5	70	0.3	29.5	<0.1	31	1.64
1696212	Rab Sample	3.36	0.010	2.2	49.0	7.5	90	0.2	40.8	12.9	746	3.29	166.3	9.7	5.5	40	0.3	16.3	0.2	45	1.21
1696213	Rab Sample	3.49	0.089	4.4	49.1	42.6	105	0.4	32.9	9.6	664	2.96	494.9	45.5	5.1	62	1.3	15.3	0.1	29	1.41
1696214	Rab Sample	3.23	0.184	2.5	56.5	16.5	92	0.5	37.6	13.3	775	3.38	882.6	139.1	5.7	109	0.7	15.9	0.1	36	1.88
1696215	Rab Sample	3.78	0.106	2.6	63.5	12.8	82	0.6	35.7	12.6	771	3.34	448.2	72.1	4.7	97	0.5	17.1	0.1	30	1.89
1696216	Rab Sample	3.88	0.028	2.2	45.9	13.0	81	0.3	32.7	12.4	711	3.38	150.0	21.0	4.1	81	0.4	11.5	0.1	30	1.91
1696217	Rab Sample	3.66	0.047	1.6	40.9	4.8	60	0.1	36.2	14.7	748	3.40	89.6	7.5	3.4	145	<0.1	8.6	0.1	45	2.27



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 5 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
1696188	Rab Sample	0.042	23	11	0.09	358	<0.001	<20	0.41	0.014	0.34	0.7	0.04	2.8	0.4	0.23	1	0.5	<0.2			
1696189	Rab Sample	0.113	28	24	0.64	332	0.002	<20	0.55	0.010	0.25	0.2	0.11	5.1	0.4	0.10	2	0.8	<0.2			
1696190	Rab Sample	0.076	23	14	0.43	159	<0.001	<20	0.42	0.011	0.25	0.6	0.03	2.7	0.1	0.12	1	0.8	<0.2			
1696191	Rab Sample	0.067	21	10	0.43	305	<0.001	<20	0.34	0.010	0.22	0.9	0.02	2.4	0.1	0.16	<1	1.0	<0.2			
1696192	Rab Sample	0.072	18	14	0.40	291	<0.001	<20	0.41	0.012	0.25	0.9	0.02	2.3	0.1	0.22	1	1.1	<0.2			
1696193	Rab Sample	0.094	18	14	0.39	322	<0.001	<20	0.38	0.008	0.21	1.0	0.03	3.5	0.1	0.21	1	2.1	<0.2			
1696194	Rab Sample	0.094	19	19	0.73	244	<0.001	<20	0.38	0.009	0.21	1.1	0.02	3.9	0.1	0.27	1	1.4	<0.2			
1696195	Rab Sample	0.099	19	19	0.60	400	0.001	<20	0.49	0.011	0.24	0.8	0.02	4.3	0.1	0.17	2	1.4	<0.2			
1696196	Rab Sample	0.071	20	26	0.94	384	0.003	<20	0.79	0.013	0.21	1.0	0.01	6.0	0.1	0.26	3	1.5	<0.2			
1696197	Rab Sample	0.041	26	17	0.58	258	0.015	<20	0.85	0.015	0.36	0.9	0.01	4.0	0.2	0.14	3	<0.5	<0.2			
1696198	Rab Sample	0.067	16	44	1.20	266	0.030	<20	1.30	0.047	0.26	1.0	0.02	7.0	0.1	0.33	4	1.0	<0.2			
1696199	Rab Sample	0.090	14	40	1.19	379	0.008	<20	1.04	0.026	0.24	1.2	0.02	7.2	0.1	0.32	3	0.8	<0.2			
1696200	Rock	0.007	1	<1	0.61	16	0.001	<20	0.02	0.004	0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
1696201	Rab Sample	0.064	14	21	0.85	387	0.003	<20	0.52	0.012	0.21	0.8	0.01	6.9	0.1	0.15	2	0.6	<0.2			
1696202	Rab Sample	0.069	15	22	0.99	408	0.002	<20	0.52	0.011	0.26	1.0	0.03	7.6	0.2	0.58	2	1.1	<0.2			
1696203	Rab Sample	0.104	18	15	0.86	820	0.001	<20	0.40	0.010	0.25	1.5	0.05	5.2	0.2	0.45	1	3.3	<0.2			
1696204	Rab Sample	0.054	3	22	2.29	375	<0.001	<20	0.72	0.017	0.35	0.2	0.07	18.7	0.3	1.15	2	2.6	<0.2			
1696205	Rab Sample	0.087	7	12	1.99	387	<0.001	<20	0.56	0.011	0.31	0.4	0.07	13.5	0.3	1.26	1	2.1	<0.2			
1696206	Rab Sample	0.104	5	15	1.23	471	<0.001	<20	0.41	0.008	0.25	1.5	0.09	6.4	0.2	0.98	1	1.6	<0.2			
1696207	Rab Sample	0.063	9	8	0.33	321	<0.001	<20	0.31	0.006	0.23	2.6	0.05	2.7	0.2	1.37	<1	1.0	<0.2			
1696208	Rab Sample	0.106	16	17	0.81	855	0.015	<20	1.13	0.022	0.36	0.3	0.04	8.1	0.3	0.71	4	1.3	<0.2			
1696209	Rab Sample	0.080	13	31	1.09	401	0.004	<20	0.70	0.015	0.21	0.3	0.03	7.3	0.2	0.33	2	<0.5	<0.2			
1696210	Rab Sample	0.063	11	65	1.32	587	0.002	<20	0.71	0.014	0.20	0.6	0.03	10.3	0.2	0.44	2	1.0	<0.2			
1696211	Rab Sample	0.088	11	27	0.97	530	0.002	<20	0.49	0.010	0.24	2.2	0.02	4.8	0.2	0.91	1	1.6	<0.2			
1696212	Rab Sample	0.068	18	28	0.99	355	0.004	<20	0.65	0.016	0.27	1.1	0.01	5.7	0.3	0.37	2	1.3	<0.2			
1696213	Rab Sample	0.076	15	18	0.83	436	0.002	<20	0.48	0.009	0.27	1.6	0.02	3.6	0.1	0.53	1	0.9	<0.2			
1696214	Rab Sample	0.067	17	22	1.15	428	0.002	<20	0.53	0.011	0.27	1.7	<0.01	5.1	0.2	0.59	2	0.6	<0.2			
1696215	Rab Sample	0.076	13	20	1.04	366	0.001	<20	0.47	0.009	0.27	1.5	0.02	3.9	0.2	0.63	1	0.6	<0.2			
1696216	Rab Sample	0.075	11	15	0.95	270	<0.001	<20	0.41	0.009	0.22	1.5	0.01	3.4	0.1	0.48	1	0.8	<0.2			
1696217	Rab Sample	0.047	6	24	1.26	1205	<0.001	<20	0.49	0.017	0.17	0.7	0.03	7.1	0.1	0.32	2	0.6	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 6 of 6

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696218	Rab Sample	3.87	0.006	1.2	46.7	13.5	76	0.2	43.0	18.7	737	3.32	81.1	5.6	3.2	80	0.2	8.5	0.1	74	2.15
1696219	Rab Sample	3.72	0.008	1.9	44.3	8.5	71	0.1	38.4	14.0	613	3.31	56.7	6.8	4.4	57	0.1	11.1	0.1	74	1.31
1696220	Rock Pulp	0.08	7.328	9.6	195.0	20.4	81	1.1	13.0	11.6	607	4.88	14.6	9797.1	2.8	77	0.2	5.4	0.6	119	0.97
1696221	Rab Sample	3.12	0.007	2.7	58.2	7.8	72	0.2	41.6	14.5	692	3.24	59.5	3.0	4.3	118	0.2	9.0	0.1	55	1.97
1696222	Rab Sample	3.47	<0.005	1.8	54.6	10.6	84	0.2	42.6	15.4	643	3.58	76.7	2.8	5.9	139	0.2	12.3	0.2	65	1.57
1696223	Rab Sample	3.47	0.515	1.8	57.7	16.8	83	0.6	36.6	15.1	737	3.76	4554.8	392.5	4.3	124	0.5	20.6	0.1	34	2.32
1696224	Rab Sample	3.31	0.176	2.7	71.0	38.5	116	0.8	45.2	12.5	540	3.68	3952.3	118.0	6.1	81	1.1	33.7	0.2	29	1.26
1696225	Rab Sample	3.60	0.259	3.0	53.7	22.2	85	0.6	56.3	17.9	1037	3.74	2075.7	150.6	3.7	181	0.7	32.9	0.1	41	1.96
1696226	Rab Sample	3.11	0.460	0.9	29.7	4.9	56	0.2	55.1	19.0	811	3.70	1713.6	436.2	1.2	172	0.1	23.3	<0.1	61	3.45
1696227	Rab Sample	2.56	1.459	0.8	15.9	9.4	61	0.3	50.3	17.5	1112	4.08	6426.9	1499.0	1.3	222	0.3	9.4	0.1	26	5.99
1696228	Rab Sample	3.99	0.147	0.6	20.9	7.0	37	<0.1	27.1	12.6	810	3.33	770.7	136.4	1.1	293	0.1	9.9	0.2	60	5.04
1696229	Rab Sample	3.95	0.033	0.8	20.4	4.7	55	<0.1	18.1	20.5	920	3.77	148.7	28.5	1.1	206	<0.1	13.4	<0.1	96	4.94
1696230	Rab Sample	3.25	0.014	1.1	23.0	1.9	53	<0.1	9.0	13.1	597	3.01	62.9	9.9	0.9	114	<0.1	13.3	<0.1	52	2.47
1696231	Rab Sample	3.12	0.058	1.1	21.7	5.8	45	<0.1	5.7	10.2	749	2.99	577.5	66.8	1.4	115	<0.1	9.1	<0.1	33	2.94
1696232	Rab Sample	4.17	0.757	0.8	14.5	8.8	60	0.2	3.5	10.2	659	3.38	4673.2	824.0	1.3	74	0.2	8.3	<0.1	12	2.10
1696233	Rab Sample	3.38	0.891	1.1	20.8	9.7	58	0.1	4.3	12.4	940	4.11	3213.8	934.0	1.6	145	<0.1	10.9	<0.1	19	2.48
1696234	Rab Sample	3.76	0.157	1.1	15.3	7.4	49	<0.1	3.7	9.6	961	3.69	830.1	142.6	2.3	137	<0.1	7.6	<0.1	23	2.80
1696235	Rab Sample	3.45	0.035	2.0	19.7	4.0	50	<0.1	10.7	12.8	741	3.10	164.0	31.3	1.9	98	<0.1	7.3	<0.1	74	2.35



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 6 of 6

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000128.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696218	Rab Sample	0.044	11	57	1.46	318	0.003	<20	1.02	0.023	0.22	0.6	0.02	16.6	0.1	0.23	3	<0.5	<0.2
1696219	Rab Sample	0.056	15	60	1.33	497	0.045	<20	1.42	0.033	0.49	1.0	<0.01	8.2	0.2	0.23	5	<0.5	<0.2
1696220	Rock Pulp	0.064	8	18	0.86	128	0.143	<20	1.74	0.183	0.23	5.1	0.22	3.5	<0.1	<0.05	5	<0.5	<0.2
1696221	Rab Sample	0.057	12	40	1.30	444	0.007	<20	0.86	0.025	0.23	1.3	0.01	7.8	0.1	0.40	3	0.7	<0.2
1696222	Rab Sample	0.060	18	46	1.24	322	0.008	<20	1.09	0.018	0.31	0.4	0.02	9.8	0.2	0.42	4	0.7	<0.2
1696223	Rab Sample	0.064	11	14	1.17	339	0.001	<20	0.44	0.010	0.24	1.4	0.05	5.9	0.2	1.55	1	0.7	<0.2
1696224	Rab Sample	0.079	16	16	0.84	267	0.001	<20	0.46	0.010	0.27	2.0	0.04	3.6	0.1	1.36	1	1.2	<0.2
1696225	Rab Sample	0.088	11	25	1.21	179	0.002	<20	0.76	0.011	0.20	0.9	0.03	6.4	0.3	1.19	2	1.2	<0.2
1696226	Rab Sample	0.041	3	52	1.61	77	0.006	<20	1.15	0.033	0.23	0.2	0.25	12.8	0.4	0.64	4	<0.5	<0.2
1696227	Rab Sample	0.046	3	20	2.34	79	<0.001	<20	0.58	0.010	0.33	0.5	0.16	10.0	0.3	1.89	1	<0.5	<0.2
1696228	Rab Sample	0.051	5	32	1.38	492	0.004	<20	1.53	0.013	0.27	0.2	0.10	9.7	0.3	0.52	5	<0.5	<0.2
1696229	Rab Sample	0.021	4	26	2.09	940	0.014	<20	2.08	0.035	0.28	0.1	0.03	17.2	0.2	0.20	6	<0.5	<0.2
1696230	Rab Sample	0.025	3	23	1.33	442	0.012	<20	1.71	0.046	0.16	0.3	0.01	12.2	<0.1	0.10	5	<0.5	<0.2
1696231	Rab Sample	0.035	4	9	1.20	268	0.002	<20	1.14	0.025	0.29	0.4	0.14	10.4	0.2	0.64	3	<0.5	<0.2
1696232	Rab Sample	0.042	4	4	0.88	102	<0.001	<20	0.51	0.009	0.28	1.0	0.24	8.4	0.5	1.85	1	<0.5	<0.2
1696233	Rab Sample	0.058	4	6	1.02	121	<0.001	<20	0.53	0.013	0.29	1.5	0.42	12.5	0.7	1.82	1	<0.5	<0.2
1696234	Rab Sample	0.049	7	6	1.03	313	0.002	<20	0.54	0.019	0.29	0.8	0.40	11.2	0.5	1.09	1	<0.5	<0.2
1696235	Rab Sample	0.030	6	17	1.32	529	0.069	<20	1.41	0.043	0.74	0.7	0.03	10.4	0.3	0.21	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000128.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1696114	Rab Sample	3.29	0.007	2.2	22.4	14.0	140	0.1	56.1	21.0	1077	5.22	83.9	3.5	3.9	136	0.3	6.0	0.1	69	3.27
REP 1696114	QC			2.1	21.9	13.9	136	0.1	55.3	20.6	998	5.23	81.6	4.2	3.9	133	0.3	5.7	0.1	70	3.31
1696142	Rab Sample	3.75	0.023	2.6	99.2	66.8	72	0.8	41.0	13.4	733	3.27	322.4	14.2	3.0	145	0.4	22.7	0.2	35	2.62
REP 1696142	QC			2.4	101.6	70.3	74	0.9	40.9	13.3	807	3.40	329.1	12.7	3.2	150	0.5	23.8	0.2	36	2.73
1696143	Rab Sample	3.25	0.077	1.3	76.0	26.7	81	0.7	35.6	17.5	1080	4.08	342.7	70.6	1.2	231	0.4	23.4	0.2	42	4.49
REP 1696143	QC		0.078																		
1696166	Rab Sample	3.66	<0.005	0.6	7.3	2.7	63	<0.1	72.5	22.2	1091	3.94	47.3	1.5	1.1	202	0.1	3.3	<0.1	68	6.12
REP 1696166	QC		<0.005																		
1696177	Rab Sample	3.11	<0.005	3.0	55.3	10.6	129	0.4	50.0	11.7	326	3.50	90.0	<0.5	7.9	37	0.6	24.5	0.2	26	1.01
REP 1696177	QC			2.8	53.6	10.3	125	0.4	48.1	11.4	320	3.40	87.1	<0.5	7.6	37	0.6	24.3	0.2	25	1.02
1696212	Rab Sample	3.36	0.010	2.2	49.0	7.5	90	0.2	40.8	12.9	746	3.29	166.3	9.7	5.5	40	0.3	16.3	0.2	45	1.21
REP 1696212	QC			2.2	50.5	7.9	96	0.2	42.2	13.6	765	3.37	170.8	8.9	5.6	42	0.3	16.1	0.1	46	1.22
1696216	Rab Sample	3.88	0.028	2.2	45.9	13.0	81	0.3	32.7	12.4	711	3.38	150.0	21.0	4.1	81	0.4	11.5	0.1	30	1.91
REP 1696216	QC		0.025																		
Core Reject Duplicates																					
1696124	Rab Sample	3.51	<0.005	2.0	18.0	10.6	126	0.1	44.0	18.2	981	4.72	57.4	1.2	3.7	240	0.2	8.5	<0.1	53	3.92
DUP 1696124	QC		<0.005	2.0	18.3	10.5	127	<0.1	44.5	18.7	970	4.73	58.3	1.2	3.6	244	0.2	9.3	<0.1	54	3.83
1696158	Rab Sample	3.85	<0.005	3.1	25.3	4.8	91	<0.1	40.5	20.1	975	4.59	64.3	<0.5	2.2	225	0.2	3.6	<0.1	73	3.90
DUP 1696158	QC		<0.005	2.9	24.8	5.0	90	<0.1	39.1	20.0	980	4.57	62.9	<0.5	2.2	232	0.2	3.3	<0.1	74	3.94
1696192	Rab Sample	3.13	0.015	3.1	52.2	11.4	108	0.2	45.3	9.9	402	3.15	207.2	8.4	7.3	48	0.7	10.9	0.2	24	1.05
DUP 1696192	QC		0.014	3.2	51.3	11.2	108	0.2	45.9	9.8	414	3.24	206.5	10.2	7.4	50	0.7	9.6	0.2	25	1.09
1696226	Rab Sample	3.11	0.460	0.9	29.7	4.9	56	0.2	55.1	19.0	811	3.70	1713.6	436.2	1.2	172	0.1	23.3	<0.1	61	3.45
DUP 1696226	QC		0.486	1.4	30.0	5.4	57	0.2	58.3	19.5	832	3.90	1763.9	481.5	1.3	186	0.1	23.8	<0.1	65	3.66
Reference Materials																					
STD DS11	Standard			13.1	143.7	134.6	314	1.5	78.7	13.8	1036	2.99	42.0	94.4	7.5	67	2.2	7.8	12.0	47	1.02
STD DS11	Standard			14.4	143.2	138.6	334	1.9	78.5	13.7	1058	2.97	42.8	53.0	7.6	67	2.5	8.0	12.7	50	1.01
STD DS11	Standard			15.1	159.0	149.6	361	1.8	76.5	13.7	1058	3.33	49.8	60.3	7.8	75	2.7	8.4	12.8	52	1.09
STD DS11	Standard			13.2	155.4	140.0	340	1.9	75.6	13.5	1023	3.14	44.5	92.8	7.9	66	2.4	9.2	12.8	49	1.03



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 1 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000128.1

Method Analyte Unit MDL		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696114	Rab Sample	0.332	44	73	1.41	78	0.003	<20	1.44	0.008	0.13	<0.1	0.02	11.7	0.1	<0.05	4	<0.5	<0.2
REP 1696114	QC	0.316	43	71	1.39	77	0.002	<20	1.50	0.008	0.13	<0.1	0.02	11.5	0.1	<0.05	4	<0.5	<0.2
1696142	Rab Sample	0.129	17	42	1.33	359	0.013	<20	0.98	0.020	0.29	0.3	0.01	5.1	0.2	0.79	3	1.0	<0.2
REP 1696142	QC	0.137	18	42	1.36	372	0.013	<20	1.00	0.020	0.30	0.3	0.02	5.2	0.1	0.83	3	1.0	<0.2
1696143	Rab Sample	0.074	8	43	2.02	229	0.004	<20	1.30	0.024	0.27	0.1	0.02	8.1	0.1	0.58	3	<0.5	<0.2
REP 1696143	QC																		
1696166	Rab Sample	0.041	4	110	2.71	78	<0.001	<20	1.23	0.019	0.21	<0.1	<0.01	12.6	<0.1	0.18	3	<0.5	<0.2
REP 1696166	QC																		
1696177	Rab Sample	0.094	25	14	0.39	195	0.001	<20	0.49	0.011	0.28	0.9	0.02	2.2	0.1	<0.05	2	2.2	<0.2
REP 1696177	QC	0.089	25	14	0.38	188	0.001	<20	0.49	0.011	0.28	0.9	0.01	2.2	0.1	<0.05	2	2.2	<0.2
1696212	Rab Sample	0.068	18	28	0.99	355	0.004	<20	0.65	0.016	0.27	1.1	0.01	5.7	0.3	0.37	2	1.3	<0.2
REP 1696212	QC	0.071	19	30	1.01	366	0.005	<20	0.66	0.016	0.27	1.1	<0.01	6.2	0.2	0.37	2	0.7	<0.2
1696216	Rab Sample	0.075	11	15	0.95	270	<0.001	<20	0.41	0.009	0.22	1.5	0.01	3.4	0.1	0.48	1	0.8	<0.2
REP 1696216	QC																		
Core Reject Duplicates																			
1696124	Rab Sample	0.285	46	52	2.36	464	0.003	<20	1.04	0.008	0.17	<0.1	0.03	11.2	0.1	<0.05	3	<0.5	<0.2
DUP 1696124	QC	0.266	45	54	2.35	492	0.003	<20	1.11	0.008	0.18	<0.1	0.02	10.6	0.1	<0.05	3	<0.5	<0.2
1696158	Rab Sample	0.173	25	76	1.87	571	0.045	<20	1.80	0.112	0.37	<0.1	0.02	11.7	0.1	0.24	6	<0.5	<0.2
DUP 1696158	QC	0.178	25	76	1.86	592	0.046	<20	1.85	0.113	0.38	<0.1	0.02	11.4	0.1	0.25	6	<0.5	<0.2
1696192	Rab Sample	0.072	18	14	0.40	291	<0.001	<20	0.41	0.012	0.25	0.9	0.02	2.3	0.1	0.22	1	1.1	<0.2
DUP 1696192	QC	0.069	19	14	0.42	311	<0.001	<20	0.44	0.013	0.26	0.8	0.02	2.4	0.1	0.22	1	1.0	<0.2
1696226	Rab Sample	0.041	3	52	1.61	77	0.006	<20	1.15	0.033	0.23	0.2	0.25	12.8	0.4	0.64	4	<0.5	<0.2
DUP 1696226	QC	0.041	3	55	1.68	85	0.007	<20	1.30	0.038	0.25	0.2	0.25	13.4	0.5	0.69	4	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.072	18	57	0.81	385	0.088	<20	1.12	0.068	0.39	2.6	0.24	3.1	5.0	0.27	5	2.2	4.4
STD DS11	Standard	0.074	18	58	0.85	389	0.090	<20	1.15	0.068	0.39	2.4	0.26	3.1	5.1	0.29	5	1.9	4.8
STD DS11	Standard	0.076	20	57	0.87	429	0.100	<20	1.19	0.074	0.41	3.2	0.25	3.4	5.5	0.29	5	2.4	5.0
STD DS11	Standard	0.073	19	56	0.83	374	0.094	<20	1.11	0.070	0.40	4.0	0.25	3.0	5.1	0.29	5	2.0	4.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000128.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OREAS45EA	Standard			1.7	690.7	14.2	31	0.2	383.9	53.0	392	20.08	11.9	53.2	10.4	4	<0.1	0.4	0.3	287	0.03
STD OREAS45EA	Standard			1.9	734.3	14.8	33	0.3	411.5	54.0	424	21.76	12.0	58.2	11.0	4	<0.1	0.4	0.3	309	0.03
STD OREAS45EA	Standard			1.7	709.5	14.9	33	0.3	379.6	52.3	429	22.86	12.0	54.7	11.0	4	<0.1	0.4	0.3	313	0.03
STD OREAS45EA	Standard			1.8	710.9	15.0	32	0.3	375.7	52.4	414	23.05	12.4	55.6	11.1	4	<0.1	0.4	0.3	310	0.03
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.222																		
STD OXC145	Standard		0.222																		
STD OXH139	Standard		1.293																		
STD OXH139	Standard		1.296																		
STD OXH139	Standard		1.339																		
STD OXN134	Standard		7.720																		
STD OXN134	Standard		7.694																		
STD OXN134	Standard		7.689																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.5	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	2	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000128.1

		AQ200 P %	AQ200 La ppm	AQ200 Cr ppm	AQ200 Mg %	AQ200 Ba ppm	AQ200 Ti %	AQ200 B ppm	AQ200 Al %	AQ200 Na %	AQ200 K %	AQ200 W ppm	AQ200 Hg ppm	AQ200 Sc ppm	AQ200 Tl ppm	AQ200 S %	AQ200 Ga ppm	AQ200 Se ppm	AQ200 Te ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OREAS45EA	Standard	0.030	7	854	0.10	145	0.094	<20	3.13	0.016	0.05	<0.1	<0.01	75.9	<0.1	<0.05	12	1.3	<0.2
STD OREAS45EA	Standard	0.032	7	918	0.11	150	0.103	<20	3.43	0.018	0.06	<0.1	<0.01	81.6	<0.1	<0.05	13	1.4	<0.2
STD OREAS45EA	Standard	0.031	8	793	0.12	152	0.105	<20	3.41	0.020	0.06	<0.1	<0.01	85.6	<0.1	<0.05	14	1.4	<0.2
STD OREAS45EA	Standard	0.032	8	800	0.12	152	0.110	<20	3.37	0.020	0.06	<0.1	<0.01	83.3	<0.1	<0.05	13	1.0	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 3 of 3

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000128.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
ROCK-WHI	Prep Blank		<0.005	1.1	2.5	3.5	40	<0.1	0.8	4.0	571	1.73	1.2	2.8	2.1	25	<0.1	0.1	<0.1	22	0.72
ROCK-WHI	Prep Blank		<0.005	0.8	3.5	3.6	42	<0.1	1.3	4.3	619	1.86	1.6	1.3	2.0	36	<0.1	0.1	0.1	24	0.67



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 3 of 3

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000128.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
ROCK-WHI	Prep Blank	0.046	6	2	0.50	98	0.072	<20	0.90	0.073	0.09	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.043	7	4	0.56	91	0.075	<20	1.00	0.097	0.10	<0.1	<0.01	2.9	<0.1	0.06	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson

Receiving Lab: Canada-Whitehorse

Received: June 25, 2018

Report Date: July 13, 2018

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000129.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180618-01RAB
P.O. Number
Number of Samples: 76

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	74	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	76	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	76	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	76	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	76	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000129.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696236	Rab Sample	3.60	0.020	1.2	22.5	6.4	106	<0.1	11.3	13.1	828	3.52	107.9	15.5	1.9	97	0.3	5.9	0.3	82	2.00
1696237	Rab Sample	1.36	0.062	4.0	62.5	26.4	171	2.2	46.3	9.9	430	3.26	345.9	48.5	7.2	32	1.5	11.3	0.2	27	0.25
1696238	Rab Sample	1.39	0.177	4.3	57.4	282.4	242	9.3	40.3	8.9	420	2.97	528.8	135.8	4.7	60	4.8	25.3	0.1	34	0.54
1696239	Rab Sample	2.47	0.041	2.3	46.0	40.9	155	1.4	53.4	13.7	530	3.37	290.4	29.0	6.6	52	1.5	17.4	0.2	29	1.75
1696240	Rock	1.18	0.006	<0.1	0.4	1.3	2	<0.1	3.4	0.9	110	0.09	2.4	0.9	<0.1	84	<0.1	0.2	<0.1	<1	33.68
1696241	Rab Sample	2.53	<0.005	1.4	44.4	11.4	128	0.3	63.6	15.8	501	3.49	33.7	1.4	7.1	41	0.7	8.2	0.2	33	2.13
1696242	Rab Sample	2.14	0.136	1.1	38.2	9.7	112	0.7	38.9	10.1	407	3.26	264.0	101.7	7.5	36	0.7	8.1	0.2	25	1.38
1696243	Rab Sample	2.56	0.197	1.1	44.1	14.9	162	1.0	41.3	11.6	345	3.37	454.6	148.4	9.8	34	1.3	9.0	0.2	21	0.84
1696244	Rab Sample	2.04	0.059	1.2	55.6	633.0	349	8.9	35.3	10.3	351	3.62	453.4	44.1	9.9	22	7.2	42.6	0.2	32	0.60
1696245	Rab Sample	2.29	0.007	1.1	39.1	26.3	147	0.4	40.5	12.3	281	3.48	27.6	3.0	9.9	27	0.9	9.3	0.2	29	0.66
1696246	Rab Sample	1.75	0.006	1.2	38.8	14.3	129	0.2	41.6	12.2	317	3.76	15.5	2.2	10.3	31	0.4	4.2	0.2	24	0.78
1696247	Rab Sample	2.08	<0.005	1.4	39.9	10.9	109	0.2	49.0	13.2	382	3.71	15.9	2.0	9.7	46	0.3	3.5	0.2	27	1.26
1696248	Rab Sample	2.15	0.056	1.1	36.5	14.5	98	0.9	42.1	12.5	353	3.55	183.1	37.0	8.8	61	0.4	10.2	0.2	24	1.14
1696249	Rab Sample	2.32	0.359	3.8	88.8	674.2	882	18.6	34.2	8.5	590	3.16	1756.0	186.3	4.6	86	16.5	212.5	0.3	23	0.90
1696250	Rab Sample	2.40	0.034	4.1	71.6	146.3	188	2.8	44.4	11.9	886	3.17	717.1	14.0	5.9	98	2.3	58.0	0.4	20	1.58
1696251	Rab Sample	2.54	0.027	1.7	65.8	29.8	96	4.6	36.6	11.2	689	3.37	449.6	9.3	7.2	51	0.7	39.3	0.3	19	1.16
1696252	Rab Sample	2.60	0.037	2.0	78.7	83.3	70	2.2	27.7	7.8	779	2.65	1060.0	17.5	4.8	83	1.0	57.4	0.2	16	1.23
1696253	Rab Sample	2.29	0.019	2.6	54.5	23.3	91	1.1	33.4	9.6	703	3.26	425.3	8.7	5.9	51	0.9	48.2	0.1	17	1.04
1696254	Rab Sample	2.48	0.100	2.5	53.8	24.8	82	1.1	35.1	10.6	737	3.07	2222.7	50.1	4.1	108	0.7	59.8	0.2	18	2.14
1696255	Rab Sample	2.84	0.579	4.7	73.6	260.6	155	5.7	41.0	10.8	1200	3.05	1530.6	305.4	4.0	139	2.6	186.5	4.1	26	2.66
1696256	Rab Sample	2.05	0.057	5.5	68.1	30.0	119	1.3	48.4	10.8	616	2.87	504.8	26.6	6.3	68	1.5	64.3	0.4	25	1.47
1696257	Rab Sample	2.51	0.569	4.0	85.4	50.4	127	2.5	43.9	13.3	1033	3.42	4125.9	326.8	5.1	132	1.8	85.2	0.4	26	2.09
1696258	Rab Sample	2.34	0.153	4.4	54.8	201.5	239	2.0	41.5	12.0	672	3.28	1323.4	76.5	4.7	65	3.0	143.4	0.6	29	1.02
1696259	Rab Sample	2.38	0.015	3.0	51.5	19.2	146	0.4	38.8	8.9	349	2.54	209.8	8.0	5.6	31	0.8	25.0	0.2	22	0.61
1696260	Rock Pulp	0.08	1.310	4.8	178.1	46.9	258	0.6	96.1	16.6	520	3.09	19.5	1286.9	4.0	92	1.2	1.2	0.3	80	1.75
1696261	Rab Sample	2.06	0.014	2.1	42.6	13.5	92	0.3	41.4	8.9	350	3.06	152.1	5.5	6.8	44	0.6	12.6	0.2	20	0.86
1696262	Rab Sample	1.88	0.008	1.9	42.3	9.7	106	0.2	45.9	11.2	322	3.28	198.9	2.3	8.6	36	0.5	6.4	0.2	19	0.70
1696263	Rab Sample	2.47	0.008	1.7	57.1	8.9	96	0.2	123.8	21.4	548	4.45	85.9	6.5	9.0	80	0.2	10.8	0.1	48	2.13
1696264	Rab Sample	2.13	0.008	1.1	54.6	5.5	73	0.3	467.7	38.8	692	4.19	19.7	6.2	4.4	45	0.2	3.0	0.2	77	1.74
1696265	Rab Sample	2.18	0.005	0.9	56.8	4.0	76	0.4	720.3	48.2	735	4.24	25.5	5.7	3.7	66	0.3	2.9	0.3	76	1.75



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000129.1

	Method	Analyte	AQ200																	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
			MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1696236	Rab Sample	0.024	5	18	1.31	417	0.077	<20	1.43	0.058	0.61	0.7	0.03	12.2	0.2	0.14	4	<0.5	<0.2	
1696237	Rab Sample	0.062	20	16	0.07	1088	0.002	<20	0.47	0.011	0.25	0.9	0.02	3.1	0.3	0.11	1	2.0	<0.2	
1696238	Rab Sample	0.082	15	25	0.18	383	0.004	<20	0.54	0.014	0.32	1.3	0.02	3.9	0.5	0.29	2	2.0	<0.2	
1696239	Rab Sample	0.053	21	25	0.31	135	<0.001	<20	0.50	0.011	0.25	0.4	0.01	5.6	0.3	0.14	1	1.0	<0.2	
1696240	Rock	0.006	1	2	0.55	16	0.001	<20	0.02	0.003	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2	
1696241	Rab Sample	0.048	22	40	0.63	112	0.002	<20	0.64	0.011	0.20	0.2	0.01	6.3	0.2	<0.05	2	0.6	<0.2	
1696242	Rab Sample	0.039	22	19	0.24	109	0.002	<20	0.53	0.013	0.24	0.4	<0.01	4.0	0.2	<0.05	2	<0.5	<0.2	
1696243	Rab Sample	0.051	33	14	0.19	95	0.002	<20	0.47	0.009	0.26	0.5	<0.01	3.8	0.3	<0.05	2	0.5	<0.2	
1696244	Rab Sample	0.056	32	26	0.47	179	0.014	<20	0.95	0.012	0.41	0.7	<0.01	4.8	0.4	<0.05	3	1.0	<0.2	
1696245	Rab Sample	0.059	34	21	0.54	155	0.020	<20	0.90	0.010	0.39	0.7	<0.01	4.1	0.5	<0.05	3	<0.5	<0.2	
1696246	Rab Sample	0.056	33	17	0.42	154	0.005	<20	0.65	0.012	0.31	0.5	<0.01	4.2	0.3	<0.05	2	<0.5	<0.2	
1696247	Rab Sample	0.061	32	50	0.72	169	0.004	<20	0.67	0.018	0.30	0.4	<0.01	4.9	0.3	<0.05	2	<0.5	<0.2	
1696248	Rab Sample	0.056	30	48	0.60	122	0.002	<20	0.59	0.013	0.28	0.4	0.01	5.0	0.2	<0.05	2	0.7	<0.2	
1696249	Rab Sample	0.080	16	13	0.34	484	<0.001	<20	0.44	0.006	0.25	0.7	0.03	3.6	0.2	0.07	1	1.9	<0.2	
1696250	Rab Sample	0.100	19	18	0.65	272	<0.001	<20	0.40	0.004	0.27	0.7	0.02	4.2	0.2	<0.05	1	1.9	<0.2	
1696251	Rab Sample	0.068	26	13	0.43	243	0.001	<20	0.38	0.006	0.25	0.7	0.01	3.0	0.1	<0.05	1	0.9	<0.2	
1696252	Rab Sample	0.105	18	12	0.39	180	0.002	<20	0.38	0.005	0.26	1.1	0.01	2.5	0.1	0.06	1	1.1	<0.2	
1696253	Rab Sample	0.077	19	10	0.23	180	<0.001	<20	0.37	0.005	0.23	0.8	0.01	2.9	0.1	0.14	1	1.2	<0.2	
1696254	Rab Sample	0.080	11	13	0.53	170	<0.001	<20	0.36	0.005	0.26	1.0	0.01	3.4	0.2	0.63	1	1.5	<0.2	
1696255	Rab Sample	0.117	15	20	1.01	1120	<0.001	<20	0.42	0.004	0.19	0.4	0.07	4.6	0.2	0.13	1	1.7	<0.2	
1696256	Rab Sample	0.099	16	14	0.25	157	0.001	<20	0.45	0.005	0.27	0.8	0.01	2.7	0.2	0.49	1	2.7	<0.2	
1696257	Rab Sample	0.105	14	18	0.42	343	<0.001	<20	0.37	0.004	0.22	0.8	0.03	4.0	0.4	0.96	1	2.7	<0.2	
1696258	Rab Sample	0.099	17	13	0.21	360	<0.001	<20	0.49	0.005	0.24	0.6	0.06	3.9	0.3	0.07	1	1.5	<0.2	
1696259	Rab Sample	0.057	18	12	0.14	155	<0.001	<20	0.30	0.007	0.16	1.3	0.02	2.2	0.2	0.08	<1	1.9	<0.2	
1696260	Rock Pulp	0.044	10	69	1.36	169	0.158	<20	2.74	0.338	0.30	8.7	0.06	3.2	0.1	0.11	6	<0.5	<0.2	
1696261	Rab Sample	0.061	22	14	0.24	373	<0.001	<20	0.42	0.008	0.25	1.0	0.02	2.2	0.1	0.10	1	1.3	<0.2	
1696262	Rab Sample	0.061	29	14	0.19	193	0.001	<20	0.42	0.011	0.22	0.7	<0.01	2.7	0.1	0.10	1	1.0	<0.2	
1696263	Rab Sample	0.082	31	49	1.05	606	0.004	<20	0.65	0.012	0.25	0.2	0.02	7.7	0.1	0.22	2	0.6	<0.2	
1696264	Rab Sample	0.072	15	463	4.91	291	0.041	<20	2.56	0.007	0.43	0.4	0.01	10.6	0.2	0.42	7	1.2	<0.2	
1696265	Rab Sample	0.040	12	775	5.47	342	0.046	<20	2.60	0.006	0.38	0.1	0.02	11.1	0.2	0.54	7	2.2	0.3	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000129.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696266	Rab Sample	2.95	0.021	1.2	51.4	5.6	69	0.4	529.0	38.5	622	4.15	73.9	10.0	6.5	57	0.2	1.3	0.4	73	1.44
1696267	Rab Sample	2.91	0.007	0.3	25.4	1.9	22	0.5	1000.0	60.6	369	3.29	41.4	6.5	1.2	22	<0.1	0.6	0.5	24	0.48
1696268	Rab Sample	2.61	0.040	0.5	64.4	2.3	25	0.7	1309.3	68.8	438	4.82	38.4	31.9	0.6	63	0.2	1.8	0.6	20	0.99
1696269	Rab Sample	2.95	0.074	0.9	32.1	4.3	40	0.4	863.3	54.9	577	3.41	1468.6	40.4	1.7	103	0.4	22.0	0.8	32	1.53
1696270	Rab Sample	3.25	0.011	2.1	43.0	7.9	66	0.2	73.1	15.7	1127	3.12	739.4	0.6	6.0	49	0.3	21.4	0.2	39	1.08
1696271	Rab Sample	3.03	0.008	2.2	60.2	6.5	75	0.2	57.1	14.1	910	2.88	69.3	1.0	5.3	31	0.2	18.0	0.1	47	0.90
1696272	Rab Sample	2.73	0.015	1.7	70.1	10.4	69	0.2	55.5	14.6	826	3.19	790.0	7.1	4.6	47	0.2	33.8	0.2	40	1.17
1696273	Rab Sample	2.97	0.008	1.5	46.2	6.8	62	0.2	49.0	14.5	715	2.88	57.9	0.7	4.2	36	0.2	16.1	<0.1	59	1.44
1696274	Rab Sample	2.66	0.050	2.9	55.7	55.5	193	0.4	59.9	16.4	1103	3.73	807.2	34.3	4.2	112	1.2	23.7	0.2	83	2.87
1696275	Rab Sample	2.41	3.027	2.7	56.6	26.2	100	0.5	36.0	12.3	711	3.25	4960.1	3333.1	4.0	108	1.1	35.0	0.1	17	2.53
1696276	Rab Sample	2.46	0.167	5.9	77.1	67.1	95	2.1	51.3	11.6	860	2.91	855.0	57.9	3.5	84	1.3	50.6	0.2	22	2.06
1696277	Rab Sample	2.17	0.334	3.4	87.9	13.2	52	0.9	38.7	8.9	516	2.62	1880.9	252.3	5.7	73	0.4	45.7	0.2	11	1.27
1696278	Rab Sample	2.82	0.087	4.1	77.2	121.8	78	1.2	58.7	12.5	723	3.29	1249.5	61.7	4.5	79	0.6	45.0	0.2	25	1.89
1696279	Rab Sample	3.01	0.021	3.2	92.5	16.0	106	0.7	78.9	17.8	877	4.00	208.8	16.3	5.3	42	0.4	21.8	0.3	40	1.65
1696280	Rock	0.89	<0.005	<0.1	0.3	0.5	<1	<0.1	2.2	0.8	86	0.07	0.5	<0.5	<0.1	71	<0.1	<0.1	<0.1	<1	30.29
1696281	Rab Sample	3.13	0.015	2.4	57.2	9.7	87	0.4	47.0	11.2	546	3.21	190.8	8.7	4.9	40	0.3	13.4	0.1	29	0.98
1696282	Rab Sample	2.46	0.014	2.5	58.9	8.9	90	0.4	45.2	13.3	511	3.43	256.9	5.0	5.1	43	0.3	16.0	0.1	37	1.03
1696283	Rab Sample	2.31	0.024	2.1	50.1	9.1	82	0.3	46.4	18.3	471	3.54	534.6	14.8	4.1	60	0.2	28.9	0.1	55	1.34
1696284	Rab Sample	2.84	0.038	1.9	64.9	38.9	87	0.7	40.6	13.8	727	3.22	461.7	18.3	4.6	61	0.6	22.3	0.1	25	1.81
1696285	Rab Sample	3.35	0.176	2.2	56.3	10.3	87	0.4	44.2	14.8	948	3.32	1031.0	148.9	6.1	43	0.3	25.1	0.1	26	1.24
1696286	Rab Sample	2.47	0.111	2.0	43.6	256.2	268	1.0	31.9	14.7	845	3.35	2143.3	80.3	3.8	77	5.0	69.1	0.4	17	2.99
1696287	Rab Sample	2.25	0.168	2.8	66.1	2428.4	2831	6.3	34.0	11.2	889	3.05	615.7	115.7	2.7	63	90.4	696.7	1.7	14	2.87
1696288	Rab Sample	2.40	0.060	3.9	61.2	202.7	150	1.5	73.3	22.2	1372	4.35	368.9	36.5	2.0	59	3.8	81.2	0.5	12	2.78
1696289	Rab Sample	2.30	0.100	2.9	63.6	149.0	179	1.0	46.0	13.6	949	3.30	1384.6	65.2	5.0	76	3.8	38.9	0.3	21	2.14
1696290	Rab Sample	2.20	0.119	1.8	50.8	47.7	108	0.7	57.9	24.3	1055	4.52	780.1	109.4	2.9	90	0.7	17.6	0.2	68	2.75
1696291	Rab Sample	2.99	0.031	2.6	51.0	27.2	102	0.4	44.2	14.8	869	3.75	221.3	16.2	3.8	81	0.5	18.2	0.1	39	2.24
1696292	Rab Sample	3.01	0.039	2.3	56.3	63.6	80	0.8	45.3	15.8	1098	3.62	246.6	16.0	2.8	108	0.9	16.9	0.2	28	3.75
1696293	Rab Sample	2.45	0.018	1.9	17.8	14.1	74	0.2	24.5	19.4	1151	4.41	82.3	10.8	1.4	100	0.2	7.2	<0.1	55	4.11
1696294	Rab Sample	3.04	0.014	0.9	22.7	13.0	72	0.1	11.9	11.5	1034	4.52	60.1	7.4	2.4	86	0.2	9.4	0.1	35	3.17
1696295	Rab Sample	2.42	0.009	1.2	12.5	11.5	78	<0.1	14.7	14.3	1062	4.57	51.6	5.0	3.3	77	0.2	6.0	<0.1	48	2.47



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000129.1

	Method	Analyte	AQ200																	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
			MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1696266	Rab Sample	0.042	16	527	3.85	303	0.015	<20	2.12	0.005	0.20	0.1	<0.01	7.5	0.1	0.58	6	1.0	0.2	
1696267	Rab Sample	0.013	3	823	3.54	41	0.005	<20	1.19	0.002	0.02	<0.1	0.02	5.6	<0.1	0.58	3	1.0	0.4	
1696268	Rab Sample	0.008	1	912	5.42	8	0.004	<20	1.14	<0.001	<0.01	<0.1	0.02	4.8	0.1	1.34	3	1.6	0.4	
1696269	Rab Sample	0.032	4	785	6.64	457	0.002	<20	1.13	0.004	0.07	<0.1	0.02	6.1	0.2	0.77	3	1.4	0.3	
1696270	Rab Sample	0.042	18	55	1.06	331	0.012	<20	0.95	0.020	0.27	0.7	0.02	5.9	0.1	0.27	3	<0.5	<0.2	
1696271	Rab Sample	0.082	17	50	0.96	243	0.023	<20	1.04	0.023	0.24	0.8	0.01	5.0	<0.1	0.23	4	0.9	<0.2	
1696272	Rab Sample	0.071	17	47	0.84	564	0.023	<20	0.84	0.011	0.37	1.1	0.02	5.4	0.2	0.22	3	0.8	<0.2	
1696273	Rab Sample	0.059	14	70	1.20	443	0.045	<20	1.41	0.027	0.37	1.3	0.01	6.3	0.1	0.19	5	0.6	<0.2	
1696274	Rab Sample	0.093	14	51	1.24	465	0.011	<20	0.88	0.015	0.18	1.2	0.04	7.7	0.1	0.52	4	2.1	0.2	
1696275	Rab Sample	0.072	7	16	1.16	293	<0.001	<20	0.31	0.006	0.23	1.4	0.04	4.5	0.2	0.79	<1	2.0	<0.2	
1696276	Rab Sample	0.135	7	22	0.75	405	0.002	<20	0.38	0.008	0.25	1.7	0.03	2.5	0.1	0.84	1	2.3	<0.2	
1696277	Rab Sample	0.054	9	14	0.45	260	0.001	<20	0.31	0.007	0.21	2.7	0.02	1.7	0.1	1.39	<1	1.2	<0.2	
1696278	Rab Sample	0.087	9	25	0.93	534	0.001	<20	0.40	0.007	0.23	2.0	0.03	3.0	0.2	1.04	1	2.0	<0.2	
1696279	Rab Sample	0.103	12	32	0.99	247	<0.001	<20	0.47	0.008	0.20	2.2	0.02	5.6	0.3	1.19	2	2.1	<0.2	
1696280	Rock	0.007	1	2	0.41	12	0.001	<20	0.04	0.004	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2	
1696281	Rab Sample	0.068	14	22	0.89	430	0.005	<20	0.47	0.009	0.22	1.0	0.01	3.2	0.1	0.46	1	1.2	<0.2	
1696282	Rab Sample	0.071	16	20	0.90	381	0.017	<20	0.56	0.012	0.25	0.8	0.02	3.8	0.1	0.44	2	1.5	<0.2	
1696283	Rab Sample	0.072	14	27	0.99	518	0.066	<20	1.02	0.021	0.45	1.2	0.02	4.5	0.2	0.52	4	0.7	<0.2	
1696284	Rab Sample	0.061	12	20	0.83	405	<0.001	<20	0.36	0.007	0.20	1.1	0.02	5.0	0.1	0.55	<1	0.7	<0.2	
1696285	Rab Sample	0.054	18	21	0.75	342	<0.001	<20	0.42	0.009	0.24	1.4	0.03	5.3	0.3	0.77	1	0.7	<0.2	
1696286	Rab Sample	0.044	7	19	1.26	254	<0.001	<20	0.36	0.008	0.26	2.7	0.09	4.0	0.3	1.54	<1	0.6	<0.2	
1696287	Rab Sample	0.032	5	17	1.22	259	0.001	<20	0.29	0.008	0.21	4.7	0.79	1.8	0.2	1.83	<1	1.6	<0.2	
1696288	Rab Sample	0.049	3	16	1.06	124	0.001	<20	0.28	0.005	0.22	7.2	0.08	2.2	0.1	3.47	<1	3.2	0.2	
1696289	Rab Sample	0.065	11	23	1.05	247	0.001	<20	0.39	0.007	0.27	2.6	0.07	3.7	0.2	1.29	1	1.2	<0.2	
1696290	Rab Sample	0.059	9	71	1.92	204	0.002	<20	1.22	0.013	0.27	0.6	0.04	12.5	0.2	0.62	3	0.6	<0.2	
1696291	Rab Sample	0.053	11	40	1.35	204	0.001	<20	0.67	0.011	0.27	1.0	0.02	6.0	0.2	0.40	2	0.6	<0.2	
1696292	Rab Sample	0.072	5	24	1.59	131	<0.001	<20	0.50	0.010	0.22	1.0	0.03	8.4	0.1	1.31	1	1.4	<0.2	
1696293	Rab Sample	0.037	4	24	1.87	285	<0.001	<20	0.94	0.011	0.24	0.3	0.05	12.7	0.2	0.60	2	<0.5	<0.2	
1696294	Rab Sample	0.048	6	13	1.29	134	<0.001	<20	0.66	0.013	0.23	0.4	0.08	9.6	0.2	0.41	2	<0.5	<0.2	
1696295	Rab Sample	0.052	8	13	1.28	157	0.002	<20	1.06	0.014	0.25	0.4	0.09	11.2	0.2	0.30	3	<0.5	<0.2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000129.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696296	Rab Sample	2.64	0.093	1.5	23.4	9.7	72	0.1	45.6	19.1	1108	4.10	98.9	80.6	5.8	151	0.2	5.0	<0.1	65	4.34
1696297	Rab Sample	2.72	0.011	1.5	35.1	9.5	76	0.1	41.4	20.2	1095	4.44	46.8	4.7	4.9	162	0.2	4.3	<0.1	74	4.43
1696298	Rab Sample	2.58	0.009	1.6	34.0	7.5	79	<0.1	33.5	19.7	1110	4.61	39.5	2.7	2.3	123	0.2	6.4	<0.1	78	5.18
1696299	Rab Sample	2.57	0.009	1.4	34.4	6.8	79	<0.1	27.7	20.0	1131	4.89	38.1	2.5	1.7	104	0.2	5.1	<0.1	75	4.28
1696300	Rock Pulp	0.08	0.465	7.0	280.5	15.6	51	0.5	111.9	14.6	464	2.81	168.9	375.5	3.3	82	0.3	1.5	0.1	66	1.76
1696301	Rab Sample	2.70	0.008	0.8	6.9	6.8	73	<0.1	80.8	19.6	1139	4.27	44.0	<0.5	4.4	155	0.1	2.4	0.1	67	6.15
1696302	Rab Sample	2.63	0.006	0.6	43.3	5.8	74	<0.1	80.8	25.2	1263	4.79	20.7	1.4	1.5	153	0.1	5.2	<0.1	111	5.49
1696303	Rab Sample	1.74	0.007	1.1	57.1	5.8	68	<0.1	45.0	27.9	1071	5.41	32.1	0.9	1.0	172	0.2	3.9	<0.1	160	4.58
1696304	Rab Sample	2.35	0.009	1.0	30.0	5.3	65	<0.1	45.0	21.5	985	4.57	33.8	5.2	0.6	134	0.1	2.7	<0.1	80	3.88
1696091	Rab Sample	2.25	0.042	2.4	47.5	59.0	70	0.3	36.0	14.2	576	2.86	20.2	14.7	3.2	47	0.3	1.2	0.4	50	2.61
1696092	Rab Sample	2.25	0.013	2.4	48.1	36.9	97	0.2	42.4	23.5	1161	4.35	15.7	9.1	2.4	45	0.9	0.6	0.4	90	3.63
1696093	Rab Sample	3.19	0.011	1.8	66.9	19.0	63	0.2	36.1	27.4	1265	5.86	18.0	6.5	1.0	39	0.4	0.5	0.7	134	2.96
1696094	Rab Sample	4.43	0.012	1.9	111.4	18.2	77	0.3	24.0	33.0	1217	6.90	20.5	12.2	1.9	33	0.4	0.6	0.8	131	2.54
1696095	Rab Sample	3.89	0.041	3.5	161.9	36.8	64	0.9	17.8	27.1	1266	6.25	34.5	20.7	1.1	39	0.6	0.8	2.9	77	5.06
1696096	Rab Sample	2.14	0.071	3.4	211.9	45.6	65	1.1	41.9	29.1	1225	6.48	56.9	50.9	1.3	42	0.5	2.3	4.5	48	4.43
1696097	Rab Sample	2.84	0.015	1.3	31.5	17.7	30	0.1	6.9	5.7	426	1.81	11.6	4.5	6.5	11	0.2	0.8	0.3	8	1.37



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000129.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696296	Rab Sample	0.055	8	38	2.04	224	0.002	<20	1.16	0.022	0.24	0.3	0.02	11.2	0.1	0.26	3	<0.5	<0.2
1696297	Rab Sample	0.059	8	39	1.91	818	0.001	<20	1.35	0.025	0.26	0.2	0.03	10.6	<0.1	0.25	4	<0.5	<0.2
1696298	Rab Sample	0.045	7	34	2.16	685	0.001	<20	0.85	0.024	0.23	0.4	0.04	9.9	<0.1	0.32	2	<0.5	<0.2
1696299	Rab Sample	0.050	6	26	1.86	724	0.002	<20	0.78	0.026	0.27	0.4	<0.01	12.0	<0.1	0.36	2	<0.5	<0.2
1696300	Rock Pulp	0.033	9	108	1.39	125	0.106	<20	2.67	0.314	0.24	1.0	0.04	3.1	<0.1	0.10	6	<0.5	<0.2
1696301	Rab Sample	0.042	8	92	2.53	327	<0.001	<20	0.71	0.025	0.22	0.3	0.04	12.9	<0.1	0.20	2	<0.5	<0.2
1696302	Rab Sample	0.024	4	180	2.86	656	0.002	<20	2.20	0.027	0.24	0.2	0.02	14.5	<0.1	0.44	6	<0.5	<0.2
1696303	Rab Sample	0.029	4	87	2.62	715	0.005	<20	2.46	0.029	0.24	0.1	0.01	17.9	<0.1	0.32	6	<0.5	<0.2
1696304	Rab Sample	0.031	3	73	1.91	243	0.004	<20	1.84	0.033	0.22	<0.1	<0.01	19.0	<0.1	0.15	5	<0.5	<0.2
1696091	Rab Sample	0.043	10	60	0.98	410	0.035	<20	1.39	0.045	0.17	0.4	0.02	6.5	0.1	<0.05	4	0.5	<0.2
1696092	Rab Sample	0.044	10	98	1.97	202	0.008	<20	2.33	0.026	0.19	0.1	<0.01	14.2	0.3	<0.05	7	<0.5	<0.2
1696093	Rab Sample	0.034	6	101	2.53	129	0.002	<20	2.58	0.008	0.18	0.1	<0.01	18.3	0.3	<0.05	7	0.5	<0.2
1696094	Rab Sample	0.057	8	105	2.56	136	0.002	<20	2.63	0.008	0.21	0.2	<0.01	17.4	0.4	<0.05	7	1.1	<0.2
1696095	Rab Sample	0.038	6	19	0.71	214	0.001	<20	1.07	0.009	0.21	0.2	0.02	11.8	0.5	<0.05	3	1.2	0.8
1696096	Rab Sample	0.036	7	33	0.21	237	0.002	<20	0.60	0.008	0.25	0.2	0.05	8.9	0.5	<0.05	1	1.9	2.1
1696097	Rab Sample	0.025	17	6	0.13	164	0.001	<20	0.50	0.024	0.18	0.3	<0.01	2.8	0.1	<0.05	1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000129.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1696243	Rab Sample	2.56	0.197	1.1	44.1	14.9	162	1.0	41.3	11.6	345	3.37	454.6	148.4	9.8	34	1.3	9.0	0.2	21	0.84
REP 1696243	QC			1.0	42.8	14.5	161	1.0	41.8	11.8	341	3.36	464.4	152.3	9.6	33	1.2	9.1	0.2	22	0.88
1696251	Rab Sample	2.54	0.027	1.7	65.8	29.8	96	4.6	36.6	11.2	689	3.37	449.6	9.3	7.2	51	0.7	39.3	0.3	19	1.16
REP 1696251	QC		0.028																		
1696270	Rab Sample	3.25	0.011	2.1	43.0	7.9	66	0.2	73.1	15.7	1127	3.12	739.4	0.6	6.0	49	0.3	21.4	0.2	39	1.08
REP 1696270	QC		0.009																		
1696276	Rab Sample	2.46	0.167	5.9	77.1	67.1	95	2.1	51.3	11.6	860	2.91	855.0	57.9	3.5	84	1.3	50.6	0.2	22	2.06
REP 1696276	QC			6.2	77.3	68.7	95	2.2	50.0	11.2	854	2.88	843.1	55.7	3.6	82	1.4	54.4	0.2	22	2.06
1696096	Rab Sample	2.14	0.071	3.4	211.9	45.6	65	1.1	41.9	29.1	1225	6.48	56.9	50.9	1.3	42	0.5	2.3	4.5	48	4.43
REP 1696096	QC			3.1	210.3	43.7	65	1.1	42.1	29.5	1203	6.35	54.5	183.3	1.3	42	0.6	2.4	4.5	48	4.40
Core Reject Duplicates																					
1696268	Rab Sample	2.61	0.040	0.5	64.4	2.3	25	0.7	1309.3	68.8	438	4.82	38.4	31.9	0.6	63	0.2	1.8	0.6	20	0.99
DUP 1696268	QC		0.038	0.5	65.0	2.3	26	0.7	1328.0	69.2	438	4.80	40.6	32.8	0.6	67	0.2	1.9	0.6	20	0.94
1696302	Rab Sample	2.63	0.006	0.6	43.3	5.8	74	<0.1	80.8	25.2	1263	4.79	20.7	1.4	1.5	153	0.1	5.2	<0.1	111	5.49
DUP 1696302	QC		0.006	0.8	42.7	5.9	74	<0.1	80.3	25.0	1253	4.76	20.8	0.7	1.5	150	0.1	5.3	<0.1	112	5.50
Reference Materials																					
STD DS11	Standard			15.8	152.3	145.1	335	1.7	83.6	14.1	1006	3.08	42.5	74.7	7.9	68	2.4	7.4	12.2	47	1.05
STD DS11	Standard			16.8	166.1	152.8	361	1.9	83.0	14.5	1049	3.27	50.1	68.2	8.8	74	2.5	8.9	13.5	51	1.08
STD DS11	Standard			13.6	155.9	134.6	348	1.6	77.0	13.6	1048	3.05	45.8	61.7	7.8	65	2.5	7.6	12.2	49	1.04
STD OREAS45EA	Standard			1.7	718.6	15.1	32	0.2	403.3	55.0	407	22.79	11.4	56.4	10.7	4	<0.1	0.3	0.3	316	0.04
STD OREAS45EA	Standard			1.7	704.2	14.2	33	0.2	375.2	52.2	422	22.58	12.8	47.2	10.9	4	<0.1	0.4	0.3	307	0.03
STD OREAS45EA	Standard			1.7	714.6	13.8	32	0.2	402.8	52.8	418	20.85	12.4	55.8	10.7	4	<0.1	0.3	0.2	319	0.03
STD OXC145	Standard		0.223																		
STD OXC145	Standard		0.211																		
STD OXH139	Standard		1.326																		
STD OXH139	Standard		1.319																		
STD OXN134	Standard		7.703																		
STD OXN134	Standard		7.745																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000129.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	
Pulp Duplicates																			
1696243	Rab Sample	0.051	33	14	0.19	95	0.002	<20	0.47	0.009	0.26	0.5	<0.01	3.8	0.3	<0.05	2	0.5	<0.2
REP 1696243	QC	0.050	33	13	0.19	92	0.002	<20	0.48	0.010	0.26	0.5	<0.01	3.9	0.3	<0.05	2	0.5	<0.2
1696251	Rab Sample	0.068	26	13	0.43	243	0.001	<20	0.38	0.006	0.25	0.7	0.01	3.0	0.1	<0.05	1	0.9	<0.2
REP 1696251	QC																		
1696270	Rab Sample	0.042	18	55	1.06	331	0.012	<20	0.95	0.020	0.27	0.7	0.02	5.9	0.1	0.27	3	<0.5	<0.2
REP 1696270	QC																		
1696276	Rab Sample	0.135	7	22	0.75	405	0.002	<20	0.38	0.008	0.25	1.7	0.03	2.5	0.1	0.84	1	2.3	<0.2
REP 1696276	QC	0.132	7	21	0.75	421	0.002	<20	0.38	0.007	0.24	1.8	0.02	2.6	0.1	0.85	1	2.2	<0.2
1696096	Rab Sample	0.036	7	33	0.21	237	0.002	<20	0.60	0.008	0.25	0.2	0.05	8.9	0.5	<0.05	1	1.9	2.1
REP 1696096	QC	0.034	6	31	0.21	225	0.002	<20	0.61	0.008	0.26	0.2	0.05	8.5	0.5	<0.05	2	1.6	1.9
Core Reject Duplicates																			
1696268	Rab Sample	0.008	1	912	5.42	8	0.004	<20	1.14	<0.001	<0.01	<0.1	0.02	4.8	0.1	1.34	3	1.6	0.4
DUP 1696268	QC	0.007	1	950	5.46	8	0.004	<20	1.14	<0.001	<0.01	<0.1	0.03	5.1	0.1	1.24	3	1.6	0.4
1696302	Rab Sample	0.024	4	180	2.86	656	0.002	<20	2.20	0.027	0.24	0.2	0.02	14.5	<0.1	0.44	6	<0.5	<0.2
DUP 1696302	QC	0.023	4	177	2.86	676	0.002	<20	2.19	0.028	0.23	0.2	0.01	14.5	<0.1	0.43	7	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.074	19	59	0.82	441	0.091	<20	1.13	0.072	0.40	2.7	0.26	3.1	5.1	0.27	5	2.4	4.5
STD DS11	Standard	0.072	22	58	0.86	415	0.100	<20	1.16	0.072	0.41	2.8	0.29	3.4	5.4	0.30	5	2.3	5.1
STD DS11	Standard	0.072	18	57	0.82	356	0.095	<20	1.10	0.070	0.39	2.3	0.27	3.1	4.8	0.28	5	2.1	4.4
STD OREAS45EA	Standard	0.030	7	911	0.10	146	0.101	<20	3.49	0.015	0.06	<0.1	<0.01	80.7	<0.1	<0.05	12	1.5	<0.2
STD OREAS45EA	Standard	0.030	7	797	0.12	142	0.105	<20	3.37	0.019	0.06	<0.1	<0.01	79.8	<0.1	<0.05	13	1.5	<0.2
STD OREAS45EA	Standard	0.030	7	840	0.12	141	0.111	<20	3.34	0.022	0.06	<0.1	0.02	82.9	<0.1	<0.05	13	1.1	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000129.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected		1.670914.331.40.263815240022.6511.45310.74.050.030.320.263030.036																			
STD DS11 Expected		13.91491383451.7177.714.210553.142.8797.6567.32.377.212.2501.063																			
BLK	Blank	0.006																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.0051.48.63.550<0.11.74.85802.014.10.71.937<0.1<0.1<0.1280.82																			
ROCK-WHI	Prep Blank	<0.0051.08.43.852<0.11.85.16192.102.5<0.52.133<0.1<0.1<0.1300.84																			



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 13, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000129.1

		AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	7	5	0.52	114	0.102	<20	1.15	0.106	0.12	<0.1	<0.01	3.2	<0.1	0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.043	7	5	0.58	96	0.100	<20	1.16	0.088	0.10	<0.1	<0.01	3.3	<0.1	0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson

Receiving Lab: Canada-Whitehorse

Received: June 28, 2018

Report Date: July 26, 2018

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000189.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-20180625-01RAB
P.O. Number
Number of Samples: 56

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	54	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	56	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	56	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	56	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	56	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.

*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000189.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696374	Rab Sample	1.34	0.021	2.3	34.3	11.5	69	0.3	33.8	11.5	565	2.64	134.8	20.9	2.7	26	0.3	4.0	0.1	36	0.69
1696375	Rab Sample	1.23	0.031	1.6	34.3	15.9	100	0.8	29.5	8.9	324	3.08	126.1	31.1	6.5	23	0.3	8.2	0.2	39	0.29
1696376	Rab Sample	1.73	<0.005	1.1	35.5	6.2	94	0.2	42.4	12.1	244	3.21	27.6	2.0	8.0	12	0.2	2.5	0.2	34	0.27
1696377	Rab Sample	1.03	<0.005	1.5	38.9	6.0	94	0.3	40.2	8.7	202	2.78	20.5	2.3	7.6	10	0.2	5.9	0.3	34	0.20
1696378	Rab Sample	1.21	<0.005	0.8	33.2	5.6	87	0.2	39.9	13.6	423	3.28	22.7	2.6	7.3	32	0.1	4.0	0.2	35	1.15
1696379	Rab Sample	1.10	0.005	1.0	37.8	5.6	96	0.2	46.6	13.1	340	3.25	19.1	3.1	8.6	18	0.1	3.2	0.2	31	0.45
1696380	Rock Pulp	0.09	7.091	7.3	175.2	17.5	69	0.9	11.7	10.9	520	4.31	12.5	9263.2	2.4	61	0.2	4.5	0.6	104	0.85
1696381	Rab Sample	1.15	<0.005	0.8	29.5	5.2	96	0.1	46.9	13.6	315	3.24	14.7	0.6	7.1	24	0.2	2.0	0.2	49	0.73
1696382	Rab Sample	1.10	<0.005	1.0	32.0	4.5	98	0.1	41.1	12.6	237	3.35	12.1	1.3	7.9	13	0.1	1.0	0.2	48	0.29
1696383	Rab Sample	2.46	0.098	1.0	34.9	9.7	165	1.5	40.4	11.9	480	3.36	246.6	89.9	7.6	27	1.2	8.5	0.2	22	0.91
1696384	Rab Sample	2.68	0.027	1.0	33.8	25.7	112	0.6	41.3	11.6	349	3.20	71.6	24.5	6.9	29	0.7	2.9	0.3	25	0.93
1696385	Rab Sample	2.72	0.010	0.8	31.9	8.8	95	0.2	38.3	11.3	290	3.10	18.9	6.5	6.6	22	0.3	1.6	0.2	38	0.67
1696386	Rab Sample	2.37	0.007	2.1	41.9	7.8	145	0.3	48.6	11.6	262	3.08	22.9	4.9	7.4	19	0.7	2.2	0.2	29	0.43
1696387	Rab Sample	2.68	0.005	1.2	39.4	8.0	98	0.3	41.4	12.9	270	3.18	15.6	6.0	7.1	24	0.3	1.7	0.2	30	0.67
1696388	Rab Sample	2.70	<0.005	0.9	30.0	5.5	89	0.2	38.7	10.3	293	3.17	12.6	2.8	7.3	27	0.2	1.1	0.2	24	0.74
1696389	Rab Sample	2.47	0.064	1.1	34.1	16.8	99	0.5	33.1	11.1	423	2.98	38.7	27.1	4.7	33	0.8	7.7	0.2	24	1.33
1696390	Rab Sample	3.08	0.033	3.0	43.4	46.2	128	1.4	31.2	9.9	433	2.35	383.4	35.8	2.7	42	1.4	23.7	0.2	20	1.57
1696391	Rab Sample	1.81	0.017	3.2	42.6	18.6	124	0.6	36.4	9.9	410	2.47	256.0	12.1	4.7	38	0.8	15.5	0.2	19	1.58
1696392	Rab Sample	3.04	0.006	1.3	31.4	7.1	93	0.3	37.2	10.5	432	2.94	90.7	5.9	6.7	31	0.5	9.0	0.2	18	1.21
1696393	Rab Sample	3.37	0.018	1.2	21.4	6.3	72	0.5	30.1	7.9	408	2.60	94.4	17.8	6.5	23	0.2	5.3	0.2	21	0.69
1696394	Rab Sample	3.34	0.006	0.9	32.6	7.3	76	0.2	35.4	9.4	277	2.81	28.8	3.1	7.4	21	0.1	4.8	0.2	31	0.73
1696395	Rab Sample	2.57	0.005	1.0	32.9	6.9	92	0.2	39.6	10.5	380	3.05	40.8	3.6	7.5	31	0.2	4.7	0.2	22	1.02
1696396	Rab Sample	2.58	0.008	1.1	32.1	8.3	91	0.4	41.0	10.2	480	3.18	36.0	4.5	6.6	32	0.4	4.2	0.2	26	0.83
1696397	Rab Sample	2.40	<0.005	1.0	30.7	7.7	85	0.3	35.6	9.8	661	2.91	18.6	1.8	6.9	36	0.3	4.7	0.2	23	1.05
1696398	Rab Sample	2.61	0.022	4.0	49.8	7.3	189	1.5	44.3	9.5	834	2.89	85.4	13.1	5.8	31	1.7	10.1	0.2	33	0.96
1696399	Rab Sample	2.11	0.098	5.0	32.2	22.5	137	5.5	23.2	3.8	264	2.08	160.5	65.4	3.5	57	1.5	18.9	0.2	30	0.93
1696400	Rock	1.50	<0.005	<0.1	0.9	0.4	2	<0.1	<0.1	0.2	98	0.10	1.0	0.5	<0.1	74	<0.1	<0.1	<0.1	<1	33.23
1696401	Rab Sample	3.23	0.072	5.5	63.4	28.3	239	3.3	48.4	6.7	577	2.34	209.6	52.1	4.0	36	3.0	18.4	0.2	32	0.80
1696402	Rab Sample	2.03	0.080	3.4	50.7	34.9	239	4.0	46.0	10.0	981	2.58	411.3	68.1	3.9	29	2.3	22.1	0.2	21	1.03
1696403	Rab Sample	2.84	0.111	3.1	38.4	46.5	266	4.9	37.0	6.5	654	2.04	547.5	79.1	3.0	51	2.7	29.7	0.2	24	1.30



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000189.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696374	Rab Sample	0.048	11	30	0.46	473	0.017	<20	0.89	0.018	0.16	4.3	0.03	6.0	0.2	<0.05	3	1.1	<0.2			
1696375	Rab Sample	0.049	22	33	0.73	297	0.050	<20	1.21	0.020	0.54	2.6	0.01	4.3	0.4	0.14	4	0.6	<0.2			
1696376	Rab Sample	0.050	25	30	0.87	159	0.042	<20	1.28	0.011	0.52	1.6	<0.01	3.2	0.4	<0.05	3	0.9	<0.2			
1696377	Rab Sample	0.041	23	25	0.56	178	0.042	<20	0.98	0.013	0.55	2.0	<0.01	3.1	0.4	<0.05	3	0.7	<0.2			
1696378	Rab Sample	0.048	21	19	0.87	117	0.019	<20	0.86	0.009	0.46	0.7	<0.01	5.5	0.4	0.10	3	<0.5	<0.2			
1696379	Rab Sample	0.053	24	21	0.65	116	0.030	<20	0.89	0.010	0.47	0.8	<0.01	3.5	0.4	0.10	3	0.5	<0.2			
1696380	Rock Pulp	0.055	7	15	0.79	106	0.116	<20	1.56	0.158	0.21	3.9	0.22	2.8	<0.1	<0.05	4	<0.5	0.2			
1696381	Rab Sample	0.048	22	55	1.19	197	0.056	<20	1.44	0.015	0.68	0.6	<0.01	6.2	0.4	0.12	4	<0.5	<0.2			
1696382	Rab Sample	0.054	25	36	0.97	280	0.075	<20	1.43	0.021	0.80	0.6	<0.01	4.7	0.5	0.11	4	<0.5	<0.2			
1696383	Rab Sample	0.053	22	15	0.65	105	0.010	<20	0.61	0.011	0.34	0.5	<0.01	3.4	0.3	0.18	2	0.7	<0.2			
1696384	Rab Sample	0.051	22	24	0.77	103	0.019	<20	0.80	0.009	0.37	0.6	<0.01	3.1	0.3	0.15	3	1.1	<0.2			
1696385	Rab Sample	0.047	20	25	0.96	139	0.029	<20	1.14	0.011	0.43	0.5	<0.01	3.7	0.3	0.13	4	<0.5	<0.2			
1696386	Rab Sample	0.064	24	20	0.64	104	0.013	<20	0.72	0.010	0.30	0.7	<0.01	3.2	0.3	0.09	3	1.2	<0.2			
1696387	Rab Sample	0.048	22	22	0.71	92	0.014	<20	0.85	0.012	0.28	0.7	<0.01	3.5	0.2	0.27	3	0.8	<0.2			
1696388	Rab Sample	0.052	22	15	0.67	117	0.010	<20	0.65	0.011	0.28	0.5	<0.01	3.3	0.3	0.19	3	0.9	<0.2			
1696389	Rab Sample	0.035	16	9	0.79	83	0.001	<20	0.40	0.007	0.19	0.4	0.01	5.1	0.2	0.22	1	1.4	<0.2			
1696390	Rab Sample	0.038	9	10	0.70	135	0.001	<20	0.31	0.005	0.17	1.1	0.02	3.6	0.2	0.36	<1	1.8	<0.2			
1696391	Rab Sample	0.053	13	10	0.56	74	0.001	<20	0.32	0.005	0.17	1.0	<0.01	2.8	0.2	0.55	<1	2.2	<0.2			
1696392	Rab Sample	0.054	22	13	0.65	134	0.002	<20	0.45	0.008	0.26	0.4	<0.01	2.9	0.3	0.20	1	0.8	<0.2			
1696393	Rab Sample	0.046	20	14	0.49	143	0.012	<20	0.60	0.012	0.33	0.6	<0.01	2.8	0.2	0.17	2	<0.5	<0.2			
1696394	Rab Sample	0.047	21	23	0.70	161	0.042	<20	0.94	0.010	0.55	0.4	<0.01	3.5	0.4	0.21	3	0.7	<0.2			
1696395	Rab Sample	0.049	21	14	0.57	71	0.004	<20	0.46	0.008	0.22	0.5	<0.01	3.2	0.2	0.26	2	<0.5	<0.2			
1696396	Rab Sample	0.042	18	14	0.56	59	0.003	<20	0.46	0.006	0.20	0.5	<0.01	3.8	0.2	0.32	2	<0.5	<0.2			
1696397	Rab Sample	0.046	21	13	0.60	63	0.003	<20	0.38	0.005	0.18	0.5	<0.01	3.6	0.2	0.28	1	<0.5	<0.2			
1696398	Rab Sample	0.072	15	13	0.49	199	0.005	<20	0.45	0.006	0.24	0.7	0.01	3.1	0.2	0.26	2	2.0	<0.2			
1696399	Rab Sample	0.140	8	13	0.15	262	0.002	<20	0.33	0.004	0.23	1.4	0.02	2.1	0.3	0.73	1	2.8	<0.2			
1696400	Rock	0.005	1	<1	1.10	14	0.001	<20	0.03	0.001	0.01	<0.1	<0.01	1.2	<0.1	<0.05	<1	<0.5	<0.2			
1696401	Rab Sample	0.142	12	14	0.18	349	0.002	<20	0.38	0.004	0.21	1.3	0.01	2.4	0.3	0.64	1	3.5	<0.2			
1696402	Rab Sample	0.081	11	13	0.48	255	0.002	<20	0.37	0.005	0.21	2.1	0.01	3.6	0.3	0.78	1	2.8	<0.2			
1696403	Rab Sample	0.081	7	14	0.52	338	0.001	<20	0.33	0.005	0.18	1.4	0.02	4.5	0.3	0.57	<1	2.0	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000189.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696404	Rab Sample	3.38	0.035	3.0	58.0	76.4	209	2.3	37.1	6.0	348	1.89	219.1	32.7	3.6	36	3.6	30.6	0.2	20	0.87
1696405	Rab Sample	2.90	0.012	4.1	50.2	21.5	173	0.9	44.0	7.8	301	2.35	86.9	6.1	4.1	25	1.7	16.6	0.3	30	0.79
1696406	Rab Sample	3.17	0.012	3.7	51.9	15.2	148	0.8	43.9	11.0	453	2.79	130.2	8.8	5.9	31	1.0	13.4	0.3	40	0.87
1696407	Rab Sample	3.16	0.703	3.1	50.6	31.7	130	1.2	34.6	10.2	563	2.67	1581.9	585.5	4.4	62	0.9	21.9	0.2	25	1.42
1696408	Rab Sample	3.39	0.137	2.2	43.6	11.9	110	0.6	36.4	10.2	345	2.81	349.5	118.0	5.6	31	0.6	11.5	0.2	36	0.73
1696409	Rab Sample	3.25	0.053	4.4	51.9	8.2	153	0.5	39.8	9.4	392	2.54	107.4	41.1	5.7	18	1.1	10.5	0.2	32	0.53
1696410	Rab Sample	2.63	0.021	3.0	52.2	7.3	141	0.5	42.8	8.5	323	2.58	59.5	13.7	6.3	16	0.6	13.1	0.2	36	0.45
1696411	Rab Sample	3.36	0.007	3.7	55.1	7.8	137	0.6	36.2	8.9	340	2.25	497.3	7.4	4.8	23	1.3	11.5	0.2	26	0.80
1696412	Rab Sample	4.70	0.018	3.7	55.9	11.0	107	0.8	37.0	8.0	356	1.85	1057.8	10.5	3.3	32	1.0	16.1	0.1	21	1.25
1696413	Rab Sample	3.67	0.051	1.9	40.4	12.8	78	0.5	54.0	13.5	760	2.85	572.6	40.4	3.5	84	0.3	23.1	0.1	45	3.12
1696414	Rab Sample	3.56	0.983	1.9	33.3	34.7	29	1.9	29.4	7.0	1119	2.43	2680.3	486.1	2.0	144	0.4	18.4	0.3	19	3.40
1696415	Rab Sample	3.59	0.729	2.0	37.6	31.4	44	2.9	30.1	8.0	943	2.45	2386.9	322.0	2.3	173	0.5	20.9	0.3	17	3.12
1696416	Rab Sample	3.85	0.369	2.1	30.4	24.7	47	1.8	29.8	6.8	983	2.39	1073.9	178.4	2.7	105	0.5	19.9	0.3	12	2.78
1696417	Rab Sample	4.07	0.040	1.7	35.7	13.9	74	0.6	48.1	12.6	793	3.13	294.9	32.2	5.4	97	0.5	17.2	0.1	21	2.72
1696418	Rab Sample	4.03	0.023	4.1	49.9	17.2	112	0.6	40.2	11.4	858	2.87	133.2	10.4	5.3	80	1.1	22.6	0.2	23	1.43
1696419	Rab Sample	4.02	0.123	4.8	46.1	41.3	134	2.0	37.8	10.9	849	2.78	338.3	14.6	4.9	77	1.4	26.2	0.2	31	1.70
1696420	Rock Pulp	0.09	1.249	4.6	171.4	42.6	226	0.6	89.5	15.2	518	2.91	17.9	1198.1	3.6	100	1.1	1.0	0.3	74	1.75
1696421	Rab Sample	3.68	0.117	2.7	48.0	89.8	176	3.3	50.9	17.1	1371	3.88	955.3	52.4	4.6	112	1.7	35.0	0.2	26	2.70
1696422	Rab Sample	3.67	0.381	1.7	60.3	53.1	139	2.8	91.4	17.9	1009	3.96	3415.6	258.0	3.5	133	2.1	53.1	0.2	30	3.09
1696423	Rab Sample	3.35	2.018	2.4	39.2	17.6	63	1.1	63.1	11.4	829	2.33	2157.7	1750.6	3.0	98	0.4	44.8	<0.1	11	1.93
1696424	Rab Sample	3.78	1.283	2.0	38.4	200.3	312	3.7	243.4	19.7	1922	3.25	2492.6	1078.7	2.8	200	7.0	86.9	0.2	20	4.32
1696425	Rab Sample	3.43	0.114	2.1	36.6	20.7	93	0.7	41.5	7.1	479	2.29	297.4	66.2	4.0	47	1.0	27.6	0.2	16	1.26
1696426	Rab Sample	3.94	0.138	2.0	32.4	10.5	77	0.4	42.9	9.8	492	3.03	720.8	113.9	5.9	51	0.5	21.0	0.1	17	1.10
1696427	Rab Sample	2.99	0.040	1.3	47.0	7.0	156	0.2	277.2	41.0	988	5.66	434.8	40.8	3.1	162	0.3	104.8	0.2	85	3.46
1696428	Rab Sample	2.92	0.175	1.9	38.2	23.1	61	1.2	95.8	16.1	658	3.07	944.2	155.1	3.7	94	0.3	68.4	0.1	24	1.89
1696429	Rab Sample	2.94	0.505	2.4	51.2	33.0	80	1.4	47.7	10.9	1468	2.70	3489.3	349.6	2.8	112	1.3	95.8	0.1	14	3.25



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000189.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696404	Rab Sample	0.081	9	15	0.41	639	0.002	<20	0.34	0.004	0.17	2.2	0.01	2.4	0.2	0.47	1	2.6	<0.2
1696405	Rab Sample	0.069	12	17	0.53	341	0.006	<20	0.46	0.005	0.22	1.2	0.01	2.9	0.3	0.64	1	3.9	<0.2
1696406	Rab Sample	0.065	17	23	0.76	245	0.027	<20	0.76	0.019	0.34	1.0	0.01	4.1	0.3	0.47	2	3.6	<0.2
1696407	Rab Sample	0.078	13	13	0.81	420	0.003	<20	0.41	0.008	0.22	0.7	<0.01	3.7	0.2	0.75	1	3.2	<0.2
1696408	Rab Sample	0.053	18	22	0.90	373	0.026	<20	0.84	0.010	0.43	0.6	<0.01	3.4	0.4	0.61	3	1.9	<0.2
1696409	Rab Sample	0.062	18	17	0.68	196	0.019	<20	0.63	0.008	0.34	0.9	<0.01	2.3	0.4	0.81	2	2.5	<0.2
1696410	Rab Sample	0.051	18	19	0.69	249	0.027	<20	0.84	0.008	0.41	0.7	<0.01	2.1	0.4	0.69	3	2.7	<0.2
1696411	Rab Sample	0.053	12	15	0.63	148	0.005	<20	0.53	0.008	0.25	0.8	<0.01	1.9	0.2	0.73	2	2.4	<0.2
1696412	Rab Sample	0.073	8	16	0.60	111	0.003	<20	0.43	0.005	0.24	1.2	<0.01	2.5	0.2	0.84	1	3.4	<0.2
1696413	Rab Sample	0.055	10	44	1.59	437	0.013	<20	1.12	0.005	0.44	0.3	<0.01	8.5	0.3	0.60	3	1.0	<0.2
1696414	Rab Sample	0.047	3	15	1.31	186	0.001	<20	0.37	0.004	0.21	0.5	<0.01	3.6	0.2	1.24	<1	0.9	<0.2
1696415	Rab Sample	0.064	3	12	1.15	63	<0.001	<20	0.33	0.003	0.19	0.6	<0.01	3.5	0.2	1.28	<1	0.7	<0.2
1696416	Rab Sample	0.056	5	9	1.06	58	<0.001	<20	0.29	0.003	0.19	0.6	<0.01	2.5	0.1	1.10	<1	0.8	<0.2
1696417	Rab Sample	0.061	10	18	1.41	74	<0.001	<20	0.43	0.004	0.25	0.3	0.01	4.4	0.1	0.61	1	0.8	<0.2
1696418	Rab Sample	0.079	12	13	0.82	85	0.001	<20	0.43	0.004	0.25	0.4	<0.01	2.7	0.1	0.82	1	1.7	<0.2
1696419	Rab Sample	0.085	11	12	0.82	111	0.002	<20	0.44	0.003	0.25	0.5	<0.01	3.6	0.2	0.97	1	2.1	<0.2
1696420	Rock Pulp	0.038	8	64	1.37	147	0.138	<20	2.87	0.357	0.29	7.5	0.06	3.0	0.1	0.10	7	<0.5	<0.2
1696421	Rab Sample	0.092	8	15	1.13	181	<0.001	<20	0.47	0.002	0.22	0.3	0.02	4.8	0.2	1.47	1	0.9	<0.2
1696422	Rab Sample	0.093	8	38	1.94	213	0.001	<20	0.39	0.003	0.23	0.4	0.02	7.3	0.2	1.23	1	<0.5	<0.2
1696423	Rab Sample	0.028	7	14	1.24	104	<0.001	<20	0.20	0.003	0.14	1.5	0.01	2.6	0.2	0.80	<1	0.6	0.3
1696424	Rab Sample	0.038	5	63	2.85	124	<0.001	<20	0.25	0.003	0.16	0.8	0.06	5.4	0.1	1.31	<1	0.9	<0.2
1696425	Rab Sample	0.055	8	13	0.78	116	0.001	<20	0.32	0.004	0.20	0.8	0.01	1.7	0.1	0.86	<1	1.2	<0.2
1696426	Rab Sample	0.058	15	15	1.05	403	0.001	<20	0.36	0.005	0.22	0.7	0.01	2.9	0.1	0.62	<1	0.7	<0.2
1696427	Rab Sample	0.133	20	212	3.39	273	0.023	<20	1.81	0.006	0.46	0.1	0.01	13.8	0.3	0.25	7	<0.5	<0.2
1696428	Rab Sample	0.063	12	48	1.69	206	0.002	<20	0.40	0.004	0.21	1.4	0.02	5.4	0.2	0.71	1	<0.5	<0.2
1696429	Rab Sample	0.034	5	16	1.44	103	<0.001	<20	0.24	0.003	0.17	1.3	0.03	2.8	0.2	1.30	<1	0.8	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000189.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1696376	Rab Sample	1.73	<0.005	1.1	35.5	6.2	94	0.2	42.4	12.1	244	3.21	27.6	2.0	8.0	12	0.2	2.5	0.2	34	0.27
REP 1696376	QC	<0.005																			
1696404	Rab Sample	3.38	0.035	3.0	58.0	76.4	209	2.3	37.1	6.0	348	1.89	219.1	32.7	3.6	36	3.6	30.6	0.2	20	0.87
REP 1696404	QC	2.9 52.9 72.1 212 2.1 38.4 6.1 350 1.84 216.1 33.1 3.6 33 3.0 33.7 0.2 19 0.84																			
1696408	Rab Sample	3.39	0.137	2.2	43.6	11.9	110	0.6	36.4	10.2	345	2.81	349.5	118.0	5.6	31	0.6	11.5	0.2	36	0.73
REP 1696408	QC	0.135																			
Core Reject Duplicates																					
1696382	Rab Sample	1.10	<0.005	1.0	32.0	4.5	98	0.1	41.1	12.6	237	3.35	12.1	1.3	7.9	13	0.1	1.0	0.2	48	0.29
DUP 1696382	QC	<0.005 0.9 32.3 4.5 101 0.1 42.2 11.9 224 3.26 12.0 2.5 7.8 13 0.1 0.9 0.2 47 0.28																			
1696416	Rab Sample	3.85	0.369	2.1	30.4	24.7	47	1.8	29.8	6.8	983	2.39	1073.9	178.4	2.7	105	0.5	19.9	0.3	12	2.78
DUP 1696416	QC	0.389 2.1 31.5 26.6 46 2.0 35.6 8.4 854 2.43 1127.0 190.7 3.0 98 0.6 19.2 0.3 13 2.64																			
Reference Materials																					
STD DS11	Standard	14.4 143.9 134.5 331 1.6 76.6 13.5 982 2.99 42.4 63.7 7.5 67 2.2 7.2 11.9 46 1.04																			
STD DS11	Standard	13.1 136.0 124.3 318 1.7 73.1 12.9 950 2.77 42.5 65.7 6.4 58 2.0 7.4 11.1 43 0.96																			
STD OREAS45EA	Standard	1.9 699.1 14.2 33 0.3 398.8 51.8 395 20.76 12.4 61.4 10.3 4 <0.1 0.5 0.3 297 0.03																			
STD OREAS45EA	Standard	1.9 703.8 14.5 32 0.3 402.3 51.0 415 24.28 12.9 55.9 10.7 4 <0.1 0.5 0.3 330 0.04																			
STD OXC145	Standard	0.212																			
STD OXH139	Standard	1.306																			
STD OXN134	Standard	7.726																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected		1.6 709 14.3 31.4 0.26 381 52 400 22.65 11.4 53 10.7 4.05 0.03 0.32 0.26 303 0.036																			
STD DS11 Expected		13.9 149 138 345 1.71 77.7 14.2 1055 3.1 42.8 79 7.65 67.3 2.37 7.2 12.2 50 1.063																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000189.1

		Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																				
1696376	Rab Sample		0.050	25	30	0.87	159	0.042	<20	1.28	0.011	0.52	1.6	<0.01	3.2	0.4	<0.05	3	0.9	<0.2
REP 1696376	QC																			
1696404	Rab Sample		0.081	9	15	0.41	639	0.002	<20	0.34	0.004	0.17	2.2	0.01	2.4	0.2	0.47	1	2.6	<0.2
REP 1696404	QC		0.072	9	15	0.40	604	0.002	<20	0.32	0.005	0.16	2.1	0.01	2.7	0.2	0.46	1	2.7	<0.2
1696408	Rab Sample		0.053	18	22	0.90	373	0.026	<20	0.84	0.010	0.43	0.6	<0.01	3.4	0.4	0.61	3	1.9	<0.2
REP 1696408	QC																			
Core Reject Duplicates																				
1696382	Rab Sample		0.054	25	36	0.97	280	0.075	<20	1.43	0.021	0.80	0.6	<0.01	4.7	0.5	0.11	4	<0.5	<0.2
DUP 1696382	QC		0.055	25	36	0.95	271	0.077	<20	1.40	0.019	0.78	0.7	<0.01	5.4	0.5	0.11	5	1.1	<0.2
1696416	Rab Sample		0.056	5	9	1.06	58	<0.001	<20	0.29	0.003	0.19	0.6	<0.01	2.5	0.1	1.10	<1	0.8	<0.2
DUP 1696416	QC		0.057	5	10	1.07	67	<0.001	<20	0.34	0.004	0.21	0.6	0.01	2.5	0.1	1.21	<1	0.9	<0.2
Reference Materials																				
STD DS11	Standard		0.068	17	58	0.80	363	0.090	<20	1.15	0.072	0.40	2.3	0.27	3.1	4.6	0.27	5	1.9	4.3
STD DS11	Standard		0.060	15	53	0.75	370	0.079	<20	0.98	0.064	0.37	3.2	0.32	2.6	4.7	0.26	4	2.1	4.2
STD OREAS45EA	Standard		0.026	7	841	0.09	137	0.095	<20	3.34	0.016	0.05	<0.1	<0.01	75.1	<0.1	<0.05	12	1.3	<0.2
STD OREAS45EA	Standard		0.028	8	928	0.09	152	0.095	<20	3.30	0.018	0.05	<0.1	0.01	77.7	<0.1	<0.05	13	0.8	<0.2
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXN134	Standard																			
STD OXN134 Expected																				
STD OXC145 Expected																				
STD OXH139 Expected																				
STD OREAS45EA Expected			0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected			0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																			
BLK	Blank																			
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank		<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000189.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.6	4.0	0.9	38	<0.1	1.0	3.6	540	1.65	1.2	<0.5	1.9	22	<0.1	<0.1	<0.1	20	0.61
ROCK-WHI	Prep Blank		<0.005	1.0	3.1	1.1	35	<0.1	0.7	3.5	555	1.70	1.2	<0.5	1.9	19	<0.1	<0.1	<0.1	19	0.66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000189.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	5	4	0.47	55	0.064	<20	0.89	0.080	0.08	0.1	<0.01	2.4	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.041	5	3	0.44	56	0.071	<20	0.86	0.071	0.08	<0.1	<0.01	2.5	<0.1	0.09	3	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson

Receiving Lab: Canada-Whitehorse

Received: June 28, 2018

Report Date: July 26, 2018

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000190.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-20180625-02RAB
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	68	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	69	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	69	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000190.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696430	Rab Sample	1.55	0.996	2.8	62.3	93.1	203	2.1	64.0	18.9	945	3.88	4572.3	574.0	4.9	94	2.7	26.5	0.2	22	1.55
1696431	Rab Sample	1.26	0.163	1.9	46.1	16.2	112	1.9	46.8	11.3	467	3.39	2510.4	92.8	7.2	83	0.4	17.0	0.1	10	0.95
1696432	Rab Sample	3.56	0.122	2.0	47.2	13.5	114	1.5	36.5	8.1	497	2.58	415.9	71.6	4.6	32	0.6	11.8	0.1	13	0.78
1696433	Rab Sample	4.27	0.059	1.6	48.7	15.5	100	0.9	40.7	10.6	771	2.78	333.2	46.5	6.6	27	0.6	9.9	0.1	9	0.60
1696434	Rab Sample	3.00	0.041	1.6	43.4	10.4	100	0.8	38.4	8.6	505	2.91	204.5	32.6	6.7	40	0.3	7.7	0.2	13	0.93
1696435	Rab Sample	3.36	0.024	1.7	39.1	6.1	120	0.4	44.3	10.9	421	2.91	105.3	13.6	7.6	31	0.3	8.0	0.2	14	0.60
1696436	Rab Sample	3.66	0.015	1.7	41.4	24.0	114	0.3	46.3	10.8	535	2.99	55.1	10.0	7.9	29	0.4	14.7	0.2	32	0.90
1696437	Rab Sample	3.57	0.017	1.6	49.6	42.4	145	0.7	46.0	11.6	622	3.34	84.2	9.7	7.2	28	0.8	11.8	0.2	39	0.79
1696438	Rab Sample	3.81	0.017	1.3	44.3	47.7	147	0.9	38.2	9.0	494	2.89	79.8	13.3	6.5	41	2.1	6.1	0.2	13	0.91
1696439	Rab Sample	3.44	0.017	1.4	47.0	33.6	101	1.0	36.6	9.8	569	2.76	83.1	11.3	6.0	28	1.0	4.8	0.2	12	0.68
1696440	Rock	0.93	<0.005	<0.1	5.2	0.5	2	<0.1	<0.1	0.7	115	0.09	3.0	1.3	<0.1	74	<0.1	0.2	<0.1	<1	35.41
1696441	Rab Sample	3.40	0.142	1.4	40.5	34.6	100	1.1	39.8	9.9	574	2.88	351.1	109.3	7.2	50	0.6	8.6	0.2	13	0.81
1696442	Rab Sample	3.17	0.128	1.5	35.2	21.3	123	1.3	35.3	7.3	570	2.43	512.4	87.1	5.6	61	0.8	9.7	0.2	10	0.75
1696443	Rab Sample	3.46	0.099	1.3	35.3	8.8	80	0.4	35.3	9.0	451	2.79	688.1	76.5	6.4	42	0.5	8.0	0.1	12	0.86
1696444	Rab Sample	3.55	0.009	2.4	53.1	14.9	108	0.4	47.9	15.9	1027	3.74	465.1	3.5	5.6	63	0.8	7.1	0.2	26	2.25
1696445	Rab Sample	3.06	0.036	3.4	64.4	14.3	173	0.9	68.1	25.9	1458	5.16	356.7	16.7	3.9	87	1.2	5.8	0.3	37	2.40
1696446	Rab Sample	3.52	0.015	2.2	45.7	16.1	114	0.5	47.0	10.7	594	2.83	324.5	8.5	5.1	64	0.7	7.6	0.2	18	1.10
1696447	Rab Sample	3.25	0.048	3.4	53.1	23.3	91	1.5	34.7	11.3	1153	2.95	352.2	34.1	3.4	79	0.6	13.7	0.2	17	1.61
1696448	Rab Sample	3.44	0.016	2.6	55.5	10.8	121	0.7	43.7	13.4	1103	3.00	100.3	10.3	5.1	39	0.4	13.0	0.1	27	1.44
1696449	Rab Sample	3.41	0.006	2.0	39.1	7.5	64	0.2	27.5	8.2	956	2.26	26.9	4.4	5.8	30	0.2	12.4	0.1	20	0.86
1696450	Rab Sample	3.39	0.011	1.9	50.4	5.0	60	0.3	32.9	10.0	1025	2.45	62.8	5.9	4.3	26	0.2	13.3	0.1	24	1.07
1696451	Rab Sample	3.16	0.051	1.7	41.8	3.6	67	0.3	37.8	11.9	1064	2.88	236.6	41.1	3.9	30	0.2	15.9	0.1	28	1.75
1696452	Rab Sample	3.56	0.006	1.5	46.4	7.2	75	0.2	53.2	16.4	679	3.06	61.3	1.7	3.3	34	0.2	36.6	<0.1	52	1.51
1696453	Rab Sample	4.39	0.012	1.8	57.8	13.1	66	0.3	40.0	12.9	829	2.76	402.6	9.2	4.5	36	0.3	26.1	0.1	30	1.41
1696454	Rab Sample	2.76	0.064	1.6	48.5	11.6	63	0.7	36.4	13.7	1034	2.82	661.1	38.0	4.4	57	0.2	14.5	0.1	21	1.63
1696455	Rab Sample	3.72	0.040	1.3	59.5	47.4	74	1.2	39.0	10.0	950	2.58	647.6	30.3	3.4	50	0.5	23.4	0.3	14	1.60
1696456	Rab Sample	3.18	0.008	2.1	62.5	9.6	70	0.3	28.2	7.7	686	2.06	60.0	4.6	4.8	27	0.3	24.2	0.2	21	1.12
1696457	Rab Sample	3.91	0.006	2.2	73.3	6.9	79	0.4	34.7	11.5	825	2.58	59.6	5.0	3.9	31	0.3	48.5	0.1	38	1.37
1696458	Rab Sample	4.09	0.102	3.1	61.0	15.1	111	0.9	47.9	11.2	856	2.76	1073.8	48.8	4.7	39	0.9	21.2	0.1	21	1.28
1696459	Rab Sample	3.66	0.009	1.7	42.8	7.4	97	0.3	39.8	12.7	657	3.46	114.2	4.5	5.2	50	0.3	17.1	0.1	41	1.77



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000190.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696430	Rab Sample	0.090	13	12	0.49	296	0.001	<20	0.38	0.007	0.24	2.1	0.02	4.3	0.2	0.54	1	2.0	<0.2
1696431	Rab Sample	0.053	17	8	0.12	129	<0.001	<20	0.28	0.018	0.19	1.8	0.01	2.2	0.1	0.78	<1	1.9	<0.2
1696432	Rab Sample	0.072	11	8	0.11	115	0.001	<20	0.31	0.008	0.21	1.6	<0.01	2.1	0.2	0.68	<1	1.3	<0.2
1696433	Rab Sample	0.054	16	8	0.14	139	0.001	<20	0.27	0.007	0.18	1.0	0.01	2.1	0.1	0.52	<1	<0.5	<0.2
1696434	Rab Sample	0.047	15	9	0.67	145	0.001	<20	0.29	0.007	0.20	0.7	<0.01	2.4	0.2	1.14	<1	1.4	<0.2
1696435	Rab Sample	0.062	20	9	0.77	88	0.001	<20	0.29	0.007	0.18	0.5	<0.01	2.6	0.2	0.92	<1	1.5	<0.2
1696436	Rab Sample	0.065	19	24	1.11	293	0.007	<20	0.73	0.009	0.24	0.4	0.02	3.9	0.1	0.63	2	0.5	<0.2
1696437	Rab Sample	0.065	18	22	1.03	471	0.017	<20	0.71	0.007	0.32	0.3	<0.01	4.5	0.2	0.47	2	0.5	<0.2
1696438	Rab Sample	0.053	15	10	0.95	184	0.002	<20	0.36	0.009	0.21	0.4	<0.01	2.5	<0.1	0.90	<1	1.0	<0.2
1696439	Rab Sample	0.057	14	9	0.75	102	0.001	<20	0.31	0.006	0.22	0.4	<0.01	2.1	0.1	0.83	<1	1.1	<0.2
1696440	Rock	0.007	1	<1	0.60	13	0.003	<20	0.04	0.002	0.02	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
1696441	Rab Sample	0.058	17	9	0.55	127	<0.001	<20	0.29	0.008	0.23	0.4	<0.01	2.4	0.1	0.72	<1	1.4	<0.2
1696442	Rab Sample	0.065	14	7	0.26	309	0.001	<20	0.27	0.008	0.23	0.4	0.02	1.7	0.2	0.71	<1	1.3	<0.2
1696443	Rab Sample	0.045	15	9	0.46	378	0.001	<20	0.27	0.007	0.18	0.3	0.02	2.4	0.1	0.41	<1	0.6	<0.2
1696444	Rab Sample	0.105	14	14	1.10	271	0.001	<20	0.32	0.007	0.20	0.3	0.01	4.4	0.1	0.46	<1	0.8	<0.2
1696445	Rab Sample	0.154	13	16	0.80	249	0.002	<20	0.44	0.006	0.25	0.2	0.02	8.3	0.3	1.25	1	1.8	<0.2
1696446	Rab Sample	0.064	12	11	0.41	123	<0.001	<20	0.33	0.006	0.17	0.3	0.02	2.8	0.1	0.63	<1	1.0	<0.2
1696447	Rab Sample	0.076	7	9	0.31	201	0.001	<20	0.32	0.008	0.25	0.5	0.02	3.7	0.2	1.27	<1	2.0	<0.2
1696448	Rab Sample	0.080	12	14	0.61	150	0.002	<20	0.34	0.007	0.19	1.3	0.02	4.0	0.2	0.46	1	1.8	<0.2
1696449	Rab Sample	0.049	16	11	0.52	308	0.004	<20	0.40	0.009	0.18	0.4	<0.01	2.4	0.1	0.18	1	<0.5	<0.2
1696450	Rab Sample	0.049	15	17	0.52	405	0.004	<20	0.40	0.005	0.18	0.4	0.01	3.7	0.1	0.27	1	<0.5	<0.2
1696451	Rab Sample	0.060	12	15	0.71	149	<0.001	<20	0.28	0.005	0.16	0.3	<0.01	5.9	0.2	0.31	<1	<0.5	<0.2
1696452	Rab Sample	0.098	12	62	1.14	568	0.045	<20	1.42	0.009	0.54	0.2	<0.01	6.3	0.2	0.46	4	<0.5	<0.2
1696453	Rab Sample	0.075	15	20	0.67	254	0.006	<20	0.43	0.006	0.23	0.3	0.01	4.5	0.1	0.27	2	1.0	<0.2
1696454	Rab Sample	0.058	13	16	0.69	192	0.001	<20	0.30	0.006	0.18	0.4	<0.01	4.1	0.1	0.38	<1	<0.5	<0.2
1696455	Rab Sample	0.060	11	10	0.59	128	<0.001	<20	0.26	0.004	0.18	0.3	0.01	3.1	0.1	0.52	<1	<0.5	<0.2
1696456	Rab Sample	0.076	13	11	0.45	173	0.001	<20	0.39	0.005	0.14	0.4	0.01	2.5	0.1	0.35	1	1.1	<0.2
1696457	Rab Sample	0.073	11	16	0.73	158	0.006	<20	0.57	0.007	0.11	0.2	0.02	5.2	0.1	0.41	2	0.8	<0.2
1696458	Rab Sample	0.087	14	13	0.63	369	0.001	<20	0.32	0.005	0.20	0.4	0.01	2.9	0.2	0.40	1	2.2	<0.2
1696459	Rab Sample	0.076	13	15	0.95	682	0.001	<20	0.37	0.005	0.19	0.2	0.02	4.6	0.1	0.24	1	0.9	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000190.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696460	Rock Pulp	0.08	1.313	5.1	176.2	46.5	258	1.4	93.2	14.8	546	3.12	18.1	762.9	4.1	99	1.1	0.9	0.3	85	1.82
1696461	Rab Sample	3.65	0.197	3.5	45.5	33.9	104	1.8	51.0	10.2	851	2.81	1347.1	108.0	4.2	54	1.1	25.2	0.2	15	1.53
1696462	Rab Sample	3.43	1.572	2.9	66.4	191.4	237	3.3	40.3	8.3	1596	2.66	2896.1	1015.6	3.7	107	3.1	83.8	0.3	11	2.50
1696463	Rab Sample	3.64	0.595	1.9	45.6	51.6	110	1.1	53.4	13.5	811	2.97	1616.8	390.3	3.8	59	0.9	34.9	0.2	53	1.69
1696464	Rab Sample	2.70	0.053	2.1	90.9	8.7	94	0.7	98.8	25.4	1848	4.69	182.1	31.3	4.6	71	0.3	31.0	0.1	63	1.72
1696465	Rab Sample	3.11	0.012	2.4	45.4	6.0	82	0.2	52.0	12.3	383	3.22	40.9	7.0	6.0	51	<0.1	82.6	<0.1	76	0.61
1696466	Rab Sample	4.08	0.014	1.5	52.1	6.7	67	0.3	49.5	12.0	640	2.96	182.4	8.2	4.3	34	0.2	46.5	<0.1	36	0.77
1696467	Rab Sample	4.56	0.012	2.0	92.3	5.5	92	0.6	64.1	14.0	1824	3.44	78.3	8.3	2.6	34	0.2	279.5	0.2	76	0.72
1696468	Rab Sample	3.21	0.014	1.3	67.6	4.2	85	0.3	74.4	17.0	1270	3.21	91.4	13.6	1.5	26	<0.1	99.8	0.1	54	0.67
1696469	Rab Sample	4.39	0.009	1.4	43.0	6.0	70	0.4	52.1	12.8	1295	3.32	57.5	6.8	4.1	51	0.4	13.9	<0.1	49	2.01
1696470	Rab Sample	3.54	0.007	1.1	92.3	3.1	124	0.3	154.5	38.0	1556	8.33	33.7	5.6	2.0	43	0.1	16.3	<0.1	165	1.36
1696471	Rab Sample	3.44	0.006	0.9	79.6	1.7	71	0.2	179.5	33.4	914	5.09	46.2	4.4	0.9	136	<0.1	4.8	<0.1	115	4.95
1696472	Rab Sample	3.63	0.009	0.7	82.3	1.8	95	0.2	206.9	38.8	905	6.20	73.6	7.7	1.2	179	0.2	4.1	<0.1	136	5.20
1696473	Rab Sample	3.38	0.504	3.1	112.6	4.6	177	0.3	198.8	41.5	1157	6.83	788.6	449.9	1.8	145	0.7	24.0	0.1	103	4.16
1696474	Rab Sample	3.50	0.014	3.5	80.2	5.7	193	0.5	99.8	27.8	1113	5.17	93.5	10.2	8.1	47	1.3	15.4	0.1	65	1.78
1696475	Rab Sample	4.36	0.013	1.6	59.5	8.4	178	0.3	169.5	47.9	1330	7.42	72.7	8.0	10.6	69	0.8	19.7	0.1	116	1.94
1696476	Rab Sample	4.26	0.200	2.5	82.8	6.4	126	0.5	94.3	26.6	1171	4.53	1260.7	164.1	2.8	129	0.6	14.2	<0.1	35	2.33
1696477	Rab Sample	3.98	0.054	3.2	82.2	7.7	117	0.6	66.6	14.3	900	3.04	407.3	24.1	4.0	62	0.6	23.7	0.1	25	1.64
1696478	Rab Sample	3.66	0.029	2.2	57.7	8.3	99	0.4	55.3	13.3	986	3.23	330.7	20.7	4.5	49	0.4	17.9	0.1	22	1.25
1696479	Rab Sample	4.33	0.193	4.4	49.9	389.4	385	3.7	38.8	9.9	1258	2.73	1001.1	111.0	2.9	55	5.5	40.0	0.3	17	2.64
1696480	Rock	0.98	0.005	<0.1	1.1	2.9	3	<0.1	<0.1	0.2	104	0.09	7.2	4.5	<0.1	66	<0.1	0.6	<0.1	<1	30.38
1696481	Rab Sample	4.35	0.163	3.6	36.1	52.5	145	1.1	57.3	15.6	1083	3.30	1049.8	103.5	3.3	64	0.7	22.0	0.1	16	2.12
1696482	Rab Sample	4.43	0.141	5.7	45.5	23.9	76	1.1	56.8	11.4	1125	2.76	805.7	85.4	3.2	78	0.7	28.1	0.1	21	2.58
1696483	Rab Sample	4.68	0.643	0.5	31.0	216.5	107	0.7	15.8	25.7	1693	4.65	3761.7	644.8	0.6	135	1.3	29.5	0.2	25	4.88
1696484	Rab Sample	4.09	0.588	0.6	68.8	28.2	52	1.5	6.3	10.0	1139	2.95	1629.3	605.2	1.1	89	0.7	24.9	<0.1	9	3.43
1696485	Rab Sample	4.27	0.097	0.6	8.0	29.4	21	0.6	5.0	6.3	574	1.87	90.3	114.1	1.2	59	0.1	5.1	0.1	3	1.43
1696486	Rab Sample	4.51	0.084	1.1	13.2	76.8	92	0.9	35.3	21.1	1574	3.94	121.4	91.5	1.6	154	0.7	10.1	0.3	24	4.44
1696487	Rab Sample	4.58	0.047	0.6	38.1	52.9	57	2.2	45.0	26.9	2171	5.45	133.5	78.6	0.6	182	0.5	13.6	0.3	29	6.42
1696488	Rab Sample	2.01	0.025	0.5	38.5	12.3	71	0.5	71.1	24.8	1328	4.47	76.9	18.5	0.2	219	0.1	11.9	<0.1	97	5.30
1696489	Rab Sample	4.21	0.007	0.9	58.0	2.7	56	0.1	52.2	18.1	798	3.64	16.8	3.5	0.4	112	<0.1	4.0	<0.1	68	3.50



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000190.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696460	Rock Pulp	0.043	9	68	1.38	163	0.138	<20	2.78	0.337	0.31	7.6	0.06	3.1	0.1	0.11	7	<0.5	<0.2			
1696461	Rab Sample	0.089	10	14	0.70	219	0.001	<20	0.27	0.002	0.20	0.5	0.02	2.8	0.2	0.64	<1	1.5	<0.2			
1696462	Rab Sample	0.061	6	7	0.50	412	<0.001	<20	0.21	0.007	0.17	0.8	0.03	1.8	0.1	1.45	<1	0.6	<0.2			
1696463	Rab Sample	0.062	12	71	1.13	235	0.008	<20	1.00	0.008	0.25	0.3	0.01	6.3	0.3	0.48	4	0.6	<0.2			
1696464	Rab Sample	0.108	15	102	1.29	363	0.012	<20	1.27	0.007	0.32	0.1	0.01	8.1	0.2	0.62	5	2.4	<0.2			
1696465	Rab Sample	0.064	19	51	0.91	490	0.059	<20	1.23	0.008	0.61	0.2	<0.01	4.7	0.3	0.18	4	0.7	<0.2			
1696466	Rab Sample	0.065	16	31	0.77	380	0.018	<20	0.69	0.008	0.33	0.3	<0.01	3.8	0.1	0.24	3	1.0	<0.2			
1696467	Rab Sample	0.060	13	52	0.43	227	0.032	<20	0.77	0.030	0.21	0.7	<0.01	3.8	0.2	0.93	4	2.1	0.2			
1696468	Rab Sample	0.038	8	41	0.68	226	0.035	<20	0.96	0.005	0.30	0.6	<0.01	3.9	0.2	0.37	4	0.8	<0.2			
1696469	Rab Sample	0.063	14	61	1.14	98	0.001	<20	0.62	0.006	0.19	0.2	<0.01	6.5	0.1	0.29	2	<0.5	<0.2			
1696470	Rab Sample	0.166	15	270	1.25	467	0.119	<20	2.88	0.014	0.56	0.1	<0.01	9.7	0.1	0.67	14	1.3	<0.2			
1696471	Rab Sample	0.118	9	211	2.20	25	0.177	<20	2.30	0.046	0.09	0.1	0.02	10.8	<0.1	0.32	9	<0.5	<0.2			
1696472	Rab Sample	0.111	13	258	2.23	18	0.099	<20	2.91	0.025	0.07	<0.1	0.06	12.4	<0.1	0.31	11	0.8	<0.2			
1696473	Rab Sample	0.158	16	207	1.77	283	0.063	<20	2.25	0.015	0.48	<0.1	0.04	11.9	0.2	0.93	7	1.7	<0.2			
1696474	Rab Sample	0.312	38	28	1.10	282	0.014	<20	1.06	0.008	0.31	0.3	<0.01	4.7	0.1	0.89	5	2.9	<0.2			
1696475	Rab Sample	0.355	65	79	1.78	667	0.096	<20	2.48	0.012	0.87	0.3	<0.01	6.8	0.3	0.70	11	0.8	<0.2			
1696476	Rab Sample	0.091	11	58	1.33	198	0.009	<20	0.73	0.005	0.28	0.9	0.03	4.6	0.2	1.01	3	1.9	<0.2			
1696477	Rab Sample	0.088	13	23	1.05	166	0.002	<20	0.35	0.005	0.21	1.3	0.02	3.9	0.1	0.60	1	3.5	<0.2			
1696478	Rab Sample	0.082	14	17	0.97	220	0.002	<20	0.36	0.004	0.22	0.9	0.02	3.7	0.2	0.64	1	1.8	<0.2			
1696479	Rab Sample	0.074	6	11	1.06	270	0.003	<20	0.28	0.005	0.19	1.9	0.03	1.9	0.1	1.28	<1	2.3	<0.2			
1696480	Rock	0.006	1	<1	0.51	15	0.001	<20	0.02	0.001	0.04	<0.1	<0.01	1.4	<0.1	<0.05	<1	<0.5	<0.2			
1696481	Rab Sample	0.158	12	12	0.78	216	0.002	<20	0.29	0.002	0.20	1.8	0.02	2.5	0.1	1.32	<1	0.9	<0.2			
1696482	Rab Sample	0.125	5	12	0.82	258	0.002	<20	0.29	0.004	0.20	1.7	0.02	2.6	0.1	1.91	<1	3.0	<0.2			
1696483	Rab Sample	0.029	1	5	2.08	73	<0.001	<20	0.45	0.005	0.39	0.5	0.06	13.5	0.5	3.03	<1	<0.5	<0.2			
1696484	Rab Sample	0.036	2	4	1.30	70	<0.001	<20	0.37	0.004	0.35	0.6	0.02	5.3	0.2	1.44	<1	<0.5	<0.2			
1696485	Rab Sample	0.028	2	4	0.50	69	<0.001	<20	0.26	0.003	0.24	1.0	<0.01	2.3	0.1	1.17	<1	<0.5	<0.2			
1696486	Rab Sample	0.100	11	21	2.01	61	0.002	<20	0.45	0.006	0.24	0.3	0.03	8.0	0.1	1.72	1	<0.5	<0.2			
1696487	Rab Sample	0.037	2	21	2.74	80	<0.001	<20	0.38	0.007	0.29	0.4	0.07	12.1	0.2	2.98	<1	0.6	<0.2			
1696488	Rab Sample	0.028	2	73	2.66	191	0.002	<20	0.82	0.033	0.25	0.1	0.08	17.1	0.5	1.39	2	<0.5	<0.2			
1696489	Rab Sample	0.036	3	96	2.15	230	0.005	<20	1.56	0.046	0.19	0.1	0.01	11.6	0.2	0.29	5	<0.5	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000190.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696490	Rab Sample	4.48	0.007	0.8	62.3	1.9	34	0.2	30.5	17.2	674	3.52	20.2	2.6	0.9	131	<0.1	3.0	<0.1	59	3.28
1696491	Rab Sample	3.72	0.005	1.6	16.2	5.0	78	<0.1	36.5	18.1	843	4.28	27.5	2.3	1.7	180	0.2	2.8	<0.1	86	3.43
1696492	Rab Sample	3.50	<0.005	2.0	15.2	6.5	105	0.1	37.2	17.1	754	4.65	23.8	0.9	2.1	145	0.2	3.2	<0.1	84	2.64
1696493	Rab Sample	3.84	<0.005	1.7	15.6	5.7	104	0.1	37.5	19.4	788	4.68	19.7	1.1	2.0	174	0.1	3.1	<0.1	83	2.85
1696494	Rab Sample	3.30	<0.005	1.7	15.6	5.2	103	<0.1	37.8	17.2	866	4.65	20.4	1.3	2.0	130	0.1	2.6	<0.1	81	2.69
1696495	Rab Sample	3.53	0.005	1.9	15.3	4.3	106	0.1	40.3	18.5	985	4.55	25.4	1.9	2.0	156	0.2	2.7	<0.1	80	3.11
1696496	Rab Sample	4.11	<0.005	1.0	43.3	2.2	58	0.1	63.5	21.5	822	4.23	12.5	0.6	0.9	144	<0.1	2.1	<0.1	102	3.34
1696497	Rab Sample	2.91	<0.005	0.5	33.7	2.1	53	<0.1	65.4	28.4	957	4.74	9.5	0.6	0.4	141	<0.1	0.9	<0.1	117	4.64
1696498	Rab Sample	4.15	0.008	0.5	28.2	5.0	56	0.2	63.2	26.6	1334	4.99	48.8	5.1	0.3	194	0.2	2.4	<0.1	67	5.37



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000190.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696490	Rab Sample	0.103	6	39	1.53	327	0.083	<20	1.60	0.033	0.14	0.3	<0.01	8.8	<0.1	0.36	5	<0.5	<0.2
1696491	Rab Sample	0.178	30	102	2.68	299	0.056	<20	2.35	0.061	0.26	<0.1	<0.01	8.2	<0.1	0.12	8	<0.5	<0.2
1696492	Rab Sample	0.250	42	112	3.30	385	0.076	<20	2.75	0.069	0.30	<0.1	<0.01	7.1	0.1	0.13	10	<0.5	<0.2
1696493	Rab Sample	0.227	41	118	3.42	635	0.084	<20	2.82	0.066	0.30	<0.1	<0.01	7.4	<0.1	0.14	11	<0.5	<0.2
1696494	Rab Sample	0.233	41	108	3.19	557	0.076	<20	2.55	0.069	0.29	<0.1	<0.01	7.4	<0.1	0.15	9	<0.5	<0.2
1696495	Rab Sample	0.240	41	115	2.74	412	0.089	<20	2.20	0.109	0.29	<0.1	<0.01	8.1	0.1	0.15	8	<0.5	<0.2
1696496	Rab Sample	0.104	13	159	2.88	391	0.055	<20	2.42	0.057	0.19	<0.1	<0.01	13.1	<0.1	0.17	7	<0.5	<0.2
1696497	Rab Sample	0.040	4	136	3.51	298	0.006	<20	2.77	0.024	0.21	<0.1	0.01	16.3	0.1	0.17	7	<0.5	<0.2
1696498	Rab Sample	0.067	3	71	3.05	253	0.001	<20	1.12	0.024	0.26	<0.1	0.02	16.5	0.2	0.97	3	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

July 26, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000190.1

		Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
		Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																							
1696440	Rock		0.93	<0.005	<0.1	5.2	0.5	2	<0.1	<0.1	0.7	115	0.09	3.0	1.3	<0.1	74	<0.1	0.2	<0.1	<1	35.41	
REP 1696440	QC		<0.005																				
1696451	Rab Sample		3.16	0.051	1.7	41.8	3.6	67	0.3	37.8	11.9	1064	2.88	236.6	41.1	3.9	30	0.2	15.9	0.1	28	1.75	
REP 1696451	QC				1.8	42.5	3.7	69	0.3	37.9	12.3	1072	2.91	240.2	42.6	4.1	29	0.3	16.3	0.1	28	1.77	
1696485	Rab Sample		4.27	0.097	0.6	8.0	29.4	21	0.6	5.0	6.3	574	1.87	90.3	114.1	1.2	59	0.1	5.1	0.1	3	1.43	
REP 1696485	QC				0.7	8.8	29.5	22	0.6	5.6	6.6	589	1.92	86.4	114.9	1.2	59	0.3	4.7	0.1	3	1.49	
Core Reject Duplicates																							
1696452	Rab Sample		3.56	0.006	1.5	46.4	7.2	75	0.2	53.2	16.4	679	3.06	61.3	1.7	3.3	34	0.2	36.6	<0.1	52	1.51	
DUP 1696452	QC				0.005	1.3	46.4	6.9	78	0.1	52.5	13.8	714	2.98	55.6	3.5	2.9	34	0.2	33.7	0.1	50	1.49
1696486	Rab Sample		4.51	0.084	1.1	13.2	76.8	92	0.9	35.3	21.1	1574	3.94	121.4	91.5	1.6	154	0.7	10.1	0.3	24	4.44	
DUP 1696486	QC				0.080	1.0	13.4	71.8	98	0.9	33.1	20.7	1544	3.89	119.8	97.1	1.5	143	0.7	10.8	0.2	23	4.39
Reference Materials																							
STD DS11	Standard				14.7	140.5	135.9	362	1.7	80.5	14.3	1016	3.03	42.3	68.7	7.9	67	2.2	8.0	12.6	48	1.04	
STD DS11	Standard				14.5	145.3	146.0	348	1.7	79.5	14.9	1061	3.14	42.5	97.5	7.3	69	2.4	7.5	12.9	50	1.09	
STD DS11	Standard				14.5	144.8	139.3	346	1.7	83.5	13.5	1031	3.08	39.2	67.7	8.1	65	2.4	5.9	11.2	48	1.05	
STD OREAS45EA	Standard				1.9	692.2	14.3	31	0.3	398.6	51.7	392	21.37	11.1	59.3	10.7	4	<0.1	0.4	0.3	321	0.03	
STD OREAS45EA	Standard				1.5	673.8	14.5	30	0.3	369.9	49.8	389	22.92	10.4	48.5	10.1	4	<0.1	0.3	0.3	293	0.03	
STD OREAS45EA	Standard				1.6	727.8	15.7	32	0.3	400.8	53.6	407	24.07	10.5	51.5	12.0	4	<0.1	0.3	0.3	310	0.03	
STD OXC145	Standard		0.210																				
STD OXC145	Standard		0.208																				
STD OXH139	Standard		1.330																				
STD OXH139	Standard		1.290																				
STD OXN134	Standard		7.784																				
STD OXN134	Standard		7.584																				
STD OXN134 Expected			7.667																				
STD OXC145 Expected			0.212																				
STD OXH139 Expected			1.312																				
STD OREAS45EA Expected					1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

July 26, 2018

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI18000190.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Method	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696440	Rock	0.007	1	<1	0.60	13	0.003	<20	0.04	0.002	0.02	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
REP 1696440	QC																		
1696451	Rab Sample	0.060	12	15	0.71	149	<0.001	<20	0.28	0.005	0.16	0.3	<0.01	5.9	0.2	0.31	<1	<0.5	<0.2
REP 1696451	QC	0.060	12	17	0.71	150	0.001	<20	0.28	0.006	0.16	0.3	<0.01	6.7	0.2	0.32	1	<0.5	<0.2
1696485	Rab Sample	0.028	2	4	0.50	69	<0.001	<20	0.26	0.003	0.24	1.0	<0.01	2.3	0.1	1.17	<1	<0.5	<0.2
REP 1696485	QC	0.028	2	4	0.52	72	<0.001	<20	0.27	0.003	0.24	1.0	<0.01	2.4	0.1	1.21	<1	<0.5	<0.2
Core Reject Duplicates																			
1696452	Rab Sample	0.098	12	62	1.14	568	0.045	<20	1.42	0.009	0.54	0.2	<0.01	6.3	0.2	0.46	4	<0.5	<0.2
DUP 1696452	QC	0.087	11	56	1.16	568	0.045	<20	1.37	0.008	0.54	0.2	0.01	5.6	0.2	0.46	4	<0.5	<0.2
1696486	Rab Sample	0.100	11	21	2.01	61	0.002	<20	0.45	0.006	0.24	0.3	0.03	8.0	0.1	1.72	1	<0.5	<0.2
DUP 1696486	QC	0.103	10	21	1.98	57	0.002	<20	0.41	0.006	0.23	0.3	0.03	7.9	0.1	1.70	1	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.072	18	59	0.81	431	0.090	<20	1.12	0.070	0.39	2.5	0.25	3.1	5.1	0.27	5	2.3	4.8
STD DS11	Standard	0.073	19	60	0.87	427	0.096	<20	1.18	0.072	0.40	2.6	0.28	3.4	5.0	0.31	5	2.6	4.9
STD DS11	Standard	0.073	18	61	0.82	413	0.092	<20	1.14	0.073	0.40	2.5	0.26	3.4	5.0	0.29	5	1.7	4.3
STD OREAS45EA	Standard	0.028	7	860	0.09	139	0.094	<20	3.25	0.020	0.06	<0.1	<0.01	72.7	<0.1	<0.05	12	1.3	<0.2
STD OREAS45EA	Standard	0.025	7	817	0.09	140	0.087	<20	3.04	0.020	0.05	<0.1	<0.01	74.9	<0.1	<0.05	13	0.8	<0.2
STD OREAS45EA	Standard	0.028	7	847	0.10	143	0.100	<20	3.36	0.024	0.06	<0.1	<0.01	79.7	<0.1	<0.05	13	1.4	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000190.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	4.2	1.1	34	<0.1	1.4	4.1	584	1.76	1.4	0.8	1.9	22	<0.1	<0.1	<0.1	20	0.65
ROCK-WHI	Prep Blank		<0.005	1.2	2.9	1.0	34	<0.1	0.9	4.1	599	1.92	1.6	0.7	2.1	23	<0.1	<0.1	<0.1	20	0.78



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000190.1

		AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	6	2	0.49	46	0.076	<20	0.90	0.081	0.09	<0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.046	6	2	0.49	56	0.073	<20	0.98	0.076	0.10	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: June 28, 2018
Report Date: July 25, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000191.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-20180625-03RAB
P.O. Number
Number of Samples: 17

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	16	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	17	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	17	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	17	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	17	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000191.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696499	Rab Sample	0.20	0.023	6.3	39.0	7.5	155	0.2	23.4	16.9	838	4.62	65.3	18.0	2.4	43	0.3	3.4	0.1	64	0.95
1696500	Rock Pulp	0.08	0.578	6.7	246.2	14.8	49	0.7	114.1	14.1	515	2.91	167.1	353.5	3.3	85	0.2	1.5	0.1	67	1.89
1696501	Rab Sample	5.79	<0.005	0.9	7.6	1.4	65	<0.1	11.6	9.6	852	2.86	3.7	<0.5	0.7	43	<0.1	0.7	<0.1	57	2.16
1696502	Rab Sample	2.78	<0.005	0.4	29.3	2.8	86	<0.1	25.7	17.3	748	3.26	1.7	<0.5	0.5	>2000	<0.1	0.4	<0.1	90	3.30
1696503	Rab Sample	3.49	<0.005	0.5	31.2	3.5	89	0.1	8.7	20.1	986	4.37	4.2	<0.5	1.3	188	0.1	2.7	<0.1	78	3.90
1696504	Rab Sample	4.16	<0.005	0.5	19.2	1.1	56	<0.1	5.2	11.1	628	3.08	2.1	<0.5	1.0	51	<0.1	0.6	<0.1	44	2.00
1696505	Rab Sample	2.98	<0.005	0.5	28.4	2.5	62	0.1	12.5	12.9	900	3.74	9.8	<0.5	1.2	53	<0.1	3.1	<0.1	44	2.54
1696506	Rab Sample	3.21	<0.005	0.6	74.6	4.3	108	0.4	25.2	18.6	1314	4.69	24.1	<0.5	1.4	74	0.1	1.6	<0.1	56	3.94
1696507	Rab Sample	3.12	<0.005	0.4	34.0	2.8	69	0.1	58.5	23.9	1009	4.02	54.9	<0.5	0.9	75	<0.1	2.9	<0.1	64	4.00
1696508	Rab Sample	2.90	0.018	2.6	33.1	7.5	107	0.4	40.5	12.0	860	3.14	496.6	6.5	2.1	56	0.7	7.6	0.2	35	2.28
1696509	Rab Sample	2.81	0.968	4.6	67.2	124.4	168	1.8	40.8	10.8	998	2.37	2452.0	703.3	2.2	78	2.2	28.4	0.2	12	1.72
1696510	Rab Sample	2.06	3.614	4.3	60.0	20.8	181	1.1	68.5	18.0	1178	3.52	9085.6	3304.5	2.6	145	1.7	22.8	0.2	13	2.43
1696511	Rab Sample	3.81	0.823	2.3	41.6	11.0	134	0.5	51.1	15.4	694	3.45	2263.5	650.7	5.5	73	0.7	8.3	0.2	15	1.67
1696512	Rab Sample	3.11	0.209	3.2	32.3	12.8	91	0.6	36.5	9.1	532	3.28	968.8	131.2	4.7	73	0.6	15.9	0.3	15	0.88
1696513	Rab Sample	2.42	0.079	4.3	47.4	35.1	172	0.6	62.6	19.1	968	3.41	472.0	60.8	2.7	54	1.2	17.8	0.3	22	1.63
1696514	Rab Sample	2.75	0.179	5.3	41.5	113.6	191	1.1	39.5	8.1	665	2.84	1051.5	130.3	3.7	73	2.3	59.4	0.3	16	1.35
1696515	Rab Sample	2.64	0.033	4.9	48.8	18.4	163	0.6	48.9	15.8	708	3.27	259.1	22.7	5.4	49	1.1	15.9	0.3	19	1.34



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000191.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696499	Rab Sample	0.065	11	35	0.84	644	0.025	<20	1.64	0.033	0.19	0.8	0.03	15.2	0.1	0.07	6	<0.5	<0.2			
1696500	Rock Pulp	0.034	8	103	1.48	120	0.102	<20	2.79	0.318	0.22	1.0	0.03	2.9	<0.1	0.11	6	<0.5	<0.2			
1696501	Rab Sample	0.042	3	15	1.01	217	0.029	<20	1.09	0.035	0.10	0.3	<0.01	10.7	<0.1	<0.05	4	<0.5	<0.2			
1696502	Rab Sample	0.022	3	46	2.06	3453	0.034	<20	1.34	0.020	0.17	<0.1	<0.01	14.5	<0.1	0.23	6	<0.5	<0.2			
1696503	Rab Sample	0.028	5	8	1.60	1443	0.007	<20	1.00	0.027	0.14	<0.1	0.02	19.7	<0.1	0.14	3	<0.5	<0.2			
1696504	Rab Sample	0.035	3	9	0.88	146	0.014	<20	1.09	0.045	0.12	<0.1	<0.01	12.2	<0.1	<0.05	3	<0.5	<0.2			
1696505	Rab Sample	0.042	5	21	1.39	108	0.004	<20	0.82	0.020	0.13	0.1	0.01	12.9	0.2	<0.05	2	<0.5	<0.2			
1696506	Rab Sample	0.047	4	17	1.85	382	<0.001	<20	0.60	0.018	0.13	<0.1	0.02	15.8	0.1	0.07	2	0.6	<0.2			
1696507	Rab Sample	0.029	3	62	2.01	168	<0.001	<20	0.55	0.025	0.13	<0.1	0.02	19.4	0.3	0.07	1	<0.5	<0.2			
1696508	Rab Sample	0.078	6	20	1.11	563	<0.001	<20	0.37	0.013	0.14	0.3	0.03	7.7	0.2	0.07	<1	1.6	<0.2			
1696509	Rab Sample	0.121	6	11	0.68	618	<0.001	<20	0.24	0.004	0.14	0.8	0.04	3.1	0.2	0.18	<1	1.5	<0.2			
1696510	Rab Sample	0.074	6	17	0.98	829	<0.001	<20	0.20	0.004	0.16	0.8	0.07	3.9	0.2	0.68	<1	2.3	<0.2			
1696511	Rab Sample	0.068	13	13	0.72	579	<0.001	<20	0.30	0.006	0.19	0.5	0.03	3.5	0.2	0.44	<1	1.0	<0.2			
1696512	Rab Sample	0.092	11	14	0.35	364	<0.001	<20	0.24	0.008	0.20	0.9	0.02	3.2	0.2	0.43	<1	2.0	<0.2			
1696513	Rab Sample	0.137	6	14	0.49	322	0.001	<20	0.28	0.004	0.15	0.6	0.03	4.6	0.2	0.77	<1	3.6	<0.2			
1696514	Rab Sample	0.142	7	10	0.42	434	0.001	<20	0.32	0.008	0.20	0.9	0.06	2.9	0.2	0.52	<1	2.7	<0.2			
1696515	Rab Sample	0.097	10	13	0.53	245	<0.001	<20	0.34	0.005	0.18	0.8	0.02	3.2	0.1	0.58	<1	3.0	<0.2			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

July 25, 2018

Page:

1 of 1

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000191.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1696500	Rock Pulp	0.08	0.578	6.7	246.2	14.8	49	0.7	114.1	14.1	515	2.91	167.1	353.5	3.3	85	0.2	1.5	0.1	67	1.89
REP 1696500	QC	0.547																			
1696501	Rab Sample	5.79	<0.005	0.9	7.6	1.4	65	<0.1	11.6	9.6	852	2.86	3.7	<0.5	0.7	43	<0.1	0.7	<0.1	57	2.16
REP 1696501	QC	<0.005																			
1696514	Rab Sample	2.75	0.179	5.3	41.5	113.6	191	1.1	39.5	8.1	665	2.84	1051.5	130.3	3.7	73	2.3	59.4	0.3	16	1.35
REP 1696514	QC	4.9 40.9 106.8 199 1.0 37.5 8.5 686 2.79 1035.9 126.7 3.5 70 2.6 53.7 0.3 16 1.32																			
Reference Materials																					
STD DS11	Standard	14.5 145.3 146.0 348 1.7 79.5 14.9 1061 3.14 42.5 97.5 7.3 69 2.4 7.5 12.9 50 1.09																			
STD DS11	Standard	13.7 150.4 130.3 343 1.7 73.7 12.2 1016 3.04 42.2 63.6 7.4 67 2.3 8.1 11.5 46 1.02																			
STD OREAS45EA	Standard	1.5 673.8 14.5 30 0.3 369.9 49.8 389 22.92 10.4 48.5 10.1 4 <0.1 0.3 0.3 293 0.03																			
STD OREAS45EA	Standard	1.6 710.6 15.2 36 0.3 387.9 52.1 397 23.66 12.5 56.3 10.9 4 <0.1 0.5 0.3 297 0.03																			
STD OXC145	Standard	0.210																			
STD OXH139	Standard	1.330																			
STD OXN134	Standard	7.784																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected		1.6 709 14.3 31.4 0.26 381 52 400 22.65 11.4 53 10.7 4.05 0.03 0.32 0.26 303 0.036																			
STD DS11 Expected		13.9 149 138 345 1.71 77.7 14.2 1055 3.1 42.8 79 7.65 67.3 2.37 7.2 12.2 50 1.063																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			
BLK	Blank	<0.1 0.2 <0.1 <1 <0.1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005 1.1 3.3 1.3 42 <0.1 1.2 4.1 598 1.86 1.3 <0.5 2.0 24 <0.1 <0.1 <0.1 22 0.72																			
ROCK-WHI	Prep Blank	<0.005 0.9 3.1 1.3 38 <0.1 1.0 3.7 594 1.85 1.1 <0.5 2.1 27 <0.1 <0.1 <0.1 21 0.71																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000191.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696500	Rock Pulp	0.034	8	103	1.48	120	0.102	<20	2.79	0.318	0.22	1.0	0.03	2.9	<0.1	0.11	6	<0.5	<0.2
REP 1696500	QC																		
1696501	Rab Sample	0.042	3	15	1.01	217	0.029	<20	1.09	0.035	0.10	0.3	<0.01	10.7	<0.1	<0.05	4	<0.5	<0.2
REP 1696501	QC																		
1696514	Rab Sample	0.142	7	10	0.42	434	0.001	<20	0.32	0.008	0.20	0.9	0.06	2.9	0.2	0.52	<1	2.7	<0.2
REP 1696514	QC	0.142	7	11	0.42	407	<0.001	<20	0.31	0.007	0.19	1.0	0.06	2.7	0.2	0.51	<1	3.6	<0.2
Reference Materials																			
STD DS11	Standard	0.073	19	60	0.87	427	0.096	<20	1.18	0.072	0.40	2.6	0.28	3.4	5.0	0.31	5	2.6	4.9
STD DS11	Standard	0.066	18	57	0.84	398	0.090	<20	1.18	0.077	0.41	2.5	0.27	2.9	4.9	0.27	5	2.4	4.8
STD OREAS45EA	Standard	0.025	7	817	0.09	140	0.087	<20	3.04	0.020	0.05	<0.1	<0.01	74.9	<0.1	<0.05	13	0.8	<0.2
STD OREAS45EA	Standard	0.027	7	899	0.09	150	0.103	<20	3.64	0.020	0.06	<0.1	0.01	78.4	0.1	<0.05	13	1.8	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.045	6	4	0.53	68	0.079	<20	0.89	0.052	0.07	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.046	6	3	0.50	52	0.076	<20	0.92	0.061	0.07	0.1	<0.01	2.5	<0.1	0.06	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: June 28, 2018
Report Date: July 25, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000192.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-20180625-04RAB
P.O. Number
Number of Samples: 66

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	64	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	66	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	66	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	66	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	66	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000192.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696516	Rab Sample	1.65	0.008	1.5	28.1	6.8	98	0.1	42.8	12.7	488	2.70	30.7	3.3	6.9	31	0.3	0.4	<0.1	66	0.62
1696517	Rab Sample	3.80	0.005	2.0	21.0	6.3	104	0.1	53.7	19.1	554	3.37	22.4	4.5	8.5	46	0.2	0.5	0.1	71	1.32
1696518	Rab Sample	4.85	<0.005	2.1	33.6	5.6	107	0.2	41.3	15.8	523	3.13	12.9	2.6	7.1	33	0.3	0.2	<0.1	85	1.07
1696519	Rab Sample	2.17	<0.005	3.2	64.2	8.3	342	0.4	40.6	12.5	498	3.17	5.9	0.5	7.3	35	3.2	0.2	<0.1	88	0.93
1696520	Rock	1.07	<0.005	<0.1	2.5	1.4	3	<0.1	<0.1	0.2	116	0.09	0.5	<0.5	<0.1	74	<0.1	<0.1	<0.1	<1	33.43
1696521	Rab Sample	6.33	<0.005	4.6	53.3	5.4	157	0.3	51.3	14.9	654	3.24	11.7	<0.5	2.1	44	0.8	0.6	<0.1	138	1.58
1696522	Rab Sample	3.74	<0.005	7.1	57.0	9.0	168	0.3	60.5	19.0	784	3.77	16.0	<0.5	4.6	116	1.1	0.8	<0.1	168	2.62
1696523	Rab Sample	4.81	<0.005	6.6	50.7	9.6	132	0.3	54.9	15.1	553	3.33	13.9	1.9	3.9	86	0.9	0.8	<0.1	127	1.39
1696524	Rab Sample	4.19	0.006	4.4	71.5	6.8	146	0.4	48.4	12.0	427	3.48	19.3	1.5	5.1	52	0.5	1.0	<0.1	107	0.75
1696525	Rab Sample	4.33	<0.005	9.5	79.8	9.4	247	0.5	79.8	10.2	459	2.52	36.9	<0.5	3.1	41	2.6	2.1	0.1	96	1.34
1696526	Rab Sample	3.56	<0.005	6.6	71.7	8.3	223	0.8	62.5	8.8	305	2.19	21.6	1.0	4.5	29	1.8	1.1	0.1	85	1.04
1696527	Rab Sample	3.45	<0.005	14.7	52.6	14.0	268	1.2	48.3	5.1	230	1.83	44.8	<0.5	2.9	39	2.7	1.7	0.2	78	1.06
1696528	Rab Sample	4.20	0.006	5.1	66.3	11.1	148	0.3	55.6	12.2	691	3.05	152.2	1.4	6.3	58	1.1	1.6	<0.1	43	1.22
1696529	Rab Sample	4.44	0.005	3.9	71.9	5.4	133	0.2	53.3	12.7	1025	3.55	63.8	1.2	4.5	47	0.5	1.1	<0.1	41	1.25
1696530	Rab Sample	3.64	0.007	4.3	69.4	12.6	190	0.3	86.0	21.3	1480	3.75	49.1	<0.5	6.0	62	1.1	1.5	0.1	79	2.33
1696531	Rab Sample	3.83	0.015	3.5	53.7	5.7	190	0.2	58.6	18.0	1263	3.63	52.4	1.4	3.5	67	1.1	1.9	0.2	61	1.96
1696532	Rab Sample	3.97	0.006	3.0	52.9	12.5	137	0.3	70.5	23.1	1278	4.37	303.5	1.2	5.6	70	0.3	3.6	0.1	66	2.25
1696533	Rab Sample	3.80	<0.005	2.1	56.8	9.7	138	0.2	120.9	39.6	1834	7.44	258.2	<0.5	8.7	95	0.3	4.8	0.1	125	2.28
1696534	Rab Sample	3.12	<0.005	2.3	64.0	5.8	106	0.2	55.3	26.9	1621	5.54	26.1	<0.5	5.0	62	0.2	1.4	<0.1	121	2.17
1696535	Rab Sample	3.67	0.008	5.6	65.1	11.3	90	0.3	59.5	16.4	986	3.34	69.5	<0.5	3.9	95	0.5	3.0	0.2	63	2.76
1696536	Rab Sample	3.54	0.013	4.6	49.6	26.8	130	0.5	46.7	10.0	665	3.04	375.3	1.9	2.1	110	0.9	4.1	0.2	51	1.70
1696537	Rab Sample	3.05	0.021	8.7	81.0	22.6	152	0.6	45.8	5.8	291	2.45	73.8	1.4	2.2	87	1.8	2.5	0.1	41	0.73
1696538	Rab Sample	2.94	0.006	5.2	56.5	10.2	163	0.7	47.4	8.3	371	2.63	42.8	<0.5	4.5	54	1.3	2.3	0.1	33	0.69
1696539	Rab Sample	2.84	0.007	3.8	43.3	9.3	161	0.6	40.4	8.9	295	2.56	33.7	<0.5	4.5	47	0.8	1.0	0.2	32	0.66
1696540	Rock Pulp	0.09	7.212	8.5	190.6	18.7	75	0.9	14.5	11.2	595	4.63	14.3	8021.0	2.7	74	0.2	3.9	0.5	110	0.94
1696541	Rab Sample	3.30	0.011	5.1	59.3	38.4	199	0.6	53.9	10.4	648	2.83	68.7	3.6	3.3	90	1.3	2.6	0.2	38	1.24
1696542	Rab Sample	3.00	0.079	2.9	35.4	27.7	102	0.4	43.1	11.4	958	2.93	79.4	31.0	3.1	66	0.7	3.6	0.1	29	2.62
1696543	Rab Sample	3.15	0.098	3.9	32.2	41.0	80	0.4	41.4	9.1	553	2.71	76.2	46.6	3.9	31	0.8	3.7	0.1	22	1.43
1696544	Rab Sample	2.87	0.026	2.8	49.7	21.1	108	0.3	40.8	16.3	1050	3.70	79.7	8.1	3.2	74	0.4	5.7	0.1	61	4.16
1696545	Rab Sample	3.06	0.011	3.3	54.0	11.5	121	0.2	39.6	12.3	540	2.72	68.4	5.2	3.1	53	0.7	4.4	0.2	44	2.55



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000192.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696516	Rab Sample	0.074	20	89	1.18	469	0.084	<20	1.73	0.027	0.58	0.3	0.02	5.2	0.3	<0.05	6	<0.5	<0.2			
1696517	Rab Sample	0.090	28	150	1.99	608	0.169	<20	2.53	0.060	1.14	0.5	<0.01	5.8	0.5	<0.05	8	<0.5	<0.2			
1696518	Rab Sample	0.093	19	113	1.58	385	0.134	<20	2.08	0.047	0.74	0.6	<0.01	6.4	0.4	<0.05	7	0.9	<0.2			
1696519	Rab Sample	0.086	26	84	1.24	250	0.052	<20	1.68	0.026	0.44	0.1	0.03	6.3	0.4	<0.05	6	1.3	<0.2			
1696520	Rock	0.006	1	<1	0.86	13	0.002	<20	0.02	0.001	0.01	<0.1	<0.01	1.4	<0.1	<0.05	<1	<0.5	<0.2			
1696521	Rab Sample	0.102	9	95	1.39	354	0.049	<20	1.44	0.022	0.36	0.4	0.01	10.1	0.4	0.05	5	1.5	<0.2			
1696522	Rab Sample	0.121	16	142	1.95	783	0.116	<20	2.09	0.018	1.06	0.8	0.01	12.5	0.6	0.09	8	2.1	<0.2			
1696523	Rab Sample	0.109	14	89	1.38	583	0.118	<20	1.66	0.024	0.92	0.7	0.02	9.3	0.6	0.15	6	2.9	<0.2			
1696524	Rab Sample	0.059	21	78	0.96	1254	0.099	<20	1.48	0.016	0.82	0.5	<0.01	7.4	0.4	0.40	6	3.3	<0.2			
1696525	Rab Sample	0.142	12	48	0.55	544	0.017	<20	0.59	0.008	0.20	1.3	0.03	4.6	0.4	0.37	3	6.5	<0.2			
1696526	Rab Sample	0.077	16	36	0.53	390	0.023	<20	0.67	0.007	0.29	0.8	0.01	5.0	0.4	0.46	3	3.7	<0.2			
1696527	Rab Sample	0.115	11	21	0.35	330	0.007	<20	0.40	0.009	0.18	2.2	0.02	3.0	0.2	0.52	2	5.7	<0.2			
1696528	Rab Sample	0.031	13	28	0.49	233	0.003	<20	0.34	0.004	0.13	0.6	0.12	4.8	0.9	0.20	2	1.5	<0.2			
1696529	Rab Sample	0.032	9	27	0.59	266	0.002	<20	0.36	0.004	0.12	0.3	0.08	4.7	0.8	0.09	2	1.3	<0.2			
1696530	Rab Sample	0.084	14	66	1.21	211	0.023	<20	0.98	0.007	0.43	0.2	0.09	11.5	1.2	0.21	4	1.7	<0.2			
1696531	Rab Sample	0.076	12	53	1.09	1276	0.028	<20	0.92	0.005	0.42	0.5	0.06	7.1	1.0	0.22	4	1.7	<0.2			
1696532	Rab Sample	0.071	16	46	1.21	942	0.029	<20	0.87	0.006	0.42	0.2	0.06	10.9	0.6	0.12	4	0.7	<0.2			
1696533	Rab Sample	0.047	41	110	2.12	1116	0.157	<20	2.13	0.011	1.37	<0.1	0.02	18.3	0.7	0.06	9	0.7	<0.2			
1696534	Rab Sample	0.119	27	52	1.73	1111	0.136	<20	1.85	0.014	1.21	0.1	0.05	15.2	0.9	0.07	8	1.3	<0.2			
1696535	Rab Sample	0.079	8	49	1.14	763	0.006	<20	0.62	0.006	0.23	0.2	0.17	8.6	1.4	0.13	3	1.8	<0.2			
1696536	Rab Sample	0.056	4	19	0.54	439	0.001	<20	0.37	0.005	0.13	0.2	0.77	5.8	3.5	0.31	2	7.2	<0.2			
1696537	Rab Sample	0.142	7	13	0.11	400	0.002	<20	0.35	0.003	0.14	0.6	0.29	2.9	1.5	0.35	1	14.3	<0.2			
1696538	Rab Sample	0.124	13	17	0.15	183	0.002	<20	0.35	0.003	0.14	0.5	0.10	2.3	0.6	<0.05	1	4.9	<0.2			
1696539	Rab Sample	0.057	12	15	0.11	141	0.002	<20	0.33	0.005	0.15	0.4	0.08	2.4	0.7	0.22	1	3.7	<0.2			
1696540	Rock Pulp	0.063	8	18	0.83	130	0.136	<20	1.73	0.174	0.22	4.7	0.21	3.6	<0.1	<0.05	6	0.6	<0.2			
1696541	Rab Sample	0.089	9	18	0.43	724	0.002	<20	0.40	0.005	0.17	0.5	0.11	3.2	0.7	0.25	2	3.0	<0.2			
1696542	Rab Sample	0.041	6	14	0.81	346	0.002	<20	0.36	0.004	0.16	0.6	0.16	3.4	0.6	0.85	1	2.1	<0.2			
1696543	Rab Sample	0.055	9	13	0.38	163	0.002	<20	0.31	0.004	0.16	1.1	0.10	1.8	0.6	0.62	1	1.7	<0.2			
1696544	Rab Sample	0.044	8	23	1.74	464	0.002	<20	0.51	0.004	0.16	0.2	0.06	9.4	0.4	0.07	2	1.2	<0.2			
1696545	Rab Sample	0.056	6	17	1.17	143	0.002	<20	0.36	0.004	0.12	0.4	0.11	5.9	0.3	<0.05	1	2.2	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000192.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696546	Rab Sample	3.25	0.009	2.2	38.9	12.2	101	0.2	50.1	12.3	677	2.92	99.6	6.0	3.4	97	0.4	3.7	0.1	47	4.44
1696547	Rab Sample	2.78	0.010	1.7	26.3	11.4	77	0.2	34.3	7.9	441	2.32	88.1	5.9	4.1	59	0.3	1.9	0.5	27	2.14
1696548	Rab Sample	3.88	0.007	1.0	16.0	14.1	58	0.1	9.0	4.0	329	1.49	23.7	6.1	10.6	40	0.1	0.7	0.5	11	1.49
1696549	Rab Sample	1.22	0.049	2.3	37.6	20.1	74	0.3	29.2	8.7	544	2.52	34.2	33.6	3.9	44	0.3	1.6	0.1	37	1.88
1696550	Rab Sample	1.13	0.007	1.5	40.1	8.8	88	0.2	42.9	12.1	562	3.24	60.1	3.4	2.6	69	0.2	3.3	0.1	76	2.32
1696551	Rab Sample	1.18	0.005	2.4	53.3	8.8	91	0.2	44.7	14.0	556	3.46	42.2	2.3	5.0	47	0.2	1.9	0.1	77	1.81
1696552	Rab Sample	1.96	0.007	1.7	41.7	9.4	74	0.1	40.2	14.1	700	3.24	25.0	3.1	4.1	61	0.1	0.8	0.2	74	2.38
1696553	Rab Sample	3.55	<0.005	2.1	43.1	8.5	90	0.2	48.6	14.0	558	3.48	14.5	3.4	5.0	47	0.2	0.9	0.1	95	1.65
1696554	Rab Sample	3.38	<0.005	1.6	33.7	9.6	58	0.1	62.6	16.5	714	3.44	71.7	1.0	6.0	106	0.1	1.5	<0.1	63	4.21
1696555	Rab Sample	3.56	<0.005	1.4	37.0	8.1	78	<0.1	122.1	26.1	889	4.06	48.9	1.6	6.5	116	<0.1	2.0	<0.1	91	4.10
1696556	Rab Sample	3.03	<0.005	1.2	31.2	10.4	55	0.1	94.4	20.5	1137	3.65	50.7	1.2	5.5	111	<0.1	1.4	0.1	70	5.35
1696557	Rab Sample	3.27	<0.005	1.5	28.1	13.8	72	0.1	29.6	8.7	608	2.39	38.1	1.6	8.8	53	0.2	1.5	0.4	29	2.40
1696558	Rab Sample	3.14	0.006	1.5	28.2	11.2	79	0.1	25.9	11.7	641	3.24	28.2	<0.5	5.7	93	0.2	1.2	0.3	58	2.90
1696559	Rab Sample	3.79	<0.005	1.7	41.0	9.1	121	0.2	32.6	11.6	570	4.19	12.2	1.5	7.2	66	0.3	0.7	0.2	93	2.14
1696560	Rock	0.36	<0.005	<0.1	3.2	0.6	2	<0.1	0.3	0.2	94	0.08	1.0	1.5	<0.1	74	<0.1	<0.1	<0.1	<1	32.97
1696561	Rab Sample	3.24	<0.005	1.2	19.8	12.2	65	0.1	17.6	7.8	393	2.26	25.6	0.8	9.6	50	0.2	1.2	0.2	33	1.88
1696562	Rab Sample	2.98	<0.005	1.7	33.2	10.7	71	0.1	33.1	12.5	561	2.86	14.7	1.1	6.0	70	0.2	1.1	0.1	59	2.57
1696563	Rab Sample	3.29	<0.005	1.9	33.8	8.1	68	0.2	30.9	11.9	494	2.92	11.0	1.4	7.3	52	0.2	0.6	0.2	63	1.75
1696564	Rab Sample	2.64	<0.005	1.8	39.9	5.5	78	0.1	37.4	11.5	357	2.90	5.3	1.2	6.5	29	0.1	0.3	0.1	85	0.82
1696565	Rab Sample	2.93	<0.005	1.8	41.0	6.0	74	0.1	36.8	12.4	437	3.22	7.8	0.5	6.1	33	0.1	0.3	0.1	101	0.92
1696566	Rab Sample	1.58	<0.005	1.8	40.5	5.2	79	0.2	36.4	13.7	450	3.29	3.8	0.7	6.4	37	0.2	0.2	0.1	99	0.91
1696567	Rab Sample	2.33	0.009	2.6	41.8	9.0	77	0.2	45.8	13.6	559	3.26	34.0	8.0	5.3	57	0.2	1.5	0.1	81	2.00
1696568	Rab Sample	1.83	<0.005	2.2	37.6	8.3	81	0.2	43.2	14.4	600	3.28	28.2	4.4	5.2	59	0.2	1.3	0.1	80	1.99
1696569	Rab Sample	1.41	0.006	2.4	36.9	8.2	71	0.2	42.6	13.0	552	3.18	27.5	1.4	5.0	54	0.2	1.3	0.1	81	1.99
1696570	Rab Sample	1.07	0.005	1.9	34.5	7.5	73	0.2	41.6	13.5	524	3.29	19.2	2.1	4.9	49	0.1	0.9	0.1	89	1.87
1696571	Rab Sample	0.83	<0.005	2.4	35.6	7.2	74	0.2	38.0	12.2	519	3.11	17.9	1.1	5.0	43	0.2	0.9	0.1	84	1.58
1696572	Rab Sample	1.48	0.005	1.7	39.0	5.2	71	0.2	39.6	11.9	446	3.05	6.3	0.8	5.0	26	0.1	0.3	<0.1	96	1.01
1696573	Rab Sample	1.38	<0.005	2.1	40.0	7.7	81	0.2	39.7	13.0	541	3.21	6.5	0.8	4.9	35	0.2	0.4	0.1	95	1.20
1696574	Rab Sample	1.58	0.005	1.8	39.9	7.2	85	0.2	38.4	14.6	514	3.22	8.3	<0.5	5.3	34	0.1	0.5	0.1	94	1.10
1696575	Rab Sample	1.59	0.005	2.2	34.0	6.5	82	0.1	35.0	12.2	483	3.11	9.5	<0.5	6.0	38	0.2	0.5	0.1	90	1.20



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000192.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696546	Rab Sample	0.045	7	28	1.93	93	0.002	<20	0.43	0.005	0.13	0.2	0.08	6.8	0.2	<0.05	2	1.0	<0.2			
1696547	Rab Sample	0.026	9	17	0.97	105	0.001	<20	0.37	0.004	0.14	0.2	0.07	4.0	0.3	<0.05	1	1.0	<0.2			
1696548	Rab Sample	0.028	27	6	0.61	420	<0.001	<20	0.44	0.002	0.13	0.2	0.05	3.7	0.2	0.15	1	0.8	<0.2			
1696549	Rab Sample	0.039	8	20	0.82	143	0.005	<20	0.47	0.003	0.16	<0.1	0.05	4.4	0.3	0.11	2	1.9	<0.2			
1696550	Rab Sample	0.061	7	41	0.99	221	0.003	<20	0.45	0.002	0.12	<0.1	0.08	9.9	0.3	0.05	2	1.0	<0.2			
1696551	Rab Sample	0.062	11	40	0.79	160	0.006	<20	0.60	0.003	0.18	0.2	0.05	9.0	0.5	0.07	3	0.8	<0.2			
1696552	Rab Sample	0.074	8	30	1.03	122	0.004	<20	0.63	0.003	0.21	0.1	0.03	10.5	0.4	0.05	3	0.9	<0.2			
1696553	Rab Sample	0.066	14	54	1.13	467	0.042	<20	1.02	0.017	0.55	0.1	0.04	12.3	0.5	0.07	5	0.7	<0.2			
1696554	Rab Sample	0.068	12	56	1.85	438	0.005	<20	0.69	0.007	0.23	<0.1	0.02	10.8	0.3	0.05	3	0.5	<0.2			
1696555	Rab Sample	0.084	19	142	2.98	269	0.038	<20	1.91	0.025	0.83	<0.1	0.02	14.8	0.6	<0.05	6	<0.5	<0.2			
1696556	Rab Sample	0.063	13	90	2.53	188	0.008	<20	0.99	0.018	0.42	<0.1	0.02	12.4	0.5	0.05	3	<0.5	<0.2			
1696557	Rab Sample	0.029	19	24	1.07	245	0.002	<20	0.53	0.004	0.17	0.1	0.03	6.3	0.2	<0.05	2	0.8	<0.2			
1696558	Rab Sample	0.049	15	28	1.24	219	0.019	<20	1.30	0.069	0.26	0.2	0.01	10.2	0.4	0.17	3	<0.5	<0.2			
1696559	Rab Sample	0.067	21	32	1.51	430	0.061	<20	1.97	0.036	0.79	0.2	0.01	10.8	0.5	0.60	6	2.1	<0.2			
1696560	Rock	0.006	1	<1	0.38	14	0.001	<20	0.03	<0.001	<0.01	<0.1	<0.01	1.3	<0.1	<0.05	<1	<0.5	<0.2			
1696561	Rab Sample	0.043	30	22	0.93	208	0.013	<20	0.88	0.008	0.26	0.2	0.01	6.7	0.2	0.20	3	<0.5	<0.2			
1696562	Rab Sample	0.039	16	51	1.32	443	0.037	<20	1.09	0.015	0.47	0.3	<0.01	9.4	0.3	0.26	3	0.8	<0.2			
1696563	Rab Sample	0.049	23	57	1.18	494	0.083	<20	1.29	0.029	0.74	1.0	0.01	7.5	0.4	0.32	5	0.5	<0.2			
1696564	Rab Sample	0.063	21	59	1.09	495	0.118	<20	1.62	0.028	0.95	1.0	<0.01	6.0	0.3	0.21	6	<0.5	<0.2			
1696565	Rab Sample	0.067	18	63	1.18	658	0.127	<20	1.78	0.039	0.99	0.7	<0.01	8.1	0.3	0.20	6	0.5	<0.2			
1696566	Rab Sample	0.066	19	60	1.22	600	0.126	<20	1.71	0.040	0.95	0.7	<0.01	7.9	0.4	0.29	7	0.6	<0.2			
1696567	Rab Sample	0.063	15	60	1.22	425	0.056	<20	1.23	0.024	0.56	0.5	0.03	9.5	0.4	0.21	5	<0.5	<0.2			
1696568	Rab Sample	0.061	14	58	1.21	392	0.053	<20	1.18	0.022	0.54	0.3	0.02	8.7	0.4	0.18	4	0.5	<0.2			
1696569	Rab Sample	0.062	14	56	1.19	378	0.052	<20	1.16	0.020	0.53	0.3	0.03	8.9	0.3	0.17	4	0.7	<0.2			
1696570	Rab Sample	0.062	15	61	1.29	400	0.067	<20	1.36	0.022	0.62	0.2	0.02	8.7	0.3	0.18	5	0.6	<0.2			
1696571	Rab Sample	0.060	16	57	1.18	423	0.067	<20	1.34	0.021	0.60	0.3	0.01	7.9	0.3	0.20	5	0.8	<0.2			
1696572	Rab Sample	0.054	14	63	1.15	567	0.092	<20	1.54	0.033	0.71	0.5	<0.01	6.9	0.2	0.24	6	<0.5	<0.2			
1696573	Rab Sample	0.066	16	55	1.17	438	0.085	<20	1.45	0.028	0.71	0.8	<0.01	7.1	0.3	0.28	6	<0.5	<0.2			
1696574	Rab Sample	0.073	16	55	1.14	479	0.103	<20	1.55	0.032	0.82	0.6	<0.01	7.2	0.4	0.25	6	0.7	<0.2			
1696575	Rab Sample	0.060	17	58	1.17	462	0.106	<20	1.60	0.032	0.86	0.9	<0.01	7.6	0.3	0.25	5	0.8	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000192.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696576	Rab Sample	1.34	0.005	2.6	44.3	7.7	74	0.2	46.2	13.7	485	3.34	6.3	1.0	5.5	32	0.2	0.3	0.1	94	1.04
1696577	Rab Sample	1.68	<0.005	1.9	36.8	6.9	66	0.1	41.1	10.6	379	2.81	8.5	0.8	6.4	24	0.2	0.5	<0.1	71	0.76
1696578	Rab Sample	1.65	<0.005	2.7	47.0	9.2	84	0.2	47.2	14.1	516	3.40	6.5	<0.5	6.1	31	0.2	0.3	0.1	98	1.01
1696579	Rab Sample	2.39	0.021	2.4	42.3	8.2	84	0.2	47.8	17.0	659	3.88	6.2	12.0	4.7	40	0.2	0.3	1.9	120	1.56
1696580	Rock Pulp	0.08	1.177	4.5	175.2	39.2	223	0.7	89.2	14.6	530	2.97	16.0	797.0	3.5	98	1.0	0.8	0.3	80	1.85
1696581	Rab Sample	2.30	0.008	2.9	44.2	8.1	75	0.2	59.4	15.5	529	3.35	6.7	2.8	5.3	34	0.2	0.4	0.4	92	1.17



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000192.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696576	Rab Sample	0.062	18	56	1.12	452	0.102	<20	1.48	0.029	0.81	1.0	<0.01	7.2	0.4	0.33	6	0.7	<0.2
1696577	Rab Sample	0.057	18	45	0.87	347	0.083	<20	1.35	0.020	0.70	0.8	<0.01	5.4	0.4	0.22	5	0.9	<0.2
1696578	Rab Sample	0.069	20	66	1.13	551	0.116	<20	1.61	0.033	0.88	1.5	<0.01	7.9	0.4	0.36	6	0.8	<0.2
1696579	Rab Sample	0.084	16	61	1.35	570	0.141	<20	1.87	0.034	0.97	1.1	0.01	10.1	0.4	0.41	7	0.8	<0.2
1696580	Rock Pulp	0.037	8	68	1.33	139	0.143	<20	2.71	0.355	0.29	6.8	0.06	3.2	0.1	0.11	6	<0.5	<0.2
1696581	Rab Sample	0.069	17	72	1.17	483	0.107	<20	1.58	0.026	0.81	1.3	<0.01	7.3	0.4	0.33	6	0.9	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000192.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1696517	Rab Sample	3.80	0.005	2.0	21.0	6.3	104	0.1	53.7	19.1	554	3.37	22.4	4.5	8.5	46	0.2	0.5	0.1	71	1.32
REP 1696517	QC			1.7	19.7	6.0	103	0.1	54.9	17.7	548	3.30	24.9	3.9	8.0	44	0.3	0.5	0.1	69	1.28
1696550	Rab Sample	1.13	0.007	1.5	40.1	8.8	88	0.2	42.9	12.1	562	3.24	60.1	3.4	2.6	69	0.2	3.3	0.1	76	2.32
REP 1696550	QC			1.6	39.4	8.5	85	0.2	42.4	11.4	600	3.30	59.5	3.7	2.7	63	0.2	2.8	0.1	79	2.40
1696551	Rab Sample	1.18	0.005	2.4	53.3	8.8	91	0.2	44.7	14.0	556	3.46	42.2	2.3	5.0	47	0.2	1.9	0.1	77	1.81
REP 1696551	QC		0.005																		
1696579	Rab Sample	2.39	0.021	2.4	42.3	8.2	84	0.2	47.8	17.0	659	3.88	6.2	12.0	4.7	40	0.2	0.3	1.9	120	1.56
REP 1696579	QC		0.021																		
Core Reject Duplicates																					
1696531	Rab Sample	3.83	0.015	3.5	53.7	5.7	190	0.2	58.6	18.0	1263	3.63	52.4	1.4	3.5	67	1.1	1.9	0.2	61	1.96
DUP 1696531	QC		0.016	3.3	55.5	5.9	183	0.2	67.4	17.7	1274	3.57	54.8	2.2	3.4	72	1.3	1.9	0.2	62	1.99
1696565	Rab Sample	2.93	<0.005	1.8	41.0	6.0	74	0.1	36.8	12.4	437	3.22	7.8	0.5	6.1	33	0.1	0.3	0.1	101	0.92
DUP 1696565	QC		<0.005	2.1	42.4	6.2	82	0.2	43.1	14.3	389	3.23	8.0	0.6	6.0	37	0.1	0.3	0.1	105	0.95
Reference Materials																					
STD DS11	Standard			14.3	145.1	140.8	322	1.8	73.4	12.2	1037	3.12	40.6	58.3	7.2	62	2.5	5.8	11.4	49	1.06
STD DS11	Standard			14.7	143.8	133.9	373	1.8	82.9	13.1	1024	3.12	42.2	70.5	7.3	68	2.4	6.7	11.9	48	1.05
STD OREAS45EA	Standard			1.6	702.0	14.5	30	0.2	391.0	51.4	429	23.60	11.2	55.9	10.9	4	<0.1	0.3	0.3	330	0.03
STD OREAS45EA	Standard			1.8	708.2	14.7	32	0.3	397.2	56.6	423	24.81	11.8	56.6	10.6	4	<0.1	0.3	0.3	328	0.03
STD OXC145	Standard		0.218																		
STD OXC145	Standard		0.215																		
STD OXH139	Standard		1.297																		
STD OXH139	Standard		1.302																		
STD OXN134	Standard		7.595																		
STD OXN134	Standard		7.674																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000192.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1696517 Rab Sample	0.090	28	150	1.99	608	0.169	<20	2.53	0.060	1.14	0.5	<0.01	5.8	0.5	<0.05	8	<0.5	<0.2
REP 1696517 QC	0.084	27	144	1.92	594	0.160	<20	2.47	0.058	1.11	0.6	0.01	5.7	0.5	<0.05	8	0.9	<0.2
1696550 Rab Sample	0.061	7	41	0.99	221	0.003	<20	0.45	0.002	0.12	<0.1	0.08	9.9	0.3	0.05	2	1.0	<0.2
REP 1696550 QC	0.056	7	40	1.02	222	0.003	<20	0.46	0.003	0.12	<0.1	0.07	10.0	0.3	0.05	2	0.9	<0.2
1696551 Rab Sample	0.062	11	40	0.79	160	0.006	<20	0.60	0.003	0.18	0.2	0.05	9.0	0.5	0.07	3	0.8	<0.2
REP 1696551 QC																		
1696579 Rab Sample	0.084	16	61	1.35	570	0.141	<20	1.87	0.034	0.97	1.1	0.01	10.1	0.4	0.41	7	0.8	<0.2
REP 1696579 QC																		
Core Reject Duplicates																		
1696531 Rab Sample	0.076	12	53	1.09	1276	0.028	<20	0.92	0.005	0.42	0.5	0.06	7.1	1.0	0.22	4	1.7	<0.2
DUP 1696531 QC	0.077	12	54	1.08	1415	0.027	<20	0.90	0.005	0.41	0.6	0.07	7.2	1.0	0.23	4	1.6	<0.2
1696565 Rab Sample	0.067	18	63	1.18	658	0.127	<20	1.78	0.039	0.99	0.7	<0.01	8.1	0.3	0.20	6	0.5	<0.2
DUP 1696565 QC	0.060	19	67	1.22	687	0.135	<20	1.91	0.045	1.03	0.6	<0.01	8.5	0.4	0.20	7	0.8	<0.2
Reference Materials																		
STD DS11 Standard	0.071	18	54	0.84	385	0.092	<20	1.13	0.071	0.39	3.0	0.24	3.0	5.1	0.28	5	2.3	4.7
STD DS11 Standard	0.069	19	59	0.84	448	0.090	<20	1.12	0.072	0.40	2.8	0.27	3.1	5.1	0.28	5	3.1	4.5
STD OREAS45EA Standard	0.027	7	876	0.09	141	0.096	<20	3.15	0.019	0.05	<0.1	0.01	77.0	<0.1	<0.05	13	1.0	<0.2
STD OREAS45EA Standard	0.030	8	942	0.09	155	0.096	<20	3.34	0.019	0.05	<0.1	<0.01	78.4	<0.1	<0.05	13	1.7	<0.2
STD OXC145 Standard																		
STD OXC145 Standard																		
STD OXH139 Standard																		
STD OXH139 Standard																		
STD OXN134 Standard																		
STD OXN134 Standard																		
STD OXN134 Expected																		
STD OXC145 Expected																		
STD OXH139 Expected																		
STD OREAS45EA Expected	0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000192.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.9	7.6	4.2	44	<0.1	1.0	3.8	564	1.83	1.5	0.5	1.9	27	<0.1	<0.1	<0.1	24	0.72
ROCK-WHI	Prep Blank		0.007	0.8	5.1	1.5	38	<0.1	1.1	3.7	555	1.77	1.4	<0.5	2.0	23	<0.1	<0.1	<0.1	20	0.72



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000192.1

		AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	6	2	0.51	56	0.078	<20	1.04	0.070	0.07	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.039	6	2	0.47	49	0.067	<20	0.91	0.059	0.08	<0.1	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson

Receiving Lab: Canada-Whitehorse

Received: June 28, 2018

Report Date: July 27, 2018

Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000193.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-20180625-05RAB
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	67	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	68	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	68	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	68	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	68	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000193.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696582	Rab Sample	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1696583	Rab Sample	3.91	0.009	4.9	55.2	8.4	98	0.5	22.2	4.7	193	2.49	63.3	3.9	6.1	28	0.5	2.1	0.2	56	0.24
1696584	Rab Sample	5.99	<0.005	4.6	51.9	6.9	93	0.4	28.8	6.8	213	2.18	30.0	1.2	5.5	24	0.8	1.9	0.2	80	0.23
1696585	Rab Sample	2.63	<0.005	3.6	41.3	6.2	111	0.4	26.7	4.7	156	2.23	40.0	1.4	5.3	13	0.5	3.3	0.2	47	0.19
1696586	Rab Sample	3.15	0.006	7.1	77.3	5.4	203	0.6	62.6	10.0	262	2.18	212.4	2.2	5.0	22	3.2	7.3	0.2	55	0.21
1696587	Rab Sample	3.23	0.007	7.0	61.8	4.4	280	0.4	68.4	10.3	321	1.86	204.8	1.0	4.1	12	1.7	7.7	0.1	114	0.21
1696588	Rab Sample	3.47	0.007	7.7	59.5	7.6	283	0.5	59.6	9.0	421	2.04	280.8	2.9	3.4	28	2.9	6.0	0.2	66	1.13
1696589	Rab Sample	3.76	<0.005	4.4	59.5	4.6	136	0.3	52.3	9.7	382	2.82	45.2	1.7	4.7	18	0.4	2.9	0.3	74	0.25
1696590	Rab Sample	3.05	0.007	11.5	89.4	7.2	69	0.7	17.6	3.1	115	1.90	14.7	1.5	5.2	19	2.1	0.7	0.2	84	0.12
1696591	Rab Sample	3.19	0.007	8.8	72.0	6.2	230	0.6	55.5	10.6	292	2.30	63.8	1.1	5.1	14	1.7	1.9	0.2	99	0.28
1696592	Rab Sample	0.98	0.007	9.3	56.3	7.8	202	0.5	59.3	6.4	296	2.02	70.7	<0.5	3.8	32	1.1	2.3	0.1	110	0.79
1696593	Rab Sample	3.29	<0.005	5.7	52.1	13.7	241	0.4	88.9	13.0	613	2.66	260.3	2.0	4.5	43	1.8	7.2	0.2	81	1.45
1696594	Rab Sample	3.60	0.007	12.7	78.1	11.8	380	0.7	75.8	6.6	266	1.88	94.1	0.8	3.2	34	4.3	8.2	0.2	101	0.75
1696595	Rab Sample	2.98	0.007	6.9	52.6	9.4	242	0.6	55.7	7.2	276	2.15	51.0	2.0	4.8	28	1.6	4.7	0.1	40	0.67
1696596	Rab Sample	2.67	0.006	5.6	58.2	23.4	212	0.5	43.4	6.8	138	2.15	368.1	1.5	5.1	24	1.7	5.7	0.3	34	0.36
1696597	Rab Sample	3.29	0.009	8.3	62.2	9.9	190	0.5	53.9	8.9	242	2.09	64.2	1.6	3.1	37	1.8	5.2	0.1	49	0.85
1696598	Rab Sample	3.42	0.044	4.6	60.2	17.4	184	0.8	61.0	11.3	433	2.88	2108.2	30.3	5.2	60	1.5	12.3	0.4	39	1.00
1696599	Rab Sample	3.48	<0.005	3.3	57.8	9.1	151	0.3	54.6	10.7	486	2.85	61.5	0.6	5.6	40	0.8	5.7	0.1	62	0.90
1696600	Rock	0.53	<0.005	<0.1	0.7	0.7	<1	<0.1	1.3	0.7	128	0.09	7.9	0.7	<0.1	79	<0.1	<0.1	<0.1	<1	31.73
1696601	Rab Sample	3.41	0.010	5.6	53.6	15.2	128	0.3	40.1	10.4	411	2.91	49.9	2.1	4.3	43	0.7	4.1	0.3	61	1.01
1696602	Rab Sample	3.13	0.463	3.3	60.4	24.3	132	0.6	47.4	10.3	588	2.46	2669.7	362.5	2.7	93	1.2	29.0	0.2	34	1.34
1696603	Rab Sample	2.82	0.421	3.6	66.2	12.2	162	0.5	37.8	12.0	831	3.32	4275.6	310.8	3.0	101	0.9	22.5	0.2	42	1.95
1696604	Rab Sample	3.63	0.011	2.8	66.7	8.9	85	0.5	29.3	11.4	784	3.20	126.0	5.9	2.6	52	0.3	7.6	0.1	38	1.73
1696605	Rab Sample	3.38	0.053	3.2	56.1	9.4	64	0.5	30.5	7.0	604	2.28	2026.4	35.7	1.4	89	0.4	22.9	0.1	25	2.58
1696606	Rab Sample	3.82	0.122	3.7	56.0	11.1	134	0.5	44.1	12.3	872	3.35	1634.1	29.9	2.0	113	0.9	11.4	0.1	72	2.21
1696607	Rab Sample	3.68	0.006	1.4	65.8	10.1	112	0.3	21.1	18.4	1165	4.71	91.5	5.5	2.2	73	0.3	14.7	<0.1	113	3.85
1696608	Rab Sample	3.60	<0.005	2.8	72.4	8.6	66	0.4	32.9	11.9	825	3.18	45.1	2.9	2.8	36	0.3	3.7	0.2	58	1.79
1696609	Rab Sample	3.95	0.006	2.6	59.9	14.9	100	0.3	29.6	13.1	815	3.61	98.0	3.2	2.7	61	0.4	8.5	0.2	58	2.14
1696610	Rab Sample	3.35	0.007	4.4	79.2	17.2	104	0.5	44.3	10.2	772	2.84	173.8	2.2	2.2	69	1.2	9.6	0.2	49	1.79
1696611	Rab Sample	3.74	<0.005	3.3	75.6	8.4	184	0.4	52.8	12.2	611	3.25	33.9	4.2	5.8	32	0.7	5.5	0.2	67	1.20



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000193.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696582	Rab Sample	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1696583	Rab Sample	0.067	17	30	0.57	253	0.021	<20	1.09	0.024	0.36	1.3	<0.01	2.6	0.3	0.16	4	2.7	<0.2
1696584	Rab Sample	0.087	15	38	0.85	281	0.029	<20	1.24	0.024	0.39	1.2	<0.01	3.2	0.2	0.23	4	3.3	<0.2
1696585	Rab Sample	0.090	14	26	0.60	257	0.008	<20	0.98	0.016	0.24	1.0	<0.01	2.0	0.1	0.12	4	3.2	<0.2
1696586	Rab Sample	0.101	13	25	0.49	277	0.016	<20	0.98	0.012	0.28	0.9	<0.01	2.3	0.3	0.08	3	5.6	<0.2
1696587	Rab Sample	0.079	15	32	0.53	367	0.014	<20	0.96	0.005	0.24	0.9	0.01	3.1	0.2	<0.05	4	5.2	<0.2
1696588	Rab Sample	0.152	11	25	0.51	216	0.003	<20	0.61	0.004	0.15	1.0	0.02	2.8	0.1	0.05	2	2.4	<0.2
1696589	Rab Sample	0.110	20	30	0.66	495	0.031	<20	1.21	0.010	0.42	0.8	0.02	3.6	0.4	0.11	4	2.6	<0.2
1696590	Rab Sample	0.135	13	31	0.36	283	0.019	<20	0.82	0.016	0.37	1.4	<0.01	2.6	0.2	0.33	3	5.9	<0.2
1696591	Rab Sample	0.145	17	36	0.69	301	0.010	<20	1.09	0.012	0.26	1.0	<0.01	3.0	0.2	0.18	4	5.3	<0.2
1696592	Rab Sample	0.134	12	32	0.57	300	0.004	<20	0.78	0.013	0.19	2.0	<0.01	2.8	0.1	0.24	3	3.3	<0.2
1696593	Rab Sample	0.118	14	76	1.41	199	0.016	<20	1.28	0.006	0.28	0.7	<0.01	7.1	0.3	0.08	4	3.3	<0.2
1696594	Rab Sample	0.180	12	23	0.28	235	0.003	<20	0.51	0.008	0.22	2.0	0.01	2.5	0.2	0.08	2	4.7	<0.2
1696595	Rab Sample	0.064	11	12	0.27	303	0.002	<20	0.40	0.007	0.20	0.7	<0.01	1.7	0.1	0.15	1	3.7	<0.2
1696596	Rab Sample	0.063	12	13	0.09	255	0.002	<20	0.47	0.008	0.24	1.1	0.02	1.4	0.1	0.18	1	3.9	<0.2
1696597	Rab Sample	0.105	9	18	0.33	361	0.002	<20	0.49	0.006	0.17	1.4	0.02	2.2	0.1	0.28	2	3.1	<0.2
1696598	Rab Sample	0.088	15	31	0.79	182	0.003	<20	0.89	0.008	0.27	1.4	0.01	2.9	0.2	0.27	3	3.4	<0.2
1696599	Rab Sample	0.076	17	42	1.04	164	0.010	<20	1.21	0.008	0.27	0.6	<0.01	4.1	0.2	0.22	4	2.4	<0.2
1696600	Rock	0.008	1	<1	1.43	14	0.001	<20	0.04	0.002	0.02	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1696601	Rab Sample	0.075	12	67	1.09	197	0.018	<20	1.20	0.020	0.38	0.8	0.01	5.2	0.3	0.45	3	3.7	<0.2
1696602	Rab Sample	0.040	9	28	0.66	656	0.002	<20	0.63	0.005	0.22	0.8	0.18	4.2	0.5	0.24	2	1.6	<0.2
1696603	Rab Sample	0.053	6	15	0.68	465	<0.001	<20	0.49	0.009	0.20	0.4	0.32	4.6	0.9	0.53	1	1.5	<0.2
1696604	Rab Sample	0.009	5	18	0.43	201	<0.001	<20	0.64	0.006	0.20	0.4	0.92	4.6	3.1	0.94	2	1.2	<0.2
1696605	Rab Sample	0.013	3	13	1.12	285	<0.001	<20	0.32	0.006	0.13	1.5	0.39	2.9	1.3	0.50	<1	1.3	<0.2
1696606	Rab Sample	0.045	4	22	0.93	474	<0.001	<20	0.58	0.008	0.21	0.3	0.14	7.9	0.4	0.55	2	1.9	<0.2
1696607	Rab Sample	0.015	6	16	1.82	126	<0.001	<20	0.68	0.007	0.09	0.2	0.13	20.6	0.5	0.41	2	1.4	<0.2
1696608	Rab Sample	0.012	5	27	0.88	223	<0.001	<20	0.54	0.012	0.12	0.4	0.15	7.6	0.9	0.34	2	0.7	<0.2
1696609	Rab Sample	0.021	6	16	1.10	198	<0.001	<20	0.63	0.008	0.17	0.4	0.11	10.0	0.7	0.33	2	0.9	<0.2
1696610	Rab Sample	0.033	4	20	0.57	373	<0.001	<20	0.51	0.006	0.14	0.9	0.22	4.8	1.0	0.85	2	1.9	<0.2
1696611	Rab Sample	0.069	16	28	0.89	388	0.025	<20	1.09	0.014	0.43	0.7	0.05	5.7	1.2	0.55	4	1.8	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000193.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696612	Rab Sample	3.64	<0.005	3.3	42.1	6.9	146	0.4	42.2	11.4	429	3.19	33.0	3.1	4.7	29	0.5	3.4	0.1	97	0.77
1696613	Rab Sample	3.97	<0.005	2.4	38.0	12.4	85	0.2	36.2	7.9	403	2.77	25.8	1.4	6.3	41	0.3	3.2	0.1	53	1.08
1696614	Rab Sample	3.78	<0.005	1.7	31.9	15.5	72	0.1	20.6	6.1	329	2.27	31.0	1.8	10.4	41	0.2	3.2	0.2	38	1.11
1696615	Rab Sample	3.99	<0.005	1.4	17.2	10.3	75	0.1	10.2	6.6	355	2.36	21.6	<0.5	9.1	43	0.2	0.7	0.1	29	1.43
1696616	Rab Sample	3.67	<0.005	1.5	45.2	11.2	107	0.3	24.2	14.0	504	2.76	19.6	2.1	3.9	53	0.4	1.7	0.1	55	2.21
1696617	Rab Sample	3.50	<0.005	3.2	48.5	9.8	146	0.3	40.6	9.9	553	2.58	77.5	1.4	5.8	52	0.6	3.6	0.2	36	1.39
1696618	Rab Sample	3.57	<0.005	2.5	47.7	11.3	142	0.3	42.1	13.3	718	2.80	88.5	1.6	5.7	37	0.8	3.6	0.2	50	1.41
1696619	Rab Sample	3.82	<0.005	1.8	32.8	10.0	121	0.3	32.1	12.1	416	2.84	91.9	1.1	5.4	25	0.4	4.7	0.1	60	0.89
1696620	Rock Pulp	0.09	1.349	4.6	170.7	42.2	261	0.5	97.0	14.2	510	2.91	16.5	962.3	3.8	90	1.1	0.9	0.4	78	1.65
1696621	Rab Sample	3.80	0.174	1.9	55.5	3107.8	300	11.2	29.0	10.8	609	3.22	2400.0	139.0	3.8	80	6.7	49.3	3.3	13	1.67
1696622	Rab Sample	3.88	0.011	2.0	40.8	125.5	229	0.6	32.6	12.1	391	3.09	346.7	4.6	5.6	35	5.0	17.0	0.2	78	0.80
1696623	Rab Sample	3.78	0.006	1.8	35.7	44.8	92	0.5	37.5	11.2	349	2.69	88.6	3.7	7.4	28	0.6	3.6	0.1	51	0.62
1696624	Rab Sample	3.56	<0.005	1.9	33.2	27.7	69	0.2	31.0	9.5	404	2.71	68.1	4.2	8.5	27	0.2	2.9	<0.1	51	0.75
1696625	Rab Sample	3.84	<0.005	1.6	32.1	19.4	61	0.2	28.0	7.7	319	2.22	60.8	2.9	6.8	24	0.1	3.2	<0.1	40	0.71
1696626	Rab Sample	3.88	<0.005	1.6	38.8	18.2	75	0.2	35.8	10.2	462	2.43	64.4	2.8	6.8	60	0.2	3.2	0.1	34	1.35
1696627	Rab Sample	3.80	<0.005	1.7	34.0	15.8	64	0.2	30.9	12.5	429	2.67	56.9	2.7	6.0	39	0.1	2.8	0.1	55	1.10
1696628	Rab Sample	3.89	<0.005	1.9	39.8	23.2	75	0.2	42.1	14.9	585	3.35	43.9	3.8	6.1	57	0.2	2.2	0.2	88	1.11
1696629	Rab Sample	3.78	0.005	2.0	39.0	40.2	61	0.2	36.9	11.1	542	2.97	49.4	2.9	6.3	44	0.1	2.7	0.1	74	1.04
1696630	Rab Sample	3.00	0.014	1.5	31.9	16.6	74	0.4	43.0	17.9	765	3.87	781.5	9.1	3.5	61	0.7	6.3	0.2	71	2.12
1696631	Rab Sample	3.75	0.007	1.9	50.8	21.7	101	0.2	48.6	16.4	510	3.49	64.6	3.2	4.7	23	0.3	3.5	0.2	109	0.89
1696632	Rab Sample	4.07	<0.005	2.2	43.7	18.5	77	0.2	43.8	14.1	518	3.41	27.3	2.2	5.2	27	0.2	1.0	0.1	116	0.91
1696633	Rab Sample	3.68	0.007	2.4	42.7	14.0	79	0.2	31.7	13.2	516	3.29	36.6	4.0	5.6	24	0.2	1.2	0.2	91	0.89
1696634	Rab Sample	3.44	0.005	2.1	39.0	9.7	58	0.1	33.2	11.5	471	2.73	49.1	3.5	5.7	35	<0.1	2.0	0.1	49	1.14
1696635	Rab Sample	2.74	<0.005	2.1	27.6	10.3	53	0.1	38.5	10.9	407	2.78	91.2	2.6	6.7	48	<0.1	1.3	0.2	79	1.41
1696636	Rab Sample	3.65	<0.005	1.8	36.0	12.1	68	0.1	38.4	12.8	398	2.98	44.1	2.3	5.8	31	0.1	0.6	0.1	100	0.90
1696637	Rab Sample	3.39	<0.005	2.2	40.5	12.2	59	0.1	38.7	13.4	427	2.97	61.4	1.3	5.9	32	<0.1	0.5	0.1	89	0.96
1696638	Rab Sample	3.45	<0.005	1.9	42.9	28.0	107	0.2	38.4	13.6	483	3.31	23.2	1.1	4.9	55	0.4	0.8	0.1	98	1.24
1696639	Rab Sample	3.26	<0.005	2.1	53.8	11.9	78	0.1	61.1	14.9	548	3.23	57.7	1.1	5.1	53	0.2	2.0	0.1	85	1.33
1696640	Rock	0.45	<0.005	<0.1	0.5	1.6	1	<0.1	0.3	0.9	84	0.09	<0.5	<0.5	<0.1	69	<0.1	<0.1	<0.1	<1	30.30
1696641	Rab Sample	3.42	<0.005	1.8	35.6	11.9	68	0.1	39.6	10.5	480	2.44	50.0	0.8	5.1	42	0.1	1.6	0.1	47	1.28



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000193.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696612	Rab Sample	0.069	15	36	0.91	632	0.068	<20	1.42	0.018	0.71	0.8	0.03	8.2	0.6	0.44	5	1.5	<0.2
1696613	Rab Sample	0.052	18	30	0.75	566	0.047	<20	1.02	0.016	0.51	0.7	0.02	4.3	0.3	0.43	3	0.9	<0.2
1696614	Rab Sample	0.046	34	25	0.66	330	0.044	<20	0.95	0.031	0.46	1.2	0.01	4.2	0.3	0.50	3	0.6	<0.2
1696615	Rab Sample	0.040	37	15	0.70	382	0.060	<20	1.38	0.029	0.66	0.6	<0.01	4.6	0.3	0.25	4	<0.5	<0.2
1696616	Rab Sample	0.055	9	20	1.10	308	0.027	<20	0.97	0.013	0.45	0.5	0.24	6.7	0.9	0.56	2	<0.5	<0.2
1696617	Rab Sample	0.061	14	22	0.77	293	0.002	<20	0.54	0.005	0.25	0.9	0.11	3.5	0.5	0.56	2	1.2	<0.2
1696618	Rab Sample	0.059	18	28	0.96	273	0.019	<20	0.81	0.019	0.32	0.8	0.02	7.0	0.3	0.44	3	1.7	<0.2
1696619	Rab Sample	0.055	13	23	0.79	301	0.037	<20	1.13	0.032	0.43	0.6	0.03	6.5	0.3	0.39	3	0.9	<0.2
1696620	Rock Pulp	0.047	9	68	1.28	155	0.140	<20	2.52	0.309	0.28	7.6	0.06	2.9	0.1	0.10	6	<0.5	<0.2
1696621	Rab Sample	0.082	8	13	0.64	367	0.001	<20	0.32	0.004	0.26	1.1	0.26	3.9	0.4	0.93	<1	6.5	0.6
1696622	Rab Sample	0.068	16	44	0.76	445	0.060	<20	1.18	0.010	0.59	0.8	0.04	6.9	0.4	0.27	4	1.0	<0.2
1696623	Rab Sample	0.072	22	35	0.72	315	0.059	<20	1.08	0.012	0.53	0.9	0.01	4.4	0.2	0.12	3	0.5	<0.2
1696624	Rab Sample	0.058	22	34	0.71	242	0.068	<20	1.15	0.016	0.64	0.8	0.01	3.3	0.3	0.15	4	<0.5	<0.2
1696625	Rab Sample	0.060	18	24	0.52	194	0.034	<20	0.80	0.008	0.38	0.5	0.01	3.1	0.2	0.13	2	<0.5	<0.2
1696626	Rab Sample	0.060	15	23	0.65	189	0.003	<20	0.54	0.004	0.16	0.4	0.02	3.5	<0.1	<0.05	2	<0.5	<0.2
1696627	Rab Sample	0.063	15	31	0.67	129	0.020	<20	0.84	0.006	0.29	0.5	0.01	5.8	0.2	0.07	2	<0.5	<0.2
1696628	Rab Sample	0.088	20	60	1.23	196	0.030	<20	1.48	0.008	0.33	0.4	<0.01	8.2	0.2	0.16	6	<0.5	<0.2
1696629	Rab Sample	0.062	19	46	0.96	152	0.013	<20	1.06	0.013	0.21	0.7	0.01	5.6	0.2	0.17	4	0.7	<0.2
1696630	Rab Sample	0.076	10	45	0.94	237	0.002	<20	0.75	0.008	0.20	0.3	0.04	10.3	0.3	0.36	2	<0.5	<0.2
1696631	Rab Sample	0.086	15	69	1.15	347	0.074	<20	1.73	0.015	0.53	0.2	0.02	9.7	0.4	0.22	6	<0.5	<0.2
1696632	Rab Sample	0.085	17	71	1.26	601	0.122	<20	1.89	0.034	0.81	0.4	<0.01	9.9	0.4	0.28	7	0.6	<0.2
1696633	Rab Sample	0.072	17	47	1.09	364	0.107	<20	1.57	0.022	0.81	0.8	0.01	6.7	0.5	0.31	5	<0.5	<0.2
1696634	Rab Sample	0.066	12	35	0.72	227	0.030	<20	0.87	0.009	0.42	0.5	0.04	4.3	0.4	0.15	3	<0.5	<0.2
1696635	Rab Sample	0.095	22	55	0.93	564	0.061	<20	1.42	0.018	0.41	0.7	<0.01	6.2	0.2	0.23	6	<0.5	<0.2
1696636	Rab Sample	0.077	17	69	1.05	677	0.106	<20	1.57	0.045	0.80	0.9	<0.01	7.8	0.3	0.26	7	0.6	<0.2
1696637	Rab Sample	0.073	20	60	0.99	562	0.118	<20	1.39	0.039	0.84	1.0	<0.01	6.7	0.4	0.33	5	0.5	<0.2
1696638	Rab Sample	0.085	19	69	1.10	346	0.128	<20	1.38	0.034	0.93	1.1	0.01	8.8	0.4	0.85	6	0.8	<0.2
1696639	Rab Sample	0.078	18	79	1.16	471	0.076	<20	1.30	0.017	0.72	0.6	0.01	9.9	0.5	0.30	5	0.5	<0.2
1696640	Rock	0.006	1	<1	0.78	15	0.002	<20	0.03	<0.001	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1696641	Rab Sample	0.070	10	28	0.62	211	0.003	<20	0.59	0.007	0.12	0.4	0.02	5.8	<0.1	0.11	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000193.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696642	Rab Sample	3.55	<0.005	1.9	36.6	10.9	72	0.2	38.0	12.9	510	3.10	38.0	<0.5	6.4	36	0.1	3.8	0.1	76
1696643	Rab Sample	2.94	<0.005	1.7	37.3	10.6	68	0.1	36.8	10.9	545	2.79	83.4	<0.5	4.6	42	0.2	5.0	0.1	58
1696644	Rab Sample	3.53	<0.005	1.7	32.9	12.9	67	0.1	34.8	8.4	506	2.52	68.0	1.0	5.8	59	0.1	3.9	0.1	40
1696645	Rab Sample	3.39	<0.005	2.0	43.8	9.0	73	0.2	39.3	16.5	416	3.37	56.8	0.6	5.7	28	0.1	1.3	0.1	110
1696646	Rab Sample	2.65	<0.005	2.3	39.6	8.6	77	0.1	46.2	14.1	366	3.08	26.4	<0.5	4.7	29	0.2	0.3	<0.1	112
1696647	Rab Sample	2.64	0.005	2.8	43.0	13.7	68	0.2	44.4	14.4	459	2.99	974.5	3.3	4.6	38	0.2	10.1	0.1	91
1696648	Rab Sample	3.51	<0.005	1.9	39.8	13.0	71	0.1	47.4	18.4	445	3.83	866.7	1.2	4.8	34	0.2	13.9	0.1	64
1696649	Rab Sample	3.44	<0.005	2.2	43.5	11.5	72	0.2	44.8	14.8	443	3.44	103.9	<0.5	4.2	38	0.2	1.8	0.1	114
1696650	Rab Sample	2.30	<0.005	1.8	39.7	45.5	110	0.2	39.9	16.7	554	3.46	57.4	0.8	3.9	54	0.8	1.9	0.2	103



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000193.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696642	Rab Sample	0.075	17	39	0.81	220	0.034	<20	0.85	0.008	0.37	0.4	0.01	8.0	0.3	0.18	3	<0.5	<0.2
1696643	Rab Sample	0.069	10	30	0.85	77	0.002	<20	0.57	0.005	0.15	0.3	0.02	6.5	0.2	0.11	2	<0.5	<0.2
1696644	Rab Sample	0.048	11	32	0.99	802	0.002	<20	0.50	0.007	0.12	0.3	0.04	6.0	0.3	0.13	1	<0.5	<0.2
1696645	Rab Sample	0.085	17	59	1.11	572	0.117	<20	1.77	0.045	0.89	0.5	0.02	10.2	0.7	0.16	6	0.7	<0.2
1696646	Rab Sample	0.090	15	77	1.18	690	0.134	<20	1.60	0.057	0.86	1.2	<0.01	8.1	0.3	0.46	6	<0.5	<0.2
1696647	Rab Sample	0.087	14	57	1.02	449	0.051	<20	1.15	0.023	0.54	1.3	0.27	9.9	0.8	0.56	5	0.5	<0.2
1696648	Rab Sample	0.085	13	36	0.60	101	0.007	<20	0.69	0.005	0.20	1.6	0.43	11.3	2.2	2.24	3	0.6	<0.2
1696649	Rab Sample	0.095	15	78	1.19	350	0.077	<20	1.60	0.024	0.50	0.3	0.07	10.8	0.4	0.31	6	<0.5	<0.2
1696650	Rab Sample	0.094	13	49	1.20	310	0.050	<20	1.36	0.008	0.50	0.3	0.02	9.3	0.5	0.15	5	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000193.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
REP 1696605	QC			3.1	57.3	9.2	66	0.5	30.1	7.2	603	2.27	2023.6	30.7	1.4	87	0.5	22.6	0.1	25	2.54
1696606	Rab Sample	3.82	0.122	3.7	56.0	11.1	134	0.5	44.1	12.3	872	3.35	1634.1	29.9	2.0	113	0.9	11.4	0.1	72	2.21
REP 1696606	QC		0.124																		
1696608	Rab Sample	3.60	<0.005	2.8	72.4	8.6	66	0.4	32.9	11.9	825	3.18	45.1	2.9	2.8	36	0.3	3.7	0.2	58	1.79
REP 1696608	QC		<0.005																		
REP 1696639	QC			2.1	51.3	12.1	82	0.1	63.5	15.2	541	3.23	59.8	1.2	5.3	54	0.2	2.1	0.1	85	1.33
Core Reject Duplicates																					
1696605	Rab Sample	3.38	0.053	3.2	56.1	9.4	64	0.5	30.5	7.0	604	2.28	2026.4	35.7	1.4	89	0.4	22.9	0.1	25	2.58
DUP 1696605	QC		0.055	3.3	58.1	9.8	64	0.5	30.9	7.5	612	2.41	2051.4	31.3	1.4	89	0.4	22.4	0.1	27	2.59
1696639	Rab Sample	3.26	<0.005	2.1	53.8	11.9	78	0.1	61.1	14.9	548	3.23	57.7	1.1	5.1	53	0.2	2.0	0.1	85	1.33
DUP 1696639	QC		<0.005	2.2	51.1	13.1	87	0.1	65.8	15.8	533	3.29	62.2	1.1	5.2	58	0.2	2.4	0.1	88	1.37
Reference Materials																					
STD DS11	Standard			15.1	150.6	149.5	366	1.9	83.3	14.7	1044	3.16	45.1	52.1	7.3	66	2.7	9.3	12.3	51	1.08
STD DS11	Standard			14.2	157.0	135.8	322	1.5	84.8	13.1	997	2.98	43.4	105.0	8.3	67	2.4	8.4	15.2	47	1.03
STD OREAS45EA	Standard			1.8	711.1	14.9	32	0.2	400.5	53.2	412	21.77	11.8	51.1	10.7	4	<0.1	0.4	0.3	309	0.03
STD OREAS45EA	Standard			1.6	695.0	15.1	33	0.2	385.3	52.9	395	20.13	11.2	54.3	11.7	4	<0.1	0.5	0.3	295	0.03
STD OXC145	Standard		0.208																		
STD OXC145	Standard		0.215																		
STD OXH139	Standard		1.326																		
STD OXH139	Standard		1.321																		
STD OXN134	Standard		7.849																		
STD OXN134	Standard		7.676																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000193.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
REP 1696605	QC	0.013	2	13	1.12	268	<0.001	<20	0.32	0.006	0.13	1.4	0.39	2.9	1.3	0.50	<1	1.5	<0.2
1696606	Rab Sample	0.045	4	22	0.93	474	<0.001	<20	0.58	0.008	0.21	0.3	0.14	7.9	0.4	0.55	2	1.9	<0.2
REP 1696606	QC																		
1696608	Rab Sample	0.012	5	27	0.88	223	<0.001	<20	0.54	0.012	0.12	0.4	0.15	7.6	0.9	0.34	2	0.7	<0.2
REP 1696608	QC																		
REP 1696639	QC	0.078	19	82	1.17	523	0.078	<20	1.29	0.018	0.73	0.6	0.01	9.7	0.5	0.29	5	0.5	<0.2
Core Reject Duplicates																			
1696605	Rab Sample	0.013	3	13	1.12	285	<0.001	<20	0.32	0.006	0.13	1.5	0.39	2.9	1.3	0.50	<1	1.3	<0.2
DUP 1696605	QC	0.012	2	14	1.14	307	<0.001	<20	0.37	0.006	0.15	1.5	0.40	3.0	1.4	0.50	1	1.3	<0.2
1696639	Rab Sample	0.078	18	79	1.16	471	0.076	<20	1.30	0.017	0.72	0.6	0.01	9.9	0.5	0.30	5	0.5	<0.2
DUP 1696639	QC	0.082	20	86	1.17	558	0.082	<20	1.40	0.019	0.75	0.5	0.02	10.3	0.5	0.30	5	0.6	<0.2
Reference Materials																			
STD DS11	Standard	0.071	18	61	0.85	369	0.088	<20	1.14	0.074	0.40	3.0	0.26	3.1	5.3	0.28	5	2.7	4.9
STD DS11	Standard	0.071	19	61	0.80	347	0.092	<20	1.10	0.067	0.38	2.7	0.28	3.1	5.4	0.27	5	1.7	4.4
STD OREAS45EA	Standard	0.028	7	859	0.10	142	0.096	<20	3.35	0.024	0.05	<0.1	<0.01	80.5	0.1	<0.05	12	1.1	<0.2
STD OREAS45EA	Standard	0.034	8	857	0.12	154	0.097	<20	3.12	0.017	0.05	<0.1	0.01	73.0	<0.1	<0.05	13	0.8	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000193.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	1.9	2.2	39	<0.1	1.6	4.1	603	1.87	1.7	2.0	2.0	25	<0.1	<0.1	0.1	24	0.70
ROCK-WHI	Prep Blank		<0.005	0.9	3.2	1.9	36	<0.1	1.5	4.2	585	1.76	1.1	2.4	1.9	25	<0.1	0.1	<0.1	23	0.74



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 27, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000193.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	6	4	0.55	60	0.073	<20	1.00	0.102	0.12	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	6	3	0.52	67	0.067	<20	0.99	0.089	0.11	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: July 03, 2018
Report Date: July 26, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000207.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-180610-04RAB
P.O. Number
Number of Samples: 45

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	44	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	45	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	45	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	45	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	45	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Project: BET
Report Date: July 26, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000207.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696001	Rab Sample	1.81	0.026	5.0	58.6	29.5	111	0.4	54.8	12.6	589	2.93	70.4	17.2	6.0	18	0.7	2.5	0.7	40	0.51
1696002	Rab Sample	2.67	0.013	3.9	41.2	6.4	70	0.1	41.0	7.9	579	2.41	34.3	4.6	4.6	11	0.4	1.6	0.3	29	0.67
1696003	Rab Sample	3.62	0.023	5.0	59.3	12.9	72	0.2	46.3	11.3	427	3.12	27.9	9.1	5.1	16	0.7	1.7	0.7	27	0.93
1696004	Rab Sample	5.08	0.026	5.5	63.6	12.2	60	0.3	45.1	8.1	297	2.60	24.3	11.7	4.1	21	0.5	1.2	0.4	35	0.63
1696005	Rab Sample	2.68	0.031	4.9	58.2	7.3	45	0.2	46.7	9.5	425	2.50	26.9	41.6	3.9	24	0.4	1.4	0.3	27	1.38
1696006	Rab Sample	2.64	0.029	2.3	47.9	9.4	48	0.3	64.2	13.1	413	3.07	26.1	19.2	5.5	19	0.3	1.4	0.3	26	0.90
1696007	Rab Sample	2.90	0.083	1.6	56.8	14.5	60	0.3	31.5	16.4	497	3.72	25.1	39.7	4.8	17	0.5	2.0	0.8	33	0.85
1696008	Rab Sample	2.89	0.024	2.1	57.5	7.6	42	0.3	52.1	12.2	531	3.20	21.3	9.8	5.5	21	0.3	2.6	0.7	23	0.53
1696009	Rab Sample	3.10	0.026	2.3	48.7	6.9	36	0.2	37.5	8.8	348	2.64	14.2	9.2	4.4	15	0.2	1.3	0.4	19	0.27
1696010	Rab Sample	3.07	0.020	5.5	58.1	6.8	42	0.3	44.7	7.6	259	2.45	17.6	5.8	3.2	17	0.4	1.8	0.4	26	0.37
1696011	Rab Sample	3.05	0.020	2.4	45.5	4.8	31	0.2	39.6	7.5	270	2.47	15.7	9.0	4.3	18	0.2	1.5	0.3	22	0.25
1696012	Rab Sample	3.61	0.449	1.5	48.8	6.4	35	0.2	63.4	12.6	689	3.01	19.6	96.8	2.6	41	0.2	1.2	0.6	47	2.39
1696013	Rab Sample	3.51	0.047	1.2	41.1	6.4	44	0.2	71.4	19.8	962	3.89	17.9	25.7	5.0	51	0.2	0.6	0.4	59	3.03
1696014	Rab Sample	3.46	0.020	0.9	25.0	6.6	72	0.2	149.2	29.0	1576	4.91	175.6	18.3	3.6	112	0.2	2.4	0.3	102	5.25
1696015	Rab Sample	3.23	0.020	1.0	40.8	8.4	70	0.4	98.7	30.3	1420	5.31	198.8	15.3	2.0	113	0.3	1.1	0.4	92	4.53
1696016	Rab Sample	3.18	0.020	0.9	34.4	9.2	77	0.3	71.2	27.4	1346	5.02	41.2	14.2	2.1	85	0.3	0.7	0.3	86	4.23
1696017	Rab Sample	3.43	0.042	0.5	16.3	9.0	51	0.3	20.1	13.3	682	3.67	20.8	17.6	2.2	45	0.3	0.8	0.4	43	2.64
1696018	Rab Sample	3.26	0.026	0.9	23.5	10.8	36	0.3	8.4	8.8	472	2.97	19.0	15.9	4.1	25	0.3	1.1	0.5	24	1.46
1696019	Rab Sample	3.12	0.032	0.8	32.8	127.6	315	0.6	7.3	6.7	1121	2.64	73.6	26.7	3.8	29	3.4	1.5	0.6	11	1.66
1696020	Rock Pulp	0.09	7.318	9.8	206.9	19.4	71	0.7	14.6	10.1	585	4.82	13.8	7147.3	2.8	74	0.2	4.4	0.6	114	0.96
1696021	Rab Sample	3.81	0.027	0.8	18.4	25.6	68	0.3	5.8	6.3	526	2.34	23.2	20.0	3.3	21	0.8	1.0	0.3	10	1.24
1696022	Rab Sample	3.60	0.031	0.9	17.1	10.7	25	0.2	5.4	5.5	384	2.19	8.3	21.8	3.8	32	0.2	0.6	0.3	9	1.86
1696023	Rab Sample	4.69	0.023	0.7	14.5	9.0	20	0.2	5.1	5.3	344	2.25	8.7	15.6	3.7	28	0.2	0.7	0.4	8	1.86
1696024	Rab Sample	4.17	0.019	0.8	12.1	8.8	23	0.2	4.3	5.1	358	2.38	6.4	18.6	4.1	32	0.2	0.5	0.3	11	1.67
1696025	Rab Sample	4.20	0.029	0.6	27.2	23.1	48	0.3	3.5	5.8	303	2.49	10.8	34.0	3.9	27	0.5	0.5	0.6	8	1.39
1696026	Rab Sample	4.36	0.022	1.0	16.4	13.2	30	0.2	4.1	4.8	260	2.11	8.0	32.2	4.0	24	0.3	0.8	0.5	6	1.40
1696027	Rab Sample	3.52	0.022	0.8	9.6	10.6	27	0.2	3.9	4.8	299	2.20	8.1	17.0	3.5	32	0.2	0.5	0.4	8	1.71
1696028	Rab Sample	3.99	0.027	0.9	12.0	21.5	51	0.2	3.3	5.2	364	2.47	11.2	23.4	3.2	46	0.4	0.6	0.4	9	1.89
1696029	Rab Sample	3.99	0.015	0.9	24.0	52.7	210	0.4	2.9	5.6	410	2.46	11.2	29.5	3.7	39	2.9	0.8	0.6	6	1.73
1696030	Rab Sample	3.73	0.044	1.0	16.5	95.9	222	1.5	3.2	5.6	573	2.40	23.9	30.2	3.2	42	2.2	0.9	6.1	6	1.86



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000207.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696001	Rab Sample	0.093	18	25	0.11	382	0.002	<20	0.60	0.005	0.20	0.6	0.10	5.1	0.4	<0.05	2	1.3	0.3			
1696002	Rab Sample	0.088	15	18	0.11	315	0.002	<20	0.54	0.005	0.20	0.8	0.05	2.4	0.3	<0.05	1	0.8	<0.2			
1696003	Rab Sample	0.078	17	19	0.24	228	0.002	<20	0.77	0.004	0.23	1.0	0.11	2.5	0.3	<0.05	2	1.0	0.3			
1696004	Rab Sample	0.145	15	19	0.21	336	0.004	<20	0.74	0.004	0.23	1.1	0.08	2.1	0.4	<0.05	2	1.1	<0.2			
1696005	Rab Sample	0.158	15	16	0.27	219	0.003	<20	0.63	0.005	0.25	1.0	0.12	2.1	0.4	<0.05	2	2.1	<0.2			
1696006	Rab Sample	0.074	19	25	0.34	226	0.002	<20	0.74	0.007	0.24	0.4	0.13	2.8	0.4	<0.05	3	1.0	<0.2			
1696007	Rab Sample	0.059	17	14	0.42	250	0.002	<20	0.87	0.007	0.26	0.3	0.16	4.4	0.5	<0.05	3	2.2	0.2			
1696008	Rab Sample	0.068	20	18	0.20	239	0.002	<20	0.60	0.006	0.27	0.4	0.23	2.7	0.8	<0.05	2	2.4	0.2			
1696009	Rab Sample	0.064	16	12	0.10	174	0.002	<20	0.50	0.004	0.25	0.5	0.12	1.7	0.4	<0.05	1	1.7	<0.2			
1696010	Rab Sample	0.110	13	14	0.10	217	0.002	<20	0.47	0.004	0.23	0.6	0.14	1.6	0.3	<0.05	1	2.2	0.2			
1696011	Rab Sample	0.056	13	15	0.14	280	0.002	<20	0.60	0.006	0.24	0.2	0.12	2.0	0.5	<0.05	2	0.9	<0.2			
1696012	Rab Sample	0.062	9	40	0.74	515	0.001	<20	0.77	0.006	0.27	0.1	0.15	8.0	0.7	<0.05	2	1.0	0.3			
1696013	Rab Sample	0.062	16	53	0.95	814	<0.001	<20	0.85	0.017	0.16	0.2	0.10	12.7	0.7	0.10	2	0.5	<0.2			
1696014	Rab Sample	0.087	15	192	2.64	298	0.003	<20	2.39	0.009	0.13	<0.1	0.02	14.9	0.8	0.11	8	<0.5	<0.2			
1696015	Rab Sample	0.050	7	77	1.64	1422	<0.001	<20	0.83	0.006	0.15	<0.1	0.12	19.2	0.7	0.21	2	0.7	0.3			
1696016	Rab Sample	0.045	8	73	1.31	1090	<0.001	<20	1.01	0.006	0.16	<0.1	0.13	19.6	0.8	0.21	3	0.6	<0.2			
1696017	Rab Sample	0.034	6	18	0.98	299	<0.001	<20	0.69	0.005	0.19	0.1	0.09	8.9	0.6	0.67	2	1.1	0.2			
1696018	Rab Sample	0.030	11	12	0.57	434	<0.001	<20	0.65	0.009	0.19	0.2	0.12	7.5	0.3	0.21	2	0.9	<0.2			
1696019	Rab Sample	0.027	11	7	0.61	624	<0.001	<20	0.49	0.006	0.19	0.4	0.07	3.3	0.3	0.37	1	1.2	0.3			
1696020	Rock Pulp	0.063	8	18	0.87	120	0.130	<20	1.81	0.189	0.23	4.7	0.23	3.4	0.1	<0.05	5	<0.5	<0.2			
1696021	Rab Sample	0.025	8	4	0.48	415	<0.001	<20	0.58	0.005	0.16	0.3	0.06	4.8	0.3	0.62	1	0.8	<0.2			
1696022	Rab Sample	0.031	9	5	0.69	676	<0.001	<20	0.59	0.007	0.22	0.4	0.05	3.5	0.3	0.71	1	1.2	<0.2			
1696023	Rab Sample	0.032	9	4	0.64	328	<0.001	<20	0.46	0.019	0.20	0.8	0.04	3.4	0.3	0.92	1	1.2	<0.2			
1696024	Rab Sample	0.029	9	5	0.48	207	<0.001	<20	0.54	0.021	0.18	0.5	0.03	5.0	0.2	0.92	1	0.7	<0.2			
1696025	Rab Sample	0.029	10	5	0.44	224	<0.001	<20	0.52	0.008	0.21	0.4	0.02	3.5	0.2	1.30	1	<0.5	0.3			
1696026	Rab Sample	0.026	9	5	0.47	207	0.001	<20	0.48	0.017	0.23	0.7	0.02	2.2	0.2	0.98	1	<0.5	<0.2			
1696027	Rab Sample	0.030	8	5	0.57	222	<0.001	<20	0.48	0.012	0.22	0.8	0.02	3.0	0.2	0.88	1	<0.5	<0.2			
1696028	Rab Sample	0.026	7	5	0.69	349	<0.001	<20	0.50	0.012	0.22	0.6	0.02	2.7	0.3	1.04	1	1.1	<0.2			
1696029	Rab Sample	0.028	8	5	0.66	323	0.001	<20	0.56	0.006	0.26	0.5	0.05	2.1	0.3	1.05	1	0.7	<0.2			
1696030	Rab Sample	0.024	6	5	0.67	343	<0.001	<20	0.50	0.009	0.25	0.5	0.04	2.1	0.3	1.15	1	<0.5	3.8			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000207.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696031	Rab Sample	2.88	0.034	0.9	15.2	20.9	54	0.4	4.1	5.7	296	2.29	13.7	19.0	3.4	31	0.5	0.7	0.9	7	1.59
1696032	Rab Sample	2.23	0.023	1.3	17.1	14.9	34	0.2	5.8	5.3	282	2.32	11.0	32.7	3.1	30	0.3	0.7	0.6	7	1.54
1696033	Rab Sample	0.29	0.014	0.7	14.8	6.3	16	0.2	3.0	3.8	272	2.04	9.9	17.6	3.2	34	0.1	0.7	0.4	8	1.86
1696034	Rab Sample	2.54	0.015	1.3	19.7	8.5	21	0.2	7.0	6.0	329	2.42	16.2	13.8	3.1	38	0.2	0.9	0.4	10	2.05
1696035	Rab Sample	1.69	0.023	1.8	27.1	11.5	26	0.2	14.6	8.8	413	2.87	29.3	38.8	3.2	56	0.2	1.8	0.5	15	2.55
1696036	Rab Sample	1.53	0.025	2.4	35.3	40.0	85	0.4	33.0	10.1	835	2.84	31.1	12.5	2.1	76	0.8	2.3	0.7	23	2.38
1696037	Rab Sample	1.08	0.018	2.6	34.6	27.8	82	0.3	31.6	9.7	766	2.78	29.0	12.3	1.8	75	0.7	2.4	0.7	24	2.08
1696038	Rab Sample	1.60	0.064	2.4	41.8	50.7	125	0.4	30.2	11.6	1122	3.02	34.4	133.0	1.8	91	0.9	2.3	0.6	25	2.27
1696039	Rab Sample	2.72	0.035	2.4	58.3	34.7	88	0.3	31.6	15.3	976	3.71	43.5	18.0	1.5	82	0.9	2.3	0.7	24	2.08
1696040	Rock	1.31	<0.005	<0.1	0.6	0.7	<1	<0.1	0.8	0.8	87	0.06	0.9	<0.5	0.5	78	<0.1	<0.1	<0.1	<1	31.66
1696041	Rab Sample	1.91	0.025	2.1	49.5	42.5	94	0.4	30.2	14.1	1110	3.44	41.8	16.3	1.5	79	0.8	2.4	0.8	25	1.90
1696042	Rab Sample	1.28	0.026	1.7	55.6	35.5	90	0.4	27.7	15.5	993	3.57	44.3	14.1	1.5	83	0.9	2.7	0.8	27	2.10
1696043	Rab Sample	1.87	0.045	1.8	53.1	53.7	110	0.5	39.3	17.8	954	3.68	50.0	16.1	1.3	76	1.1	3.5	0.8	24	2.05
1696044	Rab Sample	2.10	0.032	1.6	32.9	20.7	74	0.2	26.7	8.3	677	2.34	28.4	15.6	2.0	57	0.7	1.8	0.5	20	1.68
1696045	Rab Sample	1.89	0.054	1.2	40.1	18.1	49	0.2	29.1	8.7	526	2.63	28.5	12.5	2.5	54	0.4	2.0	0.4	17	1.57



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000207.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696031	Rab Sample	0.026	7	6	0.60	207	<0.001	<20	0.52	0.008	0.24	0.6	0.02	2.1	0.3	1.11	1	<0.5	0.5			
1696032	Rab Sample	0.026	7	6	0.58	218	0.001	<20	0.58	0.010	0.24	0.2	0.05	2.5	0.3	1.08	1	<0.5	0.3			
1696033	Rab Sample	0.025	8	4	0.71	166	<0.001	<20	0.42	0.009	0.16	0.2	0.05	3.5	0.2	0.80	<1	<0.5	0.2			
1696034	Rab Sample	0.024	8	7	0.80	236	<0.001	<20	0.52	0.012	0.20	0.6	0.05	3.7	0.3	0.98	<1	0.8	<0.2			
1696035	Rab Sample	0.032	7	9	1.00	270	<0.001	<20	0.48	0.009	0.18	0.8	0.11	4.0	0.4	1.32	1	1.1	0.3			
1696036	Rab Sample	0.043	5	17	1.00	319	<0.001	<20	0.51	0.005	0.16	0.3	0.11	4.0	0.4	1.07	1	1.1	0.3			
1696037	Rab Sample	0.045	4	17	0.95	319	<0.001	<20	0.50	0.004	0.15	0.5	0.10	3.8	0.4	1.14	1	1.7	0.3			
1696038	Rab Sample	0.046	4	15	1.03	269	0.001	<20	0.49	0.004	0.17	0.6	0.12	4.6	0.5	1.36	1	1.5	0.3			
1696039	Rab Sample	0.056	4	14	1.01	70	0.001	<20	0.45	0.004	0.17	0.5	0.12	3.8	0.7	1.94	1	1.4	0.2			
1696040	Rock	0.006	1	<1	0.54	15	0.001	<20	0.02	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1696041	Rab Sample	0.053	4	15	0.92	69	0.001	<20	0.46	0.004	0.18	0.7	0.12	4.3	0.5	1.68	1	1.5	0.2			
1696042	Rab Sample	0.062	4	13	0.99	53	0.001	<20	0.52	0.004	0.16	0.8	0.15	4.8	0.5	1.75	1	1.0	0.3			
1696043	Rab Sample	0.066	3	11	0.94	41	0.001	<20	0.53	0.003	0.15	0.6	0.20	3.7	0.6	2.31	1	1.6	0.4			
1696044	Rab Sample	0.036	5	12	0.76	611	0.002	<20	0.46	0.005	0.16	<0.1	0.11	3.2	0.4	0.70	1	1.1	<0.2			
1696045	Rab Sample	0.034	6	11	0.78	463	0.002	<20	0.53	0.006	0.19	<0.1	0.16	2.8	0.4	0.95	1	1.0	<0.2			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

July 26, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000207.1

Method	Analyte	Unit	MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200		
				Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
				kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
				0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																							
1696001	Rab Sample	1.81	0.026	5.0	58.6	29.5	111	0.4	54.8	12.6	589	2.93	70.4	17.2	6.0	18	0.7	2.5	0.7	40	0.51		
REP 1696001	QC	0.027																					
1696003	Rab Sample	3.62	0.023	5.0	59.3	12.9	72	0.2	46.3	11.3	427	3.12	27.9	9.1	5.1	16	0.7	1.7	0.7	27	0.93		
REP 1696003	QC	0.023																					
1696006	Rab Sample	2.64	0.029	2.3	47.9	9.4	48	0.3	64.2	13.1	413	3.07	26.1	19.2	5.5	19	0.3	1.4	0.3	26	0.90		
REP 1696006	QC			2.3	46.7	9.0	45	0.3	58.3	12.4	418	3.14	25.8	13.7	5.5	18	0.3	1.2	0.2	26	0.91		
1696039	Rab Sample	2.72	0.035	2.4	58.3	34.7	88	0.3	31.6	15.3	976	3.71	43.5	18.0	1.5	82	0.9	2.3	0.7	24	2.08		
REP 1696039	QC			2.3	56.1	34.5	87	0.3	30.7	15.3	941	3.64	43.7	22.9	1.6	83	0.8	2.5	0.7	23	2.08		
Core Reject Duplicates																							
1696019	Rab Sample	3.12	0.032	0.8	32.8	127.6	315	0.6	7.3	6.7	1121	2.64	73.6	26.7	3.8	29	3.4	1.5	0.6	11	1.66		
DUP 1696019	QC	0.028		0.9	30.7	123.2	308	0.6	6.1	6.8	1163	2.67	70.7	23.0	3.6	29	3.6	1.0	0.5	12	1.71		
Reference Materials																							
STD DS11	Standard			14.2	144.9	124.4	311	1.5	75.5	12.3	969	2.99	36.2	75.5	7.0	59	2.3	6.0	10.1	48	1.02		
STD DS11	Standard			14.4	146.9	134.5	336	1.7	79.4	13.9	1026	3.04	44.5	61.1	7.6	69	2.6	6.3	11.0	50	1.07		
STD OREAS45EA	Standard			1.5	704.9	13.6	31	0.2	377.0	49.1	373	22.22	10.8	49.4	9.6	3	<0.1	0.2	0.2	305	0.03		
STD OREAS45EA	Standard			1.5	720.5	13.5	31	0.2	376.0	53.7	402	22.54	11.1	56.9	10.2	4	<0.1	0.2	0.3	305	0.03		
STD OXC145	Standard	0.214																					
STD OXH139	Standard	1.322																					
STD OXN134	Standard	7.701																					
STD OXN134 Expected		7.667																					
STD OXC145 Expected		0.212																					
STD OXH139 Expected		1.312																					
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036		
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063		
BLK	Blank	<0.005																					
BLK	Blank	<0.005																					
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000207.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Method	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696001	Rab Sample	0.093	18	25	0.11	382	0.002	<20	0.60	0.005	0.20	0.6	0.10	5.1	0.4	<0.05	2	1.3	0.3
REP 1696001	QC																		
1696003	Rab Sample	0.078	17	19	0.24	228	0.002	<20	0.77	0.004	0.23	1.0	0.11	2.5	0.3	<0.05	2	1.0	0.3
REP 1696003	QC																		
1696006	Rab Sample	0.074	19	25	0.34	226	0.002	<20	0.74	0.007	0.24	0.4	0.13	2.8	0.4	<0.05	3	1.0	<0.2
REP 1696006	QC	0.080	18	23	0.35	223	0.002	<20	0.74	0.007	0.25	0.4	0.13	2.9	0.3	<0.05	2	1.7	<0.2
1696039	Rab Sample	0.056	4	14	1.01	70	0.001	<20	0.45	0.004	0.17	0.5	0.12	3.8	0.7	1.94	1	1.4	0.2
REP 1696039	QC	0.053	4	14	0.99	104	0.001	<20	0.46	0.004	0.17	0.6	0.12	3.7	0.7	1.97	1	1.7	0.4
Core Reject Duplicates																			
1696019	Rab Sample	0.027	11	7	0.61	624	<0.001	<20	0.49	0.006	0.19	0.4	0.07	3.3	0.3	0.37	1	1.2	0.3
DUP 1696019	QC	0.031	11	6	0.61	641	<0.001	<20	0.51	0.005	0.20	0.4	0.07	3.3	0.4	0.39	1	1.5	<0.2
Reference Materials																			
STD DS11	Standard	0.064	18	56	0.83	407	0.083	<20	1.14	0.071	0.39	2.4	0.23	3.2	4.5	0.26	5	1.8	4.5
STD DS11	Standard	0.070	19	57	0.86	423	0.092	<20	1.19	0.075	0.40	2.5	0.25	3.3	5.1	0.28	5	2.5	4.6
STD OREAS45EA	Standard	0.024	7	890	0.08	128	0.087	<20	3.50	0.019	0.06	<0.1	<0.01	75.1	<0.1	<0.05	12	1.1	<0.2
STD OREAS45EA	Standard	0.031	7	841	0.10	135	0.097	<20	3.47	0.019	0.06	<0.1	0.02	82.1	<0.1	<0.05	13	1.8	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000207.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	0.9	3.3	1.6	39	<0.1	0.8	3.4	627	1.85	1.8	<0.5	2.0	26	<0.1	<0.1	<0.1	20	0.71	
ROCK-WHI	Prep Blank	<0.005	1.0	2.2	1.2	33	<0.1	0.8	3.9	559	1.80	1.8	<0.5	2.0	23	<0.1	<0.1	<0.1	20	0.66	



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 26, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000207.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	6	3	0.49	60	0.072	<20	1.01	0.079	0.10	<0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.047	6	2	0.49	53	0.079	<20	0.93	0.066	0.09	<0.1	<0.01	2.9	<0.1	0.06	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: July 03, 2018
Report Date: July 25, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000208.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-180610-05RAB
P.O. Number
Number of Samples: 19

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	18	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	19	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	19	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	19	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	19	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000208.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696046	Rab Sample	3.17	0.036	3.1	60.9	27.8	102	0.5	38.0	13.3	715	3.23	47.1	229.5	6.8	22	1.2	1.8	1.0	25	0.96
1696047	Rab Sample	3.27	0.029	5.2	50.1	82.5	133	0.5	43.7	8.8	587	2.42	146.1	11.8	3.5	47	1.6	3.0	2.6	22	1.16
1696048	Rab Sample	4.45	0.016	4.0	50.5	46.8	156	0.4	42.8	8.6	750	2.07	77.6	7.0	2.4	35	2.0	4.1	1.9	23	1.07
1696049	Rab Sample	5.34	0.026	4.3	45.6	100.4	230	0.8	38.9	7.8	634	2.13	102.6	18.1	2.3	42	2.9	3.6	2.6	26	1.02
1696050	Rab Sample	4.97	0.033	2.4	52.2	5.6	33	0.3	51.1	10.0	392	2.58	38.7	23.8	4.9	18	0.2	3.0	0.7	22	0.79
1696051	Rab Sample	2.86	0.021	1.7	49.1	23.3	97	0.3	53.0	10.8	506	2.70	37.4	16.9	5.6	49	0.8	3.0	0.6	21	0.29
1696052	Rab Sample	3.37	0.009	1.5	54.0	12.1	61	0.2	24.1	6.1	190	2.77	17.9	5.0	6.4	52	0.4	3.3	0.7	19	0.10
1696053	Rab Sample	3.70	0.013	1.5	47.2	7.9	42	0.4	25.8	7.0	170	2.98	12.2	9.3	7.0	39	0.2	2.4	0.5	18	0.09
1696054	Rab Sample	3.07	0.012	1.9	51.6	6.2	39	0.4	29.2	7.0	267	2.64	16.2	8.5	5.7	35	0.3	3.5	0.4	15	0.10
1696055	Rab Sample	3.02	0.044	3.1	66.1	42.4	121	0.4	42.8	11.6	1306	3.11	34.6	21.4	6.6	32	1.0	3.3	1.9	18	0.11
1696056	Rab Sample	2.86	0.046	2.0	98.0	16.5	73	0.9	32.3	8.7	611	2.70	69.6	27.0	6.1	19	0.6	4.1	1.4	15	0.11
1696057	Rab Sample	2.50	0.031	1.8	74.0	22.2	109	0.5	37.9	8.7	549	2.92	76.3	21.8	6.7	23	0.5	4.7	0.7	15	0.11
1696058	Rab Sample	1.82	0.018	1.4	54.6	12.6	66	0.2	35.9	7.4	518	2.87	35.1	8.7	6.9	22	0.4	4.1	0.5	18	0.11
1696059	Rab Sample	1.21	0.020	2.0	59.7	18.6	76	0.2	45.8	8.3	574	2.79	40.9	13.9	5.4	33	0.6	5.7	0.6	18	0.24
1696060	Rock Pulp	0.09	0.461	7.1	273.0	15.1	49	0.6	110.7	13.7	463	2.83	163.8	413.8	3.3	86	0.2	1.7	0.1	66	1.81
1696061	Rab Sample	3.17	0.026	2.2	56.4	23.6	80	0.3	45.8	7.8	611	2.65	50.6	12.4	4.4	35	0.9	6.1	0.7	20	0.71
1696062	Rab Sample	2.26	0.028	2.8	65.9	18.4	55	0.3	37.9	8.3	562	2.35	51.0	27.2	3.8	31	1.0	5.4	0.9	18	0.71
1696063	Rab Sample	3.81	0.027	2.9	57.5	9.6	31	0.3	39.7	8.5	480	2.38	56.7	14.1	2.8	62	0.4	6.0	0.8	19	1.17
1696064	Rab Sample	3.86	0.028	3.0	66.3	23.7	48	0.4	37.5	8.6	620	2.62	48.0	20.2	2.9	94	0.5	6.8	0.5	16	2.11



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000208.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696046	Rab Sample	0.071	20	14	0.12	267	0.003	<20	0.53	0.008	0.24	0.9	0.07	3.4	0.4	<0.05	1	1.2	0.3			
1696047	Rab Sample	0.075	11	15	0.23	1529	0.002	<20	0.34	0.004	0.16	1.0	0.19	2.3	0.3	<0.05	<1	1.5	1.3			
1696048	Rab Sample	0.085	8	14	0.22	926	0.002	<20	0.40	0.003	0.18	1.1	0.28	2.2	0.3	<0.05	1	1.3	0.9			
1696049	Rab Sample	0.096	6	17	0.35	781	0.001	<20	0.56	0.004	0.15	1.8	0.18	2.7	0.3	<0.05	2	0.7	1.4			
1696050	Rab Sample	0.079	16	22	0.37	311	0.002	<20	0.87	0.005	0.23	0.6	0.25	2.6	0.3	<0.05	3	0.9	0.3			
1696051	Rab Sample	0.062	17	23	0.34	331	0.002	<20	0.91	0.007	0.23	0.5	0.23	2.6	0.5	<0.05	3	1.4	0.3			
1696052	Rab Sample	0.049	20	15	0.29	460	0.002	<20	0.90	0.009	0.28	0.3	0.17	2.0	0.6	<0.05	3	0.7	0.2			
1696053	Rab Sample	0.045	22	14	0.24	279	0.002	<20	0.79	0.009	0.25	0.5	0.19	1.7	0.4	<0.05	2	0.7	0.3			
1696054	Rab Sample	0.054	17	12	0.23	240	0.002	<20	0.76	0.010	0.26	0.7	0.19	1.7	0.6	<0.05	2	0.6	0.3			
1696055	Rab Sample	0.047	23	14	0.27	279	0.002	<20	0.81	0.008	0.24	0.4	0.12	1.9	0.5	<0.05	2	<0.5	1.1			
1696056	Rab Sample	0.050	20	11	0.17	218	0.002	<20	0.59	0.008	0.22	0.5	0.12	1.7	0.5	<0.05	2	<0.5	1.0			
1696057	Rab Sample	0.050	22	12	0.19	175	0.002	<20	0.63	0.007	0.22	0.4	0.15	1.7	0.6	<0.05	2	<0.5	0.4			
1696058	Rab Sample	0.043	23	12	0.15	181	0.002	<20	0.67	0.006	0.25	0.5	0.14	1.8	0.6	<0.05	2	0.6	0.2			
1696059	Rab Sample	0.044	15	13	0.20	418	0.001	<20	0.63	0.005	0.22	0.3	0.23	2.2	0.5	<0.05	2	1.0	0.2			
1696060	Rock Pulp	0.036	8	108	1.37	132	0.099	<20	2.61	0.320	0.22	0.9	0.03	2.6	<0.1	0.10	6	<0.5	<0.2			
1696061	Rab Sample	0.053	12	13	0.29	461	0.001	<20	0.61	0.003	0.21	0.4	0.19	2.2	0.4	<0.05	2	1.2	0.3			
1696062	Rab Sample	0.067	11	12	0.23	444	0.001	<20	0.51	0.004	0.20	0.6	0.14	2.3	0.6	<0.05	1	1.5	0.6			
1696063	Rab Sample	0.083	6	12	0.34	691	0.001	<20	0.42	0.002	0.18	0.5	0.21	2.2	0.5	0.05	1	1.7	0.4			
1696064	Rab Sample	0.107	6	10	0.51	777	0.001	<20	0.40	0.002	0.19	0.6	0.19	2.3	0.5	0.09	1	1.5	0.3			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000208.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1696060	Rock Pulp	0.09	0.461	7.1	273.0	15.1	49	0.6	110.7	13.7	463	2.83	163.8	413.8	3.3	86	0.2	1.7	0.1	66	1.81
REP 1696060	QC			6.6	298.2	14.7	46	0.6	110.9	13.0	482	2.88	170.1	416.1	3.4	84	0.2	1.7	0.1	67	1.86
Core Reject Duplicates																					
1696062	Rab Sample	2.26	0.028	2.8	65.9	18.4	55	0.3	37.9	8.3	562	2.35	51.0	27.2	3.8	31	1.0	5.4	0.9	18	0.71
DUP 1696062	QC		0.045	2.6	66.9	17.2	55	0.3	41.6	7.9	589	2.27	50.3	30.0	3.8	29	0.8	6.0	1.0	17	0.67
Reference Materials																					
STD DS11	Standard			14.0	155.3	141.7	347	1.6	78.2	13.5	1006	2.99	42.1	75.2	7.9	68	2.5	7.1	12.1	48	1.06
STD DS11	Standard			12.5	145.5	128.0	312	1.6	76.4	11.6	990	2.84	39.1	102.7	6.9	61	2.3	7.6	10.9	44	0.98
STD OREAS45EA	Standard			1.6	717.4	13.8	33	0.2	385.6	51.6	409	23.08	12.3	55.9	10.5	4	<0.1	0.3	0.3	308	0.03
STD OREAS45EA	Standard			1.6	688.4	13.5	30	0.2	393.7	50.2	401	21.05	10.8	51.9	10.6	4	<0.1	0.5	0.3	311	0.03
STD OXC145	Standard		0.209																		
STD OXH139	Standard		1.291																		
STD OXN134	Standard		7.762																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.4	3.0	1.4	42	<0.1	0.9	3.5	561	1.69	1.6	0.6	2.2	23	0.1	<0.1	<0.1	19	0.71
ROCK-WHI	Prep Blank		<0.005	0.8	2.7	1.1	39	<0.1	0.9	3.9	541	1.76	1.5	<0.5	2.4	27	<0.1	<0.1	<0.1	19	0.72



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000208.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696060	Rock Pulp	0.036	8	108	1.37	132	0.099	<20	2.61	0.320	0.22	0.9	0.03	2.6	<0.1	0.10	6	<0.5	<0.2
REP 1696060	QC	0.032	9	110	1.41	141	0.097	<20	2.71	0.328	0.23	0.8	0.03	2.8	<0.1	0.10	5	<0.5	<0.2
Core Reject Duplicates																			
1696062	Rab Sample	0.067	11	12	0.23	444	0.001	<20	0.51	0.004	0.20	0.6	0.14	2.3	0.6	<0.05	1	1.5	0.6
DUP 1696062	QC	0.061	12	12	0.22	470	0.001	<20	0.49	0.004	0.19	0.6	0.14	1.9	0.6	<0.05	1	1.0	0.6
Reference Materials																			
STD DS11	Standard	0.070	19	58	0.85	440	0.093	<20	1.15	0.073	0.40	2.4	0.28	3.2	4.9	0.27	5	1.8	4.6
STD DS11	Standard	0.063	16	56	0.77	441	0.080	<20	1.02	0.067	0.38	2.4	0.25	3.0	4.5	0.26	4	2.3	4.3
STD OREAS45EA	Standard	0.034	7	862	0.11	138	0.101	<20	3.48	0.019	0.05	<0.1	<0.01	86.1	<0.1	<0.05	13	1.5	<0.2
STD OREAS45EA	Standard	0.025	7	856	0.08	147	0.087	<20	3.24	0.020	0.06	<0.1	<0.01	74.3	<0.1	<0.05	11	0.7	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	7	2	0.49	52	0.075	<20	0.93	0.077	0.09	<0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.047	7	2	0.49	58	0.082	<20	0.96	0.071	0.09	0.1	<0.01	3.0	<0.1	<0.05	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: July 03, 2018
Report Date: July 25, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000209.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-180610-06RAB
P.O. Number
Number of Samples: 10

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	10	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	10	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	10	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	10	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	10	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000209.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696065	Rab Sample	2.56	0.021	4.2	55.1	52.8	91	0.4	36.0	11.7	675	3.07	30.9	11.1	4.6	22	1.1	2.5	1.3	24	0.51
1696066	Rab Sample	2.52	0.037	3.3	57.0	7.9	39	0.4	45.1	10.0	320	2.50	27.5	12.9	4.8	26	0.3	2.4	6.1	29	0.61
1696067	Rab Sample	3.83	0.028	3.5	43.0	81.4	214	0.7	31.7	5.7	731	1.94	109.4	12.7	1.5	30	2.5	4.1	1.9	24	1.21
1696068	Rab Sample	4.18	0.110	2.9	127.8	39.4	43	1.0	33.1	7.9	446	2.38	38.9	45.6	1.7	39	0.5	4.3	1.1	25	1.12
1696069	Rab Sample	5.72	0.030	2.0	42.9	22.6	49	0.6	32.7	7.2	279	2.17	24.6	15.3	4.6	14	0.3	3.4	0.6	17	0.22
1696070	Rab Sample	3.35	0.078	1.6	57.1	16.0	37	1.1	27.2	6.3	261	2.25	16.9	48.2	4.7	17	0.4	2.6	0.8	17	0.15
1696071	Rab Sample	4.41	0.027	2.6	47.4	10.5	39	0.5	40.8	10.1	339	2.66	15.7	19.9	5.4	13	0.4	2.7	1.5	25	0.33
1696072	Rab Sample	3.44	0.016	2.4	41.1	9.4	38	0.3	37.7	7.1	314	2.27	23.8	9.4	5.8	7	0.3	2.0	0.7	18	0.20
1696073	Rab Sample	4.37	0.017	3.1	43.1	5.6	29	0.4	37.9	7.4	273	2.12	13.3	8.3	4.9	11	0.2	1.2	1.8	18	0.27
1696074	Rab Sample	2.00	0.018	3.8	55.3	40.3	95	0.4	49.5	9.6	629	2.55	23.6	8.5	5.6	19	0.7	2.2	1.1	22	0.21



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000209.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696065	Rab Sample	0.060	16	13	0.09	236	0.002	<20	0.51	0.004	0.24	0.7	0.09	2.5	0.4	<0.05	2	0.8	0.5
1696066	Rab Sample	0.076	14	15	0.11	520	0.002	<20	0.55	0.004	0.25	0.3	0.18	2.3	0.5	<0.05	2	0.8	3.4
1696067	Rab Sample	0.088	4	13	0.16	405	0.001	<20	0.46	0.003	0.18	0.6	0.17	2.1	0.2	<0.05	1	0.9	1.0
1696068	Rab Sample	0.041	4	17	0.31	723	<0.001	<20	0.58	0.003	0.17	0.6	0.21	2.6	0.3	<0.05	1	0.8	0.5
1696069	Rab Sample	0.047	13	13	0.17	181	0.002	<20	0.66	0.005	0.25	0.8	0.17	1.8	0.4	<0.05	2	0.9	0.3
1696070	Rab Sample	0.051	14	10	0.12	219	0.002	<20	0.56	0.006	0.23	0.2	0.12	1.2	0.4	<0.05	2	0.8	0.7
1696071	Rab Sample	0.068	15	15	0.14	235	0.002	<20	0.63	0.004	0.24	0.3	0.15	2.3	0.3	<0.05	2	0.6	0.7
1696072	Rab Sample	0.078	17	10	0.07	221	0.002	<20	0.47	0.005	0.25	0.6	0.09	1.2	0.3	<0.05	1	1.2	0.8
1696073	Rab Sample	0.080	17	12	0.10	229	0.003	<20	0.49	0.005	0.26	0.6	0.09	1.2	0.2	<0.05	1	1.2	1.4
1696074	Rab Sample	0.087	18	14	0.09	384	0.003	<20	0.53	0.007	0.28	0.8	0.10	1.5	0.6	<0.05	2	1.4	0.7



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000209.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca	
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01	
Pulp Duplicates																						
1696072	Rab Sample	3.44	0.016	2.4	41.1	9.4	38	0.3	37.7	7.1	314	2.27	23.8	9.4	5.8	7	0.3	2.0	0.7	18	0.20	
REP 1696072	QC			2.5	44.6	10.0	39	0.3	38.8	8.2	299	2.29	24.7	9.4	5.4	8	0.3	2.0	0.7	17	0.19	
Reference Materials																						
STD DS11	Standard			14.4	143.9	134.5	331	1.6	76.6	13.5	982	2.99	42.4	63.7	7.5	67	2.2	7.2	11.9	46	1.04	
STD OREAS45EA	Standard			1.9	699.1	14.2	33	0.3	398.8	51.8	395	20.76	12.4	61.4	10.3	4	<0.1	0.5	0.3	297	0.03	
STD OXC145	Standard	0.212																				
STD OXC145	Standard	0.220																				
STD OXH139	Standard	1.306																				
STD OXH139	Standard	1.297																				
STD OXN134	Standard	7.726																				
STD OXN134	Standard	7.881																				
STD OXN134 Expected		7.667																				
STD OXC145 Expected		0.212																				
STD OXH139 Expected		1.312																				
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank	<0.005																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank			<0.005	0.9	3.2	1.0	34	<0.1	0.9	3.5	586	1.74	1.9	1.5	1.9	29	<0.1	<0.1	<0.1	20	0.60
ROCK-WHI	Prep Blank			<0.005	0.8	2.4	1.1	33	<0.1	0.8	3.4	533	1.71	1.7	<0.5	2.0	36	<0.1	<0.1	<0.1	19	0.60



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000209.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																						
1696072	Rab Sample	0.078	17	10	0.07	221	0.002	<20	0.47	0.005	0.25	0.6	0.09	1.2	0.3	<0.05	1	1.2	0.8			
REP 1696072	QC	0.077	19	11	0.08	218	0.002	<20	0.47	0.005	0.25	0.5	0.09	1.4	0.3	<0.05	1	0.5	0.7			
Reference Materials																						
STD DS11	Standard	0.068	17	58	0.80	363	0.090	<20	1.15	0.072	0.40	2.3	0.27	3.1	4.6	0.27	5	1.9	4.3			
STD OREAS45EA	Standard	0.026	7	841	0.09	137	0.095	<20	3.34	0.016	0.05	<0.1	<0.01	75.1	<0.1	<0.05	12	1.3	<0.2			
STD OXC145	Standard																					
STD OXC145	Standard																					
STD OXH139	Standard																					
STD OXH139	Standard																					
STD OXN134	Standard																					
STD OXN134	Standard																					
STD OXN134 Expected																						
STD OXC145 Expected																						
STD OXH139 Expected																						
STD OREAS45EA Expected					0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053		78	0.072	0.036	12.4	0.78	0.1	
STD DS11 Expected					0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank																					
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
Prep Wash																						
ROCK-WHI	Prep Blank	0.035	6	3	0.47	75	0.078	<20	0.96	0.083	0.10	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2			
ROCK-WHI	Prep Blank	0.035	6	3	0.45	70	0.074	<20	0.94	0.091	0.10	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: July 03, 2018
Report Date: July 25, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000210.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-180610-07RAB
P.O. Number
Number of Samples: 16

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	16	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	16	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	16	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	16	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	16	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000210.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696076	Rab Sample	2.79	0.042	3.5	65.5	39.9	247	0.4	40.5	9.3	500	2.83	38.5	28.3	5.6	32	5.0	2.5	1.4	25	0.18
1696077	Rab Sample	0.32	0.021	7.6	81.2	23.0	66	0.4	58.5	10.5	364	3.57	31.3	14.5	6.0	32	0.7	2.3	4.0	43	0.25
1696078	Rab Sample	1.78	0.021	3.1	47.8	7.6	29	0.2	26.6	5.0	152	2.48	17.4	13.5	5.0	17	0.2	0.8	0.5	21	0.08
1696079	Rab Sample	3.44	0.012	2.3	44.3	4.9	39	0.2	32.7	7.2	163	2.99	12.5	7.0	7.2	14	0.1	1.0	0.6	18	0.06
1696080	Rock	1.20	<0.005	<0.1	2.1	0.8	2	<0.1	<0.1	<0.1	73	0.08	<0.5	0.7	<0.1	75	<0.1	<0.1	<0.1	<1	31.52
1696081	Rab Sample	2.88	0.010	2.7	54.0	5.0	41	0.1	36.0	6.6	171	2.67	16.8	6.3	6.2	15	0.2	1.2	0.4	24	0.14
1696082	Rab Sample	1.19	0.013	2.3	66.1	8.9	67	0.2	35.1	15.0	488	3.97	17.6	6.6	4.9	26	0.4	2.3	1.1	53	0.52
1696083	Rab Sample	2.01	0.018	2.9	65.4	17.0	47	0.3	46.5	10.5	541	3.08	68.9	9.5	4.5	48	0.4	5.0	0.9	25	1.50
1696084	Rab Sample	2.11	0.030	5.2	54.3	34.6	112	0.4	43.4	8.2	767	2.54	49.5	9.2	2.2	55	1.3	3.9	2.9	39	2.35
1696085	Rab Sample	2.73	0.042	3.5	62.6	35.2	64	0.4	32.6	8.0	458	2.63	31.4	7.7	2.8	40	0.6	2.5	1.7	21	0.63
1696086	Rab Sample	2.32	0.019	1.8	54.4	18.3	58	0.3	25.4	5.7	370	2.69	21.5	59.6	5.5	46	0.3	2.7	0.4	21	0.13
1696087	Rab Sample	2.16	0.018	2.4	62.4	6.8	39	0.3	39.0	9.0	272	2.62	12.8	13.5	5.3	25	0.2	3.2	0.4	23	0.14
1696088	Rab Sample	1.81	0.017	2.6	58.8	7.9	41	0.4	61.6	10.8	418	2.89	25.2	9.3	6.2	27	0.3	2.3	0.5	24	0.16
1696089	Rab Sample	4.47	0.015	2.4	46.3	10.4	52	0.4	41.5	11.7	473	3.07	26.4	10.7	5.6	20	0.5	2.3	0.5	39	0.32
1696090	Rab Sample	0.56	0.019	3.8	67.3	8.6	48	0.3	56.5	13.0	486	3.14	21.3	11.6	8.1	21	0.2	2.5	0.6	31	0.29
1696075	Rab Sample	1.58	0.023	3.4	54.6	39.7	144	0.6	32.5	11.6	767	3.51	103.8	17.8	4.4	40	1.2	4.8	1.4	31	0.49



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000210.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696076	Rab Sample	0.070	15	23	0.12	432	0.003	<20	0.61	0.007	0.27	0.6	0.08	2.6	0.4	<0.05	2	0.8	0.5
1696077	Rab Sample	0.108	19	33	0.11	438	0.004	<20	0.70	0.008	0.36	0.9	0.15	2.5	0.5	<0.05	2	2.6	2.2
1696078	Rab Sample	0.049	18	15	0.05	216	0.002	<20	0.44	0.008	0.24	0.7	0.05	1.6	0.3	<0.05	1	1.5	0.3
1696079	Rab Sample	0.044	22	15	0.06	199	0.002	<20	0.50	0.014	0.27	1.1	<0.01	2.2	0.2	<0.05	1	2.1	<0.2
1696080	Rock	0.005	1	<1	0.37	19	0.001	<20	0.03	0.002	0.04	<0.1	<0.01	1.2	<0.1	<0.05	<1	<0.5	<0.2
1696081	Rab Sample	0.059	16	14	0.04	219	0.002	<20	0.42	0.007	0.18	0.5	<0.01	2.0	0.2	<0.05	1	1.7	<0.2
1696082	Rab Sample	0.069	17	12	0.27	530	0.006	<20	0.98	0.021	0.24	0.3	0.07	5.4	0.4	<0.05	3	2.0	0.3
1696083	Rab Sample	0.055	13	17	0.14	1928	0.002	<20	0.53	0.006	0.26	0.3	0.39	3.2	0.6	<0.05	1	1.0	0.3
1696084	Rab Sample	0.063	6	17	0.41	627	0.001	<20	0.52	0.004	0.18	0.5	0.21	2.8	0.4	<0.05	1	1.0	1.4
1696085	Rab Sample	0.082	8	14	0.25	352	0.003	<20	0.62	0.004	0.23	0.5	0.16	1.7	0.4	<0.05	2	1.3	0.9
1696086	Rab Sample	0.052	16	16	0.26	397	0.002	<20	0.86	0.010	0.27	0.2	0.16	1.9	0.5	<0.05	2	0.7	0.2
1696087	Rab Sample	0.054	16	20	0.25	287	0.002	<20	0.80	0.008	0.26	0.4	0.17	2.0	0.4	<0.05	2	0.9	0.2
1696088	Rab Sample	0.059	20	27	0.32	350	0.003	<20	0.99	0.012	0.30	0.3	0.17	2.2	0.4	<0.05	3	0.9	0.3
1696089	Rab Sample	0.058	16	20	0.41	292	0.002	<20	1.10	0.005	0.21	0.2	0.10	7.2	0.3	<0.05	3	0.7	0.4
1696090	Rab Sample	0.086	24	22	0.46	356	0.002	<20	1.15	0.005	0.27	0.7	0.10	3.0	0.4	<0.05	3	0.9	0.4
1696075	Rab Sample	0.041	13	17	0.14	382	0.008	<20	0.66	0.009	0.22	0.4	0.08	3.0	0.3	<0.05	2	1.3	0.6



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: July 25, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000210.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1696089	Rab Sample	4.47	0.015	2.4	46.3	10.4	52	0.4	41.5	11.7	473	3.07	26.4	10.7	5.6	20	0.5	2.3	0.5	39	0.32
REP 1696089	QC	0.016																			
Core Reject Duplicates																					
1696077	Rab Sample	0.32	0.021	7.6	81.2	23.0	66	0.4	58.5	10.5	364	3.57	31.3	14.5	6.0	32	0.7	2.3	4.0	43	0.25
DUP 1696077	QC	0.024																			
Reference Materials																					
STD DS11	Standard	12.5 145.5 128.0 312 1.6 76.4 11.6 990 2.84 39.1 102.7 6.9 61 2.3 7.6 10.9 44 0.98																			
STD OREAS45EA	Standard	1.6 688.4 13.5 30 0.2 393.7 50.2 401 21.05 10.8 51.9 10.6 4 <0.1 0.5 0.3 311 0.03																			
STD OXC145	Standard	0.209																			
STD OXH139	Standard	1.291																			
STD OXN134	Standard	7.762																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected		1.6 709 14.3 31.4 0.26 381 52 400 22.65 11.4 53 10.7 4.05 0.03 0.32 0.26 303 0.036																			
STD DS11 Expected		13.9 149 138 345 1.71 77.7 14.2 1055 3.1 42.8 79 7.65 67.3 2.37 7.2 12.2 50 1.063																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005 0.8 6.8 2.3 34 <0.1 0.8 2.9 566 1.69 1.1 0.9 2.1 20 <0.1 0.2 <0.1 19 0.69																			
ROCK-WHI	Prep Blank	<0.005 0.8 9.2 2.5 39 <0.1 1.2 3.5 567 1.74 1.1 1.0 2.1 26 <0.1 0.1 <0.1 20 0.66																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

July 25, 2018

Page:

1 of 1

Part:

2 of 2

QUALITY CONTROL REPORT

WHI18000210.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696089	Rab Sample	0.058	16	20	0.41	292	0.002	<20	1.10	0.005	0.21	0.2	0.10	7.2	0.3	<0.05	3	0.7	0.4
REP 1696089	QC																		
Core Reject Duplicates																			
1696077	Rab Sample	0.108	19	33	0.11	438	0.004	<20	0.70	0.008	0.36	0.9	0.15	2.5	0.5	<0.05	2	2.6	2.2
DUP 1696077	QC	0.122	22	37	0.11	506	0.004	<20	0.83	0.008	0.41	1.0	0.14	3.1	0.5	<0.05	2	2.6	2.2
Reference Materials																			
STD DS11	Standard	0.063	16	56	0.77	441	0.080	<20	1.02	0.067	0.38	2.4	0.25	3.0	4.5	0.26	4	2.3	4.3
STD OREAS45EA	Standard	0.025	7	856	0.08	147	0.087	<20	3.24	0.020	0.06	<0.1	<0.01	74.3	<0.1	<0.05	11	0.7	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.039	6	3	0.45	54	0.063	<20	0.89	0.073	0.10	<0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.042	6	3	0.46	60	0.072	<20	0.92	0.079	0.10	<0.1	<0.01	2.3	<0.1	<0.05	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: July 06, 2018
Report Date: August 03, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000281.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET-20180703-001-RAB
P.O. Number
Number of Samples: 47

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	46	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	46	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	46	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	46	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	46	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000281.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1696651	Rab Sample	1.74	0.010	3.2	28.9	12.8	67	0.1	32.6	11.0	587	2.70	100.8	8.0	11.5	44	0.3	1.8	0.1	51	0.62
1696652	Rab Sample	2.01	0.006	4.9	62.7	16.7	134	0.2	63.8	21.9	1600	4.95	66.9	3.8	6.6	48	1.0	1.6	0.2	105	1.12
1696653	Rab Sample	4.16	<0.005	5.1	57.2	12.4	110	0.2	47.5	19.8	1345	3.96	26.4	0.9	3.6	54	0.9	0.9	0.1	102	2.23
1696654	Rab Sample	5.47	<0.005	3.3	41.0	12.8	120	0.2	71.2	29.8	2045	5.89	81.2	1.5	8.1	107	0.3	1.1	0.1	127	3.81
1696655	Rab Sample	3.71	0.005	1.7	70.5	5.3	99	0.2	39.0	30.3	1150	6.23	6.3	0.8	3.4	62	0.4	0.4	0.1	154	2.20
1696656	Rab Sample	3.10	0.005	5.2	98.1	9.2	158	0.4	64.0	20.6	1100	4.62	20.2	1.3	5.1	55	1.1	1.1	0.1	105	1.32
1696657	Rab Sample	2.95	0.007	5.8	61.6	12.3	105	0.3	45.2	10.9	889	2.75	64.9	0.5	7.2	101	1.0	2.4	0.2	58	2.00
1696658	Rab Sample	3.13	<0.005	1.1	45.5	14.4	97	0.2	36.6	24.6	1279	5.26	41.6	1.1	6.5	101	0.3	2.1	0.1	106	4.50
1696659	Rab Sample	3.29	<0.005	2.9	54.5	12.2	151	0.3	46.9	13.8	933	3.02	57.0	<0.5	6.1	80	0.8	1.7	0.1	58	2.17
1696660	Rock	0.44	<0.005	<0.1	1.2	0.9	5	<0.1	<0.1	0.8	109	0.10	1.2	<0.5	0.1	78	<0.1	<0.1	<0.1	1	32.15
1696661	Rab Sample	3.35	0.005	17.8	81.9	12.4	207	0.6	62.5	8.2	942	2.33	56.4	0.7	2.2	128	3.2	4.2	<0.1	71	2.31
1696662	Rab Sample	2.74	<0.005	4.2	59.3	14.7	252	0.4	55.3	11.1	710	2.33	39.0	0.5	5.8	53	2.4	1.6	0.2	38	1.29
1696663	Rab Sample	2.83	0.006	8.5	88.2	21.2	318	0.5	76.6	12.5	606	3.21	35.9	<0.5	4.1	73	3.3	3.9	0.2	88	1.45
1696664	Rab Sample	2.74	0.013	5.7	75.5	11.1	218	0.5	65.3	10.9	713	2.69	253.0	2.6	4.2	71	2.1	4.3	0.2	62	2.31
1696665	Rab Sample	2.80	0.011	3.0	63.7	7.1	90	0.2	38.5	16.3	1793	3.90	63.6	2.9	3.7	88	0.3	1.9	0.1	58	2.91
1696666	Rab Sample	2.69	0.007	1.7	50.8	7.3	84	0.2	42.7	15.1	900	3.10	45.6	2.0	4.8	79	0.4	1.5	0.1	44	2.31
1696667	Rab Sample	3.29	0.008	1.6	36.5	9.1	82	0.2	36.1	13.4	760	3.63	49.5	1.2	4.1	76	0.3	2.1	0.3	53	2.38
1696668	Rab Sample	3.21	0.037	2.5	36.9	8.5	89	0.2	41.0	11.4	757	2.65	2705.0	8.4	3.8	167	0.5	3.4	0.2	32	3.10
1696669	Rab Sample	3.07	0.010	2.2	41.5	18.7	158	0.3	95.0	17.3	789	3.31	219.1	0.7	6.6	112	0.9	4.0	0.4	41	2.83
1696670	Rab Sample	2.54	0.065	3.7	51.4	16.1	116	0.5	28.8	5.1	370	2.48	8168.9	4.8	1.5	193	1.3	16.8	0.2	44	2.82
1696671	Rab Sample	3.11	0.005	3.0	47.9	10.5	126	0.2	41.6	9.4	551	2.43	302.3	<0.5	4.4	56	0.6	3.5	0.2	31	1.76
1696672	Rab Sample	2.98	0.006	1.6	39.3	12.3	87	0.2	39.8	10.6	704	2.70	65.6	1.0	4.9	50	0.2	1.8	0.2	42	1.75
1696673	Rab Sample	2.82	0.006	1.4	38.6	10.2	86	0.2	48.9	16.4	707	3.89	63.9	2.3	5.1	87	0.3	5.1	0.1	69	2.70
1696674	Rab Sample	2.75	0.007	1.3	39.2	7.5	82	0.2	41.8	14.4	524	3.29	61.1	2.5	4.6	57	0.1	2.0	<0.1	70	1.74
1696675	Rab Sample	2.61	0.006	1.4	38.7	10.4	70	0.2	32.7	10.4	574	2.88	50.6	1.1	3.9	88	0.2	2.3	0.1	48	2.36
1696676	Rab Sample	3.12	<0.005	1.2	28.4	6.3	59	0.1	32.1	9.6	438	2.22	35.8	0.7	2.8	77	0.2	1.7	<0.1	38	1.80
1696677	Rab Sample	2.99	0.005	1.2	39.8	9.0	82	0.2	39.2	12.1	489	3.05	41.7	1.4	5.7	55	0.2	2.7	0.1	61	1.36
1696678	Rab Sample	2.90	<0.005	6.0	65.9	24.0	252	0.3	47.0	9.2	425	2.75	44.8	1.1	3.9	70	2.7	2.4	0.2	65	1.71
1696679	Rab Sample	2.91	<0.005	2.4	44.8	11.2	104	0.2	32.0	10.3	615	3.23	26.9	<0.5	4.7	75	0.5	1.5	0.1	46	2.39
1696680	Rab Sample	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000281.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1696651	Rab Sample	0.051	27	39	0.54	304	0.045	<20	1.10	0.030	0.34	1.7	0.10	5.7	0.4	0.08	4	<0.5	<0.2			
1696652	Rab Sample	0.114	24	52	0.59	413	0.040	<20	1.38	0.015	0.49	0.7	0.06	12.9	0.9	0.07	6	0.9	<0.2			
1696653	Rab Sample	0.137	14	68	1.09	299	0.039	<20	1.32	0.015	0.63	0.7	0.05	15.5	0.8	<0.05	6	1.4	<0.2			
1696654	Rab Sample	0.154	38	84	2.03	394	0.104	<20	2.01	0.015	1.01	0.2	0.04	20.0	0.8	<0.05	8	<0.5	<0.2			
1696655	Rab Sample	0.206	20	12	1.83	888	0.235	<20	2.62	0.081	1.37	0.2	0.02	13.9	1.1	0.08	10	<0.5	<0.2			
1696656	Rab Sample	0.143	18	40	0.89	782	0.084	<20	1.55	0.019	0.79	0.5	0.13	10.4	1.3	0.07	6	2.2	<0.2			
1696657	Rab Sample	0.082	13	19	0.82	467	0.003	<20	0.63	0.005	0.22	0.5	0.16	4.3	0.7	0.05	3	2.5	<0.2			
1696658	Rab Sample	0.151	27	14	1.87	323	0.014	<20	1.41	0.007	0.33	<0.1	0.04	14.3	0.6	<0.05	5	<0.5	<0.2			
1696659	Rab Sample	0.066	13	25	0.93	873	0.005	<20	0.71	0.006	0.24	0.2	0.07	7.3	0.6	<0.05	3	2.2	<0.2			
1696660	Rock	0.007	1	<1	0.78	13	0.002	<20	0.05	0.003	0.02	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2			
1696661	Rab Sample	0.067	7	23	1.00	374	0.002	<20	0.49	0.006	0.18	0.9	0.15	3.2	0.9	0.10	1	4.8	<0.2			
1696662	Rab Sample	0.054	11	19	0.54	1160	0.003	<20	0.58	0.004	0.20	0.6	0.06	4.2	0.6	0.05	2	2.1	<0.2			
1696663	Rab Sample	0.125	15	29	0.69	2430	0.017	<20	0.81	0.006	0.34	0.6	0.06	5.1	0.8	0.13	3	4.9	<0.2			
1696664	Rab Sample	0.092	14	26	1.09	670	0.004	<20	0.53	0.005	0.20	0.6	0.06	5.0	0.5	0.06	2	3.0	<0.2			
1696665	Rab Sample	0.102	10	19	1.04	491	0.005	<20	0.70	0.004	0.22	0.3	0.03	8.2	0.4	0.37	3	1.4	<0.2			
1696666	Rab Sample	0.058	10	32	0.86	382	0.003	<20	0.58	0.004	0.18	0.3	0.03	7.6	0.2	0.36	2	<0.5	<0.2			
1696667	Rab Sample	0.061	10	25	0.98	360	0.005	<20	0.97	0.005	0.27	0.1	0.02	14.9	0.2	0.29	3	<0.5	<0.2			
1696668	Rab Sample	0.049	10	25	1.23	146	0.002	<20	0.63	0.005	0.29	0.3	0.04	6.5	0.3	0.50	2	1.7	<0.2			
1696669	Rab Sample	0.067	15	41	1.11	334	0.003	<20	0.79	0.006	0.31	0.3	0.03	6.7	0.2	0.40	3	1.1	<0.2			
1696670	Rab Sample	0.040	4	15	0.63	265	0.001	<20	0.42	0.012	0.23	0.8	0.07	3.9	0.6	1.33	2	3.4	<0.2			
1696671	Rab Sample	0.063	13	17	0.76	578	0.003	<20	0.59	0.005	0.25	0.6	0.03	4.7	0.2	0.19	2	2.1	<0.2			
1696672	Rab Sample	0.063	11	23	0.65	395	0.005	<20	0.67	0.004	0.20	0.5	0.02	5.9	0.2	0.32	2	0.9	<0.2			
1696673	Rab Sample	0.090	14	33	1.10	986	0.004	<20	0.70	0.004	0.18	0.1	0.02	10.9	0.3	<0.05	3	<0.5	<0.2			
1696674	Rab Sample	0.071	9	32	0.57	472	0.004	<20	0.70	0.003	0.16	0.2	0.02	9.3	0.2	<0.05	3	1.0	<0.2			
1696675	Rab Sample	0.056	5	23	0.86	929	0.003	<20	0.48	0.004	0.14	0.3	0.02	6.9	0.1	<0.05	2	<0.5	<0.2			
1696676	Rab Sample	0.050	4	20	0.68	806	0.003	<20	0.45	0.004	0.12	0.4	0.01	5.8	0.1	<0.05	2	<0.5	<0.2			
1696677	Rab Sample	0.063	10	28	0.52	520	0.007	<20	0.84	0.005	0.19	0.2	<0.01	8.1	0.2	<0.05	3	<0.5	<0.2			
1696678	Rab Sample	0.187	6	19	0.67	1518	0.004	<20	0.74	0.006	0.21	0.5	0.02	6.7	0.3	<0.05	2	1.7	<0.2			
1696679	Rab Sample	0.075	8	20	1.08	1328	0.003	<20	0.88	0.007	0.24	0.3	0.01	7.8	0.3	<0.05	3	0.6	<0.2			
1696680	Rab Sample	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000281.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1696681	Rab Sample	2.99	0.010	1.5	32.1	54.6	86	0.5	28.9	12.3	876	3.65	70.7	4.2	2.1	70	0.5	1.8	0.3	53	3.60
1696682	Rab Sample	2.10	<0.005	1.2	30.8	9.7	73	0.1	40.1	12.8	892	3.29	60.4	<0.5	4.4	71	0.2	1.7	0.1	80	5.59
1696683	Rab Sample	3.44	<0.005	0.9	21.5	11.7	72	<0.1	54.2	13.3	1189	3.33	87.7	0.6	3.3	112	0.3	1.4	0.1	64	8.21
1696684	Rab Sample	3.34	<0.005	0.9	25.3	30.6	67	0.2	84.3	23.0	1379	4.08	147.0	<0.5	4.1	93	0.1	1.7	0.2	86	4.77
1696685	Rab Sample	2.86	<0.005	1.1	29.3	8.4	60	0.1	28.7	10.7	607	2.73	36.0	4.3	2.6	70	0.2	1.0	<0.1	49	1.97
1696686	Rab Sample	3.20	<0.005	1.5	38.9	8.8	86	0.2	45.7	16.0	752	3.84	52.0	2.5	3.6	65	0.2	1.2	0.1	74	2.30
1696687	Rab Sample	3.16	0.005	1.5	37.6	11.8	67	0.2	49.8	13.3	522	2.91	51.1	2.0	4.4	65	0.2	1.2	0.1	53	1.99
1696688	Rab Sample	3.33	<0.005	1.3	26.5	10.8	70	0.1	53.6	13.1	472	2.62	67.0	3.1	4.9	69	0.2	0.9	<0.1	45	1.70
1696689	Rab Sample	2.98	<0.005	1.5	34.8	5.6	54	0.1	29.2	8.3	324	2.26	44.0	1.4	5.3	47	<0.1	0.8	<0.1	35	1.22
1696690	Rab Sample	2.59	<0.005	1.6	25.0	6.3	55	0.1	44.1	11.0	394	2.35	63.4	1.3	4.3	39	0.1	1.0	<0.1	42	1.44
1696691	Rab Sample	2.81	<0.005	1.7	19.4	7.1	39	<0.1	35.6	9.3	476	2.26	148.6	1.9	4.0	77	<0.1	1.5	<0.1	36	2.94
1696692	Rab Sample	2.99	<0.005	2.5	47.8	8.5	46	0.2	27.0	6.6	278	1.58	268.3	0.6	3.3	32	0.2	2.8	0.2	21	0.89
1696693	Rab Sample	2.94	<0.005	1.5	32.3	5.7	46	0.2	25.0	9.5	424	2.06	197.4	1.9	2.6	35	0.2	2.2	<0.1	25	1.76
1696694	Rab Sample	2.99	0.006	1.5	22.1	3.8	52	0.1	24.7	13.8	742	3.00	219.4	2.5	1.2	56	0.4	2.1	<0.1	29	3.35
1696695	Rab Sample	2.94	0.008	3.0	45.1	2.5	50	0.2	27.1	7.3	295	1.77	217.1	4.1	2.1	22	0.3	2.7	<0.1	23	0.70
1696696	Rab Sample	3.07	0.005	3.4	50.0	2.6	72	0.1	39.8	10.5	468	2.88	62.7	<0.5	6.0	28	0.3	0.7	<0.1	39	0.60
1696697	Rab Sample	1.87	<0.005	3.0	52.3	5.0	88	0.1	42.3	12.2	490	3.10	68.2	<0.5	5.7	49	0.1	1.7	<0.1	53	1.07



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000281.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1696681	Rab Sample	0.039	5	26	1.69	401	0.002	<20	0.59	0.007	0.18	0.4	0.19	9.2	1.2	0.06	2	<0.5	<0.2
1696682	Rab Sample	0.081	10	41	2.73	1097	0.003	<20	0.81	0.013	0.17	0.1	0.09	11.0	1.5	0.05	3	<0.5	<0.2
1696683	Rab Sample	0.073	6	42	3.97	3174	0.002	<20	0.65	0.020	0.20	<0.1	0.07	8.6	0.4	0.14	2	<0.5	<0.2
1696684	Rab Sample	0.026	5	100	1.95	533	<0.001	<20	0.94	0.010	0.25	<0.1	0.09	18.9	0.7	<0.05	2	<0.5	<0.2
1696685	Rab Sample	0.061	5	19	0.78	1754	0.003	<20	0.55	0.003	0.12	0.1	0.02	6.9	0.3	<0.05	2	<0.5	<0.2
1696686	Rab Sample	0.078	8	29	0.88	379	0.003	<20	0.82	0.005	0.15	0.2	0.02	10.5	0.3	<0.05	3	0.7	<0.2
1696687	Rab Sample	0.051	7	46	0.85	592	0.005	<20	0.76	0.007	0.20	0.1	0.02	8.1	0.3	<0.05	2	<0.5	<0.2
1696688	Rab Sample	0.029	11	51	0.76	388	0.005	<20	0.71	0.009	0.23	0.4	0.03	7.1	0.5	<0.05	2	<0.5	<0.2
1696689	Rab Sample	0.031	9	23	0.55	339	0.003	<20	0.42	0.004	0.12	0.5	0.05	4.4	0.2	<0.05	2	<0.5	<0.2
1696690	Rab Sample	0.043	9	37	0.62	193	0.002	<20	0.53	0.005	0.13	0.2	0.04	6.5	0.5	<0.05	2	0.6	<0.2
1696691	Rab Sample	0.031	8	35	1.24	654	0.001	<20	0.63	0.007	0.19	0.1	0.06	6.6	0.3	0.06	2	<0.5	<0.2
1696692	Rab Sample	0.023	6	17	0.41	278	0.002	<20	0.50	0.005	0.19	0.9	0.09	2.9	0.4	0.05	2	1.0	<0.2
1696693	Rab Sample	0.028	7	14	0.73	206	0.002	<20	0.34	0.005	0.18	1.3	0.05	5.1	0.3	0.11	1	<0.5	<0.2
1696694	Rab Sample	0.052	3	12	1.29	120	0.002	<20	0.41	0.006	0.21	1.6	0.09	9.4	0.2	0.27	1	<0.5	<0.2
1696695	Rab Sample	0.032	6	15	0.33	134	0.002	<20	0.34	0.006	0.13	2.1	0.07	2.9	0.3	0.07	1	0.9	<0.2
1696696	Rab Sample	0.037	17	26	0.40	261	0.004	<20	0.57	0.010	0.17	1.0	0.04	5.9	0.3	0.05	2	1.2	<0.2
1696697	Rab Sample	0.047	11	32	0.47	240	0.003	<20	0.70	0.009	0.20	0.7	0.03	6.3	0.4	0.05	3	1.0	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

August 03, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000281.1

		Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																						
1696658	Rab Sample	3.13	<0.005	1.1	45.5	14.4	97	0.2	36.6	24.6	1279	5.26	41.6	1.1	6.5	101	0.3	2.1	0.1	106	4.50	
REP 1696658	QC			0.9	46.8	14.7	101	0.2	36.6	25.6	1326	5.46	41.9	<0.5	6.8	103	0.3	2.0	0.1	109	4.68	
1696690	Rab Sample	2.59	<0.005	1.6	25.0	6.3	55	0.1	44.1	11.0	394	2.35	63.4	1.3	4.3	39	0.1	1.0	<0.1	42	1.44	
REP 1696690	QC		<0.005																			
1696692	Rab Sample	2.99	<0.005	2.5	47.8	8.5	46	0.2	27.0	6.6	278	1.58	268.3	0.6	3.3	32	0.2	2.8	0.2	21	0.89	
REP 1696692	QC			2.2	45.9	8.0	43	0.2	26.6	6.4	266	1.51	251.4	1.2	3.2	30	0.2	2.7	0.2	20	0.85	
Core Reject Duplicates																						
1696669	Rab Sample	3.07	0.010	2.2	41.5	18.7	158	0.3	95.0	17.3	789	3.31	219.1	0.7	6.6	112	0.9	4.0	0.4	41	2.83	
DUP 1696669	QC		0.010	2.5	41.3	19.0	154	0.4	93.3	17.4	780	3.29	220.9	0.6	6.7	116	1.0	4.0	0.3	40	2.83	
Reference Materials																						
STD DS11	Standard			12.7	140.9	132.7	328	1.6	72.9	12.8	981	2.95	39.4	65.4	7.6	67	2.2	5.9	11.9	44	0.98	
STD DS11	Standard			13.3	148.8	136.9	345	1.9	79.2	13.6	1034	3.15	45.2	107.3	7.7	71	2.5	6.9	12.3	50	1.06	
STD OREAS45EA	Standard			1.1	652.3	13.2	29	0.2	366.5	46.7	378	19.53	10.6	46.6	9.1	3	<0.1	0.2	0.2	288	0.04	
STD OREAS45EA	Standard			1.5	746.9	16.1	35	0.3	428.9	55.2	448	25.40	12.1	52.4	11.4	4	<0.1	0.3	0.3	318	0.04	
STD OXC145	Standard		0.214																			
STD OXH139	Standard		1.345																			
STD OXN134	Standard		7.870																			
STD OXN134 Expected			7.667																			
STD OXC145 Expected			0.212																			
STD OXH139 Expected			1.312																			
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
BLK	Blank		<0.005																			
BLK	Blank		<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1		1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<1	<0.01	
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1		<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<1	<0.01	
Prep Wash																						
ROCK-WHI	Prep Blank		<0.005	1.5	3.7	1.9	34	<0.1	1.0	3.8	540	1.88	1.3	1.0	2.3	30	<0.1	<0.1	<0.1	25	0.69	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000281.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1696658	Rab Sample	0.151	27	14	1.87	323	0.014	<20	1.41	0.007	0.33	<0.1	0.04	14.3	0.6	<0.05	5	<0.5	<0.2
REP 1696658	QC	0.153	28	12	1.94	326	0.014	<20	1.47	0.007	0.34	<0.1	0.04	14.5	0.5	<0.05	5	<0.5	<0.2
1696690	Rab Sample	0.043	9	37	0.62	193	0.002	<20	0.53	0.005	0.13	0.2	0.04	6.5	0.5	<0.05	2	0.6	<0.2
REP 1696690	QC																		
1696692	Rab Sample	0.023	6	17	0.41	278	0.002	<20	0.50	0.005	0.19	0.9	0.09	2.9	0.4	0.05	2	1.0	<0.2
REP 1696692	QC	0.022	6	16	0.39	271	0.002	<20	0.47	0.004	0.18	0.9	0.08	2.7	0.3	0.05	2	0.6	<0.2
Core Reject Duplicates																			
1696669	Rab Sample	0.067	15	41	1.11	334	0.003	<20	0.79	0.006	0.31	0.3	0.03	6.7	0.2	0.40	3	1.1	<0.2
DUP 1696669	QC	0.068	15	40	1.13	331	0.003	<20	0.78	0.007	0.31	0.3	0.03	6.8	0.2	0.37	2	1.2	<0.2
Reference Materials																			
STD DS11	Standard	0.067	18	56	0.80	400	0.090	<20	1.08	0.067	0.38	2.3	0.23	3.6	4.6	0.26	5	2.0	4.5
STD DS11	Standard	0.075	18	57	0.83	405	0.092	<20	1.13	0.073	0.40	2.7	0.23	3.8	4.8	0.29	5	1.8	4.5
STD OREAS45EA	Standard	0.027	7	786	0.10	129	0.092	<20	3.14	0.014	0.05	<0.1	<0.01	73.7	<0.1	<0.05	12	1.0	<0.2
STD OREAS45EA	Standard	0.035	8	927	0.12	157	0.112	<20	3.53	0.026	0.06	<0.1	<0.01	91.6	<0.1	<0.05	13	0.8	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.038	6	3	0.49	73	0.091	<20	1.07	0.119	0.13	0.1	<0.01	4.2	<0.1	<0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000281.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
ROCK-WHI	Prep Blank		<0.005	1.4	3.6	1.6	34	<0.1	0.8	3.4	532	1.88	1.3	1.2	2.3	30	<0.1	<0.1	<0.1	24	0.67



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 03, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000281.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
ROCK-WHI	Prep Blank	0.041	7	3	0.48	86	0.095	<20	1.04	0.135	0.15	<0.1	<0.01	4.0	<0.1	<0.05	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: August 31, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000554.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180729-01-RAB
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	67	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	69	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	69	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697147	Rab Sample	1.38	0.085	2.7	36.7	43.5	112	0.6	28.5	12.6	937	3.03	29.8	103.6	6.9	35	1.3	3.4	0.9	49	0.60
1697148	Rab Sample	1.13	0.144	3.3	35.6	65.8	165	1.4	27.4	10.8	1290	3.13	23.9	69.0	7.6	86	2.8	4.5	2.0	24	1.37
1697149	Rab Sample	0.75	0.155	3.5	43.0	72.9	190	1.7	32.2	13.2	1315	3.40	27.9	104.1	8.6	80	2.8	4.7	2.4	28	1.31
1697150	Rab Sample	2.07	0.644	2.2	53.3	67.1	181	2.1	33.8	15.1	1081	3.71	16.9	835.9	6.7	111	2.4	1.8	2.8	18	1.98
1697151	Rab Sample	0.87	0.278	3.7	33.5	52.2	116	1.1	28.8	9.7	710	2.75	10.9	243.0	8.3	128	1.8	3.8	2.4	16	2.07
1697152	Rab Sample	2.82	0.207	3.6	46.7	36.5	96	0.6	39.3	13.3	620	3.22	12.0	104.0	6.9	130	1.1	1.7	2.5	26	1.97
1697153	Rab Sample	3.06	0.215	5.8	41.7	46.9	107	0.7	36.0	12.5	643	3.33	16.9	177.4	8.3	199	1.2	1.8	3.1	20	2.88
1697154	Rab Sample	3.13	1.312	5.5	47.7	73.2	196	2.1	23.5	12.6	763	3.41	17.2	954.4	6.1	124	3.0	1.1	4.8	13	1.74
1697155	Rab Sample	2.66	1.056	3.0	56.2	98.2	266	2.4	32.4	14.5	996	3.84	23.8	1211.5	7.3	79	4.1	2.8	3.2	14	0.83
1697156	Rab Sample	3.06	1.303	3.5	38.1	42.6	121	1.4	34.6	11.8	982	3.06	12.6	1191.9	6.1	128	1.4	2.4	2.6	15	2.28
1697157	Rab Sample	3.02	0.527	2.9	39.3	57.1	161	1.4	29.0	10.8	1002	3.01	13.1	336.3	6.9	135	2.7	1.9	3.9	14	2.17
1697158	Rab Sample	2.08	1.079	5.8	66.7	65.6	211	1.7	30.0	14.8	1077	3.82	11.9	719.5	6.6	73	3.3	1.8	2.8	13	1.13
1697159	Rab Sample	2.09	1.389	3.4	45.8	58.5	173	1.6	38.2	12.8	1059	3.38	17.5	1699.2	7.5	139	2.4	2.0	3.4	16	2.42
1697160	Rock Pulp	0.08	0.549	7.4	284.9	15.9	54	0.6	120.9	15.5	490	2.95	180.7	361.6	3.5	89	0.3	1.6	0.2	70	1.93
1697161	Rab Sample	2.74	2.046	2.7	41.4	57.3	193	2.1	41.0	13.5	1300	3.57	19.6	5345.5	7.1	156	2.8	3.4	2.7	16	2.65
1697162	Rab Sample	2.62	2.424	2.9	43.0	58.9	244	1.7	34.4	11.2	1024	3.24	20.5	1997.6	7.4	111	4.5	1.9	3.3	15	1.61
1697163	Rab Sample	3.04	2.589	4.5	39.3	56.3	161	2.0	28.2	10.1	802	3.15	31.9	2776.4	7.6	156	2.3	2.2	3.0	14	1.66
1697164	Rab Sample	3.05	1.148	4.5	49.0	52.1	132	1.3	44.9	11.5	1071	3.46	14.5	635.1	6.9	255	1.7	4.4	4.7	18	3.15
1697165	Rab Sample	3.62	2.926	3.2	71.3	79.0	297	4.0	43.6	17.1	1089	4.79	11.4	2518.7	4.1	254	4.4	4.2	5.9	22	2.82
1697166	Rab Sample	3.17	2.314	2.9	71.0	78.9	308	3.2	33.1	14.9	1411	4.26	48.0	2259.0	6.6	182	5.3	2.0	3.6	15	2.26
1697167	Rab Sample	4.01	1.126	4.7	64.8	130.9	415	3.9	38.0	14.6	3649	4.15	51.1	937.9	5.9	118	7.7	4.7	2.8	14	2.01
1697168	Rab Sample	3.36	0.744	5.1	52.0	148.8	438	3.4	35.0	11.9	6396	3.66	50.0	159.4	6.1	145	8.0	4.1	2.4	16	2.91
1697169	Rab Sample	3.30	0.316	2.8	36.6	78.8	236	1.9	26.4	9.7	1681	3.10	18.0	130.4	8.4	153	3.9	1.5	2.7	12	2.50
1697170	Rab Sample	3.42	0.283	3.1	46.1	159.2	433	4.2	30.7	11.1	4217	3.40	27.1	379.2	6.4	173	8.5	4.5	2.3	14	2.87
1697171	Rab Sample	3.62	0.531	4.4	45.1	56.1	156	1.6	44.4	12.2	1446	3.51	18.9	432.8	6.4	157	2.3	2.0	2.4	19	2.39
1697172	Rab Sample	3.58	0.305	5.5	50.1	77.0	287	2.0	30.9	10.9	1243	2.98	16.2	336.6	7.6	153	5.1	1.2	2.6	13	2.33
1697173	Rab Sample	3.89	0.382	1.8	67.6	77.5	241	2.2	39.4	14.8	1758	4.08	30.3	259.9	6.1	136	4.6	2.3	2.2	13	2.24
1697174	Rab Sample	3.28	0.522	4.1	63.1	70.6	295	2.0	34.6	13.8	2140	3.80	25.7	173.0	7.0	161	5.4	2.0	2.0	11	2.60
1697175	Rab Sample	3.80	1.012	2.6	42.7	63.8	168	2.2	31.6	9.0	1391	3.09	17.9	836.4	7.4	146	2.7	1.6	2.3	12	2.36
1697176	Rab Sample	3.83	0.841	3.5	34.1	63.9	220	1.7	30.2	8.7	1764	3.17	12.8	400.2	5.1	169	3.3	1.7	2.4	25	2.42



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697147	Rab Sample	0.061	21	31	0.59	241	0.067	<20	1.11	0.030	0.36	1.1	<0.01	6.3	0.3	<0.05	4	<0.5	<0.2			
1697148	Rab Sample	0.075	19	15	0.58	152	0.008	<20	0.62	0.009	0.27	1.3	0.02	5.1	0.4	0.06	2	1.3	<0.2			
1697149	Rab Sample	0.078	22	17	0.58	186	0.009	<20	0.73	0.012	0.30	1.5	0.03	6.0	0.4	<0.05	2	0.7	<0.2			
1697150	Rab Sample	0.107	19	8	0.72	550	0.001	<20	0.50	0.005	0.25	0.6	0.04	6.0	0.4	0.07	1	0.8	<0.2			
1697151	Rab Sample	0.097	20	10	0.69	337	0.001	<20	0.51	0.008	0.27	1.0	<0.01	4.6	0.4	0.06	1	0.5	<0.2			
1697152	Rab Sample	0.086	18	12	0.71	125	0.001	<20	0.48	0.010	0.22	0.6	0.01	6.3	0.4	0.12	1	0.9	<0.2			
1697153	Rab Sample	0.080	17	12	0.99	118	<0.001	<20	0.52	0.014	0.25	0.5	<0.01	7.4	0.5	0.12	1	0.9	<0.2			
1697154	Rab Sample	0.091	16	6	0.57	96	<0.001	<20	0.43	0.004	0.25	0.5	0.02	4.7	0.5	0.13	<1	<0.5	<0.2			
1697155	Rab Sample	0.082	19	7	0.28	106	<0.001	<20	0.42	0.003	0.24	0.6	0.03	4.7	0.5	0.07	<1	1.6	<0.2			
1697156	Rab Sample	0.073	15	8	0.75	96	<0.001	<20	0.41	0.005	0.22	0.5	0.02	5.1	0.4	0.08	<1	1.0	<0.2			
1697157	Rab Sample	0.081	16	8	0.70	83	<0.001	<20	0.45	0.007	0.24	0.4	0.02	4.7	0.4	0.11	1	<0.5	<0.2			
1697158	Rab Sample	0.073	12	7	0.30	83	<0.001	<20	0.38	0.004	0.22	0.6	0.05	4.3	0.7	0.42	<1	0.8	<0.2			
1697159	Rab Sample	0.081	15	11	0.74	87	<0.001	<20	0.50	0.005	0.26	0.5	0.02	5.6	0.4	0.18	1	<0.5	<0.2			
1697160	Rock Pulp	0.035	9	116	1.48	131	0.106	<20	2.86	0.329	0.22	0.8	0.04	3.0	<0.1	0.11	6	<0.5	<0.2			
1697161	Rab Sample	0.084	13	11	0.91	96	<0.001	<20	0.50	0.005	0.22	0.4	0.02	6.1	0.4	0.18	<1	0.8	<0.2			
1697162	Rab Sample	0.075	14	10	0.54	400	<0.001	<20	0.48	0.005	0.25	0.5	0.02	4.8	0.4	0.17	<1	0.7	<0.2			
1697163	Rab Sample	0.080	14	8	0.61	120	<0.001	<20	0.44	0.012	0.28	0.4	0.04	4.9	0.6	0.30	<1	1.1	<0.2			
1697164	Rab Sample	0.111	15	20	1.31	125	<0.001	<20	0.49	0.004	0.27	0.3	0.01	6.1	0.4	0.22	<1	0.8	<0.2			
1697165	Rab Sample	0.093	8	12	0.88	135	<0.001	<20	0.40	0.006	0.25	0.3	0.02	9.3	0.7	1.93	<1	1.8	<0.2			
1697166	Rab Sample	0.091	11	8	0.57	125	<0.001	<20	0.41	0.006	0.29	0.5	0.04	5.2	0.7	1.51	<1	1.9	<0.2			
1697167	Rab Sample	0.074	8	8	0.67	73	<0.001	<20	0.28	0.003	0.21	1.2	0.07	4.4	0.7	2.10	<1	1.1	<0.2			
1697168	Rab Sample	0.084	9	10	0.99	75	<0.001	<20	0.35	0.003	0.24	0.7	0.04	4.5	0.5	1.54	<1	<0.5	<0.2			
1697169	Rab Sample	0.077	14	7	0.96	80	<0.001	<20	0.38	0.003	0.23	0.5	0.02	4.6	0.4	0.87	<1	1.2	<0.2			
1697170	Rab Sample	0.076	11	8	0.97	110	<0.001	<20	0.39	0.003	0.25	0.6	0.02	4.7	0.5	1.38	1	1.2	<0.2			
1697171	Rab Sample	0.081	12	13	1.08	89	0.001	<20	0.42	0.007	0.23	0.8	<0.01	5.6	0.4	0.67	<1	1.2	<0.2			
1697172	Rab Sample	0.082	15	10	0.90	124	<0.001	<20	0.52	0.007	0.27	0.6	0.01	5.2	0.4	0.58	1	0.7	<0.2			
1697173	Rab Sample	0.072	10	9	0.94	111	<0.001	<20	0.36	0.009	0.22	1.1	0.03	4.8	0.6	2.18	<1	1.9	<0.2			
1697174	Rab Sample	0.071	9	8	0.90	135	<0.001	<20	0.38	0.005	0.25	0.7	0.04	3.7	0.7	2.03	<1	1.5	<0.2			
1697175	Rab Sample	0.076	14	8	1.01	135	<0.001	<20	0.34	0.009	0.21	1.0	0.02	4.5	0.4	0.71	<1	1.2	<0.2			
1697176	Rab Sample	0.090	12	11	1.03	212	<0.001	<20	0.46	0.007	0.26	0.5	<0.01	6.1	0.5	0.59	<1	<0.5	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1697177	Rab Sample	2.99	0.497	3.3	60.8	205.3	1912	5.6	32.9	11.2	3025	3.32	52.4	268.6	5.6	130	41.1	3.4	3.1	15	2.39
1697178	Rab Sample	3.94	1.573	8.7	64.5	329.8	1384	6.0	36.5	13.8	2791	4.18	67.3	780.0	5.6	135	30.8	3.7	2.9	16	2.43
1697179	Rab Sample	3.29	1.806	4.8	46.5	152.7	332	3.3	44.7	12.1	2399	3.54	23.2	1316.4	5.4	166	5.9	2.1	2.1	16	2.47
1697180	Rock	0.53	0.007	<0.1	0.4	0.5	<1	<0.1	0.4	1.5	119	0.09	<0.5	0.8	<0.1	79	<0.1	<0.1	<0.1	<1	33.23
1697181	Rab Sample	3.18	0.601	5.8	54.8	74.7	200	2.2	35.4	12.2	1664	3.52	26.5	424.7	5.6	176	3.2	1.7	2.2	14	2.44
1697182	Rab Sample	3.65	0.256	4.4	48.3	101.9	316	3.4	26.3	11.3	1278	3.23	12.5	185.0	6.5	172	5.9	4.2	2.6	12	2.25
1697183	Rab Sample	3.92	1.611	3.9	65.4	32.7	95	1.2	39.8	14.8	681	4.02	8.0	913.1	5.6	149	1.2	1.6	2.5	22	1.90
1697184	Rab Sample	3.88	1.763	7.3	54.6	28.8	113	1.0	29.0	13.8	606	3.88	5.7	835.8	6.3	128	1.6	1.6	2.0	29	1.72
1697185	Rab Sample	3.97	0.129	2.5	40.2	90.9	378	1.7	40.8	15.9	1467	4.12	6.5	189.2	5.4	171	6.4	4.2	1.6	48	2.44
1697186	Rab Sample	3.96	0.156	3.5	44.0	41.5	188	1.3	28.1	11.7	864	3.53	11.3	99.3	7.8	191	2.4	1.2	3.1	26	2.26
1697187	Rab Sample	3.74	0.077	3.8	46.5	35.9	135	1.0	34.0	12.3	814	3.57	8.4	43.2	7.0	184	1.9	0.9	2.6	20	2.37
1697188	Rab Sample	3.94	0.130	3.4	60.7	46.2	134	1.5	42.8	15.0	1305	4.19	4.8	92.5	5.7	183	2.0	1.5	2.3	20	2.49
1697189	Rab Sample	3.89	0.059	2.8	61.2	42.2	123	1.2	35.6	13.5	897	4.16	3.1	96.0	5.4	180	1.4	0.9	2.2	20	2.22
1697190	Rab Sample	2.83	0.116	3.9	41.4	83.7	247	1.7	33.2	11.3	2091	3.71	8.9	82.9	5.9	214	3.9	3.0	2.2	20	2.73
1697191	Rab Sample	3.75	0.055	6.8	36.8	89.6	271	1.9	32.9	11.0	1985	3.45	16.8	26.8	6.3	190	4.8	1.5	2.0	20	2.48
1697192	Rab Sample	3.16	0.181	3.3	38.2	56.0	173	1.2	29.2	9.2	1277	3.08	14.6	52.4	6.3	178	2.5	0.8	2.1	15	2.60
1697193	Rab Sample	3.49	0.032	2.3	29.4	48.1	131	0.9	34.8	7.7	1040	2.76	12.8	26.8	8.0	189	1.8	3.2	1.7	14	2.67
1697194	Rab Sample	4.22	0.066	2.6	40.0	40.5	126	1.2	28.9	10.2	871	3.32	14.6	174.3	8.7	198	1.7	0.7	2.0	16	2.63
1697195	Rab Sample	3.01	0.075	3.0	39.5	55.1	143	1.3	32.1	9.8	1052	3.05	11.3	52.6	7.5	199	2.1	0.8	2.8	15	2.57
1697196	Rab Sample	3.76	0.103	2.6	41.6	60.1	180	1.0	38.4	11.1	1070	3.44	16.3	50.3	7.7	195	2.5	0.9	1.9	17	2.53
1697197	Rab Sample	3.52	0.052	3.1	44.0	40.9	99	1.1	31.9	10.8	761	3.34	13.5	36.3	7.0	202	1.2	0.8	1.9	17	2.80
1697198	Rab Sample	3.58	0.044	4.5	39.0	41.3	98	1.1	34.1	10.0	682	3.20	8.2	23.9	6.8	199	1.4	0.9	2.0	16	2.62
1697199	Rab Sample	3.41	0.034	4.0	42.5	43.9	106	1.0	36.6	10.1	773	3.48	7.8	22.0	6.4	199	1.5	0.8	2.2	17	2.63
1697200	Rock Pulp	0.08	1.190	4.2	171.1	44.8	255	0.9	96.4	15.6	535	3.08	16.8	2972.4	3.7	100	1.2	1.0	0.3	82	1.81
1697201	Rab Sample	4.02	0.056	2.4	58.2	38.0	101	1.1	35.2	12.3	757	3.75	4.8	27.4	9.6	210	1.4	0.9	1.8	11	1.93
1697202	Rab Sample	3.70	0.057	2.2	28.0	34.5	142	0.8	19.8	10.4	761	3.92	5.4	23.1	5.1	161	1.7	0.8	2.2	53	2.13
1697203	Rab Sample	3.44	0.067	2.3	54.3	58.0	170	1.3	33.8	12.7	1241	4.09	14.1	42.0	5.3	193	2.5	0.8	1.7	21	2.45
1697204	Rab Sample	3.82	0.034	3.3	45.6	45.9	113	1.2	27.4	10.0	781	3.43	3.8	22.3	9.0	168	1.7	0.8	2.0	13	2.22
1697205	Rab Sample	3.72	0.055	2.8	34.5	36.3	96	1.1	24.4	9.1	821	3.43	7.5	42.8	7.9	187	1.2	0.9	2.4	17	2.30
1697206	Rab Sample	3.72	0.217	2.9	61.2	49.5	118	1.5	33.8	10.8	1134	3.68	3.7	102.9	6.5	184	1.7	0.9	2.2	13	2.12



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697177	Rab Sample	0.075	10	9	0.87	165	<0.001	<20	0.36	0.003	0.24	0.6	0.03	5.1	0.5	1.41	<1	0.7	<0.2			
1697178	Rab Sample	0.082	9	11	0.93	81	<0.001	<20	0.44	0.004	0.29	0.7	0.03	5.5	0.5	2.19	1	1.8	0.4			
1697179	Rab Sample	0.085	10	12	1.05	99	<0.001	<20	0.37	0.004	0.23	0.7	<0.01	6.2	0.4	1.02	<1	0.7	<0.2			
1697180	Rock	0.006	1	<1	0.56	15	0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
1697181	Rab Sample	0.089	10	8	0.99	109	<0.001	<20	0.37	0.004	0.24	0.7	<0.01	5.1	0.4	1.42	<1	1.5	<0.2			
1697182	Rab Sample	0.080	11	7	0.85	126	<0.001	<20	0.39	0.006	0.24	0.6	0.02	4.5	0.4	1.45	<1	1.1	<0.2			
1697183	Rab Sample	0.071	11	14	1.01	186	0.002	<20	0.38	0.012	0.21	0.9	0.04	5.8	0.7	1.64	<1	1.0	<0.2			
1697184	Rab Sample	0.065	13	15	0.89	124	0.011	<20	0.57	0.035	0.24	0.8	0.02	7.0	0.8	1.53	2	0.9	<0.2			
1697185	Rab Sample	0.077	14	26	1.21	441	0.034	<20	0.77	0.053	0.30	0.4	0.01	8.2	0.7	1.17	3	0.5	<0.2			
1697186	Rab Sample	0.102	18	14	1.05	134	0.002	<20	0.53	0.025	0.23	0.7	0.01	6.3	0.4	0.85	2	0.5	<0.2			
1697187	Rab Sample	0.099	14	11	1.07	141	0.001	<20	0.45	0.016	0.24	0.6	0.02	5.6	0.5	1.09	1	0.6	<0.2			
1697188	Rab Sample	0.091	10	13	1.09	140	<0.001	<20	0.44	0.012	0.25	0.9	0.02	5.5	0.8	1.74	1	1.4	<0.2			
1697189	Rab Sample	0.096	9	10	1.08	149	0.001	<20	0.45	0.009	0.24	0.4	0.04	5.7	0.6	1.48	1	1.0	<0.2			
1697190	Rab Sample	0.084	10	10	1.13	257	<0.001	<20	0.41	0.006	0.25	0.6	0.02	6.3	0.6	1.05	<1	1.2	<0.2			
1697191	Rab Sample	0.079	11	9	1.03	131	<0.001	<20	0.40	0.004	0.24	0.5	0.02	5.3	0.4	1.07	<1	0.9	<0.2			
1697192	Rab Sample	0.088	11	9	0.99	105	<0.001	<20	0.42	0.007	0.24	0.6	<0.01	5.5	0.3	0.97	<1	<0.5	<0.2			
1697193	Rab Sample	0.072	13	12	1.06	86	<0.001	<20	0.42	0.013	0.25	0.7	<0.01	5.2	0.3	0.58	<1	<0.5	<0.2			
1697194	Rab Sample	0.079	14	10	1.07	97	<0.001	<20	0.48	0.016	0.25	0.6	0.02	6.1	0.4	1.05	1	0.7	<0.2			
1697195	Rab Sample	0.078	13	12	1.10	115	<0.001	<20	0.45	0.009	0.25	0.7	0.02	6.0	0.3	0.67	<1	<0.5	<0.2			
1697196	Rab Sample	0.081	14	14	1.17	127	<0.001	<20	0.50	0.008	0.28	0.5	<0.01	5.9	0.4	0.56	1	0.6	<0.2			
1697197	Rab Sample	0.076	13	12	1.14	161	<0.001	<20	0.45	0.013	0.25	0.7	0.02	6.2	0.4	0.78	<1	0.6	<0.2			
1697198	Rab Sample	0.083	13	11	1.07	103	<0.001	<20	0.43	0.011	0.23	0.6	<0.01	5.5	0.3	0.69	<1	1.0	<0.2			
1697199	Rab Sample	0.071	11	16	1.18	129	<0.001	<20	0.44	0.010	0.24	0.4	0.02	6.5	0.3	0.63	<1	<0.5	<0.2			
1697200	Rock Pulp	0.042	9	70	1.38	164	0.159	<20	2.81	0.336	0.30	8.1	0.07	3.9	0.1	0.11	7	<0.5	<0.2			
1697201	Rab Sample	0.054	12	10	0.78	92	<0.001	<20	0.45	0.017	0.24	0.7	0.05	4.6	0.7	1.80	<1	1.6	<0.2			
1697202	Rab Sample	0.107	14	16	0.99	88	0.001	<20	0.63	0.018	0.21	0.1	0.02	9.7	0.4	0.67	2	<0.5	<0.2			
1697203	Rab Sample	0.076	8	12	1.05	97	<0.001	<20	0.46	0.009	0.24	0.7	0.02	7.7	0.6	1.70	<1	0.7	<0.2			
1697204	Rab Sample	0.063	15	10	0.96	111	<0.001	<20	0.45	0.015	0.26	1.0	0.02	5.2	0.5	1.31	1	1.1	<0.2			
1697205	Rab Sample	0.079	17	11	1.05	146	<0.001	<20	0.50	0.013	0.26	0.6	<0.01	5.3	0.4	0.77	1	<0.5	<0.2			
1697206	Rab Sample	0.071	9	11	0.88	212	<0.001	<20	0.42	0.008	0.23	1.0	0.01	3.4	0.5	1.44	<1	2.0	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697207	Rab Sample	4.51	0.510	2.4	87.5	35.0	110	1.4	32.8	10.6	792	4.53	27.2	171.1	6.6	139	1.3	1.5	2.1	14	1.80
1697208	Rab Sample	4.46	0.376	2.4	74.4	42.4	124	1.7	38.0	8.6	854	4.34	32.0	285.3	7.1	170	1.9	2.6	1.9	14	1.84
1697209	Rab Sample	3.53	0.125	3.9	53.6	308.5	519	8.1	38.6	11.4	1821	3.95	70.9	62.9	5.3	209	10.4	37.8	1.8	17	2.65
1697210	Rab Sample	3.58	0.198	5.6	46.3	45.8	96	1.1	34.8	11.5	948	3.25	20.5	70.5	4.9	166	1.3	9.9	1.5	17	2.34
1697211	Rab Sample	3.53	0.171	4.9	42.3	42.1	94	0.9	32.6	11.6	541	3.27	12.5	75.2	7.4	143	1.3	4.4	1.6	14	2.20
1697212	Rab Sample	3.67	0.057	5.7	53.4	46.7	107	1.1	39.0	12.5	538	3.40	9.0	36.2	7.3	161	1.5	2.0	1.8	13	2.31
1697213	Rab Sample	3.91	0.060	7.2	50.9	104.8	213	1.5	36.7	11.2	1213	3.32	17.6	36.6	6.8	157	3.7	5.3	2.2	12	2.45
1697214	Rab Sample	3.57	0.061	4.0	50.8	75.7	153	1.6	36.5	11.5	1266	3.38	14.1	31.7	6.8	128	2.5	2.2	1.9	13	2.51
1697215	Rab Sample	3.57	0.060	4.0	46.4	163.5	216	2.4	44.3	11.4	2005	3.20	68.7	47.3	10.4	145	4.2	16.0	1.6	11	2.44



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697207	Rab Sample	0.064	9	11	0.90	90	<0.001	<20	0.43	0.009	0.24	1.1	0.02	3.7	0.5	2.26	<1	1.5	<0.2
1697208	Rab Sample	0.065	11	14	1.03	135	<0.001	<20	0.46	0.013	0.27	1.0	0.05	4.3	0.5	1.74	1	1.9	<0.2
1697209	Rab Sample	0.081	9	12	1.04	189	<0.001	<20	0.42	0.005	0.26	0.7	0.06	6.4	0.5	1.67	<1	1.1	<0.2
1697210	Rab Sample	0.076	11	11	1.07	94	<0.001	<20	0.38	0.007	0.23	1.1	0.04	5.5	0.4	0.81	<1	<0.5	<0.2
1697211	Rab Sample	0.073	13	15	1.00	116	<0.001	<20	0.35	0.014	0.21	1.4	0.07	5.6	0.4	0.83	<1	1.1	<0.2
1697212	Rab Sample	0.077	11	13	0.98	115	<0.001	<20	0.36	0.012	0.21	1.3	0.08	5.0	0.5	1.22	<1	1.3	<0.2
1697213	Rab Sample	0.069	10	12	1.00	191	<0.001	<20	0.39	0.005	0.24	0.8	0.05	5.4	0.3	0.89	<1	1.1	<0.2
1697214	Rab Sample	0.084	11	13	1.05	101	<0.001	<20	0.37	0.005	0.23	0.7	0.05	5.6	0.5	0.91	<1	1.3	<0.2
1697215	Rab Sample	0.071	13	13	0.98	140	<0.001	<20	0.36	0.005	0.21	0.8	0.03	5.0	0.4	0.94	<1	1.2	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

August 31, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000554.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697148	Rab Sample	1.13	0.144	3.3	35.6	65.8	165	1.4	27.4	10.8	1290	3.13	23.9	69.0	7.6	86	2.8	4.5	2.0	24	1.37
REP 1697148	QC			3.7	39.5	69.7	180	1.5	29.1	11.8	1367	3.32	25.8	156.0	7.9	90	2.8	4.3	2.0	26	1.46
1697166	Rab Sample	3.17	2.314	2.9	71.0	78.9	308	3.2	33.1	14.9	1411	4.26	48.0	2259.0	6.6	182	5.3	2.0	3.6	15	2.26
REP 1697166	QC		2.698																		
1697180	Rock	0.53	0.007	<0.1	0.4	0.5	<1	<0.1	0.4	1.5	119	0.09	<0.5	0.8	<0.1	79	<0.1	<0.1	<0.1	<1	33.23
REP 1697180	QC		<0.005																		
1697182	Rab Sample	3.65	0.256	4.4	48.3	101.9	316	3.4	26.3	11.3	1278	3.23	12.5	185.0	6.5	172	5.9	4.2	2.6	12	2.25
REP 1697182	QC			5.1	48.7	102.8	298	3.4	24.5	10.8	1257	3.18	12.0	184.7	6.6	174	5.6	4.6	2.6	12	2.27
Core Reject Duplicates																					
1697147	Rab Sample	1.38	0.085	2.7	36.7	43.5	112	0.6	28.5	12.6	937	3.03	29.8	103.6	6.9	35	1.3	3.4	0.9	49	0.60
DUP 1697147	QC		0.063	3.1	36.2	45.0	114	0.6	30.8	13.6	962	3.15	30.0	42.3	7.3	35	1.2	3.5	0.9	50	0.60
1697181	Rab Sample	3.18	0.601	5.8	54.8	74.7	200	2.2	35.4	12.2	1664	3.52	26.5	424.7	5.6	176	3.2	1.7	2.2	14	2.44
DUP 1697181	QC		0.644	6.6	50.7	70.1	197	2.3	33.9	12.0	1629	3.50	27.3	883.2	5.6	176	3.3	1.9	2.1	14	2.46
1697215	Rab Sample	3.57	0.060	4.0	46.4	163.5	216	2.4	44.3	11.4	2005	3.20	68.7	47.3	10.4	145	4.2	16.0	1.6	11	2.44
DUP 1697215	QC		0.038	5.5	46.6	158.9	215	2.2	40.8	11.3	2024	3.22	64.8	25.9	10.9	143	4.2	13.1	1.5	12	2.41
Reference Materials																					
STD DS11	Standard			14.4	144.1	134.6	312	1.9	76.8	14.7	953	2.91	43.4	71.7	8.3	59	2.5	8.7	13.2	46	0.99
STD DS11	Standard			16.1	152.2	149.6	345	1.7	81.9	14.4	1053	3.19	46.2	62.7	8.4	73	2.3	8.8	12.7	52	1.06
STD DS11	Standard			15.2	151.4	148.6	353	1.7	80.8	13.7	1075	3.20	42.5	116.2	7.6	69	2.3	7.8	12.6	53	1.09
STD OREAS45EA	Standard			1.6	672.8	15.9	30	0.2	392.3	57.4	397	20.40	12.0	46.4	11.5	4	<0.1	0.3	0.3	305	0.03
STD OREAS45EA	Standard			1.6	718.1	14.3	31	0.3	413.2	53.6	436	23.36	11.5	52.7	10.5	4	<0.1	0.3	0.3	317	0.03
STD OREAS45EA	Standard			1.8	762.8	16.6	35	0.3	385.0	53.0	418	26.56	11.9	67.4	11.6	5	<0.1	0.3	0.3	332	0.03
STD OXC145	Standard		0.216																		
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.211																		
STD OXH139	Standard		1.344																		
STD OXH139	Standard		1.369																		
STD OXH139	Standard		1.297																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000554.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697148	Rab Sample	0.075	19	15	0.58	152	0.008	<20	0.62	0.009	0.27	1.3	0.02	5.1	0.4	0.06	2	1.3	<0.2
REP 1697148	QC	0.078	21	17	0.62	162	0.008	<20	0.68	0.012	0.29	1.2	0.02	5.8	0.4	0.06	2	0.6	<0.2
1697166	Rab Sample	0.091	11	8	0.57	125	<0.001	<20	0.41	0.006	0.29	0.5	0.04	5.2	0.7	1.51	<1	1.9	<0.2
REP 1697166	QC																		
1697180	Rock	0.006	1	<1	0.56	15	0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2
REP 1697180	QC																		
1697182	Rab Sample	0.080	11	7	0.85	126	<0.001	<20	0.39	0.006	0.24	0.6	0.02	4.5	0.4	1.45	<1	1.1	<0.2
REP 1697182	QC	0.081	12	7	0.84	128	<0.001	<20	0.38	0.006	0.24	0.5	<0.01	4.7	0.4	1.46	<1	1.6	<0.2
Core Reject Duplicates																			
1697147	Rab Sample	0.061	21	31	0.59	241	0.067	<20	1.11	0.030	0.36	1.1	<0.01	6.3	0.3	<0.05	4	<0.5	<0.2
DUP 1697147	QC	0.062	21	33	0.60	272	0.068	<20	1.14	0.031	0.37	1.2	0.01	6.2	0.3	<0.05	4	1.0	<0.2
1697181	Rab Sample	0.089	10	8	0.99	109	<0.001	<20	0.37	0.004	0.24	0.7	<0.01	5.1	0.4	1.42	<1	1.5	<0.2
DUP 1697181	QC	0.080	10	8	0.98	110	<0.001	<20	0.37	0.003	0.24	0.7	0.02	5.0	0.4	1.40	<1	1.7	<0.2
1697215	Rab Sample	0.071	13	13	0.98	140	<0.001	<20	0.36	0.005	0.21	0.8	0.03	5.0	0.4	0.94	<1	1.2	<0.2
DUP 1697215	QC	0.071	13	14	0.97	156	<0.001	<20	0.39	0.007	0.23	0.8	0.03	4.6	0.4	0.93	<1	1.4	<0.2
Reference Materials																			
STD DS11	Standard	0.065	19	57	0.76	395	0.083	<20	1.05	0.067	0.37	2.7	0.25	2.8	4.8	0.26	4	2.3	4.5
STD DS11	Standard	0.071	20	59	0.85	399	0.097	<20	1.16	0.073	0.40	2.5	0.30	3.2	5.1	0.29	5	2.6	4.4
STD DS11	Standard	0.073	20	62	0.87	403	0.098	<20	1.20	0.074	0.41	2.6	0.28	3.6	5.6	0.30	5	2.4	5.2
STD OREAS45EA	Standard	0.030	8	868	0.09	165	0.089	<20	3.22	0.022	0.05	<0.1	<0.01	73.3	<0.1	<0.05	12	1.5	<0.2
STD OREAS45EA	Standard	0.028	7	809	0.10	140	0.101	<20	3.47	0.025	0.06	<0.1	0.01	77.0	<0.1	<0.05	12	1.6	<0.2
STD OREAS45EA	Standard	0.031	8	912	0.11	164	0.101	<20	3.73	0.025	0.06	<0.1	0.02	82.7	<0.1	<0.05	15	1.1	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000554.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN134	Standard		7.703																		
STD OXN134	Standard		7.825																		
STD OXN134	Standard		7.766																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.1	4.8	2.2	51	<0.1	0.7	3.4	491	1.72	1.8	<0.5	2.4	21	0.1	<0.1	<0.1	24	0.63
ROCK-WHI	Prep Blank		<0.005	1.0	3.0	1.0	34	<0.1	0.7	3.5	481	1.57	1.1	<0.5	2.4	22	<0.1	<0.1	<0.1	21	0.65



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000554.1

		AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.040	6	2	0.42	52	0.072	<20	0.75	0.052	0.07	<0.1	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	6	1	0.41	51	0.070	<20	0.76	0.044	0.06	<0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: November 21, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000554.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180729-01-RAB
P.O. Number
Number of Samples: 69

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	67	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	69	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	69	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	69	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN
EN003	21	Environmental disposal charge-Cyanide waste			RBC
CN403	21	Cyanide Leach for Au and Cu 30g _60mL / AAS.	30		RBC

ADDITIONAL COMMENTS

Version 2 : CN403 included.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.2

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1697147	Rab Sample	1.38	0.085	2.7	36.7	43.5	112	0.6	28.5	12.6	937	3.03	29.8	103.6	6.9	35	1.3	3.4	0.9	49	0.60
1697148	Rab Sample	1.13	0.144	3.3	35.6	65.8	165	1.4	27.4	10.8	1290	3.13	23.9	69.0	7.6	86	2.8	4.5	2.0	24	1.37
1697149	Rab Sample	0.75	0.155	3.5	43.0	72.9	190	1.7	32.2	13.2	1315	3.40	27.9	104.1	8.6	80	2.8	4.7	2.4	28	1.31
1697150	Rab Sample	2.07	0.644	2.2	53.3	67.1	181	2.1	33.8	15.1	1081	3.71	16.9	835.9	6.7	111	2.4	1.8	2.8	18	1.98
1697151	Rab Sample	0.87	0.278	3.7	33.5	52.2	116	1.1	28.8	9.7	710	2.75	10.9	243.0	8.3	128	1.8	3.8	2.4	16	2.07
1697152	Rab Sample	2.82	0.207	3.6	46.7	36.5	96	0.6	39.3	13.3	620	3.22	12.0	104.0	6.9	130	1.1	1.7	2.5	26	1.97
1697153	Rab Sample	3.06	0.215	5.8	41.7	46.9	107	0.7	36.0	12.5	643	3.33	16.9	177.4	8.3	199	1.2	1.8	3.1	20	2.88
1697154	Rab Sample	3.13	1.312	5.5	47.7	73.2	196	2.1	23.5	12.6	763	3.41	17.2	954.4	6.1	124	3.0	1.1	4.8	13	1.74
1697155	Rab Sample	2.66	1.056	3.0	56.2	98.2	266	2.4	32.4	14.5	996	3.84	23.8	1211.5	7.3	79	4.1	2.8	3.2	14	0.83
1697156	Rab Sample	3.06	1.303	3.5	38.1	42.6	121	1.4	34.6	11.8	982	3.06	12.6	1191.9	6.1	128	1.4	2.4	2.6	15	2.28
1697157	Rab Sample	3.02	0.527	2.9	39.3	57.1	161	1.4	29.0	10.8	1002	3.01	13.1	336.3	6.9	135	2.7	1.9	3.9	14	2.17
1697158	Rab Sample	2.08	1.079	5.8	66.7	65.6	211	1.7	30.0	14.8	1077	3.82	11.9	719.5	6.6	73	3.3	1.8	2.8	13	1.13
1697159	Rab Sample	2.09	1.389	3.4	45.8	58.5	173	1.6	38.2	12.8	1059	3.38	17.5	1699.2	7.5	139	2.4	2.0	3.4	16	2.42
1697160	Rock Pulp	0.08	0.549	7.4	284.9	15.9	54	0.6	120.9	15.5	490	2.95	180.7	361.6	3.5	89	0.3	1.6	0.2	70	1.93
1697161	Rab Sample	2.74	2.046	2.7	41.4	57.3	193	2.1	41.0	13.5	1300	3.57	19.6	5345.5	7.1	156	2.8	3.4	2.7	16	2.65
1697162	Rab Sample	2.62	2.424	2.9	43.0	58.9	244	1.7	34.4	11.2	1024	3.24	20.5	1997.6	7.4	111	4.5	1.9	3.3	15	1.61
1697163	Rab Sample	3.04	2.589	4.5	39.3	56.3	161	2.0	28.2	10.1	802	3.15	31.9	2776.4	7.6	156	2.3	2.2	3.0	14	1.66
1697164	Rab Sample	3.05	1.148	4.5	49.0	52.1	132	1.3	44.9	11.5	1071	3.46	14.5	635.1	6.9	255	1.7	4.4	4.7	18	3.15
1697165	Rab Sample	3.62	2.926	3.2	71.3	79.0	297	4.0	43.6	17.1	1089	4.79	11.4	2518.7	4.1	254	4.4	4.2	5.9	22	2.82
1697166	Rab Sample	3.17	2.314	2.9	71.0	78.9	308	3.2	33.1	14.9	1411	4.26	48.0	2259.0	6.6	182	5.3	2.0	3.6	15	2.26
1697167	Rab Sample	4.01	1.126	4.7	64.8	130.9	415	3.9	38.0	14.6	3649	4.15	51.1	937.9	5.9	118	7.7	4.7	2.8	14	2.01
1697168	Rab Sample	3.36	0.744	5.1	52.0	148.8	438	3.4	35.0	11.9	6396	3.66	50.0	159.4	6.1	145	8.0	4.1	2.4	16	2.91
1697169	Rab Sample	3.30	0.316	2.8	36.6	78.8	236	1.9	26.4	9.7	1681	3.10	18.0	130.4	8.4	153	3.9	1.5	2.7	12	2.50
1697170	Rab Sample	3.42	0.283	3.1	46.1	159.2	433	4.2	30.7	11.1	4217	3.40	27.1	379.2	6.4	173	8.5	4.5	2.3	14	2.87
1697171	Rab Sample	3.62	0.531	4.4	45.1	56.1	156	1.6	44.4	12.2	1446	3.51	18.9	432.8	6.4	157	2.3	2.0	2.4	19	2.39
1697172	Rab Sample	3.58	0.305	5.5	50.1	77.0	287	2.0	30.9	10.9	1243	2.98	16.2	336.6	7.6	153	5.1	1.2	2.6	13	2.33
1697173	Rab Sample	3.89	0.382	1.8	67.6	77.5	241	2.2	39.4	14.8	1758	4.08	30.3	259.9	6.1	136	4.6	2.3	2.2	13	2.24
1697174	Rab Sample	3.28	0.522	4.1	63.1	70.6	295	2.0	34.6	13.8	2140	3.80	25.7	173.0	7.0	161	5.4	2.0	2.0	11	2.60
1697175	Rab Sample	3.80	1.012	2.6	42.7	63.8	168	2.2	31.6	9.0	1391	3.09	17.9	836.4	7.4	146	2.7	1.6	2.3	12	2.36
1697176	Rab Sample	3.83	0.841	3.5	34.1	63.9	220	1.7	30.2	8.7	1764	3.17	12.8	400.2	5.1	169	3.3	1.7	2.4	25	2.42



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.2

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	CN403
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	AuCN
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.03
1697147	Rab Sample	0.061	21	31	0.59	241	0.067	<20	1.11	0.030	0.36	1.1	<0.01	6.3	0.3	<0.05	4	<0.5	<0.2	
1697148	Rab Sample	0.075	19	15	0.58	152	0.008	<20	0.62	0.009	0.27	1.3	0.02	5.1	0.4	0.06	2	1.3	<0.2	
1697149	Rab Sample	0.078	22	17	0.58	186	0.009	<20	0.73	0.012	0.30	1.5	0.03	6.0	0.4	<0.05	2	0.7	<0.2	
1697150	Rab Sample	0.107	19	8	0.72	550	0.001	<20	0.50	0.005	0.25	0.6	0.04	6.0	0.4	0.07	1	0.8	<0.2	0.45
1697151	Rab Sample	0.097	20	10	0.69	337	0.001	<20	0.51	0.008	0.27	1.0	<0.01	4.6	0.4	0.06	1	0.5	<0.2	0.18
1697152	Rab Sample	0.086	18	12	0.71	125	0.001	<20	0.48	0.010	0.22	0.6	0.01	6.3	0.4	0.12	1	0.9	<0.2	0.19
1697153	Rab Sample	0.080	17	12	0.99	118	<0.001	<20	0.52	0.014	0.25	0.5	<0.01	7.4	0.5	0.12	1	0.9	<0.2	0.25
1697154	Rab Sample	0.091	16	6	0.57	96	<0.001	<20	0.43	0.004	0.25	0.5	0.02	4.7	0.5	0.13	<1	<0.5	<0.2	0.98
1697155	Rab Sample	0.082	19	7	0.28	106	<0.001	<20	0.42	0.003	0.24	0.6	0.03	4.7	0.5	0.07	<1	1.6	<0.2	0.59
1697156	Rab Sample	0.073	15	8	0.75	96	<0.001	<20	0.41	0.005	0.22	0.5	0.02	5.1	0.4	0.08	<1	1.0	<0.2	0.83
1697157	Rab Sample	0.081	16	8	0.70	83	<0.001	<20	0.45	0.007	0.24	0.4	0.02	4.7	0.4	0.11	1	<0.5	<0.2	0.43
1697158	Rab Sample	0.073	12	7	0.30	83	<0.001	<20	0.38	0.004	0.22	0.6	0.05	4.3	0.7	0.42	<1	0.8	<0.2	0.57
1697159	Rab Sample	0.081	15	11	0.74	87	<0.001	<20	0.50	0.005	0.26	0.5	0.02	5.6	0.4	0.18	1	<0.5	<0.2	0.73
1697160	Rock Pulp	0.035	9	116	1.48	131	0.106	<20	2.86	0.329	0.22	0.8	0.04	3.0	<0.1	0.11	6	<0.5	<0.2	0.38
1697161	Rab Sample	0.084	13	11	0.91	96	<0.001	<20	0.50	0.005	0.22	0.4	0.02	6.1	0.4	0.18	<1	0.8	<0.2	1.51
1697162	Rab Sample	0.075	14	10	0.54	400	<0.001	<20	0.48	0.005	0.25	0.5	0.02	4.8	0.4	0.17	<1	0.7	<0.2	1.99
1697163	Rab Sample	0.080	14	8	0.61	120	<0.001	<20	0.44	0.012	0.28	0.4	0.04	4.9	0.6	0.30	<1	1.1	<0.2	2.22
1697164	Rab Sample	0.111	15	20	1.31	125	<0.001	<20	0.49	0.004	0.27	0.3	0.01	6.1	0.4	0.22	<1	0.8	<0.2	0.80
1697165	Rab Sample	0.093	8	12	0.88	135	<0.001	<20	0.40	0.006	0.25	0.3	0.02	9.3	0.7	1.93	<1	1.8	<0.2	1.60
1697166	Rab Sample	0.091	11	8	0.57	125	<0.001	<20	0.41	0.006	0.29	0.5	0.04	5.2	0.7	1.51	<1	1.9	<0.2	1.38
1697167	Rab Sample	0.074	8	8	0.67	73	<0.001	<20	0.28	0.003	0.21	1.2	0.07	4.4	0.7	2.10	<1	1.1	<0.2	0.81
1697168	Rab Sample	0.084	9	10	0.99	75	<0.001	<20	0.35	0.003	0.24	0.7	0.04	4.5	0.5	1.54	<1	<0.5	<0.2	0.25
1697169	Rab Sample	0.077	14	7	0.96	80	<0.001	<20	0.38	0.003	0.23	0.5	0.02	4.6	0.4	0.87	<1	1.2	<0.2	0.17
1697170	Rab Sample	0.076	11	8	0.97	110	<0.001	<20	0.39	0.003	0.25	0.6	0.02	4.7	0.5	1.38	1	1.2	<0.2	0.23
1697171	Rab Sample	0.081	12	13	1.08	89	0.001	<20	0.42	0.007	0.23	0.8	<0.01	5.6	0.4	0.67	<1	1.2	<0.2	
1697172	Rab Sample	0.082	15	10	0.90	124	<0.001	<20	0.52	0.007	0.27	0.6	0.01	5.2	0.4	0.58	1	0.7	<0.2	
1697173	Rab Sample	0.072	10	9	0.94	111	<0.001	<20	0.36	0.009	0.22	1.1	0.03	4.8	0.6	2.18	<1	1.9	<0.2	
1697174	Rab Sample	0.071	9	8	0.90	135	<0.001	<20	0.38	0.005	0.25	0.7	0.04	3.7	0.7	2.03	<1	1.5	<0.2	
1697175	Rab Sample	0.076	14	8	1.01	135	<0.001	<20	0.34	0.009	0.21	1.0	0.02	4.5	0.4	0.71	<1	1.2	<0.2	
1697176	Rab Sample	0.090	12	11	1.03	212	<0.001	<20	0.46	0.007	0.26	0.5	<0.01	6.1	0.5	0.59	<1	<0.5	<0.2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.2

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1697177	Rab Sample	2.99	0.497	3.3	60.8	205.3	1912	5.6	32.9	11.2	3025	3.32	52.4	268.6	5.6	130	41.1	3.4	3.1	15	2.39
1697178	Rab Sample	3.94	1.573	8.7	64.5	329.8	1384	6.0	36.5	13.8	2791	4.18	67.3	780.0	5.6	135	30.8	3.7	2.9	16	2.43
1697179	Rab Sample	3.29	1.806	4.8	46.5	152.7	332	3.3	44.7	12.1	2399	3.54	23.2	1316.4	5.4	166	5.9	2.1	2.1	16	2.47
1697180	Rock	0.53	0.007	<0.1	0.4	0.5	<1	<0.1	0.4	1.5	119	0.09	<0.5	0.8	<0.1	79	<0.1	<0.1	<0.1	<1	33.23
1697181	Rab Sample	3.18	0.601	5.8	54.8	74.7	200	2.2	35.4	12.2	1664	3.52	26.5	424.7	5.6	176	3.2	1.7	2.2	14	2.44
1697182	Rab Sample	3.65	0.256	4.4	48.3	101.9	316	3.4	26.3	11.3	1278	3.23	12.5	185.0	6.5	172	5.9	4.2	2.6	12	2.25
1697183	Rab Sample	3.92	1.611	3.9	65.4	32.7	95	1.2	39.8	14.8	681	4.02	8.0	913.1	5.6	149	1.2	1.6	2.5	22	1.90
1697184	Rab Sample	3.88	1.763	7.3	54.6	28.8	113	1.0	29.0	13.8	606	3.88	5.7	835.8	6.3	128	1.6	1.6	2.0	29	1.72
1697185	Rab Sample	3.97	0.129	2.5	40.2	90.9	378	1.7	40.8	15.9	1467	4.12	6.5	189.2	5.4	171	6.4	4.2	1.6	48	2.44
1697186	Rab Sample	3.96	0.156	3.5	44.0	41.5	188	1.3	28.1	11.7	864	3.53	11.3	99.3	7.8	191	2.4	1.2	3.1	26	2.26
1697187	Rab Sample	3.74	0.077	3.8	46.5	35.9	135	1.0	34.0	12.3	814	3.57	8.4	43.2	7.0	184	1.9	0.9	2.6	20	2.37
1697188	Rab Sample	3.94	0.130	3.4	60.7	46.2	134	1.5	42.8	15.0	1305	4.19	4.8	92.5	5.7	183	2.0	1.5	2.3	20	2.49
1697189	Rab Sample	3.89	0.059	2.8	61.2	42.2	123	1.2	35.6	13.5	897	4.16	3.1	96.0	5.4	180	1.4	0.9	2.2	20	2.22
1697190	Rab Sample	2.83	0.116	3.9	41.4	83.7	247	1.7	33.2	11.3	2091	3.71	8.9	82.9	5.9	214	3.9	3.0	2.2	20	2.73
1697191	Rab Sample	3.75	0.055	6.8	36.8	89.6	271	1.9	32.9	11.0	1985	3.45	16.8	26.8	6.3	190	4.8	1.5	2.0	20	2.48
1697192	Rab Sample	3.16	0.181	3.3	38.2	56.0	173	1.2	29.2	9.2	1277	3.08	14.6	52.4	6.3	178	2.5	0.8	2.1	15	2.60
1697193	Rab Sample	3.49	0.032	2.3	29.4	48.1	131	0.9	34.8	7.7	1040	2.76	12.8	26.8	8.0	189	1.8	3.2	1.7	14	2.67
1697194	Rab Sample	4.22	0.066	2.6	40.0	40.5	126	1.2	28.9	10.2	871	3.32	14.6	174.3	8.7	198	1.7	0.7	2.0	16	2.63
1697195	Rab Sample	3.01	0.075	3.0	39.5	55.1	143	1.3	32.1	9.8	1052	3.05	11.3	52.6	7.5	199	2.1	0.8	2.8	15	2.57
1697196	Rab Sample	3.76	0.103	2.6	41.6	60.1	180	1.0	38.4	11.1	1070	3.44	16.3	50.3	7.7	195	2.5	0.9	1.9	17	2.53
1697197	Rab Sample	3.52	0.052	3.1	44.0	40.9	99	1.1	31.9	10.8	761	3.34	13.5	36.3	7.0	202	1.2	0.8	1.9	17	2.80
1697198	Rab Sample	3.58	0.044	4.5	39.0	41.3	98	1.1	34.1	10.0	682	3.20	8.2	23.9	6.8	199	1.4	0.9	2.0	16	2.62
1697199	Rab Sample	3.41	0.034	4.0	42.5	43.9	106	1.0	36.6	10.1	773	3.48	7.8	22.0	6.4	199	1.5	0.8	2.2	17	2.63
1697200	Rock Pulp	0.08	1.190	4.2	171.1	44.8	255	0.9	96.4	15.6	535	3.08	16.8	2972.4	3.7	100	1.2	1.0	0.3	82	1.81
1697201	Rab Sample	4.02	0.056	2.4	58.2	38.0	101	1.1	35.2	12.3	757	3.75	4.8	27.4	9.6	210	1.4	0.9	1.8	11	1.93
1697202	Rab Sample	3.70	0.057	2.2	28.0	34.5	142	0.8	19.8	10.4	761	3.92	5.4	23.1	5.1	161	1.7	0.8	2.2	53	2.13
1697203	Rab Sample	3.44	0.067	2.3	54.3	58.0	170	1.3	33.8	12.7	1241	4.09	14.1	42.0	5.3	193	2.5	0.8	1.7	21	2.45
1697204	Rab Sample	3.82	0.034	3.3	45.6	45.9	113	1.2	27.4	10.0	781	3.43	3.8	22.3	9.0	168	1.7	0.8	2.0	13	2.22
1697205	Rab Sample	3.72	0.055	2.8	34.5	36.3	96	1.1	24.4	9.1	821	3.43	7.5	42.8	7.9	187	1.2	0.9	2.4	17	2.30
1697206	Rab Sample	3.72	0.217	2.9	61.2	49.5	118	1.5	33.8	10.8	1134	3.68	3.7	102.9	6.5	184	1.7	0.9	2.2	13	2.12



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.2

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	CN403
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	AuCN
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.03
1697177	Rab Sample	0.075	10	9	0.87	165	<0.001	<20	0.36	0.003	0.24	0.6	0.03	5.1	0.5	1.41	<1	0.7	<0.2	
1697178	Rab Sample	0.082	9	11	0.93	81	<0.001	<20	0.44	0.004	0.29	0.7	0.03	5.5	0.5	2.19	1	1.8	0.4	
1697179	Rab Sample	0.085	10	12	1.05	99	<0.001	<20	0.37	0.004	0.23	0.7	<0.01	6.2	0.4	1.02	<1	0.7	<0.2	
1697180	Rock	0.006	1	<1	0.56	15	0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
1697181	Rab Sample	0.089	10	8	0.99	109	<0.001	<20	0.37	0.004	0.24	0.7	<0.01	5.1	0.4	1.42	<1	1.5	<0.2	
1697182	Rab Sample	0.080	11	7	0.85	126	<0.001	<20	0.39	0.006	0.24	0.6	0.02	4.5	0.4	1.45	<1	1.1	<0.2	
1697183	Rab Sample	0.071	11	14	1.01	186	0.002	<20	0.38	0.012	0.21	0.9	0.04	5.8	0.7	1.64	<1	1.0	<0.2	
1697184	Rab Sample	0.065	13	15	0.89	124	0.011	<20	0.57	0.035	0.24	0.8	0.02	7.0	0.8	1.53	2	0.9	<0.2	
1697185	Rab Sample	0.077	14	26	1.21	441	0.034	<20	0.77	0.053	0.30	0.4	0.01	8.2	0.7	1.17	3	0.5	<0.2	
1697186	Rab Sample	0.102	18	14	1.05	134	0.002	<20	0.53	0.025	0.23	0.7	0.01	6.3	0.4	0.85	2	0.5	<0.2	
1697187	Rab Sample	0.099	14	11	1.07	141	0.001	<20	0.45	0.016	0.24	0.6	0.02	5.6	0.5	1.09	1	0.6	<0.2	
1697188	Rab Sample	0.091	10	13	1.09	140	<0.001	<20	0.44	0.012	0.25	0.9	0.02	5.5	0.8	1.74	1	1.4	<0.2	
1697189	Rab Sample	0.096	9	10	1.08	149	0.001	<20	0.45	0.009	0.24	0.4	0.04	5.7	0.6	1.48	1	1.0	<0.2	
1697190	Rab Sample	0.084	10	10	1.13	257	<0.001	<20	0.41	0.006	0.25	0.6	0.02	6.3	0.6	1.05	<1	1.2	<0.2	
1697191	Rab Sample	0.079	11	9	1.03	131	<0.001	<20	0.40	0.004	0.24	0.5	0.02	5.3	0.4	1.07	<1	0.9	<0.2	
1697192	Rab Sample	0.088	11	9	0.99	105	<0.001	<20	0.42	0.007	0.24	0.6	<0.01	5.5	0.3	0.97	<1	<0.5	<0.2	
1697193	Rab Sample	0.072	13	12	1.06	86	<0.001	<20	0.42	0.013	0.25	0.7	<0.01	5.2	0.3	0.58	<1	<0.5	<0.2	
1697194	Rab Sample	0.079	14	10	1.07	97	<0.001	<20	0.48	0.016	0.25	0.6	0.02	6.1	0.4	1.05	1	0.7	<0.2	
1697195	Rab Sample	0.078	13	12	1.10	115	<0.001	<20	0.45	0.009	0.25	0.7	0.02	6.0	0.3	0.67	<1	<0.5	<0.2	
1697196	Rab Sample	0.081	14	14	1.17	127	<0.001	<20	0.50	0.008	0.28	0.5	<0.01	5.9	0.4	0.56	1	0.6	<0.2	
1697197	Rab Sample	0.076	13	12	1.14	161	<0.001	<20	0.45	0.013	0.25	0.7	0.02	6.2	0.4	0.78	<1	0.6	<0.2	
1697198	Rab Sample	0.083	13	11	1.07	103	<0.001	<20	0.43	0.011	0.23	0.6	<0.01	5.5	0.3	0.69	<1	1.0	<0.2	
1697199	Rab Sample	0.071	11	16	1.18	129	<0.001	<20	0.44	0.010	0.24	0.4	0.02	6.5	0.3	0.63	<1	<0.5	<0.2	
1697200	Rock Pulp	0.042	9	70	1.38	164	0.159	<20	2.81	0.336	0.30	8.1	0.07	3.9	0.1	0.11	7	<0.5	<0.2	
1697201	Rab Sample	0.054	12	10	0.78	92	<0.001	<20	0.45	0.017	0.24	0.7	0.05	4.6	0.7	1.80	<1	1.6	<0.2	
1697202	Rab Sample	0.107	14	16	0.99	88	0.001	<20	0.63	0.018	0.21	0.1	0.02	9.7	0.4	0.67	2	<0.5	<0.2	
1697203	Rab Sample	0.076	8	12	1.05	97	<0.001	<20	0.46	0.009	0.24	0.7	0.02	7.7	0.6	1.70	<1	0.7	<0.2	
1697204	Rab Sample	0.063	15	10	0.96	111	<0.001	<20	0.45	0.015	0.26	1.0	0.02	5.2	0.5	1.31	1	1.1	<0.2	
1697205	Rab Sample	0.079	17	11	1.05	146	<0.001	<20	0.50	0.013	0.26	0.6	<0.01	5.3	0.4	0.77	1	<0.5	<0.2	
1697206	Rab Sample	0.071	9	11	0.88	212	<0.001	<20	0.42	0.008	0.23	1.0	0.01	3.4	0.5	1.44	<1	2.0	<0.2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.2

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1697207	Rab Sample	4.51	0.510	2.4	87.5	35.0	110	1.4	32.8	10.6	792	4.53	27.2	171.1	6.6	139	1.3	1.5	2.1	14
1697208	Rab Sample	4.46	0.376	2.4	74.4	42.4	124	1.7	38.0	8.6	854	4.34	32.0	285.3	7.1	170	1.9	2.6	1.9	14
1697209	Rab Sample	3.53	0.125	3.9	53.6	308.5	519	8.1	38.6	11.4	1821	3.95	70.9	62.9	5.3	209	10.4	37.8	1.8	17
1697210	Rab Sample	3.58	0.198	5.6	46.3	45.8	96	1.1	34.8	11.5	948	3.25	20.5	70.5	4.9	166	1.3	9.9	1.5	17
1697211	Rab Sample	3.53	0.171	4.9	42.3	42.1	94	0.9	32.6	11.6	541	3.27	12.5	75.2	7.4	143	1.3	4.4	1.6	14
1697212	Rab Sample	3.67	0.057	5.7	53.4	46.7	107	1.1	39.0	12.5	538	3.40	9.0	36.2	7.3	161	1.5	2.0	1.8	13
1697213	Rab Sample	3.91	0.060	7.2	50.9	104.8	213	1.5	36.7	11.2	1213	3.32	17.6	36.6	6.8	157	3.7	5.3	2.2	12
1697214	Rab Sample	3.57	0.061	4.0	50.8	75.7	153	1.6	36.5	11.5	1266	3.38	14.1	31.7	6.8	128	2.5	2.2	1.9	13
1697215	Rab Sample	3.57	0.060	4.0	46.4	163.5	216	2.4	44.3	11.4	2005	3.20	68.7	47.3	10.4	145	4.2	16.0	1.6	11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000554.2

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	CN403
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	AuCN
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.03
1697207	Rab Sample	0.064	9	11	0.90	90	<0.001	<20	0.43	0.009	0.24	1.1	0.02	3.7	0.5	2.26	<1	1.5	<0.2	
1697208	Rab Sample	0.065	11	14	1.03	135	<0.001	<20	0.46	0.013	0.27	1.0	0.05	4.3	0.5	1.74	1	1.9	<0.2	
1697209	Rab Sample	0.081	9	12	1.04	189	<0.001	<20	0.42	0.005	0.26	0.7	0.06	6.4	0.5	1.67	<1	1.1	<0.2	
1697210	Rab Sample	0.076	11	11	1.07	94	<0.001	<20	0.38	0.007	0.23	1.1	0.04	5.5	0.4	0.81	<1	<0.5	<0.2	
1697211	Rab Sample	0.073	13	15	1.00	116	<0.001	<20	0.35	0.014	0.21	1.4	0.07	5.6	0.4	0.83	<1	1.1	<0.2	
1697212	Rab Sample	0.077	11	13	0.98	115	<0.001	<20	0.36	0.012	0.21	1.3	0.08	5.0	0.5	1.22	<1	1.3	<0.2	
1697213	Rab Sample	0.069	10	12	1.00	191	<0.001	<20	0.39	0.005	0.24	0.8	0.05	5.4	0.3	0.89	<1	1.1	<0.2	
1697214	Rab Sample	0.084	11	13	1.05	101	<0.001	<20	0.37	0.005	0.23	0.7	0.05	5.6	0.5	0.91	<1	1.3	<0.2	
1697215	Rab Sample	0.071	13	13	0.98	140	<0.001	<20	0.36	0.005	0.21	0.8	0.03	5.0	0.4	0.94	<1	1.2	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

November 21, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000554.2

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697148	Rab Sample	1.13	0.144	3.3	35.6	65.8	165	1.4	27.4	10.8	1290	3.13	23.9	69.0	7.6	86	2.8	4.5	2.0	24	1.37
REP 1697148	QC			3.7	39.5	69.7	180	1.5	29.1	11.8	1367	3.32	25.8	156.0	7.9	90	2.8	4.3	2.0	26	1.46
1697166	Rab Sample	3.17	2.314	2.9	71.0	78.9	308	3.2	33.1	14.9	1411	4.26	48.0	2259.0	6.6	182	5.3	2.0	3.6	15	2.26
REP 1697166	QC		2.698																		
1697180	Rock	0.53	0.007	<0.1	0.4	0.5	<1	<0.1	0.4	1.5	119	0.09	<0.5	0.8	<0.1	79	<0.1	<0.1	<0.1	<1	33.23
REP 1697180	QC		<0.005																		
1697182	Rab Sample	3.65	0.256	4.4	48.3	101.9	316	3.4	26.3	11.3	1278	3.23	12.5	185.0	6.5	172	5.9	4.2	2.6	12	2.25
REP 1697182	QC			5.1	48.7	102.8	298	3.4	24.5	10.8	1257	3.18	12.0	184.7	6.6	174	5.6	4.6	2.6	12	2.27
Core Reject Duplicates																					
1697147	Rab Sample	1.38	0.085	2.7	36.7	43.5	112	0.6	28.5	12.6	937	3.03	29.8	103.6	6.9	35	1.3	3.4	0.9	49	0.60
DUP 1697147	QC		0.063	3.1	36.2	45.0	114	0.6	30.8	13.6	962	3.15	30.0	42.3	7.3	35	1.2	3.5	0.9	50	0.60
1697181	Rab Sample	3.18	0.601	5.8	54.8	74.7	200	2.2	35.4	12.2	1664	3.52	26.5	424.7	5.6	176	3.2	1.7	2.2	14	2.44
DUP 1697181	QC		0.644	6.6	50.7	70.1	197	2.3	33.9	12.0	1629	3.50	27.3	883.2	5.6	176	3.3	1.9	2.1	14	2.46
1697215	Rab Sample	3.57	0.060	4.0	46.4	163.5	216	2.4	44.3	11.4	2005	3.20	68.7	47.3	10.4	145	4.2	16.0	1.6	11	2.44
DUP 1697215	QC		0.038	5.5	46.6	158.9	215	2.2	40.8	11.3	2024	3.22	64.8	25.9	10.9	143	4.2	13.1	1.5	12	2.41
Reference Materials																					
STD DS11	Standard			14.4	144.1	134.6	312	1.9	76.8	14.7	953	2.91	43.4	71.7	8.3	59	2.5	8.7	13.2	46	0.99
STD DS11	Standard			16.1	152.2	149.6	345	1.7	81.9	14.4	1053	3.19	46.2	62.7	8.4	73	2.3	8.8	12.7	52	1.06
STD DS11	Standard			15.2	151.4	148.6	353	1.7	80.8	13.7	1075	3.20	42.5	116.2	7.6	69	2.3	7.8	12.6	53	1.09
STD GBM311-1	Standard																				
STD OREAS45EA	Standard			1.6	672.8	15.9	30	0.2	392.3	57.4	397	20.40	12.0	46.4	11.5	4	<0.1	0.3	0.3	305	0.03
STD OREAS45EA	Standard			1.6	718.1	14.3	31	0.3	413.2	53.6	436	23.36	11.5	52.7	10.5	4	<0.1	0.3	0.3	317	0.03
STD OREAS45EA	Standard			1.8	762.8	16.6	35	0.3	385.0	53.0	418	26.56	11.9	67.4	11.6	5	<0.1	0.3	0.3	332	0.03
STD OXC145	Standard		0.216																		
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.211																		
STD OXH139	Standard		1.344																		
STD OXH139	Standard		1.369																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000554.2

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	CN403
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	AuCN
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.03
Pulp Duplicates																				
1697148	Rab Sample	0.075	19	15	0.58	152	0.008	<20	0.62	0.009	0.27	1.3	0.02	5.1	0.4	0.06	2	1.3	<0.2	
REP 1697148	QC	0.078	21	17	0.62	162	0.008	<20	0.68	0.012	0.29	1.2	0.02	5.8	0.4	0.06	2	0.6	<0.2	
1697166	Rab Sample	0.091	11	8	0.57	125	<0.001	<20	0.41	0.006	0.29	0.5	0.04	5.2	0.7	1.51	<1	1.9	<0.2	1.38
REP 1697166	QC																			
1697180	Rock	0.006	1	<1	0.56	15	0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2	
REP 1697180	QC																			
1697182	Rab Sample	0.080	11	7	0.85	126	<0.001	<20	0.39	0.006	0.24	0.6	0.02	4.5	0.4	1.45	<1	1.1	<0.2	
REP 1697182	QC	0.081	12	7	0.84	128	<0.001	<20	0.38	0.006	0.24	0.5	<0.01	4.7	0.4	1.46	<1	1.6	<0.2	
Core Reject Duplicates																				
1697147	Rab Sample	0.061	21	31	0.59	241	0.067	<20	1.11	0.030	0.36	1.1	<0.01	6.3	0.3	<0.05	4	<0.5	<0.2	
DUP 1697147	QC	0.062	21	33	0.60	272	0.068	<20	1.14	0.031	0.37	1.2	0.01	6.2	0.3	<0.05	4	1.0	<0.2	
1697181	Rab Sample	0.089	10	8	0.99	109	<0.001	<20	0.37	0.004	0.24	0.7	<0.01	5.1	0.4	1.42	<1	1.5	<0.2	
DUP 1697181	QC	0.080	10	8	0.98	110	<0.001	<20	0.37	0.003	0.24	0.7	0.02	5.0	0.4	1.40	<1	1.7	<0.2	
1697215	Rab Sample	0.071	13	13	0.98	140	<0.001	<20	0.36	0.005	0.21	0.8	0.03	5.0	0.4	0.94	<1	1.2	<0.2	
DUP 1697215	QC	0.071	13	14	0.97	156	<0.001	<20	0.39	0.007	0.23	0.8	0.03	4.6	0.4	0.93	<1	1.4	<0.2	
Reference Materials																				
STD DS11	Standard	0.065	19	57	0.76	395	0.083	<20	1.05	0.067	0.37	2.7	0.25	2.8	4.8	0.26	4	2.3	4.5	
STD DS11	Standard	0.071	20	59	0.85	399	0.097	<20	1.16	0.073	0.40	2.5	0.30	3.2	5.1	0.29	5	2.6	4.4	
STD DS11	Standard	0.073	20	62	0.87	403	0.098	<20	1.20	0.074	0.41	2.6	0.28	3.6	5.6	0.30	5	2.4	5.2	
STD GBM311-1	Standard	0.35																		
STD OREAS45EA	Standard	0.030	8	868	0.09	165	0.089	<20	3.22	0.022	0.05	<0.1	<0.01	73.3	<0.1	<0.05	12	1.5	<0.2	
STD OREAS45EA	Standard	0.028	7	809	0.10	140	0.101	<20	3.47	0.025	0.06	<0.1	0.01	77.0	<0.1	<0.05	12	1.6	<0.2	
STD OREAS45EA	Standard	0.031	8	912	0.11	164	0.101	<20	3.73	0.025	0.06	<0.1	0.02	82.7	<0.1	<0.05	15	1.1	<0.2	
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXC145	Standard																			
STD OXH139	Standard																			
STD OXH139	Standard																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000554.2

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXH139	Standard	1.297																			
STD OXH37	Standard																				
STD OXN134	Standard	7.703																			
STD OXN134	Standard	7.825																			
STD OXN134	Standard	7.766																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected		1.670914.331.40.263815240022.6511.45310.74.050.030.320.263030.036																			
STD DS11 Expected		13.91491383451.7177.714.210553.142.8797.6567.32.377.212.2501.063																			
STD GBM311-1 Expected																					
STD OXH37 Expected																					
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1<0.1<0.1<1<0.10.2<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.0051.14.82.251<0.10.73.44911.721.8<0.52.4210.1<0.1<0.1240.63																			
ROCK-WHI	Prep Blank	<0.0051.03.01.034<0.10.73.54811.571.1<0.52.422<0.1<0.1<0.1210.65																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: November 21, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000554.2

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	CN403	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	AuCN
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	0.03
STD OXH139	Standard																			
STD OXH37	Standard	1.23																		
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134	Standard																			
STD OXN134 Expected																				
STD OXC145 Expected																				
STD OXH139 Expected																				
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1	
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56	
STD GBM311-1 Expected		0.427																		
STD OXH37 Expected		1.286																		
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
BLK	Blank	<0.03																		
BLK	Blank	<0.03																		
Prep Wash																				
ROCK-WHI	Prep Blank	0.040	6	2	0.42	52	0.072	<20	0.75	0.052	0.07	<0.1	0.02	2.5	<0.1	<0.05	3	<0.5	<0.2	
ROCK-WHI	Prep Blank	0.040	6	1	0.41	51	0.070	<20	0.76	0.044	0.06	<0.1	<0.01	2.6	<0.1	<0.05	3	<0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: September 01, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000555.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180729-02-RAB
P.O. Number
Number of Samples: 70

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	68	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	70	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	70	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	70	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	70	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

CERTIFICATE OF ANALYSIS

WHI18000555.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697216	Rab Sample	1.22	2.365	3.7	42.7	91.7	240	1.3	30.1	12.2	736	3.01	27.8	647.9	7.5	26	3.1	3.8	2.5	16	0.27
1697217	Rab Sample	1.32	0.818	11.5	27.2	87.2	199	1.3	26.3	9.1	1406	2.62	19.4	360.1	7.8	39	3.9	2.6	2.2	13	0.61
1697218	Rab Sample	1.32	0.522	6.3	49.3	117.5	314	2.8	95.5	17.3	1838	3.93	41.0	651.6	8.0	76	5.0	12.5	3.6	13	1.47
1697219	Rab Sample	1.64	0.315	5.5	48.4	201.4	416	3.2	36.0	12.7	1636	3.04	20.6	170.4	7.6	53	7.7	5.2	4.4	7	1.10
1697220	Rock	0.38	0.013	<0.1	0.7	1.6	3	<0.1	<0.1	1.0	140	0.12	<0.5	0.9	0.1	63	<0.1	<0.1	<0.1	<1	26.46
1697221	Rab Sample	2.07	0.269	4.6	41.7	105.4	279	2.0	35.2	10.3	1799	2.77	19.4	253.6	6.9	75	5.6	3.8	2.3	9	1.79
1697222	Rab Sample	2.51	0.157	4.5	47.7	135.3	263	2.0	31.3	10.4	1693	2.94	26.6	114.2	7.6	127	5.4	2.4	3.2	11	2.71
1697223	Rab Sample	1.73	0.210	4.6	37.9	124.6	283	1.8	36.3	11.5	1245	3.15	35.5	401.1	6.6	88	3.8	4.0	2.5	12	2.22
1697224	Rab Sample	1.94	1.430	2.9	57.3	512.5	1515	11.1	181.6	22.0	6375	4.98	160.1	1163.2	13.7	210	35.7	17.4	3.5	28	4.05
1697225	Rab Sample	2.38	0.669	2.4	93.5	2221.8	2185	44.5	125.1	15.9	6971	4.52	995.3	1001.1	12.4	142	72.6	57.9	3.0	20	2.96
1697226	Rab Sample	1.70	0.058	2.3	59.5	323.7	379	6.4	49.7	10.4	1899	2.60	156.4	35.4	5.4	30	8.6	27.1	0.9	19	0.47
1697227	Rab Sample	2.02	0.043	1.7	39.9	85.5	167	1.5	37.5	11.3	727	2.63	45.7	22.1	5.4	23	2.6	10.1	0.5	50	0.53
1697228	Rab Sample	1.86	0.043	1.8	45.5	215.4	1209	3.7	25.2	5.3	1108	2.33	262.3	31.3	5.3	23	38.1	21.3	0.4	12	0.19
1697229	Rab Sample	2.01	0.086	2.5	59.5	3159.8	630	40.2	31.0	7.5	1243	2.85	442.9	62.4	6.2	26	21.6	576.5	0.7	13	0.32
1697230	Rab Sample	2.16	0.041	1.9	48.1	132.7	338	2.1	38.2	15.5	1470	3.02	57.8	24.0	5.1	34	3.2	20.7	0.8	34	1.26
1697231	Rab Sample	2.15	0.017	2.1	42.1	96.5	249	1.6	39.1	9.3	1276	2.13	50.9	9.4	4.8	37	4.4	11.4	0.8	19	1.21
1697232	Rab Sample	2.39	0.034	2.1	51.3	77.3	400	1.2	39.5	10.9	1012	2.59	58.6	17.6	7.3	28	5.4	8.9	1.0	19	0.75
1697233	Rab Sample	2.65	0.022	2.9	54.9	219.8	474	3.1	45.0	10.6	1131	2.29	99.6	12.3	5.6	24	10.2	18.9	0.7	19	0.63
1697234	Rab Sample	2.00	0.017	5.9	77.1	61.5	765	1.3	67.5	12.6	1345	2.37	43.6	10.3	6.6	15	3.5	11.7	1.1	33	0.40
1697235	Rab Sample	2.32	0.090	5.2	80.2	1111.4	4311	55.1	27.0	5.6	1867	2.61	563.0	66.9	6.1	22	141.7	174.3	0.9	13	0.36
1697236	Rab Sample	2.28	0.079	2.8	62.4	559.7	2314	20.7	36.8	9.1	1325	2.65	315.6	40.1	5.8	27	76.4	51.3	1.0	19	0.51
1697237	Rab Sample	1.62	0.016	2.6	53.6	41.9	182	1.1	32.2	8.4	582	1.98	45.2	13.3	5.4	21	2.7	13.7	0.6	25	0.63
1697238	Rab Sample	2.63	0.036	6.1	70.4	60.5	266	1.4	49.2	11.9	951	2.90	60.9	18.9	5.1	22	4.4	14.7	1.0	30	0.48
1697239	Rab Sample	2.85	0.033	3.4	53.1	51.7	191	0.9	36.4	12.4	624	2.71	51.2	18.6	5.4	28	2.4	10.5	1.0	45	0.82
1697240	Rock Pulp	0.09	0.524	6.8	271.6	17.9	48	0.5	104.3	15.9	453	2.74	169.1	454.6	3.5	74	0.2	1.5	0.1	62	1.82
1697241	Rab Sample	2.44	0.039	6.6	60.5	74.4	217	2.4	54.4	7.8	1093	2.18	79.1	15.0	4.1	31	3.8	10.2	1.2	33	0.98
1697242	Rab Sample	2.17	0.047	3.6	56.9	108.3	289	1.8	40.6	9.7	1646	2.54	68.7	15.4	5.9	29	6.1	7.7	1.0	17	0.65
1697243	Rab Sample	2.18	0.053	4.6	77.0	125.7	445	3.7	46.1	9.8	1413	2.77	89.3	44.4	5.5	21	6.9	11.3	0.8	25	0.44
1697244	Rab Sample	2.52	0.030	1.3	28.9	574.4	287	9.8	23.9	6.5	1308	1.60	293.1	24.1	2.1	15	5.5	88.6	0.4	7	0.39
1697245	Rab Sample	2.06	0.044	2.5	45.8	58.3	227	1.6	35.2	15.1	884	3.60	43.4	21.6	4.4	63	3.0	11.1	1.3	85	1.11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000555.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697216	Rab Sample	0.100	27	11	0.09	204	0.003	<20	0.47	0.006	0.20	1.1	0.01	4.0	0.3	<0.05	1	0.7	<0.2			
1697217	Rab Sample	0.076	21	10	0.18	183	<0.001	<20	0.47	0.004	0.23	1.0	0.01	3.7	0.4	<0.05	1	0.6	<0.2			
1697218	Rab Sample	0.084	21	39	0.52	138	<0.001	<20	0.42	0.004	0.22	1.5	0.03	5.2	0.5	<0.05	<1	1.2	0.2			
1697219	Rab Sample	0.076	25	11	0.29	88	<0.001	<20	0.42	0.003	0.26	0.9	0.04	3.0	0.6	<0.05	<1	1.1	<0.2			
1697220	Rock	0.006	1	<1	1.19	12	0.002	<20	0.04	0.002	0.04	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
1697221	Rab Sample	0.069	21	15	0.59	82	<0.001	<20	0.40	0.005	0.23	1.0	0.02	3.8	0.4	<0.05	<1	0.9	<0.2			
1697222	Rab Sample	0.107	16	14	0.67	117	<0.001	<20	0.41	0.004	0.22	0.9	0.02	5.1	0.5	0.53	<1	1.0	<0.2			
1697223	Rab Sample	0.064	12	17	0.51	337	<0.001	<20	0.42	0.005	0.20	0.7	0.03	4.8	0.5	0.64	<1	1.0	<0.2			
1697224	Rab Sample	0.111	17	64	1.51	1505	<0.001	<20	0.61	0.005	0.22	0.3	0.05	8.7	0.5	0.16	1	1.5	<0.2			
1697225	Rab Sample	0.119	16	53	1.13	811	<0.001	<20	0.41	0.003	0.22	0.6	0.07	6.5	0.9	0.13	<1	1.9	<0.2			
1697226	Rab Sample	0.046	17	22	0.27	463	0.008	<20	0.51	0.006	0.28	0.6	0.02	3.0	0.6	0.07	1	1.1	<0.2			
1697227	Rab Sample	0.046	17	48	0.69	505	0.042	<20	1.28	0.013	0.50	0.3	<0.01	5.4	0.6	0.08	4	0.7	<0.2			
1697228	Rab Sample	0.050	15	11	0.08	594	<0.001	<20	0.38	0.005	0.22	0.5	0.03	1.9	0.4	0.09	<1	0.6	<0.2			
1697229	Rab Sample	0.035	15	10	0.11	379	<0.001	<20	0.36	0.004	0.21	0.2	0.03	2.8	0.5	0.13	<1	1.1	<0.2			
1697230	Rab Sample	0.049	13	19	0.48	157	0.003	<20	0.67	0.005	0.26	0.3	0.01	6.8	0.5	0.15	2	0.9	<0.2			
1697231	Rab Sample	0.045	15	25	0.51	222	0.005	<20	0.51	0.005	0.29	0.6	0.01	2.6	0.4	0.13	2	0.9	<0.2			
1697232	Rab Sample	0.055	19	12	0.24	433	0.002	<20	0.43	0.005	0.24	0.3	0.02	2.9	0.5	0.13	1	1.2	<0.2			
1697233	Rab Sample	0.093	17	21	0.22	714	0.004	<20	0.47	0.005	0.24	0.7	0.02	3.1	0.5	0.13	1	1.7	<0.2			
1697234	Rab Sample	0.106	19	16	0.17	304	0.005	<20	0.49	0.005	0.26	0.6	0.02	2.9	0.6	0.28	2	3.6	<0.2			
1697235	Rab Sample	0.067	18	10	0.15	488	0.001	<20	0.35	0.006	0.23	0.3	0.05	1.3	0.4	0.15	1	2.6	<0.2			
1697236	Rab Sample	0.050	17	11	0.27	449	0.003	<20	0.44	0.005	0.23	0.4	0.03	1.9	0.4	0.24	1	1.8	<0.2			
1697237	Rab Sample	0.040	15	13	0.25	135	0.003	<20	0.44	0.005	0.21	0.4	<0.01	2.0	0.3	0.18	1	1.0	<0.2			
1697238	Rab Sample	0.090	19	12	0.22	318	0.007	<20	0.53	0.004	0.24	0.4	0.01	2.3	0.4	0.27	2	2.2	<0.2			
1697239	Rab Sample	0.101	16	44	0.74	183	0.005	<20	1.09	0.007	0.23	0.2	0.01	5.2	0.3	0.24	3	2.3	<0.2			
1697240	Rock Pulp	0.029	9	104	1.32	130	0.095	<20	2.54	0.303	0.20	0.7	0.03	2.7	<0.1	0.09	6	<0.5	<0.2			
1697241	Rab Sample	0.105	13	12	0.33	180	0.002	<20	0.47	0.006	0.25	0.6	0.01	1.4	0.3	0.33	1	2.6	0.4			
1697242	Rab Sample	0.044	16	10	0.29	408	0.001	<20	0.38	0.006	0.22	0.5	<0.01	1.6	0.4	0.28	<1	2.2	<0.2			
1697243	Rab Sample	0.085	17	12	0.15	190	0.002	<20	0.47	0.003	0.25	0.6	0.02	2.0	0.4	0.22	1	3.5	<0.2			
1697244	Rab Sample	0.023	6	7	0.18	261	0.001	<20	0.21	0.002	0.12	2.5	<0.01	2.1	0.2	0.17	<1	0.8	<0.2			
1697245	Rab Sample	0.059	14	30	1.15	867	0.043	<20	1.34	0.025	0.52	0.9	<0.01	8.0	0.5	0.54	5	1.9	0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000555.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697246	Rab Sample	3.26	0.032	5.7	59.2	73.3	177	2.1	55.2	9.8	1160	2.51	24.3	18.9	4.0	30	2.2	6.6	1.5	45	0.98
1697247	Rab Sample	3.65	0.013	4.7	68.2	40.1	235	0.9	43.3	10.2	515	2.62	17.0	4.4	3.5	20	2.1	6.6	0.7	80	0.50
1697248	Rab Sample	3.51	0.017	4.0	61.2	77.3	227	1.3	39.0	7.9	918	2.30	38.7	12.8	3.5	32	3.5	9.6	0.8	46	0.84
1697249	Rab Sample	3.33	0.013	3.9	49.2	35.3	185	0.7	78.4	10.1	548	2.66	10.2	5.2	4.4	67	2.2	5.3	0.6	125	1.57
1697250	Rab Sample	2.85	0.035	6.8	67.3	580.0	791	32.8	55.8	9.1	2389	3.17	244.9	12.2	3.4	62	15.5	42.0	1.0	37	2.34
1697251	Rab Sample	3.22	0.026	2.6	53.3	235.1	673	7.5	45.8	9.7	2410	3.00	279.0	15.7	5.2	36	13.4	25.9	0.6	18	1.25
1697252	Rab Sample	3.31	0.009	2.9	48.0	33.8	145	0.8	45.5	10.2	436	3.22	47.9	2.1	6.9	24	0.9	6.3	0.3	30	0.72
1697253	Rab Sample	3.72	0.013	3.6	57.4	82.9	246	1.9	48.6	11.0	1193	3.02	130.6	6.5	5.5	25	3.3	15.9	0.3	52	0.75
1697254	Rab Sample	3.17	0.008	3.3	68.2	41.4	215	1.0	62.8	14.2	781	3.22	23.9	2.9	4.8	24	2.1	6.2	0.4	71	0.90
1697255	Rab Sample	3.97	0.014	3.2	60.0	68.8	199	1.2	47.7	12.6	1710	3.39	96.1	5.1	5.4	25	2.8	8.3	0.4	51	0.99
1697256	Rab Sample	3.61	0.014	1.5	41.0	149.8	631	2.4	37.2	7.6	1971	2.65	95.6	8.5	5.2	19	14.2	19.7	0.4	13	0.67
1697257	Rab Sample	3.46	0.008	2.2	47.2	119.4	561	2.3	65.0	9.6	1659	2.64	91.8	5.6	4.2	19	9.3	11.7	0.4	21	0.63
1697258	Rab Sample	3.11	0.037	1.6	41.7	42.6	159	0.9	41.3	7.6	763	2.07	46.2	3.1	3.5	17	1.9	8.8	0.4	21	0.45
1697259	Rab Sample	3.32	0.011	2.8	49.2	29.3	113	0.7	53.9	11.0	573	2.82	22.0	6.9	4.3	28	0.9	5.7	0.4	73	0.79
1697260	Rock	0.46	<0.005	<0.1	0.3	1.0	2	<0.1	1.1	0.8	113	0.06	0.9	<0.5	<0.1	81	<0.1	0.2	<0.1	<1	33.72
1697261	Rab Sample	3.19	0.008	4.3	57.4	56.5	249	1.2	40.4	10.3	1357	2.82	29.6	<0.5	4.7	29	3.7	6.4	0.6	43	1.01
1697262	Rab Sample	3.40	0.024	5.4	61.3	147.9	579	2.7	47.3	8.1	2610	2.89	245.6	21.1	4.1	31	10.9	16.8	1.0	15	1.18
1697263	Rab Sample	3.18	0.035	3.3	70.8	1208.8	2224	89.8	43.4	8.6	5404	3.78	347.7	26.9	3.7	49	45.1	338.2	1.2	10	1.93
1697264	Rab Sample	3.55	0.030	2.3	49.2	641.8	1153	25.0	29.5	8.1	4356	2.94	113.4	11.2	2.9	43	22.6	84.1	0.9	10	2.01
1697265	Rab Sample	3.53	0.012	2.0	30.4	148.7	414	2.5	18.7	5.7	3106	2.44	39.9	3.9	3.4	38	7.3	10.8	0.9	7	1.94
1697266	Rab Sample	3.30	0.022	1.6	34.8	131.0	242	3.9	27.4	7.3	1238	2.68	70.3	15.1	6.0	20	4.1	19.2	0.9	9	0.56
1697267	Rab Sample	3.42	0.018	2.4	48.6	72.0	191	1.8	36.0	9.0	1522	3.09	20.8	10.6	5.7	29	3.5	6.5	0.9	14	0.98
1697268	Rab Sample	2.26	0.022	2.7	40.0	44.0	96	1.0	27.0	6.7	918	2.35	29.0	12.3	2.9	26	1.1	5.1	0.7	17	0.95
1697269	Rab Sample	3.61	0.024	3.5	57.5	27.3	113	0.8	36.0	13.7	1136	3.32	19.8	11.9	5.8	28	0.7	4.4	1.1	53	1.09
1697270	Rab Sample	2.71	0.016	2.6	56.0	42.7	115	1.0	35.8	9.5	759	2.89	32.4	8.9	6.0	32	1.0	6.1	0.8	24	1.07
1697271	Rab Sample	3.75	0.007	4.9	58.8	42.6	147	1.1	29.0	7.3	932	2.45	21.2	4.8	4.0	19	2.4	3.2	0.5	27	0.65
1697272	Rab Sample	3.72	0.012	3.0	42.8	25.1	84	0.6	24.7	9.6	1004	2.50	11.0	6.4	4.7	20	0.9	3.0	0.6	38	0.52
1697273	Rab Sample	2.14	0.018	3.3	44.7	122.1	162	2.9	18.8	7.2	1275	2.40	83.4	10.5	3.1	16	2.7	6.7	1.0	13	0.53
1697274	Rab Sample	3.16	0.021	3.4	52.9	62.3	139	1.7	25.3	9.6	956	2.56	47.7	14.1	3.8	13	2.4	5.0	0.9	28	0.51
1697275	Rab Sample	2.65	0.024	3.5	69.3	29.5	109	0.9	46.3	9.6	566	2.87	21.9	13.1	4.8	29	0.9	3.7	1.8	33	0.79



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000555.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697246	Rab Sample	0.126	14	25	0.48	196	0.004	<20	0.56	0.011	0.23	1.3	<0.01	3.1	0.3	0.47	2	3.3	0.5			
1697247	Rab Sample	0.089	13	37	0.64	514	0.041	<20	0.98	0.017	0.45	2.2	<0.01	3.8	0.3	0.47	4	3.2	<0.2			
1697248	Rab Sample	0.083	11	20	0.50	512	0.013	<20	0.56	0.009	0.25	1.9	<0.01	2.8	0.3	0.47	2	2.0	<0.2			
1697249	Rab Sample	0.142	14	58	0.89	1177	0.065	<20	1.28	0.046	0.35	1.0	<0.01	6.6	0.4	0.49	5	1.9	<0.2			
1697250	Rab Sample	0.100	8	16	0.95	383	0.003	<20	0.42	0.003	0.24	1.2	0.02	3.2	0.4	0.93	1	4.7	<0.2			
1697251	Rab Sample	0.049	12	20	0.83	174	0.001	<20	0.37	0.004	0.22	1.1	<0.01	2.8	0.4	0.87	<1	1.8	<0.2			
1697252	Rab Sample	0.052	18	17	0.89	158	0.010	<20	0.68	0.009	0.29	0.6	<0.01	2.2	0.4	0.83	2	1.2	<0.2			
1697253	Rab Sample	0.066	19	34	0.72	364	0.024	<20	0.85	0.009	0.39	0.9	<0.01	3.3	0.3	0.60	3	1.5	<0.2			
1697254	Rab Sample	0.072	15	58	1.10	594	0.037	<20	1.20	0.025	0.53	1.1	<0.01	4.9	0.3	0.80	4	1.7	<0.2			
1697255	Rab Sample	0.114	18	26	0.96	301	0.018	<20	0.88	0.010	0.37	1.1	<0.01	3.6	0.3	0.93	3	1.2	<0.2			
1697256	Rab Sample	0.042	14	13	0.53	200	0.002	<20	0.38	0.007	0.21	2.0	0.01	1.5	0.3	0.74	<1	0.8	<0.2			
1697257	Rab Sample	0.059	13	24	0.71	180	0.002	<20	0.39	0.005	0.18	2.4	<0.01	2.3	0.3	0.64	<1	<0.5	<0.2			
1697258	Rab Sample	0.035	12	23	0.60	244	0.007	<20	0.64	0.008	0.18	6.2	<0.01	2.0	0.2	0.32	2	<0.5	<0.2			
1697259	Rab Sample	0.058	14	54	1.12	664	0.046	<20	1.29	0.039	0.49	2.4	<0.01	4.2	0.3	0.71	4	0.9	<0.2			
1697260	Rock	0.007	1	<1	0.61	16	<0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1697261	Rab Sample	0.074	15	22	0.84	292	0.011	<20	0.76	0.010	0.32	3.3	0.01	3.1	0.4	0.77	2	0.9	<0.2			
1697262	Rab Sample	0.055	11	11	0.50	139	0.001	<20	0.33	0.002	0.23	5.0	0.04	1.5	0.4	1.26	<1	1.4	<0.2			
1697263	Rab Sample	0.066	8	9	0.62	102	0.001	<20	0.35	0.003	0.26	2.5	0.03	1.8	0.5	2.33	<1	1.5	<0.2			
1697264	Rab Sample	0.047	7	10	0.64	89	<0.001	<20	0.32	0.003	0.23	2.1	0.03	2.4	0.4	1.52	<1	<0.5	<0.2			
1697265	Rab Sample	0.051	10	5	0.64	88	<0.001	<20	0.35	0.002	0.26	1.0	0.01	1.6	0.4	1.03	<1	0.7	<0.2			
1697266	Rab Sample	0.033	17	9	0.46	93	0.001	<20	0.35	0.007	0.24	2.3	0.02	1.1	0.3	1.04	<1	0.8	<0.2			
1697267	Rab Sample	0.041	13	10	0.67	120	0.002	<20	0.40	0.005	0.27	1.3	0.02	1.7	0.4	1.19	<1	0.8	<0.2			
1697268	Rab Sample	0.033	9	12	0.61	187	0.003	<20	0.42	0.011	0.18	4.5	<0.01	2.7	0.3	0.66	1	1.0	<0.2			
1697269	Rab Sample	0.078	19	25	1.08	220	0.022	<20	1.11	0.021	0.36	1.5	<0.01	4.9	0.3	1.12	4	2.2	<0.2			
1697270	Rab Sample	0.043	18	20	0.91	272	0.016	<20	0.71	0.008	0.41	2.6	<0.01	2.3	0.4	0.57	2	1.2	<0.2			
1697271	Rab Sample	0.085	13	17	0.52	183	0.008	<20	0.49	0.006	0.27	6.0	<0.01	1.7	0.3	0.76	2	0.8	<0.2			
1697272	Rab Sample	0.048	12	18	0.56	131	0.023	<20	0.57	0.013	0.29	5.7	<0.01	3.2	0.2	0.67	3	0.7	<0.2			
1697273	Rab Sample	0.038	10	17	0.51	237	0.006	<20	0.46	0.007	0.17	10.8	<0.01	2.2	0.2	0.62	1	0.8	0.5			
1697274	Rab Sample	0.062	12	25	0.71	252	0.017	<20	0.77	0.010	0.30	10.5	<0.01	2.8	0.2	0.80	3	0.8	0.2			
1697275	Rab Sample	0.037	13	34	1.01	281	0.014	<20	0.83	0.015	0.34	3.7	<0.01	3.2	0.3	0.78	3	2.2	0.8			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000555.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697276	Rab Sample	3.05	0.043	6.5	61.9	23.5	217	0.8	52.1	8.7	442	2.70	42.4	6.8	4.8	20	2.0	11.4	0.6	53	0.75
1697277	Rab Sample	3.28	0.025	5.5	54.8	19.9	178	0.6	44.5	7.8	310	2.39	36.9	9.4	5.4	16	1.2	5.4	0.5	35	0.48
1697278	Rab Sample	3.33	0.012	3.0	41.5	17.2	107	0.8	30.1	5.5	212	2.01	7.4	4.6	5.4	13	0.9	2.3	0.5	23	0.38
1697279	Rab Sample	3.31	0.012	6.1	57.2	26.7	188	1.0	46.8	8.2	407	2.62	8.1	3.8	6.4	21	1.6	2.8	0.8	53	0.54
1697280	Rock Pulp	0.08	1.263	4.6	180.8	44.4	269	0.7	95.3	15.2	528	3.03	18.8	859.7	4.1	103	1.4	1.0	0.3	82	1.76
1697281	Rab Sample	3.17	0.007	2.5	43.6	23.3	114	0.7	37.8	8.1	307	3.02	12.3	6.1	7.1	10	0.9	2.9	0.5	43	0.29
1697282	Rab Sample	3.22	0.009	3.4	53.4	26.8	163	0.9	43.1	8.6	276	2.88	16.6	16.3	6.9	10	1.4	3.4	0.4	45	0.31
1697283	Rab Sample	3.46	0.015	3.6	72.4	18.4	199	0.9	46.8	8.4	391	2.84	13.3	6.3	5.5	19	1.9	3.4	0.7	50	0.87
1697284	Rab Sample	3.54	0.006	2.8	55.8	22.9	116	0.8	39.6	8.4	350	2.77	6.1	1.3	6.1	11	0.7	4.2	0.3	44	0.35
1697285	Rab Sample	3.53	0.055	4.6	70.3	25.1	128	0.9	44.1	7.9	442	3.05	47.6	35.2	5.6	30	1.3	6.2	1.1	35	1.01



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000555.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1697276	Rab Sample	0.085	14	29	0.75	320	0.013	<20	0.96	0.009	0.30	3.3	<0.01	2.5	0.3	0.81	3	3.1
1697277	Rab Sample	0.079	16	24	0.57	278	0.008	<20	0.63	0.011	0.25	4.6	<0.01	2.3	0.3	0.87	2	2.8
1697278	Rab Sample	0.075	16	16	0.34	219	0.004	<20	0.49	0.010	0.21	5.5	<0.01	1.4	0.1	0.74	2	2.1
1697279	Rab Sample	0.084	21	26	0.72	237	0.012	<20	0.91	0.015	0.31	3.1	<0.01	2.2	0.2	0.79	3	1.9
1697280	Rock Pulp	0.041	9	69	1.37	168	0.150	<20	2.77	0.340	0.30	7.9	0.07	3.3	0.2	0.11	7	<0.5
1697281	Rab Sample	0.054	23	28	0.80	314	0.024	<20	1.25	0.019	0.39	2.3	<0.01	2.2	0.2	0.88	4	1.5
1697282	Rab Sample	0.083	19	30	0.79	420	0.031	<20	1.25	0.018	0.41	2.5	<0.01	2.3	0.2	0.90	4	2.7
1697283	Rab Sample	0.154	17	32	0.78	310	0.022	<20	1.07	0.009	0.42	4.7	<0.01	2.6	0.3	1.12	4	2.5
1697284	Rab Sample	0.064	19	33	0.77	354	0.036	<20	1.08	0.019	0.45	4.4	<0.01	3.0	0.3	0.92	4	1.9
1697285	Rab Sample	0.082	15	17	0.78	234	0.003	<20	0.48	0.005	0.24	3.9	<0.01	1.9	0.3	1.29	2	3.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000555.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697216	Rab Sample	1.22	2.365	3.7	42.7	91.7	240	1.3	30.1	12.2	736	3.01	27.8	647.9	7.5	26	3.1	3.8	2.5	16	0.27
REP 1697216	QC			3.6	39.7	89.1	237	1.4	29.6	12.3	754	2.96	26.2	1296.8	7.0	24	3.0	4.3	2.5	16	0.27
1697228	Rab Sample	1.86	0.043	1.8	45.5	215.4	1209	3.7	25.2	5.3	1108	2.33	262.3	31.3	5.3	23	38.1	21.3	0.4	12	0.19
REP 1697228	QC		0.022																		
1697238	Rab Sample	2.63	0.036	6.1	70.4	60.5	266	1.4	49.2	11.9	951	2.90	60.9	18.9	5.1	22	4.4	14.7	1.0	30	0.48
REP 1697238	QC		0.034																		
1697246	Rab Sample	3.26	0.032	5.7	59.2	73.3	177	2.1	55.2	9.8	1160	2.51	24.3	18.9	4.0	30	2.2	6.6	1.5	45	0.98
REP 1697246	QC			5.2	56.9	70.0	166	1.9	52.6	9.3	1126	2.47	23.3	13.8	4.2	27	2.7	6.1	1.4	44	0.96
1697284	Rab Sample	3.54	0.006	2.8	55.8	22.9	116	0.8	39.6	8.4	350	2.77	6.1	1.3	6.1	11	0.7	4.2	0.3	44	0.35
REP 1697284	QC			3.0	56.1	22.8	111	0.9	39.6	8.6	356	2.79	6.4	1.7	6.1	11	0.5	3.8	0.3	45	0.35
Core Reject Duplicates																					
1697227	Rab Sample	2.02	0.043	1.7	39.9	85.5	167	1.5	37.5	11.3	727	2.63	45.7	22.1	5.4	23	2.6	10.1	0.5	50	0.53
DUP 1697227	QC		0.037	1.6	38.8	78.9	176	1.6	35.7	11.2	670	2.61	43.6	21.7	5.3	22	2.5	9.0	0.4	49	0.52
1697261	Rab Sample	3.19	0.008	4.3	57.4	56.5	249	1.2	40.4	10.3	1357	2.82	29.6	<0.5	4.7	29	3.7	6.4	0.6	43	1.01
DUP 1697261	QC		0.007	4.2	58.2	60.7	241	1.2	41.4	10.9	1358	2.88	30.9	1.9	5.0	30	3.9	7.3	0.7	42	0.99
Reference Materials																					
STD DS11	Standard			14.4	144.1	134.6	312	1.9	76.8	14.7	953	2.91	43.4	71.7	8.3	59	2.5	8.7	13.2	46	0.99
STD DS11	Standard			13.2	155.2	136.8	357	1.8	80.5	12.8	1068	3.13	45.5	87.1	7.6	71	2.5	7.6	12.1	52	1.03
STD DS11	Standard			15.3	131.2	130.7	340	1.5	73.8	11.8	1029	3.06	40.0	50.3	6.8	63	2.0	7.3	10.8	48	1.03
STD OREAS45EA	Standard			1.6	672.8	15.9	30	0.2	392.3	57.4	397	20.40	12.0	46.4	11.5	4	<0.1	0.3	0.3	305	0.03
STD OREAS45EA	Standard			1.7	703.8	14.6	32	0.2	401.5	49.9	410	22.23	12.0	55.9	11.2	4	<0.1	0.4	0.3	308	0.03
STD OREAS45EA	Standard			1.9	691.9	14.4	34	0.3	377.3	52.8	418	23.54	12.4	53.8	10.7	4	<0.1	0.4	0.3	329	0.04
STD OXC145	Standard		0.216																		
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.211																		
STD OXC145	Standard		0.208																		
STD OXH139	Standard		1.344																		
STD OXH139	Standard		1.311																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000555.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697216	Rab Sample	0.100	27	11	0.09	204	0.003	<20	0.47	0.006	0.20	1.1	0.01	4.0	0.3	<0.05	1	0.7	<0.2
REP 1697216	QC	0.082	25	11	0.08	191	0.003	<20	0.44	0.005	0.19	1.2	0.02	3.7	0.3	<0.05	<1	0.7	<0.2
1697228	Rab Sample	0.050	15	11	0.08	594	<0.001	<20	0.38	0.005	0.22	0.5	0.03	1.9	0.4	0.09	<1	0.6	<0.2
REP 1697228	QC																		
1697238	Rab Sample	0.090	19	12	0.22	318	0.007	<20	0.53	0.004	0.24	0.4	0.01	2.3	0.4	0.27	2	2.2	<0.2
REP 1697238	QC																		
1697246	Rab Sample	0.126	14	25	0.48	196	0.004	<20	0.56	0.011	0.23	1.3	<0.01	3.1	0.3	0.47	2	3.3	0.5
REP 1697246	QC	0.121	14	23	0.48	205	0.004	<20	0.56	0.010	0.23	1.3	<0.01	2.8	0.3	0.46	2	3.3	0.5
1697284	Rab Sample	0.064	19	33	0.77	354	0.036	<20	1.08	0.019	0.45	4.4	<0.01	3.0	0.3	0.92	4	1.9	<0.2
REP 1697284	QC	0.065	19	35	0.77	390	0.037	<20	1.10	0.019	0.45	4.2	<0.01	2.7	0.2	0.92	4	2.0	<0.2
Core Reject Duplicates																			
1697227	Rab Sample	0.046	17	48	0.69	505	0.042	<20	1.28	0.013	0.50	0.3	<0.01	5.4	0.6	0.08	4	0.7	<0.2
DUP 1697227	QC	0.043	17	44	0.68	500	0.039	<20	1.27	0.014	0.49	0.3	<0.01	5.0	0.5	0.08	4	0.6	<0.2
1697261	Rab Sample	0.074	15	22	0.84	292	0.011	<20	0.76	0.010	0.32	3.3	0.01	3.1	0.4	0.77	2	0.9	<0.2
DUP 1697261	QC	0.082	16	23	0.86	298	0.011	<20	0.76	0.008	0.32	3.4	0.01	3.4	0.4	0.78	2	0.6	<0.2
Reference Materials																			
STD DS11	Standard	0.065	19	57	0.76	395	0.083	<20	1.05	0.067	0.37	2.7	0.25	2.8	4.8	0.26	4	2.3	4.5
STD DS11	Standard	0.067	18	58	0.85	410	0.094	<20	1.17	0.075	0.40	2.6	0.28	3.1	4.8	0.28	5	1.8	4.7
STD DS11	Standard	0.065	18	55	0.83	388	0.082	<20	1.11	0.071	0.40	3.0	0.24	2.9	4.4	0.28	5	1.8	4.5
STD OREAS45EA	Standard	0.030	8	868	0.09	165	0.089	<20	3.22	0.022	0.05	<0.1	<0.01	73.3	<0.1	<0.05	12	1.5	<0.2
STD OREAS45EA	Standard	0.026	7	830	0.09	142	0.100	<20	3.30	0.024	0.05	<0.1	0.01	80.9	<0.1	<0.05	12	0.7	<0.2
STD OREAS45EA	Standard	0.032	7	991	0.10	148	0.104	<20	3.19	0.019	0.05	<0.1	0.01	75.5	<0.1	<0.05	13	0.9	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000555.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXH139	Standard		1.297																		
STD OXH139	Standard		1.321																		
STD OXN134	Standard		7.703																		
STD OXN134	Standard		7.777																		
STD OXN134	Standard		7.766																		
STD OXN134	Standard		7.671																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	3.3	1.3	32	<0.1	0.6	3.4	461	1.54	1.1	<0.5	2.8	18	<0.1	<0.1	<0.1	19	0.54
ROCK-WHI	Prep Blank		<0.005	0.9	6.2	1.2	32	<0.1	1.1	3.9	490	1.62	1.1	<0.5	2.3	23	<0.1	<0.1	<0.1	21	0.62



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 01, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000555.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.037	7	2	0.40	46	0.072	<20	0.71	0.052	0.06	<0.1	<0.01	2.3	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.036	6	2	0.43	58	0.074	<20	0.81	0.061	0.07	<0.1	<0.01	2.2	<0.1	<0.05	3	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath

Receiving Lab: Canada-Whitehorse

Received: August 03, 2018

Report Date: August 31, 2018

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000556.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180729-03-RAB
P.O. Number
Number of Samples: 33

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	33	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	33	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	33	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	33	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	33	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000556.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1697286	Rab Sample	0.88	0.012	5.1	49.2	39.0	172	0.9	34.8	6.9	424	2.25	122.5	12.9	3.2	36	2.1	7.6	0.8	33	0.61
1697287	Rab Sample	1.10	0.012	6.1	59.9	40.0	257	0.9	54.0	9.7	772	2.35	194.0	8.0	4.2	48	2.8	12.2	0.5	41	0.81
1697288	Rab Sample	1.76	0.020	7.6	75.1	53.6	289	1.2	58.7	11.1	879	2.71	428.3	13.6	4.4	81	3.6	14.9	0.6	52	0.77
1697289	Rab Sample	2.05	0.014	5.4	72.5	32.9	211	1.0	41.7	8.2	530	2.77	163.6	7.7	3.3	45	2.0	6.8	0.4	39	0.70
1697290	Rab Sample	1.81	0.013	7.9	94.5	19.1	167	0.9	95.7	14.5	2068	2.35	47.1	12.7	3.3	18	1.7	3.7	0.2	26	0.35
1697291	Rab Sample	2.06	0.025	3.7	79.5	147.1	192	0.9	65.7	11.5	1284	1.86	60.1	10.6	2.0	27	3.5	3.9	0.2	22	0.72
1697292	Rab Sample	1.55	0.038	9.8	75.8	224.5	344	0.9	63.2	8.5	480	2.62	51.0	4.8	2.6	85	3.2	2.7	0.5	64	0.78
1697293	Rab Sample	1.30	0.011	8.6	33.6	51.3	98	0.8	15.2	2.1	177	2.18	24.5	3.7	2.4	85	0.8	1.4	0.2	39	0.61
1697294	Rab Sample	2.92	0.009	4.6	61.5	33.5	185	0.8	36.3	6.0	184	3.15	22.1	2.7	3.6	75	0.8	1.5	0.2	33	0.40
1697295	Rab Sample	4.12	0.009	4.6	116.2	93.2	326	0.8	73.9	14.9	648	3.49	38.4	3.3	5.9	33	3.4	2.3	0.3	38	0.83
1697296	Rab Sample	3.21	0.009	7.1	87.8	39.3	337	1.0	110.7	19.7	1504	3.65	40.9	3.2	4.9	41	5.2	4.8	0.2	51	0.89
1697297	Rab Sample	3.54	<0.005	6.0	85.1	19.2	274	0.7	73.3	15.4	867	2.74	17.6	1.5	5.8	38	2.7	1.2	0.2	38	0.59
1697298	Rab Sample	3.91	<0.005	3.9	77.9	18.0	209	0.4	71.9	14.3	1102	2.42	27.6	3.3	4.8	43	2.1	1.2	0.3	28	0.86
1697299	Rab Sample	4.06	<0.005	2.9	68.9	13.6	129	0.5	54.2	10.6	712	2.15	15.0	1.4	3.5	35	1.0	1.3	0.1	26	0.69
1697300	Rock	0.30	<0.005	<0.1	0.7	0.8	1	<0.1	0.3	0.5	115	0.06	<0.5	<0.5	0.2	75	<0.1	<0.1	<0.1	<1	30.20
1697301	Rab Sample	3.66	0.018	3.8	62.8	13.9	160	0.6	49.5	14.1	904	3.33	15.6	6.2	4.3	44	1.4	1.9	0.2	47	0.93
1697302	Rab Sample	2.76	0.039	4.0	64.3	32.8	288	0.6	73.5	10.7	332	2.83	276.5	16.2	2.7	84	1.4	5.7	0.3	31	0.77
1697303	Rab Sample	3.34	<0.005	2.8	36.3	14.1	123	0.3	31.7	5.0	215	1.40	29.2	1.3	6.6	23	0.9	0.8	0.1	12	0.73
1697304	Rab Sample	2.89	<0.005	2.0	33.5	10.0	145	0.3	26.1	14.2	597	3.07	30.0	<0.5	3.3	53	0.7	1.4	0.1	67	1.29
1697305	Rab Sample	2.91	<0.005	2.0	36.3	8.1	143	0.3	23.9	13.3	497	3.13	6.7	0.7	3.6	41	0.7	0.4	0.1	74	1.23
1697306	Rab Sample	3.00	<0.005	2.4	41.7	9.2	114	0.3	36.7	9.1	377	3.28	15.6	1.2	7.1	56	0.4	0.9	0.2	51	1.05
1697307	Rab Sample	2.91	<0.005	1.9	40.6	9.9	110	0.2	37.7	9.3	391	3.07	10.2	1.5	5.7	51	0.4	0.5	0.1	60	0.87
1697308	Rab Sample	2.70	<0.005	1.6	34.7	6.1	72	0.1	27.7	8.2	418	2.27	3.4	<0.5	4.4	21	0.2	0.2	0.1	45	0.62
1697309	Rab Sample	2.77	<0.005	1.3	36.4	5.2	47	0.2	24.1	10.7	613	1.94	2.7	0.5	5.1	19	0.1	0.1	<0.1	38	0.43
1697310	Rab Sample	4.48	<0.005	3.9	52.3	8.2	89	0.2	41.6	14.0	929	3.11	9.8	0.8	4.2	192	0.4	0.6	0.1	88	1.58
1697311	Rab Sample	3.14	<0.005	2.4	46.2	4.6	68	0.2	23.2	10.7	561	2.69	1.6	1.3	3.5	16	0.2	0.2	0.1	70	0.45
1697312	Rab Sample	2.87	<0.005	1.7	38.4	7.6	77	0.2	37.8	11.6	433	2.83	12.2	0.6	5.4	32	0.1	0.6	0.1	77	0.97
1697313	Rab Sample	2.95	<0.005	1.5	35.0	4.8	73	0.1	34.9	13.3	400	2.93	2.3	1.9	4.6	34	0.2	0.1	<0.1	102	0.95
1697314	Rab Sample	2.05	<0.005	2.0	42.3	3.1	75	0.2	39.2	15.2	428	3.49	1.5	1.6	5.1	23	0.1	0.1	<0.1	137	0.89
1697315	Rab Sample	3.43	<0.005	1.4	32.8	12.7	72	0.4	43.4	16.6	657	3.35	18.1	2.9	3.1	62	0.2	2.1	0.2	96	1.81



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000556.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697286	Rab Sample	0.081	15	18	0.26	213	0.019	<20	0.65	0.016	0.17	2.6	0.02	2.4	0.2	0.08	2	2.5	<0.2			
1697287	Rab Sample	0.098	16	18	0.38	250	0.013	<20	0.59	0.015	0.20	1.8	0.02	3.0	0.3	0.09	2	2.8	<0.2			
1697288	Rab Sample	0.117	15	22	0.34	312	0.010	<20	0.62	0.014	0.21	3.3	0.02	4.0	0.5	0.12	2	4.0	<0.2			
1697289	Rab Sample	0.070	11	19	0.21	248	0.010	<20	0.55	0.013	0.18	2.7	0.03	3.2	0.4	0.31	2	3.7	<0.2			
1697290	Rab Sample	0.021	8	12	0.09	128	0.002	<20	0.38	0.004	0.16	5.3	0.02	3.0	0.6	0.33	1	2.7	<0.2			
1697291	Rab Sample	0.028	6	15	0.28	154	0.002	<20	0.34	0.005	0.13	6.4	0.03	2.6	0.4	0.30	1	2.4	<0.2			
1697292	Rab Sample	0.104	6	15	0.28	656	0.001	<20	0.50	0.004	0.16	1.9	0.04	2.6	0.4	0.29	1	4.1	<0.2			
1697293	Rab Sample	0.059	7	11	0.11	345	<0.001	<20	0.38	0.006	0.20	1.6	0.07	1.6	0.9	0.58	1	3.5	<0.2			
1697294	Rab Sample	0.067	8	12	0.12	231	0.001	<20	0.44	0.007	0.19	1.1	0.09	1.8	0.8	0.41	1	5.1	<0.2			
1697295	Rab Sample	0.072	16	14	0.23	236	0.001	<20	0.64	0.006	0.26	0.9	0.04	3.7	0.5	0.47	2	5.3	<0.2			
1697296	Rab Sample	0.157	17	24	0.33	246	0.002	<20	0.56	0.005	0.22	0.9	0.03	4.8	0.5	0.29	2	3.1	<0.2			
1697297	Rab Sample	0.106	18	13	0.22	275	0.002	<20	0.67	0.007	0.27	0.8	0.03	2.5	0.4	0.25	2	2.7	<0.2			
1697298	Rab Sample	0.070	13	11	0.39	382	0.001	<20	0.57	0.005	0.23	0.9	<0.01	4.3	0.3	0.29	1	1.8	<0.2			
1697299	Rab Sample	0.037	10	13	0.43	265	0.002	<20	0.46	0.006	0.20	2.2	0.02	2.8	0.3	0.38	2	2.1	<0.2			
1697300	Rock	0.006	1	<1	0.69	13	<0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1697301	Rab Sample	0.097	14	12	0.69	319	0.007	<20	0.79	0.007	0.32	0.8	0.01	5.4	0.5	0.52	2	2.0	<0.2			
1697302	Rab Sample	0.104	7	13	0.33	272	0.001	<20	0.55	0.005	0.22	1.8	0.07	3.3	0.9	0.33	1	2.8	<0.2			
1697303	Rab Sample	0.058	15	6	0.28	253	0.001	<20	0.36	0.004	0.22	1.2	0.02	1.2	0.3	0.42	<1	2.1	<0.2			
1697304	Rab Sample	0.039	10	10	0.99	443	0.050	<20	1.44	0.072	0.37	0.9	<0.01	7.5	0.4	0.36	3	1.6	<0.2			
1697305	Rab Sample	0.045	9	11	1.11	425	0.063	<20	1.57	0.078	0.49	0.8	0.01	7.5	0.3	0.43	4	1.3	<0.2			
1697306	Rab Sample	0.064	20	24	1.06	314	0.041	<20	1.15	0.014	0.62	0.7	<0.01	5.7	0.4	0.54	4	0.9	<0.2			
1697307	Rab Sample	0.045	17	29	1.02	440	0.063	<20	1.25	0.019	0.69	1.0	0.01	6.4	0.4	0.58	4	1.1	<0.2			
1697308	Rab Sample	0.037	15	30	0.78	643	0.056	<20	1.16	0.024	0.64	1.4	0.01	3.8	0.2	0.44	4	0.9	<0.2			
1697309	Rab Sample	0.031	14	18	0.89	547	0.042	<20	0.98	0.033	0.51	2.7	<0.01	3.3	0.1	0.59	4	1.0	<0.2			
1697310	Rab Sample	0.039	15	32	1.21	498	0.077	<20	1.38	0.032	0.64	2.5	<0.01	7.0	0.2	0.92	6	1.2	<0.2			
1697311	Rab Sample	0.052	11	24	1.03	406	0.067	<20	1.47	0.066	0.60	3.3	<0.01	5.0	0.2	0.80	4	1.3	<0.2			
1697312	Rab Sample	0.058	16	49	0.99	418	0.091	<20	1.52	0.025	0.77	1.2	<0.01	5.9	0.3	0.29	5	<0.5	<0.2			
1697313	Rab Sample	0.062	13	68	1.19	667	0.167	<20	1.97	0.072	1.01	1.3	<0.01	6.5	0.3	0.24	6	<0.5	<0.2			
1697314	Rab Sample	0.080	13	75	1.24	734	0.197	<20	1.91	0.066	1.07	1.7	<0.01	9.2	0.3	0.34	7	<0.5	<0.2			
1697315	Rab Sample	0.064	9	65	1.37	350	0.129	<20	1.51	0.060	0.52	1.0	0.01	9.1	0.2	0.26	5	<0.5	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000556.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697316	Rab Sample	2.38	<0.005	1.5	40.5	6.0	72	0.1	37.2	13.1	543	2.99	1.8	2.5	5.2	39	0.1	0.2	0.1	89	0.98
1697317	Rab Sample	2.80	<0.005	1.7	45.1	4.7	72	0.1	39.1	13.3	518	3.05	2.8	1.4	4.8	35	<0.1	0.1	0.1	117	0.85
1697318	Rab Sample	2.71	<0.005	1.5	29.3	6.8	56	<0.1	37.8	12.4	416	2.60	1.4	<0.5	3.6	56	0.1	<0.1	<0.1	101	0.95



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000556.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697316	Rab Sample	0.057	15	56	1.06	561	0.119	<20	1.52	0.056	0.88	1.4	<0.01	7.8	0.3	0.33	6	0.6	<0.2
1697317	Rab Sample	0.060	14	70	1.10	657	0.177	<20	1.69	0.051	1.09	1.8	<0.01	8.8	0.3	0.25	7	<0.5	<0.2
1697318	Rab Sample	0.059	12	71	0.96	420	0.200	<20	1.28	0.045	0.90	2.2	<0.01	6.9	0.3	0.21	6	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

August 31, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000556.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697317	Rab Sample	2.80	<0.005	1.7	45.1	4.7	72	0.1	39.1	13.3	518	3.05	2.8	1.4	4.8	35	<0.1	0.1	0.1	117	0.85
REP 1697317	QC			1.7	42.5	4.8	70	0.1	38.9	13.0	502	3.05	2.6	1.0	5.2	35	0.1	0.1	0.1	117	0.86
1697318	Rab Sample	2.71	<0.005	1.5	29.3	6.8	56	<0.1	37.8	12.4	416	2.60	1.4	<0.5	3.6	56	0.1	<0.1	<0.1	101	0.95
REP 1697318	QC		<0.005																		
Core Reject Duplicates																					
1697297	Rab Sample	3.54	<0.005	6.0	85.1	19.2	274	0.7	73.3	15.4	867	2.74	17.6	1.5	5.8	38	2.7	1.2	0.2	38	0.59
DUP 1697297	QC		<0.005	5.4	83.5	18.3	291	0.6	75.9	15.5	868	2.71	17.5	3.0	5.5	37	2.2	1.1	0.2	36	0.59
Reference Materials																					
STD DS11	Standard			13.9	147.9	139.8	336	1.7	79.8	13.7	1035	3.05	42.6	74.3	7.7	70	2.1	6.9	12.1	50	1.06
STD DS11	Standard			13.2	155.2	136.8	357	1.8	80.5	12.8	1068	3.13	45.5	87.1	7.6	71	2.5	7.6	12.1	52	1.03
STD OREAS45EA	Standard			1.8	738.8	15.0	35	0.2	434.2	56.6	450	24.56	12.6	56.8	10.9	4	<0.1	0.3	0.3	320	0.03
STD OREAS45EA	Standard			1.7	703.8	14.6	32	0.2	401.5	49.9	410	22.23	12.0	55.9	11.2	4	<0.1	0.4	0.3	308	0.03
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.208																		
STD OXH139	Standard		1.311																		
STD OXH139	Standard		1.299																		
STD OXH139	Standard		1.321																		
STD OXN134	Standard		7.777																		
STD OXN134	Standard		7.617																		
STD OXN134	Standard		7.671																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000556.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697317	Rab Sample	0.060	14	70	1.10	657	0.177	<20	1.69	0.051	1.09	1.8	<0.01	8.8	0.3	0.25	7	<0.5	<0.2
REP 1697317	QC	0.065	14	65	1.11	658	0.175	<20	1.69	0.050	1.09	1.8	<0.01	8.7	0.3	0.25	7	<0.5	<0.2
1697318	Rab Sample	0.059	12	71	0.96	420	0.200	<20	1.28	0.045	0.90	2.2	<0.01	6.9	0.3	0.21	6	<0.5	<0.2
REP 1697318	QC																		
Core Reject Duplicates																			
1697297	Rab Sample	0.106	18	13	0.22	275	0.002	<20	0.67	0.007	0.27	0.8	0.03	2.5	0.4	0.25	2	2.7	<0.2
DUP 1697297	QC	0.096	16	12	0.23	247	0.002	<20	0.62	0.006	0.25	0.8	0.03	2.7	0.4	0.26	2	2.9	<0.2
Reference Materials																			
STD DS11	Standard	0.070	17	59	0.85	368	0.090	<20	1.14	0.072	0.39	2.4	0.24	3.5	5.0	0.29	5	2.0	4.6
STD DS11	Standard	0.067	18	58	0.85	410	0.094	<20	1.17	0.075	0.40	2.6	0.28	3.1	4.8	0.28	5	1.8	4.7
STD OREAS45EA	Standard	0.031	8	948	0.12	148	0.112	<20	3.58	0.026	0.06	<0.1	<0.01	91.5	<0.1	<0.05	14	1.8	<0.2
STD OREAS45EA	Standard	0.026	7	830	0.09	142	0.100	<20	3.30	0.024	0.05	<0.1	0.01	80.9	<0.1	<0.05	12	0.7	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
BLK	Blank																		
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000556.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	1.1	7.6	1.7	48	<0.1	1.1	3.6	523	1.78	1.2	<0.5	2.3	25	0.1	<0.1	<0.1	24	0.64	
ROCK-WHI	Prep Blank	<0.005	1.2	7.6	1.5	55	<0.1	1.1	3.6	537	1.79	1.2	<0.5	2.4	25	0.1	<0.1	<0.1	24	0.67	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 31, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000556.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.035	6	3	0.46	64	0.079	<20	0.88	0.074	0.09	<0.1	<0.01	3.0	<0.1	0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.037	6	2	0.45	65	0.079	<20	0.90	0.086	0.10	<0.1	<0.01	2.9	<0.1	0.06	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: August 30, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000557.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180730-01-RAB
P.O. Number
Number of Samples: 47

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	45	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	47	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	47	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	47	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	47	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 30, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000557.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697319	Rab Sample	0.76	0.012	4.8	46.9	17.2	102	0.6	31.7	6.4	869	1.34	36.6	10.4	1.0	90	3.2	5.2	0.2	17	2.65
1697320	Rock Pulp	0.08	1.260	5.5	189.3	49.0	310	0.6	97.7	18.3	538	3.21	21.7	890.7	4.3	100	1.1	0.8	0.3	84	2.01
1697321	Rab Sample	0.60	0.012	5.7	44.2	38.0	172	1.2	37.8	9.6	693	2.28	138.7	10.5	2.9	49	1.9	8.5	0.6	40	0.93
1697322	Rab Sample	0.81	0.013	6.8	59.1	46.6	203	1.1	44.8	8.6	627	2.28	268.0	9.1	3.7	38	1.9	8.3	0.5	46	0.52
1697323	Rab Sample	0.93	0.015	7.7	55.8	120.2	213	3.9	47.8	9.1	642	2.57	332.4	12.1	3.5	35	2.3	10.5	1.6	52	0.51
1697324	Rab Sample	0.97	0.011	6.4	49.3	46.7	181	1.2	40.1	6.4	592	2.30	164.9	6.9	3.5	31	1.7	7.9	0.8	44	0.40
1697325	Rab Sample	1.55	0.006	8.6	63.9	15.1	271	0.7	59.4	12.8	569	2.92	81.3	4.7	3.3	39	2.5	2.6	0.3	78	0.72
1697326	Rab Sample	1.57	<0.005	5.9	62.4	10.3	183	0.5	47.2	12.0	509	3.28	13.1	1.9	6.0	28	0.9	0.6	0.2	97	0.58
1697327	Rab Sample	1.99	<0.005	7.1	67.5	11.7	261	0.6	98.0	37.3	3444	3.83	33.0	4.6	5.1	35	2.9	2.8	0.2	54	1.32
1697328	Rab Sample	3.05	<0.005	4.6	55.3	12.5	203	0.4	55.5	15.8	762	3.61	25.6	0.7	6.4	39	1.2	1.4	0.2	55	1.40
1697329	Rab Sample	4.12	<0.005	1.8	34.7	11.6	104	0.2	37.2	15.5	680	3.08	33.3	<0.5	7.3	55	0.3	2.2	0.2	51	1.84
1697330	Rab Sample	3.48	<0.005	2.4	46.8	10.2	90	0.2	36.2	14.6	677	2.86	10.9	1.0	8.1	38	0.4	0.8	0.3	55	0.99
1697331	Rab Sample	3.79	<0.005	4.3	59.3	6.3	96	0.3	38.1	13.4	701	3.22	7.7	1.2	4.8	30	0.5	1.0	0.1	78	1.00
1697332	Rab Sample	3.94	<0.005	1.7	40.3	6.4	96	0.2	43.0	14.8	544	3.30	9.2	1.7	5.0	42	0.3	0.8	0.1	93	1.29
1697333	Rab Sample	3.51	<0.005	1.8	36.2	6.7	76	0.1	38.1	12.4	472	3.21	3.3	0.8	6.4	41	0.2	0.4	0.2	79	1.19
1697334	Rab Sample	3.35	<0.005	1.7	40.4	7.7	85	0.2	45.5	19.0	614	3.35	25.2	1.1	4.5	57	0.3	1.7	0.2	97	1.72
1697335	Rab Sample	3.60	<0.005	2.3	48.9	7.7	108	0.2	49.3	17.2	714	3.66	12.2	1.5	5.1	55	0.4	1.0	0.3	87	1.78
1697336	Rab Sample	3.92	<0.005	2.1	39.4	8.9	91	0.1	44.1	14.0	774	3.32	35.0	2.1	5.7	65	0.3	1.4	0.1	70	2.11
1697337	Rab Sample	3.93	<0.005	1.8	44.0	6.0	83	0.2	40.1	15.3	610	3.58	14.0	1.4	5.3	47	0.1	1.2	0.1	100	1.33
1697338	Rab Sample	3.33	<0.005	2.2	48.1	10.0	117	0.2	51.8	18.1	624	3.04	54.2	0.6	5.9	45	0.3	1.7	0.2	56	1.58
1697339	Rab Sample	3.30	<0.005	2.2	40.8	10.0	136	0.2	53.7	16.0	677	3.19	51.7	2.2	5.1	60	0.4	1.6	0.2	34	1.95
1697340	Rock	0.45	<0.005	<0.1	0.8	0.4	1	<0.1	2.6	1.0	130	0.09	<0.5	<0.5	<0.1	75	<0.1	<0.1	<0.1	<1	32.66
1697341	Rab Sample	3.59	<0.005	2.7	43.3	10.2	120	0.2	40.8	12.8	644	3.12	40.1	1.3	4.9	55	0.4	1.7	0.2	41	2.46
1697342	Rab Sample	3.67	<0.005	2.2	49.2	12.9	105	0.2	44.1	11.8	631	2.89	17.8	2.2	5.7	43	0.4	1.2	0.2	31	1.43
1697343	Rab Sample	3.48	<0.005	2.5	40.4	14.4	106	0.2	37.2	14.6	674	3.41	18.5	1.0	5.8	90	0.3	1.3	0.2	46	2.71
1697344	Rab Sample	3.48	<0.005	1.5	21.9	13.4	70	0.2	28.5	11.2	641	2.99	34.6	1.8	7.8	76	0.2	1.1	0.2	31	2.49
1697345	Rab Sample	3.44	<0.005	1.4	19.4	12.9	60	0.2	18.8	6.3	403	2.07	22.7	1.9	11.3	47	0.2	0.8	<0.1	20	1.72
1697346	Rab Sample	3.69	<0.005	1.1	25.5	32.4	87	0.5	18.3	6.9	451	2.11	19.9	3.2	11.3	59	0.4	1.5	0.5	16	1.94
1697347	Rab Sample	3.64	<0.005	2.3	34.2	16.4	97	0.3	37.4	9.6	504	2.60	24.6	1.6	9.2	43	0.4	1.9	0.1	34	1.37
1697348	Rab Sample	3.36	0.007	1.8	37.9	7.5	90	0.2	40.3	14.7	535	3.39	6.5	2.0	6.8	41	0.2	0.5	0.1	74	1.02



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 30, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000557.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697319	Rab Sample	0.067	4	15	0.37	200	0.012	<20	0.38	0.013	0.08	1.7	0.06	1.9	0.2	0.24	1	4.0	<0.2
1697320	Rock Pulp	0.046	9	78	1.41	184	0.152	<20	2.89	0.368	0.32	7.6	0.06	4.2	0.2	0.11	8	<0.5	<0.2
1697321	Rab Sample	0.091	12	32	0.46	218	0.019	<20	0.80	0.019	0.19	1.7	0.03	3.0	0.3	0.11	2	2.6	<0.2
1697322	Rab Sample	0.097	14	28	0.35	290	0.018	<20	0.71	0.018	0.20	2.1	0.02	2.7	0.3	0.09	2	3.4	<0.2
1697323	Rab Sample	0.100	14	27	0.33	276	0.017	<20	0.74	0.018	0.23	2.3	0.02	2.8	0.3	0.10	2	2.6	0.6
1697324	Rab Sample	0.094	14	24	0.23	307	0.012	<20	0.62	0.015	0.24	1.8	<0.01	2.4	0.3	0.09	2	2.6	<0.2
1697325	Rab Sample	0.093	13	29	0.59	350	0.021	<20	1.01	0.021	0.36	2.0	0.01	4.1	0.4	0.11	3	3.2	<0.2
1697326	Rab Sample	0.083	20	39	0.90	519	0.057	<20	1.52	0.042	0.80	2.2	<0.01	5.3	0.5	0.27	5	3.3	<0.2
1697327	Rab Sample	0.085	13	24	0.67	336	0.005	<20	0.76	0.020	0.36	1.1	<0.01	7.3	1.8	0.22	2	4.3	<0.2
1697328	Rab Sample	0.077	17	25	0.83	464	0.014	<20	1.18	0.018	0.43	0.5	<0.01	8.4	0.5	0.26	3	1.5	<0.2
1697329	Rab Sample	0.047	24	37	1.15	501	0.038	<20	1.41	0.017	0.56	0.4	<0.01	8.3	0.5	0.31	4	1.4	<0.2
1697330	Rab Sample	0.059	27	34	0.98	543	0.058	<20	1.25	0.029	0.72	0.6	<0.01	6.7	0.4	0.21	4	0.9	<0.2
1697331	Rab Sample	0.073	15	35	0.91	807	0.052	<20	1.36	0.039	0.68	0.8	<0.01	7.5	0.3	0.52	4	1.9	<0.2
1697332	Rab Sample	0.075	16	60	1.13	666	0.111	<20	1.51	0.035	0.84	0.6	<0.01	8.9	0.3	0.15	6	<0.5	<0.2
1697333	Rab Sample	0.079	18	49	1.01	557	0.097	<20	1.42	0.033	0.87	0.4	<0.01	6.9	0.4	0.14	5	<0.5	<0.2
1697334	Rab Sample	0.093	15	66	1.06	517	0.094	<20	1.33	0.025	0.64	0.3	0.01	11.1	0.5	0.13	5	<0.5	<0.2
1697335	Rab Sample	0.083	16	56	1.10	612	0.097	<20	1.37	0.030	0.75	0.5	<0.01	9.7	0.4	0.30	5	0.5	<0.2
1697336	Rab Sample	0.072	17	45	1.01	361	0.027	<20	0.88	0.009	0.44	0.3	<0.01	7.2	0.4	0.19	3	<0.5	<0.2
1697337	Rab Sample	0.073	16	61	1.17	617	0.105	<20	1.42	0.041	0.83	0.5	<0.01	9.8	0.4	0.19	5	<0.5	<0.2
1697338	Rab Sample	0.074	16	33	0.63	338	0.009	<20	0.74	0.007	0.28	0.2	0.02	8.7	0.3	0.09	2	0.6	<0.2
1697339	Rab Sample	0.060	12	22	0.78	325	0.002	<20	0.49	0.004	0.26	0.3	<0.01	7.0	0.3	0.11	1	0.7	<0.2
1697340	Rock	0.007	1	1	0.47	19	0.001	<20	0.03	0.002	0.03	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1697341	Rab Sample	0.069	12	24	0.95	431	0.004	<20	0.57	0.009	0.29	0.3	<0.01	6.7	0.3	0.15	1	<0.5	<0.2
1697342	Rab Sample	0.073	14	22	0.63	229	0.004	<20	0.54	0.007	0.29	0.6	<0.01	4.9	0.4	0.37	2	0.6	<0.2
1697343	Rab Sample	0.096	19	23	1.16	1400	0.008	<20	0.67	0.016	0.39	0.3	<0.01	7.2	0.5	0.43	2	<0.5	<0.2
1697344	Rab Sample	0.042	16	17	0.91	571	0.001	<20	0.51	0.006	0.24	0.3	<0.01	6.1	0.4	0.42	1	0.6	<0.2
1697345	Rab Sample	0.064	27	14	0.59	272	0.002	<20	0.53	0.007	0.28	0.6	<0.01	3.2	0.3	0.19	1	<0.5	<0.2
1697346	Rab Sample	0.036	29	18	0.78	456	0.005	<20	0.70	0.009	0.31	0.6	<0.01	4.7	0.4	0.38	2	0.6	<0.2
1697347	Rab Sample	0.055	23	21	0.72	337	0.005	<20	0.63	0.008	0.29	0.7	<0.01	3.9	0.3	0.28	2	0.6	<0.2
1697348	Rab Sample	0.067	21	48	1.04	227	0.025	<20	1.23	0.019	0.36	0.7	<0.01	6.2	0.3	0.27	5	0.6	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 30, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000557.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697349	Rab Sample	3.75	<0.005	1.6	33.4	8.7	78	0.2	33.7	12.0	562	3.16	24.1	3.4	6.9	65	0.1	1.5	0.1	51	1.92
1697350	Rab Sample	3.65	0.008	1.5	35.1	18.4	71	0.3	39.7	10.3	618	3.04	225.5	6.5	6.6	52	0.5	5.6	0.1	42	1.75
1697351	Rab Sample	3.54	<0.005	1.2	16.3	11.2	57	0.1	12.9	5.8	439	2.02	16.0	3.2	10.8	42	0.1	1.2	0.2	19	1.78
1697352	Rab Sample	3.54	<0.005	1.0	20.8	8.9	69	0.1	18.6	9.3	421	2.27	7.1	8.5	8.7	73	0.2	0.6	0.4	33	1.96
1697353	Rab Sample	3.56	0.007	1.6	23.1	21.9	64	0.2	19.8	6.0	443	2.13	19.6	3.7	7.1	46	0.4	0.7	<0.1	18	1.91
1697354	Rab Sample	3.67	<0.005	1.5	26.3	12.7	70	0.2	22.7	7.4	429	2.35	20.9	<0.5	7.7	55	0.2	0.8	0.1	25	1.70
1697355	Rab Sample	3.26	<0.005	4.0	54.5	8.8	143	0.5	43.3	10.7	548	3.10	6.3	<0.5	5.3	52	1.1	0.9	0.2	78	1.16
1697356	Rab Sample	1.25	<0.005	4.2	55.1	8.2	117	0.4	44.9	9.0	546	2.67	22.0	1.2	6.3	85	0.6	1.8	0.3	44	1.73
1697357	Rab Sample	3.22	<0.005	1.8	41.2	9.0	77	0.2	33.1	10.2	527	2.97	32.8	<0.5	6.6	65	0.1	2.8	0.1	41	1.41
1697358	Rab Sample	2.95	0.021	2.3	38.3	22.6	87	0.5	34.1	11.0	902	2.97	881.0	12.1	4.8	62	0.5	5.9	<0.1	26	2.40
1697359	Rab Sample	3.38	0.013	2.3	47.1	14.8	114	0.7	55.1	14.6	850	3.52	189.9	8.1	5.9	58	0.5	4.9	0.1	33	1.97
1697360	Rock Pulp	0.08	7.055	9.2	181.4	18.2	74	1.0	12.5	10.5	543	4.43	13.6	8128.2	2.7	78	0.2	4.5	0.7	116	0.94
1697361	Rab Sample	3.53	0.007	1.8	37.3	19.5	109	0.3	33.6	11.3	691	3.09	85.9	5.7	3.9	47	0.9	1.9	0.1	28	2.04
1697362	Rab Sample	3.10	<0.005	1.8	43.2	9.9	92	0.2	42.8	14.0	602	3.03	40.9	2.1	5.0	39	0.4	1.7	0.1	37	1.33
1697363	Rab Sample	2.99	0.005	1.9	43.9	18.2	104	0.3	36.5	12.0	835	2.99	116.2	5.2	5.2	39	0.6	5.3	0.2	56	1.41
1697364	Rab Sample	2.93	<0.005	2.3	48.5	13.5	95	0.2	42.9	13.0	574	3.23	51.6	5.5	5.8	37	0.3	3.3	0.2	60	1.21
1697365	Rab Sample	1.99	<0.005	1.5	33.7	6.9	63	0.2	28.1	8.1	463	2.45	114.5	3.5	5.6	46	0.2	1.4	<0.1	31	1.51



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 30, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000557.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697349	Rab Sample	0.067	18	29	1.00	208	0.030	<20	0.82	0.021	0.25	0.7	<0.01	5.7	0.3	0.32	2	<0.5	<0.2
1697350	Rab Sample	0.059	16	29	1.04	193	0.010	<20	0.77	0.012	0.32	0.6	<0.01	5.1	0.2	0.34	2	0.7	<0.2
1697351	Rab Sample	0.036	27	15	0.76	206	0.010	<20	0.78	0.014	0.32	0.6	<0.01	4.0	0.2	0.27	2	<0.5	<0.2
1697352	Rab Sample	0.061	33	39	1.08	385	0.020	<20	1.32	0.029	0.59	0.4	<0.01	6.5	0.3	0.15	4	<0.5	<0.2
1697353	Rab Sample	0.038	16	12	0.72	295	0.001	<20	0.64	0.008	0.37	0.4	0.05	3.2	0.7	0.63	2	<0.5	<0.2
1697354	Rab Sample	0.034	20	19	0.80	428	0.006	<20	0.71	0.008	0.36	0.4	<0.01	4.6	0.3	0.26	2	<0.5	<0.2
1697355	Rab Sample	0.075	16	31	1.22	525	0.049	<20	1.24	0.017	0.65	0.9	0.01	6.6	0.3	0.70	4	1.8	<0.2
1697356	Rab Sample	0.059	17	24	0.88	711	0.003	<20	0.58	0.006	0.21	1.1	0.01	5.1	0.3	0.76	2	2.1	<0.2
1697357	Rab Sample	0.057	15	24	0.84	143	0.002	<20	0.61	0.005	0.19	0.2	0.01	5.4	0.3	0.31	2	<0.5	<0.2
1697358	Rab Sample	0.057	10	16	1.03	330	0.001	<20	0.43	0.005	0.24	0.5	0.05	5.6	0.6	1.20	1	<0.5	<0.2
1697359	Rab Sample	0.069	15	23	1.04	188	0.002	<20	0.53	0.005	0.28	0.3	0.01	5.8	0.4	0.85	2	<0.5	<0.2
1697360	Rock Pulp	0.062	8	18	0.82	115	0.139	<20	1.71	0.185	0.22	3.7	0.22	3.4	<0.1	<0.05	5	<0.5	<0.2
1697361	Rab Sample	0.071	8	15	1.03	160	0.001	<20	0.42	0.006	0.23	0.4	<0.01	5.0	0.3	0.25	1	0.8	<0.2
1697362	Rab Sample	0.067	13	22	0.83	534	0.003	<20	0.61	0.006	0.29	0.3	0.02	6.3	0.4	0.30	2	0.6	<0.2
1697363	Rab Sample	0.067	15	28	0.79	205	0.009	<20	0.81	0.006	0.26	0.4	0.02	7.2	0.5	0.43	3	<0.5	<0.2
1697364	Rab Sample	0.062	17	35	0.88	419	0.033	<20	1.20	0.006	0.50	0.3	0.02	6.2	0.4	0.31	4	0.6	<0.2
1697365	Rab Sample	0.047	12	18	0.71	147	0.003	<20	0.50	0.006	0.19	0.1	0.01	3.7	0.1	0.09	1	1.2	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

QUALITY CONTROL REPORT

WHI18000557.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697321	Rab Sample	0.60	0.012	5.7	44.2	38.0	172	1.2	37.8	9.6	693	2.28	138.7	10.5	2.9	49	1.9	8.5	0.6	40	0.93
REP 1697321	QC			6.0	45.6	40.0	170	1.3	40.5	9.3	672	2.24	145.5	9.7	2.8	46	2.0	8.5	0.7	39	0.91
REP 1697342	QC	<0.005																			
1697353	Rab Sample	3.56	0.007	1.6	23.1	21.9	64	0.2	19.8	6.0	443	2.13	19.6	3.7	7.1	46	0.4	0.7	<0.1	18	1.91
REP 1697353	QC			1.8	22.5	21.8	61	0.2	19.6	5.9	440	2.15	19.2	5.3	7.1	46	0.4	0.8	0.1	18	1.90
Core Reject Duplicates																					
1697342	Rab Sample	3.67	<0.005	2.2	49.2	12.9	105	0.2	44.1	11.8	631	2.89	17.8	2.2	5.7	43	0.4	1.2	0.2	31	1.43
DUP 1697342	QC		<0.005	2.4	46.5	11.7	101	0.2	39.8	11.5	636	2.89	15.4	1.3	5.4	39	0.4	0.9	0.2	31	1.40
Reference Materials																					
STD DS11	Standard			15.3	154.4	142.7	347	1.7	82.3	14.2	1053	3.04	41.8	63.0	7.8	70	2.2	7.7	12.4	48	1.11
STD DS11	Standard			13.8	151.9	141.4	344	1.5	84.9	13.2	1048	3.14	44.8	61.5	8.1	64	2.6	7.1	11.6	48	1.13
STD OREAS45EA	Standard			1.8	700.9	14.4	33	0.2	413.5	50.2	417	21.92	12.0	62.4	10.9	4	<0.1	0.3	0.3	325	0.03
STD OREAS45EA	Standard			1.9	723.7	16.1	36	0.3	424.2	61.1	398	22.67	13.2	60.9	12.0	4	<0.1	0.3	0.3	332	0.03
STD OXC145	Standard		0.205																		
STD OXH139	Standard		1.338																		
STD OXN134	Standard		7.625																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.7	4.4	1.6	37	<0.1	0.6	3.9	501	1.70	0.6	1.0	2.2	22	<0.1	<0.1	<0.1	21	0.65
ROCK-WHI	Prep Blank		<0.005	1.1	4.4	1.0	37	<0.1	0.4	3.9	517	1.67	0.8	0.9	2.3	22	<0.1	<0.1	<0.1	20	0.71



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: August 30, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000557.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697321	Rab Sample	0.091	12	32	0.46	218	0.019	<20	0.80	0.019	0.19	1.7	0.03	3.0	0.3	0.11	2	2.6	<0.2
REP 1697321	QC	0.090	12	32	0.45	226	0.020	<20	0.77	0.018	0.18	1.8	0.03	3.2	0.3	0.10	2	2.8	<0.2
REP 1697342	QC																		
1697353	Rab Sample	0.038	16	12	0.72	295	0.001	<20	0.64	0.008	0.37	0.4	0.05	3.2	0.7	0.63	2	<0.5	<0.2
REP 1697353	QC	0.038	16	12	0.71	293	0.001	<20	0.64	0.010	0.37	0.4	0.06	3.2	0.7	0.63	2	1.1	<0.2
Core Reject Duplicates																			
1697342	Rab Sample	0.073	14	22	0.63	229	0.004	<20	0.54	0.007	0.29	0.6	<0.01	4.9	0.4	0.37	2	0.6	<0.2
DUP 1697342	QC	0.074	13	20	0.63	202	0.003	<20	0.54	0.009	0.29	0.6	<0.01	5.4	0.4	0.38	2	0.8	<0.2
Reference Materials																			
STD DS11	Standard	0.071	19	61	0.84	422	0.098	<20	1.14	0.075	0.41	2.2	0.26	3.3	4.9	0.27	5	2.1	4.4
STD DS11	Standard	0.064	19	57	0.84	482	0.095	<20	1.16	0.076	0.41	2.6	0.25	3.4	5.4	0.28	5	2.1	5.0
STD OREAS45EA	Standard	0.029	7	849	0.10	144	0.100	<20	3.32	0.023	0.06	<0.1	0.01	77.7	<0.1	<0.05	12	1.0	<0.2
STD OREAS45EA	Standard	0.031	8	1030	0.11	162	0.109	<20	3.48	0.022	0.06	<0.1	<0.01	82.0	<0.1	<0.05	13	1.3	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	6	3	0.46	44	0.068	<20	0.80	0.047	0.06	<0.1	<0.01	3.0	<0.1	0.06	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.039	5	2	0.47	44	0.065	<20	0.86	0.040	0.06	0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: September 05, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000560.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180802-01-RAB
P.O. Number
Number of Samples: 44

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	43	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	44	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	44	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	44	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	44	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000560.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697426	Rab Sample	1.61	0.006	1.8	41.8	9.1	149	0.2	8.9	23.7	797	4.58	47.3	1.4	9.3	58	0.7	6.4	0.1	138	1.52
1697427	Rab Sample	3.82	<0.005	0.7	15.3	26.1	153	0.2	7.3	21.4	1429	4.35	38.2	<0.5	12.6	144	1.7	3.7	0.4	97	6.77
1697428	Rab Sample	3.81	<0.005	0.6	17.1	20.4	121	0.2	8.4	24.9	972	3.66	29.5	<0.5	11.5	100	1.4	3.5	0.6	108	4.45
1697429	Rab Sample	3.94	<0.005	0.3	24.4	11.4	147	0.1	6.0	19.2	887	4.22	19.1	<0.5	15.6	87	1.4	2.6	0.3	124	3.44
1697430	Rab Sample	3.60	<0.005	0.4	26.2	6.3	93	<0.1	5.9	15.7	793	3.96	11.9	0.7	8.7	97	0.5	1.2	0.1	119	2.36
1697431	Rab Sample	2.64	<0.005	0.6	36.6	5.4	72	0.1	5.1	14.1	560	3.26	7.7	<0.5	9.5	88	0.2	0.8	0.2	93	1.99
1697432	Rab Sample	4.30	<0.005	0.7	28.5	4.5	62	<0.1	5.4	15.0	596	3.28	4.9	<0.5	10.3	92	0.1	0.6	0.2	106	1.78
1697433	Rab Sample	3.16	<0.005	0.4	22.9	5.2	64	<0.1	5.7	15.5	639	3.30	4.7	<0.5	9.5	86	0.1	0.7	0.2	88	1.93
1697434	Rab Sample	2.80	<0.005	0.5	32.0	6.7	64	0.2	6.0	16.3	808	3.81	5.9	<0.5	9.6	102	0.2	0.8	0.3	122	2.19
1697435	Rab Sample	4.16	<0.005	0.7	19.3	5.2	63	<0.1	5.3	14.6	760	3.61	13.0	<0.5	9.6	137	0.2	1.8	0.2	109	2.21
1697436	Rab Sample	4.62	<0.005	1.8	22.9	3.5	55	<0.1	6.5	14.3	690	3.44	3.4	<0.5	7.5	101	<0.1	1.5	0.1	97	1.92
1697437	Rab Sample	3.78	<0.005	1.4	26.4	3.4	53	<0.1	5.3	13.8	609	3.27	4.6	<0.5	9.0	99	0.1	1.0	0.2	99	1.65
1697438	Rab Sample	3.41	<0.005	1.1	21.6	4.4	55	<0.1	5.2	14.0	659	3.45	4.0	<0.5	9.0	104	0.1	2.1	0.1	102	1.95
1697439	Rab Sample	4.07	<0.005	0.9	26.2	5.4	58	<0.1	5.2	13.7	687	3.36	7.0	<0.5	8.8	93	0.1	2.1	0.2	96	2.09
1697440	Rock Pulp	0.08	6.988	9.2	186.9	18.1	77	0.7	13.2	11.2	574	4.49	14.2	5474.9	2.6	73	0.2	5.0	0.6	111	0.88
1697441	Rab Sample	3.87	<0.005	1.2	23.8	4.8	57	<0.1	5.1	13.1	608	3.21	11.3	0.8	9.3	93	<0.1	0.6	0.1	93	1.76
1697442	Rab Sample	4.71	<0.005	1.4	25.5	5.9	57	<0.1	4.8	13.0	519	3.00	10.4	<0.5	8.8	84	0.1	0.5	0.1	81	1.42
1697443	Rab Sample	3.51	<0.005	1.1	20.9	5.6	55	<0.1	5.2	13.3	555	3.02	10.0	0.7	9.6	75	0.1	0.8	<0.1	81	1.53
1697444	Rab Sample	3.82	<0.005	1.2	26.6	3.9	48	<0.1	5.1	12.5	514	3.14	3.5	2.7	10.2	88	<0.1	1.4	<0.1	100	1.39
1697445	Rab Sample	3.56	<0.005	1.0	28.4	6.5	150	<0.1	5.8	14.4	653	3.79	12.5	1.6	9.8	125	0.5	3.6	0.2	124	1.80
1697446	Rab Sample	3.15	<0.005	0.8	22.0	53.9	250	0.9	5.2	13.7	763	3.57	9.4	3.5	9.6	93	1.4	4.4	0.1	107	2.07
1697447	Rab Sample	3.69	<0.005	0.6	23.4	10.6	90	0.1	5.7	15.2	788	3.89	3.6	<0.5	9.5	107	0.2	5.1	0.2	118	2.22
1697448	Rab Sample	3.77	<0.005	0.6	24.9	7.9	80	0.1	5.7	15.6	909	3.99	3.1	1.4	8.6	103	0.1	4.3	<0.1	118	2.60
1697449	Rab Sample	3.19	<0.005	1.1	22.4	8.9	108	0.2	4.6	15.3	955	3.93	33.8	0.9	8.5	108	0.3	5.8	0.1	109	3.33
1697450	Rab Sample	3.75	<0.005	0.7	25.1	18.3	252	0.3	5.9	17.3	1031	4.27	106.0	<0.5	8.3	126	1.3	6.1	0.1	123	2.95
1697451	Rab Sample	4.05	<0.005	0.7	23.4	6.1	85	0.1	5.4	14.7	718	3.76	26.4	<0.5	6.8	116	0.1	5.0	0.2	114	2.17
1697452	Rab Sample	3.55	0.005	1.2	20.4	6.1	115	0.1	4.8	13.5	719	3.72	64.2	2.5	8.2	116	0.2	6.9	0.1	109	2.01
1697453	Rab Sample	3.57	0.036	0.7	28.6	485.0	1970	6.6	6.2	16.9	796	4.75	225.5	27.7	9.7	91	25.7	14.3	0.2	119	2.12
1697454	Rab Sample	3.94	0.087	1.3	32.3	1398.6	5362	16.4	5.0	17.2	1641	5.75	460.9	437.3	6.2	98	87.7	22.5	0.2	98	4.44
1697455	Rab Sample	3.44	0.010	1.4	22.1	80.1	439	0.8	6.6	18.5	1275	4.35	250.2	6.8	9.1	142	4.5	9.4	0.1	105	4.60



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000560.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697426	Rab Sample	0.086	29	22	0.88	824	0.114	<20	1.94	0.073	0.63	0.4	0.08	23.5	0.5	<0.05	7	<0.5	<0.2			
1697427	Rab Sample	0.054	25	14	2.18	587	0.012	<20	1.10	0.011	0.16	<0.1	0.12	14.8	0.2	<0.05	3	<0.5	<0.2			
1697428	Rab Sample	0.063	23	14	1.43	1251	0.009	<20	1.11	0.006	0.17	<0.1	0.12	18.5	0.2	<0.05	4	0.6	<0.2			
1697429	Rab Sample	0.061	24	17	1.36	782	0.070	<20	1.76	0.020	0.52	<0.1	0.05	19.7	0.5	<0.05	6	<0.5	<0.2			
1697430	Rab Sample	0.059	18	19	1.11	1011	0.170	<20	2.20	0.164	0.73	0.2	0.01	13.8	0.5	<0.05	6	<0.5	<0.2			
1697431	Rab Sample	0.055	18	18	1.09	641	0.145	<20	2.11	0.226	0.46	0.4	0.01	8.4	0.2	<0.05	6	<0.5	<0.2			
1697432	Rab Sample	0.063	16	20	1.13	929	0.195	<20	2.19	0.245	0.59	0.3	0.01	8.5	0.3	<0.05	6	<0.5	<0.2			
1697433	Rab Sample	0.062	18	19	1.17	368	0.131	<20	1.95	0.176	0.27	0.2	<0.01	8.5	0.1	<0.05	6	<0.5	<0.2			
1697434	Rab Sample	0.063	18	21	1.32	887	0.177	<20	2.42	0.232	0.59	0.3	0.01	11.4	0.3	<0.05	7	<0.5	<0.2			
1697435	Rab Sample	0.070	19	19	1.19	924	0.141	<20	2.29	0.203	0.55	0.2	0.02	11.9	0.3	<0.05	6	<0.5	<0.2			
1697436	Rab Sample	0.072	16	24	1.17	660	0.131	<20	2.12	0.175	0.36	0.1	<0.01	10.1	0.2	<0.05	6	<0.5	<0.2			
1697437	Rab Sample	0.073	17	18	1.11	805	0.183	<20	1.98	0.206	0.55	0.4	<0.01	9.0	0.3	<0.05	6	<0.5	<0.2			
1697438	Rab Sample	0.072	17	20	1.30	378	0.102	<20	2.18	0.194	0.25	0.3	<0.01	9.8	0.1	<0.05	7	<0.5	<0.2			
1697439	Rab Sample	0.070	17	19	1.28	186	0.085	<20	1.94	0.124	0.17	0.2	<0.01	11.1	<0.1	<0.05	6	<0.5	<0.2			
1697440	Rock Pulp	0.061	8	18	0.81	124	0.133	<20	1.68	0.168	0.22	4.7	0.20	3.4	<0.1	<0.05	5	<0.5	<0.2			
1697441	Rab Sample	0.070	16	20	1.14	472	0.134	<20	1.97	0.197	0.29	0.3	<0.01	8.5	0.1	<0.05	6	<0.5	<0.2			
1697442	Rab Sample	0.072	15	19	1.11	342	0.170	<20	1.86	0.189	0.22	0.7	<0.01	6.3	0.1	<0.05	6	<0.5	<0.2			
1697443	Rab Sample	0.071	16	20	1.18	178	0.129	<20	1.79	0.142	0.18	0.6	<0.01	7.6	<0.1	<0.05	6	<0.5	<0.2			
1697444	Rab Sample	0.078	16	21	1.14	699	0.219	<20	2.08	0.244	0.48	1.0	<0.01	7.0	0.2	<0.05	6	<0.5	<0.2			
1697445	Rab Sample	0.082	18	23	1.32	1168	0.250	<20	2.69	0.319	0.89	0.6	<0.01	11.8	0.5	<0.05	7	<0.5	<0.2			
1697446	Rab Sample	0.072	17	20	1.25	683	0.137	<20	2.25	0.154	0.45	0.3	0.01	10.1	0.3	<0.05	7	<0.5	<0.2			
1697447	Rab Sample	0.073	17	21	1.48	629	0.133	<20	2.53	0.149	0.47	0.2	<0.01	12.5	0.3	<0.05	7	<0.5	<0.2			
1697448	Rab Sample	0.079	17	22	1.53	433	0.136	<20	2.47	0.105	0.40	0.2	<0.01	11.9	0.2	<0.05	7	<0.5	<0.2			
1697449	Rab Sample	0.074	19	21	1.46	361	0.032	<20	2.00	0.059	0.23	0.1	0.01	14.3	0.2	<0.05	6	<0.5	<0.2			
1697450	Rab Sample	0.076	20	19	1.38	854	0.148	<20	2.03	0.127	0.73	0.2	0.03	18.2	0.5	<0.05	6	<0.5	<0.2			
1697451	Rab Sample	0.075	16	20	1.12	973	0.188	<20	2.40	0.245	0.73	0.2	<0.01	13.4	0.5	<0.05	7	<0.5	<0.2			
1697452	Rab Sample	0.077	16	21	1.11	834	0.165	<20	2.21	0.237	0.65	0.3	0.01	11.6	0.4	<0.05	6	<0.5	<0.2			
1697453	Rab Sample	0.077	18	21	1.23	843	0.149	<20	2.55	0.131	0.68	0.2	0.06	14.9	0.5	0.56	8	<0.5	<0.2			
1697454	Rab Sample	0.075	10	16	1.70	88	0.003	<20	1.30	0.010	0.15	0.2	0.20	17.1	0.6	1.70	3	<0.5	<0.2			
1697455	Rab Sample	0.069	16	16	1.44	76	0.003	<20	1.63	0.008	0.09	0.1	0.23	19.7	0.4	0.19	4	<0.5	<0.2			



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000560.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697456	Rab Sample	3.97	0.009	2.0	21.6	51.1	416	0.5	5.9	18.7	1317	4.39	355.5	2.9	8.3	117	2.8	15.2	0.1	117	3.94
1697457	Rab Sample	4.18	0.005	1.0	21.7	22.7	150	0.3	6.7	17.4	1142	3.86	153.0	0.8	9.2	128	0.9	7.9	0.1	102	3.67
1697458	Rab Sample	4.11	0.005	2.7	21.3	17.9	117	0.2	4.8	15.0	1105	3.93	88.7	0.5	9.8	101	0.8	9.7	0.1	106	3.34
1697459	Rab Sample	4.81	0.009	2.0	25.1	17.6	111	0.3	5.7	16.5	1426	4.25	52.5	5.5	9.6	112	0.9	8.5	0.2	110	3.11
1697460	Rock	0.33	<0.005	<0.1	2.4	0.4	<1	<0.1	<0.1	0.5	99	0.09	0.7	<0.5	<0.1	84	<0.1	<0.1	<0.1	1	33.74
1697461	Rab Sample	4.53	0.006	1.3	23.5	11.4	84	0.2	4.7	14.5	1318	3.78	16.2	2.4	9.1	99	0.5	3.7	0.1	106	2.13
1697462	Rab Sample	4.27	0.007	1.0	24.1	11.2	88	0.2	5.0	15.0	1184	4.04	10.8	1.1	9.9	105	0.5	4.2	0.1	111	2.37
1697463	Rab Sample	2.69	0.006	1.1	23.7	11.9	86	0.3	4.4	14.4	1259	3.87	33.6	2.4	8.9	114	0.5	5.0	0.3	94	2.43
1697464	Rab Sample	2.74	0.006	1.9	25.7	15.3	109	0.2	5.5	15.2	765	4.01	19.4	<0.5	8.8	108	0.8	3.6	0.2	114	2.01
1697465	Rab Sample	3.16	<0.005	1.6	24.0	13.4	88	0.2	4.9	12.9	662	3.44	9.2	1.6	9.5	105	0.6	2.1	0.2	105	1.51
1697466	Rab Sample	3.86	<0.005	1.6	26.3	11.3	82	0.1	5.2	13.1	631	3.42	8.4	0.7	8.5	91	0.4	2.0	0.2	106	1.42
1697467	Rab Sample	3.91	<0.005	1.0	25.1	10.7	79	0.1	5.3	14.0	732	3.62	6.8	<0.5	6.5	123	0.5	3.2	0.1	111	1.94
1697468	Rab Sample	3.77	0.006	0.9	20.0	11.3	80	0.2	4.8	15.3	1139	4.01	10.1	<0.5	6.2	123	0.6	4.7	0.2	105	3.06
1697469	Rab Sample	4.60	<0.005	2.0	23.0	9.2	79	0.1	4.9	13.8	644	3.71	8.8	<0.5	7.0	112	0.5	4.1	0.1	108	1.71



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000560.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697456	Rab Sample	0.077	19	17	1.32	81	0.004	<20	1.28	0.008	0.07	0.2	0.36	21.5	0.5	0.13	4	<0.5	<0.2
1697457	Rab Sample	0.079	18	16	1.24	169	0.016	<20	1.37	0.008	0.15	0.1	0.17	19.9	0.3	0.10	3	<0.5	<0.2
1697458	Rab Sample	0.067	18	15	1.28	87	0.006	<20	1.52	0.005	0.10	0.1	0.15	18.3	0.2	0.08	4	<0.5	<0.2
1697459	Rab Sample	0.079	19	18	1.37	670	0.116	<20	1.68	0.076	0.59	0.2	0.04	17.6	0.4	0.14	5	<0.5	<0.2
1697460	Rock	0.005	1	<1	0.44	14	0.001	<20	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1697461	Rab Sample	0.073	18	19	1.24	1144	0.198	<20	1.99	0.175	0.85	0.5	<0.01	12.8	0.5	0.22	6	<0.5	<0.2
1697462	Rab Sample	0.071	20	19	1.38	1219	0.174	<20	1.92	0.125	0.77	0.5	<0.01	16.0	0.5	0.18	6	<0.5	<0.2
1697463	Rab Sample	0.068	17	16	1.20	659	0.106	<20	1.74	0.125	0.49	0.3	0.01	12.0	0.3	0.22	5	<0.5	<0.2
1697464	Rab Sample	0.069	17	22	1.31	1048	0.202	<20	2.38	0.177	0.76	0.4	<0.01	11.5	0.4	<0.05	7	<0.5	<0.2
1697465	Rab Sample	0.073	16	21	1.15	1257	0.248	<20	2.26	0.261	0.90	0.9	<0.01	8.7	0.5	0.06	6	<0.5	<0.2
1697466	Rab Sample	0.080	16	22	1.13	1247	0.257	<20	2.14	0.224	0.93	0.9	0.02	8.3	0.5	<0.05	6	<0.5	<0.2
1697467	Rab Sample	0.077	17	21	1.16	1141	0.226	<20	2.31	0.234	0.85	0.5	0.02	12.1	0.5	0.06	6	<0.5	<0.2
1697468	Rab Sample	0.071	18	17	1.50	670	0.091	<20	1.47	0.099	0.43	0.3	0.05	16.5	0.3	0.27	4	<0.5	<0.2
1697469	Rab Sample	0.077	17	21	1.13	1158	0.212	<20	2.05	0.197	0.79	0.4	0.01	11.5	0.5	<0.05	6	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000560.1

Method Analyte Unit MDL		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697440	Rock Pulp	0.08	6.988	9.2	186.9	18.1	77	0.7	13.2	11.2	574	4.49	14.2	5474.9	2.6	73	0.2	5.0	0.6	111	0.88
REP 1697440	QC			9.4	183.3	18.2	71	0.8	13.1	10.8	575	4.51	13.8	5742.4	2.6	72	0.2	5.2	0.6	111	0.88
1697448	Rab Sample	3.77	<0.005	0.6	24.9	7.9	80	0.1	5.7	15.6	909	3.99	3.1	1.4	8.6	103	0.1	4.3	<0.1	118	2.60
REP 1697448	QC		<0.005																		
1697465	Rab Sample	3.16	<0.005	1.6	24.0	13.4	88	0.2	4.9	12.9	662	3.44	9.2	1.6	9.5	105	0.6	2.1	0.2	105	1.51
REP 1697465	QC		<0.005																		
Core Reject Duplicates																					
1697429	Rab Sample	3.94	<0.005	0.3	24.4	11.4	147	0.1	6.0	19.2	887	4.22	19.1	<0.5	15.6	87	1.4	2.6	0.3	124	3.44
DUP 1697429	QC		<0.005	0.3	25.6	10.9	145	0.1	5.8	17.9	958	4.26	19.3	<0.5	15.2	85	1.1	2.3	0.3	125	3.47
1697463	Rab Sample	2.69	0.006	1.1	23.7	11.9	86	0.3	4.4	14.4	1259	3.87	33.6	2.4	8.9	114	0.5	5.0	0.3	94	2.43
DUP 1697463	QC		0.006	1.1	24.1	11.9	87	0.3	5.1	13.9	1219	3.77	32.7	2.4	8.3	110	0.6	4.8	1.0	89	2.42
Reference Materials																					
STD DS11	Standard			14.3	141.3	129.5	329	1.7	73.8	12.8	1012	2.99	41.9	59.3	7.4	69	2.3	8.7	11.9	47	1.01
STD DS11	Standard			13.4	159.1	133.7	327	1.8	85.0	14.6	1055	3.11	41.9	72.6	7.7	64	2.0	6.8	11.0	48	1.05
STD OREAS45EA	Standard			1.4	691.9	13.6	28	0.2	384.3	48.3	413	20.00	11.5	49.0	9.6	4	<0.1	0.4	0.3	292	0.03
STD OREAS45EA	Standard			1.4	694.2	13.5	33	0.2	405.4	55.9	358	21.70	10.8	53.0	9.6	4	<0.1	0.3	0.2	321	0.03
STD OXC145	Standard		0.215																		
STD OXC145	Standard		0.205																		
STD OXH139	Standard		1.329																		
STD OXH139	Standard		1.334																		
STD OXN134	Standard		8.058																		
STD OXN134	Standard		7.770																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000560.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Method	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697440	Rock Pulp	0.061	8	18	0.81	124	0.133	<20	1.68	0.168	0.22	4.7	0.20	3.4	<0.1	<0.05	5	<0.5	<0.2
REP 1697440	QC	0.066	7	17	0.81	121	0.131	<20	1.67	0.162	0.22	4.9	0.19	3.2	<0.1	<0.05	5	<0.5	<0.2
1697448	Rab Sample	0.079	17	22	1.53	433	0.136	<20	2.47	0.105	0.40	0.2	<0.01	11.9	0.2	<0.05	7	<0.5	<0.2
REP 1697448	QC																		
1697465	Rab Sample	0.073	16	21	1.15	1257	0.248	<20	2.26	0.261	0.90	0.9	<0.01	8.7	0.5	0.06	6	<0.5	<0.2
REP 1697465	QC																		
Core Reject Duplicates																			
1697429	Rab Sample	0.061	24	17	1.36	782	0.070	<20	1.76	0.020	0.52	<0.1	0.05	19.7	0.5	<0.05	6	<0.5	<0.2
DUP 1697429	QC	0.064	24	18	1.37	750	0.063	<20	1.68	0.020	0.52	<0.1	0.05	18.8	0.4	<0.05	6	<0.5	<0.2
1697463	Rab Sample	0.068	17	16	1.20	659	0.106	<20	1.74	0.125	0.49	0.3	0.01	12.0	0.3	0.22	5	<0.5	<0.2
DUP 1697463	QC	0.063	16	16	1.17	622	0.102	<20	1.69	0.116	0.47	0.3	0.01	11.5	0.3	0.22	5	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.070	17	58	0.80	393	0.090	<20	1.09	0.069	0.39	2.3	0.23	3.1	4.7	0.26	5	1.8	4.8
STD DS11	Standard	0.071	19	58	0.84	418	0.092	<20	1.13	0.066	0.40	2.4	0.26	3.3	5.1	0.28	5	1.8	4.4
STD OREAS45EA	Standard	0.028	7	766	0.09	140	0.095	<20	3.16	0.016	0.05	<0.1	0.01	74.5	<0.1	<0.05	12	1.0	<0.2
STD OREAS45EA	Standard	0.025	7	910	0.10	145	0.100	<20	3.25	0.015	0.06	<0.1	<0.01	78.9	<0.1	<0.05	12	1.9	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000560.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	3.9	1.3	33	<0.1	0.9	3.5	531	1.88	1.5	<0.5	2.3	25	<0.1	<0.1	<0.1	24	0.75
ROCK-WHI	Prep Blank		<0.005	0.9	4.4	1.5	33	<0.1	0.5	4.6	546	2.02	1.4	<0.5	2.4	30	<0.1	<0.1	<0.1	25	0.73



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 05, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000560.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.034	7	2	0.44	68	0.082	<20	0.97	0.088	0.11	<0.1	<0.01	3.2	<0.1	<0.05	3	<0.5	<0.2
ROCK-WHI	Prep Blank	0.036	7	2	0.44	79	0.089	<20	1.02	0.119	0.14	<0.1	<0.01	4.0	<0.1	0.12	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: September 10, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000561.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180802-02-RAB
P.O. Number
Number of Samples: 70

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	68	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	70	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	70	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	70	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	70	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000561.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697077	Rab Sample	1.08	0.128	4.0	33.4	361.8	584	4.7	47.1	8.9	1258	2.65	18.0	99.3	6.8	78	10.6	18.3	3.0	13	1.67
1697078	Rab Sample	3.79	0.023	5.3	11.4	244.8	261	1.5	21.2	4.1	2176	2.24	14.2	16.6	5.5	126	6.1	13.7	0.8	19	2.97
1697079	Rab Sample	3.30	0.057	3.6	18.6	303.7	253	3.1	29.2	6.0	1320	2.29	18.3	33.8	7.8	125	4.0	8.4	1.5	13	2.35
1697080	Rock Pulp	0.08	1.206	5.1	168.8	43.9	260	0.7	93.8	14.8	501	2.96	19.6	1385.4	3.8	96	1.1	1.2	0.3	75	1.62
1697081	Rab Sample	3.98	0.041	4.7	11.6	72.7	157	1.1	17.7	4.2	1201	2.08	21.1	38.0	6.7	119	3.0	2.5	1.3	11	2.35
1697082	Rab Sample	3.22	0.024	3.2	10.2	80.2	197	1.3	26.1	5.4	1558	2.16	13.0	15.7	7.1	128	2.8	2.3	1.2	14	2.40
1697083	Rab Sample	4.07	0.057	3.7	25.0	96.5	300	2.1	37.9	8.2	1598	2.80	17.4	38.1	6.1	106	4.4	2.9	1.5	16	2.04
1697084	Rab Sample	3.60	0.028	1.7	9.4	95.7	467	1.4	18.3	5.2	2352	2.31	20.9	19.1	6.3	130	8.4	1.9	0.9	14	2.46
1697085	Rab Sample	3.80	0.019	2.3	10.4	84.6	338	1.3	18.8	4.6	1951	2.02	12.2	13.5	4.5	121	5.9	2.1	0.9	11	2.53
1697086	Rab Sample	3.36	0.035	2.3	16.0	76.8	403	1.2	27.9	7.6	1892	2.61	15.1	20.7	5.5	152	6.4	2.0	1.3	17	2.64
1697087	Rab Sample	3.55	0.020	2.0	9.6	100.1	398	1.5	16.9	4.9	2273	2.18	11.6	17.9	5.2	144	7.7	2.1	1.8	15	2.70
1697088	Rab Sample	3.88	0.018	2.1	9.5	124.1	335	2.2	14.7	4.2	2843	1.97	15.8	9.1	5.4	156	7.9	2.2	1.9	13	3.25
1697089	Rab Sample	3.38	0.178	3.7	23.5	101.8	252	1.6	16.9	7.6	1441	2.24	22.0	153.6	4.7	108	4.5	2.9	2.4	8	2.29
1697090	Rab Sample	3.55	0.205	3.3	30.5	95.9	189	2.0	21.4	9.5	1479	2.66	24.7	63.5	4.5	174	3.4	2.9	3.2	13	2.93
1697091	Rab Sample	3.99	0.805	2.8	30.4	88.9	230	2.3	29.2	8.6	1953	2.99	33.1	388.3	5.2	179	4.2	5.4	2.4	14	3.12
1697092	Rab Sample	4.18	0.470	2.1	35.6	77.7	240	2.5	29.7	10.4	1495	3.15	30.0	118.9	4.0	97	3.6	3.8	2.4	14	2.74
1697093	Rab Sample	4.07	0.385	2.1	34.2	61.7	152	1.9	25.2	9.7	1265	2.96	23.0	78.9	5.6	174	2.2	1.3	3.1	14	2.73
1697094	Rab Sample	4.69	0.409	1.8	47.7	70.2	244	2.5	25.6	15.3	1443	3.86	56.4	330.8	4.4	159	3.3	1.5	3.6	19	2.64
1697095	Rab Sample	3.91	0.577	3.1	77.6	69.7	195	2.7	29.2	20.1	1568	4.55	25.5	421.7	4.7	179	3.2	1.6	2.9	15	3.17
1697096	Rab Sample	4.34	4.585	2.5	84.1	60.5	186	3.2	29.7	20.7	1314	5.00	20.9	2267.4	4.5	153	2.8	2.2	3.0	15	3.01
1697097	Rab Sample	4.43	1.591	2.7	58.0	62.5	277	2.1	24.5	13.6	1121	3.69	16.2	537.7	6.3	116	4.4	1.8	3.6	16	2.41
1697098	Rab Sample	4.01	0.167	9.6	15.5	80.4	230	1.9	20.2	5.5	1220	2.52	10.1	95.2	6.5	150	3.9	1.4	3.3	14	3.04
1697099	Rab Sample	4.62	0.119	6.8	20.1	83.4	192	2.2	27.3	7.9	1534	2.75	29.5	107.0	5.1	135	3.0	2.1	3.3	18	3.52
1697100	Rock	0.32	0.006	5.3	2.6	1.2	4	<0.1	1.0	0.5	116	0.15	1.1	<0.5	0.2	78	<0.1	<0.1	0.3	3	31.49
1697101	Rab Sample	4.95	0.058	9.6	23.5	80.6	192	2.1	18.5	6.1	1507	2.16	22.4	43.2	4.9	58	3.4	2.4	2.8	10	2.39
1697102	Rab Sample	4.61	3.771	2.2	37.4	53.8	214	2.2	34.5	7.4	1468	3.01	46.2	3339.3	3.0	141	2.9	3.5	1.5	41	4.50
1697103	Rab Sample	4.31	0.113	2.9	26.1	73.1	170	1.0	24.2	4.4	789	1.85	29.2	67.3	3.2	112	3.8	2.2	0.9	20	1.94
1697104	Rab Sample	4.74	0.136	2.7	58.1	97.3	212	1.8	35.2	9.8	1208	2.45	41.1	60.8	2.8	96	4.3	3.0	1.0	20	2.03
1697105	Rab Sample	5.14	0.324	6.2	71.6	63.0	181	1.3	57.1	11.2	1029	2.72	58.9	205.7	4.1	101	3.4	4.3	1.3	33	1.72
1697106	Rab Sample	4.28	0.936	2.1	123.0	178.3	741	4.1	290.9	29.8	3080	5.69	208.1	912.9	18.3	145	16.0	9.0	4.3	43	4.37



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000561.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
1697077	Rab Sample	0.075	16	9	0.79	86	<0.001	<20	0.39	0.004	0.21	1.4	0.03	5.1	0.3	<0.05	<1	0.8	0.7			
1697078	Rab Sample	0.096	14	8	1.14	104	0.001	<20	0.42	0.004	0.24	0.8	<0.01	5.2	0.3	<0.05	<1	<0.5	<0.2			
1697079	Rab Sample	0.074	18	7	0.92	65	<0.001	<20	0.39	0.003	0.22	0.8	<0.01	5.1	0.3	<0.05	<1	<0.5	<0.2			
1697080	Rock Pulp	0.045	8	67	1.30	158	0.137	<20	2.60	0.300	0.29	8.2	0.06	2.9	0.2	0.10	6	<0.5	<0.2			
1697081	Rab Sample	0.060	18	8	1.00	85	<0.001	<20	0.47	0.004	0.25	0.4	<0.01	4.6	0.4	<0.05	1	<0.5	<0.2			
1697082	Rab Sample	0.082	19	8	0.99	76	<0.001	<20	0.42	0.003	0.24	0.5	<0.01	5.1	0.3	<0.05	1	<0.5	<0.2			
1697083	Rab Sample	0.097	17	8	0.92	154	0.001	<20	0.51	0.005	0.27	0.4	0.01	5.0	0.4	<0.05	1	1.3	<0.2			
1697084	Rab Sample	0.082	17	8	1.11	81	<0.001	<20	0.44	0.006	0.25	0.3	0.01	4.9	0.3	<0.05	1	<0.5	<0.2			
1697085	Rab Sample	0.068	10	6	0.98	74	<0.001	<20	0.38	0.005	0.24	0.3	0.01	3.9	0.3	0.29	1	<0.5	<0.2			
1697086	Rab Sample	0.072	12	8	1.07	77	<0.001	<20	0.43	0.004	0.22	0.3	0.01	5.6	0.3	0.19	1	<0.5	<0.2			
1697087	Rab Sample	0.078	12	7	1.04	123	<0.001	<20	0.46	0.004	0.23	0.3	0.01	4.2	0.3	0.22	1	<0.5	<0.2			
1697088	Rab Sample	0.078	12	5	1.15	72	<0.001	<20	0.42	0.004	0.25	0.3	<0.01	4.5	0.3	0.33	1	<0.5	<0.2			
1697089	Rab Sample	0.060	10	5	0.68	586	<0.001	<20	0.43	0.006	0.26	0.3	0.02	3.0	0.4	0.89	1	0.8	<0.2			
1697090	Rab Sample	0.077	11	9	0.94	281	<0.001	<20	0.40	0.003	0.21	0.2	0.01	5.0	0.4	0.68	1	0.6	<0.2			
1697091	Rab Sample	0.073	12	9	0.84	190	<0.001	<20	0.44	0.002	0.26	0.3	0.03	4.1	0.4	0.78	1	<0.5	<0.2			
1697092	Rab Sample	0.070	8	7	0.68	304	<0.001	<20	0.37	0.004	0.24	0.5	0.05	4.0	0.5	1.38	<1	0.9	<0.2			
1697093	Rab Sample	0.077	13	9	0.98	111	<0.001	<20	0.49	0.003	0.27	0.4	0.01	4.8	0.4	0.80	1	1.0	<0.2			
1697094	Rab Sample	0.080	9	6	0.94	56	<0.001	<20	0.50	0.003	0.23	0.2	0.05	5.1	0.7	1.56	1	1.3	<0.2			
1697095	Rab Sample	0.079	9	12	1.06	139	<0.001	<20	0.51	0.003	0.28	0.7	0.07	4.9	1.0	2.39	1	1.7	<0.2			
1697096	Rab Sample	0.097	9	8	1.02	150	<0.001	<20	0.45	0.003	0.26	0.5	0.09	5.0	1.2	2.67	<1	1.8	<0.2			
1697097	Rab Sample	0.085	12	8	0.86	71	0.001	<20	0.60	0.004	0.26	0.4	0.07	3.9	0.6	1.45	1	1.9	<0.2			
1697098	Rab Sample	0.091	14	10	1.01	117	0.001	<20	0.50	0.003	0.26	0.3	0.03	4.6	0.4	0.48	1	<0.5	<0.2			
1697099	Rab Sample	0.082	8	11	1.05	80	<0.001	<20	0.49	0.004	0.28	0.3	0.02	5.6	0.4	0.61	1	<0.5	<0.2			
1697100	Rock	0.008	2	1	0.57	21	0.004	<20	0.08	0.002	0.04	0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
1697101	Rab Sample	0.062	9	6	0.72	93	<0.001	<20	0.49	0.004	0.27	0.4	0.02	2.9	0.4	0.53	1	0.6	<0.2			
1697102	Rab Sample	0.072	6	19	1.88	1232	<0.001	<20	0.44	0.004	0.15	0.4	0.06	4.0	0.4	0.45	1	<0.5	<0.2			
1697103	Rab Sample	0.077	7	12	1.00	446	0.002	<20	0.41	0.004	0.24	0.5	<0.01	2.9	0.4	0.20	1	<0.5	<0.2			
1697104	Rab Sample	0.138	8	11	0.80	298	0.002	<20	0.34	0.003	0.20	1.1	0.03	2.3	0.3	0.54	<1	1.4	<0.2			
1697105	Rab Sample	0.112	12	19	0.98	150	0.002	<20	0.40	0.003	0.21	0.6	0.02	3.2	0.4	0.30	1	1.9	<0.2			
1697106	Rab Sample	0.201	20	93	2.48	202	0.002	<20	0.68	0.005	0.29	0.2	0.05	10.1	0.7	1.06	2	1.7	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000561.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697107	Rab Sample	3.97	0.521	5.5	70.6	55.9	197	1.1	112.0	18.0	716	3.06	99.2	396.4	8.8	92	2.5	6.6	1.6	39	2.30
1697108	Rab Sample	4.33	0.150	4.7	29.8	49.5	190	0.8	49.0	8.5	1073	2.45	61.5	82.3	7.0	115	2.4	4.1	0.5	24	1.77
1697109	Rab Sample	4.78	0.036	2.1	22.7	160.6	364	2.6	37.8	6.7	1513	2.30	78.6	28.1	5.0	87	5.3	10.8	0.4	14	1.70
1697110	Rab Sample	4.69	0.026	2.0	32.0	80.8	285	1.2	23.4	5.8	864	1.77	41.6	19.5	9.0	79	6.6	4.1	0.4	9	1.41
1697111	Rab Sample	4.49	0.047	3.1	51.3	45.4	168	0.8	42.8	10.8	617	2.90	36.9	48.7	6.7	51	2.5	2.4	0.5	30	1.38
1697112	Rab Sample	4.77	0.132	2.6	51.7	43.4	113	0.9	50.4	13.0	594	2.91	38.4	41.2	7.1	56	1.6	3.2	0.5	22	1.19
1697113	Rab Sample	4.17	0.098	5.7	84.0	91.2	173	1.4	55.8	13.7	904	3.32	55.7	90.4	2.5	141	3.2	4.8	0.7	38	2.58
1697114	Rab Sample	4.25	0.071	4.7	42.9	66.2	155	0.7	45.2	10.7	564	3.20	30.3	44.7	2.5	80	2.2	4.3	0.6	79	1.83
1697115	Rab Sample	4.54	0.081	3.5	56.3	67.3	123	0.7	38.3	12.0	550	3.46	16.5	48.1	2.3	84	2.2	4.3	0.6	90	1.80
1697116	Rab Sample	3.85	0.085	4.2	67.9	69.6	146	0.7	57.4	20.0	500	4.19	27.6	61.0	1.7	100	2.0	4.5	0.7	190	1.92
1697117	Rab Sample	3.52	0.070	3.3	60.9	58.5	149	0.8	39.3	12.5	445	2.72	32.7	102.7	4.8	66	2.7	5.2	0.4	45	1.53
1697118	Rab Sample	3.95	0.058	4.2	93.7	66.4	168	1.0	85.4	15.0	541	3.60	56.2	24.1	4.1	71	4.0	6.7	0.5	41	1.39
1697119	Rab Sample	3.69	0.133	12.6	123.4	97.5	165	1.4	92.2	21.3	664	5.97	70.8	75.7	6.1	154	3.1	6.5	1.7	63	3.50
1697120	Rock Pulp	0.24	0.567	7.6	278.5	14.9	50	0.6	113.4	15.1	444	2.85	175.3	332.5	3.5	80	0.3	1.6	0.1	66	1.78
1697121	Rab Sample	3.83	0.109	2.2	98.7	159.0	347	1.7	62.7	17.8	1218	5.23	62.4	62.2	5.3	184	7.7	3.7	1.9	56	4.08
1697122	Rab Sample	4.86	0.111	5.6	46.3	107.2	259	0.9	50.6	10.6	1159	3.17	59.1	61.9	3.5	122	5.1	4.3	0.6	50	2.84
1697123	Rab Sample	3.90	0.063	5.7	63.1	291.4	206	2.4	40.8	8.7	723	2.56	60.0	84.9	2.7	125	4.5	4.8	0.6	35	2.22
1697124	Rab Sample	4.15	0.066	4.9	74.2	92.7	174	1.1	44.2	8.0	548	2.38	50.5	50.6	2.6	102	4.8	4.2	0.5	31	2.05
1697125	Rab Sample	3.64	0.041	2.7	114.3	79.7	218	1.5	66.0	19.6	799	4.50	68.2	31.8	3.3	83	4.2	3.4	0.6	37	1.83
1697126	Rab Sample	3.08	0.037	3.7	79.8	68.4	153	1.2	58.0	11.3	715	3.28	59.1	27.1	1.1	80	4.1	4.0	0.5	39	1.64
1697127	Rab Sample	4.70	0.039	13.7	60.4	125.5	253	1.3	56.8	9.3	1244	2.77	73.3	23.9	1.9	137	6.9	4.2	0.6	46	2.66
1697128	Rab Sample	3.90	0.023	5.9	82.9	134.5	309	1.8	80.0	13.1	1885	3.42	83.1	16.3	2.5	138	7.9	4.4	0.6	38	2.49
1697129	Rab Sample	4.86	0.030	6.7	68.6	84.6	223	1.4	69.8	12.0	1853	3.31	64.9	23.4	2.1	110	3.8	8.4	0.5	43	2.17
1697130	Rab Sample	3.60	0.023	3.0	58.0	32.7	127	0.7	47.8	12.3	1065	3.55	32.0	18.7	6.7	99	1.3	3.2	0.3	35	1.56
1697131	Rab Sample	3.47	0.063	2.0	46.7	24.3	173	0.5	54.0	26.6	1033	5.95	24.1	38.6	2.5	104	2.0	2.2	0.4	162	2.08
1697132	Rab Sample	3.53	0.048	3.0	99.8	54.3	300	1.3	47.8	26.4	1387	5.69	29.8	27.5	3.8	178	6.6	5.1	0.6	86	3.11
1697133	Rab Sample	4.04	0.033	1.8	76.7	124.2	353	1.6	32.7	17.2	1701	4.09	37.9	36.3	4.3	145	9.7	3.5	0.5	26	2.42
1697134	Rab Sample	3.26	0.022	3.4	72.1	57.3	191	1.0	59.0	17.1	1123	3.58	57.2	12.9	3.0	97	4.2	5.3	0.4	36	1.54
1697135	Rab Sample	1.87	0.013	4.3	72.4	59.6	179	1.0	31.9	13.3	814	3.06	26.3	9.5	4.9	84	3.9	3.4	0.5	39	1.46
1697136	Rab Sample	3.47	0.041	9.1	71.5	130.6	240	1.8	66.9	9.0	1075	2.79	69.7	29.3	2.6	126	5.7	4.0	0.5	35	1.82



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000561.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697107	Rab Sample	0.132	16	39	1.34	253	0.002	<20	0.65	0.005	0.28	0.3	0.01	5.9	0.5	0.26	2	0.9	<0.2			
1697108	Rab Sample	0.053	12	18	0.98	495	0.001	<20	0.45	0.003	0.25	0.3	<0.01	3.9	0.4	0.21	1	<0.5	<0.2			
1697109	Rab Sample	0.022	6	10	0.64	152	0.001	<20	0.31	0.002	0.21	1.0	0.02	2.2	0.3	0.70	<1	0.5	<0.2			
1697110	Rab Sample	0.032	11	9	0.65	466	<0.001	<20	0.30	0.003	0.20	2.7	<0.01	1.9	0.3	0.34	<1	1.0	<0.2			
1697111	Rab Sample	0.065	12	14	0.84	137	0.001	<20	0.40	0.003	0.21	1.1	0.02	4.3	0.4	0.59	1	1.4	<0.2			
1697112	Rab Sample	0.036	14	20	0.91	117	0.002	<20	0.43	0.003	0.24	0.8	0.02	4.8	0.5	0.67	1	1.1	<0.2			
1697113	Rab Sample	0.102	6	18	1.25	751	0.001	<20	0.34	0.002	0.20	1.1	0.03	3.7	0.4	0.85	<1	2.8	<0.2			
1697114	Rab Sample	0.117	9	39	1.21	293	0.008	<20	0.81	0.004	0.31	0.7	0.02	9.8	0.5	0.57	3	1.7	<0.2			
1697115	Rab Sample	0.103	9	47	1.23	404	0.030	<20	1.43	0.063	0.41	0.8	<0.01	11.8	0.5	0.85	4	2.4	<0.2			
1697116	Rab Sample	0.101	8	120	2.04	678	0.050	<20	2.23	0.030	0.62	0.7	<0.01	14.6	0.6	0.95	8	2.5	<0.2			
1697117	Rab Sample	0.059	11	21	0.80	316	0.004	<20	0.37	0.002	0.19	1.6	<0.01	5.1	0.3	0.89	1	1.8	<0.2			
1697118	Rab Sample	0.076	9	20	0.93	317	0.002	<20	0.37	0.002	0.16	1.5	<0.01	5.0	0.5	1.40	1	2.1	<0.2			
1697119	Rab Sample	0.265	7	44	1.66	224	0.002	<20	0.79	0.006	0.15	0.6	0.01	9.4	0.6	2.82	2	2.4	<0.2			
1697120	Rock Pulp	0.033	8	115	1.43	129	0.100	<20	2.68	0.328	0.22	1.0	0.04	2.9	0.1	0.09	6	<0.5	<0.2			
1697121	Rab Sample	0.114	10	37	2.50	408	<0.001	<20	0.55	0.002	0.17	0.4	0.02	9.7	0.4	1.48	1	1.5	<0.2			
1697122	Rab Sample	0.091	9	39	1.52	769	0.001	<20	0.42	0.002	0.20	0.7	0.02	8.3	0.5	0.72	1	1.2	<0.2			
1697123	Rab Sample	0.130	7	18	1.09	154	0.001	<20	0.38	0.002	0.17	2.5	<0.01	3.5	0.3	0.75	<1	2.2	<0.2			
1697124	Rab Sample	0.102	7	19	0.95	477	0.002	<20	0.30	<0.001	0.15	1.8	<0.01	4.7	0.2	0.67	<1	2.4	<0.2			
1697125	Rab Sample	0.100	8	24	1.61	123	0.002	<20	0.43	0.002	0.23	0.9	0.02	8.8	0.4	1.55	1	2.0	<0.2			
1697126	Rab Sample	0.177	5	18	0.96	372	0.002	<20	0.36	<0.001	0.17	1.6	0.02	4.6	0.3	1.19	<1	2.6	<0.2			
1697127	Rab Sample	0.148	6	21	1.19	348	0.001	<20	0.37	0.002	0.20	1.6	<0.01	3.8	0.2	0.65	1	1.8	<0.2			
1697128	Rab Sample	0.133	7	25	1.27	410	0.001	<20	0.39	0.003	0.24	1.1	0.01	5.4	0.4	1.02	<1	2.3	<0.2			
1697129	Rab Sample	0.160	8	19	1.14	688	0.002	<20	0.36	0.001	0.22	2.4	0.03	3.5	0.5	1.24	1	2.7	<0.2			
1697130	Rab Sample	0.062	13	19	1.21	333	0.005	<20	0.56	0.009	0.26	1.3	0.01	3.9	0.4	0.94	2	0.9	<0.2			
1697131	Rab Sample	0.168	14	73	2.42	685	0.147	<20	2.57	0.088	1.04	0.5	<0.01	15.2	1.0	0.80	9	1.2	<0.2			
1697132	Rab Sample	0.179	16	25	1.84	304	0.015	<20	0.92	0.032	0.37	0.5	0.01	11.0	0.7	2.03	3	2.2	<0.2			
1697133	Rab Sample	0.078	12	11	1.31	167	0.002	<20	0.48	0.007	0.25	1.1	0.02	5.4	0.5	1.76	1	1.3	<0.2			
1697134	Rab Sample	0.075	12	29	1.34	220	0.009	<20	0.61	0.005	0.28	2.5	0.01	5.3	0.4	1.11	2	1.0	<0.2			
1697135	Rab Sample	0.105	15	10	0.80	200	0.006	<20	0.53	0.006	0.24	1.3	0.01	3.7	0.3	1.14	1	1.6	<0.2			
1697136	Rab Sample	0.111	7	19	0.87	304	0.001	<20	0.33	0.003	0.16	2.1	0.01	4.3	0.2	1.19	<1	2.8	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000561.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697137	Rab Sample	2.86	0.045	5.4	62.1	32.3	144	0.7	55.7	11.3	617	3.05	13.6	17.6	5.2	83	2.6	4.7	0.4	70	1.17
1697138	Rab Sample	3.51	0.014	6.2	77.7	34.9	149	0.8	64.5	11.2	428	2.80	8.3	6.3	6.9	64	1.9	2.1	0.3	43	0.65
1697139	Rab Sample	3.36	0.014	8.4	61.2	53.5	185	1.0	61.0	9.2	724	2.61	14.1	7.6	5.8	67	3.9	1.3	0.4	60	1.07
1697140	Rock	0.33	<0.005	<0.1	0.7	0.9	2	<0.1	0.9	0.9	76	0.07	0.5	<0.5	<0.1	73	<0.1	<0.1	<0.1	<1	32.03
1697141	Rab Sample	3.28	0.009	4.8	74.7	41.3	160	1.0	54.2	8.7	638	2.64	7.3	5.9	4.6	73	3.1	1.4	0.4	29	0.94
1697142	Rab Sample	3.09	0.128	3.1	81.2	38.0	200	0.7	69.7	17.7	606	4.73	20.8	20.6	6.8	72	2.8	2.3	0.6	34	0.71
1697143	Rab Sample	4.23	0.029	3.4	74.2	33.2	207	0.8	58.0	14.6	744	3.83	37.8	19.5	4.2	96	2.5	3.8	0.6	42	1.10
1697144	Rab Sample	4.18	0.122	2.4	70.0	86.0	336	1.3	53.2	15.0	1706	3.72	46.3	15.7	4.8	136	6.4	3.8	0.4	30	1.82
1697145	Rab Sample	4.14	0.064	3.7	66.2	36.3	128	0.7	59.3	12.4	706	3.33	49.5	54.8	4.4	135	1.9	2.3	0.6	35	1.51
1697146	Rab Sample	3.88	0.166	1.6	50.8	23.9	115	0.4	55.8	14.7	706	3.92	42.5	181.2	4.3	201	1.1	2.6	0.6	41	1.30



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000561.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697137	Rab Sample	0.051	15	30	1.20	525	0.025	<20	0.82	0.023	0.40	1.4	<0.01	5.3	0.3	0.84	3	2.6	<0.2
1697138	Rab Sample	0.048	16	23	0.93	376	0.005	<20	0.49	0.005	0.25	2.4	<0.01	4.1	0.3	0.97	2	2.3	<0.2
1697139	Rab Sample	0.063	15	18	0.96	307	0.003	<20	0.44	0.006	0.24	2.8	<0.01	2.8	0.3	0.89	2	2.7	<0.2
1697140	Rock	0.006	1	<1	0.39	23	<0.001	<20	0.03	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1697141	Rab Sample	0.055	13	17	0.84	336	0.002	<20	0.41	0.003	0.23	2.1	<0.01	2.3	0.3	0.88	1	3.4	<0.2
1697142	Rab Sample	0.055	18	44	1.20	326	0.016	<20	0.93	0.010	0.39	0.7	<0.01	5.1	0.5	1.65	3	0.9	<0.2
1697143	Rab Sample	0.066	12	34	1.12	329	0.010	<20	0.84	0.007	0.30	0.7	<0.01	5.1	0.4	1.14	3	1.0	<0.2
1697144	Rab Sample	0.058	12	23	1.30	186	0.003	<20	0.55	0.004	0.23	0.9	0.01	5.8	0.4	1.13	2	1.2	<0.2
1697145	Rab Sample	0.100	10	23	1.07	305	0.002	27	0.45	0.008	0.17	0.7	0.02	5.5	0.3	0.86	1	2.1	<0.2
1697146	Rab Sample	0.074	11	32	1.13	586	0.002	<20	0.46	0.021	0.14	0.4	0.02	10.2	0.4	0.98	2	0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

September 10, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000561.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1697092	Rab Sample	4.18	0.470	2.1	35.6	77.7	240	2.5	29.7	10.4	1495	3.15	30.0	118.9	4.0	97	3.6	3.8	2.4	14	2.74
REP 1697092	QC			2.5	34.9	79.9	247	2.6	32.5	11.2	1503	3.18	30.9	266.6	4.1	98	3.7	3.6	2.5	14	2.78
1697126	Rab Sample	3.08	0.037	3.7	79.8	68.4	153	1.2	58.0	11.3	715	3.28	59.1	27.1	1.1	80	4.1	4.0	0.5	39	1.64
REP 1697126	QC			4.2	87.2	71.6	167	1.3	59.0	12.2	763	3.45	63.2	27.2	1.2	81	3.7	3.9	0.4	43	1.71
1697127	Rab Sample	4.70	0.039	13.7	60.4	125.5	253	1.3	56.8	9.3	1244	2.77	73.3	23.9	1.9	137	6.9	4.2	0.6	46	2.66
REP 1697127	QC		0.053																		
1697145	Rab Sample	4.14	0.064	3.7	66.2	36.3	128	0.7	59.3	12.4	706	3.33	49.5	54.8	4.4	135	1.9	2.3	0.6	35	1.51
REP 1697145	QC		0.072																		
Core Reject Duplicates																					
1697089	Rab Sample	3.38	0.178	3.7	23.5	101.8	252	1.6	16.9	7.6	1441	2.24	22.0	153.6	4.7	108	4.5	2.9	2.4	8	2.29
DUP 1697089	QC		0.145	3.6	23.0	101.3	249	1.6	16.1	7.1	1426	2.19	21.9	54.9	4.6	109	4.5	3.3	2.6	8	2.26
1697123	Rab Sample	3.90	0.063	5.7	63.1	291.4	206	2.4	40.8	8.7	723	2.56	60.0	84.9	2.7	125	4.5	4.8	0.6	35	2.22
DUP 1697123	QC		0.065	5.9	57.4	286.5	199	2.4	44.3	7.8	787	2.64	59.2	59.1	2.7	121	5.4	4.7	0.6	36	2.26
Reference Materials																					
STD DS11	Standard			12.4	141.4	126.5	312	1.4	74.1	12.6	979	2.90	40.8	52.5	6.6	64	2.1	8.5	12.3	45	0.98
STD DS11	Standard			13.4	138.4	135.1	351	1.6	78.7	12.1	1012	3.13	43.8	73.1	7.6	64	2.4	8.6	11.9	51	1.03
STD DS11	Standard			14.8	163.5	145.3	341	1.7	78.7	13.4	976	3.19	43.8	79.5	8.5	68	2.7	8.1	11.1	52	1.08
STD OREAS45EA	Standard			1.4	653.0	13.1	28	0.2	365.0	47.6	392	19.55	10.9	43.7	9.4	4	<0.1	0.5	0.3	280	0.03
STD OREAS45EA	Standard			1.7	674.3	14.3	33	0.2	392.6	52.2	366	20.88	12.1	60.7	10.4	4	<0.1	0.5	0.2	302	0.03
STD OREAS45EA	Standard			1.8	706.8	16.3	31	0.3	418.6	51.7	389	23.76	13.4	65.1	12.2	4	<0.1	0.4	0.3	321	0.04
STD OXC145	Standard		0.215																		
STD OXC145	Standard		0.212																		
STD OXC145	Standard		0.214																		
STD OXH139	Standard		1.329																		
STD OXH139	Standard		1.342																		
STD OXH139	Standard		1.300																		
STD OXN134	Standard		8.058																		
STD OXN134	Standard		7.833																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

September 10, 2018

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI18000561.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697092	Rab Sample	0.070	8	7	0.68	304	<0.001	<20	0.37	0.004	0.24	0.5	0.05	4.0	0.5	1.38	<1	0.9	<0.2
REP 1697092	QC	0.072	8	7	0.68	293	<0.001	<20	0.38	0.003	0.24	0.5	0.05	4.3	0.5	1.39	<1	1.3	<0.2
1697126	Rab Sample	0.177	5	18	0.96	372	0.002	<20	0.36	<0.001	0.17	1.6	0.02	4.6	0.3	1.19	<1	2.6	<0.2
REP 1697126	QC	0.185	5	20	1.02	417	0.002	<20	0.41	0.002	0.19	1.3	0.03	6.1	0.4	1.23	1	3.2	<0.2
1697127	Rab Sample	0.148	6	21	1.19	348	0.001	<20	0.37	0.002	0.20	1.6	<0.01	3.8	0.2	0.65	1	1.8	<0.2
REP 1697127	QC																		
1697145	Rab Sample	0.100	10	23	1.07	305	0.002	27	0.45	0.008	0.17	0.7	0.02	5.5	0.3	0.86	1	2.1	<0.2
REP 1697145	QC																		
Core Reject Duplicates																			
1697089	Rab Sample	0.060	10	5	0.68	586	<0.001	<20	0.43	0.006	0.26	0.3	0.02	3.0	0.4	0.89	1	0.8	<0.2
DUP 1697089	QC	0.060	9	5	0.67	690	<0.001	<20	0.38	0.004	0.23	0.3	0.01	2.8	0.4	0.90	1	0.7	<0.2
1697123	Rab Sample	0.130	7	18	1.09	154	0.001	<20	0.38	0.002	0.17	2.5	<0.01	3.5	0.3	0.75	<1	2.2	<0.2
DUP 1697123	QC	0.131	7	20	1.10	157	0.001	<20	0.38	0.001	0.17	2.8	<0.01	3.6	0.3	0.79	<1	1.8	<0.2
Reference Materials																			
STD DS11	Standard	0.069	15	56	0.78	347	0.079	<20	1.05	0.063	0.37	2.5	0.21	2.6	4.5	0.25	4	1.8	4.9
STD DS11	Standard	0.063	18	61	0.83	387	0.089	<20	1.12	0.074	0.40	3.4	0.25	3.7	5.0	0.27	5	1.8	4.9
STD DS11	Standard	0.075	18	59	0.86	410	0.093	<20	1.17	0.078	0.41	2.8	0.27	3.2	5.0	0.28	5	2.6	4.9
STD OREAS45EA	Standard	0.026	6	739	0.09	136	0.088	<20	2.97	0.016	0.05	<0.1	0.02	71.9	<0.1	<0.05	12	1.3	<0.2
STD OREAS45EA	Standard	0.027	7	940	0.11	145	0.101	<20	3.28	0.024	0.06	<0.1	0.01	80.4	<0.1	<0.05	12	1.8	<0.2
STD OREAS45EA	Standard	0.032	8	985	0.11	162	0.106	<20	3.50	0.026	0.06	<0.1	0.02	89.5	<0.1	<0.05	13	1.8	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000561.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXN134	Standard	7.927																			
STD OREAS45EA Expected		1.670914.331.40.263815240022.6511.45310.74.050.030.320.263030.036																			
STD DS11 Expected		13.91491383451.7177.714.210553.142.8797.6567.32.377.212.2501.063																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.1<0.1<0.1<1<0.1<0.1<0.1<1<0.01<0.5<0.5<0.1<1<0.1<0.1<0.1<1<0.01																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	0.006																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	0.0071.03.11.633<0.10.73.34961.711.8<0.52.227<0.1<0.1<0.1220.57																			
ROCK-WHI	Prep Blank	<0.0051.03.81.431<0.11.03.54921.741.6<0.52.126<0.1<0.1<0.1220.68																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 10, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000561.1

		AQ200 P % 0.001	AQ200 La ppm 1	AQ200 Cr ppm 1	AQ200 Mg % 0.01	AQ200 Ba ppm 1	AQ200 Ti % 0.001	AQ200 B ppm 20	AQ200 Al % 0.01	AQ200 Na % 0.001	AQ200 K % 0.01	AQ200 W ppm 0.1	AQ200 Hg ppm 0.01	AQ200 Sc ppm 0.1	AQ200 Tl ppm 0.1	AQ200 S % 0.05	AQ200 Ga ppm 1	AQ200 Se ppm 0.5	AQ200 Te ppm 0.2
STD OXN134	Standard																		
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
Prep Wash																			
ROCK-WHI	Prep Blank	0.036	5	3	0.41	73	0.070	<20	0.89	0.084	0.10	<0.1	<0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	5	3	0.43	68	0.071	<20	0.96	0.093	0.11	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 03, 2018
Report Date: September 06, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000562.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180802-03-RAB
P.O. Number
Number of Samples: 60

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	59	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	60	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	60	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	60	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	60	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000562.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697366	Rab Sample	2.54	0.012	5.3	59.0	58.2	254	1.3	41.6	8.2	557	2.46	124.9	5.8	4.2	29	3.0	13.2	0.9	39	0.23
1697367	Rab Sample	1.22	0.209	6.2	70.0	91.6	397	2.3	69.6	9.3	1094	2.63	2782.0	193.0	4.8	89	5.9	27.6	0.6	38	0.39
1697368	Rab Sample	1.98	0.169	8.1	86.2	74.2	397	1.8	78.4	11.6	1291	2.89	1872.2	118.6	4.7	109	5.6	21.6	0.5	48	0.98
1697369	Rab Sample	1.89	0.037	11.0	80.3	41.8	498	1.3	80.2	8.3	1671	2.08	251.8	8.3	2.3	137	8.9	7.8	0.8	65	2.12
1697370	Rab Sample	1.70	0.022	7.8	81.3	45.2	449	1.0	86.5	7.5	1364	1.92	221.5	6.2	2.6	155	7.0	7.7	0.3	82	2.13
1697371	Rab Sample	1.72	0.021	9.5	76.2	21.4	425	0.9	72.7	5.6	663	1.78	152.4	7.4	2.2	85	3.9	4.4	0.2	61	1.27
1697372	Rab Sample	2.59	0.022	6.1	55.2	35.2	246	0.9	39.8	4.0	419	2.07	120.4	9.6	2.5	105	2.3	4.4	0.3	39	1.11
1697373	Rab Sample	2.37	0.023	10.2	73.4	54.2	261	1.7	42.4	3.7	218	2.58	97.1	21.0	2.9	139	1.1	6.7	0.2	53	1.28
1697374	Rab Sample	2.29	0.023	3.2	55.5	17.2	183	0.5	31.5	24.6	1471	6.00	62.5	9.7	4.5	77	1.3	4.3	0.2	88	2.26
1697375	Rab Sample	2.11	0.008	2.5	45.8	12.5	147	0.4	42.1	14.7	1000	3.83	63.0	5.2	4.1	36	0.9	4.8	0.1	41	1.49
1697376	Rab Sample	2.28	0.023	4.9	30.4	23.7	141	0.6	19.8	3.2	250	2.99	322.6	11.4	3.0	79	1.1	5.8	0.2	50	1.28
1697377	Rab Sample	2.28	0.009	5.0	22.9	24.8	133	0.7	13.6	1.9	182	2.90	62.8	4.4	3.3	123	0.7	7.6	0.3	53	1.05
1697378	Rab Sample	1.93	0.008	3.7	32.3	15.2	147	0.6	16.9	2.0	111	2.86	42.4	5.7	4.1	114	0.3	8.2	0.2	35	0.81
1697379	Rab Sample	2.38	0.027	6.2	68.5	37.4	237	2.3	44.9	5.3	510	2.10	147.5	13.4	1.5	99	3.6	14.8	0.2	38	1.88
1697380	Rock	0.35	<0.005	<0.1	0.7	0.4	1	<0.1	1.3	0.8	95	0.08	1.3	<0.5	<0.1	72	<0.1	<0.1	<0.1	<1	31.16
1697381	Rab Sample	2.22	0.016	8.7	66.2	23.4	389	0.9	72.2	11.3	680	2.44	93.3	6.9	2.0	100	4.3	9.1	0.1	68	1.52
1697382	Rab Sample	2.54	0.007	11.7	57.4	19.6	295	0.6	67.7	7.7	751	2.34	73.7	2.2	2.6	99	2.9	6.4	0.1	70	2.29
1697383	Rab Sample	2.56	0.009	10.6	83.8	16.2	317	1.0	72.7	7.8	427	2.42	61.6	3.6	3.5	81	3.5	8.9	0.1	57	0.87
1697384	Rab Sample	2.61	0.010	16.0	70.9	13.0	361	0.9	57.0	3.7	359	1.98	62.7	2.1	2.1	87	4.2	11.9	<0.1	78	0.96
1697385	Rab Sample	2.59	0.014	9.1	64.8	22.9	301	1.1	53.4	5.9	357	2.15	47.7	7.2	3.6	36	3.6	8.3	<0.1	47	1.03
1697386	Rab Sample	2.48	0.015	6.1	75.6	34.7	252	1.5	48.1	4.9	244	2.43	62.7	11.0	3.2	45	2.4	10.9	0.1	30	1.00
1697387	Rab Sample	2.46	0.007	8.7	83.2	14.4	319	1.0	75.1	10.5	449	2.41	61.7	5.3	3.8	26	3.8	7.8	0.1	38	1.08
1697388	Rab Sample	3.03	0.009	3.9	64.0	22.4	172	1.1	45.5	8.7	481	2.77	41.7	7.2	3.6	32	1.6	6.2	0.1	26	1.21
1697389	Rab Sample	2.92	0.005	4.1	48.4	8.9	168	0.6	42.2	6.4	355	1.94	24.5	2.1	3.2	24	1.1	3.5	<0.1	22	0.69
1697390	Rab Sample	2.31	<0.005	2.4	32.3	9.8	104	0.4	29.4	5.8	316	1.77	25.8	0.8	3.1	34	0.8	3.0	<0.1	20	1.24
1697391	Rab Sample	2.22	0.008	7.8	66.2	8.9	247	0.7	63.8	11.3	683	2.85	36.6	<0.5	4.8	61	2.6	3.8	0.1	66	1.36
1697392	Rab Sample	2.86	<0.005	4.3	58.7	18.7	197	0.7	54.6	9.6	495	2.61	24.0	1.8	5.8	31	1.6	2.9	0.2	33	1.03
1697393	Rab Sample	2.75	0.009	2.8	54.2	15.6	167	0.5	46.4	9.9	505	2.81	148.6	6.6	4.9	41	0.9	4.1	0.1	28	1.36
1697394	Rab Sample	2.74	0.035	3.1	56.5	66.6	286	0.7	33.7	16.3	965	3.83	41.4	17.1	3.3	37	3.3	4.4	0.2	37	2.07
1697395	Rab Sample	2.90	0.022	3.9	60.0	471.6	661	2.3	40.5	11.9	1649	3.50	156.4	17.8	3.8	60	13.3	9.2	0.7	47	3.61



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000562.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697366	Rab Sample	0.103	14	19	0.19	373	0.009	<20	0.70	0.012	0.25	2.2	0.01	2.4	0.3	0.06	2	2.3	<0.2			
1697367	Rab Sample	0.166	14	19	0.13	441	0.004	<20	0.55	0.008	0.29	1.6	0.02	2.8	0.5	0.12	1	3.1	<0.2			
1697368	Rab Sample	0.152	15	22	0.30	479	0.004	<20	0.65	0.010	0.32	3.5	0.02	3.3	0.4	0.11	2	2.7	<0.2			
1697369	Rab Sample	0.107	7	17	1.03	2691	0.002	<20	0.35	0.005	0.16	1.6	<0.01	3.2	0.3	0.13	<1	2.1	<0.2			
1697370	Rab Sample	0.339	8	27	0.57	1587	0.004	23	0.53	0.006	0.23	2.5	0.01	2.8	0.3	0.30	2	3.7	<0.2			
1697371	Rab Sample	0.249	5	21	0.26	974	0.003	25	0.36	0.006	0.17	4.0	<0.01	1.9	0.4	0.34	1	4.9	<0.2			
1697372	Rab Sample	0.129	5	17	0.14	780	0.002	21	0.39	0.009	0.19	2.4	0.01	1.9	0.4	0.73	1	5.1	<0.2			
1697373	Rab Sample	0.159	4	18	0.08	438	0.001	<20	0.36	0.007	0.17	1.7	<0.01	2.5	0.4	1.01	1	6.7	0.2			
1697374	Rab Sample	0.205	24	13	0.82	339	0.005	<20	1.43	0.010	0.28	0.2	0.01	9.1	0.8	0.43	5	<0.5	<0.2			
1697375	Rab Sample	0.130	17	12	0.28	346	0.002	<20	0.54	0.009	0.23	0.5	0.02	4.1	0.5	0.33	2	1.7	<0.2			
1697376	Rab Sample	0.100	9	16	0.09	306	0.001	<20	0.58	0.008	0.26	0.8	0.01	4.0	0.7	1.26	2	2.7	<0.2			
1697377	Rab Sample	0.084	9	19	0.09	348	<0.001	<20	0.45	0.010	0.25	0.8	0.03	5.9	1.0	1.20	2	3.4	<0.2			
1697378	Rab Sample	0.054	12	17	0.05	269	<0.001	<20	0.52	0.011	0.29	0.7	0.03	3.5	0.9	0.91	2	3.5	<0.2			
1697379	Rab Sample	0.098	3	14	0.10	440	<0.001	<20	0.42	0.004	0.17	1.8	0.02	2.4	0.6	1.47	1	3.5	<0.2			
1697380	Rock	0.007	1	<1	0.65	15	0.001	<20	0.03	0.004	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1697381	Rab Sample	0.099	5	20	0.35	519	0.001	<20	0.59	0.006	0.18	0.7	0.04	4.2	0.5	0.62	2	3.2	<0.2			
1697382	Rab Sample	0.162	7	18	1.15	618	0.001	<20	0.46	0.008	0.19	1.0	0.02	2.9	0.5	0.10	1	3.1	<0.2			
1697383	Rab Sample	0.196	11	19	0.77	696	0.002	<20	0.47	0.008	0.25	1.0	0.04	2.3	0.5	0.12	1	10.3	<0.2			
1697384	Rab Sample	0.205	7	21	0.51	576	0.003	<20	0.43	0.008	0.24	2.0	0.05	2.3	0.4	0.18	1	5.9	<0.2			
1697385	Rab Sample	0.110	9	16	0.25	232	0.002	<20	0.37	0.006	0.22	1.6	0.03	1.8	0.4	0.56	1	5.1	<0.2			
1697386	Rab Sample	0.112	9	13	0.10	455	0.002	<20	0.37	0.007	0.23	3.4	0.03	1.8	0.5	0.95	1	5.8	<0.2			
1697387	Rab Sample	0.107	12	14	0.19	268	0.002	<20	0.46	0.006	0.22	2.4	0.04	2.2	0.3	0.59	1	6.3	<0.2			
1697388	Rab Sample	0.056	11	16	0.28	351	0.002	<20	0.43	0.007	0.24	1.8	0.02	2.1	0.4	0.68	1	4.5	<0.2			
1697389	Rab Sample	0.051	10	10	0.08	165	0.002	<20	0.33	0.005	0.19	2.2	0.03	1.7	0.4	0.56	<1	4.8	<0.2			
1697390	Rab Sample	0.036	9	14	0.43	251	0.001	<20	0.33	0.006	0.17	2.2	0.02	1.7	0.3	0.32	<1	2.0	<0.2			
1697391	Rab Sample	0.111	15	29	1.06	354	0.016	<20	0.90	0.011	0.41	0.9	0.02	3.8	0.4	0.32	3	3.7	<0.2			
1697392	Rab Sample	0.107	18	18	0.46	310	0.004	<20	0.61	0.009	0.32	1.8	0.03	3.0	0.4	0.55	2	4.3	<0.2			
1697393	Rab Sample	0.062	14	14	0.55	272	0.002	<20	0.49	0.008	0.26	1.1	0.02	4.2	0.4	0.43	1	1.4	<0.2			
1697394	Rab Sample	0.077	11	9	0.71	439	0.001	<20	0.60	0.009	0.33	1.2	0.02	6.1	0.4	0.74	1	1.9	<0.2			
1697395	Rab Sample	0.067	10	16	1.33	403	0.004	<20	0.60	0.008	0.25	0.9	0.05	4.4	0.4	1.17	2	6.4	0.3			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000562.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697396	Rab Sample	3.19	<0.005	6.9	56.4	12.0	191	0.4	27.1	9.1	320	2.98	46.8	1.0	3.1	32	2.5	3.5	0.2	116	0.77
1697397	Rab Sample	2.90	<0.005	2.7	33.5	7.0	122	0.2	29.2	7.7	275	2.64	19.3	<0.5	5.3	23	1.2	1.3	0.1	63	0.69
1697398	Rab Sample	2.75	<0.005	4.4	56.5	11.6	150	0.4	50.0	8.5	424	2.64	40.5	3.2	4.7	42	0.9	3.5	0.2	61	1.23
1697399	Rab Sample	2.56	<0.005	2.1	36.8	8.6	88	0.2	35.0	8.1	445	2.71	11.6	3.2	7.0	27	0.3	0.6	0.2	66	1.04
1697400	Rock Pulp	0.08	1.281	5.7	178.0	45.6	263	0.9	95.2	16.4	587	3.10	19.7	1059.7	3.8	106	0.8	1.1	0.3	84	1.87
1697401	Rab Sample	3.06	0.008	2.3	38.4	10.9	84	0.2	26.9	11.2	613	2.97	47.2	5.4	7.3	38	0.2	2.4	0.2	70	1.22
1697402	Rab Sample	3.08	<0.005	3.0	55.3	5.5	85	0.3	34.8	11.3	587	2.98	28.6	<0.5	3.3	22	0.4	1.2	0.1	78	0.66
1697403	Rab Sample	3.29	<0.005	2.1	40.6	9.5	91	0.2	33.1	12.1	581	3.29	16.3	3.3	7.2	40	0.3	0.7	<0.1	95	1.20
1697404	Rab Sample	3.31	0.005	1.9	36.9	9.3	82	0.2	36.4	11.6	518	3.21	6.6	3.4	5.6	31	0.3	0.2	0.1	105	0.89
1697405	Rab Sample	3.01	<0.005	1.7	31.5	5.7	78	0.1	37.0	14.3	601	3.45	5.1	2.4	4.5	24	0.1	0.2	0.1	112	0.81
1697406	Rab Sample	3.50	<0.005	1.8	33.3	5.9	80	0.1	35.1	12.0	528	3.26	8.4	3.5	5.1	30	0.2	0.3	0.2	104	0.72
1697407	Rab Sample	3.25	<0.005	1.8	36.3	4.5	78	0.1	37.1	13.9	574	3.53	4.9	1.6	3.6	37	0.1	0.2	<0.1	120	0.92
1697408	Rab Sample	3.25	<0.005	1.6	39.0	5.4	79	<0.1	61.1	13.1	581	3.42	9.1	2.3	4.9	75	0.2	0.6	0.1	108	1.17
1697409	Rab Sample	2.82	<0.005	1.5	34.9	11.1	80	0.2	34.5	11.3	605	3.00	37.2	2.3	5.7	108	0.1	2.1	0.1	73	1.79
1697410	Rab Sample	2.70	0.006	1.2	29.7	17.8	82	0.2	42.5	15.8	535	3.50	60.3	2.1	4.1	102	0.4	2.6	0.2	90	1.45
1697411	Rab Sample	3.15	<0.005	1.2	29.0	12.5	80	0.2	31.0	11.1	614	3.08	40.9	2.7	4.5	103	0.2	3.4	0.1	65	1.78
1697412	Rab Sample	3.67	<0.005	1.4	29.8	8.9	67	0.1	26.4	9.6	498	2.78	28.9	3.0	5.8	60	<0.1	2.6	<0.1	55	0.98
1697413	Rab Sample	3.15	<0.005	1.1	24.7	12.1	65	0.1	24.6	8.4	405	2.41	39.8	1.8	6.9	56	<0.1	3.1	0.1	41	0.90
1697414	Rab Sample	3.00	<0.005	1.5	22.3	13.3	67	0.2	18.7	6.3	431	2.14	41.3	4.0	12.9	64	0.2	2.3	0.1	23	1.51
1697415	Rab Sample	3.09	0.005	1.5	29.6	7.7	68	0.1	32.9	11.1	549	2.96	36.0	0.8	5.6	90	0.1	3.0	<0.1	78	1.20
1697416	Rab Sample	2.85	<0.005	1.8	40.1	10.2	69	0.1	35.1	13.3	655	3.01	23.3	1.8	4.4	90	0.1	2.0	<0.1	87	1.31
1697417	Rab Sample	3.14	<0.005	1.6	35.2	7.2	73	0.1	31.7	11.6	532	3.04	15.1	0.6	5.7	49	0.1	1.3	0.1	86	0.95
1697418	Rab Sample	3.29	<0.005	1.7	31.1	5.9	85	0.1	114.8	16.3	581	3.33	39.5	1.2	4.6	56	0.2	1.8	0.1	102	1.09
1697419	Rab Sample	3.40	<0.005	1.6	36.9	4.3	73	0.1	36.7	11.1	442	2.95	40.1	<0.5	5.6	33	0.1	0.7	0.1	99	0.68
1697420	Rock	0.62	<0.005	<0.1	0.4	0.3	<1	<0.1	<0.1	<0.1	107	0.05	0.7	<0.5	<0.1	79	<0.1	<0.1	<0.1	<1	32.05
1697421	Rab Sample	3.54	0.006	1.7	31.2	14.6	83	0.2	30.2	9.7	564	2.79	211.8	1.2	5.5	28	0.7	1.7	<0.1	58	0.77
1697422	Rab Sample	2.97	0.043	1.4	26.8	103.7	246	1.0	33.1	7.4	830	2.28	299.4	29.2	6.7	55	4.7	7.6	0.6	17	2.10
1697423	Rab Sample	3.04	0.021	2.6	39.9	67.7	215	0.5	39.0	11.2	945	3.03	81.1	7.9	3.7	72	1.7	6.2	0.2	47	2.89
1697424	Rab Sample	3.50	0.007	2.8	36.8	9.1	112	0.3	31.4	8.9	516	2.83	23.2	1.3	6.2	46	0.7	1.8	0.2	63	1.17
1697425	Rab Sample	3.24	0.006	1.6	28.0	8.6	73	0.1	29.6	9.0	423	2.51	14.8	0.8	6.3	25	0.1	0.8	0.2	49	0.60



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000562.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697396	Rab Sample	0.088	10	31	0.80	693	0.062	<20	1.59	0.054	0.59	1.7	0.02	5.8	0.5	0.89	5	6.2	<0.2			
1697397	Rab Sample	0.057	14	29	0.84	367	0.071	<20	1.46	0.045	0.72	1.1	<0.01	5.2	0.3	0.37	4	1.2	<0.2			
1697398	Rab Sample	0.075	17	31	0.76	482	0.029	<20	1.00	0.014	0.47	0.9	<0.01	4.0	0.3	0.56	3	3.3	<0.2			
1697399	Rab Sample	0.038	21	46	0.83	386	0.090	<20	1.39	0.027	0.89	1.5	<0.01	3.9	0.3	0.43	5	0.8	<0.2			
1697400	Rock Pulp	0.042	9	72	1.38	163	0.157	<20	2.85	0.348	0.30	9.0	0.07	3.5	0.2	0.12	7	<0.5	<0.2			
1697401	Rab Sample	0.052	24	44	1.29	726	0.114	<20	1.84	0.031	1.00	1.2	<0.01	5.3	0.3	0.42	6	0.6	<0.2			
1697402	Rab Sample	0.060	12	36	1.13	735	0.094	<20	1.53	0.039	0.78	2.4	<0.01	5.1	0.3	0.66	6	1.2	<0.2			
1697403	Rab Sample	0.056	20	56	1.24	741	0.126	<20	1.94	0.058	1.12	0.8	<0.01	6.3	0.3	0.33	7	<0.5	<0.2			
1697404	Rab Sample	0.070	17	64	1.06	641	0.167	<20	1.78	0.044	1.22	1.2	<0.01	5.8	0.4	0.25	7	1.1	<0.2			
1697405	Rab Sample	0.060	14	78	1.28	695	0.212	<20	2.13	0.074	1.46	1.1	<0.01	6.9	0.4	0.20	7	<0.5	<0.2			
1697406	Rab Sample	0.072	16	64	1.09	651	0.150	<20	1.76	0.042	1.16	0.7	<0.01	7.0	0.3	0.22	6	<0.5	<0.2			
1697407	Rab Sample	0.079	12	71	1.22	801	0.179	<20	1.90	0.058	1.19	0.9	<0.01	8.3	0.3	0.22	7	<0.5	<0.2			
1697408	Rab Sample	0.070	17	92	1.28	761	0.131	<20	1.67	0.034	1.13	0.6	<0.01	8.2	0.3	0.17	6	<0.5	<0.2			
1697409	Rab Sample	0.065	19	42	1.10	468	0.063	<20	1.26	0.014	0.57	0.6	<0.01	6.4	0.2	0.12	4	0.6	<0.2			
1697410	Rab Sample	0.060	12	60	1.05	359	0.054	<20	1.57	0.006	0.49	0.2	<0.01	10.0	0.2	0.10	5	<0.5	<0.2			
1697411	Rab Sample	0.098	15	35	0.88	356	0.036	<20	1.06	0.012	0.40	0.5	0.01	6.5	0.3	0.43	4	0.5	<0.2			
1697412	Rab Sample	0.065	19	31	0.78	349	0.054	<20	1.11	0.012	0.61	0.4	<0.01	5.0	0.2	0.12	4	<0.5	<0.2			
1697413	Rab Sample	0.048	21	45	0.85	277	0.053	<20	1.60	0.018	0.63	0.5	<0.01	4.3	0.3	0.14	5	<0.5	<0.2			
1697414	Rab Sample	0.030	41	14	0.58	428	0.004	<20	0.72	0.005	0.21	0.3	<0.01	4.2	0.1	0.06	2	<0.5	<0.2			
1697415	Rab Sample	0.056	18	46	0.86	681	0.071	<20	1.32	0.009	0.64	0.5	0.02	5.7	0.2	0.17	5	<0.5	<0.2			
1697416	Rab Sample	0.061	17	55	1.12	385	0.089	<20	1.49	0.016	0.86	1.2	<0.01	6.5	0.2	0.19	6	<0.5	<0.2			
1697417	Rab Sample	0.058	18	53	1.04	565	0.110	<20	1.56	0.026	0.91	0.7	<0.01	6.8	0.3	0.19	5	<0.5	<0.2			
1697418	Rab Sample	0.062	15	148	1.73	603	0.134	<20	2.00	0.036	1.19	0.7	<0.01	7.7	0.5	0.17	7	<0.5	<0.2			
1697419	Rab Sample	0.063	17	58	1.03	575	0.118	<20	1.57	0.041	0.89	1.0	<0.01	6.3	0.3	0.24	6	<0.5	<0.2			
1697420	Rock	0.005	1	<1	0.47	14	<0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
1697421	Rab Sample	0.058	18	36	0.78	287	0.045	<20	1.03	0.023	0.51	0.9	<0.01	4.3	0.2	0.22	4	<0.5	<0.2			
1697422	Rab Sample	0.035	18	20	0.86	832	0.002	<20	0.47	0.007	0.27	0.6	0.02	3.5	0.2	0.25	1	0.6	<0.2			
1697423	Rab Sample	0.060	13	20	1.18	280	0.002	<20	0.50	0.007	0.24	0.5	0.02	6.9	0.3	0.77	1	1.2	<0.2			
1697424	Rab Sample	0.056	19	27	1.02	471	0.044	<20	1.03	0.016	0.61	0.8	<0.01	5.7	0.3	0.54	3	2.1	<0.2			
1697425	Rab Sample	0.058	18	32	0.72	265	0.056	<20	1.03	0.019	0.61	0.7	<0.01	3.3	0.2	0.20	3	<0.5	<0.2			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

September 06, 2018

Page:

1 of 2

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000562.1

Method Analyte Unit MDL		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																					
1697380	Rock	0.35	<0.005	<0.1	0.7	0.4	1	<0.1	1.3	0.8	95	0.08	1.3	<0.5	<0.1	72	<0.1	<0.1	<0.1	<1	31.16
REP 1697380	QC			<0.1	0.5	0.4	1	<0.1	1.7	0.7	107	0.08	<0.5	<0.5	<0.1	72	<0.1	<0.1	<0.1	<1	31.64
1697406	Rab Sample	3.50	<0.005	1.8	33.3	5.9	80	0.1	35.1	12.0	528	3.26	8.4	3.5	5.1	30	0.2	0.3	0.2	104	0.72
REP 1697406	QC			1.8	32.2	5.5	75	0.1	33.0	11.3	495	3.12	7.5	2.7	4.8	28	0.1	0.3	0.2	97	0.68
1697420	Rock	0.62	<0.005	<0.1	0.4	0.3	<1	<0.1	<0.1	<0.1	107	0.05	0.7	<0.5	<0.1	79	<0.1	<0.1	<0.1	<1	32.05
REP 1697420	QC		<0.005																		
Core Reject Duplicates																					
1697397	Rab Sample	2.90	<0.005	2.7	33.5	7.0	122	0.2	29.2	7.7	275	2.64	19.3	<0.5	5.3	23	1.2	1.3	0.1	63	0.69
DUP 1697397	QC		0.007	3.1	39.3	6.2	122	0.2	29.3	8.1	321	2.74	18.6	2.3	4.8	27	1.2	1.3	0.2	65	0.73
Reference Materials																					
STD DS11	Standard			14.8	145.4	134.0	324	1.9	75.2	13.3	1000	3.02	41.0	46.9	7.1	68	1.9	8.2	12.2	50	1.03
STD DS11	Standard			13.4	138.4	135.1	351	1.6	78.7	12.1	1012	3.13	43.8	73.1	7.6	64	2.4	8.6	11.9	51	1.03
STD OREAS45EA	Standard			1.7	693.0	14.1	34	0.2	415.7	50.5	438	22.27	12.3	49.0	9.9	4	<0.1	0.5	0.3	319	0.03
STD OREAS45EA	Standard			1.7	674.3	14.3	33	0.2	392.6	52.2	366	20.88	12.1	60.7	10.4	4	<0.1	0.5	0.2	302	0.03
STD OXC145	Standard		0.221																		
STD OXC145	Standard		0.212																		
STD OXH139	Standard		1.341																		
STD OXH139	Standard		1.342																		
STD OXN134	Standard		7.860																		
STD OXN134	Standard		7.833																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		0.005																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000562.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697380	Rock	0.007	1	<1	0.65	15	0.001	<20	0.03	0.004	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1697380	QC	0.007	1	<1	0.64	15	0.001	<20	0.03	0.004	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1697406	Rab Sample	0.072	16	64	1.09	651	0.150	<20	1.76	0.042	1.16	0.7	<0.01	7.0	0.3	0.22	6	<0.5	<0.2
REP 1697406	QC	0.068	15	60	1.02	604	0.142	<20	1.63	0.037	1.09	0.8	<0.01	6.2	0.4	0.21	6	0.5	<0.2
1697420	Rock	0.005	1	<1	0.47	14	<0.001	<20	0.03	0.002	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
REP 1697420	QC																		
Core Reject Duplicates																			
1697397	Rab Sample	0.057	14	29	0.84	367	0.071	<20	1.46	0.045	0.72	1.1	<0.01	5.2	0.3	0.37	4	1.2	<0.2
DUP 1697397	QC	0.062	15	29	0.87	366	0.074	<20	1.54	0.048	0.73	1.0	<0.01	4.8	0.3	0.39	5	1.4	<0.2
Reference Materials																			
STD DS11	Standard	0.069	18	58	0.81	388	0.092	<20	1.12	0.073	0.40	2.9	0.22	3.2	4.7	0.27	5	1.9	4.8
STD DS11	Standard	0.063	18	61	0.83	387	0.089	<20	1.12	0.074	0.40	3.4	0.25	3.7	5.0	0.27	5	1.8	4.9
STD OREAS45EA	Standard	0.029	7	817	0.10	142	0.102	<20	3.37	0.025	0.06	<0.1	<0.01	79.9	<0.1	<0.05	13	1.0	<0.2
STD OREAS45EA	Standard	0.027	7	940	0.11	145	0.101	<20	3.28	0.024	0.06	<0.1	0.01	80.4	<0.1	<0.05	12	1.8	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000562.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005	1.0	4.4	1.5	36	<0.1	1.2	3.3	558	1.86	1.9	<0.5	2.3	30	<0.1	<0.1	<0.1	23	0.85	
ROCK-WHI	Prep Blank	<0.005	1.1	4.8	1.6	39	<0.1	1.3	3.7	586	1.89	2.4	<0.5	2.3	32	<0.1	<0.1	<0.1	25	0.75	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 06, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000562.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank																	
BLK	Blank																	
BLK	Blank																	
Prep Wash																		
ROCK-WHI	Prep Blank	0.039	6	3	0.40	73	0.078	<20	0.95	0.106	0.13	0.1	<0.01	2.9	<0.1	<0.05	4	<0.5
ROCK-WHI	Prep Blank	0.045	7	3	0.46	73	0.087	<20	1.01	0.095	0.11	<0.1	0.01	3.6	<0.1	0.05	4	<0.5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Ben McGrath
Receiving Lab: Canada-Whitehorse
Received: August 10, 2018
Report Date: September 07, 2018
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI18000609.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180805-01-RAB
P.O. Number
Number of Samples: 51

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Josh Forrester
Wes Hodson
Greg Dawson
Jodie Gibson

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	49	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	2	Sort, label and box pulps			WHI
FA430	51	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	51	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	51	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	51	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000609.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697470	Rab Sample	2.44	0.021	1.1	24.9	18.4	114	0.6	7.4	16.2	1072	4.14	20.9	15.6	11.2	36	1.0	9.8	0.1	104	0.97
1697471	Rab Sample	2.16	0.017	1.1	22.9	12.4	92	0.4	6.3	16.2	1268	3.95	14.5	13.2	11.6	84	0.4	6.3	0.1	91	2.97
1697472	Rab Sample	3.29	0.009	1.1	18.9	6.4	75	0.1	5.4	14.8	964	3.96	6.8	6.3	11.6	110	0.3	4.6	<0.1	105	3.00
1697473	Rab Sample	2.98	<0.005	1.0	20.6	4.6	73	<0.1	5.8	16.5	954	4.40	4.2	1.6	11.4	133	0.1	5.3	<0.1	135	2.94
1697474	Rab Sample	3.09	<0.005	0.9	19.7	3.8	65	<0.1	5.3	14.5	831	3.89	6.7	<0.5	11.3	124	0.1	5.2	0.1	121	2.53
1697475	Rab Sample	2.75	0.018	0.9	19.9	14.1	64	0.4	5.3	16.7	1470	4.16	13.2	14.3	9.3	86	0.3	3.2	0.1	74	3.79
1697476	Rab Sample	2.99	0.010	1.0	26.4	7.5	77	0.1	7.0	18.9	1274	4.51	6.2	9.7	8.4	113	0.2	2.0	0.2	126	3.56
1697477	Rab Sample	2.79	0.014	1.0	23.5	7.6	67	<0.1	6.4	18.8	1171	4.56	4.7	8.4	8.6	108	<0.1	2.0	0.1	118	3.50
1697478	Rab Sample	2.91	0.005	0.8	23.8	4.9	71	<0.1	6.3	18.0	1057	4.59	4.4	1.5	8.5	93	0.2	3.4	0.1	145	2.81
1697479	Rab Sample	3.58	0.005	1.0	24.2	11.3	76	0.2	6.1	18.0	1259	4.43	10.2	1.9	8.2	105	0.2	3.4	0.2	133	3.39
1697480	Rock Pulp	0.08	7.584	9.1	187.7	19.7	77	0.9	13.7	11.5	595	4.68	15.2	8088.9	3.0	79	0.2	4.9	0.6	115	0.96
1697481	Rab Sample	3.68	<0.005	0.6	18.0	7.2	65	<0.1	5.5	16.2	916	4.07	5.1	3.1	9.4	90	<0.1	3.4	0.2	108	2.70
1697482	Rab Sample	3.54	0.007	0.8	20.2	7.7	69	0.1	5.6	17.0	1063	4.28	5.8	4.6	9.0	98	<0.1	2.4	0.1	115	3.19
1697483	Rab Sample	3.15	0.007	1.2	24.4	6.4	66	<0.1	6.6	17.4	950	4.13	5.5	4.7	9.6	115	0.1	3.0	0.1	123	3.20
1697484	Rab Sample	3.21	<0.005	0.6	24.0	7.4	60	<0.1	5.9	17.8	978	4.01	5.6	2.3	8.9	116	0.1	1.9	0.3	118	3.39
1697485	Rab Sample	2.52	0.011	0.8	18.6	7.5	60	<0.1	5.1	15.2	1070	3.77	5.7	7.8	8.8	117	<0.1	2.7	0.3	94	3.74
1697486	Rab Sample	3.55	<0.005	0.9	23.0	4.5	71	<0.1	6.1	17.3	961	4.43	3.5	0.6	10.1	119	<0.1	4.2	0.2	138	2.70
1697487	Rab Sample	3.03	<0.005	0.9	20.0	4.0	65	<0.1	5.5	17.2	1151	4.27	2.6	1.3	8.6	156	<0.1	3.4	0.2	141	3.66
1697488	Rab Sample	3.31	<0.005	1.0	21.0	4.3	62	<0.1	5.9	17.2	1075	4.23	4.1	1.4	9.2	138	<0.1	3.9	0.1	140	3.12
1697489	Rab Sample	3.11	0.005	1.1	19.8	5.0	63	<0.1	5.7	16.1	986	4.12	5.1	0.9	10.5	141	0.1	4.1	<0.1	132	2.95
1697490	Rab Sample	3.13	<0.005	1.0	21.4	42.4	110	0.6	5.5	17.1	1214	4.58	28.3	12.6	9.6	131	0.4	4.2	0.1	128	3.48
1697491	Rab Sample	3.04	0.008	0.9	22.4	13.6	62	0.2	5.5	16.9	1458	3.62	12.7	8.4	9.2	146	0.2	4.1	0.2	83	4.81
1697492	Rab Sample	3.80	0.023	0.8	24.4	166.8	260	2.7	5.3	17.4	877	4.34	37.6	20.0	9.4	94	2.6	5.2	0.3	116	2.43
1697493	Rab Sample	3.73	0.013	1.1	20.3	53.4	117	3.4	5.3	16.9	1356	4.61	29.1	9.3	9.4	131	0.9	4.4	0.1	116	3.48
1697494	Rab Sample	2.63	0.006	0.9	29.2	10.8	79	0.5	6.3	17.7	955	4.36	6.9	2.1	9.5	119	0.1	5.5	1.1	142	2.73
1697495	Rab Sample	2.81	0.123	1.3	28.3	479.5	133	6.7	5.5	15.9	1137	4.00	108.4	117.2	10.4	114	1.1	8.8	0.1	114	2.75
1697496	Rab Sample	3.02	0.009	1.3	19.8	20.2	58	0.3	4.9	13.6	794	3.65	6.2	2.1	9.3	132	0.1	4.3	0.2	119	2.45
1697497	Rab Sample	3.93	0.007	1.1	24.0	15.0	62	0.2	5.1	13.6	666	3.52	5.5	2.9	9.1	121	0.2	3.2	0.3	113	2.01
1697498	Rab Sample	3.66	0.006	1.2	23.6	11.0	53	0.2	4.8	13.1	584	3.32	4.1	2.4	9.9	105	0.1	2.1	0.3	109	1.63
1697499	Rab Sample	3.04	<0.005	1.2	21.5	7.8	69	0.1	5.0	13.3	591	3.52	3.3	1.8	8.3	119	0.2	2.2	0.3	116	1.65



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000609.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697470	Rab Sample	0.076	23	18	0.86	821	0.105	<20	1.91	0.055	0.46	0.8	0.04	15.6	0.4	<0.05	6	<0.5	<0.2			
1697471	Rab Sample	0.069	24	15	0.81	576	0.060	<20	2.06	0.047	0.42	0.6	0.03	15.2	0.4	0.06	6	<0.5	<0.2			
1697472	Rab Sample	0.063	19	18	1.11	800	0.096	<20	2.12	0.069	0.49	0.3	0.02	15.3	0.4	0.09	7	<0.5	<0.2			
1697473	Rab Sample	0.073	23	22	1.46	1069	0.190	<20	2.59	0.134	0.75	0.3	<0.01	17.5	0.5	<0.05	8	<0.5	<0.2			
1697474	Rab Sample	0.067	20	19	1.03	1053	0.183	<20	2.33	0.196	0.78	0.2	<0.01	16.9	0.5	<0.05	7	<0.5	<0.2			
1697475	Rab Sample	0.068	20	11	1.22	404	0.028	<20	1.85	0.031	0.41	<0.1	0.03	14.0	0.3	0.92	5	<0.5	<0.2			
1697476	Rab Sample	0.074	21	20	1.76	719	0.076	<20	3.19	0.026	0.56	0.1	0.02	15.3	0.4	0.29	10	<0.5	<0.2			
1697477	Rab Sample	0.072	19	23	1.82	718	0.059	<20	3.31	0.019	0.52	0.2	0.02	14.3	0.3	0.44	9	<0.5	<0.2			
1697478	Rab Sample	0.075	19	24	1.94	948	0.120	<20	2.99	0.039	0.62	0.2	<0.01	17.6	0.4	0.14	9	<0.5	<0.2			
1697479	Rab Sample	0.074	22	21	1.75	956	0.126	<20	2.74	0.038	0.70	0.2	0.03	16.9	0.4	0.19	8	<0.5	<0.2			
1697480	Rock Pulp	0.065	9	18	0.85	125	0.153	<20	1.72	0.183	0.23	4.4	0.25	3.6	<0.1	<0.05	5	<0.5	<0.2			
1697481	Rab Sample	0.063	20	18	1.56	537	0.054	<20	2.60	0.051	0.39	0.1	<0.01	13.9	0.2	0.14	8	<0.5	<0.2			
1697482	Rab Sample	0.063	21	18	1.67	840	0.102	<20	2.81	0.039	0.61	0.2	0.01	14.8	0.3	0.31	9	<0.5	<0.2			
1697483	Rab Sample	0.074	23	19	1.16	744	0.097	<20	2.67	0.076	0.53	<0.1	0.07	17.3	0.5	0.26	9	<0.5	<0.2			
1697484	Rab Sample	0.075	22	18	1.12	602	0.059	<20	2.47	0.031	0.43	<0.1	0.08	16.4	0.4	0.16	8	<0.5	<0.2			
1697485	Rab Sample	0.063	20	15	1.11	592	0.053	<20	2.34	0.060	0.47	<0.1	0.02	13.5	0.3	0.34	7	<0.5	<0.2			
1697486	Rab Sample	0.075	20	22	1.57	1039	0.144	<20	2.65	0.096	0.71	0.1	0.02	17.7	0.4	<0.05	8	<0.5	<0.2			
1697487	Rab Sample	0.068	19	23	1.62	990	0.146	<20	2.57	0.148	0.63	0.1	0.01	17.1	0.4	0.08	8	<0.5	<0.2			
1697488	Rab Sample	0.072	20	23	1.66	1075	0.163	<20	2.63	0.123	0.71	0.2	0.01	16.7	0.4	0.09	8	<0.5	<0.2			
1697489	Rab Sample	0.068	20	22	1.57	1057	0.161	<20	2.79	0.148	0.76	0.3	<0.01	15.0	0.4	0.09	8	<0.5	<0.2			
1697490	Rab Sample	0.072	22	21	1.65	949	0.125	<20	2.76	0.068	0.67	0.2	0.01	16.6	0.4	0.25	9	<0.5	<0.2			
1697491	Rab Sample	0.065	26	13	1.20	432	0.020	<20	2.37	0.016	0.41	0.1	0.13	13.7	0.3	0.24	7	<0.5	<0.2			
1697492	Rab Sample	0.065	19	19	1.68	767	0.085	<20	2.98	0.038	0.57	0.1	0.03	14.1	0.4	0.18	8	<0.5	<0.2			
1697493	Rab Sample	0.071	22	19	1.83	733	0.101	<20	2.93	0.068	0.62	0.1	0.05	15.0	0.4	0.08	8	<0.5	<0.2			
1697494	Rab Sample	0.069	19	23	1.65	958	0.137	<20	2.80	0.094	0.67	0.1	0.02	17.2	0.4	0.05	9	<0.5	<0.2			
1697495	Rab Sample	0.060	21	20	1.46	734	0.108	<20	2.53	0.143	0.60	0.2	0.01	14.3	0.3	0.24	8	<0.5	<0.2			
1697496	Rab Sample	0.067	19	21	1.43	1052	0.188	<20	2.36	0.195	0.65	0.4	<0.01	11.3	0.4	<0.05	7	<0.5	<0.2			
1697497	Rab Sample	0.067	18	21	1.31	1150	0.241	<20	2.45	0.283	0.73	0.6	<0.01	9.2	0.4	<0.05	7	<0.5	<0.2			
1697498	Rab Sample	0.071	18	20	1.21	1248	0.255	<20	2.22	0.252	0.76	1.0	<0.01	7.4	0.4	<0.05	7	<0.5	<0.2			
1697499	Rab Sample	0.067	16	21	1.34	1332	0.258	<20	2.50	0.291	0.81	0.4	<0.01	9.0	0.4	<0.05	7	<0.5	<0.2			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000609.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697500	Rock	0.42	<0.005	<0.1	1.8	0.7	<1	<0.1	<0.1	0.4	123	0.09	1.0	<0.5	<0.1	76	<0.1	<0.1	<0.1	<1	32.05
1697501	Rab Sample	3.49	0.007	1.1	24.4	161.7	226	2.2	4.7	12.7	792	3.62	10.1	3.5	9.1	107	1.7	4.5	0.5	106	1.96
1697502	Rab Sample	3.96	0.099	1.3	29.4	160.6	440	3.2	5.3	15.1	1366	4.10	193.3	95.1	9.2	83	4.9	8.7	0.1	109	1.99
1697503	Rab Sample	3.37	0.266	2.3	46.6	559.4	2605	15.4	5.3	14.5	1739	4.16	661.4	268.5	9.5	79	43.8	23.9	0.1	100	2.20
1697504	Rab Sample	3.44	0.011	0.7	25.6	14.5	111	0.4	5.6	15.2	843	4.11	21.4	5.8	9.5	105	0.9	2.2	0.5	129	2.16
1697505	Rab Sample	3.09	0.008	0.6	26.1	13.9	113	0.4	5.6	16.3	728	4.17	20.9	3.5	10.0	107	0.8	2.3	0.9	83	2.68
1697506	Rab Sample	3.66	0.007	0.9	22.8	9.8	79	0.3	4.9	13.6	742	3.68	12.2	4.7	10.4	97	0.4	2.3	0.2	114	1.91
1697507	Rab Sample	3.45	0.007	1.0	20.3	8.9	75	0.2	5.5	15.4	791	3.98	8.7	4.4	8.9	112	0.4	1.8	0.3	126	2.13
1697508	Rab Sample	3.14	0.013	1.1	21.5	16.7	91	0.7	5.2	15.7	1067	4.32	24.7	8.8	10.3	111	0.5	3.9	0.2	126	2.58
1697509	Rab Sample	3.55	0.006	1.6	25.5	10.7	68	0.2	5.2	14.2	659	3.57	9.4	2.0	9.8	89	0.2	2.7	0.2	111	1.66
1697510	Rab Sample	3.09	0.006	1.3	25.9	10.5	77	0.2	4.8	14.3	640	3.57	15.9	1.7	9.8	82	0.2	2.5	0.5	102	1.76
1697511	Rab Sample	3.90	0.005	1.1	24.6	9.3	83	0.2	6.0	16.7	936	4.34	15.2	1.3	9.9	113	0.3	3.5	0.2	120	2.65
1697512	Rab Sample	2.50	<0.005	1.1	28.3	6.2	68	0.2	5.7	16.0	799	4.14	11.9	0.9	11.1	128	0.2	3.9	0.2	129	2.12
1697513	Rab Sample	4.02	<0.005	1.4	29.3	5.5	51	0.1	5.4	11.7	515	3.18	6.0	1.5	9.9	94	0.2	2.2	0.1	103	1.38
1697514	Rab Sample	3.18	<0.005	1.5	23.5	5.7	54	0.1	5.0	13.3	578	3.44	12.8	<0.5	11.1	83	0.1	3.8	<0.1	101	1.66
1697515	Rab Sample	3.42	0.005	1.3	29.4	7.0	56	0.2	4.9	13.6	718	3.61	13.8	1.5	10.2	90	0.2	2.5	0.1	108	1.83
1697516	Rab Sample	3.92	<0.005	1.9	27.2	5.3	51	0.1	4.6	12.7	536	3.23	5.5	1.0	9.1	79	<0.1	2.0	0.2	103	1.30
1697517	Rab Sample	3.17	0.005	1.6	28.1	6.8	77	0.2	4.9	13.8	735	3.59	6.4	1.9	9.0	87	0.3	1.9	<0.1	113	1.80
1697518	Rab Sample	4.44	<0.005	1.6	25.7	5.9	53	<0.1	4.6	12.2	530	3.44	5.8	1.9	8.6	84	0.1	1.3	<0.1	111	1.25
1697519	Rab Sample	4.09	0.268	2.0	42.3	1325.7	3167	20.1	4.7	14.4	1184	4.16	827.6	240.0	10.0	79	41.0	91.3	<0.1	96	1.96
1697520	Rock Pulp	0.08	1.207	5.5	172.0	49.6	259	0.7	99.2	17.5	585	3.27	22.7	1626.7	4.1	105	1.3	0.9	0.3	89	1.89



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000609.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.01	0.01	0.1	0.01	0.05	1	0.5	0.2
1697500	Rock	0.007	1	<1	0.45	18	0.003	<20	0.03	0.003	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1697501	Rab Sample	0.066	18	20	1.14	991	0.200	<20	2.39	0.272	0.71	0.6	<0.01	9.6	0.4	0.20	7	<0.5	<0.2
1697502	Rab Sample	0.065	18	19	1.21	867	0.170	<20	2.11	0.169	0.71	0.4	<0.01	12.3	0.4	0.64	6	<0.5	<0.2
1697503	Rab Sample	0.072	18	18	1.29	664	0.121	<20	1.84	0.121	0.56	0.4	0.01	13.1	0.4	0.90	6	<0.5	<0.2
1697504	Rab Sample	0.069	18	23	1.47	932	0.180	<20	2.29	0.180	0.60	0.3	<0.01	12.9	0.3	0.09	7	<0.5	<0.2
1697505	Rab Sample	0.065	21	16	1.27	431	0.035	<20	2.17	0.049	0.42	0.1	<0.01	12.2	0.2	0.20	6	<0.5	<0.2
1697506	Rab Sample	0.071	17	21	1.32	812	0.168	<20	2.08	0.182	0.51	0.5	<0.01	10.7	0.2	0.11	6	<0.5	<0.2
1697507	Rab Sample	0.065	18	22	1.45	836	0.180	<20	2.38	0.220	0.57	0.3	<0.01	12.4	0.3	0.07	8	<0.5	<0.2
1697508	Rab Sample	0.066	19	22	1.55	863	0.149	<20	2.27	0.136	0.61	0.4	<0.01	15.0	0.3	0.40	7	<0.5	<0.2
1697509	Rab Sample	0.075	17	21	1.27	943	0.212	<20	1.99	0.161	0.52	0.7	<0.01	8.7	0.3	0.10	7	<0.5	<0.2
1697510	Rab Sample	0.068	17	22	1.28	632	0.173	<20	1.99	0.145	0.38	0.5	<0.01	9.2	0.2	0.06	7	<0.5	<0.2
1697511	Rab Sample	0.068	20	23	1.35	776	0.120	<20	2.39	0.123	0.53	0.3	0.01	15.2	0.3	0.21	8	<0.5	<0.2
1697512	Rab Sample	0.076	21	22	1.48	992	0.171	<20	2.33	0.160	0.59	0.4	<0.01	13.6	0.3	0.11	8	<0.5	<0.2
1697513	Rab Sample	0.068	15	20	1.10	1338	0.240	<20	1.96	0.201	0.60	0.8	<0.01	7.2	0.3	0.07	6	<0.5	<0.2
1697514	Rab Sample	0.070	17	21	1.21	733	0.187	<20	1.98	0.147	0.39	0.9	<0.01	9.0	0.2	0.09	7	<0.5	<0.2
1697515	Rab Sample	0.066	17	22	1.30	754	0.188	<20	2.03	0.162	0.49	1.3	<0.01	8.6	0.2	0.16	6	<0.5	<0.2
1697516	Rab Sample	0.061	15	21	1.16	1059	0.250	<20	2.00	0.213	0.67	0.9	<0.01	6.9	0.3	0.06	6	<0.5	<0.2
1697517	Rab Sample	0.073	16	22	1.26	957	0.204	<20	2.14	0.190	0.69	0.9	<0.01	8.8	0.4	0.14	6	<0.5	<0.2
1697518	Rab Sample	0.065	14	21	1.17	1242	0.271	<20	2.20	0.272	0.84	1.1	<0.01	6.7	0.4	0.06	6	<0.5	<0.2
1697519	Rab Sample	0.073	16	20	1.14	442	0.179	<20	1.86	0.172	0.66	1.0	<0.01	9.6	0.4	1.44	6	<0.5	<0.2
1697520	Rock Pulp	0.045	9	78	1.44	172	0.162	<20	2.95	0.358	0.32	7.7	0.08	3.7	0.2	0.12	7	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000609.1

		Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
Pulp Duplicates																						
1697476	Rab Sample	2.99	0.010	1.0	26.4	7.5	77	0.1	7.0	18.9	1274	4.51	6.2	9.7	8.4	113	0.2	2.0	0.2	126	3.56	
REP 1697476	QC	0.010																				
1697484	Rab Sample	3.21	<0.005	0.6	24.0	7.4	60	<0.1	5.9	17.8	978	4.01	5.6	2.3	8.9	116	0.1	1.9	0.3	118	3.39	
REP 1697484	QC			0.6	24.1	7.3	59	<0.1	6.3	18.0	991	4.06	6.0	1.0	8.8	122	<0.1	2.1	0.2	119	3.41	
1697517	Rab Sample	3.17	0.005	1.6	28.1	6.8	77	0.2	4.9	13.8	735	3.59	6.4	1.9	9.0	87	0.3	1.9	<0.1	113	1.80	
REP 1697517	QC			1.7	29.0	7.3	78	0.2	4.9	14.2	772	3.63	6.4	1.0	9.4	89	0.3	2.0	<0.1	113	1.81	
Core Reject Duplicates																						
1697477	Rab Sample	2.79	0.014	1.0	23.5	7.6	67	<0.1	6.4	18.8	1171	4.56	4.7	8.4	8.6	108	<0.1	2.0	0.1	118	3.50	
DUP 1697477	QC			0.014	0.9	24.1	7.4	65	<0.1	6.5	17.9	1179	4.43	4.6	10.0	8.2	107	0.1	1.6	0.1	113	3.55
1697511	Rab Sample	3.90	0.005	1.1	24.6	9.3	83	0.2	6.0	16.7	936	4.34	15.2	1.3	9.9	113	0.3	3.5	0.2	120	2.65	
DUP 1697511	QC			<0.005	1.0	24.3	9.0	81	0.2	5.8	15.9	977	4.32	15.8	2.3	9.7	107	0.3	3.5	0.1	120	2.67
Reference Materials																						
STD DS11	Standard			15.2	150.1	139.7	363	1.7	84.6	14.1	1065	3.18	46.7	63.7	8.4	72	2.6	6.9	11.9	50	1.08	
STD DS11	Standard			14.4	144.8	133.9	334	1.7	77.4	13.8	1060	3.15	44.5	262.5	7.7	70	2.1	6.9	11.8	50	1.07	
STD OREAS45EA	Standard			1.8	721.0	15.0	33	0.3	414.7	51.6	426	22.15	13.1	55.0	10.7	4	<0.1	0.3	0.2	328	0.03	
STD OREAS45EA	Standard			1.6	725.0	14.6	34	0.3	407.1	55.7	429	24.15	12.3	49.5	10.3	4	<0.1	0.2	0.3	340	0.04	
STD OXC145	Standard	0.214																				
STD OXC145	Standard	0.219																				
STD OXH139	Standard	1.312																				
STD OXH139	Standard	1.335																				
STD OXN134	Standard	7.547																				
STD OXN134	Standard	7.967																				
STD OXN134 Expected		7.667																				
STD OXC145 Expected		0.212																				
STD OXH139 Expected		1.312																				
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036	
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063	
BLK	Blank	<0.005																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000609.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697476	Rab Sample	0.074	21	20	1.76	719	0.076	<20	3.19	0.026	0.56	0.1	0.02	15.3	0.4	0.29	10	<0.5	<0.2
REP 1697476	QC																		
1697484	Rab Sample	0.075	22	18	1.12	602	0.059	<20	2.47	0.031	0.43	<0.1	0.08	16.4	0.4	0.16	8	<0.5	<0.2
REP 1697484	QC	0.077	22	18	1.14	606	0.059	<20	2.48	0.032	0.43	<0.1	0.08	16.7	0.4	0.16	8	<0.5	<0.2
1697517	Rab Sample	0.073	16	22	1.26	957	0.204	<20	2.14	0.190	0.69	0.9	<0.01	8.8	0.4	0.14	6	<0.5	<0.2
REP 1697517	QC	0.073	18	23	1.28	981	0.215	<20	2.14	0.189	0.69	0.9	<0.01	9.8	0.3	0.14	7	<0.5	<0.2
Core Reject Duplicates																			
1697477	Rab Sample	0.072	19	23	1.82	718	0.059	<20	3.31	0.019	0.52	0.2	0.02	14.3	0.3	0.44	9	<0.5	<0.2
DUP 1697477	QC	0.072	19	22	1.79	685	0.051	<20	3.15	0.017	0.49	0.1	0.01	13.7	0.3	0.42	9	<0.5	<0.2
1697511	Rab Sample	0.068	20	23	1.35	776	0.120	<20	2.39	0.123	0.53	0.3	0.01	15.2	0.3	0.21	8	<0.5	<0.2
DUP 1697511	QC	0.065	19	22	1.38	770	0.119	<20	2.34	0.116	0.52	0.3	0.01	13.8	0.3	0.22	7	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.077	19	61	0.86	405	0.100	<20	1.17	0.074	0.41	3.2	0.27	3.4	5.2	0.28	5	2.4	4.7
STD DS11	Standard	0.073	19	60	0.85	355	0.099	<20	1.17	0.075	0.41	2.2	0.26	3.2	4.9	0.28	5	2.2	4.2
STD OREAS45EA	Standard	0.027	8	831	0.08	157	0.102	<20	3.50	0.021	0.06	<0.1	0.01	83.5	<0.1	<0.05	14	1.4	<0.2
STD OREAS45EA	Standard	0.030	8	893	0.10	149	0.107	<20	3.49	0.020	0.06	<0.1	0.03	83.7	0.1	<0.05	14	1.5	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000609.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
BLK	Blank	0.007																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <0.1 <1 <0.01																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <0.1 <1 <0.01																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005 1.1 4.2 1.1 38 <0.1 0.6 3.6 572 1.82 1.4 0.8 2.1 34 <0.1 <0.1 <0.1 22 0.86																			
ROCK-WHI	Prep Blank	<0.005 1.3 4.4 1.7 42 <0.1 1.0 3.9 607 1.98 1.6 <0.5 2.2 40 <0.1 <0.1 <0.1 23 1.02																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 07, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000609.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.042	6	3	0.51	62	0.083	<20	1.07	0.065	0.08	0.1	<0.01	3.0	<0.1	0.06	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.042	7	4	0.53	79	0.097	<20	1.18	0.092	0.11	<0.1	0.02	3.2	<0.1	0.07	5	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: August 21, 2018
Report Date: September 28, 2018
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI18000694.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180812-01-RAB
P.O. Number
Number of Samples: 65

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
PICKUP-RJT Client to Pickup Rejects

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	64	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	65	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	65	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	65	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	65	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 2 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000694.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697521	Rab Sample	1.56	0.120	3.8	27.8	120.4	528	5.3	8.0	19.2	2276	4.68	562.5	111.4	10.6	50	10.3	11.2	0.1	99	0.98
1697522	Rab Sample	5.29	0.039	1.5	31.9	25.7	513	0.9	7.9	21.7	1200	4.89	107.5	24.3	9.8	65	4.2	6.0	0.2	130	1.58
1697523	Rab Sample	6.05	0.029	2.2	30.7	16.8	330	0.8	8.2	22.8	2581	4.54	172.9	25.1	10.2	53	3.6	8.2	0.2	83	1.44
1697524	Rab Sample	3.36	0.012	1.1	29.5	30.3	615	0.5	8.7	22.2	3701	4.39	54.7	7.2	10.1	69	3.6	6.7	0.2	112	2.33
1697525	Rab Sample	3.39	0.081	3.0	27.4	177.9	456	10.8	6.0	14.2	662	6.05	847.5	79.3	10.1	79	4.0	9.0	0.2	23	0.13
1697526	Rab Sample	1.56	0.080	8.7	31.7	88.9	1091	3.2	11.3	37.5	9918	6.19	1079.5	80.9	8.5	40	22.3	9.3	0.2	23	0.24
1697527	Rab Sample	4.67	0.013	1.9	31.5	23.6	439	0.6	7.1	22.1	3027	4.51	314.1	9.6	8.6	73	3.0	7.1	0.1	95	2.65
1697528	Rab Sample	4.13	0.013	2.9	33.3	15.3	240	0.6	6.3	20.8	2178	4.54	201.7	10.4	8.8	71	0.7	4.1	0.3	62	3.74
1697529	Rab Sample	5.09	0.005	1.4	35.9	5.2	104	0.2	6.3	18.5	975	4.15	101.6	3.7	10.2	68	0.3	8.2	0.1	110	2.06
1697530	Rab Sample	4.91	0.006	1.3	30.0	4.5	77	0.1	6.2	18.6	878	4.14	17.0	3.6	10.3	86	0.2	9.0	0.1	115	2.21
1697531	Rab Sample	4.89	<0.005	1.4	28.6	5.0	83	0.1	6.2	19.0	742	4.41	12.4	<0.5	9.0	84	0.2	10.2	0.1	113	2.30
1697532	Rab Sample	4.33	0.006	1.5	27.4	4.4	69	0.1	6.0	18.0	756	4.37	9.8	1.1	9.1	87	0.2	9.9	0.1	116	2.55
1697533	Rab Sample	5.07	<0.005	1.2	25.1	5.7	72	0.2	5.9	18.5	1390	4.08	12.1	<0.5	7.4	136	0.3	8.2	0.1	83	5.73
1697534	Rab Sample	5.14	<0.005	1.1	26.0	4.6	83	<0.1	6.4	17.9	847	4.37	8.5	0.7	9.2	81	0.1	10.9	0.1	132	2.45
1697535	Rab Sample	4.61	<0.005	1.2	28.6	5.0	163	0.2	6.0	17.7	891	3.95	81.7	2.4	9.2	93	0.3	18.9	0.1	102	2.71
1697536	Rab Sample	4.71	<0.005	1.7	27.5	4.0	247	0.1	6.3	17.7	981	4.23	202.5	<0.5	8.9	95	0.5	24.2	<0.1	98	3.50
1697537	Rab Sample	5.39	<0.005	1.2	27.2	5.1	116	0.1	6.5	17.8	785	3.96	55.3	<0.5	10.2	82	0.2	9.5	0.1	104	2.42
1697538	Rab Sample	5.40	<0.005	1.1	25.3	4.0	66	<0.1	5.8	15.7	729	3.75	18.7	0.9	9.7	84	0.1	5.0	0.1	95	2.16
1697539	Rab Sample	4.79	<0.005	1.3	28.4	4.8	95	0.2	6.7	18.8	922	4.36	27.0	2.1	8.8	103	0.2	4.5	0.2	105	3.33
1697540	Rock	0.45	<0.005	<0.1	0.6	0.4	2	<0.1	0.5	0.4	128	0.10	<0.5	<0.5	0.2	78	<0.1	0.2	<0.1	1	34.11
1697541	Rab Sample	4.09	<0.005	2.4	28.6	5.2	110	0.2	6.3	17.8	833	4.09	32.5	<0.5	9.2	109	0.3	4.5	0.2	105	3.13
1697542	Rab Sample	4.33	<0.005	1.2	27.6	4.0	74	0.1	6.0	16.3	732	3.83	9.8	0.5	10.2	86	0.2	3.3	0.2	108	2.30
1697543	Rab Sample	4.16	<0.005	1.2	36.2	4.8	79	0.1	5.8	16.5	704	3.71	16.4	<0.5	9.9	88	0.2	2.2	0.1	108	2.27
1697544	Rab Sample	4.70	<0.005	1.3	28.9	3.6	68	<0.1	5.7	15.1	636	3.54	15.8	<0.5	10.3	73	0.1	1.8	0.1	111	1.71
1697545	Rab Sample	5.01	<0.005	1.0	30.8	4.0	90	0.2	6.4	17.2	782	4.09	35.3	0.5	10.0	102	0.2	1.8	0.1	119	2.42
1697546	Rab Sample	3.67	0.005	1.5	28.7	4.5	75	0.1	6.1	15.9	669	3.69	15.3	<0.5	9.8	83	0.1	1.3	<0.1	112	1.77
1697547	Rab Sample	3.38	<0.005	1.0	29.4	3.7	58	<0.1	6.0	14.5	616	3.45	5.4	<0.5	9.7	80	<0.1	0.8	0.1	110	1.48
1697548	Rab Sample	4.43	<0.005	1.9	27.5	4.0	64	<0.1	5.9	15.0	658	3.67	18.9	<0.5	8.4	87	0.2	1.0	<0.1	116	1.88
1697549	Rab Sample	4.79	<0.005	1.0	25.0	4.4	63	<0.1	5.5	14.8	564	3.41	15.3	1.5	9.8	89	0.1	0.8	0.2	107	1.51
1697550	Rab Sample	4.85	<0.005	0.9	30.1	4.1	62	0.1	5.6	14.6	660	3.54	13.7	1.2	8.6	93	0.2	0.8	0.6	113	1.79



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 2 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000694.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697521	Rab Sample	0.073	19	17	0.87	637	0.046	<20	1.96	0.077	0.38	0.3	0.03	13.1	0.4	0.06	6	<0.5	<0.2			
1697522	Rab Sample	0.078	20	25	1.56	632	0.068	<20	2.81	0.090	0.37	0.2	0.02	17.3	0.3	<0.05	9	<0.5	<0.2			
1697523	Rab Sample	0.083	22	15	0.57	433	0.018	<20	1.62	0.051	0.41	0.2	0.03	15.7	0.6	0.08	5	<0.5	<0.2			
1697524	Rab Sample	0.079	18	18	1.01	309	0.031	<20	1.72	0.043	0.31	0.1	0.06	17.3	0.4	0.05	5	<0.5	<0.2			
1697525	Rab Sample	0.096	20	5	0.07	94	<0.001	<20	0.50	0.009	0.36	0.4	0.03	15.0	0.4	0.17	1	<0.5	<0.2			
1697526	Rab Sample	0.078	16	5	0.10	176	<0.001	<20	0.70	0.007	0.35	0.5	0.03	9.4	0.7	0.15	1	<0.5	<0.2			
1697527	Rab Sample	0.075	18	16	1.14	167	0.004	<20	2.08	0.027	0.30	<0.1	0.07	14.5	0.4	0.14	6	<0.5	<0.2			
1697528	Rab Sample	0.070	14	11	1.20	98	<0.001	<20	1.42	0.007	0.30	<0.1	0.07	12.4	0.6	0.21	4	<0.5	<0.2			
1697529	Rab Sample	0.084	19	19	1.25	255	0.060	<20	2.11	0.095	0.23	<0.1	0.02	14.4	0.2	<0.05	7	<0.5	<0.2			
1697530	Rab Sample	0.078	18	20	1.21	826	0.146	<20	2.37	0.149	0.59	<0.1	0.02	14.1	0.4	0.06	7	<0.5	<0.2			
1697531	Rab Sample	0.075	18	21	1.44	319	0.034	<20	2.47	0.093	0.25	<0.1	<0.01	16.3	0.2	<0.05	8	<0.5	<0.2			
1697532	Rab Sample	0.071	17	21	1.46	659	0.102	<20	2.56	0.117	0.48	<0.1	0.02	14.5	0.3	<0.05	7	<0.5	<0.2			
1697533	Rab Sample	0.069	19	17	1.55	211	0.004	<20	1.82	0.029	0.21	<0.1	0.02	10.6	0.1	<0.05	6	<0.5	<0.2			
1697534	Rab Sample	0.073	19	22	1.77	422	0.061	<20	2.54	0.102	0.30	<0.1	<0.01	16.5	0.2	<0.05	8	<0.5	<0.2			
1697535	Rab Sample	0.070	19	20	1.48	191	0.045	<20	2.19	0.121	0.19	<0.1	<0.01	11.4	<0.1	0.09	7	<0.5	<0.2			
1697536	Rab Sample	0.072	19	21	1.66	126	0.024	<20	2.17	0.078	0.17	<0.1	<0.01	11.5	<0.1	0.06	7	<0.5	<0.2			
1697537	Rab Sample	0.072	18	22	1.49	136	0.036	<20	2.15	0.109	0.15	<0.1	<0.01	12.6	<0.1	0.17	7	<0.5	<0.2			
1697538	Rab Sample	0.065	16	19	1.42	267	0.084	<20	2.08	0.136	0.20	0.1	0.01	10.6	<0.1	0.12	7	<0.5	<0.2			
1697539	Rab Sample	0.081	19	23	1.63	134	0.026	<20	2.29	0.073	0.20	<0.1	<0.01	13.4	0.1	0.08	8	<0.5	<0.2			
1697540	Rock	0.006	1	<1	0.51	16	0.002	<20	0.05	0.003	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
1697541	Rab Sample	0.073	18	22	1.52	181	0.029	<20	2.23	0.088	0.22	0.1	<0.01	12.5	0.1	0.15	8	<0.5	<0.2			
1697542	Rab Sample	0.071	18	21	1.46	382	0.099	<20	2.12	0.141	0.31	0.2	<0.01	12.7	0.2	0.05	7	<0.5	<0.2			
1697543	Rab Sample	0.071	17	21	1.44	205	0.106	<20	2.12	0.149	0.19	0.2	<0.01	11.0	<0.1	0.05	8	<0.5	<0.2			
1697544	Rab Sample	0.073	15	21	1.38	621	0.185	<20	2.12	0.186	0.47	0.3	<0.01	9.5	0.2	<0.05	7	<0.5	<0.2			
1697545	Rab Sample	0.078	18	23	1.56	664	0.160	<20	2.35	0.174	0.50	0.3	<0.01	11.9	0.2	0.06	8	<0.5	<0.2			
1697546	Rab Sample	0.073	16	25	1.40	815	0.200	<20	2.12	0.180	0.50	0.4	<0.01	8.7	0.3	<0.05	7	<0.5	<0.2			
1697547	Rab Sample	0.082	17	23	1.32	857	0.226	<20	2.13	0.227	0.59	0.5	<0.01	8.1	0.3	<0.05	7	<0.5	<0.2			
1697548	Rab Sample	0.074	16	23	1.40	697	0.192	<20	2.24	0.216	0.48	0.4	<0.01	9.4	0.2	<0.05	7	<0.5	<0.2			
1697549	Rab Sample	0.074	17	23	1.24	1010	0.230	<20	2.17	0.245	0.55	0.5	<0.01	7.7	0.3	<0.05	7	<0.5	<0.2			
1697550	Rab Sample	0.076	16	23	1.33	930	0.207	<20	2.14	0.204	0.64	0.5	<0.01	8.6	0.3	<0.05	7	<0.5	<0.2			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 3 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000694.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697551	Rab Sample	3.91	0.005	0.9	29.6	43.0	118	0.6	5.4	15.7	666	3.59	12.1	0.5	10.1	85	1.0	1.0	0.1	115	1.72
1697552	Rab Sample	4.70	<0.005	0.8	28.8	4.8	67	0.1	5.5	15.4	642	3.60	23.4	<0.5	8.9	76	0.2	1.4	0.2	106	1.64
1697553	Rab Sample	4.48	<0.005	0.7	31.0	4.9	68	0.1	6.4	17.6	776	3.97	13.5	<0.5	8.9	94	0.2	3.0	0.2	113	2.45
1697554	Rab Sample	3.94	0.007	0.6	30.9	4.9	68	0.1	5.9	16.8	788	4.07	10.8	4.1	10.6	97	0.1	1.6	0.4	116	2.37
1697555	Rab Sample	4.46	<0.005	0.5	26.7	4.9	68	0.2	6.1	16.7	902	4.11	14.9	<0.5	9.3	110	0.1	1.3	0.3	111	2.94
1697556	Rab Sample	4.99	0.006	1.9	21.7	6.0	69	0.3	5.9	17.5	1091	4.36	13.6	4.1	8.0	131	0.2	2.1	0.1	103	3.75
1697557	Rab Sample	4.12	<0.005	1.3	24.1	4.7	67	<0.1	6.2	16.8	690	4.12	10.4	<0.5	9.6	97	0.1	2.7	0.1	133	1.81
1697558	Rab Sample	4.28	0.006	1.1	24.1	3.8	62	<0.1	5.6	15.9	676	3.97	9.4	<0.5	9.4	107	0.1	1.3	0.1	131	1.95
1697559	Rab Sample	4.27	<0.005	2.2	25.4	3.8	58	<0.1	5.2	14.7	629	3.73	5.3	<0.5	8.7	101	<0.1	2.2	0.2	123	1.75
1697560	Rock Pulp	0.08	7.145	9.4	191.0	19.3	78	0.9	13.5	11.6	577	4.89	14.8	7637.1	3.0	72	0.2	5.1	0.6	117	0.96
1697561	Rab Sample	4.39	<0.005	5.0	28.6	5.1	56	<0.1	6.0	15.6	625	3.62	6.8	3.5	9.8	93	<0.1	2.0	0.1	118	1.72
1697562	Rab Sample	4.69	<0.005	1.3	23.4	4.7	64	<0.1	5.6	17.2	866	3.98	6.1	1.4	10.6	111	0.1	3.6	0.1	121	2.94
1697563	Rab Sample	4.25	0.005	0.9	26.2	5.3	97	0.2	6.1	18.5	780	4.22	59.0	7.4	8.9	107	0.2	1.9	0.2	116	2.68
1697564	Rab Sample	4.49	0.007	1.8	31.8	5.8	107	0.2	6.6	20.1	938	4.95	70.2	5.4	7.6	103	0.3	2.9	<0.1	117	2.97
1697565	Rab Sample	4.19	<0.005	1.0	22.1	3.2	83	0.1	6.2	17.2	864	3.98	20.8	2.3	7.7	115	0.3	1.6	0.1	119	2.73
1697566	Rab Sample	3.98	<0.005	1.4	27.8	2.9	81	0.1	6.2	17.9	781	4.16	5.8	2.2	8.1	99	0.2	2.2	<0.1	130	2.47
1697567	Rab Sample	4.14	<0.005	1.2	25.1	3.1	73	0.1	6.1	18.1	850	4.75	5.7	2.2	8.4	97	0.1	2.2	0.1	143	2.55
1697568	Rab Sample	4.05	<0.005	0.9	29.7	3.7	83	0.1	5.6	16.9	812	4.17	17.3	3.5	8.1	102	0.2	1.6	0.1	124	2.63
1697569	Rab Sample	4.02	<0.005	1.2	35.5	4.4	87	0.2	7.1	18.4	1028	4.19	27.4	1.4	9.0	113	0.4	1.0	<0.1	121	3.99
1697570	Rab Sample	4.08	<0.005	1.0	23.0	3.2	51	<0.1	5.0	14.3	602	3.54	5.2	1.4	8.8	90	<0.1	0.9	<0.1	104	1.80
1697571	Rab Sample	3.88	<0.005	1.1	24.6	10.0	77	0.2	5.5	14.5	590	3.62	5.9	2.8	7.5	90	0.3	1.7	0.2	107	1.63
1697572	Rab Sample	4.06	<0.005	1.3	26.6	4.2	81	<0.1	5.6	15.5	641	3.70	17.6	1.5	8.3	82	0.2	1.7	<0.1	96	1.91
1697573	Rab Sample	3.83	0.005	1.1	24.8	107.8	213	1.7	5.9	17.2	852	3.98	16.2	2.2	7.5	98	2.1	1.9	<0.1	101	2.84
1697574	Rab Sample	3.74	<0.005	1.0	23.6	6.3	101	0.2	5.6	16.6	1067	3.90	47.0	<0.5	7.3	131	0.5	1.4	<0.1	94	4.15
1697575	Rab Sample	3.56	<0.005	1.3	23.9	3.7	59	<0.1	5.3	14.4	556	3.51	5.0	<0.5	8.7	91	0.1	1.6	<0.1	109	1.62
1697576	Rab Sample	3.85	<0.005	1.3	26.7	3.7	61	0.1	5.3	14.7	606	3.65	6.4	<0.5	8.8	100	0.1	1.2	<0.1	116	1.78
1697577	Rab Sample	4.41	0.022	0.9	26.9	61.5	160	1.2	4.8	13.9	1237	3.80	96.8	8.4	7.0	135	1.4	4.1	<0.1	58	4.19
1697578	Rab Sample	3.90	0.389	1.2	207.9	2598.0	3840	45.4	5.0	15.8	1395	5.21	1900.1	1141.2	5.8	164	64.1	47.7	0.2	38	5.07
1697579	Rab Sample	3.96	0.020	1.0	31.6	129.2	208	2.5	5.7	17.8	954	3.86	334.4	15.2	8.3	135	2.6	7.8	0.1	77	3.59
1697580	Rock	0.41	<0.005	<0.1	0.6	1.8	4	<0.1	0.6	0.2	109	0.06	1.3	<0.5	0.1	77	<0.1	<0.1	<0.1	<1	34.09



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 3 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000694.1

	Method	Analyte	AQ200																	
			P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
			MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1697551	Rab Sample	0.076	16	23	1.36	878	0.212	<20	2.24	0.222	0.61	0.4	<0.01	9.7	0.3	0.12	7	<0.5	<0.2	
1697552	Rab Sample	0.075	15	21	1.39	638	0.175	<20	2.12	0.172	0.37	0.3	<0.01	8.1	0.2	<0.05	7	<0.5	<0.2	
1697553	Rab Sample	0.076	19	21	1.36	642	0.139	<20	2.03	0.144	0.47	0.2	<0.01	13.0	0.3	<0.05	7	<0.5	<0.2	
1697554	Rab Sample	0.073	18	22	1.39	431	0.100	<20	2.27	0.158	0.35	0.1	<0.01	14.1	0.2	<0.05	7	<0.5	<0.2	
1697555	Rab Sample	0.072	17	20	1.64	500	0.085	<20	2.27	0.099	0.42	0.2	<0.01	12.1	0.2	<0.05	7	<0.5	<0.2	
1697556	Rab Sample	0.074	17	21	1.93	451	0.051	<20	2.18	0.066	0.34	0.1	<0.01	12.0	0.2	0.07	7	<0.5	<0.2	
1697557	Rab Sample	0.080	18	25	1.79	795	0.212	<20	2.49	0.194	0.51	0.3	<0.01	12.3	0.3	<0.05	8	<0.5	<0.2	
1697558	Rab Sample	0.076	17	26	1.62	1071	0.236	<20	2.52	0.221	0.73	0.4	<0.01	10.2	0.4	<0.05	8	<0.5	<0.2	
1697559	Rab Sample	0.074	15	22	1.54	1076	0.253	<20	2.39	0.213	0.73	0.5	<0.01	9.8	0.3	<0.05	7	<0.5	<0.2	
1697560	Rock Pulp	0.060	8	18	0.88	126	0.147	<20	1.77	0.180	0.23	5.4	0.22	3.5	<0.1	<0.05	5	0.6	0.2	
1697561	Rab Sample	0.076	18	23	1.45	888	0.239	<20	2.29	0.225	0.57	0.8	<0.01	9.2	0.2	<0.05	7	<0.5	<0.2	
1697562	Rab Sample	0.070	19	23	1.71	284	0.104	<20	2.22	0.101	0.18	0.3	<0.01	12.9	<0.1	<0.05	7	<0.5	<0.2	
1697563	Rab Sample	0.076	19	23	1.69	312	0.054	<20	2.50	0.093	0.24	0.2	<0.01	12.0	0.1	0.07	8	<0.5	<0.2	
1697564	Rab Sample	0.082	16	25	1.75	294	0.054	<20	2.52	0.062	0.27	0.2	0.02	13.0	0.1	0.12	8	<0.5	<0.2	
1697565	Rab Sample	0.076	15	23	1.56	578	0.111	<20	2.21	0.102	0.40	0.4	<0.01	9.9	0.2	<0.05	7	<0.5	<0.2	
1697566	Rab Sample	0.077	15	25	1.72	703	0.141	<20	2.36	0.133	0.42	0.3	<0.01	11.6	0.2	<0.05	7	<0.5	<0.2	
1697567	Rab Sample	0.073	18	25	2.06	582	0.090	<20	2.80	0.114	0.38	0.1	<0.01	14.3	0.2	0.06	8	<0.5	<0.2	
1697568	Rab Sample	0.071	16	24	1.73	594	0.104	<20	2.39	0.126	0.35	0.3	<0.01	11.3	0.2	0.06	7	<0.5	<0.2	
1697569	Rab Sample	0.067	17	24	1.75	425	0.058	<20	2.48	0.088	0.30	0.2	<0.01	10.7	0.2	0.09	8	<0.5	<0.2	
1697570	Rab Sample	0.071	15	21	1.30	796	0.186	<20	2.14	0.201	0.44	0.8	<0.01	7.9	0.2	<0.05	7	<0.5	<0.2	
1697571	Rab Sample	0.069	15	23	1.31	757	0.206	<20	2.28	0.234	0.44	0.5	<0.01	8.8	0.2	0.08	6	<0.5	<0.2	
1697572	Rab Sample	0.074	15	22	1.38	141	0.129	<20	2.10	0.155	0.14	0.4	<0.01	9.1	<0.1	<0.05	6	<0.5	<0.2	
1697573	Rab Sample	0.073	17	24	1.57	113	0.077	<20	2.20	0.103	0.18	0.3	<0.01	10.0	<0.1	0.09	7	<0.5	<0.2	
1697574	Rab Sample	0.068	18	20	1.49	364	0.058	<20	2.03	0.085	0.29	0.2	<0.01	9.4	0.1	0.06	6	<0.5	<0.2	
1697575	Rab Sample	0.069	14	22	1.24	836	0.208	<20	2.21	0.233	0.50	0.6	<0.01	8.2	0.2	<0.05	6	<0.5	<0.2	
1697576	Rab Sample	0.067	16	24	1.30	860	0.188	<20	2.28	0.229	0.53	0.5	<0.01	10.5	0.2	0.05	7	<0.5	<0.2	
1697577	Rab Sample	0.069	13	15	1.49	365	0.033	<20	1.50	0.058	0.38	0.3	<0.01	7.9	0.2	0.30	4	<0.5	<0.2	
1697578	Rab Sample	0.064	9	9	1.62	211	0.004	<20	1.03	0.018	0.35	0.3	0.09	7.6	0.1	2.48	3	<0.5	<0.2	
1697579	Rab Sample	0.068	15	15	1.37	298	0.021	<20	1.47	0.052	0.35	0.2	0.01	11.3	0.2	0.59	4	<0.5	<0.2	
1697580	Rock	0.005	1	<1	0.43	14	0.002	<20	0.03	0.001	<0.01	<0.1	<0.01	0.2	0.1	<0.05	<1	<0.5	<0.2	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 4 of 4

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000694.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697581	Rab Sample	4.27	<0.005	0.8	26.3	16.9	79	0.3	5.7	15.9	750	4.16	13.0	2.9	8.7	115	0.3	2.8	<0.1	112	2.78
1697582	Rab Sample	3.59	<0.005	1.2	22.1	9.8	72	0.2	6.0	18.5	980	4.11	11.7	3.7	8.3	135	0.2	3.3	0.1	100	3.89
1697583	Rab Sample	3.97	<0.005	0.9	24.2	7.0	63	0.1	5.2	15.5	800	3.95	4.7	<0.5	9.1	115	0.2	3.0	0.1	112	2.33
1697584	Rab Sample	3.83	<0.005	1.2	23.1	5.8	65	0.1	5.3	15.3	688	3.79	4.5	<0.5	7.9	109	0.1	1.7	<0.1	116	1.83
1697585	Rab Sample	3.97	<0.005	1.4	23.6	6.0	59	0.1	5.0	15.1	649	3.70	11.0	1.9	8.2	111	0.1	1.4	0.1	117	1.84



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 4 of 4

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000694.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697581	Rab Sample	0.068	18	21	1.44	496	0.075	<20	2.35	0.150	0.34	0.1	<0.01	12.9	0.2	0.06	7	<0.5	<0.2
1697582	Rab Sample	0.068	18	18	1.51	435	0.041	<20	2.11	0.072	0.34	0.1	0.01	13.5	0.2	0.10	6	<0.5	<0.2
1697583	Rab Sample	0.063	17	21	1.58	675	0.117	<20	2.37	0.169	0.37	0.2	<0.01	12.2	0.2	0.06	7	<0.5	<0.2
1697584	Rab Sample	0.064	15	24	1.36	971	0.201	<20	2.37	0.248	0.63	0.4	<0.01	9.6	0.3	0.09	7	<0.5	<0.2
1697585	Rab Sample	0.065	15	19	1.31	1167	0.227	<20	2.40	0.268	0.76	0.5	<0.01	9.3	0.4	0.09	7	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: White Gold Corp.
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000694.1

Method Analyte Unit MDL		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697525	Rab Sample	3.39	0.081	3.0	27.4	177.9	456	10.8	6.0	14.2	662	6.05	847.5	79.3	10.1	79	4.0	9.0	0.2	23	0.13
REP 1697525	QC			3.0	27.8	170.8	456	10.9	6.2	14.3	661	6.12	860.1	77.8	9.7	80	4.0	10.0	0.2	23	0.13
1697557	Rab Sample	4.12	<0.005	1.3	24.1	4.7	67	<0.1	6.2	16.8	690	4.12	10.4	<0.5	9.6	97	0.1	2.7	0.1	133	1.81
REP 1697557	QC			1.4	23.4	4.4	62	<0.1	5.5	16.0	668	3.98	9.6	<0.5	9.7	92	0.1	2.6	0.2	131	1.78
REP 1697565	QC			1.1	22.3	3.5	83	0.1	5.6	17.8	898	3.96	21.9	1.7	8.5	106	0.3	1.9	<0.1	116	2.85
1697568	Rab Sample	4.05	<0.005	0.9	29.7	3.7	83	0.1	5.6	16.9	812	4.17	17.3	3.5	8.1	102	0.2	1.6	0.1	124	2.63
REP 1697568	QC		<0.005																		
1697577	Rab Sample	4.41	0.022	0.9	26.9	61.5	160	1.2	4.8	13.9	1237	3.80	96.8	8.4	7.0	135	1.4	4.1	<0.1	58	4.19
REP 1697577	QC		0.032																		
1697585	Rab Sample	3.97	<0.005	1.4	23.6	6.0	59	0.1	5.0	15.1	649	3.70	11.0	1.9	8.2	111	0.1	1.4	0.1	117	1.84
REP 1697585	QC		<0.005																		
Core Reject Duplicates																					
1697531	Rab Sample	4.89	<0.005	1.4	28.6	5.0	83	0.1	6.2	19.0	742	4.41	12.4	<0.5	9.0	84	0.2	10.2	0.1	113	2.30
DUP 1697531	QC		0.026	1.6	28.3	5.0	80	0.1	6.0	18.4	754	4.37	12.8	1.3	8.7	80	0.2	11.3	0.1	112	2.25
1697565	Rab Sample	4.19	<0.005	1.0	22.1	3.2	83	0.1	6.2	17.2	864	3.98	20.8	2.3	7.7	115	0.3	1.6	0.1	119	2.73
DUP 1697565	QC		<0.005	1.3	21.1	3.6	85	0.1	6.1	16.8	879	4.17	22.1	0.6	8.1	126	0.2	1.5	<0.1	124	2.93
Reference Materials																					
STD DS11	Standard			13.7	156.4	137.2	335	1.7	81.0	14.1	1026	3.09	42.8	82.7	7.8	67	2.5	8.2	12.1	49	1.06
STD DS11	Standard			15.1	156.1	133.8	364	2.0	78.7	14.3	1027	3.12	46.4	78.4	7.5	66	2.7	6.9	12.2	49	1.07
STD DS11	Standard			14.3	152.1	142.1	350	1.8	76.5	14.3	1045	3.10	48.3	99.0	8.2	63	2.9	8.8	13.4	49	1.05
STD DS11	Standard			14.8	152.2	131.0	360	1.6	80.2	13.9	1013	3.06	43.6	71.0	6.8	64	2.3	8.5	11.3	48	1.04
STD OREAS45EA	Standard			1.7	690.4	14.1	32	0.2	382.9	51.9	385	21.31	11.0	48.7	10.1	4	<0.1	0.4	0.2	304	0.04
STD OREAS45EA	Standard			1.8	729.4	16.6	37	0.3	401.2	56.2	394	23.44	13.0	46.9	11.5	4	<0.1	0.3	0.3	340	0.03
STD OREAS45EA	Standard			1.9	734.6	16.0	33	0.3	401.8	55.1	435	24.51	14.0	55.8	11.7	4	<0.1	0.5	0.4	344	0.03
STD OREAS45EA	Standard			1.8	727.8	13.6	35	0.3	409.7	52.9	424	21.86	13.0	52.8	9.8	4	<0.1	0.4	0.3	313	0.03
STD OXC145	Standard		0.203																		
STD OXC145	Standard		0.214																		
STD OXC145	Standard		0.208																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

September 28, 2018

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI18000694.1

Method		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697525	Rab Sample	0.096	20	5	0.07	94	<0.001	<20	0.50	0.009	0.36	0.4	0.03	15.0	0.4	0.17	1	<0.5	<0.2
REP 1697525	QC	0.099	20	5	0.07	97	<0.001	<20	0.50	0.010	0.36	0.4	0.03	14.3	0.4	0.17	1	<0.5	<0.2
1697557	Rab Sample	0.080	18	25	1.79	795	0.212	<20	2.49	0.194	0.51	0.3	<0.01	12.3	0.3	<0.05	8	<0.5	<0.2
REP 1697557	QC	0.077	17	24	1.73	773	0.205	<20	2.40	0.191	0.50	0.3	<0.01	11.2	0.2	<0.05	7	<0.5	<0.2
REP 1697565	QC	0.079	17	23	1.61	589	0.109	<20	2.21	0.100	0.42	0.5	<0.01	11.0	0.2	<0.05	7	<0.5	<0.2
1697568	Rab Sample	0.071	16	24	1.73	594	0.104	<20	2.39	0.126	0.35	0.3	<0.01	11.3	0.2	0.06	7	<0.5	<0.2
REP 1697568	QC																		
1697577	Rab Sample	0.069	13	15	1.49	365	0.033	<20	1.50	0.058	0.38	0.3	<0.01	7.9	0.2	0.30	4	<0.5	<0.2
REP 1697577	QC																		
1697585	Rab Sample	0.065	15	19	1.31	1167	0.227	<20	2.40	0.268	0.76	0.5	<0.01	9.3	0.4	0.09	7	<0.5	<0.2
REP 1697585	QC																		
Core Reject Duplicates																			
1697531	Rab Sample	0.075	18	21	1.44	319	0.034	<20	2.47	0.093	0.25	<0.1	<0.01	16.3	0.2	<0.05	8	<0.5	<0.2
DUP 1697531	QC	0.073	17	20	1.42	324	0.038	<20	2.45	0.094	0.26	<0.1	0.01	15.5	0.2	<0.05	8	<0.5	<0.2
1697565	Rab Sample	0.076	15	23	1.56	578	0.111	<20	2.21	0.102	0.40	0.4	<0.01	9.9	0.2	<0.05	7	<0.5	<0.2
DUP 1697565	QC	0.074	15	22	1.60	652	0.119	<20	2.64	0.166	0.48	0.4	<0.01	10.4	0.2	<0.05	8	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.072	19	58	0.86	417	0.097	<20	1.14	0.073	0.41	2.6	0.25	3.1	4.9	0.29	4	1.9	4.4
STD DS11	Standard	0.069	19	58	0.84	406	0.098	<20	1.17	0.074	0.40	2.2	0.26	3.3	5.0	0.28	5	1.9	4.4
STD DS11	Standard	0.070	19	57	0.83	438	0.088	<20	1.12	0.071	0.40	3.3	0.27	3.0	5.0	0.28	5	2.2	4.8
STD DS11	Standard	0.070	18	57	0.82	409	0.089	<20	1.13	0.071	0.40	3.3	0.21	2.9	4.7	0.28	5	2.0	4.7
STD OREAS45EA	Standard	0.025	7	798	0.10	135	0.095	<20	3.25	0.014	0.05	<0.1	<0.01	74.4	<0.1	<0.05	11	1.2	<0.2
STD OREAS45EA	Standard	0.028	8	888	0.11	159	0.107	<20	3.46	0.024	0.06	<0.1	<0.01	82.7	<0.1	<0.05	14	2.0	<0.2
STD OREAS45EA	Standard	0.031	8	921	0.11	170	0.101	<20	3.37	0.020	0.05	<0.1	0.02	84.1	0.1	<0.05	12	1.7	<0.2
STD OREAS45EA	Standard	0.030	7	842	0.10	146	0.101	<20	3.33	0.023	0.06	<0.1	<0.01	76.8	<0.1	<0.05	14	2.2	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXC145	Standard																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000694.1

		WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
STD OXH139	Standard		1.302																		
STD OXH139	Standard		1.281																		
STD OXH139	Standard		1.285																		
STD OXN134	Standard		7.814																		
STD OXN134	Standard		7.637																		
STD OXN134	Standard		7.855																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.1	5.5	1.3	35	<0.1	1.2	4.0	534	1.80	1.4	3.0	2.1	26	<0.1	<0.1	<0.1	23	0.73
ROCK-WHI	Prep Blank		<0.005	1.1	4.3	1.2	39	<0.1	1.2	4.0	540	1.72	1.3	1.6	2.1	30	<0.1	<0.1	<0.1	22	0.87



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: September 28, 2018

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000694.1

		AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.040	5	3	0.53	52	0.083	<20	0.96	0.050	0.07	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.040	5	3	0.52	54	0.080	<20	1.11	0.058	0.07	<0.1	<0.01	2.7	<0.1	0.06	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: August 31, 2018
Report Date: October 03, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000816.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180823-02-RAB
P.O. Number
Number of Samples: 8

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	8	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	8	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	8	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	8	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	8	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 03, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000816.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
1697601	Rab Sample	2.14	<0.005	1.9	14.4	10.5	39	<0.1	18.2	7.9	478	2.27	11.7	12.1	22.9	20	<0.1	0.2	0.3	35
1697602	Rab Sample	4.55	<0.005	2.9	7.0	12.8	27	<0.1	11.5	3.9	534	1.52	7.8	2.0	31.3	14	<0.1	0.1	0.1	13
1697603	Rab Sample	7.56	<0.005	2.0	2.9	7.1	17	<0.1	3.2	1.5	184	1.03	1.9	<0.5	28.4	16	<0.1	0.1	<0.1	5
1697604	Rab Sample	4.39	<0.005	1.9	2.8	5.3	14	<0.1	4.0	1.8	173	0.97	2.2	<0.5	31.5	14	<0.1	0.1	<0.1	5
1697605	Rab Sample	2.73	<0.005	1.8	4.4	9.8	17	<0.1	5.1	1.7	243	1.25	3.2	0.5	38.6	11	<0.1	0.1	<0.1	4
1697606	Rab Sample	2.01	<0.005	1.9	4.3	7.3	16	<0.1	4.7	1.7	221	1.11	1.5	0.6	37.1	13	<0.1	<0.1	0.1	4
1697607	Rab Sample	2.91	0.051	1.9	3.0	6.3	11	<0.1	3.8	2.0	271	1.26	6.3	44.1	33.5	11	<0.1	<0.1	0.1	4
1697608	Rab Sample	5.53	<0.005	3.3	2.7	3.5	14	<0.1	3.1	1.8	188	1.18	1.5	1.7	32.7	13	<0.1	<0.1	0.1	5



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 03, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000816.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697601	Rab Sample	0.047	31	31	0.50	187	0.069	<20	1.24	0.045	0.30	0.2	0.02	4.1	0.2	<0.05	5	<0.5	<0.2
1697602	Rab Sample	0.036	51	18	0.22	154	0.030	<20	0.69	0.032	0.28	0.7	0.02	1.9	0.2	<0.05	3	<0.5	<0.2
1697603	Rab Sample	0.017	32	10	0.12	44	0.022	<20	0.49	0.063	0.28	0.6	<0.01	0.7	0.2	<0.05	2	<0.5	<0.2
1697604	Rab Sample	0.017	41	8	0.14	42	0.027	<20	0.47	0.049	0.29	1.1	<0.01	0.9	0.2	<0.05	2	<0.5	<0.2
1697605	Rab Sample	0.016	42	7	0.10	55	0.022	<20	0.50	0.055	0.30	0.5	0.01	1.0	0.2	<0.05	3	<0.5	<0.2
1697606	Rab Sample	0.017	45	7	0.12	55	0.023	<20	0.52	0.052	0.31	0.3	<0.01	0.9	0.2	<0.05	3	<0.5	<0.2
1697607	Rab Sample	0.017	41	8	0.05	47	0.006	<20	0.44	0.076	0.23	1.0	<0.01	1.1	<0.1	<0.05	2	<0.5	<0.2
1697608	Rab Sample	0.020	47	6	0.15	41	0.025	<20	0.52	0.070	0.29	0.7	<0.01	1.0	0.2	<0.05	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 03, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000816.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Reference Materials																					
STD DS11	Standard			14.1	144.0	137.5	345	1.6	77.7	13.8	1047	3.12	42.7	155.7	7.3	69	2.1	5.9	11.3	50	1.07
STD DS11	Standard			12.9	150.6	128.3	316	1.6	76.0	13.0	991	3.00	40.6	54.4	7.2	62	2.2	7.8	10.8	47	1.00
STD OREAS45EA	Standard			1.9	729.5	13.8	32	0.3	416.8	53.2	427	22.19	10.9	47.9	9.9	4	<0.1	0.2	0.2	308	0.03
STD OREAS45EA	Standard			1.6	713.2	13.8	30	0.3	388.7	53.7	396	21.79	11.4	47.2	10.3	4	<0.1	0.3	0.2	316	0.03
STD OXC145	Standard		0.210																		
STD OXC145	Standard		0.214																		
STD OXH139	Standard		1.323																		
STD OXH139	Standard		1.300																		
STD OXN134	Standard		7.661																		
STD OXN134	Standard		7.519																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.2	3.7	1.4	35	<0.1	0.7	3.7	548	1.84	1.4	0.9	2.7	31	<0.1	<0.1	<0.1	24	0.76



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 03, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000816.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																			
STD DS11	Standard	0.070	18	58	0.84	427	0.093	<20	1.17	0.074	0.41	2.3	0.25	3.6	4.7	0.28	5	1.8	4.5
STD DS11	Standard	0.067	17	58	0.80	344	0.088	<20	1.09	0.070	0.39	2.6	0.24	2.9	4.6	0.26	5	1.4	4.3
STD OREAS45EA	Standard	0.029	7	930	0.10	140	0.100	<20	3.38	0.016	0.05	<0.1	0.01	82.9	<0.1	<0.05	13	2.1	<0.2
STD OREAS45EA	Standard	0.027	7	854	0.09	138	0.100	<20	3.50	0.020	0.06	<0.1	0.01	77.4	<0.1	<0.05	13	0.8	<0.2
STD OXC145	Standard																		
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	7	2	0.45	74	0.094	<20	0.98	0.079	0.10	<0.1	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: September 01, 2018
Report Date: October 02, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000817.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180823-03-RAB
P.O. Number
Number of Samples: 7

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	7	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	7	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	7	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	7	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	7	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000817.1

	Method	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697609	Rab Sample	2.48	<0.005	1.6	14.8	10.6	40	<0.1	18.7	8.0	515	2.25	11.3	2.8	23.4	22	<0.1	0.2	0.5	34	0.31
1697610	Rab Sample	3.62	<0.005	1.7	3.5	10.1	15	<0.1	5.0	2.0	413	1.15	6.9	1.7	30.3	10	<0.1	0.1	0.1	6	0.10
1697611	Rab Sample	6.55	<0.005	1.7	3.9	15.8	21	<0.1	4.3	1.7	318	1.19	4.1	1.3	30.2	14	<0.1	0.1	0.2	5	0.12
1697612	Rab Sample	4.50	<0.005	0.7	3.2	4.4	15	<0.1	2.1	1.6	210	1.14	2.5	2.7	31.2	10	<0.1	0.1	<0.1	6	0.10
1697613	Rab Sample	5.44	<0.005	0.8	2.6	6.5	14	<0.1	2.1	1.6	244	1.08	3.6	1.7	30.6	10	<0.1	<0.1	<0.1	4	0.09
1697614	Rab Sample	4.96	<0.005	1.1	4.5	8.3	10	<0.1	2.9	1.5	197	0.89	9.3	1.7	33.7	10	<0.1	0.2	0.2	3	0.08
1697615	Rab Sample	2.58	<0.005	1.0	2.2	3.9	11	<0.1	3.5	1.6	247	1.25	2.7	<0.5	32.2	12	<0.1	<0.1	0.2	5	0.13



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000817.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697609	Rab Sample	0.055	39	34	0.47	220	0.066	<20	1.18	0.040	0.30	0.3	0.03	3.5	0.2	<0.05	5	<0.5	<0.2
1697610	Rab Sample	0.016	42	7	0.12	101	0.017	<20	0.45	0.034	0.23	1.0	0.02	1.0	0.2	<0.05	2	<0.5	<0.2
1697611	Rab Sample	0.018	42	7	0.11	73	0.017	<20	0.49	0.053	0.25	0.5	<0.01	0.9	0.2	<0.05	2	<0.5	<0.2
1697612	Rab Sample	0.018	40	4	0.15	44	0.025	<20	0.49	0.047	0.30	0.6	0.02	0.9	0.2	<0.05	2	<0.5	<0.2
1697613	Rab Sample	0.017	40	4	0.12	54	0.015	<20	0.47	0.056	0.29	0.8	0.02	0.7	0.2	<0.05	2	<0.5	<0.2
1697614	Rab Sample	0.013	35	5	0.06	49	0.007	<20	0.36	0.048	0.19	1.4	0.02	0.9	0.1	<0.05	2	<0.5	<0.2
1697615	Rab Sample	0.017	46	7	0.16	47	0.021	<20	0.51	0.053	0.30	0.3	<0.01	1.0	0.2	<0.05	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Project:

BET

Report Date:

October 02, 2018

Page:

1 of 1

Part:

1 of 2

QUALITY CONTROL REPORT

WHI18000817.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Core Reject Duplicates																					
1697610	Rab Sample	3.62	<0.005	1.7	3.5	10.1	15	<0.1	5.0	2.0	413	1.15	6.9	1.7	30.3	10	<0.1	0.1	0.1	6	0.10
DUP 1697610	QC		<0.005	1.1	2.9	7.9	14	<0.1	3.6	1.7	310	1.04	5.4	0.6	26.3	10	<0.1	<0.1	0.2	5	0.09
Reference Materials																					
STD DS11	Standard			13.9	151.2	139.9	346	1.6	80.8	14.0	1041	3.22	42.8	123.8	7.5	75	2.6	7.3	12.0	49	1.05
STD OREAS45EA	Standard			1.6	716.3	15.0	33	0.3	414.4	56.5	451	26.42	11.9	58.3	11.4	4	<0.1	0.4	0.3	319	0.04
STD OXC145	Standard		0.220																		
STD OXH139	Standard		1.303																		
STD OXN134	Standard		7.741																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.9	3.6	1.4	34	<0.1	0.9	4.0	551	1.90	1.6	<0.5	2.0	36	<0.1	<0.1	<0.1	25	0.69



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000817.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Core Reject Duplicates																		
1697610 Rab Sample	0.016	42	7	0.12	101	0.017	<20	0.45	0.034	0.23	1.0	0.02	1.0	0.2	<0.05	2	<0.5	<0.2
DUP 1697610 QC	0.016	34	5	0.11	76	0.016	<20	0.42	0.036	0.22	0.6	0.02	0.7	0.2	<0.05	2	<0.5	<0.2
Reference Materials																		
STD DS11 Standard	0.068	19	59	0.84	380	0.094	<20	1.15	0.073	0.40	2.7	0.25	3.5	5.3	0.27	5	2.3	4.7
STD OREAS45EA Standard	0.029	8	882	0.10	150	0.107	<20	3.45	0.027	0.06	<0.1	0.01	86.4	<0.1	<0.05	14	0.8	<0.2
STD OXC145 Standard																		
STD OXH139 Standard																		
STD OXN134 Standard																		
STD OXN134 Expected																		
STD OXC145 Expected																		
STD OXH139 Expected																		
STD OREAS45EA Expected	0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI Prep Blank	0.041	7	2	0.46	72	0.083	<20	0.95	0.075	0.09	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: August 31, 2018
Report Date: October 02, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000818.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180823-04-RAB
P.O. Number
Number of Samples: 16

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	15	Crush, split and pulverize 250 g rock to 200 mesh			WHI
SLBHP	1	Sort, label and box pulps			WHI
FA430	16	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	16	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	16	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	16	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000818.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697616	Rab Sample	1.55	0.153	1.6	20.3	11.9	41	0.3	15.2	13.2	574	2.99	3.3	127.0	23.0	16	<0.1	0.6	1.1	54	0.31
1697617	Rab Sample	2.33	0.254	2.8	16.1	7.3	54	0.2	33.3	20.5	946	3.84	14.0	129.1	13.2	30	<0.1	0.7	0.2	80	3.18
1697618	Rab Sample	1.95	0.043	2.2	14.8	4.6	40	<0.1	29.6	14.7	720	2.82	7.0	20.1	18.0	51	<0.1	0.7	<0.1	51	2.56
1697619	Rab Sample	2.90	0.045	2.4	24.4	5.5	43	0.2	24.1	13.8	874	2.83	5.0	30.6	16.6	37	0.2	0.8	0.2	29	4.09
1697620	Rock Pulp	0.08	0.483	6.9	281.2	14.6	50	0.6	117.7	15.1	461	2.92	179.4	384.2	3.1	89	0.3	1.0	0.1	67	1.89
1697621	Rab Sample	3.64	0.628	4.0	22.8	5.7	38	0.6	4.0	9.4	678	2.59	7.3	376.1	17.3	25	0.3	1.3	0.4	19	1.70
1697622	Rab Sample	5.09	0.550	3.1	8.4	23.4	15	1.2	4.8	4.2	415	1.50	4.5	1800.5	17.2	39	<0.1	0.5	1.4	4	0.30
1697623	Rab Sample	2.68	1.280	3.2	7.9	25.2	11	0.6	3.4	3.5	150	1.37	6.1	823.3	28.2	32	<0.1	0.6	0.7	2	0.04
1697624	Rab Sample	2.53	0.132	2.9	7.1	14.3	34	0.4	14.0	10.3	468	2.52	3.6	122.4	19.3	25	0.1	0.6	0.5	31	0.82
1697625	Rab Sample	2.22	0.014	2.7	6.9	6.6	46	<0.1	18.1	13.7	695	3.13	2.1	25.8	19.8	21	0.2	0.3	0.1	45	1.68
1697626	Rab Sample	1.56	0.030	4.0	12.9	14.3	44	0.2	15.7	11.8	659	2.87	12.9	15.6	24.4	29	0.1	1.2	0.4	35	0.69
1697627	Rab Sample	2.26	0.030	1.7	5.4	8.7	11	0.2	2.3	3.1	221	1.21	3.2	21.7	23.5	25	<0.1	0.4	0.3	4	0.10
1697628	Rab Sample	3.27	0.018	2.6	4.4	22.7	14	0.3	4.0	3.3	256	1.37	3.1	15.5	19.4	27	<0.1	0.3	0.6	3	0.06
1697629	Rab Sample	2.12	0.061	2.5	14.2	8.8	45	0.1	3.9	8.4	567	2.68	6.4	35.2	21.4	20	0.1	0.6	0.3	19	0.51
1697630	Rab Sample	2.14	0.006	1.7	8.4	6.7	13	<0.1	2.7	2.7	226	1.41	4.8	4.1	34.2	14	<0.1	0.3	0.2	5	0.09
1697631	Rab Sample	2.66	0.074	2.2	5.4	7.0	9	0.1	1.9	2.4	142	1.29	1.9	35.9	30.4	14	<0.1	0.2	0.2	3	0.06



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000818.1

	Method	Analyte	Unit	MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200			
					P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1697616	Rab Sample	0.053	50	64	1.20	190	0.116	<20	1.75	0.019	0.76	0.4	0.02	6.6	0.5	<0.05	5	<0.5	<0.2			
1697617	Rab Sample	0.071	22	144	1.46	340	0.126	<20	1.92	0.018	1.30	0.3	0.12	10.6	0.6	<0.05	6	<0.5	<0.2			
1697618	Rab Sample	0.041	22	100	0.72	567	0.058	<20	1.13	0.014	0.67	0.4	0.07	8.5	0.4	<0.05	4	<0.5	<0.2			
1697619	Rab Sample	0.059	25	55	0.32	611	0.017	<20	0.90	0.009	0.51	0.3	0.06	5.9	0.3	<0.05	3	<0.5	<0.2			
1697620	Rock Pulp	0.035	8	114	1.46	126	0.101	<20	2.82	0.326	0.22	0.7	0.04	3.6	<0.1	0.11	6	<0.5	<0.2			
1697621	Rab Sample	0.077	33	7	0.11	213	0.011	<20	0.59	0.017	0.37	0.5	0.10	2.8	0.2	<0.05	2	<0.5	<0.2			
1697622	Rab Sample	0.015	23	6	0.03	99	0.001	<20	0.51	0.004	0.21	0.7	0.08	1.1	<0.1	<0.05	1	<0.5	0.3			
1697623	Rab Sample	0.009	35	4	0.02	292	<0.001	<20	0.48	0.012	0.23	0.3	0.13	0.8	<0.1	<0.05	1	<0.5	<0.2			
1697624	Rab Sample	0.049	34	41	0.65	168	0.053	<20	1.19	0.030	0.82	0.3	0.09	4.3	0.5	<0.05	4	<0.5	<0.2			
1697625	Rab Sample	0.073	30	56	1.00	139	0.090	<20	1.53	0.018	1.18	0.2	0.03	7.0	0.8	<0.05	5	<0.5	<0.2			
1697626	Rab Sample	0.055	36	43	0.55	140	0.041	<20	1.21	0.026	0.80	0.3	0.10	6.5	0.5	<0.05	4	<0.5	<0.2			
1697627	Rab Sample	0.016	33	7	0.06	64	0.003	<20	0.40	0.029	0.25	0.3	0.07	1.2	0.2	<0.05	1	<0.5	<0.2			
1697628	Rab Sample	0.015	32	6	0.04	71	0.002	<20	0.43	0.022	0.23	0.3	0.07	1.1	0.1	<0.05	1	<0.5	<0.2			
1697629	Rab Sample	0.065	33	5	0.11	129	0.006	<20	0.59	0.025	0.31	0.2	0.10	3.1	0.1	0.06	2	<0.5	<0.2			
1697630	Rab Sample	0.022	48	5	0.05	71	0.004	<20	0.45	0.052	0.26	0.2	0.09	1.5	0.1	<0.05	2	<0.5	<0.2			
1697631	Rab Sample	0.016	40	4	0.03	55	0.002	<20	0.33	0.046	0.23	0.2	0.12	1.0	<0.1	<0.05	1	<0.5	<0.2			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000818.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697624	Rab Sample	2.53	0.132	2.9	7.1	14.3	34	0.4	14.0	10.3	468	2.52	3.6	122.4	19.3	25	0.1	0.6	0.5	31	0.82
REP 1697624	QC			3.1	6.7	14.8	34	0.4	13.2	10.2	465	2.53	2.9	98.1	20.1	25	<0.1	0.6	0.5	31	0.82
Reference Materials																					
STD DS11	Standard			15.1	143.6	137.4	331	1.6	77.2	13.0	1023	3.10	41.0	83.6	6.8	68	2.5	6.4	11.0	49	1.04
STD OREAS45EA	Standard			1.4	696.7	12.6	29	0.2	390.2	51.9	395	22.81	10.6	43.0	8.8	3	<0.1	0.2	0.2	301	0.03
STD OXC145	Standard	0.214																			
STD OXH139	Standard	1.300																			
STD OXN134	Standard	7.519																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	1.0	3.7	1.3	34	<0.1	0.7	3.7	546	1.85	1.7	<0.5	2.3	33	<0.1	<0.1	<0.1	23	0.90
ROCK-WHI	Prep Blank		<0.005	1.2	4.2	1.2	31	<0.1	1.0	3.6	533	1.96	0.7	<0.5	2.3	26	<0.1	<0.1	<0.1	24	0.70



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 02, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000818.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1697624 Rab Sample	0.049	34	41	0.65	168	0.053	<20	1.19	0.030	0.82	0.3	0.09	4.3	0.5	<0.05	4	<0.5	<0.2
REP 1697624 QC	0.048	35	43	0.66	174	0.054	<20	1.20	0.030	0.82	0.2	0.10	4.9	0.5	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS11 Standard	0.071	18	58	0.82	429	0.091	<20	1.14	0.073	0.40	2.5	0.24	3.5	4.8	0.29	5	1.6	4.4
STD OREAS45EA Standard	0.030	7	928	0.09	135	0.100	<20	3.27	0.020	0.06	<0.1	0.02	80.6	<0.1	<0.05	12	0.9	<0.2
STD OXC145 Standard																		
STD OXH139 Standard																		
STD OXN134 Standard																		
STD OXN134 Expected																		
STD OXC145 Expected																		
STD OXH139 Expected																		
STD OREAS45EA Expected	0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected	0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK Blank																		
BLK Blank																		
BLK Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																		
ROCK-WHI Prep Blank	0.041	7	2	0.44	68	0.075	<20	1.05	0.069	0.09	<0.1	<0.01	3.0	<0.1	0.05	4	<0.5	<0.2
ROCK-WHI Prep Blank	0.041	6	3	0.43	59	0.092	<20	0.95	0.089	0.10	<0.1	0.01	3.5	<0.1	<0.05	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

White Gold Corp.

Box 70

Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson

Receiving Lab: Canada-Whitehorse

Received: August 31, 2018

Report Date: October 01, 2018

Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000819.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET180823-05-RAB
P.O. Number
Number of Samples: 23

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	23	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	23	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	23	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	23	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	23	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS


JEFFREY CANNON
Geochemistry Department Supervisor

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 01, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000819.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1697632	Rab Sample	1.83	0.020	1.5	14.9	5.2	24	<0.1	12.5	5.9	355	1.59	4.5	16.4	19.3	18	<0.1	0.3	0.2	21	0.20
1697633	Rab Sample	2.61	0.031	2.7	12.5	5.7	25	<0.1	11.2	5.7	401	1.63	3.7	9.1	29.4	19	<0.1	0.3	0.2	14	0.27
1697634	Rab Sample	3.03	0.008	2.5	11.6	6.8	28	<0.1	8.3	5.6	327	1.51	7.3	3.4	26.9	43	<0.1	0.9	0.2	16	0.90
1697635	Rab Sample	4.99	<0.005	2.1	5.5	3.7	12	<0.1	4.4	1.8	158	0.89	7.2	1.5	31.5	20	<0.1	0.5	0.2	3	0.20
1697636	Rab Sample	4.86	<0.005	3.3	15.6	7.3	26	<0.1	9.7	8.4	414	1.94	11.4	1.9	27.9	39	<0.1	1.0	0.2	28	1.70
1697637	Rab Sample	4.55	0.005	4.2	9.3	8.4	27	<0.1	6.0	7.1	422	1.83	32.6	2.8	24.5	49	<0.1	1.1	0.2	15	1.65
1697638	Rab Sample	2.49	0.009	2.6	17.3	9.9	25	0.2	8.0	6.1	452	1.34	4.5	12.2	23.9	38	0.2	1.1	0.3	5	2.10
1697639	Rab Sample	3.37	<0.005	0.9	4.6	6.8	12	<0.1	4.0	2.4	241	0.85	1.9	1.0	29.8	13	<0.1	0.3	0.1	2	0.99
1697640	Rock	0.68	<0.005	<0.1	1.1	0.5	1	<0.1	0.4	0.3	103	0.07	0.9	<0.5	<0.1	70	<0.1	<0.1	<0.1	1	32.63
1697641	Rab Sample	3.13	<0.005	1.5	3.3	14.2	20	<0.1	7.2	4.3	372	1.29	2.7	1.0	35.2	16	<0.1	0.3	0.2	8	1.07
1697642	Rab Sample	3.07	<0.005	1.0	4.6	14.5	6	<0.1	2.2	1.1	204	0.74	2.1	2.1	33.5	12	<0.1	0.2	0.2	<1	0.20
1697643	Rab Sample	1.36	<0.005	1.3	8.0	10.6	33	<0.1	18.6	9.6	698	1.88	3.9	0.8	22.7	49	<0.1	0.2	0.1	28	4.10
1697644	Rab Sample	2.04	<0.005	1.4	4.5	8.0	44	<0.1	21.6	12.2	718	2.43	1.7	<0.5	15.7	49	<0.1	0.1	<0.1	36	4.87
1697645	Rab Sample	3.02	<0.005	0.9	2.7	8.0	49	<0.1	22.4	13.3	870	2.59	1.6	<0.5	13.5	58	<0.1	0.1	<0.1	40	5.52
1697646	Rab Sample	3.33	<0.005	1.1	2.4	7.0	46	<0.1	18.9	11.0	855	2.31	2.2	0.6	16.7	57	<0.1	0.1	<0.1	28	4.96
1697647	Rab Sample	2.97	0.005	1.0	2.5	14.0	14	<0.1	4.6	3.1	281	0.95	1.7	1.5	27.5	20	<0.1	<0.1	0.1	5	1.05
1697648	Rab Sample	3.51	0.006	1.6	3.3	14.3	21	<0.1	8.1	4.1	421	1.14	2.3	2.4	29.5	26	0.2	0.1	0.2	6	1.50
1697649	Rab Sample	3.23	0.008	6.7	1.4	17.2	21	<0.1	7.8	5.7	409	1.47	2.1	5.9	27.1	29	<0.1	0.1	0.7	5	1.28
1697650	Rab Sample	3.52	0.008	5.8	2.1	16.7	16	<0.1	8.5	4.7	440	1.15	4.0	5.6	27.1	33	<0.1	<0.1	0.4	4	1.31
1697651	Rab Sample	3.59	0.008	5.1	4.3	21.4	14	<0.1	7.1	4.2	400	1.20	3.8	5.4	30.0	28	0.2	0.1	0.4	4	0.96
1697652	Rab Sample	3.35	0.010	7.2	5.1	19.3	11	<0.1	5.2	3.7	325	1.14	3.0	6.6	25.8	21	0.2	0.1	0.5	3	0.81
1697653	Rab Sample	3.03	0.009	4.2	9.3	19.8	14	0.1	7.4	4.7	392	1.21	2.7	6.8	26.5	26	0.1	0.2	0.5	3	0.85
1697654	Rab Sample	2.66	0.011	4.8	10.4	20.5	17	0.1	7.4	4.8	416	1.16	4.6	7.3	22.9	34	0.2	0.1	0.5	3	1.09



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 01, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000819.1

Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	
MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2	
1697632	Rab Sample	0.022	28	18	0.25	125	0.033	<20	0.81	0.033	0.21	0.2	0.02	2.8	0.1	<0.05	2	<0.5	<0.2
1697633	Rab Sample	0.023	35	17	0.20	113	0.012	<20	0.69	0.021	0.38	0.2	0.07	3.0	0.2	<0.05	2	<0.5	<0.2
1697634	Rab Sample	0.024	24	16	0.28	95	0.017	<20	0.77	0.014	0.35	0.4	0.09	3.4	0.2	<0.05	2	<0.5	<0.2
1697635	Rab Sample	0.012	25	5	0.04	42	0.003	<20	0.39	0.042	0.21	0.5	0.11	0.8	0.1	<0.05	1	<0.5	<0.2
1697636	Rab Sample	0.040	29	19	0.47	123	0.029	<20	0.93	0.027	0.61	0.2	0.23	5.0	0.5	<0.05	3	<0.5	<0.2
1697637	Rab Sample	0.029	23	9	0.12	104	0.006	<20	0.61	0.010	0.33	0.5	0.16	3.2	0.3	<0.05	2	<0.5	<0.2
1697638	Rab Sample	0.015	28	7	0.08	274	0.002	<20	0.60	0.002	0.29	0.2	0.08	1.9	0.2	<0.05	1	<0.5	<0.2
1697639	Rab Sample	0.004	17	4	0.09	51	<0.001	<20	0.51	0.002	0.17	0.3	0.05	1.0	<0.1	<0.05	1	<0.5	<0.2
1697640	Rock	0.006	1	<1	0.91	30	<0.001	<20	0.02	<0.001	<0.01	<0.1	<0.01	1.8	<0.1	<0.05	<1	<0.5	<0.2
1697641	Rab Sample	0.019	17	8	0.13	57	0.004	<20	0.65	0.002	0.27	0.2	0.04	2.1	0.2	<0.05	2	<0.5	<0.2
1697642	Rab Sample	0.003	14	3	0.04	35	<0.001	<20	0.46	<0.001	0.15	0.3	0.04	0.8	<0.1	<0.05	1	<0.5	<0.2
1697643	Rab Sample	0.013	12	42	0.90	98	0.001	<20	0.75	0.004	0.20	<0.1	0.04	7.1	0.1	<0.05	2	<0.5	<0.2
1697644	Rab Sample	0.021	11	50	0.91	103	0.007	<20	1.00	0.004	0.31	<0.1	0.02	8.2	0.2	<0.05	3	<0.5	<0.2
1697645	Rab Sample	0.031	10	54	1.39	113	0.010	<20	1.09	0.007	0.38	<0.1	0.04	9.0	0.2	<0.05	3	<0.5	<0.2
1697646	Rab Sample	0.028	16	32	1.05	84	0.005	<20	0.95	0.005	0.33	<0.1	0.05	5.6	0.2	<0.05	3	<0.5	<0.2
1697647	Rab Sample	0.006	16	7	0.27	32	0.001	<20	0.51	0.002	0.18	0.3	0.03	1.4	<0.1	<0.05	1	<0.5	<0.2
1697648	Rab Sample	0.009	19	10	0.29	47	0.001	<20	0.55	0.003	0.22	0.3	0.04	1.6	0.1	<0.05	2	<0.5	<0.2
1697649	Rab Sample	0.019	25	5	0.31	37	0.002	<20	0.57	0.003	0.28	0.2	0.01	1.7	0.2	<0.05	1	<0.5	<0.2
1697650	Rab Sample	0.010	26	6	0.22	35	0.001	<20	0.56	0.002	0.28	0.2	0.02	1.6	0.1	<0.05	1	<0.5	<0.2
1697651	Rab Sample	0.013	23	6	0.29	27	0.001	<20	0.59	0.003	0.29	0.2	0.03	1.5	0.1	<0.05	1	<0.5	<0.2
1697652	Rab Sample	0.012	25	5	0.17	23	<0.001	<20	0.57	0.002	0.21	0.2	0.02	1.4	<0.1	0.05	1	<0.5	<0.2
1697653	Rab Sample	0.015	27	5	0.24	71	<0.001	<20	0.57	0.003	0.23	0.2	0.01	1.4	<0.1	<0.05	1	<0.5	<0.2
1697654	Rab Sample	0.012	22	5	0.35	228	<0.001	<20	0.47	0.002	0.23	0.2	0.02	1.6	0.1	0.15	1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 01, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000819.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
Pulp Duplicates																					
1697645	Rab Sample	3.02	<0.005	0.9	2.7	8.0	49	<0.1	22.4	13.3	870	2.59	1.6	<0.5	13.5	58	<0.1	0.1	<0.1	40	5.52
REP 1697645	QC		<0.005	0.8	2.8	7.8	49	<0.1	22.4	13.1	861	2.60	1.5	<0.5	13.1	56	<0.1	<0.1	<0.1	41	5.63
Core Reject Duplicates																					
1697642	Rab Sample	3.07	<0.005	1.0	4.6	14.5	6	<0.1	2.2	1.1	204	0.74	2.1	2.1	33.5	12	<0.1	0.2	0.2	<1	0.20
DUP 1697642	QC		0.006	1.0	5.5	14.8	7	<0.1	2.2	1.1	215	0.77	2.3	2.1	33.8	12	<0.1	0.2	0.2	1	0.20
Reference Materials																					
STD DS11	Standard			12.6	146.8	136.0	338	1.6	75.3	13.4	999	3.05	43.5	53.6	7.2	63	2.2	5.8	10.8	48	1.04
STD OREAS45EA	Standard			1.4	672.3	12.3	29	0.2	381.7	48.9	372	19.78	10.6	43.3	8.6	3	<0.1	0.2	0.2	288	0.03
STD OXC145	Standard		0.214																		
STD OXH139	Standard		1.300																		
STD OXN134	Standard		7.519																		
STD OXN134 Expected			7.667																		
STD OXC145 Expected			0.212																		
STD OXH139 Expected			1.312																		
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.8	3.7	1.3	33	<0.1	1.0	3.7	530	1.77	1.6	1.0	2.2	28	<0.1	<0.1	<0.1	22	0.68
ROCK-WHI	Prep Blank		<0.005	1.1	3.6	1.2	36	<0.1	1.2	3.4	519	1.73	1.2	<0.5	2.2	25	<0.1	<0.1	<0.1	22	0.69



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: BET
Report Date: October 01, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000819.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																			
1697645	Rab Sample	0.031	10	54	1.39	113	0.010	<20	1.09	0.007	0.38	<0.1	0.04	9.0	0.2	<0.05	3	<0.5	<0.2
REP 1697645	QC	0.030	10	54	1.38	114	0.010	<20	1.08	0.006	0.38	<0.1	0.05	8.7	0.2	<0.05	3	<0.5	<0.2
Core Reject Duplicates																			
1697642	Rab Sample	0.003	14	3	0.04	35	<0.001	<20	0.46	<0.001	0.15	0.3	0.04	0.8	<0.1	<0.05	1	<0.5	<0.2
DUP 1697642	QC	0.003	14	3	0.04	37	<0.001	<20	0.49	0.001	0.15	0.4	0.05	0.7	<0.1	<0.05	1	<0.5	<0.2
Reference Materials																			
STD DS11	Standard	0.072	16	55	0.81	425	0.085	<20	1.10	0.068	0.39	2.6	0.26	3.1	4.9	0.27	5	2.2	4.5
STD OREAS45EA	Standard	0.028	6	841	0.08	128	0.088	<20	3.04	0.015	0.05	<0.1	<0.01	75.1	<0.1	<0.05	12	1.0	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	6	2	0.44	77	0.079	<20	0.97	0.094	0.12	<0.1	<0.01	3.2	<0.1	0.06	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.038	6	1	0.41	62	0.084	<20	0.90	0.089	0.10	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2