



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Submitted By: Greg Dawson
Receiving Lab: Canada-Whitehorse
Received: June 25, 2018
Report Date: July 12, 2018
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000133.1

CLIENT JOB INFORMATION

Project: HAY
Shipment ID: HAY180618-05Rock
P.O. Number
Number of Samples: 8

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Ground Truth Exploration Inc.
Box 70
Dawson Yukon Y0B 1G0
Canada

CC: Jodie Gibson
Ben McGrath
Wes Hodson
Isaac Fage

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	8	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	8	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
EN002	8	Environmental disposal charge-Fire assay lead waste			VAN
AQ200	8	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
SHP01	8	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: HAY
Report Date: July 12, 2018

Page: 2 of 2

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI18000133.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1	0.01
1664980	Rock	1.15	<0.005	2.2	40.0	13.4	47	0.4	50.4	12.4	206	1.68	2.3	2.3	2.3	301	0.2	0.1	<0.1	41	1.98
1664981	Rock	1.14	<0.005	0.1	4.0	1.3	58	<0.1	13.1	18.6	536	2.78	0.6	1.7	0.7	36	<0.1	<0.1	<0.1	32	0.46
1664982	Rock	1.20	<0.005	13.6	32.1	154.2	297	5.8	6.4	5.3	1331	3.24	85.6	2.5	8.5	37	0.9	1.2	13.4	37	1.40
1664801	Rock	1.74	0.044	1.5	34.2	29.6	113	1.5	36.2	9.2	317	2.21	327.3	40.5	9.6	37	0.3	2.5	0.3	17	0.06
1664802	Rock	0.95	0.018	1.6	47.4	7.8	103	0.6	48.4	10.9	487	2.70	212.8	13.2	3.7	35	0.2	2.2	<0.1	41	0.49
1664803	Rock	1.77	<0.005	0.2	4.1	2.5	31	<0.1	5.0	6.9	433	1.83	2.0	<0.5	7.5	15	<0.1	<0.1	<0.1	26	0.25
1664804	Rock	0.84	<0.005	0.2	5.6	17.6	45	0.2	4.1	6.0	413	1.59	10.5	<0.5	16.6	20	0.5	0.3	<0.1	19	0.39
1664805	Rock	0.28	0.048	1.0	23.1	3.4	24	1.5	21.8	7.0	193	1.46	274.5	32.2	1.6	27	0.1	3.5	<0.1	12	0.02



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: HAY
Report Date: July 12, 2018

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI18000133.1

	Method Analyte Unit MDL	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1664980	Rock	0.144	7	34	0.49	274	0.150	<20	2.49	0.247	0.26	0.1	<0.01	3.4	<0.1	0.12	8	0.9	<0.2
1664981	Rock	0.026	2	7	1.93	20	0.085	<20	2.20	0.039	0.03	<0.1	<0.01	1.6	<0.1	<0.05	6	<0.5	<0.2
1664982	Rock	0.032	11	10	0.67	234	0.035	<20	2.34	0.011	0.71	0.8	<0.01	4.0	4.9	<0.05	6	<0.5	<0.2
1664801	Rock	0.025	11	13	0.03	307	0.002	<20	0.50	0.003	0.11	<0.1	0.01	3.3	0.5	<0.05	1	0.7	<0.2
1664802	Rock	0.053	10	30	0.19	834	0.004	<20	0.50	0.004	0.11	<0.1	0.03	4.2	0.3	<0.05	2	2.4	<0.2
1664803	Rock	0.033	10	6	0.53	57	0.066	<20	1.01	0.050	0.11	<0.1	<0.01	1.9	<0.1	<0.05	5	<0.5	<0.2
1664804	Rock	0.035	10	6	0.60	41	0.110	<20	0.98	0.042	0.11	<0.1	<0.01	1.5	0.1	<0.05	4	<0.5	<0.2
1664805	Rock	0.013	7	7	0.02	247	0.002	<20	0.20	0.003	0.08	<0.1	<0.01	0.9	<0.1	<0.05	<1	1.4	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: HAY
Report Date: July 12, 2018

Page: 1 of 1

Part: 1 of 2

QUALITY CONTROL REPORT

WHI18000133.1

	Method Analyte Unit MDL	WGHT	FA430	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	Au	Th	Sr	Cd	Sb	Bi	V	Ca
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.5	0.1	1	0.1	0.1	0.1	1
REP 1664802	QC	0.017																			
Core Reject Duplicates																					
1664802	Rock	0.95	0.018	1.6	47.4	7.8	103	0.6	48.4	10.9	487	2.70	212.8	13.2	3.7	35	0.2	2.2	<0.1	41	0.49
DUP 1664802	QC	0.016		1.7	47.1	7.8	103	0.6	48.0	10.9	511	2.76	222.8	14.6	3.6	35	0.2	2.3	0.1	41	0.49
Reference Materials																					
STD DS11	Standard			15.8	152.3	145.1	335	1.7	83.6	14.1	1006	3.08	42.5	74.7	7.9	68	2.4	7.4	12.2	47	1.05
STD OREAS45EA	Standard			1.7	718.6	15.1	32	0.2	403.3	55.0	407	22.79	11.4	56.4	10.7	4	<0.1	0.3	0.3	316	0.04
STD OXC145	Standard	0.222																			
STD OXH139	Standard	1.296																			
STD OXN134	Standard	7.694																			
STD OXN134 Expected		7.667																			
STD OXC145 Expected		0.212																			
STD OXH139 Expected		1.312																			
STD OREAS45EA Expected				1.6	709	14.3	31.4	0.26	381	52	400	22.65	11.4	53	10.7	4.05	0.03	0.32	0.26	303	0.036
STD DS11 Expected				13.9	149	138	345	1.71	77.7	14.2	1055	3.1	42.8	79	7.65	67.3	2.37	7.2	12.2	50	1.063
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005		0.7	7.2	1.4	36	<0.1	1.3	4.3	544	1.77	2.0	<0.5	2.0	28	<0.1	<0.1	<0.1	24	0.67



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **White Gold Corp.**
Box 70
Dawson Yukon Y0B 1G0 Canada

Project: HAY
Report Date: July 12, 2018

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI18000133.1

	Method	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200	AQ200
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
REP 1664802	QC																		
Core Reject Duplicates																			
1664802	Rock	0.053	10	30	0.19	834	0.004	<20	0.50	0.004	0.11	<0.1	0.03	4.2	0.3	<0.05	2	2.4	<0.2
DUP 1664802	QC	0.054	9	28	0.19	881	0.004	<20	0.46	0.004	0.10	<0.1	0.03	4.1	0.3	<0.05	1	2.4	<0.2
Reference Materials																			
STD DS11	Standard	0.074	19	59	0.82	441	0.091	<20	1.13	0.072	0.40	2.7	0.26	3.1	5.1	0.27	5	2.4	4.5
STD OREAS45EA	Standard	0.030	7	911	0.10	146	0.101	<20	3.49	0.015	0.06	<0.1	<0.01	80.7	<0.1	<0.05	12	1.5	<0.2
STD OXC145	Standard																		
STD OXH139	Standard																		
STD OXN134	Standard																		
STD OXN134 Expected																			
STD OXC145 Expected																			
STD OXH139 Expected																			
STD OREAS45EA Expected		0.029	7.06	849	0.095	148	0.0984		3.32	0.02	0.053			78	0.072	0.036	12.4	0.78	0.1
STD DS11 Expected		0.0701	18.6	61.5	0.85	417	0.0976		1.129	0.0694	0.4	2.9	0.26	3.1	4.9	0.2835	4.7	2.2	4.56
BLK	Blank																		
BLK	Blank																		
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																			
ROCK-WHI	Prep Blank	0.041	6	3	0.49	66	0.079	<20	0.99	0.084	0.09	<0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2