



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 1
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

CERTIFICATE VA18253984

Project: YUK8-TA17-I

This report is for 145 Pulp samples submitted to our lab in Vancouver, BC, Canada on 9-OCT-2018.

The following have access to data associated with this certificate:

METALEX GIS

AGNES KOFFYBERG

CHAD ULANSKY

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
----------	-------------

WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-QC	QC Test on Received Samples

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
----------	-------------	------------

ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	
Zn-OG62	Ore Grade Zn - Four Acid	
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
18-8515-01		0.30	0.002	0.38	0.39	44.4	10	0.20	0.18	20.7	6.09	6.76	1.2	4	0.42	7.8
18-8515-02		0.28	<0.001	0.17	0.35	14.0	<10	0.22	0.14	20.8	1.33	6.99	1.3	4	0.58	4.6
18-8515-03		0.32	<0.001	1.18	0.35	119.0	10	0.18	0.27	16.95	31.1	8.46	2.4	3	0.49	25.3
18-8515-04		0.28	0.001	1.99	0.55	67.8	10	0.22	1.24	16.60	95.5	9.26	5.1	5	0.65	106.5
18-8515-05		0.30	<0.001	0.01	0.50	0.5	20	0.12	0.02	0.02	0.06	16.50	0.7	338	0.29	2.9
18-8515-06		0.28	0.001	1.07	0.51	257	10	0.28	0.73	17.70	18.60	9.84	2.7	6	0.48	23.6
18-8515-07		0.28	0.001	0.84	0.68	150.5	10	0.35	0.70	19.50	19.20	10.85	1.8	7	0.50	17.8
18-8515-08		0.26	<0.001	1.32	0.44	203	10	0.16	0.82	19.25	44.0	9.39	2.0	5	0.33	44.8
18-8515-09		0.28	<0.001	0.31	0.06	64.7	20	0.08	0.12	22.7	7.44	13.00	0.9	2	0.30	10.0
18-8515-10		0.28	0.001	0.38	0.33	74.0	10	0.18	0.51	21.9	8.83	10.20	2.0	5	0.30	11.5
18-8515-11		0.28	0.002	0.64	0.30	100.0	10	0.14	0.31	20.0	21.9	9.89	1.1	3	0.24	11.0
18-8515-12		0.28	<0.001	2.17	0.59	158.0	10	0.24	2.12	13.20	64.6	11.25	5.1	6	0.26	53.3
18-8515-13		0.28	<0.001	1.66	0.24	145.0	10	0.15	3.80	12.25	9.93	11.40	4.4	3	0.15	54.1
18-8515-14		0.28	0.001	15.40	0.58	690	10	0.29	4.53	3.01	199.0	6.62	6.8	7	0.45	419
18-8515-15		0.28	<0.001	17.25	0.48	2140	10	0.50	12.95	0.24	93.1	9.11	25.0	4	0.48	382
18-8515-16		0.28	<0.001	2.24	0.28	2300	10	0.33	7.38	0.34	24.3	5.65	16.1	2	0.13	80.4
18-8515-17		0.30	0.001	7.70	0.48	3020	10	0.22	14.30	0.23	26.4	5.37	12.9	4	0.47	586
18-8515-18		0.26	<0.001	10.65	0.90	1980	10	0.45	25.8	0.64	8.29	6.45	13.2	8	1.06	942
18-8515-19		0.28	0.001	0.50	0.85	202	10	0.40	1.37	19.45	2.81	13.30	5.0	8	1.05	15.7
18-8515-20		0.26	0.005	2.26	0.23	436	10	0.28	2.91	16.80	92.7	13.15	4.4	2	0.29	54.9
18-8515-21		0.26	<0.001	0.01	0.51	0.8	20	0.16	0.01	0.01	0.04	16.65	0.9	374	0.32	3.4
18-8515-22		0.10	1.255	68.3	6.18	85.6	220	1.92	3.82	2.06	279	42.0	30.8	35	3.23	3670
18-8516-01		0.28	0.002	0.81	0.30	152.0	10	0.24	0.44	19.05	40.3	8.08	1.8	3	0.26	11.7
18-8516-02		0.24	<0.001	1.28	0.35	63.2	10	0.23	0.85	17.90	104.5	12.05	2.5	3	0.21	25.7
18-8516-03		0.26	<0.001	0.12	0.42	14.4	<10	0.30	0.29	20.4	0.97	8.52	2.2	4	0.54	5.3
18-8516-04		0.26	0.001	9.15	0.52	378	10	0.33	26.2	12.75	16.65	7.29	6.6	5	0.64	516
18-8516-05		0.28	<0.001	1.67	0.45	496	10	0.33	1.81	17.40	30.6	11.15	5.4	4	0.54	43.8
18-8516-06		0.26	0.001	0.32	0.34	95.4	10	0.22	0.47	20.6	5.85	7.37	1.8	3	0.39	6.1
18-8516-07		0.26	<0.001	0.23	0.52	125.0	10	0.39	0.88	21.2	5.49	9.83	2.7	5	0.24	6.9
18-8516-08		0.26	0.001	0.44	0.54	118.5	10	0.26	0.75	20.2	10.85	8.81	2.3	5	0.30	7.2
18-8516-09		0.26	<0.001	1.95	0.49	375	10	0.30	0.88	18.65	46.6	15.85	2.3	3	0.29	13.3
18-8516-10		0.26	<0.001	0.02	0.51	1.1	20	0.14	0.02	0.02	0.09	16.45	0.8	373	0.33	4.1
18-8516-11		0.26	<0.001	8.23	0.67	547	20	0.34	1.54	16.05	122.5	16.95	3.4	6	0.59	90.1
18-8516-12		0.26	0.002	61.6	0.34	2410	10	0.21	28.3	0.19	208	6.73	17.0	4	0.40	799
18-8516-13		0.28	0.002	32.5	0.54	2120	20	0.42	59.4	0.63	103.5	16.45	16.0	3	0.45	1090
18-8516-14		0.26	<0.001	6.41	0.38	429	20	0.30	2.10	1.83	103.0	12.15	8.4	3	0.29	93.6
18-8516-15		0.26	0.006	33.4	0.31	7440	10	0.15	61.8	0.34	21.4	12.75	32.0	3	0.16	3100
18-8516-16		0.26	<0.001	6.62	0.41	2020	10	0.22	7.49	0.30	24.7	4.68	10.9	2	0.28	531
18-8516-17		0.26	<0.001	9.24	0.62	1080	10	0.23	5.87	0.29	22.2	7.30	7.0	5	0.43	559
18-8516-18		0.26	<0.001	32.2	0.40	203	10	0.20	2.42	1.67	363	4.11	3.3	3	0.33	494



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
18-8515-01		1.86	1.06	<0.05	0.2	0.032	0.15	3.6	3.0	11.85	1880	0.60	0.02	1.4	4.5	130
18-8515-02		1.97	1.21	<0.05	0.2	0.053	0.16	3.4	2.1	11.70	2190	0.54	0.01	1.1	5.6	90
18-8515-03		8.66	1.55	<0.05	0.2	0.089	0.16	4.3	1.9	10.10	13600	3.04	0.01	0.9	19.6	110
18-8515-04		7.85	2.46	<0.05	0.3	0.216	0.25	4.7	2.2	9.76	11750	2.44	0.01	0.8	22.5	210
18-8515-05		0.46	1.35	<0.05	0.2	<0.005	0.22	7.8	2.2	0.03	51	1.31	0.01	1.1	5.1	20
18-8515-06		7.30	1.79	<0.05	0.2	0.201	0.22	5.3	2.9	10.50	5280	2.06	0.02	0.7	15.1	170
18-8515-07		3.59	1.97	<0.05	0.3	0.078	0.25	5.8	3.8	11.35	3390	1.39	0.03	0.9	9.6	210
18-8515-08		4.00	1.23	<0.05	0.2	0.087	0.17	4.9	3.2	11.10	3860	1.38	0.02	0.6	10.2	110
18-8515-09		4.40	0.30	<0.05	<0.1	0.132	0.03	6.0	2.5	9.67	4360	0.28	0.04	0.1	5.6	150
18-8515-10		3.41	1.06	<0.05	0.1	0.103	0.13	4.8	2.7	10.75	3530	0.78	0.02	0.4	8.5	120
18-8515-11		2.57	0.85	<0.05	0.1	0.065	0.11	5.2	2.4	11.65	2790	0.69	0.02	0.5	6.6	120
18-8515-12		16.40	2.01	0.06	0.2	0.418	0.19	5.5	3.3	7.98	14750	2.27	0.03	0.6	26.9	180
18-8515-13		22.2	1.13	0.09	0.1	0.679	0.10	5.4	2.0	6.27	16750	1.75	0.01	0.2	23.0	200
18-8515-14		35.6	3.32	16.75	0.2	0.908	0.25	3.3	2.2	1.78	31700	4.54	0.01	0.2	35.4	220
18-8515-15		47.3	2.97	9.18	0.2	1.175	0.15	3.9	1.5	0.28	52900	2.47	<0.01	0.1	65.9	90
18-8515-16		>50	2.22	1.83	0.1	0.928	0.10	2.4	1.1	0.37	58900	0.52	<0.01	0.1	53.3	80
18-8515-17		>50	3.03	2.78	0.2	1.230	0.21	2.4	1.3	0.26	51600	1.15	<0.01	0.2	30.1	100
18-8515-18		>50	4.91	2.79	0.4	1.165	0.41	2.9	1.9	0.43	53000	4.56	<0.01	0.3	34.6	370
18-8515-19		3.84	3.45	<0.05	0.4	0.082	0.41	6.0	3.9	10.70	5880	3.37	0.02	1.6	18.5	320
18-8515-20		11.15	1.23	0.05	0.1	0.261	0.11	5.9	2.0	9.68	13250	1.94	0.01	0.3	15.4	70
18-8515-21		0.47	1.44	<0.05	0.2	0.007	0.23	8.1	2.4	0.02	45	1.12	0.01	1.1	6.6	30
18-8515-22		3.66	25.5	0.09	4.4	1.820	2.20	19.9	16.8	0.47	552	13.85	1.34	9.5	25.5	370
18-8516-01		3.00	0.85	<0.05	0.1	0.071	0.12	3.8	2.7	11.40	3980	0.68	0.02	0.5	7.2	150
18-8516-02		6.79	1.20	<0.05	0.1	0.146	0.12	5.8	3.2	10.40	8180	0.98	0.02	0.5	15.5	130
18-8516-03		2.01	1.50	<0.05	0.2	0.059	0.15	4.1	3.2	11.95	2230	0.55	0.02	0.7	7.9	100
18-8516-04		18.20	2.00	0.07	0.2	0.631	0.25	3.8	2.6	7.72	12600	4.05	0.01	0.5	27.3	200
18-8516-05		8.47	1.53	0.05	0.2	0.235	0.18	5.4	2.5	10.20	7080	3.09	0.02	0.5	21.7	170
18-8516-06		2.42	1.10	<0.05	0.1	0.075	0.17	3.7	2.6	11.50	2690	0.57	0.01	0.4	6.6	110
18-8516-07		2.78	1.23	<0.05	0.3	0.088	0.20	5.2	4.3	11.45	2890	0.83	0.03	0.9	9.2	220
18-8516-08		2.74	1.43	<0.05	0.2	0.065	0.19	4.2	4.4	11.45	2790	0.70	0.03	0.8	8.2	220
18-8516-09		5.46	1.50	<0.05	0.2	0.162	0.18	8.2	3.3	10.90	5320	1.35	0.03	0.6	14.4	210
18-8516-10		0.47	1.50	<0.05	0.2	0.005	0.23	7.8	2.4	0.03	44	1.03	0.01	1.2	6.6	30
18-8516-11		10.35	2.68	0.06	0.3	0.289	0.28	8.7	2.6	9.07	11800	2.87	0.02	0.6	27.8	670
18-8516-12		37.6	2.43	16.25	0.2	1.235	0.14	3.4	1.0	0.25	38900	6.79	<0.01	0.2	74.8	120
18-8516-13		>50	3.04	5.47	0.2	1.275	0.22	7.6	1.9	0.39	42300	4.14	<0.01	0.1	63.6	100
18-8516-14		47.5	2.48	3.82	0.1	1.190	0.16	5.2	1.2	0.98	53700	6.08	0.01	0.1	37.5	100
18-8516-15		>50	2.02	3.98	0.1	1.270	0.11	6.8	0.8	0.38	40900	0.49	<0.01	0.1	42.7	70
18-8516-16		>50	2.84	1.34	0.1	1.225	0.20	1.9	1.5	0.32	54800	1.63	<0.01	0.1	24.5	110
18-8516-17		>50	3.66	1.49	0.2	1.105	0.28	3.0	1.8	0.33	58800	1.18	<0.01	0.2	17.7	180
18-8516-18		36.3	3.23	28.4	0.1	0.879	0.18	1.8	1.5	1.08	81500	1.25	<0.01	0.1	16.5	90



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
18-8515-01		77.0	8.3	<0.002	<0.01	0.85	1.0	1	<0.2	41.0	0.10	<0.05	0.80	0.015	0.8
18-8515-02		72.8	8.1	<0.002	<0.01	0.50	0.8	1	<0.2	34.3	0.05	<0.05	0.67	0.014	0.6
18-8515-03		340	8.7	<0.002	<0.01	2.80	0.9	1	0.2	44.0	0.07	<0.05	0.83	0.011	3.1
18-8515-04		434	13.6	<0.002	0.01	4.54	1.5	3	0.3	35.7	0.07	<0.05	1.20	0.017	2.4
18-8515-05		0.9	5.7	<0.002	<0.01	0.22	0.7	<1	0.3	5.8	0.05	<0.05	2.65	0.041	0.3
18-8515-06		378	11.5	<0.002	<0.01	3.32	1.5	2	<0.2	43.6	0.06	<0.05	0.99	0.016	2.3
18-8515-07		249	14.2	<0.002	<0.01	2.33	1.9	2	0.2	56.0	0.07	<0.05	1.34	0.021	1.0
18-8515-08		544	8.9	<0.002	<0.01	5.55	1.3	2	<0.2	40.6	0.05	<0.05	0.80	0.015	1.3
18-8515-09		139.5	1.6	<0.002	<0.01	1.66	1.8	2	<0.2	323	<0.05	<0.05	0.15	<0.005	0.4
18-8515-10		159.5	6.6	<0.002	<0.01	1.32	1.2	2	<0.2	88.9	<0.05	<0.05	0.68	0.011	0.9
18-8515-11		207	5.5	<0.002	<0.01	1.56	1.0	2	<0.2	39.5	<0.05	<0.05	0.71	0.011	0.8
18-8515-12		868	11.4	<0.002	<0.01	9.02	1.9	2	0.3	30.8	0.05	<0.05	1.25	0.020	4.0
18-8515-13		172.0	5.1	<0.002	<0.01	8.76	1.2	2	<0.2	41.5	<0.05	<0.05	0.53	0.005	4.4
18-8515-14		>10000	13.9	<0.002	0.12	84.2	4.1	<1	0.5	14.8	<0.05	<0.05	1.37	0.009	14.1
18-8515-15		>10000	7.8	<0.002	0.04	33.0	2.0	2	1.1	53.1	<0.05	<0.05	0.83	0.005	10.0
18-8515-16		240	4.6	<0.002	0.01	10.35	1.0	<1	<0.2	16.1	<0.05	<0.05	0.46	<0.005	0.9
18-8515-17		450	10.5	<0.002	0.01	47.9	1.9	1	0.2	29.4	<0.05	<0.05	0.94	0.007	2.1
18-8515-18		935	22.8	<0.002	0.03	65.1	3.4	1	0.2	51.0	<0.05	<0.05	2.34	0.017	4.0
18-8515-19		281	23.0	<0.002	<0.01	3.72	2.8	1	0.2	52.9	0.13	<0.05	2.12	0.035	1.0
18-8515-20		446	6.3	<0.002	<0.01	6.66	0.7	1	<0.2	50.9	<0.05	<0.05	0.55	0.006	1.9
18-8515-21		1.6	6.1	<0.002	<0.01	0.24	0.8	<1	0.3	6.0	0.05	<0.05	2.85	0.042	0.4
18-8515-22		>10000	77.7	<0.002	4.60	147.0	6.1	4	4.9	96.7	0.71	0.06	6.82	0.159	2.6
18-8516-01		458	6.1	<0.002	<0.01	2.40	1.0	1	<0.2	31.3	<0.05	<0.05	0.75	0.012	0.8
18-8516-02		2240	7.3	<0.002	<0.01	2.79	1.6	1	0.2	34.9	<0.05	<0.05	0.95	0.013	1.6
18-8516-03		45.7	8.5	<0.002	<0.01	0.69	1.2	1	<0.2	59.2	0.06	<0.05	0.88	0.016	0.8
18-8516-04		706	13.8	<0.002	<0.01	143.5	2.4	2	0.2	27.5	<0.05	<0.05	1.24	0.012	4.8
18-8516-05		934	9.7	<0.002	<0.01	9.22	2.2	2	<0.2	45.6	<0.05	<0.05	1.10	0.012	2.4
18-8516-06		96.0	9.1	<0.002	<0.01	0.91	1.1	2	<0.2	32.1	<0.05	<0.05	0.60	0.009	1.1
18-8516-07		141.5	8.8	<0.002	<0.01	1.68	1.9	2	0.2	48.2	0.07	<0.05	1.29	0.020	1.1
18-8516-08		168.5	9.6	<0.002	<0.01	1.42	1.8	1	0.2	35.7	0.06	<0.05	1.07	0.019	0.9
18-8516-09		697	8.5	<0.002	<0.01	5.35	2.0	2	<0.2	79.2	0.05	<0.05	1.04	0.016	1.1
18-8516-10		2.9	6.3	<0.002	<0.01	0.28	0.8	<1	0.3	6.3	0.06	<0.05	2.81	0.044	0.4
18-8516-11		3340	15.0	<0.002	<0.01	16.00	3.0	3	0.5	63.8	0.05	<0.05	1.66	0.018	2.9
18-8516-12		>10000	6.8	<0.002	0.44	130.0	2.0	<1	2.4	27.6	<0.05	<0.05	0.93	0.005	25.2
18-8516-13		7040	10.3	<0.002	0.02	298	2.0	1	0.7	66.8	<0.05	<0.05	0.91	0.005	14.4
18-8516-14		3140	7.3	<0.002	<0.01	10.85	2.3	1	0.4	57.3	<0.05	<0.05	0.61	<0.005	8.7
18-8516-15		1390	5.0	<0.002	0.08	299	1.5	<1	0.3	30.9	<0.05	<0.05	0.69	<0.005	2.9
18-8516-16		1025	9.6	<0.002	0.01	67.7	1.7	1	0.2	34.4	<0.05	<0.05	0.70	<0.005	3.2
18-8516-17		418	14.1	<0.002	0.01	52.8	2.4	1	0.2	42.0	<0.05	<0.05	1.25	0.010	4.4
18-8516-18		>10000	9.4	<0.002	0.03	16.95	1.5	<1	2.0	31.5	<0.05	<0.05	0.65	0.005	5.0



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 2 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
18-8515-01		10	0.2	8.3	2560	8.3		
18-8515-02		10	0.2	7.6	1200	6.5		
18-8515-03		12	0.4	10.3	>10000	7.6		1.310
18-8515-04		20	0.5	9.9	>10000	9.6		4.05
18-8515-05		6	0.1	1.4	44	6.4		
18-8515-06		24	0.3	10.2	9220	8.2		
18-8515-07		25	0.3	9.5	8960	10.0		
18-8515-08		20	0.2	9.3	>10000	6.4		1.280
18-8515-09		10	<0.1	12.8	4160	0.6		
18-8515-10		15	0.2	9.7	5440	5.1		
18-8515-11		13	0.2	8.0	8060	4.6		
18-8515-12		14	0.4	12.4	>10000	8.6		2.52
18-8515-13		9	0.2	11.1	9600	3.4		
18-8515-14		27	1.0	10.6	>10000	8.8	4.95	5.44
18-8515-15		19	2.1	15.9	>10000	6.3	1.620	4.03
18-8515-16		15	1.6	16.1	7200	2.8		
18-8515-17		23	2.0	13.4	9630	7.6		
18-8515-18		43	4.0	15.5	9900	15.2		
18-8515-19		37	0.7	11.6	1380	13.8		
18-8515-20		16	0.6	12.6	>10000	4.5		1.150
18-8515-21		6	0.2	1.3	9	5.4		
18-8515-22		33	2.4	10.7	>10000	171.5	1.345	5.18
18-8516-01		11	0.2	8.6	7760	5.3		
18-8516-02		11	0.3	11.0	>10000	5.9		1.275
18-8516-03		16	0.2	7.8	861	7.5		
18-8516-04		20	0.4	13.9	>10000	9.2		1.460
18-8516-05		22	0.3	14.4	>10000	7.6		1.485
18-8516-06		19	0.2	8.5	3940	4.4		
18-8516-07		15	0.2	9.6	3000	8.4		
18-8516-08		17	0.2	8.5	3960	8.0		
18-8516-09		16	0.3	13.8	>10000	7.2		1.080
18-8516-10		7	0.2	1.4	20	6.0		
18-8516-11		24	0.5	17.1	>10000	11.1		2.87
18-8516-12		17	1.3	12.0	>10000	6.0	11.10	7.18
18-8516-13		16	1.4	16.4	>10000	7.5		2.83
18-8516-14		22	1.2	16.1	>10000	4.7		2.62
18-8516-15		12	5.2	9.7	7260	5.2		
18-8516-16		22	1.4	13.5	8580	4.9		
18-8516-17		33	1.9	14.1	>10000	8.6		1.115
18-8516-18		21	2.8	10.9	>10000	5.3	1.035	8.58



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-ICP22 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
18-8516-19		0.28	<0.001	0.46	0.19	95.2	10	0.15	0.85	20.7	0.81	11.50	2.9	3	0.29	23.0
18-8516-20		0.26	<0.001	2.25	0.11	989	10	0.21	3.95	15.15	7.07	8.53	5.1	2	0.24	144.0
18-8516-21		0.26	<0.001	0.01	0.53	1.1	20	0.11	0.02	0.01	0.04	17.30	0.8	386	0.35	3.6
18-8516-22		0.10	1.255	70.4	6.23	87.8	220	1.92	4.01	2.10	285	43.2	30.6	39	3.39	3730
18-8517-01		0.28	<0.001	0.04	1.95	1.5	10	0.37	0.10	16.20	0.09	10.35	1.7	17	6.38	2.6
18-8517-02		0.28	<0.001	0.06	2.71	6.2	10	0.43	0.23	14.80	0.10	14.35	2.5	24	4.56	4.1
18-8517-03		0.26	<0.001	0.04	5.22	1.1	30	0.61	0.07	10.55	0.04	39.2	2.2	49	4.95	2.3
18-8517-04		0.28	<0.001	0.24	3.54	3.8	70	0.92	0.15	12.15	0.07	37.9	4.2	51	2.96	2.7
18-8517-05		0.28	<0.001	0.02	2.99	<0.2	50	0.74	0.04	15.25	0.08	36.0	1.8	26	2.02	1.8
18-8517-06		0.28	0.001	0.09	0.33	9.8	10	0.23	0.25	19.25	0.71	12.40	2.5	3	0.40	3.8
18-8517-07		0.26	0.001	0.09	0.08	6.1	10	<0.05	0.10	20.1	0.35	11.45	1.4	3	0.37	3.6
18-8517-08		0.26	0.001	0.38	0.25	77.4	10	0.20	0.50	22.3	6.68	10.70	3.2	3	0.44	11.6
18-8517-09		0.26	0.001	0.40	0.44	219	10	0.25	0.51	19.80	12.80	9.40	2.2	4	0.46	5.9
18-8517-10		0.26	<0.001	0.81	0.19	127.5	10	0.12	1.10	19.60	2.22	10.25	2.1	3	0.23	67.2
18-8517-11		0.28	<0.001	32.0	0.90	116.0	40	0.29	0.76	0.34	397	8.27	4.4	11	0.95	68.1
18-8517-12		0.26	0.002	30.9	1.68	95.7	230	0.68	3.11	0.14	475	17.20	10.1	17	2.66	235
18-8517-13		0.26	<0.001	0.02	0.48	0.5	20	0.13	0.02	0.01	0.18	15.80	0.7	351	0.31	2.6
18-8517-14		0.26	<0.001	0.56	1.58	25.6	10	0.59	1.00	16.55	2.25	8.24	2.9	16	2.07	27.4
18-8517-15		0.28	0.002	0.18	0.29	7.7	10	0.12	0.30	19.35	0.18	10.10	6.3	6	0.31	7.3
18-8517-16		0.28	0.001	0.07	0.76	4.8	10	0.25	0.32	18.35	0.10	9.09	4.8	14	0.62	3.0
18-8517-17		0.26	<0.001	0.04	8.29	4.0	220	2.07	0.15	2.36	0.08	28.6	5.3	94	7.03	1.4
18-8517-18		0.28	<0.001	0.06	8.85	10.9	330	2.69	0.73	3.33	0.12	75.4	10.9	108	5.90	1.9
18-8517-19		0.28	<0.001	0.10	7.45	11.3	270	2.38	0.99	6.67	0.08	57.4	15.8	77	3.70	2.2
18-8517-20		0.26	<0.001	0.07	7.10	15.3	330	2.65	1.13	0.71	0.18	76.7	18.6	144	4.61	4.7
18-8517-21		0.26	<0.001	0.01	0.53	0.6	20	0.15	0.02	0.01	0.02	17.60	0.8	385	0.33	3.1
18-8517-22		0.10	1.245	68.5	5.45	87.0	230	1.87	3.91	2.00	274	38.3	30.5	36	3.20	3650
18-8518-01		0.26	0.001	0.10	3.15	7.4	20	0.45	0.47	13.95	0.23	21.7	5.4	38	1.87	5.3
18-8518-02		0.26	0.001	0.04	1.44	1.9	10	0.36	0.23	17.50	0.07	12.60	2.0	13	0.60	1.8
18-8518-03		0.24	<0.001	0.06	4.36	3.0	170	1.63	0.10	8.43	0.05	45.0	3.4	71	3.27	2.4
18-8518-04		0.26	0.001	0.87	0.32	324	10	0.34	0.56	19.30	31.8	10.70	2.2	3	0.12	11.4
18-8518-05		0.26	0.001	47.7	0.41	2560	10	0.15	76.5	0.17	308	8.69	11.1	4	0.43	3480
18-8518-06		0.26	0.001	0.49	0.12	123.0	10	0.19	0.77	20.4	3.25	8.84	1.7	2	0.17	33.9
18-8518-07		0.26	<0.001	0.11	0.09	18.1	10	0.11	0.23	20.2	0.39	8.32	1.3	3	0.16	8.0
18-8518-08		0.26	<0.001	1.51	1.52	31.6	80	0.61	2.45	8.83	10.65	6.58	6.0	19	2.24	80.9
18-8518-09		0.26	<0.001	0.05	1.06	7.1	10	0.28	0.26	18.80	0.30	10.40	2.7	10	2.65	3.6
18-8518-10		0.26	<0.001	0.08	0.77	20.3	10	0.30	0.48	18.80	0.13	10.70	3.6	8	1.51	5.3
18-8518-11		0.28	<0.001	0.05	0.25	2.0	10	0.33	0.09	19.85	0.06	7.90	2.6	4	0.20	3.2
18-8518-12		0.28	<0.001	0.03	0.29	1.8	10	0.22	0.06	19.40	0.05	7.88	1.7	4	0.17	2.5
18-8518-13		0.24	<0.001	0.05	1.18	4.9	10	0.22	0.19	17.95	0.15	9.10	3.8	24	1.05	2.4
18-8518-14		0.26	<0.001	0.06	5.87	8.7	250	2.02	0.86	6.21	0.05	66.7	9.7	78	3.54	2.3



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
18-8516-19		2.73	0.75	<0.05	0.1	0.081	0.10	5.1	2.6	11.80	3410	0.58	0.02	0.4	5.9	70
18-8516-20		16.90	0.75	0.06	0.1	0.425	0.06	3.6	1.8	8.47	17350	1.09	0.02	0.1	11.5	50
18-8516-21		0.50	1.49	<0.05	0.2	0.007	0.24	8.2	2.1	0.02	58	1.14	0.01	1.1	6.9	20
18-8516-22		3.72	25.8	0.09	4.5	1.940	2.21	20.5	15.5	0.47	559	14.85	1.35	9.5	26.6	380
18-8517-01		2.70	6.33	<0.05	0.9	0.052	0.78	4.5	40.6	12.35	1720	0.11	0.02	2.7	13.9	430
18-8517-02		3.25	9.70	<0.05	0.9	0.071	0.56	6.9	34.7	11.45	2440	0.32	0.08	3.4	23.7	430
18-8517-03		3.40	13.65	0.05	1.8	0.070	0.53	20.8	55.8	9.60	2320	0.72	1.33	6.7	24.9	650
18-8517-04		2.74	9.47	0.05	1.2	0.058	1.16	19.7	31.3	8.09	2490	1.05	0.44	4.8	13.5	460
18-8517-05		2.49	7.87	<0.05	1.0	0.048	0.98	21.4	31.2	9.84	2540	0.10	0.86	4.1	9.9	550
18-8517-06		3.51	1.38	<0.05	0.1	0.113	0.15	5.8	2.4	10.50	4200	0.45	0.02	0.3	6.5	50
18-8517-07		3.67	0.36	<0.05	<0.1	0.133	0.04	5.2	3.1	10.65	3360	0.18	0.04	0.1	4.2	210
18-8517-08		4.05	0.92	<0.05	0.1	0.123	0.12	5.0	2.4	8.58	4330	0.87	0.02	0.3	10.1	140
18-8517-09		2.93	1.18	<0.05	0.2	0.071	0.17	4.6	3.7	11.30	3540	0.91	0.02	0.6	9.6	160
18-8517-10		3.60	0.83	<0.05	0.1	0.102	0.10	4.4	2.9	11.00	4680	0.60	0.02	0.3	5.3	40
18-8517-11		33.2	4.52	16.60	0.5	0.372	0.39	4.0	1.8	0.36	60200	2.84	0.01	0.5	18.1	270
18-8517-12		25.3	7.85	0.58	0.8	0.329	0.63	8.9	2.5	0.95	44800	1.38	0.01	1.1	54.5	640
18-8517-13		0.43	1.30	<0.05	0.2	<0.005	0.22	7.2	2.2	0.02	54	1.25	0.01	1.2	5.0	20
18-8517-14		4.69	6.21	<0.05	0.6	0.139	0.71	4.2	3.6	9.62	5240	0.87	0.02	2.2	19.0	680
18-8517-15		3.77	1.09	<0.05	0.1	0.092	0.07	4.4	5.8	10.90	3960	0.47	0.02	0.4	14.9	100
18-8517-16		3.35	2.09	<0.05	0.5	0.101	0.15	3.9	9.3	10.70	3570	1.03	0.14	1.4	14.2	310
18-8517-17		4.34	29.5	0.11	2.6	0.043	2.78	15.3	110.0	7.49	744	1.14	0.54	12.7	79.0	510
18-8517-18		3.87	27.3	0.12	3.1	0.054	3.79	41.2	88.5	5.51	1150	1.81	0.28	11.0	40.3	550
18-8517-19		4.35	20.0	0.10	2.5	0.103	3.47	30.8	70.5	5.95	2320	0.98	0.04	9.1	42.7	610
18-8517-20		2.72	19.80	0.11	2.3	0.045	4.01	41.6	55.9	1.56	591	2.06	0.04	8.6	32.4	450
18-8517-21		0.47	1.39	<0.05	0.2	<0.005	0.24	8.4	2.3	0.02	35	1.14	0.01	1.2	5.7	20
18-8517-22		3.55	24.7	0.09	4.3	1.860	2.14	18.0	15.7	0.43	539	14.30	1.30	9.7	25.8	360
18-8518-01		3.18	8.73	0.05	1.5	0.075	0.22	11.4	40.6	10.25	2370	0.98	1.03	5.4	19.0	920
18-8518-02		2.13	2.96	<0.05	0.6	0.060	0.17	5.7	12.8	10.60	2230	0.13	0.74	2.2	6.3	210
18-8518-03		1.68	11.30	0.06	1.5	0.059	2.35	26.2	37.2	5.29	1560	0.82	0.30	5.8	10.4	520
18-8518-04		3.48	0.79	<0.05	0.1	0.074	0.11	5.5	3.1	11.50	3690	0.98	0.02	0.4	8.9	130
18-8518-05		35.7	2.88	28.0	0.1	0.718	0.19	4.1	1.1	0.30	71500	2.20	<0.01	0.1	20.2	130
18-8518-06		2.99	0.52	<0.05	0.1	0.093	0.06	4.1	2.3	11.75	3930	0.33	0.02	0.2	4.0	60
18-8518-07		2.09	0.40	<0.05	<0.1	0.065	0.05	3.7	2.3	11.60	2870	0.21	0.02	0.1	3.3	40
18-8518-08		15.80	6.01	0.07	0.6	0.401	0.65	3.3	2.9	7.49	12950	1.15	0.01	1.7	29.4	670
18-8518-09		3.06	4.78	<0.05	0.4	0.133	0.37	5.1	4.7	10.55	3410	0.42	0.01	1.3	16.1	390
18-8518-10		3.31	3.69	<0.05	0.3	0.096	0.30	4.9	3.6	10.65	3610	0.69	0.02	1.2	20.3	280
18-8518-11		2.61	0.78	<0.05	0.1	0.053	0.10	3.9	4.7	11.35	2850	0.44	0.01	0.4	6.6	60
18-8518-12		2.35	0.66	<0.05	0.1	0.051	0.11	3.8	3.3	11.00	2890	0.23	0.02	0.4	3.7	60
18-8518-13		3.49	5.28	<0.05	0.8	0.124	0.10	3.8	18.3	11.35	3360	1.19	0.02	2.9	31.0	480
18-8518-14		2.88	15.10	0.08	2.0	0.084	2.99	36.2	46.5	4.53	1910	1.04	0.03	6.8	22.7	450



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
18-8516-19		39.4	5.3	<0.002	<0.01	2.20	0.8	2	<0.2	50.7	<0.05	<0.05	0.46	0.008	0.6
18-8516-20		132.5	3.0	<0.002	<0.01	12.55	0.7	1	<0.2	63.8	<0.05	<0.05	0.27	<0.005	2.7
18-8516-21		2.7	6.3	<0.002	<0.01	0.27	0.8	<1	0.4	6.3	0.05	<0.05	2.86	0.044	0.4
18-8516-22		>10000	78.7	<0.002	4.70	150.5	6.2	3	5.1	98.6	0.73	0.05	6.75	0.162	2.7
18-8517-01		9.3	65.1	<0.002	0.06	0.71	3.2	1	0.2	53.7	0.21	<0.05	4.17	0.082	0.8
18-8517-02		18.2	39.8	<0.002	0.07	1.45	5.5	1	0.4	59.4	0.26	<0.05	4.92	0.103	1.1
18-8517-03		6.8	36.0	0.003	0.05	1.51	8.2	1	0.8	45.3	0.53	<0.05	9.26	0.198	2.0
18-8517-04		7.9	54.9	0.002	0.16	3.23	6.0	1	1.0	50.7	0.36	<0.05	6.78	0.147	1.3
18-8517-05		6.2	47.7	<0.002	<0.01	0.94	5.4	1	0.8	56.4	0.32	<0.05	5.63	0.124	1.2
18-8517-06		22.8	8.3	<0.002	<0.01	1.24	0.7	1	<0.2	80.1	<0.05	<0.05	0.41	0.007	0.4
18-8517-07		27.6	2.1	<0.002	<0.01	0.38	1.6	1	<0.2	278	<0.05	<0.05	0.19	<0.005	0.1
18-8517-08		189.5	6.4	<0.002	<0.01	1.65	1.8	2	<0.2	129.0	<0.05	<0.05	0.67	0.007	1.0
18-8517-09		240	8.4	<0.002	<0.01	2.83	1.4	1	<0.2	39.9	<0.05	<0.05	0.89	0.013	1.1
18-8517-10		105.5	5.1	<0.002	<0.01	4.37	1.0	1	<0.2	46.6	<0.05	<0.05	0.41	0.007	0.6
18-8517-11		>10000	20.5	<0.002	0.14	11.30	2.5	<1	0.3	87.1	<0.05	<0.05	2.80	0.025	9.2
18-8517-12		>10000	35.8	<0.002	0.35	15.75	3.3	<1	0.8	480	0.10	<0.05	4.02	0.048	6.9
18-8517-13		13.0	5.6	<0.002	<0.01	0.23	0.8	<1	0.3	5.7	0.06	<0.05	2.56	0.041	0.3
18-8517-14		214	37.3	<0.002	0.03	3.16	2.4	1	0.4	65.9	0.16	<0.05	3.31	0.066	0.9
18-8517-15		53.7	3.5	<0.002	0.40	1.12	1.0	1	<0.2	67.7	<0.05	<0.05	0.65	0.011	0.3
18-8517-16		18.4	8.6	<0.002	0.20	0.66	1.6	2	0.2	53.1	0.11	<0.05	2.59	0.041	0.6
18-8517-17		12.6	79.1	0.003	0.20	2.50	10.6	1	2.5	12.4	0.93	<0.05	11.70	0.359	2.0
18-8517-18		19.1	137.0	0.002	0.26	3.19	14.7	1	3.0	17.9	0.80	<0.05	15.35	0.340	2.0
18-8517-19		23.4	117.0	<0.002	0.21	2.98	13.2	1	3.1	32.1	0.65	0.05	10.85	0.288	2.0
18-8517-20		22.3	189.5	<0.002	0.22	3.34	12.9	1	2.7	6.9	0.62	0.05	13.55	0.281	2.0
18-8517-21		1.6	6.2	<0.002	<0.01	0.23	0.8	<1	0.3	6.0	0.06	<0.05	2.90	0.044	0.4
18-8517-22		>10000	70.4	<0.002	4.54	146.5	5.6	3	4.8	94.2	0.71	0.08	6.04	0.157	2.5
18-8518-01		19.2	13.5	0.003	0.28	1.14	6.2	1	0.5	55.5	0.40	<0.05	7.75	0.159	1.3
18-8518-02		7.4	9.0	<0.002	0.09	0.62	3.2	1	0.2	57.4	0.15	<0.05	2.79	0.062	0.9
18-8518-03		9.1	102.0	0.002	0.12	2.58	6.9	1	1.6	32.8	0.42	<0.05	7.79	0.182	1.1
18-8518-04		528	4.8	<0.002	<0.01	4.48	1.1	1	<0.2	31.9	<0.05	<0.05	0.80	0.010	1.2
18-8518-05		>10000	9.5	<0.002	0.28	166.0	2.0	<1	1.6	31.8	<0.05	<0.05	1.07	<0.005	12.0
18-8518-06		106.0	3.4	<0.002	<0.01	2.32	0.5	2	<0.2	44.2	<0.05	<0.05	0.30	0.005	0.5
18-8518-07		16.0	2.4	<0.002	0.01	0.44	0.5	1	<0.2	40.8	<0.05	<0.05	0.23	<0.005	0.5
18-8518-08		466	36.4	<0.002	0.07	6.32	2.4	1	0.4	186.5	0.14	<0.05	3.55	0.052	1.3
18-8518-09		17.3	24.1	<0.002	0.02	0.68	2.0	1	0.2	58.8	0.10	<0.05	2.04	0.036	0.5
18-8518-10		17.1	16.2	<0.002	0.06	0.71	1.7	1	0.2	55.9	0.09	<0.05	1.69	0.030	0.5
18-8518-11		15.4	5.7	<0.002	0.09	0.76	0.7	1	<0.2	49.6	<0.05	<0.05	0.52	0.010	0.3
18-8518-12		12.1	6.2	<0.002	0.12	0.49	0.7	2	<0.2	51.4	<0.05	<0.05	0.61	0.011	0.2
18-8518-13		18.9	6.5	<0.002	0.13	0.60	1.8	2	0.4	52.2	0.21	<0.05	4.30	0.080	1.0
18-8518-14		17.7	130.0	<0.002	0.10	2.77	10.3	1	2.3	26.4	0.51	<0.05	11.25	0.230	1.6



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 3 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
18-8516-19		12	0.2	8.5	617	3.5		
18-8516-20		13	0.9	10.4	3780	2.0		
18-8516-21		7	0.1	1.4	11	5.6		
18-8516-22		34	2.5	11.2	>10000	174.5	1.350	5.19
18-8517-01		21	0.2	7.7	74	29.8		
18-8517-02		31	0.8	10.0	57	35.5		
18-8517-03		46	0.9	10.0	50	75.3		
18-8517-04		37	1.0	11.5	35	49.0		
18-8517-05		25	0.5	10.0	49	37.0		
18-8517-06		13	0.2	10.7	414	4.0		
18-8517-07		8	<0.1	9.8	287	1.0		
18-8517-08		13	0.2	12.7	4430	4.9		
18-8517-09		16	0.2	10.7	5360	6.3		
18-8517-10		13	0.2	9.6	926	3.2		
18-8517-11		43	1.6	8.1	>10000	15.7	3.75	10.90
18-8517-12		52	2.2	9.6	>10000	28.6	3.06	16.00
18-8517-13		6	0.1	1.3	58	7.1		
18-8517-14		41	1.4	9.4	3840	22.9		
18-8517-15		12	0.1	10.0	196	5.2		
18-8517-16		24	0.3	9.7	188	17.3		
18-8517-17		132	1.8	5.9	82	95.1		
18-8517-18		96	1.7	8.0	97	113.5		
18-8517-19		79	1.5	10.5	78	89.0		
18-8517-20		72	1.4	5.7	127	82.2		
18-8517-21		6	0.1	1.4	5	6.0		
18-8517-22		33	2.4	9.4	>10000	166.0	1.320	5.08
18-8518-01		42	0.7	11.9	88	62.5		
18-8518-02		14	0.3	8.8	43	20.6		
18-8518-03		42	0.7	9.6	28	59.2		
18-8518-04		14	0.2	9.9	6640	4.0		
18-8518-05		21	1.9	7.6	>10000	4.0	7.53	7.15
18-8518-06		9	0.2	8.2	1280	2.1		
18-8518-07		10	0.1	8.0	266	1.6		
18-8518-08		44	2.1	9.8	>10000	26.0		1.510
18-8518-09		27	0.3	10.3	987	13.3		
18-8518-10		29	0.4	10.5	374	11.0		
18-8518-11		8	0.1	8.3	43	4.3		
18-8518-12		8	0.1	8.2	32	4.3		
18-8518-13		58	0.6	11.2	87	31.7		
18-8518-14		58	1.4	9.6	120	70.6		



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	WEI-21	Au-ICP22	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
18-8518-15		0.26	<0.001	0.08	6.27	17.6	200	1.99	0.93	8.26	0.10	52.9	10.5	75	4.76	4.7
18-8518-16		0.26	<0.001	0.10	6.75	16.6	190	1.75	1.25	5.58	0.10	38.7	9.9	103	7.51	3.6
18-8518-17		0.28	<0.001	0.01	0.49	0.5	20	0.08	0.02	0.01	<0.02	16.45	0.8	366	0.32	4.4
18-8518-18		0.26	<0.001	0.03	4.99	1.6	40	0.92	0.10	9.99	0.05	29.1	3.7	46	3.57	2.6
18-8518-19		0.24	<0.001	0.01	5.40	0.6	20	0.83	0.04	7.74	0.03	11.75	2.7	44	3.53	1.5
18-8518-20		0.26	<0.001	0.02	2.92	<0.2	20	0.46	0.03	14.25	0.05	11.35	2.1	27	2.35	2.0
18-8518-21		0.26	<0.001	<0.01	0.50	0.2	20	0.10	0.02	0.01	<0.02	15.35	0.7	367	0.29	3.5
18-8518-22		0.10	1.280	65.5	5.74	80.1	180	1.56	3.80	2.01	269	38.5	27.8	37	3.02	3400
18-8519-01		0.28	<0.001	0.10	1.78	0.9	20	0.28	0.04	16.05	0.38	10.85	1.8	16	1.49	6.4
18-8519-02		0.28	<0.001	0.04	1.69	2.0	10	0.28	0.19	16.55	0.09	11.75	2.0	17	0.85	3.0
18-8519-03		0.28	<0.001	0.04	4.00	3.1	170	1.15	0.08	8.42	0.11	42.1	2.6	57	3.10	3.3
18-8519-04		0.28	<0.001	1.61	0.45	25.5	10	0.30	3.03	12.10	5.56	10.30	5.1	4	0.61	142.0
18-8519-05		0.28	<0.001	63.7	1.03	89.7	50	0.28	1.27	0.10	574	9.53	7.4	13	1.15	220
18-8519-06		0.28	<0.001	48.5	0.70	146.0	60	0.28	2.47	0.11	518	10.70	7.6	8	0.83	268
18-8519-07		0.26	0.005	4.88	0.81	239	50	0.30	2.95	0.89	70.1	4.00	8.8	8	0.81	148.5
18-8519-08		0.28	<0.001	0.02	0.52	1.2	20	0.14	0.02	0.01	0.22	15.15	0.9	355	0.31	3.8
18-8519-09		0.26	<0.001	2.88	2.36	47.8	120	0.66	2.85	8.79	28.1	9.38	8.1	27	2.53	119.5
18-8519-10		0.26	<0.001	0.21	2.23	18.8	10	0.51	1.85	15.50	0.47	9.92	4.8	22	1.85	10.5
18-8519-11		0.28	<0.001	0.12	0.91	21.8	10	0.39	0.26	18.95	0.28	11.20	2.2	11	1.94	5.3
18-8519-12		0.26	<0.001	0.11	1.02	6.2	30	0.35	0.20	18.15	0.14	9.69	5.3	13	0.61	8.6
18-8519-13		0.26	0.008	0.06	0.76	4.2	10	0.24	0.24	18.85	0.08	9.84	3.4	15	0.93	2.2
18-8519-14		0.28	<0.001	0.04	0.44	2.3	10	0.31	0.16	20.2	0.09	8.20	2.5	6	0.26	2.3
18-8519-15		0.28	0.001	0.08	0.77	14.6	10	0.21	0.76	18.90	0.13	9.73	8.7	13	1.07	4.2
18-8519-16		0.26	<0.001	0.05	1.03	17.1	10	0.22	0.65	17.45	0.15	9.77	10.7	21	1.65	3.9
18-8519-17		0.26	0.001	0.05	0.94	14.9	20	0.24	0.68	18.60	0.09	9.39	8.9	13	0.97	6.1
18-8519-18		0.26	<0.001	0.05	2.11	14.0	30	0.46	0.39	16.30	0.13	8.41	8.3	24	2.92	22.0
18-8519-19		0.26	<0.001	0.03	6.72	11.2	110	1.05	0.32	7.90	0.06	6.76	10.3	58	5.48	1.7
18-8519-20		0.26	<0.001	0.11	8.20	15.3	380	2.59	1.84	0.32	0.14	86.0	18.9	154	5.07	5.1
18-8519-21		0.24	<0.001	0.01	0.52	0.6	20	0.12	0.02	0.01	<0.02	16.10	0.8	389	0.34	3.9
18-8519-22		0.10	1.245	66.2	5.55	78.6	220	1.63	3.78	2.00	268	39.3	25.9	38	3.16	3440
18-8520-01		0.26	<0.001	0.24	2.47	0.9	20	0.48	0.10	15.10	0.95	8.90	1.8	20	6.40	12.4
18-8520-02		0.28	<0.001	0.01	0.51	0.6	20	0.14	0.01	0.02	0.04	16.80	0.7	337	0.35	3.6
18-8520-03		0.26	<0.001	0.03	3.86	0.6	60	0.77	0.04	13.50	0.04	42.2	1.8	32	2.34	1.6
18-8520-04		0.30	<0.001	10.80	1.07	585	10	0.35	14.70	4.59	58.5	11.45	9.0	6	1.41	611
18-8520-05		0.26	<0.001	6.75	1.39	256	60	0.66	6.20	2.98	95.0	14.00	10.8	16	1.82	221
18-8520-06		0.26	0.002	3.74	1.00	158.5	40	0.26	2.01	7.63	83.0	7.57	6.3	13	1.07	156.5
18-8520-07		0.28	0.001	4.75	0.87	226	70	0.35	3.06	6.04	168.0	7.16	6.5	11	1.13	114.5
18-8520-08		0.26	0.001	7.19	0.88	66.2	110	0.43	2.64	8.87	360	8.59	8.9	9	1.40	203
18-8520-09		0.26	0.002	10.80	2.87	105.5	260	1.24	8.42	3.75	80.4	19.80	12.5	33	3.94	317
18-8520-10		0.26	<0.001	0.32	2.23	12.0	10	0.76	0.78	15.50	1.62	10.65	4.0	23	4.25	8.7



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
18-8518-15		3.93	17.25	0.08	2.1	0.094	3.08	29.6	47.4	6.32	2680	0.90	0.04	6.6	28.3	500
18-8518-16		4.55	20.2	0.07	2.5	0.070	2.68	22.3	32.6	5.69	1860	1.53	0.04	8.3	32.9	570
18-8518-17		0.45	1.37	<0.05	0.2	<0.005	0.22	7.5	2.1	0.02	34	1.07	0.01	1.2	9.6	20
18-8518-18		4.25	14.20	0.07	1.7	0.067	0.79	16.1	69.0	10.20	2680	0.48	0.37	5.8	25.0	410
18-8518-19		5.06	19.00	0.08	2.1	0.058	0.45	5.3	101.0	12.55	1940	0.27	0.04	7.2	29.5	710
18-8518-20		4.06	10.90	0.08	1.1	0.083	0.22	4.3	49.7	12.25	2820	0.37	0.12	4.0	22.2	570
18-8518-21		0.44	1.40	0.06	0.2	<0.005	0.23	7.0	2.0	0.02	33	1.09	0.01	1.0	5.1	20
18-8518-22		3.53	25.4	0.10	4.3	1.810	2.12	15.9	13.1	0.44	520	14.35	1.27	8.8	25.2	340
18-8519-01		3.24	4.94	0.05	0.6	0.082	0.20	4.4	23.1	10.45	3340	0.23	0.53	2.1	9.2	270
18-8519-02		2.14	3.73	0.07	0.7	0.064	0.13	5.1	16.2	10.65	2120	0.26	0.85	2.3	7.0	200
18-8519-03		1.66	11.00	0.09	1.3	0.051	2.28	21.1	38.5	5.26	1480	0.78	0.10	5.1	9.6	490
18-8519-04		20.2	1.70	0.06	0.2	0.619	0.16	4.8	1.5	7.04	14050	1.77	0.01	0.4	19.6	70
18-8519-05		25.8	4.03	0.67	0.6	0.343	0.45	4.6	1.3	0.28	49900	1.83	0.01	0.8	22.3	340
18-8519-06		28.0	3.33	2.06	0.4	0.570	0.29	5.2	1.8	0.60	49000	1.50	0.01	0.6	31.8	210
18-8519-07		28.3	3.96	0.08	0.4	0.784	0.31	1.9	1.7	6.73	22300	0.55	0.01	0.6	51.0	330
18-8519-08		0.48	1.50	<0.05	0.1	0.007	0.24	6.9	2.2	0.02	50	0.84	0.01	1.1	5.6	20
18-8519-09		14.05	9.82	0.05	1.1	0.374	1.02	4.6	3.2	7.17	14850	1.22	0.02	2.9	39.5	1160
18-8519-10		4.73	11.50	0.06	1.0	0.157	0.20	4.8	31.1	11.60	2910	1.61	0.01	3.3	53.4	880
18-8519-11		3.70	4.40	<0.05	0.4	0.119	0.41	5.1	2.7	11.10	3990	0.73	0.02	1.3	13.6	410
18-8519-12		3.54	2.86	0.05	0.5	0.081	0.35	4.3	10.7	10.75	3610	0.81	0.15	1.3	13.5	390
18-8519-13		3.40	3.17	<0.05	0.5	0.120	0.26	4.0	7.3	11.10	3560	1.30	0.02	1.6	14.1	270
18-8519-14		2.87	1.49	<0.05	0.3	0.062	0.21	3.6	5.2	11.85	3300	0.54	0.01	0.8	5.9	90
18-8519-15		4.34	3.39	0.05	0.5	0.127	0.16	4.1	11.5	11.40	3710	1.93	0.02	1.5	25.5	320
18-8519-16		4.89	4.75	0.05	0.6	0.178	0.28	4.0	17.1	11.05	4290	1.58	0.02	2.1	31.6	550
18-8519-17		4.19	4.30	<0.05	0.5	0.101	0.19	4.2	14.2	11.30	3920	0.76	0.02	1.6	28.7	420
18-8519-18		4.63	6.02	<0.05	0.8	0.143	0.65	3.3	12.4	9.58	4570	0.43	0.14	2.6	33.5	300
18-8519-19		6.19	26.0	0.10	2.4	0.095	1.43	2.7	91.2	10.95	2390	0.41	0.09	8.2	105.0	490
18-8519-20		3.41	22.8	0.13	2.9	0.055	4.44	44.2	68.6	1.98	276	2.71	0.05	9.1	35.0	490
18-8519-21		0.48	1.49	0.05	0.2	0.005	0.24	7.3	2.5	0.02	35	1.15	0.01	1.1	6.9	20
18-8519-22		3.51	23.9	0.09	4.1	1.870	2.11	15.9	14.3	0.43	519	14.20	1.27	8.5	24.9	350
18-8520-01		2.96	7.77	0.05	0.9	0.054	0.85	3.8	65.0	13.20	1680	0.17	0.02	2.8	17.0	460
18-8520-02		0.43	1.38	<0.05	0.2	0.005	0.23	7.5	2.5	0.03	34	0.92	0.01	1.0	5.3	20
18-8520-03		2.81	10.25	0.06	1.4	0.066	0.91	24.3	41.1	9.44	2380	0.25	1.22	5.0	13.2	490
18-8520-04		33.4	4.56	0.36	0.5	0.531	0.49	5.3	2.3	2.62	49300	3.98	0.01	0.9	40.8	160
18-8520-05		31.5	6.21	0.16	0.7	0.889	0.55	6.6	2.0	3.12	29800	1.14	0.01	1.3	63.2	640
18-8520-06		18.55	4.46	0.06	0.5	0.507	0.41	3.7	2.8	7.81	15800	0.67	0.01	1.4	40.2	430
18-8520-07		20.3	4.09	0.07	0.4	0.599	0.35	3.5	2.5	7.60	16400	0.53	0.01	1.0	35.9	280
18-8520-08		11.25	4.26	0.06	0.4	0.288	0.34	4.2	2.6	7.13	12050	0.44	0.01	0.7	43.9	330
18-8520-09		21.3	11.55	0.08	1.4	0.769	1.04	9.7	6.6	5.41	22800	1.79	0.01	3.5	65.2	1310
18-8520-10		4.27	10.25	<0.05	0.9	0.131	0.54	5.2	31.1	11.45	3820	1.14	0.02	3.2	41.6	960



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
18-8518-15		21.6	141.0	<0.002	0.09	2.70	10.7	1	2.2	44.8	0.47	<0.05	10.85	0.219	0.46	2.1
18-8518-16		16.9	130.5	0.003	0.23	2.83	9.2	1	1.9	76.0	0.59	<0.05	13.15	0.252	0.40	2.9
18-8518-17		1.8	5.8	<0.002	<0.01	0.27	0.7	1	0.4	5.9	0.06	<0.05	2.64	0.041	0.03	0.4
18-8518-18		6.1	44.8	0.002	0.13	1.61	7.0	1	0.8	40.2	0.43	<0.05	7.85	0.174	0.14	1.2
18-8518-19		3.8	27.1	0.003	0.02	1.18	8.1	1	0.8	31.9	0.52	<0.05	9.69	0.215	0.17	1.3
18-8518-20		7.2	13.4	0.003	0.01	0.77	5.8	<1	0.5	54.2	0.32	<0.05	6.08	0.132	0.10	0.9
18-8518-21		<0.5	5.5	<0.002	<0.01	0.23	0.8	<1	0.4	5.5	0.05	<0.05	3.16	0.041	0.04	0.3
18-8518-22		>10000	72.6	<0.002	4.50	147.0	5.6	4	4.9	94.0	0.63	0.09	6.28	0.154	2.10	2.7
18-8519-01		23.3	12.7	<0.002	0.03	0.87	3.8	<1	0.3	60.4	0.15	<0.05	3.11	0.067	0.09	0.8
18-8519-02		8.8	8.6	<0.002	0.07	0.70	2.9	<1	0.3	57.6	0.16	<0.05	3.26	0.070	0.22	1.0
18-8519-03		11.7	92.5	0.003	0.09	2.24	6.4	<1	1.6	31.4	0.38	<0.05	7.58	0.165	0.42	1.4
18-8519-04		352	8.0	<0.002	0.01	30.7	1.0	<1	0.2	51.0	<0.05	<0.05	0.77	0.010	0.11	4.7
18-8519-05		>10000	21.6	<0.002	0.62	18.50	2.3	1	1.0	106.0	0.07	<0.05	3.67	0.028	0.54	7.3
18-8519-06		>10000	13.9	<0.002	0.41	13.95	2.0	1	2.6	119.0	0.05	<0.05	2.06	0.020	0.45	7.3
18-8519-07		7230	15.5	<0.002	0.09	11.05	1.7	1	0.3	87.1	0.05	<0.05	2.05	0.022	0.23	2.0
18-8519-08		24.7	5.8	<0.002	<0.01	0.25	0.8	<1	0.3	5.8	0.05	<0.05	2.94	0.042	0.04	0.4
18-8519-09		4280	54.3	0.003	0.08	9.81	3.3	1	0.6	278	0.24	<0.05	5.78	0.088	0.50	2.3
18-8519-10		43.3	12.7	0.002	0.14	1.93	2.6	1	0.5	51.5	0.26	0.06	5.03	0.094	1.19	1.2
18-8519-11		23.1	18.8	<0.002	0.06	0.88	2.1	1	0.2	63.3	0.11	<0.05	2.24	0.041	0.62	0.6
18-8519-12		37.6	15.0	<0.002	0.27	0.85	2.2	1	0.4	72.7	0.10	<0.05	2.61	0.041	0.08	0.5
18-8519-13		19.0	14.7	<0.002	0.14	0.65	1.8	1	0.3	53.7	0.12	0.05	2.60	0.048	0.07	0.7
18-8519-14		15.3	9.6	<0.002	0.11	0.50	1.0	1	0.2	53.3	0.05	<0.05	1.19	0.022	0.04	0.4
18-8519-15		23.7	10.0	<0.002	0.27	1.63	2.0	1	0.3	53.9	0.11	<0.05	2.91	0.047	0.07	1.0
18-8519-16		15.8	16.4	0.002	0.26	1.27	2.8	1	0.4	59.4	0.16	<0.05	3.77	0.064	0.09	0.9
18-8519-17		12.4	10.7	0.002	0.36	1.10	2.2	1	0.3	68.1	0.11	<0.05	2.54	0.047	0.07	0.8
18-8519-18		9.2	33.6	<0.002	0.68	1.27	4.4	1	0.5	65.8	0.20	<0.05	4.06	0.081	0.14	0.8
18-8519-19		8.4	73.9	0.003	0.58	1.52	9.6	1	1.9	36.7	0.61	<0.05	12.40	0.269	0.34	2.2
18-8519-20		33.4	171.5	<0.002	0.22	4.36	13.7	1	3.5	9.0	0.68	0.10	14.85	0.312	0.75	2.8
18-8519-21		1.7	6.3	<0.002	<0.01	0.27	0.8	<1	0.4	5.9	0.05	<0.05	2.93	0.042	0.04	0.4
18-8519-22		>10000	69.2	0.002	4.47	145.0	5.0	4	5.0	91.7	0.63	0.08	5.94	0.153	2.07	2.8
18-8520-01		48.2	70.9	0.002	0.04	1.18	3.7	1	0.3	47.3	0.20	<0.05	4.69	0.098	0.92	0.9
18-8520-02		3.0	5.9	<0.002	<0.01	0.30	0.8	<1	0.3	5.8	0.05	<0.05	3.04	0.041	0.05	0.4
18-8520-03		8.0	43.3	0.002	0.01	0.95	6.0	<1	1.0	50.5	0.38	<0.05	7.10	0.159	0.23	1.1
18-8520-04		2730	25.5	<0.002	0.22	23.4	1.8	1	0.9	51.0	0.07	<0.05	2.08	0.028	0.16	14.8
18-8520-05		6050	29.6	<0.002	0.30	8.16	2.7	1	0.4	139.0	0.10	<0.05	3.92	0.040	0.69	6.2
18-8520-06		2720	21.9	<0.002	0.15	6.10	2.1	1	0.3	97.1	0.11	<0.05	2.82	0.041	0.29	2.1
18-8520-07		7480	17.4	<0.002	0.09	18.45	1.9	<1	0.2	156.5	0.07	<0.05	2.53	0.030	0.41	2.2
18-8520-08		>10000	17.3	<0.002	0.51	12.55	2.1	<1	0.2	263	0.06	<0.05	2.44	0.025	0.40	1.8
18-8520-09		7900	56.7	0.006	0.14	12.65	3.9	1	0.8	551	0.26	0.05	7.82	0.106	0.74	3.8
18-8520-10		105.0	30.4	0.002	0.07	1.65	2.7	<1	0.5	62.3	0.25	0.05	5.44	0.096	1.58	1.3



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 4 - D
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
18-8518-15		62	1.6	10.0	99	73.1		
18-8518-16		71	2.5	6.9	87	88.6		
18-8518-17		6	0.1	1.3	4	6.1		
18-8518-18		37	1.1	8.6	49	60.8		
18-8518-19		51	1.0	7.6	69	70.9		
18-8518-20		33	0.7	10.9	50	34.7		
18-8518-21		6	0.1	1.4	<2	5.7		
18-8518-22		32	2.5	10.0	>10000	155.5	1.345	5.22
18-8519-01		15	0.4	10.2	63	19.7		
18-8519-02		15	0.4	9.3	37	22.5		
18-8519-03		34	0.7	9.9	33	43.9		
18-8519-04		14	0.6	11.1	2940	7.6		
18-8519-05		37	1.3	6.2	>10000	19.3	8.88	14.95
18-8519-06		26	1.6	7.0	>10000	12.3	5.42	15.55
18-8519-07		25	2.4	8.2	>10000	12.6		2.62
18-8519-08		6	0.1	1.5	33	5.0		
18-8519-09		69	3.6	13.6	>10000	40.1		2.09
18-8519-10		59	0.7	10.6	1290	30.3		
18-8519-11		40	0.5	11.9	651	13.2		
18-8519-12		20	0.3	10.4	174	15.2		
18-8519-13		38	0.4	13.2	108	15.7		
18-8519-14		15	0.2	9.7	114	7.5		
18-8519-15		42	0.3	11.3	389	16.4		
18-8519-16		55	0.5	13.0	1840	20.5		
18-8519-17		37	0.3	13.0	399	14.9		
18-8519-18		35	0.6	15.8	455	24.4		
18-8519-19		124	1.6	11.3	96	82.0		
18-8519-20		89	1.7	6.4	140	93.2		
18-8519-21		7	0.1	1.5	3	6.1		
18-8519-22		32	2.6	9.2	>10000	150.0	1.355	5.19
18-8520-01		26	0.3	7.1	214	28.5		
18-8520-02		7	0.2	1.5	7	6.0		
18-8520-03		36	0.7	9.5	36	45.5		
18-8520-04		41	1.9	9.9	>10000	14.7		2.16
18-8520-05		48	3.7	14.4	>10000	23.9		4.09
18-8520-06		34	1.4	10.1	>10000	17.3		2.57
18-8520-07		21	1.3	8.3	>10000	13.0		3.60
18-8520-08		21	1.9	8.4	>10000	13.4	1.930	10.55
18-8520-09		84	7.0	17.1	>10000	56.5		3.51
18-8520-10		60	1.3	10.5	4760	32.0		



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - A
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-ICP22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
18-8520-11		0.26	0.001	0.12	1.60	14.7	10	0.44	1.03	18.05	0.37	11.00	4.3	15	2.28	7.9
18-8520-12		0.26	<0.001	0.05	1.57	33.7	10	0.50	0.20	16.95	0.20	8.99	2.6	15	3.24	2.5
18-8520-13		0.26	0.001	0.12	0.24	12.0	10	0.17	0.37	19.70	0.08	7.53	8.0	5	0.33	6.8
18-8520-14		0.26	<0.001	0.04	4.93	2.8	40	0.73	0.21	10.65	0.13	6.84	4.1	46	6.27	1.4
18-8520-15		0.26	<0.001	0.04	9.48	20.1	310	2.49	0.82	1.06	0.03	67.6	13.5	128	4.67	2.5
18-8520-16		0.26	<0.001	0.04	9.47	13.7	420	3.00	0.58	0.74	0.04	63.9	8.5	120	6.33	1.8
18-8520-17		0.26	<0.001	0.07	7.81	14.1	430	2.66	1.33	0.06	0.08	79.0	12.2	156	5.38	8.2
18-8520-18		0.26	<0.001	0.03	6.79	7.5	130	1.47	0.39	2.19	0.04	29.8	9.2	104	5.91	1.8
18-8520-19		0.24	<0.001	0.06	5.59	11.9	60	1.20	0.64	7.43	0.10	27.3	4.6	65	3.32	9.2
18-8520-20		0.26	<0.001	0.03	3.79	2.6	170	1.39	0.14	12.35	0.03	40.9	3.0	39	2.06	1.4
18-8520-21		0.24	<0.001	0.01	0.52	0.6	20	0.15	0.01	0.01	<0.02	15.55	0.8	398	0.32	4.1
18-8520-22		0.10	1.240	66.1	5.51	80.7	230	1.72	3.62	2.03	273	36.5	27.8	37	2.99	3490
18-8521-01		0.26	<0.001	0.06	4.49	3.5	30	0.55	0.11	11.75	0.13	18.95	3.9	35	3.93	2.6
18-8521-02		0.28	<0.001	0.01	0.51	0.4	20	0.12	0.01	0.02	0.03	14.10	0.7	350	0.31	3.8
18-8521-03		0.26	<0.001	0.09	1.89	2.3	10	0.35	0.32	16.15	0.05	9.25	2.6	18	3.45	4.0
18-8521-04		0.26	<0.001	0.02	2.59	0.4	20	0.32	0.01	14.65	0.06	8.86	1.5	23	1.96	1.4
18-8521-05		0.26	<0.001	0.16	6.18	12.4	740	2.15	0.21	3.05	0.62	58.6	12.4	100	4.37	26.3
18-8521-06		0.26	<0.001	0.46	7.04	9.5	590	2.15	0.25	0.71	3.18	75.5	10.0	101	4.56	9.1
18-8521-07		0.26	<0.001	0.20	7.02	8.6	710	2.16	0.32	1.64	0.24	71.9	15.3	113	4.74	33.4
18-8521-08		0.26	<0.001	0.78	7.21	65.5	650	2.44	0.53	0.71	3.70	72.1	16.0	97	5.44	38.1
18-8521-09		0.28	<0.001	0.34	4.60	4.3	490	1.51	0.28	6.94	0.66	52.9	10.6	56	3.75	35.2
18-8521-10		0.28	<0.001	72.2	1.11	8000	30	0.34	32.1	5.15	33.2	21.8	22.0	23	1.04	1095
18-8521-20		0.26	0.008	7.62	1.77	148.5	250	0.85	6.57	4.77	36.8	28.9	8.7	21	3.94	177.5
18-8521-21		0.26	<0.001	0.03	0.51	1.5	20	0.11	0.02	0.01	0.06	14.55	0.8	379	0.31	4.4
18-8521-22		0.10	1.255	68.0	5.73	80.9	220	1.49	3.66	2.06	278	37.2	27.8	36	3.00	3600



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - B
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
18-8520-11		3.93	7.01	0.06	0.7	0.142	0.35	5.2	15.9	11.45	3220	0.94	0.02	2.1	30.5
18-8520-12		3.66	7.82	0.06	0.6	0.126	0.68	4.3	3.3	10.05	3660	0.53	0.02	2.1	22.8
18-8520-13		3.39	1.08	<0.05	0.1	0.070	0.07	3.4	4.8	11.45	2970	0.73	0.02	0.4	16.8
18-8520-14		4.29	16.85	0.05	1.9	0.104	0.70	2.6	47.5	8.71	2520	0.45	0.56	7.1	65.5
18-8520-15		4.59	30.2	0.16	3.5	0.052	3.93	33.3	102.5	5.13	433	1.88	0.97	11.7	54.7
18-8520-16		3.52	33.1	0.15	3.8	0.049	5.15	31.0	92.5	4.57	542	1.56	0.86	15.3	36.3
18-8520-17		2.84	22.3	0.14	2.8	0.045	4.22	40.8	75.5	1.85	95	3.47	0.05	11.1	32.5
18-8520-18		4.73	22.5	0.16	2.4	0.047	2.44	13.9	93.0	8.02	854	0.87	0.02	9.6	46.9
18-8520-19		4.85	16.65	0.11	1.8	0.089	2.24	12.9	41.2	8.26	2390	0.56	0.03	6.3	30.8
18-8520-20		2.72	10.15	0.10	1.3	0.111	2.11	21.7	24.5	7.15	3700	0.46	0.04	4.6	7.4
18-8520-21		0.48	1.57	0.05	0.2	<0.005	0.24	6.9	2.4	0.02	35	1.22	0.01	1.2	7.5
18-8520-22		3.53	24.7	0.11	4.1	1.745	2.11	14.8	14.7	0.43	532	13.85	1.26	9.2	25.4
18-8521-01		3.99	13.45	0.05	1.6	0.070	0.52	9.3	64.8	10.80	2620	0.39	1.07	6.1	20.9
18-8521-02		0.45	1.50	0.05	0.2	<0.005	0.23	6.3	2.4	0.03	34	0.92	0.01	1.1	5.3
18-8521-03		3.05	6.21	<0.05	0.8	0.067	0.40	3.9	48.1	12.30	2290	0.45	0.17	2.6	16.3
18-8521-04		3.73	9.71	<0.05	0.8	0.082	0.09	3.5	47.0	11.95	3040	0.20	0.35	3.3	23.0
18-8521-05		2.44	15.70	0.12	2.2	0.068	3.72	28.8	36.1	2.45	1020	1.52	0.05	8.1	18.7
18-8521-06		1.91	18.10	0.16	2.4	0.062	3.96	36.8	40.6	1.25	1500	0.52	0.08	9.5	15.4
18-8521-07		1.93	17.45	0.14	2.3	0.043	4.42	34.5	42.9	1.59	427	1.32	0.08	9.1	24.6
18-8521-08		2.32	19.15	0.15	2.5	0.062	4.32	34.8	50.3	1.27	1500	0.63	0.06	9.9	20.3
18-8521-09		2.75	11.65	0.14	1.5	0.076	2.89	25.1	33.2	3.85	1780	1.30	0.04	6.2	17.4
18-8521-10		19.05	3.15	0.08	0.5	0.339	0.54	10.2	4.9	5.83	22100	0.30	0.01	1.2	34.6
18-8521-20		22.5	6.08	0.09	1.1	0.735	0.50	13.0	6.9	7.28	20000	1.49	0.01	3.0	52.3
18-8521-21		0.48	1.48	0.05	0.2	0.005	0.24	6.4	2.1	0.02	46	1.10	0.01	1.2	8.0
18-8521-22		3.64	24.9	0.10	4.1	1.805	2.17	14.7	14.3	0.44	544	13.90	1.30	9.2	24.4



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: 5 - C
Total # Pages: 5 (A - D)
Plus Appendix Pages
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
18-8520-11		27.5	20.2	<0.002	0.11	1.56	2.3	1	0.3	59.9	0.17	<0.05	3.81	0.063	1.39	1.0
18-8520-12		15.3	33.6	<0.002	0.05	0.81	2.6	1	0.3	56.2	0.17	<0.05	3.27	0.061	1.38	0.7
18-8520-13		40.8	3.9	<0.002	0.36	1.36	0.8	1	<0.2	51.6	<0.05	<0.05	0.64	0.011	0.03	0.4
18-8520-14		12.0	41.1	<0.002	0.50	1.71	6.3	<1	1.0	51.0	0.49	<0.05	8.87	0.199	0.18	1.8
18-8520-15		15.1	106.0	<0.002	0.27	3.31	15.0	1	3.0	9.3	0.85	<0.05	13.00	0.364	0.66	2.3
18-8520-16		14.2	141.0	0.002	0.19	4.32	15.1	1	3.7	8.3	1.06	<0.05	12.15	0.450	0.84	2.0
18-8520-17		21.1	174.5	<0.002	0.18	3.54	13.8	1	3.1	6.5	0.72	0.05	14.65	0.321	0.81	3.2
18-8520-18		9.2	127.5	0.002	0.16	1.75	11.4	1	1.7	8.9	0.68	<0.05	11.10	0.290	0.43	1.7
18-8520-19		10.6	117.5	0.002	0.07	2.62	9.9	1	1.1	33.5	0.46	<0.05	8.75	0.181	0.26	1.4
18-8520-20		7.3	97.8	<0.002	0.07	1.76	7.4	<1	1.5	49.0	0.33	<0.05	6.01	0.139	0.30	1.0
18-8520-21		0.7	6.2	<0.002	<0.01	0.26	0.9	<1	0.4	6.3	0.05	<0.05	2.79	0.042	0.04	0.4
18-8520-22		>10000	65.9	<0.002	4.53	139.5	5.0	2	4.8	92.9	0.66	0.07	5.39	0.155	2.00	2.5
18-8521-01		13.1	35.6	0.002	0.21	1.22	7.4	1	0.7	49.7	0.42	<0.05	7.83	0.178	0.21	1.4
18-8521-02		2.3	5.7	<0.002	<0.01	0.27	0.8	<1	0.4	6.1	0.05	<0.05	2.56	0.042	0.04	0.3
18-8521-03		16.1	32.7	<0.002	0.23	0.84	3.4	1	0.3	54.7	0.18	<0.05	3.73	0.078	0.70	0.9
18-8521-04		5.7	6.9	<0.002	<0.01	0.62	6.3	1	0.3	56.7	0.22	<0.05	4.27	0.099	0.05	0.7
18-8521-05		60.7	142.5	<0.002	0.60	2.72	10.1	<1	1.8	27.5	0.57	<0.05	9.11	0.247	0.66	1.9
18-8521-06		310	154.5	<0.002	0.60	2.79	10.6	<1	2.3	16.8	0.67	<0.05	11.25	0.294	0.75	2.1
18-8521-07		72.5	147.5	<0.002	0.95	3.82	10.5	1	2.2	19.1	0.62	<0.05	10.80	0.284	0.66	2.0
18-8521-08		474	166.5	<0.002	1.05	5.09	11.7	1	3.4	15.0	0.71	0.06	11.85	0.300	0.82	2.3
18-8521-09		213	105.5	0.002	0.57	2.82	7.4	1	1.4	49.9	0.44	0.05	7.79	0.195	0.44	1.6
18-8521-10		3430	23.4	0.002	2.21	584	2.2	<1	0.7	51.5	0.08	<0.05	2.31	0.039	0.19	1.0
18-8521-20		5050	25.7	0.006	0.11	9.11	2.8	1	0.5	535	0.21	0.05	5.61	0.084	0.52	2.9
18-8521-21		7.8	5.7	<0.002	<0.01	0.32	0.8	<1	0.4	6.6	0.05	<0.05	2.54	0.042	0.03	0.3
18-8521-22		>10000	68.0	<0.002	4.65	146.0	5.1	2	4.9	95.0	0.65	0.08	5.53	0.159	2.05	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
 203 - 1634 HARVEY AVE
 KELOWNA BC V1Y 6G2

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 20-OCT-2018
 Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

Sample Description	Method Analyte Units LOD	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
18-8520-11		37	0.5	11.0	879	23.3		
18-8520-12		59	0.6	9.7	1040	19.8		
18-8520-13		11	0.1	8.4	49	4.2		
18-8520-14		102	1.2	9.9	82	68.1		
18-8520-15		110	2.0	6.6	49	115.0		
18-8520-16		115	2.2	5.5	37	120.5		
18-8520-17		83	1.8	5.2	84	102.0		
18-8520-18		74	1.6	4.5	76	81.7		
18-8520-19		41	1.4	7.2	62	66.3		
18-8520-20		31	0.8	10.8	21	39.1		
18-8520-21		7	0.1	1.5	<2	5.1		
18-8520-22		32	2.5	8.3	>10000	145.0	1.345	5.14
18-8521-01		42	0.8	9.0	77	53.3		
18-8521-02		7	0.1	1.4	5	4.9		
18-8521-03		21	0.3	8.2	49	25.4		
18-8521-04		25	0.5	10.0	51	25.9		
18-8521-05		61	1.2	7.9	383	73.1		
18-8521-06		61	2.4	7.3	1160	79.8		
18-8521-07		61	1.3	7.6	113	77.6		
18-8521-08		67	3.0	7.6	1360	82.5		
18-8521-09		49	0.8	9.8	348	53.2		
18-8521-10		9	2.5	7.9	9680	12.9		
18-8521-20		52	14.0	13.1	>10000	38.9		1.525
18-8521-21		7	0.2	1.4	9	5.4		
18-8521-22		33	2.5	8.5	>10000	150.5	1.315	5.09



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.
203 - 1634 HARVEY AVE
KELOWNA BC V1Y 6G2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 20-OCT-2018
Account: CANMID

Project: YUK8-TA17-I

CERTIFICATE OF ANALYSIS VA18253984

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-ICP22 LOG-24 LOG-QC ME-MS61
ME-OG62 Pb-OG62 WEI-21 Zn-OG62