



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 1  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

**CERTIFICATE VA18266877**

Project: TA22-04-YUK8

This report is for 200 Pulp samples submitted to our lab in Vancouver, BC, Canada on 22-OCT-2018.

The following have access to data associated with this certificate:

CHAD ULANSKY

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
----------	-------------

WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-QC	QC Test on Received Samples

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION
----------	-------------

Pb-OG62	Ore Grade Pb - Four Acid	
Zn-OG62	Ore Grade Zn - Four Acid	
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 2 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
18-8534-1		0.28	0.56	6.20	50.7	680	1.77	0.46	0.40	1.95	72.4	42.6	199	5.00	61.9	4.89
18-8534-2		0.28	0.59	6.43	22.7	610	2.02	0.42	0.25	1.30	72.6	31.3	173	5.21	80.3	3.74
18-8534-3		0.22	0.13	6.71	7.1	550	2.28	0.35	0.18	0.92	74.6	17.9	155	6.41	30.8	3.40
18-8534-4		0.28	0.40	6.32	21.3	520	2.30	0.90	0.14	2.79	70.6	32.9	161	6.14	62.4	5.05
18-8534-5		0.26	0.30	6.62	10.8	530	2.45	0.72	0.66	2.86	72.3	19.2	127	6.97	34.7	4.28
18-8534-6		0.30	0.08	6.95	9.2	550	2.70	0.23	0.11	0.43	75.5	17.7	131	6.89	23.4	3.29
18-8534-7		0.28	0.26	6.39	30.6	540	2.24	0.43	0.22	0.53	73.3	30.7	147	6.77	46.8	5.13
18-8534-8		0.28	0.12	6.83	9.7	550	2.54	0.27	0.14	0.33	72.9	22.2	137	6.70	31.5	3.93
18-8534-9		0.28	0.23	6.50	13.3	520	2.42	0.39	0.22	0.88	69.1	29.4	139	6.72	41.1	4.19
18-8534-10		0.26	0.72	5.56	38.7	380	2.12	0.82	5.12	25.1	61.3	28.0	102	5.29	56.5	3.99
18-8534-11		0.26	0.46	6.34	55.7	520	2.28	1.38	0.48	0.58	68.4	54.3	204	5.73	105.5	5.72
18-8534-12		0.28	0.41	6.79	44.9	600	2.60	1.36	0.32	0.59	76.6	44.7	185	5.76	84.2	5.10
18-8534-13		0.26	0.72	5.51	39.3	460	1.96	1.20	3.82	1.01	63.3	19.5	137	4.18	62.2	5.72
18-8534-14		0.26	0.36	1.50	18.1	90	0.58	0.72	17.05	0.63	20.5	5.0	23	0.81	17.1	3.89
18-8534-15		0.28	0.02	0.49	0.2	20	0.12	0.01	0.01	<0.02	15.15	0.8	387	0.30	4.4	0.46
18-8534-16		0.26	0.09	0.81	134.0	60	0.46	0.21	19.15	0.18	11.45	3.5	15	0.65	6.8	1.39
18-8534-17		0.26	0.10	1.04	6.8	90	0.58	0.12	17.75	0.30	15.80	2.5	38	0.76	23.6	1.69
18-8534-18		0.28	0.16	0.44	6.1	30	0.29	0.04	19.65	0.14	7.32	1.2	6	0.26	5.8	0.87
18-8534-19		0.28	0.18	0.35	5.1	20	0.22	0.03	20.2	0.18	6.36	1.0	6	0.23	6.6	0.84
18-8534-20		0.26	0.02	4.40	5.7	260	1.35	0.30	9.69	0.05	51.8	10.6	60	1.98	7.7	2.07
18-8534-21		0.24	0.01	0.53	0.3	20	0.12	0.01	0.01	<0.02	16.20	0.9	417	0.34	3.6	0.51
18-8534-22		0.06	69.9	6.16	86.6	130	1.61	4.10	1.99	279	44.5	28.9	34	3.42	3640	3.68
18-8535-1		0.26	0.18	6.65	9.5	620	2.04	0.35	0.10	0.71	74.7	19.7	188	6.54	31.7	3.61
18-8535-2		0.26	0.14	6.77	7.3	620	2.18	0.28	0.07	0.73	75.2	19.0	172	6.67	27.2	3.39
18-8535-3		0.28	0.49	6.55	19.6	590	2.10	0.70	0.26	1.03	66.8	38.1	188	8.07	61.1	5.01
18-8535-4		0.28	0.01	0.49	0.5	20	0.11	0.01	0.01	<0.02	16.60	0.7	326	0.31	2.3	0.41
18-8535-5		0.26	0.27	6.34	18.9	560	2.22	0.69	0.32	0.63	58.9	39.1	103	8.56	46.3	5.33
18-8535-6		0.26	0.50	6.24	18.4	550	2.11	0.64	0.34	0.82	58.0	34.1	107	7.94	54.5	5.19
18-8535-7		0.26	0.64	6.33	19.9	540	2.38	0.72	0.43	1.21	58.5	38.4	105	9.51	51.9	5.36
18-8535-8		0.26	0.14	6.08	6.5	580	2.08	0.24	0.19	0.95	62.2	19.0	199	6.03	26.5	3.23
18-8535-9		0.26	0.41	6.26	16.7	610	2.19	0.47	0.29	1.96	69.0	35.9	166	6.96	51.3	4.46
18-8535-10		0.26	0.31	5.88	13.1	490	2.00	0.38	2.68	0.75	58.1	20.1	153	5.44	30.1	4.37
18-8535-11		0.26	0.42	6.50	13.3	590	2.21	0.40	0.27	1.65	69.2	19.1	228	6.22	32.8	4.41
18-8535-12		0.26	0.74	6.27	11.3	590	2.25	0.37	0.17	1.10	70.8	21.3	180	5.70	26.5	4.20
18-8535-13		0.26	0.69	6.37	14.7	620	2.34	0.47	0.19	1.05	77.8	26.0	209	6.39	34.7	4.34
18-8535-14		0.26	0.28	3.38	7.4	230	1.38	0.26	10.80	0.59	40.9	8.3	60	3.26	17.6	2.79
18-8535-15		0.26	0.76	4.42	11.7	400	1.62	0.38	6.70	1.54	54.6	20.7	113	4.17	38.9	3.72
18-8535-16		0.26	0.09	5.00	8.9	290	1.71	0.30	5.42	0.16	58.3	11.0	82	2.44	12.9	2.71
18-8535-17		0.26	0.07	5.39	13.5	310	1.74	0.32	5.94	0.12	63.5	11.9	72	2.66	16.6	2.76
18-8535-18		0.28	0.08	4.49	7.2	240	1.34	0.20	8.48	0.13	45.3	8.4	55	2.06	12.0	2.16



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 2 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
18-8534-1		15.25	0.16	2.4	0.078	3.12	34.5	27.6	0.94	4320	2.75	0.26	8.3	65.6	630
18-8534-2		16.10	0.15	2.3	0.050	3.51	36.0	33.4	1.08	1740	2.79	0.15	9.0	48.4	420
18-8534-3		17.25	0.15	2.4	0.047	3.66	36.8	40.1	1.24	1080	1.90	0.12	8.6	28.7	440
18-8534-4		16.20	0.16	2.3	0.079	3.21	35.0	38.0	1.25	1970	3.45	0.12	6.9	46.9	480
18-8534-5		17.30	0.16	2.3	0.066	3.46	35.9	39.3	1.29	2260	2.48	0.12	8.0	30.5	440
18-8534-6		18.35	0.15	2.5	0.048	3.62	36.7	44.3	1.67	825	1.17	0.20	8.8	29.8	330
18-8534-7		16.20	0.16	2.4	0.057	3.16	35.3	40.8	1.46	2080	2.47	0.24	6.8	50.9	530
18-8534-8		17.80	0.15	2.4	0.050	3.51	35.9	46.2	1.75	1010	1.08	0.25	8.4	33.0	370
18-8534-9		17.10	0.15	2.4	0.062	3.45	34.2	45.3	1.84	974	1.43	0.21	8.0	38.8	410
18-8534-10		15.00	0.15	2.0	0.142	3.36	31.7	37.8	3.90	1790	1.43	0.07	7.3	36.7	430
18-8534-11		16.35	0.15	2.3	0.092	3.36	33.5	37.3	1.67	1540	2.40	0.19	7.2	58.8	470
18-8534-12		17.85	0.16	2.5	0.118	3.70	37.3	40.7	1.25	1640	1.94	0.25	8.0	51.6	580
18-8534-13		14.80	0.15	2.0	0.228	3.09	33.0	34.4	2.74	4680	1.71	0.21	7.3	34.2	660
18-8534-14		3.95	0.08	0.7	0.108	0.69	11.1	9.2	9.20	4810	1.14	0.06	2.3	12.7	350
18-8534-15		1.45	0.06	0.3	<0.005	0.22	7.1	2.5	0.02	34	1.02	0.01	1.2	8.7	30
18-8534-16		2.25	0.08	0.3	0.043	0.40	6.1	8.0	12.10	900	0.25	0.03	1.2	15.3	120
18-8534-17		2.64	0.07	0.4	0.061	0.44	8.4	7.6	10.55	1260	0.28	0.07	1.5	5.9	280
18-8534-18		1.32	0.10	0.2	0.037	0.23	4.1	5.6	12.50	807	0.09	0.03	0.6	3.0	60
18-8534-19		1.10	0.11	0.1	0.033	0.19	3.7	5.0	12.70	809	0.06	0.02	0.4	2.3	50
18-8534-20		11.45	0.15	1.7	0.042	3.06	26.4	35.1	5.08	1020	0.21	0.04	7.1	19.5	520
18-8534-21		1.50	0.09	0.2	<0.005	0.24	7.5	2.2	0.02	36	1.24	0.01	1.3	6.7	20
18-8534-22		26.2	0.12	4.6	1.785	2.23	21.1	13.1	0.46	534	14.75	1.34	9.6	23.9	380
18-8535-1		16.90	0.15	2.4	0.050	3.72	36.0	49.1	1.22	893	1.73	0.20	8.8	28.0	420
18-8535-2		17.75	0.15	2.5	0.048	3.86	36.8	53.9	1.28	908	1.59	0.18	9.3	26.2	340
18-8535-3		16.85	0.14	2.4	0.074	3.25	32.9	54.7	1.62	1640	2.02	0.26	8.0	49.2	610
18-8535-4		1.43	0.11	0.2	<0.005	0.22	7.9	2.1	0.02	29	0.99	0.01	1.1	4.2	30
18-8535-5		16.00	0.15	2.1	0.076	2.94	29.5	59.9	1.49	2050	2.29	0.32	7.7	41.0	970
18-8535-6		14.45	0.12	1.9	0.069	3.04	29.3	59.0	1.66	1730	1.67	0.27	7.1	45.7	750
18-8535-7		15.90	0.18	2.1	0.077	2.95	28.7	66.6	1.77	2010	1.75	0.27	7.5	48.0	900
18-8535-8		14.00	0.13	2.0	0.045	3.61	30.5	49.6	1.21	1320	1.03	0.20	7.7	31.1	430
18-8535-9		15.20	0.14	2.1	0.062	3.27	34.7	56.7	1.46	1840	1.65	0.29	8.4	52.3	560
18-8535-10		13.15	0.14	1.8	0.061	2.83	29.4	48.3	2.45	2010	1.44	0.20	7.1	34.9	600
18-8535-11		15.60	0.17	2.3	0.067	3.20	35.5	53.7	1.23	2060	1.61	0.28	8.5	41.0	540
18-8535-12		15.50	0.17	2.2	0.170	3.09	34.2	50.3	1.08	1420	1.80	0.24	8.8	32.1	600
18-8535-13		17.10	0.20	2.5	0.168	3.16	38.3	55.3	1.05	1420	1.99	0.27	9.6	38.4	600
18-8535-14		8.07	0.11	1.2	0.047	1.76	21.1	32.6	6.88	1820	0.93	0.06	4.6	20.8	390
18-8535-15		10.90	0.11	1.6	0.072	2.23	28.2	39.0	4.50	1640	1.43	0.18	6.5	34.7	390
18-8535-16		12.80	0.13	1.8	0.057	3.29	29.6	45.6	3.87	1620	0.47	0.09	7.7	23.8	710
18-8535-17		14.30	0.15	2.0	0.058	3.59	32.5	51.5	4.34	1420	0.45	0.08	8.4	26.8	650
18-8535-18		10.60	0.10	1.3	0.042	2.97	22.5	38.0	5.49	1150	0.22	0.04	6.0	22.2	550



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 2 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Ti	U	V
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1
18-8534-1		135.0	<0.002	0.04	4.78	10.0	<1	1.9	44.6	0.59	0.12	11.15	0.267	0.65	2.5	65
18-8534-2		156.0	<0.002	0.06	4.05	10.0	1	2.0	26.3	0.64	0.05	11.80	0.276	0.72	2.4	72
18-8534-3		158.0	<0.002	0.04	2.85	10.5	<1	2.0	19.6	0.65	<0.05	12.35	0.270	0.73	2.0	75
18-8534-4		147.5	<0.002	0.03	4.12	10.3	<1	1.9	23.2	0.49	0.09	12.15	0.237	0.68	2.3	79
18-8534-5		160.0	<0.002	0.03	3.61	10.6	<1	2.0	28.5	0.59	0.07	12.35	0.264	0.74	2.2	77
18-8534-6		159.5	<0.002	0.03	2.77	11.3	<1	2.1	16.1	0.67	<0.05	12.60	0.273	0.74	1.9	70
18-8534-7		139.5	<0.002	0.05	4.53	10.6	<1	1.8	29.4	0.49	0.05	12.65	0.241	0.65	2.2	67
18-8534-8		153.0	<0.002	0.04	3.19	11.1	<1	2.0	20.2	0.61	<0.05	12.30	0.279	0.74	1.9	72
18-8534-9		150.5	<0.002	0.08	3.58	10.5	<1	2.0	19.1	0.60	0.06	12.05	0.260	0.69	2.0	67
18-8534-10		127.5	<0.002	0.08	4.05	9.2	<1	1.8	33.1	0.55	<0.05	10.60	0.229	0.54	2.2	59
18-8534-11		135.0	<0.002	0.05	9.34	10.2	<1	1.9	34.5	0.52	0.10	12.05	0.255	0.64	2.4	71
18-8534-12		140.5	<0.002	0.03	9.48	11.4	<1	2.1	43.5	0.56	0.10	12.85	0.271	0.63	2.6	78
18-8534-13		115.5	<0.002	0.05	7.45	9.7	<1	1.8	41.3	0.53	<0.05	10.40	0.230	0.48	2.5	73
18-8534-14		28.2	<0.002	0.02	3.19	2.8	<1	0.6	49.9	0.18	<0.05	3.28	0.063	0.12	1.6	49
18-8534-15		5.8	<0.002	<0.01	0.26	0.7	<1	0.5	5.7	0.06	<0.05	2.62	0.043	0.04	0.4	6
18-8534-16		14.8	<0.002	<0.01	6.96	1.4	1	0.4	31.0	0.09	<0.05	1.36	0.036	3.99	0.3	8
18-8534-17		16.9	<0.002	0.02	0.84	1.9	<1	0.5	34.5	0.10	<0.05	1.80	0.045	0.66	0.4	12
18-8534-18		8.2	<0.002	<0.01	0.81	0.8	<1	0.3	31.7	<0.05	<0.05	0.72	0.019	0.16	0.1	3
18-8534-19		6.8	<0.002	<0.01	0.52	0.7	1	0.2	31.3	<0.05	<0.05	0.57	0.014	0.13	0.1	3
18-8534-20		94.1	<0.002	0.02	0.96	7.2	1	1.8	31.2	0.52	0.05	7.60	0.211	0.34	1.2	41
18-8534-21		6.1	<0.002	<0.01	0.23	0.8	<1	0.4	6.2	0.06	<0.05	2.63	0.044	0.04	0.3	7
18-8534-22		77.7	<0.002	4.54	144.0	6.0	5	5.2	95.1	0.71	0.06	7.28	0.151	1.99	2.8	33
18-8535-1		156.0	<0.002	0.05	2.88	10.0	<1	2.1	18.7	0.66	0.05	12.20	0.268	0.76	2.2	73
18-8535-2		162.0	<0.002	0.02	2.59	10.4	<1	2.0	15.1	0.70	<0.05	12.60	0.278	0.85	2.3	74
18-8535-3		135.0	<0.002	0.04	3.46	10.8	<1	1.9	34.7	0.60	0.07	11.95	0.272	0.86	2.9	73
18-8535-4		5.7	<0.002	<0.01	0.22	0.7	<1	0.4	5.7	0.05	<0.05	2.79	0.042	0.04	0.4	6
18-8535-5		117.5	<0.002	0.05	3.18	10.4	<1	1.8	44.5	0.56	0.09	9.74	0.273	0.89	2.5	79
18-8535-6		115.0	0.002	0.04	2.54	10.0	<1	1.7	34.4	0.50	0.10	9.97	0.258	0.80	2.6	73
18-8535-7		126.5	0.002	0.05	2.64	11.1	<1	1.9	38.8	0.53	0.09	10.40	0.260	0.87	2.7	73
18-8535-8		134.5	<0.002	0.02	1.61	8.6	<1	1.8	15.8	0.59	<0.05	10.05	0.243	0.77	1.7	53
18-8535-9		130.5	<0.002	0.03	2.64	10.3	1	1.9	36.9	0.61	0.06	11.15	0.270	0.82	2.8	71
18-8535-10		106.5	<0.002	0.03	2.21	8.9	<1	1.6	28.3	0.53	0.05	8.84	0.246	0.63	2.4	72
18-8535-11		130.5	0.002	0.02	2.47	10.3	<1	2.0	31.6	0.64	0.05	11.40	0.268	0.78	2.6	77
18-8535-12		132.5	<0.002	0.03	3.81	10.0	<1	1.9	29.9	0.64	0.05	10.80	0.279	0.74	2.2	79
18-8535-13		144.5	0.002	0.02	4.71	11.0	<1	2.2	37.3	0.71	0.07	12.15	0.273	0.88	2.5	81
18-8535-14		65.5	0.003	0.01	1.44	5.8	<1	1.0	28.4	0.37	<0.05	6.02	0.141	0.38	1.5	43
18-8535-15		90.5	0.002	0.02	2.96	7.5	<1	1.4	37.8	0.47	<0.05	8.05	0.197	0.58	2.0	57
18-8535-16		100.5	0.003	0.04	1.26	8.4	<1	1.9	28.5	0.59	<0.05	8.50	0.230	0.40	1.3	46
18-8535-17		115.5	0.003	0.02	1.37	10.6	<1	2.1	30.0	0.64	<0.05	9.30	0.255	0.46	1.4	61
18-8535-18		88.8	0.003	0.01	1.07	9.0	<1	1.6	24.4	0.45	<0.05	6.17	0.238	0.34	1.0	73



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 2 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Au-ICP22 Au ppm 0.001
18-8534-1		1.1	19.3	1160	80.7			0.002
18-8534-2		1.1	11.9	717	82.0			0.001
18-8534-3		1.1	9.4	392	79.2			0.001
18-8534-4		1.0	12.1	1190	79.3			0.003
18-8534-5		1.1	11.8	938	80.3			0.001
18-8534-6		1.1	8.7	218	87.2			<0.001
18-8534-7		1.0	15.1	291	81.3			<0.001
18-8534-8		1.1	9.3	211	82.6			<0.001
18-8534-9		1.1	9.4	329	80.3			<0.001
18-8534-10		1.0	11.4	1880	68.0			<0.001
18-8534-11		1.1	11.3	479	81.1			0.002
18-8534-12		1.2	11.8	484	90.0			<0.001
18-8534-13		1.1	18.5	675	68.1			0.011
18-8534-14		0.5	13.8	397	22.9			0.001
18-8534-15		0.1	1.3	3	6.8			<0.001
18-8534-16		0.3	8.7	113	11.2			0.002
18-8534-17		0.2	12.8	117	14.9			<0.001
18-8534-18		0.2	7.1	114	6.3			0.001
18-8534-19		0.1	6.6	118	4.9			0.001
18-8534-20		1.1	14.9	40	58.9			<0.001
18-8534-21		0.1	1.5	<2	5.4			<0.001
18-8534-22		2.6	11.5	>10000	171.5	1.325	5.32	1.275
18-8535-1		1.1	9.5	522	81.8			0.001
18-8535-2		1.2	9.3	521	84.7			0.002
18-8535-3		1.1	15.5	502	81.5			0.001
18-8535-4		0.1	1.4	2	6.7			0.001
18-8535-5		1.1	13.8	438	75.8			0.001
18-8535-6		1.0	16.0	528	68.6			0.003
18-8535-7		1.2	16.1	508	73.2			0.001
18-8535-8		1.0	8.6	400	69.3			<0.001
18-8535-9		1.1	16.0	971	76.2			0.002
18-8535-10		1.1	14.5	477	64.3			0.001
18-8535-11		1.3	15.9	615	77.8			0.004
18-8535-12		1.1	11.0	1040	79.2			0.002
18-8535-13		1.3	11.7	1130	87.8			0.003
18-8535-14		0.8	11.2	226	44.0			0.003
18-8535-15		0.9	13.7	691	61.5			0.002
18-8535-16		1.1	18.9	75	65.8			0.001
18-8535-17		1.3	21.6	63	69.4			0.006
18-8535-18		1.0	14.6	75	47.3			<0.001



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 3 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
18-8535-19		0.26	0.04	4.11	5.6	220	1.35	0.20	9.79	0.06	49.7	7.0	49	1.93	7.3	2.12
18-8535-20		0.26	0.03	4.66	6.3	240	1.68	0.21	8.92	0.03	55.6	8.4	50	2.13	8.6	2.02
18-8535-21		0.22	0.02	0.52	0.8	20	0.11	0.02	0.02	0.05	17.25	0.9	404	0.34	4.7	0.51
18-8535-22		0.06	71.7	6.31	93.2	140	2.03	4.31	2.02	286	52.8	33.2	38	3.72	3770	3.75
18-8536-1		0.28	0.15	4.26	9.4	270	1.38	0.33	8.97	0.40	46.4	8.6	45	2.06	15.2	2.30
18-8536-2		0.26	0.02	0.52	0.6	20	0.14	0.01	0.02	0.03	14.70	0.7	358	0.29	3.9	0.48
18-8536-3		0.24	0.16	4.16	20.5	220	1.43	0.52	10.40	0.19	43.4	13.4	50	2.31	44.8	2.47
18-8536-4		0.26	0.18	4.12	26.5	220	1.46	0.56	10.15	0.22	44.6	15.1	69	2.56	489	2.48
18-8536-5		0.28	0.15	4.56	26.5	240	1.63	0.63	9.08	0.17	48.5	17.8	72	2.83	86.0	2.62
18-8536-6		0.28	0.03	4.22	3.1	280	1.44	0.10	9.54	0.06	49.4	6.4	31	1.83	14.2	2.05
18-8536-7		0.26	0.08	5.10	13.7	330	1.53	0.66	7.14	0.12	59.5	15.0	53	2.37	21.2	2.81
18-8536-8		0.28	0.06	6.08	12.6	430	1.87	0.34	3.81	0.17	64.9	13.4	88	2.73	13.1	3.25
18-8536-9		0.28	0.06	6.28	8.6	510	1.99	0.21	2.35	0.22	81.4	25.7	98	3.69	6.1	3.38
18-8536-10		0.28	0.10	6.34	10.4	520	1.77	0.32	1.90	0.30	77.0	24.0	101	3.43	9.4	3.98
18-8536-11		0.26	0.08	6.55	7.0	330	1.54	0.50	3.78	0.22	73.0	19.2	71	2.64	8.5	4.97
18-8536-12		0.26	0.07	5.83	6.2	310	1.17	0.27	4.87	0.23	57.7	12.8	67	2.08	6.5	4.07
18-8536-13		0.26	0.07	5.01	10.7	360	1.52	0.33	5.53	0.23	62.8	10.3	76	2.56	9.1	2.79
18-8536-14		0.28	0.10	4.53	13.6	320	1.28	0.24	7.31	0.29	54.3	10.0	55	2.41	8.2	2.57
18-8536-15		0.26	0.18	6.33	13.0	490	1.72	0.36	1.66	0.91	64.5	14.7	149	3.44	12.8	4.02
18-8536-16		0.26	0.08	6.46	10.9	330	1.79	0.34	1.37	0.27	67.6	11.0	132	2.75	14.4	3.94
18-8536-17		0.36	1.49	5.23	14.5	310	1.56	0.41	5.26	0.52	56.8	12.0	85	2.99	20.1	3.37
18-8536-18		0.28	0.25	4.10	8.8	300	1.15	0.20	8.31	0.70	46.5	8.1	57	2.07	10.1	2.48
18-8536-19		0.26	0.19	3.98	7.1	260	1.06	0.15	8.54	0.64	47.3	7.8	67	2.00	9.4	2.39
18-8536-20		0.28	0.02	3.76	3.9	190	1.03	0.12	10.65	0.04	48.2	5.8	35	1.57	5.7	1.84
18-8536-21		0.22	0.01	0.50	0.5	20	0.08	0.01	0.02	<0.02	15.15	0.9	399	0.34	3.9	0.49
18-8536-22		0.06	65.7	5.54	80.7	140	1.45	3.77	1.96	271	39.9	27.2	39	3.10	3640	3.55
18-8537-1		0.28	0.26	2.45	10.4	150	0.93	0.31	14.10	0.38	27.0	4.4	35	2.50	11.6	1.96
18-8537-2		0.26	0.37	5.54	6.2	390	1.78	0.37	4.53	0.45	61.5	18.2	118	5.93	40.9	3.48
18-8537-3		0.26	1.01	6.79	11.3	490	2.23	1.22	0.29	0.77	75.1	45.6	144	7.35	102.0	5.36
18-8537-4		0.28	0.60	4.69	18.1	260	1.56	0.42	7.04	0.73	57.0	12.1	68	4.08	19.8	2.70
18-8537-5		0.28	0.51	3.52	21.6	220	1.31	0.44	11.15	0.50	51.6	9.2	74	1.80	47.0	3.23
18-8537-6		0.30	0.27	1.24	10.6	60	0.47	0.31	18.95	0.34	21.8	3.9	16	0.73	10.4	2.09
18-8537-7		0.28	0.27	3.91	7.4	250	1.31	0.28	9.79	0.15	46.4	9.0	41	3.98	19.4	2.59
18-8537-8		0.26	0.19	1.03	13.0	50	0.42	0.68	19.40	0.59	15.35	5.9	14	0.58	7.3	4.57
18-8537-9		0.26	0.53	6.34	18.5	530	2.00	0.74	0.51	1.13	61.2	38.7	156	8.47	68.1	5.32
18-8537-10		0.26	0.10	5.13	13.5	380	1.56	0.32	5.57	0.27	58.8	14.0	90	3.29	17.6	2.36
18-8537-11		0.26	0.11	5.22	19.7	390	1.64	0.30	6.11	0.20	57.7	14.1	107	3.65	19.0	2.42
18-8537-12		0.32	0.91	1.35	5.6	110	0.62	0.14	16.00	0.46	18.35	3.5	34	0.86	67.3	1.50
18-8537-13		0.30	0.01	0.48	0.5	20	0.09	0.02	0.03	<0.02	16.05	0.8	392	0.31	4.8	0.46
18-8537-14		0.24	0.14	4.12	16.2	220	1.01	0.46	10.10	0.17	43.5	11.7	51	2.27	22.1	2.52



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 3 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm 0.05	ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10
18-8535-19		10.25	0.12	1.5	0.044	2.88	25.2	39.9	6.14	1260	0.26	0.04	6.5	16.7	500
18-8535-20		11.90	0.12	1.7	0.046	3.32	28.3	44.2	5.55	1100	0.25	0.04	7.4	20.1	540
18-8535-21		1.47	0.09	0.2	<0.005	0.24	7.9	2.8	0.03	37	1.24	0.01	1.2	6.5	20
18-8535-22		28.6	0.17	5.2	1.980	2.29	25.8	15.9	0.47	557	16.85	1.37	10.8	30.4	380
18-8536-1		10.90	0.08	1.6	0.042	3.00	23.1	41.6	6.09	1260	0.37	0.04	6.7	19.0	450
18-8536-2		1.23	<0.05	0.2	<0.005	0.24	6.6	2.3	0.03	35	0.99	0.01	1.0	4.9	20
18-8536-3		11.20	0.11	1.5	0.054	2.66	21.8	45.7	6.97	1360	0.52	0.04	6.3	28.5	440
18-8536-4		11.05	0.11	1.6	0.099	2.63	22.7	42.4	6.74	1460	0.69	0.05	6.6	29.0	440
18-8536-5		12.15	0.11	2.0	0.053	2.96	24.5	46.6	6.19	1500	0.74	0.05	7.4	30.8	460
18-8536-6		10.75	0.13	1.6	0.032	3.20	24.8	46.2	6.60	1010	0.15	0.04	6.6	18.3	480
18-8536-7		12.75	0.13	1.9	0.042	3.59	29.6	53.1	5.39	1630	0.37	0.06	7.8	35.3	600
18-8536-8		14.40	0.13	2.0	0.044	4.20	32.9	55.0	3.49	1940	0.48	0.09	9.1	30.6	790
18-8536-9		16.20	0.19	2.2	0.052	4.04	39.0	60.0	2.21	1240	0.76	0.13	11.1	32.7	550
18-8536-10		15.75	0.17	2.2	0.054	3.35	37.4	64.8	3.58	1580	0.73	0.21	10.3	32.5	730
18-8536-11		16.50	0.17	2.5	0.054	2.42	35.8	87.4	6.82	1640	0.63	0.12	10.5	37.9	890
18-8536-12		13.10	0.10	1.9	0.036	2.33	28.0	67.8	6.75	1470	0.36	0.11	8.0	28.2	710
18-8536-13		12.55	0.12	1.9	0.041	3.00	30.4	52.8	5.14	1220	0.50	0.07	8.7	23.6	700
18-8536-14		10.80	0.11	1.6	0.035	2.65	26.1	46.4	5.94	1230	0.36	0.09	7.3	22.2	560
18-8536-15		14.35	0.12	1.9	0.062	3.81	32.3	52.5	2.18	2840	0.75	0.16	8.0	33.2	930
18-8536-16		14.80	0.13	2.0	0.063	3.63	34.2	53.0	2.35	2320	0.56	0.09	7.7	29.8	860
18-8536-17		12.50	0.12	1.7	0.059	3.15	28.6	48.9	4.27	2300	0.62	0.09	7.0	27.1	690
18-8536-18		9.69	0.10	1.4	0.036	2.62	23.3	39.1	5.71	1840	0.33	0.08	5.9	17.9	470
18-8536-19		10.25	0.08	1.5	0.039	2.40	21.3	37.5	5.87	1620	0.28	0.06	5.5	18.1	440
18-8536-20		9.73	0.08	1.3	0.040	2.57	22.1	31.2	6.42	1100	0.13	0.03	5.2	15.3	410
18-8536-21		1.40	0.05	0.2	<0.005	0.23	7.2	2.1	0.02	36	1.22	0.01	1.1	6.6	20
18-8536-22		25.3	0.08	4.2	1.915	2.18	16.8	14.2	0.44	542	14.20	1.30	8.8	25.7	360
18-8537-1		6.26	0.05	0.9	0.042	1.51	15.2	23.3	8.59	1580	1.56	0.04	3.3	16.2	360
18-8537-2		14.25	0.11	2.0	0.055	3.52	30.4	50.3	3.53	1300	1.45	0.07	6.7	31.5	420
18-8537-3		17.05	0.10	2.4	0.076	4.15	38.9	63.3	1.16	1500	2.06	0.14	7.1	62.9	440
18-8537-4		12.55	0.10	1.7	0.061	2.94	30.1	54.7	4.29	1750	0.81	0.06	6.5	20.6	510
18-8537-5		9.90	0.07	1.4	0.049	2.24	30.8	37.3	7.01	2640	0.99	0.07	5.4	21.9	560
18-8537-6		3.52	0.08	0.6	0.039	0.76	13.9	12.8	10.70	2070	2.12	0.03	2.3	14.4	370
18-8537-7		10.50	0.09	1.3	0.045	2.47	24.3	34.5	6.51	1160	1.02	0.04	5.1	21.0	340
18-8537-8		2.59	0.07	0.5	0.134	0.37	8.1	5.5	9.33	5480	1.13	0.05	1.7	14.9	270
18-8537-9		16.05	0.12	2.2	0.080	2.93	30.9	52.2	1.91	1610	1.93	0.28	7.1	49.9	730
18-8537-10		13.70	0.12	2.2	0.048	3.57	29.4	41.2	4.36	1270	0.47	0.09	8.0	27.3	640
18-8537-11		13.80	0.12	2.3	0.050	3.62	28.9	41.8	4.62	1350	0.60	0.10	8.0	27.3	630
18-8537-12		3.60	0.07	0.5	0.043	0.73	9.5	12.1	9.79	1280	0.27	0.05	2.0	7.2	210
18-8537-13		1.38	0.06	0.2	<0.005	0.22	7.3	2.0	0.03	39	1.09	0.01	1.1	9.0	20
18-8537-14		11.35	0.09	1.5	0.048	2.67	21.7	37.0	7.02	1440	0.39	0.04	6.0	24.1	430





ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 3 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
18-8535-19		87.8	0.002	0.01	0.90	6.9	<1	1.8	26.9	0.47	<0.05	6.84	0.181	0.33	1.1
18-8535-20		104.0	<0.002	0.01	0.99	7.7	<1	2.0	27.3	0.58	<0.05	7.76	0.206	0.33	1.2
18-8535-21		6.1	0.002	<0.01	0.25	0.8	<1	0.4	6.0	0.05	<0.05	2.61	0.043	0.04	0.4
18-8535-22		89.5	<0.002	4.66	150.0	6.5	4	5.8	102.0	0.84	<0.05	7.77	0.162	2.31	3.0
18-8536-1		85.2	0.003	0.02	1.77	7.3	<1	1.6	25.5	0.50	<0.05	6.93	0.214	0.38	1.1
18-8536-2		5.3	<0.002	<0.01	0.22	0.7	<1	0.4	5.2	0.05	<0.05	2.18	0.042	0.03	0.3
18-8536-3		84.5	<0.002	0.02	2.02	8.4	<1	1.6	29.4	0.44	0.05	6.71	0.223	0.42	1.1
18-8536-4		85.8	0.003	0.04	2.01	7.6	<1	1.7	30.1	0.49	0.07	7.14	0.218	0.42	1.3
18-8536-5		94.6	<0.002	0.03	2.59	7.9	<1	1.9	26.8	0.55	0.08	8.30	0.238	0.48	1.5
18-8536-6		81.5	<0.002	<0.01	0.88	7.1	<1	1.4	24.3	0.49	<0.05	7.27	0.185	0.33	1.1
18-8536-7		94.0	<0.002	0.03	1.61	8.1	<1	1.8	23.7	0.57	0.08	8.83	0.225	0.43	1.3
18-8536-8		118.5	0.002	0.03	1.46	9.3	<1	2.0	23.9	0.67	0.05	9.28	0.275	0.51	1.5
18-8536-9		142.0	0.002	0.07	1.38	11.0	<1	2.1	33.6	0.84	0.07	11.75	0.285	0.69	2.0
18-8536-10		109.5	0.002	0.06	1.64	10.8	<1	2.0	39.4	0.74	0.07	10.60	0.291	0.65	1.8
18-8536-11		79.9	0.003	0.03	1.19	11.0	<1	2.1	28.7	0.80	0.06	11.75	0.296	0.40	1.8
18-8536-12		65.0	<0.002	0.02	1.04	7.9	<1	1.6	24.0	0.63	<0.05	9.09	0.257	0.37	1.4
18-8536-13		96.3	<0.002	0.01	1.49	8.1	<1	1.7	26.8	0.65	<0.05	9.22	0.238	0.66	1.4
18-8536-14		82.0	0.002	0.01	1.63	7.1	<1	1.4	30.8	0.53	<0.05	8.04	0.207	0.83	1.3
18-8536-15		109.5	<0.002	0.05	1.67	10.2	<1	1.8	29.0	0.60	0.05	9.20	0.261	0.60	1.7
18-8536-16		105.0	0.002	0.05	1.45	9.8	<1	1.9	17.7	0.57	0.06	9.56	0.253	0.47	1.4
18-8536-17		91.9	<0.002	0.04	2.49	8.4	<1	3.5	25.8	6.58	0.06	7.90	0.212	0.50	1.3
18-8536-18		73.7	0.002	0.01	1.22	6.6	<1	1.3	29.4	0.45	<0.05	6.50	0.179	0.42	1.1
18-8536-19		75.2	<0.002	0.02	1.23	6.7	<1	1.2	27.0	0.41	0.06	6.75	0.173	0.42	1.1
18-8536-20		79.2	0.002	0.01	0.93	6.5	<1	1.3	27.2	0.40	0.06	6.47	0.160	0.25	0.9
18-8536-21		5.5	<0.002	<0.01	0.23	0.8	<1	0.4	5.7	<0.05	<0.05	2.58	0.040	0.04	0.3
18-8536-22		71.8	<0.002	4.50	149.5	5.5	2	5.1	90.9	0.65	0.09	6.13	0.153	2.10	2.5
18-8537-1		48.4	<0.002	0.02	1.40	4.6	<1	0.9	32.4	0.26	<0.05	4.28	0.101	0.26	1.6
18-8537-2		124.5	<0.002	0.08	2.71	9.2	1	1.8	19.7	0.52	<0.05	9.65	0.222	0.65	2.0
18-8537-3		144.5	<0.002	0.13	5.08	11.6	1	2.1	25.0	0.54	0.14	12.40	0.257	0.79	2.5
18-8537-4		97.0	<0.002	0.04	2.72	7.6	1	1.7	35.9	0.51	0.07	8.40	0.206	0.46	1.8
18-8537-5		62.8	<0.002	0.03	2.49	5.6	1	1.3	40.4	0.41	0.06	6.91	0.164	0.45	1.8
18-8537-6		28.2	<0.002	0.01	1.29	2.3	1	0.5	38.8	0.20	0.05	2.78	0.059	0.18	1.9
18-8537-7		87.9	<0.002	0.03	1.66	6.5	<1	1.3	35.9	0.40	<0.05	6.98	0.156	0.38	1.8
18-8537-8		15.5	<0.002	0.01	1.23	2.4	<1	0.3	73.5	0.14	<0.05	2.47	0.042	0.07	1.5
18-8537-9		119.5	<0.002	0.05	3.29	10.6	<1	1.8	42.0	0.53	0.13	10.60	0.263	0.74	2.7
18-8537-10		107.5	<0.002	0.04	2.08	8.6	<1	1.7	26.6	0.66	0.07	9.77	0.239	0.49	1.5
18-8537-11		109.0	<0.002	0.03	2.72	8.5	<1	1.8	28.0	0.66	0.08	10.20	0.235	0.62	1.5
18-8537-12		24.6	<0.002	0.01	1.23	2.5	<1	0.6	30.4	0.15	<0.05	2.35	0.060	0.20	0.5
18-8537-13		5.7	<0.002	<0.01	0.26	0.7	<1	0.4	5.8	0.05	<0.05	2.68	0.040	0.04	0.4
18-8537-14		81.4	<0.002	0.05	1.82	8.6	<1	1.5	28.5	0.46	0.07	6.67	0.228	0.35	1.1





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
 203 - 1634 HARVEY AVE  
 KELOWNA BC V1Y 6G2

Page: 3 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 13-NOV-2018  
 Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Au-ICP22 Au ppm 0.001
18-8535-19		1.0	15.7	31	51.5			<0.001
18-8535-20		1.1	16.0	33	60.0			<0.001
18-8535-21		0.1	1.5	10	5.6			<0.001
18-8535-22		2.9	12.4	>10000	181.0	1.310	5.21	1.235
18-8536-1		1.1	14.5	158	56.4			0.002
18-8536-2		0.1	1.2	8	4.5			<0.001
18-8536-3		1.3	15.2	102	56.4			0.002
18-8536-4		1.2	15.9	88	60.3			0.002
18-8536-5		1.3	16.4	84	68.0			0.003
18-8536-6		0.8	14.3	27	55.2			<0.001
18-8536-7		1.1	19.1	66	67.3			0.004
18-8536-8		1.3	20.2	71	73.3			0.001
18-8536-9		1.7	25.6	73	75.6			<0.001
18-8536-10		1.5	26.3	124	75.5			<0.001
18-8536-11		1.5	25.8	128	85.7			<0.001
18-8536-12		1.2	18.3	137	65.2			<0.001
18-8536-13		1.3	18.9	116	66.2			<0.001
18-8536-14		1.2	18.0	141	57.4			<0.001
18-8536-15		1.2	22.6	333	65.8			0.001
18-8536-16		1.1	21.3	101	70.3			0.002
18-8536-17		2.5	21.0	221	60.4			0.001
18-8536-18		1.0	16.9	284	49.8			0.002
18-8536-19		1.0	14.8	253	47.1			0.002
18-8536-20		0.7	13.2	23	44.9			0.001
18-8536-21		0.1	1.3	<2	4.9			<0.001
18-8536-22		2.5	9.1	>10000	166.0	1.315	5.24	1.230
18-8537-1		0.5	8.4	129	29.8			0.002
18-8537-2		1.1	11.1	199	75.7			0.002
18-8537-3		1.2	14.6	358	90.5			0.004
18-8537-4		1.2	11.7	335	59.1			0.003
18-8537-5		0.9	15.2	257	51.9			0.002
18-8537-6		0.4	11.2	121	19.8			0.003
18-8537-7		0.8	9.2	74	46.7			0.001
18-8537-8		0.4	15.0	321	18.7			0.002
18-8537-9		1.1	16.1	512	75.8			0.002
18-8537-10		1.2	20.5	126	70.0			0.001
18-8537-11		1.2	21.3	155	70.5			0.001
18-8537-12		0.4	11.6	156	18.5			0.001
18-8537-13		0.2	1.5	2	5.0			<0.001
18-8537-14		1.1	15.4	116	50.4			0.002



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 4 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
18-8537-15		0.30	0.12	0.73	25.9	50	0.41	0.05	19.35	0.16	11.35	2.1	17	0.45	9.2	1.55
18-8537-16		0.28	0.09	0.41	3.6	40	0.32	0.04	19.85	0.10	8.66	1.1	11	0.33	15.5	1.10
18-8537-17		0.26	0.12	0.46	6.0	40	0.39	0.06	19.45	0.13	9.84	1.4	17	0.40	28.1	1.30
18-8537-18		0.26	0.17	0.45	9.7	40	0.37	0.04	19.80	0.13	8.58	1.3	14	0.39	9.6	1.07
18-8537-19		0.26	0.43	0.67	27.1	50	0.44	0.06	19.50	0.21	10.90	1.9	25	0.53	12.7	1.21
18-8537-20		0.30	0.20	0.53	11.7	40	0.31	0.05	20.5	0.17	8.86	1.3	20	0.37	12.1	0.87
18-8537-21		0.24	0.01	0.51	0.4	20	0.15	0.02	0.04	<0.02	17.40	0.9	414	0.34	4.3	0.51
18-8537-22		0.06	69.7	5.38	81.6	90	1.59	4.03	2.02	279	35.5	29.7	37	3.30	3670	3.60
18-8538-1		0.26	0.68	2.63	15.0	150	1.04	0.32	15.35	2.84	38.0	6.8	42	1.52	15.4	2.58
18-8538-2		0.26	0.70	3.89	40.7	270	1.41	0.76	11.35	0.66	57.0	15.7	84	2.17	42.8	3.93
18-8538-3		0.26	0.28	6.76	6.9	550	2.35	0.57	0.17	0.36	74.6	24.8	118	8.48	65.3	4.30
18-8538-4		0.26	0.33	6.73	9.1	540	2.60	0.86	0.10	0.35	73.4	37.2	128	8.12	111.0	5.35
18-8538-5		0.28	0.21	7.09	5.0	550	2.52	0.54	0.09	0.29	77.6	26.1	130	8.44	73.2	4.43
18-8538-6		0.30	0.07	7.01	4.2	570	2.57	0.26	0.06	0.22	74.3	18.1	119	8.55	36.8	3.03
18-8538-7		0.28	0.37	6.61	64.2	580	2.30	0.71	0.19	1.77	71.0	18.3	140	5.98	52.0	3.39
18-8538-8		0.28	0.28	6.15	29.2	680	1.88	0.65	0.23	0.43	73.2	18.3	253	5.07	39.7	3.06
18-8538-9		0.28	0.14	6.18	25.6	760	1.80	0.53	0.36	0.33	77.9	18.5	333	5.22	42.8	3.42
18-8538-10		0.26	0.51	7.07	39.5	720	2.32	1.79	0.18	0.65	82.2	28.4	265	5.67	94.2	2.62
18-8538-11		0.28	0.18	6.62	20.9	740	1.94	0.24	0.14	0.44	74.7	15.4	184	4.18	47.0	2.28
18-8538-12		0.28	0.30	6.44	19.3	660	1.84	0.44	0.58	0.28	72.7	11.5	160	3.95	40.3	2.14
18-8538-13		0.28	0.16	1.43	9.6	80	0.52	0.06	17.10	0.26	19.05	3.1	28	0.70	6.9	1.64
18-8538-14		0.28	0.09	0.90	4.6	50	0.32	0.07	18.60	0.18	13.60	2.4	10	0.47	6.3	1.25
18-8538-15		0.28	0.09	1.30	4.5	100	0.51	0.07	17.90	0.17	17.45	3.0	17	0.68	5.3	1.38
18-8538-16		0.28	0.09	0.70	60.9	50	0.43	0.07	18.70	0.21	10.15	2.3	12	0.46	10.2	1.20
18-8538-17		0.26	0.22	2.21	17.1	190	0.86	0.17	14.15	0.57	26.2	5.2	40	1.39	19.2	2.04
18-8538-18		0.26	0.01	0.50	0.5	20	0.12	0.01	0.03	<0.02	14.95	0.7	347	0.29	3.3	0.47
18-8538-19		0.28	0.14	1.50	22.4	120	0.68	0.11	16.15	0.49	18.50	3.9	29	1.00	13.8	1.55
18-8538-20		0.28	0.15	1.34	9.1	120	0.64	0.10	17.35	0.26	18.30	3.7	32	0.88	13.5	1.66
18-8538-21		0.24	0.01	0.51	0.3	20	0.14	0.01	0.03	<0.02	16.10	0.9	388	0.32	4.0	0.51
18-8538-22		0.06	72.1	6.12	84.6	140	1.59	3.85	2.04	290	45.3	28.8	37	3.24	3650	3.76
18-8539-1		0.24	0.59	3.78	13.3	260	0.93	0.39	8.67	1.50	41.8	9.3	94	1.92	12.7	3.22
18-8539-2		0.28	0.52	3.44	12.3	270	1.05	0.31	10.25	1.31	41.4	9.4	65	1.88	13.8	2.72
18-8539-3		0.28	0.29	1.56	8.3	110	0.68	0.17	17.15	0.55	17.60	4.3	20	1.15	13.4	1.42
18-8539-4		0.30	0.02	0.50	0.4	20	0.12	0.01	0.02	<0.02	15.10	0.7	357	0.30	2.8	0.47
18-8539-5		0.28	0.12	1.01	5.3	70	0.53	0.10	19.25	0.30	12.70	3.0	12	0.77	16.0	1.21
18-8539-6		0.24	0.16	1.63	6.9	120	0.73	0.17	16.20	0.38	17.20	4.3	32	1.09	20.0	1.53
18-8539-7		0.26	0.27	2.16	9.2	160	0.71	0.18	14.65	0.72	23.6	5.3	60	1.34	18.8	2.03
18-8539-8		0.26	0.45	2.78	9.9	180	0.85	0.27	11.20	1.13	28.5	6.6	67	1.54	13.5	2.44
18-8539-9		0.28	0.57	2.50	13.2	130	0.72	0.51	12.65	2.22	22.8	5.2	39	1.06	8.4	2.10
18-8539-10		0.30	0.39	2.32	15.0	120	0.70	0.33	12.75	0.91	22.7	5.4	39	1.02	10.2	2.16



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 4 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
18-8537-15		1.96	0.08	0.3	0.071	0.27	6.1	6.8	11.85	1190	0.22	0.04	0.9	7.1	140
18-8537-16		1.14	0.09	0.2	0.047	0.18	4.9	4.6	12.05	967	0.11	0.03	0.6	2.8	80
18-8537-17		1.25	0.11	0.2	0.061	0.18	5.5	4.8	11.85	1130	0.15	0.04	0.6	3.7	120
18-8537-18		1.28	0.09	0.2	0.041	0.20	4.9	5.1	12.05	971	0.14	0.03	0.7	3.8	90
18-8537-19		1.91	0.09	0.3	0.049	0.28	6.0	7.0	11.85	981	0.26	0.05	0.9	7.6	130
18-8537-20		1.58	0.11	0.3	0.033	0.26	5.0	6.3	12.50	734	0.16	0.04	0.7	4.0	90
18-8537-21		1.54	0.10	0.2	<0.005	0.24	8.1	2.2	0.04	38	1.25	0.01	1.2	6.9	30
18-8537-22		25.1	0.10	4.4	1.825	2.18	15.9	14.1	0.44	553	14.25	1.32	9.4	25.5	370
18-8538-1		7.34	0.09	1.1	0.042	1.64	22.8	27.8	9.03	2430	1.21	0.04	4.3	17.9	540
18-8538-2		10.75	0.11	1.8	0.058	2.78	34.4	36.4	6.85	2680	2.32	0.09	6.4	36.3	760
18-8538-3		17.60	0.13	2.2	0.055	4.30	38.1	65.4	1.73	528	1.61	0.07	5.0	42.1	380
18-8538-4		17.30	0.12	2.4	0.060	4.29	37.1	69.9	1.56	385	1.93	0.11	6.6	54.7	440
18-8538-5		18.65	0.13	2.6	0.054	4.47	38.9	76.0	1.67	360	1.47	0.12	7.9	44.1	400
18-8538-6		18.65	0.14	2.6	0.047	4.52	37.1	69.8	1.48	314	1.29	0.07	8.5	32.4	310
18-8538-7		17.30	0.12	2.5	0.056	4.03	34.6	49.0	1.36	1300	1.10	0.09	7.5	32.6	350
18-8538-8		15.20	0.14	2.5	0.051	3.42	35.0	35.8	1.12	1550	1.23	0.23	8.5	32.1	440
18-8538-9		16.35	0.13	2.6	0.053	3.06	36.8	34.9	0.94	1540	2.17	0.38	10.3	32.3	660
18-8538-10		17.95	0.14	2.9	0.076	4.48	40.1	28.9	0.57	1700	2.52	0.22	9.8	45.2	380
18-8538-11		17.25	0.07	2.4	0.044	4.39	33.8	26.1	0.49	1450	1.68	0.16	8.7	34.5	400
18-8538-12		16.60	0.07	2.3	0.041	4.23	32.8	29.1	0.57	1230	0.79	0.07	8.5	24.7	360
18-8538-13		4.09	0.06	0.6	0.077	0.73	9.3	12.1	10.40	1230	0.29	0.05	2.0	7.5	230
18-8538-14		2.46	0.06	0.4	0.061	0.46	6.8	8.5	11.40	896	0.17	0.05	1.4	6.0	150
18-8538-15		3.62	<0.05	0.5	0.049	0.77	8.5	11.0	11.10	926	0.17	0.06	2.0	7.4	180
18-8538-16		2.00	0.05	0.3	0.046	0.38	5.2	6.9	11.40	805	0.24	0.03	0.9	7.9	120
18-8538-17		5.66	0.06	0.8	0.053	1.25	12.7	18.7	9.07	1390	0.32	0.08	3.2	11.9	380
18-8538-18		1.35	<0.05	0.1	<0.005	0.24	6.6	2.1	0.03	35	0.92	0.01	1.0	5.0	40
18-8538-19		4.05	0.05	0.6	0.046	0.85	9.2	13.2	10.15	1090	0.27	0.05	2.1	9.5	240
18-8538-20		3.70	0.06	0.5	0.062	0.67	9.0	10.9	10.65	1150	0.26	0.09	2.0	10.4	230
18-8538-21		1.47	0.06	0.2	<0.005	0.25	7.1	2.2	0.03	35	1.14	0.01	1.1	6.5	30
18-8538-22		26.4	0.12	4.4	1.920	2.34	18.2	13.5	0.48	535	14.95	1.36	9.0	27.0	390
18-8539-1		10.10	0.07	1.4	0.059	2.07	17.8	37.6	6.40	2290	0.57	0.09	5.5	19.7	420
18-8539-2		9.33	0.06	1.3	0.053	1.94	17.2	31.0	7.16	1790	0.49	0.11	5.3	18.1	370
18-8539-3		4.39	0.05	0.7	0.037	0.87	8.4	15.9	10.70	1070	0.25	0.06	2.4	8.7	210
18-8539-4		1.39	0.05	0.2	0.006	0.25	6.7	2.1	0.03	33	1.26	0.01	1.0	4.9	30
18-8539-5		2.97	0.05	0.4	0.027	0.57	6.3	10.5	11.80	1000	0.19	0.03	1.4	5.8	140
18-8539-6		4.29	0.08	0.6	0.041	0.90	8.3	16.2	10.20	1120	0.27	0.05	2.4	8.5	240
18-8539-7		5.69	0.06	0.8	0.051	1.20	11.3	20.1	9.10	1520	0.34	0.08	2.9	11.3	340
18-8539-8		7.22	0.06	1.0	0.056	1.56	12.6	28.2	7.52	1850	0.43	0.08	3.8	13.1	400
18-8539-9		6.84	0.06	0.8	0.046	1.36	10.6	29.1	8.41	1440	0.23	0.03	3.2	11.7	260
18-8539-10		6.24	0.07	0.9	0.046	1.21	10.6	26.5	8.41	1500	0.25	0.03	3.2	11.1	240



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 4 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.01	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1
18-8537-15		10.2	<0.002	0.01	2.23	2.0	<1	0.3	34.4	0.07	<0.05	1.03	0.041	1.21	0.2	14
18-8537-16		6.7	<0.002	<0.01	0.45	1.0	1	0.2	34.4	<0.05	<0.05	0.72	0.018	0.13	0.2	5
18-8537-17		7.2	<0.002	0.01	0.63	1.1	<1	0.2	37.1	<0.05	<0.05	0.79	0.020	0.21	0.2	6
18-8537-18		7.6	<0.002	<0.01	0.83	1.0	<1	0.2	35.6	<0.05	<0.05	0.80	0.020	0.29	0.2	5
18-8537-19		11.0	<0.002	0.01	1.98	1.4	<1	0.3	38.3	0.07	<0.05	1.28	0.029	0.84	0.3	7
18-8537-20		9.3	<0.002	<0.01	1.11	1.1	<1	0.3	31.1	0.05	<0.05	0.96	0.023	0.34	0.2	5
18-8537-21		6.2	<0.002	<0.01	0.29	0.8	<1	0.5	6.3	0.06	<0.05	2.91	0.043	0.04	0.4	7
18-8537-22		64.6	<0.002	4.59	147.0	5.3	2	5.3	92.3	0.76	0.09	5.80	0.157	1.88	2.7	33
18-8538-1		49.8	<0.002	0.02	1.86	4.2	1	1.0	47.7	0.36	<0.05	5.38	0.121	0.28	1.7	36
18-8538-2		72.6	<0.002	0.04	3.76	6.0	1	1.4	40.1	0.51	0.11	8.33	0.184	0.49	2.5	58
18-8538-3		157.0	<0.002	0.10	2.54	10.9	1	2.0	20.4	0.36	0.11	12.50	0.198	0.81	2.3	64
18-8538-4		159.0	<0.002	0.11	3.43	11.0	1	2.0	21.5	0.49	0.14	12.40	0.229	0.78	2.5	62
18-8538-5		169.0	<0.002	0.10	2.53	11.8	<1	2.2	20.4	0.62	0.09	12.70	0.255	0.76	2.3	65
18-8538-6		161.0	<0.002	0.06	1.83	11.5	<1	2.2	15.3	0.68	0.06	12.45	0.263	0.84	2.0	65
18-8538-7		148.0	<0.002	0.03	3.81	10.7	<1	2.1	16.9	0.60	0.08	11.60	0.238	0.67	2.0	69
18-8538-8		135.0	<0.002	0.02	3.03	9.4	<1	1.8	38.5	0.65	0.11	11.95	0.263	0.61	2.1	65
18-8538-9		130.0	<0.002	0.03	2.86	10.1	<1	2.1	61.4	0.78	0.11	11.80	0.326	0.61	2.2	88
18-8538-10		182.5	<0.002	0.02	14.10	11.8	<1	2.2	20.7	0.75	0.30	13.95	0.295	0.73	2.8	74
18-8538-11		169.5	0.002	0.01	4.77	10.5	<1	2.0	12.7	0.65	0.07	12.15	0.270	0.75	1.9	59
18-8538-12		168.5	<0.002	<0.01	2.18	10.5	<1	1.9	11.7	0.63	0.06	11.85	0.264	0.73	1.6	58
18-8538-13		24.6	<0.002	0.01	0.76	2.8	<1	0.6	33.0	0.14	<0.05	2.57	0.063	0.20	0.5	16
18-8538-14		14.9	<0.002	<0.01	0.53	2.0	<1	0.4	34.4	0.10	<0.05	1.68	0.044	0.13	0.3	10
18-8538-15		23.7	<0.002	<0.01	0.50	2.5	<1	0.6	32.7	0.14	<0.05	2.41	0.062	0.22	0.4	14
18-8538-16		12.7	<0.002	<0.01	3.70	1.5	<1	0.3	28.3	0.06	<0.05	1.23	0.031	1.08	0.2	8
18-8538-17		37.9	<0.002	0.02	1.46	4.1	<1	0.7	29.8	0.23	<0.05	3.82	0.103	1.00	0.7	25
18-8538-18		5.3	<0.002	<0.01	0.17	0.9	<1	0.4	5.7	<0.05	<0.05	2.60	0.041	0.04	0.3	6
18-8538-19		26.4	<0.002	0.01	1.61	2.9	<1	0.6	27.9	0.15	<0.05	2.64	0.068	1.34	0.5	17
18-8538-20		22.6	<0.002	0.01	0.87	2.9	<1	0.6	36.2	0.14	<0.05	2.34	0.064	0.36	0.4	17
18-8538-21		5.6	<0.002	<0.01	0.19	0.9	<1	0.4	5.9	0.05	<0.05	2.86	0.042	0.04	0.4	7
18-8538-22		76.5	<0.002	4.73	154.0	6.1	4	5.3	95.8	0.67	<0.05	6.78	0.162	2.08	2.6	34
18-8539-1		63.6	<0.002	0.03	1.46	6.7	<1	1.3	31.1	0.41	<0.05	6.38	0.171	0.41	1.2	39
18-8539-2		64.5	<0.002	0.02	1.35	6.3	1	1.2	34.2	0.39	<0.05	6.00	0.163	0.42	1.1	37
18-8539-3		28.2	<0.002	<0.01	1.09	3.1	1	0.6	32.3	0.17	<0.05	2.77	0.072	0.42	0.5	17
18-8539-4		5.3	<0.002	<0.01	0.18	0.9	<1	0.4	5.8	<0.05	<0.05	2.64	0.041	0.05	0.3	7
18-8539-5		18.5	<0.002	<0.01	0.85	2.0	<1	0.5	29.7	0.10	<0.05	1.76	0.045	0.35	0.3	10
18-8539-6		27.2	<0.002	0.01	0.90	3.0	<1	0.6	27.9	0.17	<0.05	2.80	0.074	0.31	0.5	16
18-8539-7		35.6	<0.002	0.02	1.02	4.0	<1	0.8	32.0	0.21	<0.05	3.56	0.095	0.35	0.6	21
18-8539-8		43.2	<0.002	0.03	1.13	4.8	<1	0.9	31.6	0.27	<0.05	4.68	0.124	0.42	0.8	28
18-8539-9		36.1	<0.002	0.01	1.28	4.4	<1	0.8	26.3	0.24	<0.05	3.99	0.107	0.30	0.7	25
18-8539-10		33.0	<0.002	0.01	1.01	4.1	<1	0.8	26.7	0.24	<0.05	3.83	0.104	0.31	0.7	23



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
 203 - 1634 HARVEY AVE  
 KELOWNA BC V1Y 6G2

Page: 4 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 13-NOV-2018  
 Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Pb-OG62	Zn-OG62	Au-ICP22
		W	Y	Zn	Zr	Pb	Zn	Au
		ppm 0.1	ppm 0.1	ppm 2	ppm 0.5	% 0.001	% 0.001	ppm 0.001
18-8537-15		0.2	12.8	92	10.7			0.002
18-8537-16		0.1	9.9	58	6.4			0.001
18-8537-17		0.1	11.4	83	7.5			0.001
18-8537-18		0.1	9.7	116	7.1			0.001
18-8537-19		0.2	10.1	222	11.2			0.001
18-8537-20		0.1	7.8	116	8.3			0.002
18-8537-21		0.1	1.6	3	5.7			<0.001
18-8537-22		2.6	9.0	>10000	157.5	1.330	5.28	1.245
18-8538-1		0.7	13.4	661	38.1			0.003
18-8538-2		0.9	17.8	297	60.7			0.004
18-8538-3		1.0	10.0	223	72.0			0.001
18-8538-4		1.0	10.7	197	82.9			0.002
18-8538-5		1.2	10.4	155	85.3			0.001
18-8538-6		1.2	9.5	101	80.9			<0.001
18-8538-7		1.3	9.8	627	82.2			0.002
18-8538-8		1.1	13.1	177	81.8			0.002
18-8538-9		1.3	12.8	169	86.5			0.001
18-8538-10		1.2	14.3	311	93.0			0.002
18-8538-11		1.2	11.3	171	82.6			0.001
18-8538-12		1.1	10.6	137	81.5			0.001
18-8538-13		0.4	11.6	128	21.5			0.001
18-8538-14		0.2	9.0	93	14.0			0.001
18-8538-15		0.3	9.9	79	18.0			0.001
18-8538-16		0.2	8.0	102	10.0			0.002
18-8538-17		0.6	13.5	241	27.5			0.001
18-8538-18		0.1	1.3	2	4.5			<0.001
18-8538-19		0.4	10.5	170	19.4			0.001
18-8538-20		0.4	12.0	106	17.6			0.001
18-8538-21		0.1	1.5	2	4.4			<0.001
18-8538-22		2.6	10.2	>10000	170.5	1.345	5.33	1.255
18-8539-1		1.0	17.6	560	46.0			0.020
18-8539-2		0.9	16.8	470	44.3			0.015
18-8539-3		0.4	10.8	212	21.8			0.004
18-8539-4		0.1	1.4	4	5.3			<0.001
18-8539-5		0.3	9.0	102	13.8			0.003
18-8539-6		0.5	10.1	163	21.0			0.003
18-8539-7		0.5	12.6	265	26.9			0.002
18-8539-8		0.8	13.7	452	33.2			0.011
18-8539-9		0.8	10.4	519	27.8			0.043
18-8539-10		0.9	10.7	320	27.8			0.054



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 5 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
18-8539-11		0.30	0.29	2.75	18.9	160	0.69	0.59	12.15	0.58	26.6	6.0	42	1.19	12.0	2.44
18-8539-12		0.28	0.60	2.98	22.1	160	0.88	0.57	11.15	0.87	32.3	7.1	60	1.54	11.5	2.79
18-8539-13		0.30	0.37	2.09	9.6	90	0.76	0.32	14.80	0.86	19.80	4.4	26	0.88	6.3	1.78
18-8539-14		0.28	0.37	2.27	9.0	110	0.69	0.14	14.20	0.71	20.4	4.5	24	0.88	7.0	1.76
18-8539-15		0.28	0.48	2.36	9.0	110	0.69	0.14	13.00	1.14	21.7	5.2	31	1.04	6.8	1.80
18-8539-16		0.26	0.42	1.98	7.6	90	0.66	0.13	14.35	1.10	18.40	4.0	21	0.80	6.0	1.61
18-8539-17		0.28	0.52	2.20	8.4	90	0.65	0.16	13.00	1.53	19.05	4.2	26	0.84	16.5	1.63
18-8539-18		0.28	0.56	2.18	7.0	90	0.71	0.24	13.10	1.54	18.40	4.4	25	0.82	7.5	1.73
18-8539-19		0.28	0.51	3.41	8.3	230	1.23	0.20	10.35	0.84	38.9	7.4	51	1.69	10.2	1.96
18-8539-20		0.26	0.29	3.58	12.3	280	1.21	0.24	10.45	0.49	43.7	8.6	75	1.81	22.8	2.66
18-8539-21		0.22	0.01	0.49	<0.2	20	0.15	0.02	0.02	<0.02	15.40	0.9	402	0.30	3.9	0.51
18-8539-22		0.06	71.2	6.07	83.6	140	1.76	3.80	2.00	286	47.7	28.6	37	3.24	3550	3.72
18-8540-1		0.28	0.36	1.64	11.7	170	0.63	0.10	16.45	0.78	20.8	4.1	45	1.01	15.8	2.08
18-8540-2		0.28	0.25	1.80	11.2	210	0.76	0.12	14.40	0.61	23.2	4.5	73	1.10	31.0	2.25
18-8540-3		0.28	0.32	1.27	5.3	80	0.51	0.12	16.00	1.07	15.30	2.6	33	0.65	18.4	1.54
18-8540-4		0.28	0.20	1.41	5.6	120	0.69	0.14	16.30	0.42	19.40	3.5	31	0.90	50.6	1.49
18-8540-5		0.26	0.27	1.47	6.1	120	0.69	0.15	17.00	0.46	19.40	3.6	26	0.98	55.6	1.49
18-8540-6		0.28	0.19	1.34	4.7	120	0.66	0.14	16.90	0.29	18.30	3.5	29	0.92	35.9	1.44
18-8540-7		0.28	0.14	1.28	4.0	110	0.60	0.12	16.70	0.26	17.50	3.5	27	0.79	57.1	1.40
18-8540-8		0.28	0.59	3.70	9.3	310	1.48	1.39	7.51	0.69	51.8	10.6	74	2.43	10.2	3.17
18-8540-9		0.26	2.27	2.75	11.4	200	1.23	0.27	10.95	1.79	35.7	6.9	58	1.76	11.2	2.71
18-8540-10		0.28	0.38	1.47	7.8	70	0.59	0.18	15.15	1.26	15.95	3.1	36	0.72	6.3	1.71
18-8540-11		0.28	3.00	1.22	7.3	50	0.52	0.14	16.45	4.71	11.70	2.2	14	0.53	5.0	1.41
18-8540-12		0.28	0.52	1.30	8.9	60	0.59	0.19	15.65	1.58	14.00	3.0	25	0.68	7.7	1.57
18-8540-13		0.28	0.43	1.30	10.7	60	0.56	0.20	16.25	1.56	14.45	3.2	18	0.73	5.9	1.55
18-8540-14		0.28	0.13	3.40	14.1	160	1.14	0.18	10.80	0.21	36.4	5.8	60	2.39	85.0	2.08
18-8540-15		0.26	0.37	2.83	11.0	160	0.97	0.18	11.80	0.46	36.1	6.0	54	1.88	311	2.36
18-8540-16		0.28	0.60	2.56	11.9	130	0.85	0.32	12.35	1.48	27.2	6.3	68	1.47	28.8	2.60
18-8540-17		0.28	0.46	2.20	11.7	90	0.61	0.31	13.85	1.39	19.85	4.2	26	0.89	6.3	2.16
18-8540-18		0.28	0.01	0.52	0.3	20	0.11	0.01	0.03	<0.02	18.50	0.7	339	0.33	3.4	0.46
18-8540-19		0.28	0.49	4.24	11.3	320	1.16	0.44	8.20	0.86	47.7	10.3	82	1.99	10.7	3.16
18-8540-20		0.28	0.35	5.90	11.1	470	1.78	0.39	2.09	0.96	69.3	13.6	111	2.81	10.4	3.91
18-8540-21		0.22	0.01	0.54	0.5	20	0.16	0.02	0.01	<0.02	18.30	0.9	401	0.35	3.9	0.53
18-8540-22		0.06	73.3	6.56	90.0	120	1.95	4.28	2.15	292	49.6	30.2	36	3.67	3850	3.89
18-8541-1		0.28	0.53	6.62	31.0	750	1.98	0.77	0.26	0.52	82.6	30.9	219	6.01	76.3	3.35
18-8541-2		0.26	0.27	7.26	22.6	740	2.35	0.29	0.30	0.24	85.7	19.7	213	7.07	44.2	2.95
18-8541-3		0.30	0.01	0.52	0.3	20	0.14	0.02	0.01	0.02	17.25	0.8	360	0.34	4.7	0.48
18-8541-4		0.26	0.83	7.04	74.4	670	2.35	2.46	0.13	0.49	84.1	15.7	154	6.38	64.2	3.59
18-8541-5		0.28	0.43	6.76	13.5	630	2.06	0.23	0.40	0.68	73.8	11.4	154	5.52	27.4	2.91
18-8541-6		0.28	0.34	6.61	19.3	730	2.07	0.31	0.35	0.40	81.4	16.6	201	5.20	22.7	3.25



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 5 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
18-8539-11		7.36	0.06	1.0	0.048	1.63	12.3	30.8	8.19	1440	0.29	0.03	3.8	12.4	280
18-8539-12		7.89	0.05	1.1	0.053	1.58	13.7	32.1	7.56	1810	0.37	0.05	3.9	13.8	330
18-8539-13		5.73	0.06	0.8	0.036	1.06	9.2	25.2	9.14	1400	0.16	0.02	2.8	9.0	210
18-8539-14		6.18	0.08	0.7	0.033	1.27	9.5	26.7	8.80	1370	0.15	0.02	3.0	8.9	210
18-8539-15		6.49	0.05	0.8	0.034	1.23	10.0	29.3	8.29	1470	0.18	0.03	3.4	10.2	230
18-8539-16		5.50	0.07	0.7	0.034	1.01	8.7	24.0	8.66	1440	0.15	0.02	2.7	7.9	180
18-8539-17		6.21	0.07	0.7	0.033	1.09	8.9	27.1	8.38	1320	0.15	0.02	3.0	9.0	210
18-8539-18		6.03	0.07	0.7	0.035	1.10	8.5	27.3	8.41	1450	0.18	0.02	2.9	8.9	200
18-8539-19		9.11	0.08	1.2	0.044	2.30	16.4	34.5	6.97	1400	0.26	0.05	4.8	15.3	400
18-8539-20		9.48	0.09	1.3	0.060	1.86	19.6	28.7	7.15	1600	0.54	0.16	5.3	26.0	550
18-8539-21		1.45	<0.05	0.2	<0.005	0.24	6.9	2.2	0.03	36	1.11	0.01	1.1	7.3	20
18-8539-22		25.9	0.10	4.4	1.940	2.28	19.0	14.6	0.48	525	14.90	1.34	9.0	27.3	360
18-8540-1		4.36	0.05	0.6	0.068	0.74	10.4	11.7	10.20	1400	0.41	0.12	2.4	10.7	270
18-8540-2		4.57	<0.05	0.7	0.057	0.73	11.5	11.9	8.93	1550	0.47	0.15	2.9	11.6	340
18-8540-3		3.29	0.07	0.5	0.048	0.67	7.7	12.0	9.86	1330	0.19	0.04	1.7	6.3	160
18-8540-4		3.70	0.08	0.6	0.037	0.78	9.7	12.9	10.05	1260	0.26	0.05	2.2	7.0	230
18-8540-5		3.99	0.10	0.6	0.038	0.82	9.8	13.3	10.40	1230	0.30	0.06	2.3	7.2	220
18-8540-6		3.47	0.10	0.6	0.038	0.71	9.4	11.1	10.60	1060	0.25	0.08	2.1	7.2	230
18-8540-7		3.35	0.10	0.5	0.041	0.67	9.0	12.0	10.40	1010	0.23	0.07	2.0	7.3	200
18-8540-8		9.62	0.09	1.4	0.065	2.17	25.1	34.5	5.26	1880	0.45	0.11	5.5	20.6	490
18-8540-9		7.18	0.06	1.0	0.089	1.53	17.5	26.8	7.02	1930	0.44	0.08	3.9	14.3	370
18-8540-10		3.88	0.05	0.5	0.054	0.73	8.3	18.2	9.50	1510	0.20	0.04	1.8	7.1	150
18-8540-11		3.21	0.05	0.5	0.054	0.62	5.9	16.7	10.25	1340	0.10	0.02	1.5	5.5	90
18-8540-12		3.48	0.07	0.5	0.058	0.62	7.1	16.2	9.65	1470	0.16	0.03	1.7	6.7	140
18-8540-13		3.36	0.07	0.5	0.055	0.64	7.5	16.9	10.05	1440	0.16	0.03	1.8	6.7	130
18-8540-14		9.12	0.11	1.7	0.061	1.54	17.2	44.2	8.00	1390	0.45	0.06	5.3	15.6	380
18-8540-15		7.50	0.10	1.3	0.078	1.31	17.0	33.5	7.99	1810	0.47	0.07	4.2	15.0	390
18-8540-16		6.74	0.09	1.0	0.074	1.21	13.3	36.0	8.07	2210	0.39	0.05	3.6	13.4	320
18-8540-17		5.88	0.08	0.8	0.044	1.08	9.3	30.0	8.88	1760	0.21	0.03	2.9	9.8	190
18-8540-18		1.49	0.06	0.2	<0.005	0.24	8.4	2.1	0.04	35	0.96	0.01	1.1	4.9	30
18-8540-19		10.75	0.11	1.5	0.062	2.51	23.4	39.0	6.02	2180	0.50	0.11	6.3	19.8	460
18-8540-20		15.35	0.13	2.1	0.067	3.55	33.8	53.1	3.12	2450	0.53	0.12	9.0	28.7	550
18-8540-21		1.57	0.05	0.3	<0.005	0.25	8.2	2.3	0.03	42	1.25	0.01	1.3	6.8	20
18-8540-22		27.5	0.12	4.9	1.955	2.35	22.8	15.8	0.50	584	15.45	1.40	10.1	26.0	400
18-8541-1		16.50	0.13	2.6	0.077	3.91	38.6	26.7	1.00	2870	1.18	0.21	8.9	31.5	400
18-8541-2		18.20	0.14	2.8	0.054	4.25	40.1	28.5	1.13	1900	0.92	0.22	9.4	27.7	330
18-8541-3		1.46	0.06	0.2	<0.005	0.24	7.9	2.3	0.02	37	1.16	0.01	1.2	8.8	30
18-8541-4		17.70	0.15	2.6	0.074	4.04	39.7	27.1	0.92	3020	0.81	0.07	8.6	28.1	270
18-8541-5		16.80	0.12	2.5	0.054	3.94	35.8	36.6	1.18	1530	1.33	0.07	8.2	24.4	340
18-8541-6		16.30	0.14	2.4	0.049	3.76	38.7	35.6	1.07	2480	0.88	0.10	8.3	27.5	280





ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 5 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
18-8539-11		42.6	<0.002	0.01	0.95	4.8	<1	0.9	26.2	0.27	<0.05	4.65	0.119	0.28	0.8
18-8539-12		42.9	<0.002	0.01	1.27	5.2	<1	0.9	29.5	0.29	<0.05	5.00	0.130	0.39	0.9
18-8539-13		28.5	<0.002	<0.01	0.97	3.8	<1	0.7	26.9	0.21	<0.05	3.37	0.093	0.25	0.6
18-8539-14		32.1	<0.002	<0.01	0.93	4.0	<1	0.7	26.5	0.22	<0.05	3.59	0.098	0.24	0.7
18-8539-15		33.1	<0.002	<0.01	1.14	4.2	<1	0.8	28.2	0.24	<0.05	3.82	0.106	0.32	0.8
18-8539-16		26.4	<0.002	<0.01	1.01	3.5	<1	0.7	25.6	0.20	<0.05	3.10	0.088	0.28	0.6
18-8539-17		29.2	<0.002	<0.01	1.14	4.0	<1	0.8	25.5	0.21	<0.05	3.52	0.096	0.27	0.7
18-8539-18		28.9	<0.002	<0.01	1.13	3.8	<1	0.7	26.0	0.20	<0.05	3.43	0.093	0.25	0.7
18-8539-19		66.3	<0.002	0.01	1.38	6.1	<1	1.2	25.4	0.34	<0.05	5.74	0.152	0.36	0.9
18-8539-20		64.4	<0.002	0.03	1.58	6.2	<1	1.3	39.1	0.37	<0.05	6.18	0.169	0.57	1.0
18-8539-21		5.4	<0.002	<0.01	0.16	0.8	<1	0.4	5.8	<0.05	<0.05	2.68	0.041	0.04	0.4
18-8539-22		77.2	<0.002	4.65	150.0	6.1	4	5.5	95.5	0.65	0.08	6.96	0.159	2.07	2.6
18-8540-1		25.0	<0.002	0.02	0.89	3.6	1	0.6	38.2	0.16	<0.05	2.75	0.090	0.36	0.5
18-8540-2		25.4	<0.002	0.02	1.09	3.7	<1	0.7	42.9	0.19	<0.05	2.95	0.099	0.36	0.6
18-8540-3		21.9	<0.002	0.01	0.84	2.1	<1	0.5	29.0	0.11	<0.05	1.97	0.052	0.23	0.4
18-8540-4		24.8	<0.002	0.01	1.00	2.5	<1	0.6	30.8	0.15	<0.05	2.53	0.064	0.24	0.5
18-8540-5		26.1	<0.002	0.01	1.17	2.6	<1	0.6	32.9	0.15	<0.05	2.64	0.067	0.25	0.5
18-8540-6		24.3	<0.002	0.01	0.82	2.4	<1	0.5	33.3	0.14	<0.05	2.40	0.062	0.21	0.5
18-8540-7		22.9	<0.002	0.01	0.70	2.2	<1	0.5	33.3	0.13	<0.05	2.26	0.056	0.19	0.4
18-8540-8		81.4	<0.002	0.05	2.25	6.7	1	1.2	31.6	0.44	0.05	7.11	0.164	0.48	1.3
18-8540-9		57.7	<0.002	0.02	2.25	4.9	<1	1.0	30.1	0.29	<0.05	5.24	0.123	0.52	1.0
18-8540-10		26.0	<0.002	0.01	1.10	2.3	<1	0.5	27.9	0.12	<0.05	2.38	0.058	0.36	0.5
18-8540-11		21.7	<0.002	<0.01	1.10	1.8	<1	0.5	26.2	0.12	<0.05	1.83	0.047	0.24	0.4
18-8540-12		23.0	<0.002	<0.01	1.10	2.1	1	0.5	29.4	0.13	<0.05	2.27	0.054	0.38	0.5
18-8540-13		23.1	<0.002	<0.01	1.07	2.1	1	0.5	29.2	0.13	<0.05	2.28	0.058	0.38	0.5
18-8540-14		63.2	<0.002	0.02	1.86	5.3	1	1.3	25.3	0.42	<0.05	7.61	0.162	0.54	1.1
18-8540-15		51.6	<0.002	0.02	2.01	4.8	1	1.0	28.5	0.30	<0.05	5.78	0.132	0.44	1.0
18-8540-16		41.8	<0.002	0.02	1.46	4.3	1	0.9	32.4	0.29	<0.05	4.89	0.115	0.37	1.0
18-8540-17		32.4	<0.002	<0.01	1.12	3.4	<1	0.7	29.7	0.20	<0.05	3.51	0.084	0.22	0.7
18-8540-18		6.0	<0.002	<0.01	0.25	0.7	<1	0.4	6.1	<0.05	<0.05	3.10	0.041	0.03	0.4
18-8540-19		71.3	<0.002	0.02	1.35	6.6	<1	1.3	33.4	0.42	0.05	7.02	0.184	0.37	1.4
18-8540-20		108.5	<0.002	0.03	1.60	9.1	1	1.9	27.7	0.64	0.07	10.60	0.258	0.52	1.8
18-8540-21		6.2	<0.002	<0.01	0.26	0.8	<1	0.4	6.3	0.05	<0.05	3.02	0.044	0.05	0.4
18-8540-22		81.8	<0.002	4.82	154.0	6.1	4	5.6	99.1	0.70	0.07	7.86	0.165	2.09	3.0
18-8541-1		163.5	<0.002	0.02	3.72	9.4	<1	2.0	36.2	0.59	0.11	13.80	0.254	0.65	2.4
18-8541-2		182.0	<0.002	0.01	2.76	10.7	<1	2.2	27.7	0.64	<0.05	14.95	0.267	0.77	2.3
18-8541-3		6.0	<0.002	<0.01	0.25	0.7	<1	0.4	6.1	0.05	<0.05	2.85	0.042	0.03	0.4
18-8541-4		178.5	<0.002	0.01	6.08	9.8	<1	2.3	15.1	0.59	<0.05	14.30	0.246	0.65	2.2
18-8541-5		164.0	<0.002	0.02	3.82	9.8	<1	2.0	18.2	0.58	<0.05	12.80	0.247	0.69	1.8
18-8541-6		146.5	<0.002	0.01	2.82	9.5	<1	2.0	21.9	0.57	<0.05	13.50	0.241	0.64	1.9



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
 www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
 203 - 1634 HARVEY AVE  
 KELOWNA BC V1Y 6G2

Page: 5 - D  
 Total # Pages: 6 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 13-NOV-2018  
 Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Au-ICP22 Au ppm 0.001
18-8539-11		0.7	11.1	214	32.1			0.117
18-8539-12		0.9	12.9	333	36.6			0.111
18-8539-13		0.8	9.6	298	24.2			0.036
18-8539-14		0.8	9.6	242	25.4			0.009
18-8539-15		0.9	10.4	399	27.9			0.004
18-8539-16		0.8	9.0	355	22.8			0.002
18-8539-17		0.8	9.2	441	25.3			0.002
18-8539-18		0.8	9.1	528	24.4			0.001
18-8539-19		0.8	14.1	322	41.7			0.001
18-8539-20		0.8	16.2	197	44.5			0.001
18-8539-21		0.1	1.4	2	4.8			<0.001
18-8539-22		2.5	10.1	>10000	168.0	1.310	5.20	1.255
18-8540-1		0.5	12.9	218	21.1			0.002
18-8540-2		0.4	14.5	154	23.7			0.001
18-8540-3		0.4	10.3	419	16.1			0.001
18-8540-4		0.4	11.5	166	19.4			<0.001
18-8540-5		0.4	11.7	167	19.9			<0.001
18-8540-6		0.3	11.2	105	18.3			0.002
18-8540-7		0.3	11.0	104	17.0			0.001
18-8540-8		1.0	21.8	254	46.2			0.001
18-8540-9		0.8	18.8	736	34.8			<0.001
18-8540-10		0.6	10.5	456	18.3			0.001
18-8540-11		0.8	8.5	1520	14.9			0.001
18-8540-12		1.1	9.9	648	17.4			0.001
18-8540-13		1.3	9.6	587	17.9			0.001
18-8540-14		0.7	18.3	105	58.0			0.005
18-8540-15		0.6	20.1	251	43.5			0.004
18-8540-16		0.8	16.6	603	35.0			0.033
18-8540-17		0.6	11.0	526	26.0			0.024
18-8540-18		0.1	1.6	3	5.3			<0.001
18-8540-19		0.9	20.9	346	51.2			0.005
18-8540-20		1.3	24.0	351	70.4			0.007
18-8540-21		0.1	1.6	2	7.1			0.001
18-8540-22		3.0	12.1	>10000	178.5	1.345	5.34	1.250
18-8541-1		1.2	11.9	194	87.0			0.001
18-8541-2		1.4	11.1	118	89.4			<0.001
18-8541-3		0.1	1.6	5	5.3			<0.001
18-8541-4		1.5	10.1	176	86.7			0.001
18-8541-5		1.1	10.4	331	77.7			0.001
18-8541-6		1.1	11.5	188	83.6			<0.001



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 6 - A  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01
18-8541-7		0.26	0.54	6.55	20.9	740	2.15	0.58	0.23	0.51	80.6	20.0	288	6.35	43.5	3.05
18-8541-8		0.28	0.53	6.50	18.6	750	2.14	0.36	0.24	0.56	81.0	17.2	257	5.74	38.3	3.01
18-8541-9		0.26	0.29	6.74	6.8	580	2.53	0.31	0.15	0.55	73.8	23.9	139	7.02	36.1	3.46
18-8541-10		0.26	0.28	6.79	9.9	590	2.55	0.34	0.10	0.56	74.6	31.4	159	7.24	42.1	3.85
18-8541-11		0.26	0.38	6.76	10.1	590	2.53	0.39	0.15	0.49	77.4	32.8	172	7.31	41.7	4.09
18-8541-12		0.26	0.45	6.63	10.8	600	2.51	0.57	0.18	0.64	75.7	39.0	186	7.35	50.9	4.29
18-8541-13		0.26	0.38	7.00	6.7	610	2.54	0.48	0.24	0.38	77.1	29.5	136	7.05	55.7	4.45
18-8541-14		0.26	0.77	6.88	7.3	600	2.74	0.91	0.13	0.89	77.1	41.7	140	7.14	70.5	4.97
18-8541-15		0.26	0.39	6.31	3.0	600	2.29	0.40	0.18	0.22	72.4	38.9	178	5.65	57.1	5.01
18-8541-16		0.26	0.39	6.41	6.2	600	2.39	0.51	0.16	0.13	76.4	35.8	162	5.67	47.1	4.68
18-8541-17		0.26	0.24	6.51	4.6	510	2.28	0.32	0.73	0.15	67.0	17.7	104	7.76	39.9	3.31
18-8541-18		0.28	0.47	3.46	16.8	270	1.17	0.23	9.78	0.67	41.9	9.5	68	1.83	40.2	2.85
18-8541-19		0.28	0.49	5.18	23.8	410	1.47	0.53	5.26	0.91	57.4	19.6	82	2.72	43.3	3.90
18-8541-20		0.30	0.15	0.60	4.0	40	0.29	0.05	18.70	0.15	9.54	1.4	8	0.32	11.1	0.96
18-8541-21		0.22	0.01	0.48	0.3	20	0.14	0.02	0.02	<0.02	16.30	0.8	377	0.30	3.4	0.48
18-8541-22		0.06	67.5	5.96	77.0	110	1.54	3.76	1.98	274	42.3	27.1	37	3.20	3560	3.54
18-8542-1		0.26	0.96	6.10	13.0	510	1.90	0.36	0.28	2.42	67.9	16.3	216	5.90	29.4	3.92
18-8542-2		0.28	0.52	5.95	12.1	410	2.02	0.41	2.39	1.28	63.5	13.2	137	6.09	27.5	4.45
18-8542-3		0.28	0.34	3.70	8.7	260	1.31	0.27	8.80	0.73	44.8	9.7	74	3.43	20.4	2.89
18-8542-4		0.28	0.06	5.69	12.2	620	1.54	0.17	0.95	0.34	68.1	13.6	291	4.65	15.0	2.92
18-8542-5		0.28	0.09	5.65	5.7	630	1.66	0.18	0.07	0.40	62.4	9.2	211	4.27	14.8	2.24
18-8542-6		0.28	0.08	5.75	9.4	630	1.63	0.36	0.11	0.19	64.6	13.3	247	5.04	17.5	2.76
18-8542-7		0.28	0.09	5.84	10.6	630	1.66	0.43	0.08	0.16	66.5	13.8	313	5.11	18.6	2.98
18-8542-8		0.28	0.08	5.87	11.0	660	1.82	0.47	0.09	0.17	65.8	13.1	274	5.16	18.6	2.89
18-8542-9		0.28	0.10	5.54	12.3	580	1.85	0.49	0.11	0.20	62.5	13.3	319	4.84	18.0	2.88
18-8542-10		0.26	0.08	5.56	11.0	610	1.68	0.32	0.15	0.38	62.9	13.4	334	4.69	18.3	2.79
18-8542-11		0.28	0.09	5.96	14.6	620	1.83	0.36	0.14	0.36	68.6	13.7	276	4.58	18.3	2.99
18-8542-12		0.28	0.06	6.78	11.6	770	2.00	0.20	0.20	0.72	72.3	16.1	202	6.30	13.1	3.19
18-8542-13		0.28	0.01	0.50	0.9	20	0.12	0.02	<0.01	<0.02	15.80	0.7	369	0.30	2.8	0.46
18-8542-14		0.28	0.13	5.99	11.7	640	1.75	0.40	0.15	0.31	68.5	13.8	311	4.74	19.5	3.11
18-8542-15		0.28	0.18	5.79	12.3	610	1.94	0.35	0.37	0.83	65.4	20.6	334	5.71	24.3	3.82
18-8542-16		0.26	0.24	5.99	8.9	530	2.06	0.25	1.06	0.98	62.1	17.4	141	5.16	24.0	2.89
18-8542-17		0.30	0.74	6.10	24.5	470	2.26	0.65	0.77	1.42	67.3	32.4	104	7.16	55.4	5.47
18-8542-18		0.28	0.32	6.33	22.6	500	2.00	0.68	0.30	0.65	58.6	29.4	128	7.18	24.0	5.57
18-8542-19		0.30	0.70	5.35	41.8	370	1.35	0.65	3.49	1.84	42.0	33.6	118	4.88	104.0	5.30
18-8542-20		0.28	0.77	5.53	49.2	370	1.32	0.72	4.08	1.41	39.7	37.7	121	4.90	125.5	6.10
18-8542-21		0.22	0.01	0.49	0.2	20	0.13	0.02	0.01	<0.02	15.15	0.9	391	0.31	3.7	0.49
18-8542-22		0.06	63.7	5.33	75.8	100	1.49	3.54	1.86	260	36.7	26.7	38	2.90	3330	3.32
18-8543-1		0.26	0.24	5.08	4.3	420	1.64	0.19	4.01	0.79	55.4	7.2	133	4.49	17.4	4.61
18-8543-2		0.26	0.77	6.05	17.4	500	1.90	0.41	1.78	1.33	64.2	17.0	194	5.01	44.8	3.55



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 6 - B  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5
18-8541-7		16.05	0.14	2.5	0.066	3.83	37.7	32.5	1.06	2370	1.11	0.25	8.6	31.0	330	106.5
18-8541-8		16.25	0.15	2.5	0.051	3.96	38.5	34.1	0.80	2370	1.23	0.20	8.7	29.2	330	131.5
18-8541-9		17.75	0.14	2.4	0.050	4.04	36.1	56.7	1.27	552	1.39	0.14	8.3	33.9	310	86.4
18-8541-10		17.35	0.14	2.5	0.046	3.83	36.5	61.5	1.54	657	1.48	0.21	8.4	37.4	300	101.5
18-8541-11		18.00	0.13	2.6	0.055	3.60	37.6	58.5	1.84	819	1.32	0.26	9.0	40.5	340	87.5
18-8541-12		16.95	0.14	2.6	0.049	3.74	36.8	58.7	1.66	752	1.73	0.25	8.6	43.2	350	110.0
18-8541-13		17.75	0.13	2.5	0.056	4.27	38.1	73.7	1.62	530	1.67	0.14	8.0	44.4	370	83.1
18-8541-14		17.50	0.13	2.6	0.061	3.95	37.5	68.8	1.59	810	1.92	0.20	7.6	50.4	360	158.0
18-8541-15		15.70	0.13	2.5	0.050	3.57	34.9	58.7	1.52	754	1.93	0.22	7.4	51.0	360	73.0
18-8541-16		16.25	0.13	2.4	0.046	3.79	36.8	65.8	1.54	510	2.33	0.13	7.3	49.9	370	83.5
18-8541-17		16.10	0.17	2.0	0.044	4.13	34.4	66.1	1.91	311	1.29	0.06	7.4	34.8	340	89.5
18-8541-18		8.80	0.11	1.2	0.073	1.54	21.9	29.9	6.61	1860	0.64	0.18	5.0	29.5	570	65.9
18-8541-19		12.65	0.12	1.7	0.087	2.31	30.3	44.2	4.33	2290	0.75	0.25	7.0	56.6	670	92.4
18-8541-20		1.57	0.07	0.2	0.037	0.31	5.3	6.4	11.60	855	0.11	0.03	0.8	3.2	100	13.8
18-8541-21		1.32	0.08	0.1	<0.005	0.22	7.1	2.1	0.03	53	1.18	0.01	1.0	6.4	30	0.6
18-8541-22		23.8	0.10	4.1	1.770	2.11	20.0	13.3	0.46	544	13.65	1.28	8.8	23.9	370	>10000
18-8542-1		14.95	0.13	1.9	0.082	3.15	34.0	46.2	1.06	2130	1.83	0.18	7.2	31.4	470	410
18-8542-2		14.85	0.12	1.8	0.093	2.90	32.5	53.0	2.37	2680	1.36	0.11	7.0	32.9	600	237
18-8542-3		9.03	0.09	1.3	0.062	1.91	23.1	33.1	5.80	1770	0.94	0.06	4.7	22.3	390	144.5
18-8542-4		13.10	0.14	1.7	0.042	3.32	33.0	36.0	1.24	1600	1.00	0.16	6.7	25.5	380	40.0
18-8542-5		13.20	0.12	1.7	0.037	3.53	30.6	34.9	0.58	1310	1.01	0.13	7.1	20.3	280	45.1
18-8542-6		13.85	0.13	1.8	0.043	3.17	31.2	38.5	0.67	1400	1.11	0.18	7.6	23.0	410	66.2
18-8542-7		14.30	0.13	1.8	0.047	3.30	32.2	39.8	0.63	1460	1.35	0.15	7.7	25.6	420	70.9
18-8542-8		14.25	0.13	1.9	0.047	3.42	31.9	41.1	0.68	1300	1.12	0.16	7.5	25.0	410	62.3
18-8542-9		13.50	0.12	1.8	0.047	3.12	30.0	39.3	0.63	1400	1.66	0.14	7.2	23.7	410	70.2
18-8542-10		13.90	0.12	1.7	0.041	3.26	30.8	40.6	0.65	1490	1.32	0.14	7.4	22.9	440	65.8
18-8542-11		14.50	0.13	1.9	0.043	3.35	32.5	42.4	0.65	1480	1.22	0.15	7.8	29.1	460	71.7
18-8542-12		16.85	0.15	2.0	0.044	4.07	34.5	52.8	0.69	2610	1.19	0.14	8.4	22.5	910	89.5
18-8542-13		1.38	0.08	0.1	<0.005	0.23	7.0	2.5	0.02	42	1.39	0.01	1.1	5.5	30	2.6
18-8542-14		14.30	0.13	1.9	0.047	3.44	32.6	40.8	0.69	1720	1.26	0.16	7.5	27.2	440	113.5
18-8542-15		14.15	0.13	1.8	0.057	3.29	31.0	47.4	0.94	2750	1.55	0.15	6.9	35.5	630	145.5
18-8542-16		15.10	0.13	1.8	0.053	3.54	31.0	53.8	1.40	1580	0.88	0.11	7.1	31.1	360	102.0
18-8542-17		15.45	0.14	1.9	0.098	2.90	35.2	61.7	1.60	3210	1.38	0.17	6.9	54.1	760	296
18-8542-18		16.45	0.12	2.1	0.093	2.58	29.5	55.0	1.02	3420	2.23	0.24	7.3	28.5	1180	284
18-8542-19		13.70	0.10	1.0	0.098	2.79	19.4	34.3	2.05	2500	0.96	0.05	4.9	38.4	450	143.5
18-8542-20		14.25	0.11	0.9	0.106	2.80	18.5	35.0	2.37	2880	0.78	0.05	4.9	42.0	500	145.0
18-8542-21		1.42	0.07	0.2	<0.005	0.23	6.9	2.3	0.02	38	1.08	0.01	1.1	6.3	20	0.8
18-8542-22		22.9	0.12	3.8	1.710	2.00	16.6	13.2	0.42	511	12.85	1.19	8.4	25.1	350	>10000
18-8543-1		12.85	0.12	1.5	0.108	2.92	27.8	38.7	2.90	2770	1.84	0.09	6.3	20.8	310	74.8
18-8543-2		15.25	0.13	1.8	0.072	3.49	32.3	37.5	1.87	1600	1.68	0.10	7.0	30.7	400	390



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 6 - C  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
18-8541-7		157.0	<0.002	0.02	3.18	9.3	<1	2.0	27.9	0.56	0.07	13.35	0.248	0.68	2.0
18-8541-8		156.0	<0.002	0.01	3.12	9.2	<1	2.0	28.1	0.60	0.05	13.60	0.246	0.65	2.0
18-8541-9		167.0	<0.002	0.05	3.97	10.2	<1	2.1	13.9	0.57	0.05	11.90	0.256	0.72	2.0
18-8541-10		163.0	<0.002	0.06	4.49	10.3	<1	2.0	16.1	0.60	0.06	12.10	0.261	0.73	1.9
18-8541-11		159.5	<0.002	0.09	4.67	10.6	<1	2.1	20.1	0.62	0.05	12.50	0.270	0.79	2.0
18-8541-12		161.0	<0.002	0.10	5.20	10.2	<1	2.0	20.9	0.60	0.06	12.60	0.267	0.79	2.1
18-8541-13		164.0	<0.002	0.07	4.76	10.7	<1	2.0	14.8	0.53	0.07	12.70	0.265	0.73	2.5
18-8541-14		169.5	<0.002	0.09	6.43	10.5	<1	1.9	15.0	0.53	0.11	12.95	0.260	0.76	2.6
18-8541-15		142.5	<0.002	0.10	5.37	9.5	<1	1.8	17.9	0.51	0.06	12.45	0.250	0.65	2.5
18-8541-16		145.5	<0.002	0.12	5.75	9.7	<1	1.8	19.3	0.51	0.08	12.60	0.250	0.65	2.3
18-8541-17		158.0	<0.002	0.07	3.10	10.1	<1	1.9	15.6	0.54	0.06	10.50	0.261	0.81	2.0
18-8541-18		56.3	<0.002	0.03	1.99	5.9	<1	1.2	44.0	0.34	0.05	5.75	0.164	0.73	1.0
18-8541-19		80.5	<0.002	0.03	2.81	8.4	<1	1.8	49.3	0.50	0.09	8.39	0.238	0.84	1.5
18-8541-20		10.5	<0.002	<0.01	0.54	1.1	<1	0.3	31.8	0.05	<0.05	1.00	0.026	0.14	0.2
18-8541-21		5.4	<0.002	<0.01	0.26	0.6	<1	0.4	5.5	0.05	<0.05	2.56	0.039	0.03	0.3
18-8541-22		72.0	<0.002	4.44	141.0	5.2	2	4.8	92.9	0.66	0.08	6.50	0.156	2.00	2.5
18-8542-1		139.5	<0.002	0.05	3.31	9.4	1	1.8	19.2	0.52	<0.05	10.30	0.242	0.83	2.1
18-8542-2		123.0	<0.002	0.03	2.27	9.9	<1	1.8	23.0	0.49	<0.05	9.95	0.237	0.72	2.0
18-8542-3		72.7	<0.002	0.02	1.71	6.0	<1	1.1	25.4	0.34	<0.05	6.39	0.154	0.43	1.5
18-8542-4		132.5	<0.002	0.01	1.82	7.6	<1	1.6	28.2	0.47	<0.05	9.70	0.231	0.65	1.4
18-8542-5		138.0	<0.002	0.01	1.46	7.5	<1	1.5	11.3	0.49	<0.05	9.76	0.223	0.63	1.3
18-8542-6		134.0	<0.002	0.01	1.97	7.6	<1	1.6	23.2	0.54	0.05	9.91	0.247	0.63	1.4
18-8542-7		139.5	<0.002	0.02	2.15	7.7	<1	1.7	19.2	0.54	<0.05	10.20	0.247	0.64	1.5
18-8542-8		138.0	<0.002	0.01	2.78	7.9	<1	1.7	20.4	0.52	0.05	10.20	0.242	0.66	1.5
18-8542-9		131.0	<0.002	0.01	2.25	7.6	<1	1.7	19.0	0.49	<0.05	9.74	0.230	0.60	1.5
18-8542-10		135.5	<0.002	0.02	1.73	7.7	<1	1.7	19.0	0.52	0.07	9.48	0.239	0.62	1.4
18-8542-11		134.0	<0.002	0.02	1.96	8.5	<1	1.7	21.9	0.54	0.05	10.35	0.247	0.63	1.5
18-8542-12		181.0	<0.002	0.05	1.61	10.3	<1	2.0	22.7	0.61	<0.05	11.85	0.279	0.88	1.7
18-8542-13		5.7	<0.002	<0.01	0.27	0.8	<1	0.4	5.7	0.05	<0.05	2.59	0.041	0.04	0.3
18-8542-14		140.5	<0.002	0.02	2.19	8.3	<1	1.7	22.3	0.54	<0.05	10.55	0.249	0.63	1.6
18-8542-15		132.0	<0.002	0.03	1.80	9.1	<1	1.7	23.6	0.48	0.05	9.80	0.228	0.72	1.8
18-8542-16		142.0	<0.002	0.02	1.89	9.5	<1	1.8	18.6	0.50	<0.05	9.88	0.239	0.68	1.7
18-8542-17		120.0	<0.002	0.03	2.75	11.3	<1	1.8	32.2	0.48	0.07	10.75	0.246	0.75	2.0
18-8542-18		110.0	<0.002	0.05	2.20	10.4	<1	1.8	44.1	0.49	0.07	9.34	0.274	0.76	2.2
18-8542-19		115.0	<0.002	0.02	3.89	20.1	<1	1.3	65.4	0.33	<0.05	5.30	0.359	0.52	1.1
18-8542-20		117.0	<0.002	0.01	4.32	23.0	<1	1.3	71.3	0.31	0.05	4.77	0.392	0.51	1.1
18-8542-21		5.6	<0.002	<0.01	0.28	0.7	<1	0.4	5.8	<0.05	<0.05	2.48	0.040	0.03	0.3
18-8542-22		64.9	<0.002	4.19	134.5	5.0	4	4.6	86.7	0.62	0.06	5.69	0.147	1.88	2.3
18-8543-1		122.0	<0.002	0.03	1.65	8.5	<1	1.6	31.1	0.43	<0.05	8.13	0.203	0.53	1.8
18-8543-2		139.0	<0.002	0.05	3.93	9.9	<1	1.8	22.9	0.48	0.05	10.05	0.245	0.61	1.8



ALS Canada Ltd.

2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: 6 - D  
Total # Pages: 6 (A - D)  
Plus Appendix Pages  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

Sample Description	Method Analyte Units LOD	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Pb-OG62	Zn-OG62	Au-ICP22
		W	Y	Zn	Zr	Pb	Zn	Au
		ppm 0.1	ppm 0.1	ppm 2	ppm 0.5	% 0.001	% 0.001	ppm 0.001
18-8541-7		1.1	12.0	321	86.8			0.002
18-8541-8		1.2	12.5	274	82.7			0.002
18-8541-9		1.1	8.6	275	85.0			0.001
18-8541-10		1.1	8.9	292	84.4			0.001
18-8541-11		1.1	10.1	265	89.5			0.001
18-8541-12		1.1	10.1	333	87.9			0.002
18-8541-13		1.2	9.7	244	84.7			0.001
18-8541-14		1.1	10.3	576	89.8			0.003
18-8541-15		1.0	10.5	160	85.9			0.001
18-8541-16		1.0	10.1	105	80.7			0.001
18-8541-17		1.2	7.7	136	74.0			0.001
18-8541-18		0.8	18.8	300	45.2			0.001
18-8541-19		1.1	22.4	386	64.9			0.003
18-8541-20		0.3	7.5	98	8.1			0.002
18-8541-21		0.2	1.3	<2	4.7			<0.001
18-8541-22		2.5	10.0	>10000	158.0	1.340	5.33	1.250
18-8542-1		1.2	14.6	875	70.5			0.004
18-8542-2		1.2	18.1	488	69.3			0.002
18-8542-3		0.9	11.1	313	45.2			0.001
18-8542-4		1.1	10.3	164	62.3			<0.001
18-8542-5		1.1	8.0	141	61.0			<0.001
18-8542-6		1.1	7.5	156	67.4			<0.001
18-8542-7		1.2	7.2	155	69.5			<0.001
18-8542-8		1.1	7.5	168	69.0			<0.001
18-8542-9		1.1	7.2	160	64.6			0.001
18-8542-10		1.1	6.9	177	64.5			<0.001
18-8542-11		1.1	8.6	182	68.9			<0.001
18-8542-12		1.3	9.1	187	71.6			0.001
18-8542-13		0.2	1.4	4	4.5			<0.001
18-8542-14		1.2	9.0	187	67.5			<0.001
18-8542-15		1.1	12.2	256	65.7			0.001
18-8542-16		1.1	9.8	407	65.3			0.001
18-8542-17		1.2	21.3	596	72.5			0.003
18-8542-18		1.3	11.6	336	72.7			0.002
18-8542-19		1.0	9.1	559	39.3			0.003
18-8542-20		1.0	9.7	521	37.6			0.002
18-8542-21		0.2	1.4	<2	4.8			<0.001
18-8542-22		2.3	8.8	>10000	145.5	1.305	5.18	1.230
18-8543-1		0.9	8.2	278	53.9			0.002
18-8543-2		1.1	9.6	748	69.6			0.003



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218  
www.alsglobal.com/geochemistry

To: CANTEX MINE DEVELOPMENT CORP.  
203 - 1634 HARVEY AVE  
KELOWNA BC V1Y 6G2

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 13-NOV-2018  
Account: CANMID

Project: TA22-04-YUK8

**CERTIFICATE OF ANALYSIS VA18266877**

**CERTIFICATE COMMENTS**

**ANALYTICAL COMMENTS**

Applies to Method: REE's may not be totally soluble in this method.  
ME-MS61

**LABORATORY ADDRESSES**

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.  
Au-ICP22 LOG-24 LOG-QC ME-MS61  
ME-OG62 Pb-OG62 WEI-21 Zn-OG62