



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **GOLDCORP KAMINAK LTD**
SUITE 3400 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 1
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

CERTIFICATE VA18245522

Project: Coffee

P.O. No.: KGC-18-1613

This report is for 100 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-OCT-2018.

The following have access to data associated with this certificate:

THOMAS BISSIG
IAN HERBRANSON
TIM SMITH

TOM BOKENFOHR
ERIK SCHEEL
MATT ZAGO

CASEY CARDINAL
JAMES SCOTT

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-21 | Sample logging - ClientBarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-32m | Pulverize 500g - 85%<75um |
| BAG-01 | Bulk Master for Storage |
| LOG-23 | Pulp Login - Rcvd with Barcode |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|-------------------------------|------------|
| Au-ICP21 | Au 30g FA ICP-AES Finish | ICP-AES |
| Au-GRA21 | Au 30g FA-GRAV finish | WST-SIM |
| ME-ICP41 | 35 Element Aqua Regia ICP-AES | ICP-AES |
| Au-AA13 | Au by cyanide leach and AAS | AAS |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-ICP21 Au ppm | Au-ICP21 Au ppm | Au-AA13 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.001 | 0.05 | 0.03 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| Y420001 | | 1.98 | 0.004 | | | <0.2 | 0.27 | 84 | <10 | 50 | <0.5 | <2 | 0.04 | <0.5 | 1 | 8 |
| Y420002 | | 1.68 | 0.090 | | | <0.2 | 0.42 | 265 | <10 | 50 | 0.7 | <2 | 0.06 | <0.5 | 2 | 11 |
| Y420003 | | 1.62 | 0.028 | | | <0.2 | 0.36 | 459 | 10 | 60 | 0.8 | <2 | 0.06 | <0.5 | 1 | 8 |
| Y420004 | | 1.66 | 0.083 | | | <0.2 | 0.32 | 656 | 10 | 140 | 0.9 | <2 | 0.06 | <0.5 | 3 | 7 |
| Y420005 | | 1.84 | 0.004 | | | <0.2 | 0.99 | 498 | <10 | 60 | 0.9 | <2 | 0.15 | <0.5 | 8 | 76 |
| Y420006 | | 1.86 | 0.003 | | | <0.2 | 0.52 | 193 | <10 | 110 | 0.7 | <2 | 0.03 | <0.5 | 1 | 8 |
| Y420007 | | 2.32 | 0.074 | | | <0.2 | 0.36 | 399 | 10 | 70 | 0.7 | <2 | 0.07 | <0.5 | 2 | 5 |
| Y420008 | | 2.04 | 0.118 | | | <0.2 | 0.43 | 393 | 10 | 70 | 0.8 | <2 | 0.08 | <0.5 | 1 | 6 |
| Y420009 | | 2.12 | 0.015 | | | <0.2 | 0.41 | 188 | <10 | 30 | 0.5 | <2 | 0.03 | <0.5 | <1 | 5 |
| Y420010 | | 0.10 | 0.710 | | 0.71 | <0.2 | 2.61 | 5 | <10 | 90 | <0.5 | <2 | 1.89 | <0.5 | 14 | 98 |
| Y420011 | | 2.12 | 0.015 | | | <0.2 | 0.34 | 202 | <10 | 50 | 0.5 | <2 | 0.04 | <0.5 | 1 | 5 |
| Y420012 | | 2.22 | 0.176 | | | <0.2 | 0.40 | 254 | 10 | 530 | 0.6 | <2 | 0.06 | <0.5 | 1 | 5 |
| Y420013 | | 1.98 | 0.032 | | | <0.2 | 0.43 | 398 | <10 | 70 | 0.5 | <2 | 0.04 | <0.5 | 1 | 7 |
| Y420014 | | 1.78 | 0.016 | | | <0.2 | 0.37 | 246 | <10 | 40 | <0.5 | <2 | 0.02 | <0.5 | 1 | 6 |
| Y420015 | | 1.50 | 0.020 | | | <0.2 | 0.44 | 273 | <10 | 60 | 0.5 | <2 | 0.02 | <0.5 | <1 | 9 |
| Y420016 | | 1.66 | 0.013 | | | <0.2 | 0.40 | 233 | <10 | 30 | 0.5 | <2 | 0.02 | <0.5 | 1 | 7 |
| Y420017 | | 1.70 | 0.002 | | | <0.2 | 0.41 | 84 | <10 | 30 | <0.5 | <2 | 0.01 | <0.5 | 1 | 4 |
| Y420018 | | 1.54 | 0.002 | | | <0.2 | 0.33 | 40 | <10 | 40 | <0.5 | <2 | 0.03 | <0.5 | 1 | 6 |
| Y420019 | | 1.48 | 0.004 | | | <0.2 | 0.44 | 120 | <10 | 40 | 0.5 | <2 | 0.03 | <0.5 | 2 | 5 |
| Y420020 | | 0.08 | 0.001 | | | <0.2 | 1.68 | 2 | <10 | 140 | <0.5 | <2 | 0.94 | <0.5 | 10 | 24 |
| Y420021 | | 1.38 | 0.006 | | | <0.2 | 0.52 | 73 | <10 | 20 | 0.5 | <2 | 0.03 | <0.5 | 1 | 6 |
| Y420022 | | 1.06 | 0.007 | | | <0.2 | 0.29 | 78 | <10 | 30 | <0.5 | <2 | 0.05 | <0.5 | 1 | 5 |
| Y420023 | | 1.30 | 0.001 | | | <0.2 | 0.27 | 101 | <10 | 70 | <0.5 | <2 | 0.10 | <0.5 | 1 | 4 |
| Y420024 | | 1.42 | 0.004 | | | <0.2 | 0.25 | 81 | <10 | 90 | <0.5 | <2 | 0.15 | <0.5 | 1 | 7 |
| Y420025 | | 1.98 | 0.001 | | | <0.2 | 0.33 | 51 | <10 | 70 | 0.6 | <2 | 0.06 | <0.5 | 1 | 8 |
| Y420026 | | 1.78 | 0.002 | | | <0.2 | 0.24 | 93 | <10 | 80 | 0.5 | <2 | 0.09 | <0.5 | 2 | 8 |
| Y420027 | | 2.20 | 0.003 | | | <0.2 | 0.58 | 47 | <10 | 60 | 0.7 | <2 | 0.08 | <0.5 | 3 | 26 |
| Y420028 | | 2.24 | <0.001 | | | <0.2 | 0.46 | 40 | <10 | 40 | 0.7 | <2 | 0.06 | <0.5 | 1 | 5 |
| Y420029 | | 2.12 | <0.001 | | | <0.2 | 0.37 | 49 | <10 | 50 | 0.7 | <2 | 0.06 | <0.5 | <1 | 4 |
| Y420030 | | 0.08 | 1.015 | | 0.89 | 3.0 | 2.65 | 8 | <10 | 100 | <0.5 | 2 | 1.91 | 0.8 | 15 | 103 |
| Y420031 | | 2.32 | 0.003 | | | <0.2 | 0.99 | 71 | <10 | 100 | 1.6 | <2 | 0.32 | <0.5 | 10 | 55 |
| Y420032 | | 2.18 | 0.002 | | | <0.2 | 1.52 | 41 | <10 | 110 | 1.4 | <2 | 0.65 | <0.5 | 20 | 101 |
| Y420033 | | 2.32 | 0.002 | | | <0.2 | 0.27 | 19 | <10 | 680 | 0.5 | <2 | 0.04 | <0.5 | <1 | 5 |
| Y420034 | | 2.14 | <0.001 | | | <0.2 | 0.29 | 41 | <10 | 50 | 0.5 | <2 | 0.04 | <0.5 | <1 | 4 |
| Y420035 | | 1.96 | <0.001 | | | <0.2 | 0.30 | 66 | <10 | 40 | 0.5 | <2 | 0.04 | <0.5 | 1 | 6 |
| Y420036 | | 2.16 | <0.001 | | | <0.2 | 0.31 | 60 | <10 | 50 | 0.6 | <2 | 0.04 | <0.5 | 1 | 6 |
| Y420037 | | 1.74 | 0.005 | | | <0.2 | 0.33 | 78 | <10 | 30 | 0.7 | <2 | 0.03 | <0.5 | 2 | 4 |
| Y420038 | | 1.32 | 0.216 | | | <0.2 | 0.38 | 531 | <10 | 70 | 1.3 | <2 | 0.05 | <0.5 | 4 | 10 |
| Y420039 | | 1.02 | 0.039 | | | <0.2 | 0.45 | 213 | <10 | 40 | 0.5 | <2 | 0.02 | <0.5 | 1 | 4 |
| Y420040 | | 0.08 | 0.001 | | | <0.2 | 1.72 | <2 | <10 | 150 | <0.5 | <2 | 0.98 | <0.5 | 9 | 24 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Y420001 | | 6 | 0.60 | <10 | 1 | 0.15 | 20 | 0.02 | 116 | 1 | <0.01 | 2 | 70 | 9 | <0.01 | 3 |
| Y420002 | | 10 | 0.88 | <10 | <1 | 0.16 | 20 | 0.02 | 117 | 1 | <0.01 | 1 | 100 | 11 | <0.01 | 6 |
| Y420003 | | 12 | 0.84 | <10 | 1 | 0.17 | 20 | 0.02 | 90 | 2 | <0.01 | 2 | 70 | 11 | <0.01 | 9 |
| Y420004 | | 12 | 0.94 | <10 | 1 | 0.17 | 20 | 0.01 | 404 | 6 | <0.01 | 2 | 70 | 15 | <0.01 | 7 |
| Y420005 | | 11 | 1.41 | <10 | 1 | 0.40 | 10 | 0.30 | 201 | 5 | <0.01 | 16 | 570 | 16 | <0.01 | 5 |
| Y420006 | | 2 | 0.76 | <10 | 1 | 0.13 | 20 | 0.02 | 441 | 1 | <0.01 | 7 | 70 | 6 | <0.01 | 4 |
| Y420007 | | 2 | 0.71 | <10 | <1 | 0.18 | 20 | 0.01 | 167 | 2 | <0.01 | 2 | 60 | 13 | <0.01 | 4 |
| Y420008 | | 3 | 0.70 | <10 | 1 | 0.19 | 20 | 0.02 | 174 | 2 | <0.01 | 2 | 60 | 14 | <0.01 | 5 |
| Y420009 | | 3 | 0.48 | <10 | 1 | 0.17 | 20 | 0.01 | 27 | 5 | <0.01 | <1 | 50 | 8 | <0.01 | 4 |
| Y420010 | | 167 | 2.51 | 10 | <1 | 0.18 | 10 | 1.39 | 437 | 3 | 0.28 | 143 | 370 | 9 | 0.07 | <2 |
| Y420011 | | 3 | 0.62 | <10 | <1 | 0.16 | 20 | 0.01 | 111 | 6 | <0.01 | 1 | 50 | 6 | <0.01 | 5 |
| Y420012 | | 3 | 0.64 | <10 | 1 | 0.21 | 20 | 0.02 | 131 | 4 | <0.01 | 1 | 50 | 13 | 0.01 | 6 |
| Y420013 | | 3 | 0.68 | <10 | <1 | 0.15 | 10 | 0.01 | 187 | 3 | <0.01 | 1 | 40 | 22 | <0.01 | 6 |
| Y420014 | | 2 | 0.59 | <10 | 1 | 0.14 | 20 | 0.01 | 96 | 1 | <0.01 | 1 | 50 | 13 | <0.01 | 7 |
| Y420015 | | 2 | 0.73 | <10 | 1 | 0.14 | 10 | 0.01 | 166 | 1 | <0.01 | 1 | 60 | 17 | <0.01 | 10 |
| Y420016 | | 2 | 0.64 | <10 | <1 | 0.14 | 10 | 0.01 | 59 | 2 | <0.01 | 1 | 60 | 10 | <0.01 | 10 |
| Y420017 | | 1 | 0.42 | <10 | 1 | 0.14 | 10 | 0.01 | 104 | 1 | <0.01 | 1 | 40 | 6 | <0.01 | 5 |
| Y420018 | | 2 | 0.59 | <10 | <1 | 0.19 | 10 | 0.06 | 92 | 1 | <0.01 | <1 | 40 | 6 | <0.01 | 4 |
| Y420019 | | 3 | 0.58 | <10 | <1 | 0.13 | 10 | 0.02 | 130 | 1 | <0.01 | 1 | 60 | 6 | <0.01 | 5 |
| Y420020 | | 96 | 3.33 | 10 | <1 | 0.23 | 10 | 0.76 | 439 | 5 | 0.18 | 11 | 560 | 2 | 0.01 | <2 |
| Y420021 | | 6 | 0.52 | <10 | 1 | 0.16 | 10 | 0.04 | 67 | 1 | <0.01 | 1 | 60 | 6 | <0.01 | 4 |
| Y420022 | | 3 | 0.62 | <10 | <1 | 0.17 | 10 | 0.03 | 56 | <1 | <0.01 | 1 | 140 | 6 | <0.01 | 4 |
| Y420023 | | 2 | 0.81 | <10 | <1 | 0.24 | 10 | 0.03 | 110 | <1 | <0.01 | 1 | 420 | 9 | <0.01 | 4 |
| Y420024 | | 5 | 0.95 | <10 | 1 | 0.21 | 20 | 0.03 | 165 | 1 | <0.01 | 1 | 660 | 17 | <0.01 | 4 |
| Y420025 | | 3 | 1.07 | <10 | <1 | 0.26 | 30 | 0.09 | 182 | 1 | <0.01 | 1 | 220 | 8 | <0.01 | 4 |
| Y420026 | | 3 | 0.92 | <10 | 1 | 0.19 | 20 | 0.05 | 222 | 1 | <0.01 | 2 | 400 | 8 | <0.01 | 4 |
| Y420027 | | 4 | 1.03 | <10 | 1 | 0.25 | 20 | 0.16 | 134 | <1 | 0.02 | 4 | 190 | 9 | <0.01 | 4 |
| Y420028 | | 3 | 0.89 | <10 | <1 | 0.13 | 20 | 0.06 | 75 | <1 | 0.03 | 1 | 90 | 9 | <0.01 | 2 |
| Y420029 | | 2 | 0.75 | <10 | <1 | 0.15 | 20 | 0.04 | 115 | 1 | 0.02 | <1 | 110 | 8 | <0.01 | 3 |
| Y420030 | | 220 | 3.01 | 10 | <1 | 0.17 | 10 | 1.55 | 540 | 5 | 0.28 | 144 | 350 | 196 | 0.10 | 2 |
| Y420031 | | 8 | 1.68 | <10 | <1 | 0.48 | 10 | 0.61 | 364 | <1 | 0.02 | 14 | 380 | 9 | <0.01 | <2 |
| Y420032 | | 14 | 2.41 | <10 | 1 | 0.84 | 10 | 1.27 | 451 | <1 | 0.03 | 28 | 570 | 4 | <0.01 | <2 |
| Y420033 | | 5 | 0.78 | <10 | <1 | 0.14 | 10 | 0.03 | 153 | 2 | 0.03 | <1 | 70 | 9 | 0.02 | 2 |
| Y420034 | | 7 | 0.79 | <10 | <1 | 0.14 | 20 | 0.03 | 195 | 1 | 0.03 | 1 | 70 | 13 | <0.01 | <2 |
| Y420035 | | 5 | 0.68 | <10 | <1 | 0.14 | 20 | 0.02 | 129 | 2 | 0.03 | <1 | 80 | 11 | <0.01 | <2 |
| Y420036 | | 4 | 0.80 | <10 | <1 | 0.16 | 20 | 0.02 | 180 | 1 | 0.03 | 2 | 110 | 10 | <0.01 | <2 |
| Y420037 | | 4 | 0.55 | <10 | <1 | 0.17 | 30 | 0.02 | 123 | 1 | 0.02 | 3 | 90 | 9 | <0.01 | 3 |
| Y420038 | | 7 | 1.13 | <10 | <1 | 0.20 | 30 | 0.02 | 229 | 1 | <0.01 | 6 | 160 | 13 | <0.01 | 5 |
| Y420039 | | 5 | 0.61 | <10 | <1 | 0.17 | 20 | 0.01 | 87 | 3 | <0.01 | 3 | 80 | 20 | <0.01 | 3 |
| Y420040 | | 97 | 3.36 | 10 | <1 | 0.23 | 10 | 0.77 | 445 | 5 | 0.19 | 11 | 570 | 3 | 0.01 | <2 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 |
| Y420001 | | <1 | 11 | 40 | <0.01 | <10 | <10 | 3 | <10 |
| Y420002 | | 1 | 11 | 40 | <0.01 | <10 | 10 | 6 | <10 |
| Y420003 | | <1 | 14 | 40 | <0.01 | <10 | 10 | 4 | <10 |
| Y420004 | | <1 | 15 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420005 | | 4 | 11 | 30 | 0.02 | <10 | 10 | 19 | <10 |
| Y420006 | | <1 | 6 | 40 | <0.01 | <10 | 10 | 3 | <10 |
| Y420007 | | <1 | 16 | 30 | <0.01 | <10 | 10 | 2 | <10 |
| Y420008 | | <1 | 13 | 30 | <0.01 | <10 | 10 | 2 | <10 |
| Y420009 | | <1 | 7 | 40 | <0.01 | <10 | 10 | 1 | <10 |
| Y420010 | | 2 | 73 | <20 | 0.09 | <10 | <10 | 66 | <10 |
| Y420011 | | <1 | 9 | 30 | <0.01 | <10 | 10 | 1 | <10 |
| Y420012 | | <1 | 23 | 30 | <0.01 | <10 | 10 | 1 | <10 |
| Y420013 | | <1 | 11 | 30 | <0.01 | <10 | 10 | 1 | <10 |
| Y420014 | | <1 | 8 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420015 | | <1 | 10 | 30 | <0.01 | <10 | 10 | 4 | <10 |
| Y420016 | | <1 | 20 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420017 | | <1 | 5 | 40 | <0.01 | <10 | <10 | 2 | <10 |
| Y420018 | | <1 | 10 | 40 | 0.01 | <10 | <10 | 4 | <10 |
| Y420019 | | <1 | 6 | 40 | <0.01 | <10 | <10 | 3 | <10 |
| Y420020 | | 3 | 77 | <20 | 0.15 | <10 | <10 | 95 | <10 |
| Y420021 | | <1 | 7 | 40 | <0.01 | <10 | <10 | 3 | <10 |
| Y420022 | | 1 | 13 | 30 | <0.01 | <10 | <10 | 8 | <10 |
| Y420023 | | 1 | 33 | 60 | <0.01 | <10 | 10 | 34 | <10 |
| Y420024 | | 1 | 45 | 40 | 0.01 | <10 | <10 | 35 | <10 |
| Y420025 | | 1 | 17 | 30 | 0.01 | <10 | <10 | 20 | <10 |
| Y420026 | | 1 | 25 | 40 | 0.01 | <10 | 10 | 19 | <10 |
| Y420027 | | 3 | 10 | 30 | 0.01 | <10 | <10 | 12 | <10 |
| Y420028 | | <1 | 7 | 40 | 0.01 | <10 | <10 | 3 | <10 |
| Y420029 | | <1 | 10 | 40 | <0.01 | <10 | <10 | 4 | <10 |
| Y420030 | | 3 | 77 | <20 | 0.10 | <10 | <10 | 66 | <10 |
| Y420031 | | 4 | 33 | 30 | 0.08 | <10 | <10 | 28 | <10 |
| Y420032 | | 4 | 26 | <20 | 0.20 | <10 | <10 | 47 | <10 |
| Y420033 | | <1 | 12 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420034 | | <1 | 8 | 30 | <0.01 | <10 | <10 | 1 | <10 |
| Y420035 | | <1 | 9 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420036 | | <1 | 7 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420037 | | <1 | 6 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420038 | | 1 | 8 | 40 | <0.01 | <10 | 30 | 3 | <10 |
| Y420039 | | <1 | 13 | 20 | <0.01 | <10 | 10 | 2 | <10 |
| Y420040 | | 3 | 81 | <20 | 0.15 | <10 | <10 | 96 | <10 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURRELL STREET
VANCOUVER BC V6C 2X8

Page: 3 - A
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | WEI-21 Recvd Wt. kg | Au-ICP21 Au ppm | Au-ICP21 Au ppm | Au-ICP21 Au ppm | ME-ICP41 Ag ppm | ME-ICP41 Al % | ME-ICP41 As ppm | ME-ICP41 B ppm | ME-ICP41 Ba ppm | ME-ICP41 Be ppm | ME-ICP41 Bi ppm | ME-ICP41 Ca % | ME-ICP41 Cd ppm | ME-ICP41 Co ppm | ME-ICP41 Cr ppm |
|--------------------|-----------------------------------|---------------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|
| | | 0.02 | 0.001 | 0.05 | 0.03 | 0.2 | 0.01 | 2 | 10 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 |
| Y420041 | | 2.16 | 1.645 | | 1.42 | 0.4 | 0.49 | 2030 | <10 | 580 | 0.7 | <2 | 0.08 | <0.5 | <1 | 12 |
| Y420042 | | 2.12 | 1.260 | | 1.19 | 0.4 | 0.42 | 3050 | <10 | 500 | 0.8 | <2 | 0.09 | <0.5 | 2 | 21 |
| Y420043 | | 2.30 | 5.62 | | 5.99 | 0.6 | 0.47 | 1880 | 10 | 100 | <0.5 | <2 | 0.06 | <0.5 | <1 | 9 |
| Y420044 | | 0.96 | 5.74 | | 5.62 | 0.5 | 0.50 | 4360 | <10 | 480 | <0.5 | <2 | 0.07 | <0.5 | <1 | 14 |
| Y420045 | | 0.92 | 3.50 | | 3.35 | 0.6 | 0.48 | 2980 | <10 | 230 | <0.5 | <2 | 0.08 | <0.5 | <1 | 14 |
| Y420046 | | 2.04 | 1.185 | | 1.14 | 0.2 | 0.52 | 3330 | 10 | 400 | 0.8 | <2 | 0.11 | <0.5 | 1 | 27 |
| Y420047 | | 1.30 | >10.0 | 14.75 | 14.65 | 0.3 | 0.48 | 2660 | <10 | 180 | 0.9 | <2 | 0.10 | 0.7 | 4 | 23 |
| Y420048 | | 1.06 | >10.0 | 13.35 | 13.45 | 1.2 | 0.53 | 4090 | 10 | 700 | 1.0 | <2 | 0.12 | 0.7 | 6 | 26 |
| Y420049 | | 2.26 | 4.61 | | 4.60 | <0.2 | 0.36 | 555 | <10 | 70 | 0.5 | <2 | 0.04 | <0.5 | 1 | 12 |
| Y420050 | | 0.08 | 3.67 | | 3.29 | 0.4 | 1.57 | 279 | 10 | 60 | <0.5 | 2 | 0.95 | <0.5 | 8 | 35 |
| Y420051 | | 1.50 | 2.31 | | 2.32 | 0.2 | 0.31 | 364 | 10 | 40 | <0.5 | <2 | 0.03 | <0.5 | 1 | 7 |
| Y420052 | | 1.46 | 5.50 | | 5.43 | 0.2 | 0.32 | 420 | <10 | 40 | <0.5 | <2 | 0.03 | <0.5 | 1 | 11 |
| Y420053 | | 2.28 | 5.77 | | 5.58 | 0.2 | 0.33 | 290 | 10 | 50 | <0.5 | <2 | 0.03 | <0.5 | 1 | 9 |
| Y420054 | | 1.18 | 3.47 | | 3.42 | 0.2 | 0.29 | 280 | 10 | 40 | <0.5 | <2 | 0.02 | <0.5 | 1 | 7 |
| Y420055 | | 1.86 | 4.56 | | 4.48 | <0.2 | 0.29 | 430 | 10 | 30 | 0.5 | <2 | 0.03 | <0.5 | 1 | 8 |
| Y420056 | | 2.52 | 3.12 | | 2.86 | 0.2 | 0.27 | 184 | 10 | 30 | 0.5 | <2 | 0.02 | <0.5 | 1 | 6 |
| Y420057 | | 1.36 | 0.436 | | 0.45 | 0.2 | 0.32 | 254 | 10 | 100 | 0.6 | <2 | 0.02 | <0.5 | 1 | 5 |
| Y420058 | | 1.50 | 0.354 | | 0.37 | 0.3 | 0.35 | 625 | 10 | 70 | 0.7 | <2 | 0.05 | <0.5 | 1 | 5 |
| Y420059 | | 1.54 | 0.073 | | | 0.2 | 0.39 | 178 | 10 | 40 | 0.5 | <2 | 0.03 | <0.5 | <1 | 4 |
| Y420060 | | 0.08 | 0.001 | | | <0.2 | 1.80 | <2 | <10 | 150 | <0.5 | <2 | 1.03 | <0.5 | 9 | 25 |
| Y420061 | | 2.16 | 0.025 | | | 0.2 | 0.41 | 117 | <10 | 30 | <0.5 | <2 | 0.02 | <0.5 | <1 | 3 |
| Y420062 | | 2.22 | 0.022 | | | <0.2 | 0.43 | 280 | <10 | 30 | <0.5 | <2 | 0.01 | <0.5 | <1 | 4 |
| Y420063 | | 2.00 | 0.020 | | | <0.2 | 0.41 | 380 | <10 | 40 | <0.5 | <2 | 0.02 | <0.5 | <1 | 4 |
| Y420064 | | 1.98 | 1.030 | | 1.03 | 0.2 | 0.31 | 840 | 10 | 50 | 0.8 | <2 | 0.05 | <0.5 | 1 | 4 |
| Y420065 | | 1.98 | 0.719 | | 0.63 | 0.2 | 0.37 | 1230 | 10 | 50 | 2.0 | <2 | 0.08 | <0.5 | 7 | 5 |
| Y420066 | | 2.10 | 0.018 | | | 0.2 | 0.38 | 198 | 10 | 30 | 1.0 | <2 | 0.04 | <0.5 | 5 | 3 |
| Y420067 | | 1.72 | 0.008 | | | 0.2 | 0.56 | 258 | <10 | 40 | 0.9 | <2 | 0.08 | <0.5 | 4 | 13 |
| Y420068 | | 1.88 | 0.008 | | | <0.2 | 1.57 | 26 | <10 | 80 | 2.6 | <2 | 4.06 | 0.5 | 12 | 38 |
| Y420069 | | 2.16 | 0.007 | | | 0.6 | 1.10 | 7 | <10 | 50 | 2.0 | 2 | 3.35 | <0.5 | 14 | 48 |
| Y420070 | | 0.08 | 3.69 | | 3.36 | 0.5 | 1.56 | 266 | 10 | 60 | <0.5 | <2 | 0.96 | <0.5 | 8 | 35 |
| Y420071 | | 2.06 | 1.240 | | 1.25 | 0.4 | 0.59 | 792 | <10 | 100 | 1.6 | <2 | 0.86 | <0.5 | 22 | 17 |
| Y420072 | | 2.22 | >10.0 | 15.90 | 16.70 | 0.6 | 0.45 | 3450 | 10 | 80 | 1.3 | <2 | 0.23 | <0.5 | 12 | 13 |
| Y420073 | | 2.00 | >10.0 | 13.25 | 13.60 | 0.5 | 0.55 | 4100 | 10 | 140 | 1.9 | <2 | 0.28 | <0.5 | 19 | 18 |
| Y420074 | | 2.16 | 0.064 | | | <0.2 | 1.19 | 643 | <10 | 170 | 2.3 | <2 | 0.27 | <0.5 | 23 | 59 |
| Y420075 | | 2.10 | 0.029 | | | <0.2 | 1.52 | 12 | <10 | 340 | <0.5 | <2 | 1.99 | <0.5 | 15 | 53 |
| Y420076 | | 1.78 | 0.025 | | | <0.2 | 2.39 | 19 | <10 | 440 | 0.8 | <2 | 3.25 | <0.5 | 19 | 171 |
| Y420077 | | 2.32 | 0.003 | | | <0.2 | 2.42 | 32 | <10 | 730 | 0.9 | <2 | 3.14 | <0.5 | 22 | 378 |
| Y420078 | | 2.48 | 0.002 | | | <0.2 | 2.77 | 17 | <10 | 450 | 0.9 | 2 | 1.63 | <0.5 | 24 | 394 |
| Y420079 | | 1.36 | 0.001 | | | <0.2 | 3.13 | 27 | <10 | 250 | 0.9 | 3 | 1.63 | <0.5 | 30 | 855 |
| Y420080 | | 0.08 | <0.001 | | | <0.2 | 1.72 | 2 | <10 | 140 | <0.5 | <2 | 0.98 | <0.5 | 9 | 25 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | ME-ICP41 Cu ppm 1 | ME-ICP41 Fe % 0.01 | ME-ICP41 Ga ppm 10 | ME-ICP41 Hg ppm 1 | ME-ICP41 K % 0.01 | ME-ICP41 La ppm 10 | ME-ICP41 Mg % 0.01 | ME-ICP41 Mn ppm 5 | ME-ICP41 Mo ppm 1 | ME-ICP41 Na % 0.01 | ME-ICP41 Ni ppm 1 | ME-ICP41 P ppm 10 | ME-ICP41 Pb ppm 2 | ME-ICP41 S % 0.01 | ME-ICP41 Sb ppm 2 |
|--------------------|-----------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Y420041 | | 18 | 2.96 | <10 | 1 | 0.43 | 60 | 0.03 | 40 | 6 | 0.01 | 1 | 240 | 27 | 0.32 | 6 |
| Y420042 | | 19 | 4.36 | <10 | 1 | 0.30 | 50 | 0.02 | 42 | 5 | <0.01 | 2 | 420 | 21 | 0.15 | 10 |
| Y420043 | | 8 | 1.32 | <10 | 1 | 0.32 | 30 | 0.02 | 26 | 2 | <0.01 | 1 | 110 | 9 | 0.02 | 8 |
| Y420044 | | 9 | 1.84 | <10 | 1 | 0.38 | 40 | 0.03 | 28 | 3 | <0.01 | 1 | 260 | 18 | 0.12 | 8 |
| Y420045 | | 8 | 1.67 | <10 | 1 | 0.35 | 20 | 0.03 | 27 | 2 | <0.01 | 1 | 200 | 10 | 0.07 | 7 |
| Y420046 | | 18 | 5.60 | <10 | 1 | 0.37 | 20 | 0.03 | 81 | 5 | <0.01 | 10 | 480 | 14 | 0.17 | 7 |
| Y420047 | | 15 | 4.54 | <10 | 1 | 0.29 | 30 | 0.03 | 82 | 5 | <0.01 | 20 | 400 | 14 | 0.01 | 21 |
| Y420048 | | 23 | 5.18 | <10 | 2 | 0.31 | 40 | 0.03 | 295 | 8 | <0.01 | 17 | 470 | 21 | 0.04 | 52 |
| Y420049 | | 6 | 1.20 | <10 | 1 | 0.24 | 30 | 0.02 | 69 | 2 | <0.01 | 3 | 120 | 15 | <0.01 | 46 |
| Y420050 | | 71 | 9.64 | 10 | <1 | 0.32 | 10 | 0.79 | 301 | 5 | 0.06 | 23 | 650 | 9 | 0.74 | 2 |
| Y420051 | | 4 | 0.77 | <10 | 1 | 0.21 | 20 | 0.01 | 45 | 2 | <0.01 | 1 | 70 | 16 | <0.01 | 31 |
| Y420052 | | 3 | 0.88 | <10 | <1 | 0.23 | 20 | 0.01 | 44 | 1 | <0.01 | 1 | 70 | 16 | <0.01 | 20 |
| Y420053 | | 3 | 0.79 | <10 | 1 | 0.21 | 20 | 0.01 | 105 | 1 | <0.01 | 1 | 70 | 17 | <0.01 | 18 |
| Y420054 | | 3 | 0.86 | <10 | 1 | 0.19 | 20 | 0.01 | 95 | 1 | <0.01 | 1 | 70 | 23 | <0.01 | 19 |
| Y420055 | | 4 | 0.74 | <10 | 1 | 0.19 | 20 | 0.01 | 68 | 1 | <0.01 | 3 | 60 | 25 | <0.01 | 20 |
| Y420056 | | 3 | 0.62 | <10 | 1 | 0.17 | 10 | 0.01 | 84 | 1 | <0.01 | 2 | 40 | 20 | <0.01 | 128 |
| Y420057 | | 1 | 0.62 | <10 | <1 | 0.25 | 20 | 0.01 | 307 | 1 | <0.01 | 1 | 40 | 29 | <0.01 | 32 |
| Y420058 | | 2 | 0.77 | <10 | <1 | 0.23 | 20 | 0.01 | 150 | 2 | <0.01 | 1 | 40 | 41 | <0.01 | 17 |
| Y420059 | | 1 | 0.48 | <10 | <1 | 0.26 | 20 | 0.01 | 35 | 3 | <0.01 | 1 | 40 | 29 | 0.02 | 7 |
| Y420060 | | 99 | 3.47 | 10 | <1 | 0.24 | 10 | 0.80 | 461 | 5 | 0.20 | 12 | 580 | 3 | 0.01 | <2 |
| Y420061 | | <1 | 0.37 | <10 | <1 | 0.18 | 20 | 0.01 | 22 | 4 | <0.01 | 1 | 40 | 21 | 0.02 | 4 |
| Y420062 | | 1 | 0.57 | <10 | <1 | 0.17 | 20 | 0.01 | 22 | 4 | <0.01 | 1 | 50 | 23 | 0.03 | 5 |
| Y420063 | | 1 | 0.71 | <10 | 1 | 0.15 | 20 | <0.01 | 33 | 3 | <0.01 | <1 | 50 | 14 | 0.03 | 4 |
| Y420064 | | 7 | 0.83 | <10 | <1 | 0.22 | 30 | 0.01 | 44 | 3 | <0.01 | 1 | 60 | 18 | 0.01 | 4 |
| Y420065 | | 1 | 0.87 | <10 | 1 | 0.23 | 30 | 0.02 | 153 | 2 | <0.01 | 1 | 90 | 23 | 0.03 | 6 |
| Y420066 | | 1 | 0.75 | <10 | <1 | 0.23 | 20 | 0.01 | 124 | 4 | <0.01 | 2 | 60 | 39 | <0.01 | 5 |
| Y420067 | | 2 | 1.21 | <10 | <1 | 0.18 | 20 | 0.03 | 298 | 3 | <0.01 | 10 | 200 | 27 | <0.01 | 3 |
| Y420068 | | 2 | 3.91 | 10 | <1 | 0.48 | 30 | 0.87 | 1300 | 4 | 0.01 | 29 | 900 | 37 | 0.05 | 3 |
| Y420069 | | 4 | 3.32 | <10 | <1 | 0.37 | 30 | 1.25 | 759 | 7 | 0.01 | 28 | 420 | 31 | 0.50 | 3 |
| Y420070 | | 69 | 9.55 | 10 | <1 | 0.32 | 10 | 0.78 | 301 | 5 | 0.05 | 22 | 640 | 9 | 0.74 | <2 |
| Y420071 | | 11 | 3.39 | <10 | 1 | 0.32 | 30 | 0.13 | 741 | 3 | <0.01 | 35 | 580 | 41 | 0.02 | 3 |
| Y420072 | | 6 | 2.83 | <10 | 1 | 0.29 | 40 | 0.04 | 519 | 3 | <0.01 | 31 | 300 | 46 | <0.01 | 11 |
| Y420073 | | 18 | 3.95 | <10 | 2 | 0.32 | 30 | 0.06 | 684 | 6 | <0.01 | 35 | 430 | 40 | <0.01 | 17 |
| Y420074 | | 8 | 4.33 | <10 | <1 | 0.37 | 40 | 0.29 | 560 | 3 | 0.01 | 68 | 550 | 28 | <0.01 | 20 |
| Y420075 | | 8 | 3.03 | 10 | 1 | 0.32 | 30 | 1.12 | 446 | 4 | 0.03 | 38 | 450 | 3 | 0.20 | <2 |
| Y420076 | | 6 | 3.40 | 10 | <1 | 1.09 | 30 | 2.48 | 674 | 4 | 0.03 | 141 | 540 | 5 | 0.10 | <2 |
| Y420077 | | 8 | 2.67 | 10 | <1 | 1.55 | 30 | 3.84 | 487 | 2 | 0.02 | 327 | 340 | <2 | 0.18 | <2 |
| Y420078 | | 20 | 3.06 | 10 | <1 | 2.16 | 20 | 3.77 | 416 | 2 | 0.02 | 325 | 580 | 3 | 0.22 | <2 |
| Y420079 | | 2 | 2.83 | 10 | <1 | 2.30 | 10 | 5.30 | 364 | 2 | 0.01 | 620 | 180 | <2 | 0.04 | <2 |
| Y420080 | | 95 | 3.31 | 10 | <1 | 0.23 | 10 | 0.77 | 445 | 5 | 0.19 | 12 | 550 | 4 | 0.01 | <2 |



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 3 - C
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 | ME-ICP41 |
|--------------------|-----------------------------------|----------|----------|-----------|-----------|-----------|-----------|----------|-----------|
| | | Sc | Sr | Th | Ti | Ti | U | V | W |
| | | ppm 1 | ppm 1 | ppm 20 | % 0.01 | ppm 10 | ppm 10 | ppm 1 | ppm 10 |
| Y420041 | | 3 | 144 | 20 | <0.01 | <10 | <10 | 10 | <10 |
| Y420042 | | 5 | 115 | <20 | <0.01 | <10 | 10 | 15 | <10 |
| Y420043 | | 3 | 35 | <20 | <0.01 | <10 | <10 | 8 | <10 |
| Y420044 | | 9 | 37 | <20 | <0.01 | <10 | <10 | 12 | <10 |
| Y420045 | | 7 | 22 | <20 | <0.01 | <10 | <10 | 12 | <10 |
| Y420046 | | 5 | 35 | <20 | <0.01 | <10 | 10 | 21 | <10 |
| Y420047 | | 7 | 33 | <20 | <0.01 | <10 | 10 | 12 | <10 |
| Y420048 | | 7 | 39 | <20 | <0.01 | <10 | 20 | 12 | <10 |
| Y420049 | | 1 | 26 | 30 | <0.01 | <10 | <10 | 3 | <10 |
| Y420050 | | 3 | 39 | <20 | 0.06 | <10 | <10 | 45 | 30 |
| Y420051 | | 1 | 6 | 40 | <0.01 | <10 | <10 | 1 | <10 |
| Y420052 | | <1 | 6 | 40 | <0.01 | <10 | 10 | 2 | <10 |
| Y420053 | | <1 | 27 | 20 | <0.01 | <10 | 10 | 3 | <10 |
| Y420054 | | <1 | 6 | 30 | <0.01 | <10 | 10 | 3 | <10 |
| Y420055 | | <1 | 5 | 30 | <0.01 | <10 | 10 | 3 | <10 |
| Y420056 | | <1 | 13 | 20 | <0.01 | <10 | 10 | 2 | <10 |
| Y420057 | | <1 | 5 | 40 | <0.01 | <10 | 20 | 2 | <10 |
| Y420058 | | <1 | 10 | 40 | <0.01 | <10 | 30 | 1 | <10 |
| Y420059 | | <1 | 22 | 30 | <0.01 | <10 | 10 | 1 | <10 |
| Y420060 | | 3 | 86 | <20 | 0.16 | <10 | <10 | 99 | <10 |
| Y420061 | | <1 | 18 | 30 | <0.01 | <10 | 10 | 1 | <10 |
| Y420062 | | <1 | 24 | 40 | <0.01 | <10 | 10 | 1 | <10 |
| Y420063 | | <1 | 31 | 40 | <0.01 | <10 | 10 | 1 | <10 |
| Y420064 | | <1 | 9 | 40 | <0.01 | <10 | 10 | 1 | <10 |
| Y420065 | | <1 | 14 | 40 | <0.01 | <10 | 10 | 1 | <10 |
| Y420066 | | <1 | 8 | 40 | <0.01 | <10 | <10 | 1 | <10 |
| Y420067 | | 1 | 12 | 30 | <0.01 | <10 | 10 | 7 | <10 |
| Y420068 | | 6 | 112 | <20 | 0.04 | <10 | 10 | 40 | <10 |
| Y420069 | | 6 | 84 | <20 | 0.02 | <10 | <10 | 36 | <10 |
| Y420070 | | 3 | 39 | <20 | 0.06 | <10 | <10 | 45 | 30 |
| Y420071 | | 3 | 23 | <20 | <0.01 | <10 | 10 | 16 | <10 |
| Y420072 | | 3 | 16 | 20 | <0.01 | <10 | 20 | 7 | <10 |
| Y420073 | | 5 | 17 | <20 | <0.01 | <10 | 20 | 18 | <10 |
| Y420074 | | 9 | 15 | <20 | 0.02 | <10 | <10 | 52 | <10 |
| Y420075 | | 5 | 70 | <20 | 0.03 | <10 | <10 | 36 | <10 |
| Y420076 | | 7 | 95 | <20 | 0.10 | <10 | <10 | 55 | <10 |
| Y420077 | | 6 | 90 | 20 | 0.10 | <10 | <10 | 41 | <10 |
| Y420078 | | 5 | 61 | <20 | 0.15 | <10 | <10 | 53 | <10 |
| Y420079 | | 4 | 38 | <20 | 0.12 | <10 | <10 | 34 | <10 |
| Y420080 | | 3 | 82 | <20 | 0.15 | <10 | <10 | 95 | <10 |

***** See Appendix Page for comments regarding this certificate *****

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
 SUITE 3400 - 666 BURNARD STREET
 VANCOUVER BC V6C 2X8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Plus Appendix Pages
 Finalized Date: 4-NOV-2018
 Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

| Sample Description | Method Analyte Units LOD | ME-ICP41 Sc ppm 1 | ME-ICP41 Sr ppm 1 | ME-ICP41 Th ppm 20 | ME-ICP41 Ti % 0.01 | ME-ICP41 Tl ppm 10 | ME-ICP41 U ppm 10 | ME-ICP41 V ppm 1 | ME-ICP41 W ppm 10 | ME-ICP41 Zn ppm 2 |
|--------------------|-----------------------------------|----------------------------|----------------------------|-----------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| Y420081 | | 13 | 151 | <20 | 0.07 | <10 | <10 | 125 | <10 | 73 |
| Y420082 | | 11 | 21 | <20 | 0.03 | <10 | 10 | 45 | <10 | 56 |
| Y420083 | | 11 | 22 | 20 | 0.10 | <10 | <10 | 69 | <10 | 48 |
| Y420084 | | 10 | 50 | 20 | 0.11 | <10 | <10 | 53 | <10 | 42 |
| Y420085 | | 9 | 109 | <20 | 0.08 | <10 | <10 | 58 | <10 | 30 |
| Y420086 | | 10 | 81 | 20 | 0.10 | <10 | <10 | 60 | <10 | 37 |
| Y420087 | | 8 | 85 | <20 | 0.13 | <10 | <10 | 50 | <10 | 49 |
| Y420088 | | 8 | 77 | <20 | 0.20 | <10 | <10 | 67 | <10 | 60 |
| Y420089 | | 13 | 76 | <20 | 0.17 | <10 | <10 | 81 | <10 | 48 |
| Y420090 | | 7 | 70 | <20 | 0.09 | <10 | <10 | 82 | <10 | 72 |
| Y420091 | | 14 | 87 | <20 | 0.15 | <10 | <10 | 74 | <10 | 44 |
| Y420092 | | 18 | 15 | <20 | 0.06 | <10 | 10 | 91 | <10 | 64 |
| Y420093 | | 20 | 15 | <20 | 0.07 | <10 | 10 | 95 | <10 | 68 |
| Y420094 | | 4 | 17 | 20 | <0.01 | <10 | 10 | 18 | <10 | 14 |
| Y420095 | | <1 | 8 | 20 | <0.01 | <10 | <10 | 4 | <10 | 2 |
| Y420096 | | <1 | 8 | 20 | <0.01 | <10 | <10 | 4 | <10 | 3 |
| Y420097 | | <1 | 6 | 30 | <0.01 | <10 | 10 | 5 | <10 | 4 |
| Y420098 | | <1 | 9 | 30 | <0.01 | <10 | 10 | 6 | <10 | 3 |
| Y420099 | | <1 | 9 | 40 | <0.01 | <10 | 10 | 4 | <10 | 3 |
| Y420100 | | 3 | 85 | <20 | 0.16 | <10 | <10 | 97 | <10 | 37 |
| | | | | | | | | | | |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 4-NOV-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS VA18245522

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

| | | | |
|--------------------|--|----------|----------|
| Applies to Method: | Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. | | |
| | Au-AA13 | Au-GRA21 | Au-ICP21 |
| | CRU-31 | CRU-QC | LOG-21 |
| | ME-ICP41 | PUL-32m | PUL-QC |
| | WEI-21 | | |

BAG-01
LOG-23
SPL-21