



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: **GOLDCORP KAMINAK LTD**
SUITE 3400 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 1
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 5-JUL-2018
Account: KAMGOL

CERTIFICATE WH18147211

Project: Coffee

P.O. No.: KGC-18-1265

This report is for 65 Percussion samples submitted to our lab in Whitehorse, YT, Canada on 21-JUN-2018.

The following have access to data associated with this certificate:

THOMAS BISSIG
IAN HERBRANSON
TIM SMITH

TOM BOKENFOHR
ERIK SCHEEL
MATT ZAGO

CASEY CARDINAL
JAMES SCOTT

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32m	Pulverize 500g - 85%<75um
BAG-01	Bulk Master for Storage
LOG-23	Pulp Login - Rcvd with Barcode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-AA13	Au by cyanide leach and AAS	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 5-JUL-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH18147211

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	Au-AA13 Au ppm 0.03	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1
X842079		1.80	<0.001		<0.2	0.88	29	<10	180	0.8	<2	0.26	<0.5	11	10	35
X842080		0.06	0.003		<0.2	1.58	<2	<10	130	<0.5	3	0.92	<0.5	9	10	94
X842081		2.11	<0.001		<0.2	1.28	49	<10	290	0.7	<2	1.02	<0.5	19	14	57
X842082		1.79	<0.001		<0.2	1.68	31	<10	260	0.7	3	1.91	<0.5	17	46	51
X842083		2.04	<0.001		<0.2	2.29	9	<10	480	0.6	2	2.45	<0.5	20	27	44
X842084		0.83	0.005		<0.2	1.91	13	<10	300	0.6	<2	2.48	<0.5	22	21	64
X842085		1.96	<0.001		<0.2	2.40	32	<10	230	0.9	<2	2.84	<0.5	24	19	46
X842086		2.15	0.003		<0.2	2.22	28	<10	270	0.6	<2	1.28	<0.5	21	18	50
X842087		1.74	0.003		<0.2	1.97	43	<10	290	0.8	2	2.67	<0.5	21	15	34
X842088		2.53	0.003		<0.2	1.53	48	<10	290	0.5	<2	0.80	<0.5	12	31	30
X842089		2.34	<0.001		<0.2	1.43	24	<10	220	<0.5	2	1.14	<0.5	14	12	43
X842090		0.06	3.02	3.08	0.6	2.65	166	<10	190	<0.5	<2	1.93	<0.5	28	456	88
X842091		1.81	0.001		<0.2	2.66	80	<10	410	0.6	<2	1.14	<0.5	22	23	48
X842092		1.69	0.007		<0.2	2.35	111	<10	280	1.2	<2	2.46	<0.5	24	23	42
X842093		1.89	0.008		<0.2	1.62	96	<10	230	1.0	2	1.48	<0.5	13	32	18
X842094		2.00	<0.001		<0.2	1.37	12	<10	220	0.7	<2	2.80	<0.5	15	48	20
X842095		1.64	<0.001		<0.2	1.35	11	<10	100	0.6	2	1.34	<0.5	15	45	22
X842096		2.54	<0.001		<0.2	1.71	8	<10	130	<0.5	2	1.08	<0.5	15	63	15
X842097		1.81	<0.001		<0.2	1.77	4	<10	120	0.5	2	1.86	<0.5	14	54	8
X842098		1.26	<0.001		<0.2	1.51	6	<10	210	<0.5	<2	1.32	<0.5	15	68	8
X842099		1.53	<0.001		<0.2	1.25	10	<10	160	0.8	3	1.85	<0.5	14	49	19
X842100		0.06	0.006		0.2	1.43	2	<10	120	<0.5	<2	0.84	<0.5	8	9	88
X842101		2.22	<0.001		<0.2	0.74	12	<10	50	0.8	<2	2.28	<0.5	10	37	9
X842102		1.65	<0.001		<0.2	0.84	12	<10	60	0.9	<2	2.39	<0.5	14	37	18
X842103		1.72	<0.001		<0.2	1.27	14	<10	110	1.0	<2	2.29	<0.5	16	40	19
X842104		2.31	0.001		<0.2	1.01	26	<10	150	0.9	<2	1.71	<0.5	15	29	19
X842105		1.65	<0.001		<0.2	0.52	22	<10	50	0.9	<2	1.94	<0.5	14	25	28
X842106		1.96	<0.001		<0.2	0.79	10	<10	80	0.5	<2	1.78	<0.5	12	50	7
X842107		1.95	<0.001		<0.2	1.20	9	<10	90	<0.5	<2	1.51	<0.5	15	36	23
X842108		2.01	<0.001		<0.2	1.73	9	<10	140	<0.5	<2	0.56	<0.5	15	61	21
X842109		1.52	<0.001		<0.2	1.77	8	<10	130	<0.5	<2	0.75	<0.5	13	60	16
X842110		0.06	1.240	1.12	0.3	2.86	34	10	120	<0.5	<2	2.07	<0.5	14	111	114
X842111		1.36	<0.001		<0.2	1.67	6	<10	210	<0.5	<2	0.99	<0.5	14	51	21
X842112		1.71	0.002		<0.2	1.06	116	<10	140	0.6	<2	1.11	<0.5	13	31	20
X842113		1.66	0.003		<0.2	1.29	27	<10	70	0.5	<2	0.87	<0.5	14	35	26
X842114		1.39	0.009		<0.2	1.50	39	<10	80	<0.5	<2	0.97	<0.5	14	49	21
X842115		2.29	0.075		0.4	1.48	92	<10	150	0.6	<2	2.37	<0.5	13	49	24
X842116		1.47	0.175		0.9	1.06	21	<10	90	0.7	<2	4.96	1.5	16	44	35
X842117		2.11	0.001		<0.2	1.49	8	<10	60	<0.5	<2	1.88	<0.5	12	64	16
X842118		1.59	<0.001		<0.2	1.22	5	<10	130	<0.5	<2	0.95	<0.5	10	35	13



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 5-JUL-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH18147211

Sample Description	Method Analyte Units LOD	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1
X842079		2.83	<10	<1	0.14	10	0.24	614	2	0.03	8	220	5	0.01	8	9
X842080		2.73	<10	<1	0.20	10	0.73	384	2	0.17	4	630	4	0.02	<2	2
X842081		3.47	<10	<1	0.35	<10	0.59	544	1	0.07	9	780	2	0.07	5	10
X842082		3.62	<10	<1	0.59	<10	1.10	522	1	0.10	16	560	<2	0.07	<2	12
X842083		4.35	10	<1	1.07	10	1.63	740	1	0.08	12	230	<2	0.02	2	15
X842084		4.12	<10	<1	0.58	10	1.25	624	2	0.06	11	270	2	0.09	2	11
X842085		4.93	10	<1	1.12	10	1.35	838	1	0.02	10	760	2	0.01	18	12
X842086		3.91	10	<1	1.01	10	1.40	573	<1	0.05	8	570	3	<0.01	6	7
X842087		4.06	10	<1	1.08	10	1.47	733	<1	0.03	8	250	5	<0.01	13	10
X842088		2.57	<10	<1	0.70	40	0.89	425	1	0.03	7	200	6	0.01	8	8
X842089		2.59	<10	<1	0.45	30	0.86	447	1	0.05	7	250	5	0.02	5	7
X842090		5.27	10	<1	0.55	10	2.30	889	5	0.19	250	380	21	0.39	<2	5
X842091		3.86	10	<1	0.85	10	1.92	754	<1	0.05	10	250	2	0.01	18	11
X842092		4.75	10	<1	0.81	10	1.27	680	<1	0.02	10	440	5	<0.01	28	26
X842093		3.11	<10	<1	0.67	20	0.89	453	<1	0.03	17	320	8	0.01	14	11
X842094		2.93	10	<1	0.93	30	1.39	413	1	0.02	34	360	6	0.31	<2	9
X842095		3.28	10	<1	0.61	30	0.97	423	1	0.03	37	450	5	0.34	4	7
X842096		3.39	10	<1	0.77	30	1.26	437	<1	0.03	44	410	3	0.22	<2	7
X842097		2.97	10	1	0.54	10	1.33	501	1	0.03	39	520	<2	0.12	<2	5
X842098		3.46	10	<1	0.90	30	1.34	485	2	0.04	45	440	2	0.17	<2	9
X842099		3.14	<10	<1	0.75	30	1.18	464	1	0.03	41	420	4	0.27	<2	8
X842100		2.61	<10	<1	0.20	10	0.70	353	2	0.15	4	590	3	0.01	<2	2
X842101		2.22	<10	1	0.25	20	0.79	327	1	0.01	30	300	3	0.15	4	7
X842102		3.12	<10	<1	0.39	20	0.49	411	2	0.01	42	310	6	0.14	4	6
X842103		3.52	<10	1	0.56	20	0.91	513	1	0.02	35	540	5	0.24	3	8
X842104		3.80	<10	1	0.32	20	0.79	639	1	0.01	31	730	5	0.21	2	10
X842105		3.18	<10	1	0.20	20	0.53	419	1	0.01	39	390	4	0.23	3	6
X842106		3.16	<10	1	0.15	30	1.29	465	1	0.03	46	410	3	0.27	<2	6
X842107		3.06	<10	<1	0.49	30	1.02	411	1	0.02	39	450	4	0.28	<2	5
X842108		3.27	10	<1	0.92	20	1.20	413	1	0.03	46	410	4	0.11	<2	4
X842109		3.21	10	1	0.70	20	1.32	385	1	0.03	45	450	4	0.06	<2	5
X842110		2.94	10	<1	0.23	10	1.34	400	4	0.35	124	360	12	0.06	2	3
X842111		3.45	10	<1	0.78	30	1.28	433	1	0.03	45	390	4	0.24	<2	5
X842112		3.07	<10	<1	0.53	30	0.69	519	1	0.02	39	390	5	0.13	<2	4
X842113		3.10	<10	1	0.42	30	0.85	400	1	0.02	41	380	6	0.26	2	4
X842114		3.40	10	<1	0.43	30	1.13	540	1	0.02	43	390	8	0.23	3	5
X842115		4.13	10	<1	0.74	30	1.16	524	1	0.02	41	510	17	0.59	<2	4
X842116		3.44	<10	<1	0.34	30	1.36	651	1	0.02	38	550	118	1.11	<2	5
X842117		3.07	10	<1	0.21	30	1.34	407	2	0.03	40	440	4	0.36	<2	4
X842118		2.36	<10	1	0.55	30	0.84	297	2	0.03	27	310	3	0.19	<2	3



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: 2 - C
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 5-JUL-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH18147211

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Sr	Th	Ti	Ti	U	V	W
		ppm 1	ppm 20	% 0.01	ppm 10	ppm 10	ppm 1	ppm 10
X842079		11	<20	0.01	<10	<10	32	<10
X842080		73	<20	0.13	<10	<10	98	<10
X842081		21	<20	0.07	<10	<10	58	<10
X842082		34	<20	0.09	<10	<10	70	<10
X842083		63	<20	0.09	<10	<10	75	<10
X842084		46	<20	0.08	<10	<10	71	<10
X842085		44	<20	0.10	<10	<10	88	<10
X842086		26	<20	0.19	<10	<10	70	<10
X842087		46	<20	0.13	<10	<10	93	<10
X842088		16	<20	0.05	<10	<10	49	<10
X842089		28	<20	0.08	<10	<10	53	<10
X842090		99	<20	0.12	<10	<10	78	<10
X842091		31	<20	0.08	<10	<10	76	<10
X842092		20	<20	0.08	<10	<10	131	<10
X842093		18	<20	0.06	<10	<10	59	<10
X842094		43	<20	0.12	<10	<10	56	<10
X842095		26	<20	0.07	<10	<10	43	<10
X842096		23	<20	0.09	<10	<10	48	<10
X842097		70	<20	0.10	<10	<10	42	<10
X842098		44	<20	0.10	<10	<10	59	<10
X842099		48	<20	0.09	<10	<10	44	<10
X842100		64	<20	0.12	<10	<10	93	<10
X842101		55	<20	0.02	<10	<10	34	<10
X842102		41	<20	0.03	<10	<10	36	<10
X842103		56	<20	0.05	<10	<10	56	<10
X842104		37	<20	0.02	<10	<10	65	<10
X842105		37	<20	<0.01	<10	<10	27	<10
X842106		56	<20	0.01	<10	<10	38	<10
X842107		44	<20	0.05	<10	<10	28	<10
X842108		21	<20	0.10	<10	<10	38	<10
X842109		24	<20	0.08	<10	<10	44	<10
X842110		90	<20	0.10	<10	<10	71	<10
X842111		37	<20	0.08	<10	<10	39	<10
X842112		34	<20	0.05	<10	<10	27	<10
X842113		19	<20	0.03	<10	<10	26	<10
X842114		24	<20	0.04	<10	<10	34	<10
X842115		93	<20	0.07	<10	<10	35	<10
X842116		270	<20	0.02	<10	<10	33	<10
X842117		62	<20	0.03	<10	<10	42	<10
X842118		24	20	0.06	<10	<10	25	<10



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURRARD STREET
VANCOUVER BC V6C 2X8

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 5-JUL-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH18147211

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	Au-ICP21 Au ppm	Au-AA13 Au ppm	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm
		0.02	0.001	0.03	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
X842119		1.49	0.003		<0.2	0.51	52	<10	70	<0.5	<2	0.74	<0.5	5	12	9
X842120		0.06	<0.001		0.2	1.51	2	<10	120	<0.5	<2	0.89	<0.5	8	10	92
X842121		1.62	<0.001		<0.2	1.46	19	<10	200	<0.5	<2	0.68	<0.5	12	47	14
X842122		0.97	0.002		<0.2	1.18	115	<10	150	0.8	<2	1.41	<0.5	14	49	15
X842123		1.40	0.031		<0.2	0.97	720	<10	160	0.6	<2	0.72	<0.5	10	33	5
X842124		1.72	<0.001		<0.2	1.77	9	<10	160	<0.5	<2	0.47	<0.5	13	63	9
X842125		1.89	0.006		<0.2	1.81	21	<10	150	<0.5	<2	0.61	<0.5	14	57	12
X842126		1.85	<0.001		<0.2	2.08	10	<10	210	<0.5	2	0.49	<0.5	15	55	10
X842127		1.63	<0.001		<0.2	1.84	7	<10	250	<0.5	<2	0.56	<0.5	11	53	3
X842128		1.32	<0.001		<0.2	1.93	22	<10	210	<0.5	<2	0.32	<0.5	13	54	10
X842129		1.53	<0.001		<0.2	1.51	11	<10	180	<0.5	<2	0.24	<0.5	10	41	13
X842130		0.06	8.97	5.49	7.0	1.82	40	10	170	<0.5	<2	1.13	3.0	15	32	1830
X842131		1.20	<0.001		<0.2	1.40	16	<10	160	<0.5	<2	0.18	<0.5	8	53	10
X842132		1.56	0.004		<0.2	1.75	19	<10	160	0.6	<2	0.78	<0.5	13	40	11
X842133		1.30	0.002		<0.2	1.86	23	<10	180	<0.5	<2	1.12	<0.5	15	71	15
X842134		1.67	<0.001		<0.2	1.19	7	<10	160	<0.5	2	0.78	<0.5	9	19	8
X842135		1.62	<0.001		<0.2	1.18	9	<10	150	<0.5	<2	1.35	<0.5	9	26	8
X842136		1.31	<0.001		<0.2	0.73	3	<10	60	<0.5	<2	0.93	<0.5	5	8	12
X842137		1.70	<0.001		<0.2	1.46	2	<10	140	<0.5	<2	1.13	<0.5	10	46	10
X842138		1.61	<0.001		<0.2	1.22	12	<10	150	<0.5	<2	1.64	<0.5	8	9	4
X842139		1.61	<0.001		<0.2	0.84	26	<10	100	0.7	<2	1.99	<0.5	6	29	4
X842140		0.06	0.004		<0.2	1.65	<2	10	130	<0.5	<2	0.92	<0.5	9	10	100
X842141		1.89	<0.001		<0.2	0.90	13	<10	90	0.5	2	1.74	<0.5	6	10	3
X842142		1.43	0.003		<0.2	0.75	13	<10	60	0.8	<2	2.38	<0.5	11	38	10
X842143		1.23	<0.001		<0.2	0.71	2	<10	60	<0.5	<2	0.97	<0.5	4	7	8



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 5-JUL-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH18147211

Sample Description	Method Analyte Units LOD	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Fe	Ga	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
		%	ppm	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
		0.01	10	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2
X842119		1.42	<10	<1	0.32	40	0.20	257	2	0.03	11	260	4	0.08	3
X842120		2.71	<10	<1	0.21	10	0.73	363	2	0.16	5	620	4	0.02	<2
X842121		2.86	<10	<1	1.10	30	0.96	300	1	0.03	32	410	3	0.10	<2
X842122		2.91	<10	1	0.79	20	0.60	505	1	0.01	64	430	7	0.04	5
X842123		2.32	<10	<1	0.61	30	0.67	334	1	0.03	32	310	4	0.13	2
X842124		3.29	10	<1	0.65	30	1.30	344	1	0.03	46	340	<2	0.09	<2
X842125		3.31	10	<1	0.68	30	1.17	312	2	0.03	45	390	2	0.04	<2
X842126		3.31	10	<1	0.89	20	1.53	340	2	0.04	42	520	2	0.05	<2
X842127		2.90	10	<1	0.89	20	1.43	295	1	0.05	34	720	<2	0.05	<2
X842128		3.23	10	1	1.02	20	1.28	242	1	0.04	39	560	2	0.06	<2
X842129		2.70	10	<1	1.03	30	0.90	231	1	0.05	29	360	4	0.08	<2
X842130		3.89	10	1	0.25	10	0.95	608	26	0.21	173	570	330	0.46	6
X842131		2.34	10	<1	0.85	30	0.95	192	2	0.05	32	300	2	0.05	<2
X842132		2.97	10	<1	1.31	30	1.39	522	2	0.04	21	620	8	0.01	<2
X842133		2.91	10	<1	0.94	20	1.72	501	2	0.04	22	470	6	0.14	<2
X842134		1.90	<10	<1	0.77	20	0.86	292	1	0.04	11	410	3	0.16	<2
X842135		1.83	<10	<1	0.76	30	0.98	285	1	0.04	11	380	3	0.10	<2
X842136		1.31	<10	<1	0.29	30	0.47	192	1	0.05	6	300	10	0.20	<2
X842137		2.52	10	<1	0.92	30	1.15	369	2	0.05	15	410	6	0.20	<2
X842138		2.44	<10	<1	0.59	50	0.71	423	1	0.04	5	610	2	0.08	<2
X842139		1.95	<10	<1	0.57	40	0.50	347	1	0.04	11	390	7	0.02	3
X842140		3.04	<10	<1	0.22	10	0.79	390	2	0.18	5	680	2	0.02	<2
X842141		1.92	<10	<1	0.56	40	0.54	348	1	0.05	5	400	6	0.03	<2
X842142		2.29	<10	<1	0.25	30	0.77	325	2	0.02	32	300	5	0.18	4
X842143		1.28	<10	<1	0.30	30	0.45	185	1	0.05	5	290	9	0.22	<2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: GOLDCORP KAMINAK LTD
SUITE 3400 - 666 BURNARD STREET
VANCOUVER BC V6C 2X8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-JUL-2018
Account: KAMGOL

Project: Coffee

CERTIFICATE OF ANALYSIS WH18147211

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.		
	BAG-01	CRU-31	CRU-QC
	LOG-23	PUL-32m	PUL-QC
	WEI-21		LOG-21
			SPL-21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.		
	Au-AA13	Au-ICP21	ME-ICP41