



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 1
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

CERTIFICATE WH19180397

Project: Golden Culvert

This report is for 76 Rock samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2019.

The following have access to data associated with this certificate:

RICHARD MESCHKE

MIKE PAGE

KIM TYLER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-21	Sample logging - ClientBarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS41	Ultra Trace Aqua Regia ICP-MS	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
X833751		1.98	0.04	0.01	2.82	138.5	<0.02	<10	50	0.65	0.47	0.06	0.03	32.8	7.7	32
X833752		3.17	0.02	0.01	3.36	78.2	<0.02	<10	40	0.69	0.22	0.16	0.03	32.1	7.6	38
X833753		3.10	1.85	0.09	2.75	4580	1.96	<10	50	0.83	0.68	0.07	0.04	34.9	12.0	30
X833754		3.89	0.16	0.07	3.39	1065	0.37	<10	60	0.94	0.39	0.12	0.04	40.9	15.2	38
X833755		4.83	2.48	0.08	2.60	2610	1.13	<10	60	0.90	1.24	0.06	0.02	32.2	13.2	28
X833756		3.27	<0.01	0.01	3.10	60.2	<0.02	<10	50	0.80	0.29	0.06	0.02	29.3	6.9	36
X833757		3.11	0.03	0.02	3.08	36.4	<0.02	<10	50	0.74	0.27	0.07	0.02	28.9	9.0	36
X833758		2.92	<0.01	0.02	3.05	16.2	<0.02	<10	60	0.73	0.34	0.07	0.02	36.2	12.6	35
X833759		2.61	<0.01	0.04	3.10	29.5	<0.02	<10	40	0.74	0.60	0.08	0.03	46.5	24.9	41
X833761		0.06	1.07	0.26	3.56	10.7	0.98	30	20	0.19	0.09	2.74	0.10	7.10	32.0	116
X833762		1.39	<0.01	0.02	2.73	1.2	<0.02	<10	40	0.49	0.09	0.07	0.01	65.0	18.3	40
X833763		2.67	0.02	0.07	3.17	129.5	0.14	<10	40	0.66	0.20	0.57	0.03	40.6	10.6	39
X833764		2.37	0.19	0.09	2.69	424	0.08	<10	40	0.65	0.32	0.03	0.01	41.8	5.0	34
X833765		2.69	1.98	0.12	2.52	3320	1.21	<10	40	0.67	0.75	0.08	0.02	43.8	8.3	28
X833766		2.42	0.04	0.03	2.94	163.5	0.02	<10	40	0.69	0.25	0.17	0.02	41.0	8.7	35
X833767		1.93	0.28	0.04	2.72	811	0.66	<10	50	0.70	0.27	0.04	0.02	39.0	5.8	31
X833768		2.38	0.27	0.03	3.09	1215	0.17	<10	50	0.63	0.46	0.29	0.01	40.6	5.4	35
X833769		3.35	0.08	0.04	2.92	459	0.08	<10	50	0.64	0.41	0.06	0.01	34.5	6.8	35
X833770		3.66	19.15	0.57	1.93	8240	13.00	<10	40	0.58	0.79	0.05	0.01	38.3	6.1	23
X833771		2.11	0.15	0.03	3.00	854	0.13	<10	50	0.66	0.40	0.05	0.01	43.9	8.2	35
X833772		0.07	0.53	0.15	3.51	7.5	0.50	30	20	0.20	0.05	2.62	0.09	7.00	32.0	78
X833773		1.23	0.02	0.04	4.41	16.6	0.04	20	20	0.17	0.01	0.39	0.03	9.98	98.8	1240
X833774		3.84	0.25	0.08	2.68	100.0	0.28	<10	50	0.92	0.95	0.04	0.11	90.7	16.6	32
X833775		1.90	0.23	0.07	2.63	92.0	0.12	<10	50	0.95	0.56	0.04	0.09	78.2	17.9	66
X833776		2.34	<0.01	0.05	2.72	7.5	<0.02	<10	30	0.43	0.59	0.02	0.02	48.0	6.0	39
X833777		2.54	<0.01	0.04	2.47	3.5	<0.02	<10	40	0.49	0.40	0.01	0.01	76.4	2.7	36
X833778		2.54	<0.01	0.04	2.45	3.7	<0.02	<10	30	0.49	0.45	0.01	0.01	77.0	2.8	34
X833779		3.09	<0.01	0.04	2.62	7.5	<0.02	<10	30	0.51	0.39	0.01	0.01	56.4	3.0	37
X833780		3.95	8.60	0.33	1.95	56.2	4.65	<10	40	0.44	0.60	<0.01	0.01	62.9	2.3	24
X833781		2.28	1.74	0.16	2.65	290	0.98	<10	30	0.51	0.64	0.05	0.02	79.9	3.5	33
X833782		0.07	1.09	0.26	3.41	10.9	1.03	30	20	0.17	0.09	2.61	0.09	7.35	31.2	112
X833783		1.85	0.01	0.04	3.54	6.0	0.07	10	100	0.27	0.02	0.88	0.07	16.90	66.6	523
X833784		3.25	0.02	0.03	2.85	45.0	0.03	<10	40	0.53	0.26	0.04	0.03	82.6	13.2	37
X833785		3.66	<0.01	0.03	2.92	14.4	<0.02	<10	30	0.45	0.26	0.05	0.03	78.3	6.4	48
X833786		3.19	<0.01	0.06	2.58	8.4	<0.02	<10	40	0.52	0.33	0.01	0.02	74.8	4.4	36
X833787		3.78	0.16	0.08	2.53	50.4	0.28	<10	40	0.48	0.46	0.03	0.02	58.7	5.6	35
X833788		2.73	0.06	0.04	2.54	79.2	0.02	<10	30	0.53	0.41	0.04	0.03	64.1	4.2	33
X833789		3.67	0.02	0.03	2.95	152.5	<0.02	<10	40	0.54	0.55	0.03	0.01	51.3	5.4	38
X833790		3.26	0.16	0.03	3.01	136.5	0.07	<10	40	0.70	0.31	0.03	0.01	72.2	7.8	36
X833791		1.89	2.19	0.17	2.31	50.9	1.29	<10	40	0.49	0.79	0.01	0.01	42.4	7.4	28



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218

www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.2	ppm 0.1	% 0.01	ppm 5	ppm 0.05
X833751		1.73	8.5	4.68	8.35	0.05	0.04	<0.01	0.019	0.24	16.4	80.5	0.99	799	0.16
X833752		1.58	9.1	5.54	10.65	0.06	0.07	<0.01	0.019	0.24	15.4	99.2	1.23	1070	0.10
X833753		1.63	18.8	4.89	7.85	0.05	0.10	<0.01	0.018	0.25	16.9	86.4	1.04	821	0.07
X833754		1.61	24.5	5.55	9.43	0.06	0.15	<0.01	0.021	0.30	20.9	100.5	1.23	1100	0.08
X833755		1.70	35.6	4.14	7.00	<0.05	0.10	<0.01	0.019	0.36	15.9	67.3	0.84	770	0.19
X833756		1.44	10.8	5.07	8.35	<0.05	0.12	<0.01	0.017	0.27	14.1	90.6	1.10	858	0.11
X833757		1.64	14.2	5.12	8.31	<0.05	0.11	<0.01	0.016	0.24	13.3	95.4	1.12	965	0.14
X833758		1.64	19.4	4.88	8.16	0.05	0.13	<0.01	0.017	0.27	17.6	90.1	1.06	913	0.09
X833759		1.68	28.9	5.12	8.81	0.05	0.13	<0.01	0.021	0.23	23.7	85.1	1.06	1140	0.34
X833761		0.14	155.0	5.76	11.20	0.13	0.44	0.04	0.027	0.05	2.7	11.6	2.15	674	1.04
X833762		1.17	7.3	4.13	7.64	0.06	0.08	<0.01	0.015	0.20	33.0	58.5	1.22	946	<0.05
X833763		1.95	24.0	5.22	8.73	0.05	0.13	<0.01	0.019	0.24	19.4	86.5	1.17	1820	0.34
X833764		1.95	16.2	4.46	7.69	0.05	0.14	<0.01	0.017	0.26	21.4	70.7	0.97	811	0.60
X833765		1.61	14.0	4.51	7.33	0.05	0.13	<0.01	0.018	0.24	21.2	67.5	0.93	865	0.80
X833766		1.27	12.0	4.90	8.33	0.05	0.12	<0.01	0.016	0.26	19.5	79.4	1.08	924	0.13
X833767		1.43	10.1	4.48	7.62	<0.05	0.13	<0.01	0.019	0.28	18.8	72.7	0.94	775	0.07
X833768		1.31	18.4	5.22	8.60	0.05	0.13	<0.01	0.021	0.28	19.0	79.9	1.13	821	0.18
X833769		1.43	15.6	5.04	8.08	<0.05	0.15	<0.01	0.024	0.25	16.5	76.9	1.08	854	0.12
X833770		1.13	14.9	3.72	5.19	<0.05	0.10	<0.01	0.015	0.22	20.2	47.9	0.67	561	0.16
X833771		1.30	18.0	5.15	7.93	<0.05	0.12	<0.01	0.019	0.23	14.9	84.8	1.11	880	0.17
X833772		0.13	154.5	5.72	11.35	0.16	0.48	0.04	0.025	0.04	2.6	9.7	1.99	660	0.64
X833773		11.70	25.6	6.35	7.96	0.11	0.08	<0.01	0.030	0.01	4.2	61.4	10.50	641	0.36
X833774		3.11	25.1	4.59	7.85	0.08	0.10	<0.01	0.022	0.25	46.2	74.9	0.83	745	0.26
X833775		3.60	28.6	4.45	7.04	0.06	0.12	<0.01	0.022	0.23	40.8	66.1	1.07	720	0.24
X833776		2.12	19.3	5.13	8.38	0.05	0.18	<0.01	0.020	0.18	23.8	73.5	1.06	867	0.43
X833777		2.08	16.6	4.17	6.88	0.07	0.16	<0.01	0.016	0.24	39.5	58.2	0.85	583	0.43
X833778		2.27	19.5	4.09	7.12	0.07	0.17	<0.01	0.015	0.23	39.3	60.6	0.84	567	0.45
X833779		2.13	19.9	4.36	7.62	0.06	0.16	<0.01	0.017	0.24	29.1	66.6	0.95	606	0.33
X833780		2.55	18.2	3.92	6.21	0.06	0.22	<0.01	0.014	0.24	32.0	43.0	0.69	422	1.66
X833781		2.23	14.3	4.44	7.80	0.07	0.14	<0.01	0.016	0.22	39.2	72.2	1.01	617	0.38
X833782		0.15	151.5	5.54	11.35	0.15	0.47	0.05	0.027	0.05	2.8	11.6	2.08	647	1.05
X833783		5.28	88.0	7.61	13.45	0.12	0.23	<0.01	0.041	0.02	7.5	48.3	5.33	986	0.50
X833784		2.01	24.2	4.53	8.35	0.07	0.11	<0.01	0.022	0.22	39.8	77.1	1.03	718	0.14
X833785		1.66	14.2	4.67	8.46	0.07	0.15	<0.01	0.022	0.21	39.3	80.1	1.13	665	0.29
X833786		1.72	20.7	4.24	7.50	0.06	0.14	<0.01	0.019	0.25	36.9	66.6	0.90	544	0.58
X833787		1.52	15.3	4.36	7.39	0.06	0.15	<0.01	0.016	0.21	29.8	65.1	0.96	643	0.40
X833788		1.82	23.2	4.26	7.22	0.06	0.12	<0.01	0.020	0.23	32.0	66.9	0.91	576	0.30
X833789		2.07	21.0	4.95	7.66	0.06	0.18	<0.01	0.020	0.24	26.2	71.2	1.04	592	0.23
X833790		2.07	24.0	4.93	8.74	0.07	0.18	<0.01	0.022	0.28	37.4	74.4	1.05	590	0.15
X833791		1.80	29.7	4.51	7.02	<0.05	0.21	<0.01	0.021	0.23	22.4	55.7	0.84	462	0.98



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	ME-MS41 Nb ppm 0.05	ME-MS41 Ni ppm 0.2	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2
X833751		<0.05	22.2	270	5.7	11.7	<0.001	0.02	0.17	2.7	<0.2	0.3	10.2	<0.01	0.01	12.7
X833752		<0.05	26.7	680	4.4	11.1	<0.001	0.01	0.14	3.3	<0.2	0.3	11.8	<0.01	0.01	13.5
X833753		<0.05	33.2	310	7.8	12.5	<0.001	0.25	1.33	2.9	0.3	0.2	10.5	<0.01	0.03	14.7
X833754		<0.05	37.5	360	8.4	15.7	<0.001	0.08	0.35	3.7	0.2	0.3	12.3	<0.01	0.03	15.6
X833755		<0.05	19.2	330	6.2	17.8	<0.001	0.23	0.94	3.0	<0.2	0.4	11.4	0.01	0.04	13.5
X833756		<0.05	26.5	310	2.3	13.1	<0.001	0.03	0.17	2.9	<0.2	0.3	9.4	<0.01	0.01	14.1
X833757		<0.05	28.5	350	5.1	12.0	<0.001	0.02	0.17	2.8	<0.2	0.3	9.7	<0.01	0.02	14.2
X833758		<0.05	23.0	340	5.7	13.5	<0.001	0.04	0.17	2.8	<0.2	0.3	12.7	<0.01	0.01	14.6
X833759		<0.05	32.5	370	13.5	11.1	<0.001	0.10	0.24	3.5	0.2	0.3	13.4	<0.01	0.02	15.8
X833761		0.11	76.5	410	4.9	2.0	0.002	0.22	0.23	7.3	0.4	0.4	23.9	<0.01	0.05	0.4
X833762		<0.05	39.3	260	2.4	9.5	<0.001	<0.01	0.06	2.9	<0.2	0.2	14.0	<0.01	<0.01	13.3
X833763		<0.05	24.7	590	27.1	11.8	<0.001	0.05	0.23	3.1	<0.2	0.3	17.1	<0.01	0.01	13.6
X833764		<0.05	11.9	280	43.7	12.0	<0.001	0.05	0.30	2.8	<0.2	0.3	12.9	<0.01	0.01	12.5
X833765		<0.05	19.3	410	26.9	11.9	<0.001	0.21	0.99	2.7	0.2	0.3	12.4	<0.01	0.03	13.8
X833766		<0.05	24.2	330	5.2	12.8	<0.001	0.04	0.16	3.0	0.2	0.3	11.4	<0.01	0.01	14.6
X833767		<0.05	21.0	260	2.7	13.8	<0.001	0.05	0.36	2.8	<0.2	0.3	9.8	<0.01	0.01	13.0
X833768		<0.05	21.2	1390	3.8	13.9	<0.001	0.07	0.49	3.2	0.2	0.3	13.8	<0.01	0.03	13.4
X833769		<0.05	21.5	330	4.3	12.5	<0.001	0.04	0.25	2.8	<0.2	0.3	8.5	<0.01	0.03	14.6
X833770		<0.05	14.8	230	8.3	10.5	<0.001	0.19	2.18	1.9	0.2	0.2	8.2	<0.01	0.03	11.3
X833771		<0.05	22.1	280	6.1	11.3	<0.001	0.04	0.38	2.7	<0.2	0.4	9.1	<0.01	0.01	14.7
X833772		0.12	65.1	410	2.7	1.3	0.002	0.15	0.22	6.6	0.6	0.4	22.4	<0.01	0.04	0.3
X833773		0.07	1160	360	2.3	1.3	<0.001	0.02	0.15	4.5	0.3	0.2	15.4	<0.01	<0.01	0.5
X833774		<0.05	35.8	290	12.3	12.8	<0.001	0.01	0.19	2.9	0.2	0.3	16.1	<0.01	0.02	15.5
X833775		<0.05	63.5	290	11.3	11.8	<0.001	0.02	0.17	2.5	0.2	0.5	13.6	<0.01	0.02	15.5
X833776		<0.05	10.9	220	11.8	8.1	<0.001	0.20	0.33	2.8	<0.2	0.3	10.5	<0.01	0.01	11.0
X833777		<0.05	5.5	200	7.6	10.2	<0.001	0.05	0.20	2.3	<0.2	0.3	12.6	<0.01	0.01	12.0
X833778		<0.05	4.3	200	7.7	10.3	<0.001	0.04	0.23	2.3	<0.2	0.3	12.4	<0.01	0.01	10.5
X833779		<0.05	5.7	200	11.4	10.7	<0.001	0.15	0.25	2.6	<0.2	0.2	12.9	<0.01	0.02	12.3
X833780		<0.05	3.6	170	32.1	11.3	<0.001	0.05	0.33	2.2	<0.2	0.2	9.8	<0.01	0.02	11.5
X833781		<0.05	13.7	390	58.0	10.0	<0.001	0.02	0.36	2.6	<0.2	0.2	8.9	<0.01	0.02	12.0
X833782		0.12	75.8	390	5.2	2.0	0.002	0.21	0.26	7.0	0.4	0.4	23.7	<0.01	0.06	0.4
X833783		0.13	521	910	2.6	1.0	0.001	0.03	<0.05	7.2	0.4	0.4	22.1	<0.01	0.01	0.6
X833784		<0.05	21.6	290	5.9	10.4	<0.001	0.03	0.14	2.9	<0.2	0.2	11.0	<0.01	0.02	13.9
X833785		<0.05	25.1	290	14.6	9.8	<0.001	0.05	0.13	2.8	<0.2	0.2	11.2	<0.01	0.01	14.7
X833786		<0.05	7.1	240	41.3	11.3	<0.001	0.20	0.25	2.6	<0.2	0.2	12.6	<0.01	0.01	15.0
X833787		<0.05	13.7	250	30.5	9.9	<0.001	0.13	0.18	2.6	<0.2	0.3	10.0	<0.01	0.02	12.1
X833788		<0.05	8.3	320	10.0	10.4	<0.001	0.12	0.18	2.6	0.2	0.3	11.0	<0.01	0.01	14.6
X833789		<0.05	16.0	250	5.2	10.2	<0.001	0.16	0.20	2.7	<0.2	0.3	11.0	<0.01	0.01	15.2
X833790		<0.05	21.4	260	4.3	12.9	<0.001	0.08	0.14	3.3	0.2	0.3	12.0	<0.01	0.01	15.6
X833791		<0.05	13.4	180	18.2	10.7	<0.001	0.47	0.22	2.9	<0.2	0.2	8.7	<0.01	0.03	12.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 2 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
X833751		<0.005	0.07	0.85	19	0.66	4.02	71	2.7
X833752		<0.005	0.07	0.92	23	0.11	5.40	84	4.1
X833753		<0.005	0.08	1.08	18	0.33	5.82	82	4.5
X833754		<0.005	0.09	1.00	24	0.29	7.65	98	5.3
X833755		<0.005	0.10	1.31	18	0.24	5.61	62	5.2
X833756		<0.005	0.07	0.75	21	0.05	4.16	74	5.1
X833757		<0.005	0.07	0.73	21	0.10	4.97	82	4.7
X833758		<0.005	0.07	0.81	20	<0.05	4.09	79	5.2
X833759		<0.005	0.07	0.98	24	<0.05	5.21	87	5.9
X833761		0.381	0.02	0.08	159	1.12	13.35	69	17.4
X833762		0.008	0.06	0.43	29	<0.05	3.43	109	3.8
X833763		<0.005	0.07	1.12	22	0.06	5.24	89	6.0
X833764		<0.005	0.07	1.28	19	0.15	3.26	64	6.3
X833765		<0.005	0.07	1.17	19	0.32	5.18	67	5.5
X833766		<0.005	0.06	0.80	22	0.22	5.68	82	5.7
X833767		<0.005	0.08	0.86	18	0.28	4.75	65	5.6
X833768		<0.005	0.07	0.91	22	0.22	8.74	74	6.0
X833769		<0.005	0.07	0.82	21	0.13	5.76	74	6.7
X833770		<0.005	0.05	0.65	13	0.43	6.21	52	4.2
X833771		<0.005	0.06	0.84	19	0.12	7.16	77	5.8
X833772		0.382	<0.02	0.07	159	0.63	13.65	67	18.3
X833773		0.139	0.13	0.17	80	<0.05	7.51	33	1.9
X833774		<0.005	0.08	1.51	21	0.12	4.43	100	6.1
X833775		<0.005	0.08	1.53	21	0.16	4.08	93	6.4
X833776		<0.005	0.05	0.74	21	<0.05	2.53	73	8.3
X833777		<0.005	0.06	0.76	18	<0.05	2.75	51	7.4
X833778		<0.005	0.06	0.75	17	<0.05	2.80	51	7.8
X833779		<0.005	0.06	0.82	19	<0.05	2.57	55	7.3
X833780		<0.005	0.07	0.55	15	0.16	2.25	43	10.6
X833781		<0.005	0.07	0.78	18	0.12	3.19	67	5.7
X833782		0.353	0.02	0.08	152	1.24	13.25	67	18.2
X833783		0.262	0.10	0.13	143	0.05	13.35	75	7.3
X833784		<0.005	0.06	0.77	19	0.05	3.57	77	5.5
X833785		0.006	0.06	0.78	21	<0.05	3.24	71	5.7
X833786		<0.005	0.06	1.05	18	<0.05	2.94	57	6.4
X833787		<0.005	0.06	0.74	18	0.20	3.00	62	6.7
X833788		<0.005	0.06	0.87	17	0.09	2.70	59	5.7
X833789		<0.005	0.06	1.39	19	0.41	3.12	69	7.3
X833790		<0.005	0.07	1.42	20	0.33	3.52	74	7.3
X833791		<0.005	0.07	1.13	18	0.31	2.40	61	9.4



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	Au-AA25 Au ppm 0.01	ME-MS41 Ag ppm 0.01	ME-MS41 Al % 0.01	ME-MS41 As ppm 0.1	ME-MS41 Au ppm 0.02	ME-MS41 B ppm 10	ME-MS41 Ba ppm 10	ME-MS41 Be ppm 0.05	ME-MS41 Bi ppm 0.01	ME-MS41 Ca % 0.01	ME-MS41 Cd ppm 0.01	ME-MS41 Ce ppm 0.02	ME-MS41 Co ppm 0.1	ME-MS41 Cr ppm 1
X833792		2.59	0.02	0.06	2.88	22.5	<0.02	<10	30	0.53	0.52	0.02	0.01	46.3	8.2	37
X833793		2.95	<0.01	0.05	3.00	13.1	<0.02	<10	30	0.51	0.44	0.03	0.01	57.6	9.5	38
X833794		3.20	<0.01	0.04	2.92	17.1	<0.02	<10	30	0.50	0.43	0.02	0.01	49.1	6.8	38
X833795		3.51	<0.01	0.06	2.80	10.1	<0.02	<10	30	0.46	0.45	0.02	0.01	58.4	5.8	38
X833796		0.07	1.07	0.28	3.53	11.1	1.07	30	20	0.19	0.10	2.70	0.09	7.48	32.9	116
X833797		0.79	<0.01	0.02	3.71	1.1	<0.02	<10	280	0.25	0.01	0.83	0.04	14.10	41.9	286
X833798		2.62	<0.01	0.08	3.37	32.5	<0.02	<10	40	0.65	0.45	0.22	0.03	64.1	13.6	43
X833799		3.79	0.13	0.19	2.96	152.0	0.05	<10	30	0.53	0.78	0.04	0.02	57.6	9.8	39
X833800		4.61	0.52	0.23	1.76	396	0.27	<10	30	0.54	0.83	0.04	0.05	34.0	12.5	23
X833801		3.62	0.04	0.03	2.96	60.1	0.03	<10	50	0.62	0.40	0.03	0.06	58.9	14.2	36
X833711		2.11	0.01	0.05	1.43	14.6	<0.02	<10	20	0.36	0.96	0.05	0.02	27.9	7.8	21
X833712		4.16	0.91	0.17	2.71	4890	0.74	<10	40	0.79	1.97	0.14	0.07	45.7	15.3	38
X833713		0.07	1.06	0.27	3.52	13.2	1.03	30	20	0.19	0.10	2.70	0.10	7.57	32.4	115
X833714		0.50	<0.01	0.04	1.00	23.2	<0.02	<10	70	0.26	0.18	0.08	0.01	46.9	3.3	14
X833715		5.21	0.60	0.05	1.25	2560	0.46	<10	30	0.33	1.10	0.02	0.04	29.8	4.9	23
X833716		3.89	0.37	0.06	2.92	1810	0.29	<10	50	0.67	1.82	0.18	0.03	52.0	12.3	36
X833717		4.79	7.82	0.43	2.04	7500	9.87	<10	40	0.43	1.51	0.03	0.02	35.2	7.2	28
X833718		3.74	0.02	0.03	2.97	234	0.02	<10	40	0.58	0.59	0.04	0.01	42.9	6.4	36
X833719		3.51	0.21	0.01	2.81	71.1	<0.02	<10	40	0.56	0.63	0.40	0.01	46.7	11.9	36
X833720		2.96	<0.01	0.01	3.07	34.1	<0.02	<10	40	0.55	0.40	0.05	0.01	35.2	6.0	37
X833721		2.49	0.43	0.04	2.82	4020	0.45	<10	40	0.55	0.66	0.06	0.02	39.0	10.1	36
X833722		2.37	0.01	0.02	3.22	22.5	<0.02	<10	40	0.61	0.37	0.07	0.02	39.2	18.3	39
X833723		1.03	<0.01	0.03	0.49	21.8	<0.02	<10	10	0.21	0.16	0.08	0.03	5.39	4.5	17
X833724		0.07	1.08	0.26	3.31	10.1	1.01	30	20	0.19	0.09	2.52	0.09	6.64	29.9	112
X833725		0.45	<0.01	0.02	1.20	5.2	<0.02	<10	70	0.16	0.05	0.69	0.02	21.0	6.4	52
X833726		3.28	0.63	0.10	1.59	128.5	0.58	<10	40	0.62	1.00	0.02	0.08	50.6	6.4	20
X833727		1.89	12.20	0.46	1.59	6420	10.15	<10	40	0.42	1.30	0.01	0.01	31.7	3.8	19
X833728		2.34	2.23	0.14	1.35	469	2.45	<10	40	0.72	0.30	0.01	0.18	52.3	8.7	17
X833729		2.68	0.29	0.25	1.45	848	0.11	<10	10	0.34	4.44	0.01	0.29	16.40	7.3	17
X833730		3.35	0.06	0.12	1.37	100.5	<0.02	<10	20	0.37	3.03	0.06	0.93	27.5	5.6	18
X833731		4.07	0.07	0.14	1.48	231	0.05	<10	20	0.34	4.50	0.02	0.30	28.3	3.7	21
X833732		2.87	0.17	0.09	0.93	973	0.05	<10	10	0.25	0.76	0.03	0.70	17.00	9.4	22
X833733		2.30	<0.01	0.06	3.16	20.2	<0.02	<10	40	0.92	0.88	0.06	0.36	71.6	16.1	37
X833734		3.47	0.04	0.16	0.97	105.0	0.06	<10	20	0.22	8.56	0.02	0.26	21.8	4.4	17
X833735		4.25	0.33	0.12	3.08	36.9	0.71	<10	40	0.88	1.47	0.03	0.03	70.8	7.6	27
X833736		4.94	0.68	0.16	1.24	1720	0.74	<10	30	0.49	2.40	0.02	0.07	51.2	3.0	17



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - B
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo
		ppm 0.05	ppm 0.2	% 0.01	ppm 0.05	ppm 0.05	ppm 0.02	ppm 0.01	ppm 0.005	% 0.01	ppm 0.2	ppm 0.1	% 0.01	ppm 5	ppm 0.05
X833792		2.24	23.7	5.15	8.31	0.05	0.19	<0.01	0.021	0.23	23.3	77.4	1.06	610	0.32
X833793		2.33	21.5	5.15	8.23	0.06	0.23	<0.01	0.019	0.21	29.5	81.1	1.10	626	0.87
X833794		2.34	18.2	5.04	8.21	0.05	0.23	<0.01	0.019	0.21	24.9	79.4	1.05	581	0.77
X833795		2.36	18.6	4.85	7.92	0.06	0.22	<0.01	0.019	0.20	30.0	76.4	1.02	559	0.59
X833796		0.16	155.5	5.69	11.90	0.14	0.47	0.05	0.028	0.05	2.9	11.9	2.14	668	1.09
X833797		0.42	118.0	5.79	10.90	0.08	0.20	<0.01	0.014	0.01	6.5	100.5	4.29	769	0.14
X833798		2.02	34.9	5.60	9.63	0.06	0.16	<0.01	0.026	0.21	32.6	104.5	1.24	1180	0.54
X833799		2.15	25.5	5.20	8.60	0.06	0.17	<0.01	0.019	0.19	29.5	88.4	1.09	1040	1.30
X833800		1.38	24.2	3.03	5.01	<0.05	0.11	<0.01	0.014	0.16	16.9	50.8	0.61	584	0.91
X833801		1.74	31.1	5.03	8.15	0.06	0.14	<0.01	0.020	0.22	30.7	82.8	1.07	888	0.20
X833711		1.08	11.9	2.57	4.42	<0.05	0.03	<0.01	0.010	0.08	14.7	38.6	0.54	537	0.18
X833712		1.46	28.2	4.88	8.72	0.05	0.10	<0.01	0.031	0.24	23.8	80.9	1.05	1420	1.33
X833713		0.15	154.5	5.68	11.70	0.13	0.49	0.05	0.030	0.05	2.9	11.6	2.13	659	1.08
X833714		0.55	7.7	1.72	2.48	<0.05	0.28	<0.01	0.007	0.31	21.9	15.7	0.20	49	0.17
X833715		0.88	10.0	2.26	3.84	<0.05	0.04	<0.01	0.017	0.15	15.0	33.1	0.43	567	0.81
X833716		1.43	35.8	5.04	8.73	0.05	0.10	<0.01	0.034	0.26	26.0	81.1	1.09	1410	0.44
X833717		1.33	13.0	3.89	5.89	<0.05	0.08	<0.01	0.019	0.20	17.7	59.3	0.74	726	0.15
X833718		1.22	18.1	5.07	8.85	0.06	0.09	<0.01	0.026	0.23	21.9	100.0	1.10	963	0.21
X833719		1.26	15.0	4.71	8.50	0.07	0.09	<0.01	0.023	0.22	20.5	93.3	1.02	957	0.24
X833720		1.25	13.7	5.08	8.74	0.05	0.11	<0.01	0.018	0.24	17.5	100.5	1.11	836	0.15
X833721		1.22	13.6	5.10	8.69	0.06	0.12	<0.01	0.019	0.19	19.5	99.4	1.09	855	0.17
X833722		1.30	17.3	5.37	9.70	0.05	0.16	<0.01	0.020	0.22	18.2	111.0	1.19	965	0.14
X833723		0.38	1.3	1.28	1.38	<0.05	<0.02	<0.01	0.006	0.02	2.4	14.8	0.16	242	0.10
X833724		0.14	152.0	5.45	11.25	0.13	0.43	0.05	0.025	0.05	2.5	11.8	2.04	638	1.03
X833725		0.39	11.8	1.89	3.68	0.05	0.12	<0.01	0.012	0.14	8.8	25.3	0.72	235	0.14
X833726		1.63	21.3	2.86	5.06	0.06	0.14	<0.01	0.026	0.18	25.4	47.3	0.52	401	0.13
X833727		1.70	26.3	3.74	5.12	0.05	0.14	<0.01	0.017	0.18	16.2	46.8	0.59	531	0.84
X833728		1.82	27.5	3.38	4.66	0.06	0.16	<0.01	0.011	0.18	27.1	29.1	0.37	511	0.26
X833729		0.62	69.9	3.36	5.22	<0.05	0.06	0.01	0.121	0.04	8.0	47.0	0.60	473	0.21
X833730		0.84	53.2	3.51	4.59	<0.05	0.07	<0.01	1.150	0.09	13.6	39.6	0.49	485	0.23
X833731		0.54	65.5	3.39	5.45	<0.05	0.09	0.01	0.951	0.05	13.7	43.6	0.56	427	0.35
X833732		0.79	23.2	2.13	3.16	<0.05	0.05	<0.01	0.049	0.05	8.6	32.2	0.36	536	0.45
X833733		3.04	33.8	5.41	9.95	0.08	0.16	<0.01	0.030	0.21	37.9	86.6	1.12	884	0.05
X833734		0.62	55.4	2.96	3.47	<0.05	0.07	<0.01	0.756	0.05	11.1	27.7	0.32	318	0.83
X833735		2.56	46.6	6.09	9.36	0.09	0.15	<0.01	0.039	0.20	37.5	95.7	1.00	789	0.11
X833736		6.13	37.9	2.83	4.14	0.06	0.14	<0.01	0.021	0.18	26.2	29.5	0.34	276	0.72



ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
		Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te
		ppm 0.05	ppm 0.2	ppm 10	ppm 0.2	ppm 0.1	ppm 0.001	% 0.01	ppm 0.05	ppm 0.1	ppm 0.2	ppm 0.2	ppm 0.2	ppm 0.01	ppm 0.01
X833792		<0.05	13.0	260	11.5	10.6	<0.001	0.41	0.21	3.0	<0.2	0.2	11.0	<0.01	0.02
X833793		<0.05	15.7	250	13.7	9.1	<0.001	0.19	0.22	2.9	<0.2	0.2	10.4	<0.01	0.01
X833794		<0.05	13.2	240	11.4	9.5	<0.001	0.24	0.21	2.9	<0.2	0.2	11.3	<0.01	0.01
X833795		<0.05	10.3	260	15.2	8.8	<0.001	0.16	0.20	2.9	<0.2	0.2	10.8	<0.01	0.01
X833796		0.13	77.1	410	5.3	2.1	0.002	0.22	0.25	7.2	0.5	0.5	25.4	<0.01	0.07
X833797		0.14	244	770	3.1	0.6	<0.001	0.01	<0.05	3.5	<0.2	0.2	28.1	<0.01	<0.01
X833798		<0.05	24.2	1080	30.9	10.4	<0.001	0.06	0.23	3.5	<0.2	0.3	14.5	<0.01	0.02
X833799		<0.05	17.4	340	143.5	9.2	<0.001	0.10	0.31	3.0	<0.2	0.3	12.2	<0.01	0.03
X833800		<0.05	15.2	230	84.2	7.8	<0.001	0.10	0.30	2.1	0.2	0.2	9.2	<0.01	0.03
X833801		<0.05	24.4	250	9.3	10.4	<0.001	0.06	0.21	2.7	<0.2	0.3	9.8	<0.01	0.02
X833711		<0.05	17.4	180	6.7	4.2	<0.001	0.03	0.06	1.9	<0.2	0.2	6.9	<0.01	0.01
X833712		0.06	26.7	380	43.8	13.2	<0.001	0.34	1.14	3.6	<0.2	0.7	17.9	<0.01	0.02
X833713		0.13	77.1	400	5.2	2.1	0.002	0.21	0.24	7.5	0.7	0.4	25.0	<0.01	0.07
X833714		<0.05	9.7	340	38.3	11.9	<0.001	0.01	0.28	1.1	<0.2	<0.2	10.1	<0.01	<0.01
X833715		<0.05	8.9	130	9.6	7.4	<0.001	0.13	0.73	1.5	<0.2	0.4	8.5	<0.01	0.03
X833716		<0.05	21.2	930	10.4	13.3	<0.001	0.15	0.50	3.2	0.2	1.0	17.9	<0.01	0.03
X833717		<0.05	16.7	180	10.7	10.5	<0.001	0.42	1.80	2.2	0.2	0.5	10.3	<0.01	0.06
X833718		<0.05	16.4	310	8.4	11.1	<0.001	0.05	0.22	2.9	0.2	0.6	10.6	<0.01	0.01
X833719		0.05	20.9	1920	8.8	10.8	<0.001	0.04	0.17	2.6	0.2	0.5	14.7	<0.01	0.02
X833720		<0.05	21.5	290	3.1	11.0	<0.001	0.02	0.13	2.6	<0.2	0.3	9.5	<0.01	0.03
X833721		<0.05	27.7	280	6.8	9.5	<0.001	0.16	0.92	2.6	0.3	0.3	9.9	<0.01	0.03
X833722		<0.05	32.6	360	3.8	10.7	<0.001	0.02	0.14	2.9	0.2	0.2	10.2	<0.01	0.02
X833723		<0.05	10.0	330	4.8	1.3	<0.001	0.01	0.07	0.5	0.3	<0.2	4.0	<0.01	0.01
X833724		0.13	71.7	400	4.9	1.9	0.002	0.20	0.23	6.6	0.9	0.4	22.1	<0.01	0.07
X833725		<0.05	12.7	900	13.5	5.4	<0.001	0.01	0.12	4.4	<0.2	<0.2	27.0	<0.01	0.01
X833726		<0.05	15.7	190	5.8	10.5	<0.001	0.01	0.22	1.8	0.3	0.6	10.2	<0.01	0.02
X833727		<0.05	10.0	110	19.0	9.1	<0.001	0.74	1.68	2.0	0.3	0.5	9.4	<0.01	0.05
X833728		<0.05	19.7	240	8.2	9.4	<0.001	0.01	0.22	1.7	<0.2	0.2	10.6	<0.01	0.01
X833729		<0.05	15.0	170	16.6	2.7	<0.001	0.05	0.30	2.0	0.3	0.9	6.6	<0.01	0.10
X833730		<0.05	11.3	450	10.4	4.6	<0.001	0.05	0.15	2.9	0.4	0.7	12.2	<0.01	0.03
X833731		<0.05	10.0	240	9.4	2.9	<0.001	0.02	0.19	2.5	0.2	1.3	8.0	<0.01	0.04
X833732		<0.05	15.1	200	5.2	2.8	<0.001	0.05	0.35	1.7	<0.2	0.4	6.4	<0.01	0.03
X833733		<0.05	47.0	320	12.7	10.2	<0.001	0.01	0.07	3.1	<0.2	0.2	12.5	<0.01	0.02
X833734		<0.05	9.8	290	21.3	3.0	<0.001	0.02	0.30	1.7	0.2	0.8	7.9	<0.01	0.09
X833735		<0.05	17.4	340	6.5	9.5	<0.001	0.02	0.14	3.0	0.4	0.7	11.5	<0.01	0.02
X833736		<0.05	8.9	240	11.4	9.8	<0.001	0.06	0.66	1.3	0.4	0.5	18.2	<0.01	0.08



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: 3 - D
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

Sample Description	Method Analyte Units LOD	ME-MS41 Ti %	ME-MS41 Ti ppm	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
X833792		<0.005	0.06	1.23	19	0.14	2.75	68	9.1
X833793		<0.005	0.06	1.34	20	<0.05	3.02	75	10.4
X833794		<0.005	0.05	1.21	20	<0.05	2.72	69	10.4
X833795		<0.005	0.06	1.16	20	<0.05	2.80	68	10.3
X833796		0.369	0.02	0.09	157	1.24	14.15	69	19.2
X833797		0.232	<0.02	0.11	92	0.06	10.20	69	6.6
X833798		<0.005	0.06	1.33	25	<0.05	5.90	87	7.7
X833799		<0.005	0.05	1.55	21	0.06	3.94	75	8.2
X833800		<0.005	0.05	1.26	14	0.21	2.99	53	5.7
X833801		<0.005	0.06	1.14	20	0.10	3.95	83	7.1
X833711		<0.005	0.02	2.04	12	0.14	2.06	66	1.3
X833712		<0.005	0.08	1.04	25	38.6	5.83	99	5.0
X833713		0.374	0.02	0.09	157	1.27	14.00	68	18.8
X833714		<0.005	0.06	0.74	7	0.05	3.49	27	12.3
X833715		<0.005	0.04	0.68	10	0.27	2.63	36	2.6
X833716		<0.005	0.08	1.03	22	0.18	7.50	93	3.6
X833717		<0.005	0.06	0.82	14	0.19	3.75	56	4.1
X833718		<0.005	0.06	0.86	20	0.09	4.75	80	5.5
X833719		<0.005	0.06	0.88	21	0.05	8.57	82	6.0
X833720		<0.005	0.06	0.74	20	<0.05	3.53	76	5.3
X833721		<0.005	0.05	0.77	20	0.57	4.03	79	5.7
X833722		<0.005	0.06	0.78	22	0.05	4.92	90	7.9
X833723		<0.005	<0.02	0.15	4	0.14	0.99	36	<0.5
X833724		0.337	0.02	0.08	147	1.26	12.80	65	17.2
X833725		<0.005	0.04	0.27	40	<0.05	3.11	27	5.3
X833726		<0.005	0.06	1.00	11	14.65	2.84	90	6.2
X833727		<0.005	0.05	1.00	12	0.56	2.38	43	6.0
X833728		<0.005	0.05	1.12	11	0.77	2.60	72	6.5
X833729		<0.005	0.02	1.30	12	1.50	1.41	142	2.4
X833730		<0.005	0.03	0.92	10	21.7	2.22	340	3.6
X833731		<0.005	0.02	0.80	13	11.75	1.48	159	3.9
X833732		<0.005	0.02	0.58	8	0.69	1.96	124	2.1
X833733		<0.005	0.05	1.33	24	0.07	4.09	139	8.3
X833734		<0.005	0.02	0.62	8	7.25	1.50	228	2.9
X833735		<0.005	0.06	1.36	23	0.23	3.27	105	7.5
X833736		<0.005	0.07	1.69	9	0.39	3.09	44	6.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: STRATABOUND MINERALS CORP.
100 KING STREET WEST, SUITE 5700
TORONTO ON M5X 1C7

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 13-AUG-2019
Account: NUF

Project: Golden Culvert

CERTIFICATE OF ANALYSIS WH19180397

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
CRU-31 CRU-QC LOG-21 LOG-23
PUL-31 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
Au-AA25 ME-MS41