

ASSESSMENT REPORT

describing

Prospecting, Soil Geochemistry, Geology, and Petrographic Analysis

CDL Property, Yukon, Canada

(Fieldwork performed September 1-6, 2019)

CLAIMS: CDL 1-36, YD132137 to YD132172

Registered Owner: William Mann

NTS 105E/07

Whitehorse Mining District, Yukon Territory

Latitude 61°24'N Longitude 134°54'W

UTM NAD 83: 505840E, 6807280N

Prepared by:

Lori. Walton, P.Geo.

June 11, 2020

Table of Contents

INTRODUCTION	1
Location.....	1
Access.....	1
Mineral Tenure.....	2
TOPOGRAPHY, VEGETATION AND CLIMATE	3
WORK HISTORY	4
GEOLOGY.....	6
Aeromagnetic Signature	7
Mineralization	8
EXPLORATION PROGRAM – 2019	9
2019 Soil Geochemistry	9
2019 Rock Geochemistry	14
Petrography.....	15
Prospecting and Geology	16
DISCUSSION.....	19
Volcanic Rocks.....	19
RECOMMENDATIONS.....	20
REFERENCES	21
STATEMENT OF QUALIFICATIONS.....	22
STATEMENT OF EXPENDITURES.....	23
Figure 1 Location Map.....	1
Figure 2 Areas of Interest.....	2
Figure 3 CDL Claim Map	3
Figure 4 Regional Geology.....	7
Figure 5 Aeromagnetic Survey Map.....	8
Figure 6 CDL Property Waypoints and Features	10
Figure 7 Soil Geochemistry - Copper (ppm)	11
Figure 8 1975 Soil Geochemistry - Copper (DC Syndicate)	12
Figure 9 Rock Sample and Thin Section Locations	13
Figure 10 Latite Tuff	15
Figure 11 Historical Thin Sections (1997) - Potassium Staining.....	17
Figure 12 CDL Geology	18
Table 1 Potential Helicopter Landing Sites	2
Table 2 Rock Sample Locations and Descriptions	14
Table 3 CDL Thin Section Locations and Rock Descriptions	16
APPENDIX A: Soil Sample Descriptions and Lab Results	
APPENDIX B: Rock Sample Descriptions and Lab Results	
APPENDIX C: NITON XRF Results	
APPENDIX D: D. Liverton Petrographic Analysis	
APPENDIX E: Photographs	

INTRODUCTION


This report was prepared to satisfy assessment work reporting requirements under the *Quartz Mining Act*. An initial report on the 2019 CDL field program was submitted in January, 2020 to fulfill requirements under the Yukon Mineral Exploration Program (YMEP). This current assessment report contains additional historical information and a more extensive review of existing data.

W. Mann conducted staking on the property on June 10, 2019. The claims were staked to cover ground considered favorable for intrusion-related mineralization, particularly alkali gold-copper porphyry mineralization analogous to that found on the MARS Minfile occurrence 10 km south. During the staking process the CDL project area was assessed for geological structures, potential campsites, and ground accessibility to areas of interest. L. Walton and W. Mann, assisted by C. Ouellette, conducted fieldwork on the property from September 1-6, 2019. Fieldwork consisted of prospecting, soil and rock sampling, and re-locating sites of previous exploration activity to establish and compile GPS location coordinates.

Location

The CDL property is located 70 km (by air) northeast of Whitehorse, Yukon on NTS mapsheet 105E/7 between the north end of Lake Laberge and the west bank of the Teslin River (Figure 1). The property consists of 36 contiguous quartz claims north of Miller Creek, covering 752.4 hectares centered at latitude $61^{\circ} 24'N$ and $134^{\circ} 54'W$.

Figure 1 Location Map



Access

The property is accessed by helicopter from Whitehorse. Landing sites are rare due to thick forest cover. During the 2019 field program, vegetation at historical landing sites was re-cut for future access. Suitable landing site coordinates and notes are presented in Table 1. It may be possible to land a float plane on Little Miller Lake, which marks the south boundary of the CDL area of interest. A

winter tote trail to the Livingstone Creek placer gold mining area passes within 25 km of the CDL claims (Figure 2).

Figure 2 Areas of Interest




Table 1 Potential Helicopter Landing Sites


Site	East	North	Description
2019 Camp	505840	6807280	Highest point on claims, good camp site, central
1999 Camp	505100	6808510	Good landing site and camp site
Cutline Camp	505190	6806840	Near pond and head of cutline, good campsite
Staking pickup	504880	6809430	Above large limestone outcrop, marginal camping
Toe-in site	504990	6804300	Above large outcrop - needs more cutting to land

(UTM WGS 84 Zone 8V)

Mineral Tenure

The CDL 1-36 claims (Grant No. YD132137-YD132172) were located on June 10, 2019 and recorded on June 12 with the Whitehorse Mining Recorder. The CDL claims are registered (100%) in the name of William Mann and are in good standing under the *Quartz Mining Act* until June 12, 2026. William Mann holds the claims in a 49%/51% partnership with Lori Walton (Figure 3).

Figure 3 CDL Claim Map



TOPOGRAPHY, VEGETATION AND CLIMATE

The claims cover a moderately rugged mountainous area that lies below treeline, within the Yukon Plateau physiographic region. The lowest elevation on the property lies above the valley floor at about 2800 feet (850 m) and extends to the highest peak in the area at 4234 feet (1290 m), where the 2019 camp was located.

The climate is cool and arid, with warm summers and long, cold winters. The property is normally free of snow from late May to late September.

The property lies within the Yukon Southern Lakes ecoregion of the Boreal Cordillera ecozone (Smith *et al.*, 2004). The claims are covered by boreal/subalpine coniferous forest, with a thick mixture of subalpine fir, pine, white spruce, aspen and rare paper birch. A thick understory of dwarf birch, willow, alder, and other shrubs is present in most areas. The claim area has not been burnt by forest fire in recent decades. The claims lie within the sporadic discontinuous permafrost zone, with some frost encountered in soil sample holes, especially at higher elevations and on north or east-facing slopes.

WORK HISTORY

Placer gold was discovered in the late 1800s in the Livingstone Creek area, 30 km to east of the CDL property. The first 1:250,000 geological map of the area was released by the Geological Survey of Canada (GSC) in 1938 (Bostock and Lees, 1938).

There are no records of mineral discoveries in the general area prior to 1971. The history of the TUV/DDH/MARS porphyry occurrence south of Miller Creek is included due to its proximity and geological similarity to the CDL property. The CDL property has also been known as the BOND, BACON, or JAVA property.

1971

United Keno Hill Mines Ltd, in a joint venture with Falconbridge and Canadian Superior, complete a regional helicopter-supported stream sediment sampling program. Selected grab rock samples returned up to 0.53% copper and 0.04% molybdenum in the area south of Miller Creek. Values returned from over 900 soil sample results showed small, isolated, erratic anomalies paralleling the main ridge topography (Pangman, P.G. and VanTassell, 1972).

1975

The DC Syndicate (Dome and Cominco) conducted a large-scale reconnaissance exploration program for copper in the area north of Whitehorse and east of Lake Laberge. The DC Syndicate targeted small intrusive bodies which were thought to be favorable targets for porphyry copper deposits and related mineralized skarns. The BOND claims were staked by the DC Syndicate within the CDL project area to cover minor malachite, chalcopyrite, and molybdenite mineralization associated with monzonite north of Miller Creek. Geological mapping and soil sampling work was completed¹ and the “Bacon” Minfile (105E 027) occurrence is recorded.

1984

The GSC releases an updated 1:250,000 scale map of the Laberge area (Tempelman-Kluit, 1984, 2009). The intrusive stock underlying the TUV porphyry copper occurrence south of Miller Creek is dated as Jurassic. The map shows several small exposures of the Jurassic intrusive stock north of Miller Creek.

1987

Surficial geological mapping of the area is completed (Klassen and Morison, 1987). A moraine blanket is mapped at the CDL property.

¹ No assessment work was recorded.

1996-2000

TUV/DDH/MARS Minfile Occurrence – south of Miller Creek

In 1996 the TUV occurrence on Windy Mountain south of Miller Creek was staked as the DDH and MARS claims. Fieldwork by Camdan Exploration including prospecting, mapping, soil sampling, and a ground magnetic survey confirmed the gold content of the porphyry system and the presence of abundant magnetite veins and disseminations (Walton, 1996). The property was optioned to Placer Dome Canada in 1997 who flew an airborne gamma-ray and magnetic geophysics survey and completed additional sampling over the property (Wark, 1997).

The Yukon Geological Survey studied the geology and geochemistry of the underlying monzonite (Teslin Crossing pluton) on the MARS property and determined that its geological setting is consistent with Jurassic alkali plutons in British Columbia that host gold-rich porphyry copper deposits (Hart, 1997).

BACON/JAVA Minfile Occurrence – north of Miller Creek

The original BOND claims area north of Miller Creek and explored by the DC Syndicate was re-staked as the JAVA property in 1997 by Camdan Exploration to cover an aeromagnetic anomaly similar to the one underlying the TUV/DDH/MARS property south of Miller Creek. Camdan carried out small prospecting and rock and soil sampling programs in 1997 and 1999. Massive to semi-massive chalcopyrite-sphalerite skarn mineralization was discovered in 1997 (Ouellette, 1997 and 2000).

2001 to 2004

TUV/DDH/MARS Minfile Occurrence – south of Miller Creek

Saturn Ventures Inc. conducted rock and soil sampling on the DDH/MARS claims (Keyser, 2002). Rock samples from mineralized zones returned up to 1.7% copper and 4,790 ppb gold. In 2004 Saturn completed 827 m of diamond drilling in seven holes (Lang and McClaren, 2004a, b).

2009

BACON/JAVA Minfile occurrence – north of Miller Creek (CDL project area)

An airborne radiometric and magnetic geophysical survey covering 62.6 line km at 100 m spacing was flown over the JAVA claimblock. The survey covered 3 km by 2.2 km and the average terrain clearance was 42.8 m. The survey shows a strong 500 m x 300 m magnetic anomaly centered on the skarn occurrence (Ouellette, 2010).

2013 – 2014

A regional program of biogeochemical sampling of spruce bark included work at or near the current CDL property (Kreft, 2013). Prospecting and biogeochemical sampling traverses were designed to assess granitic bodies and positive aeromagnetic anomalies in the area. Two anomalous areas were identified from bark analysis.

B. Kreft (YMIP 2014-022) commissioned a combined magnetic and radiometric airborne geophysical survey over the CDL area north of Miller Lake to follow-up on the spruce bark sampling and further examine the gold-copper porphyry potential of the area. This survey covered a much larger area than the 2010 program, roughly 8 km x 6 km, but with a 200 m line spacing. The average terrain clearance was 40 m. The radiometric data appears to be useful for differentiating discrete intrusive bodies (Kreft, 2015). The southern intrusive body in what is now the CDL project area shows the strongest magnetic high and potassium content.

No further mineral exploration work in the area north of Miller Creek is documented and the JAVA claimblock subsequently lapsed. With only seven drill holes to date, work on evaluating the copper-gold potential of the areas north and south of Miller Creek is still at the embryonic stage. The area south of Miller Creek over the Teslin Crossing pluton is now held as the DDH, STAR and STARS claims by Archer, Cathro & Associates. The area over the BOND/BACON/JAVA area of interest north of Miller Creek is now covered by the CDL 1-36 claims.

GEOLOGY

The CDL project area is broadly underlain by arc-related, volcano-sedimentary rocks that are part of Stikinia Terrane. The Triassic Lewes River volcanic arc evolved during the Middle and Late Triassic and eventually eroded into the adjacent marginal basin through Middle Jurassic. The basin, known as the Whitehorse Trough, is composed of Late Triassic volcanic-rich detritus and carbonate of the Lewes River Group and intrusive-rich clastics of the Jurassic Laberge Group. The assemblage was deformed as the Whitehorse Trough closed off from the open ocean and various crustal fragments continued to accrete to the ancient margin of North America.

A suite of Late Triassic to Jurassic granitoid plutons in British Columbia and Yukon intrude rocks of several terranes, including Stikinia. In the CDL project area (Figure 4), the Teslin Crossing pluton is assigned to the Middle Jurassic Bryde suite (174-168 Ma). Middle Jurassic plutons of the Bryde suite in Yukon include Michie, Mount Bryde, Fourth of July and the Teslin Crossing pluton (Sack *et al.*, 2020).

The Teslin Crossing pluton intrudes the Lower to Middle Jurassic Richthofen Formation. The pluton, which hosts the Mars copper-gold porphyry showing, has a mapped extent of about 75 km² with irregular intrusive contacts centered on a positive strong magnetic anomaly. The western edge of the pluton is broadly concordant with topography and may indicate a sill-like geometry (Hart, 1997). The Teslin Mountain and Chain Lake faults juxtapose the pluton with limestone of the Upper Triassic Hancock formation.

Investigations by Hart (1997) and Sack *et al.*, (2020) describe the alkalic chemistry and strongly magnetic nature of the Teslin Crossing pluton. Geochronology work by Hart (1997) indicated K-Ar ages of 181 – 186 Ma from the Teslin Crossing pluton and 175 Ma from an associated sill. Sack *et al.*, (2020) presented additional dates yielding two averages of 168.2 Ma and two other average dates of 168.7 Ma and 171.62 Ma from Teslin Crossing pluton rock samples.

A second, strong magnetic anomaly, similar to the one associated with the Teslin Crossing pluton and Mars copper-gold property, underlies the CDL project area. Tempelman-Kluit (1984) mapped small porphyry exposures in the CDL area inferred to be related to the Teslin Crossing pluton. In the CDL project area, the limited exposures are shown as intruding a broad expanse of turbiditic sandstone-siltstone-mudstone and conglomerate assigned to the Richthofen formation of the Laberge Group. Bordet (2019) describes the Richthofen formation as conglomerate with sedimentary, intrusive, and volcanic clasts. The Nordenskiöld facies is a distinct crystal-lithic tuff recorded at different levels in the Richthofen and Tanglefoot formations (Colpron and Friedman, 2008).

Early Cretaceous Goddard suite quartz-phyric rhyolite and rhyodacite dikes (138-136 Ma) are mapped west of the CDL project area. They are shown in cross section to potentially intrude older rock units in the area (Bordet, 2019).²

² the dykes are mapped west of the area shown in Figure 4

Figure 4 Regional Geology





Figure 5 Aeromagnetic Survey Map



From: Kiss and Boulanger (2018)

Mineralization

The original DC Syndicate “Bacon” Minfile occurrence 105E 027 is recorded as chalcopyrite and molybdenite in dry fractures in a monzonite stock. The stock intrudes andesite volcanic rocks and greywacke. According to Minfile, andesite float containing chalcopyrite was reported west of the original BOND claims in 1975, but DC Syndicate’s soil geochemistry program did not locate a specific area of interest.

Skarn mineralization consisting of massive chalcopyrite and sphalerite with elevated silver, gold, and bismuth was identified in the northern part of the CDL area during a 1997 field program (Ouellette, 1997). Rock samples returned values up to 18,031 ppm copper, 7.1% zinc, 31.8 ppm silver, 1639 ppb gold and 1513 ppm bismuth.

A potential mineralized zone was identified on the southern part of the property overlooking Little Miller Lake. A sample of bleached and limonitic, medium-grained dioritic rock with minor malachite staining returned 481 ppm copper, 93 ppm Bi and 76 ppb gold (Ouellette, 1997). This area correlates with bark samples collected by Kreft (2013).

EXPLORATION PROGRAM – 2019

A camp was established at the highest point in the area, central to the claim block. The area was traversed on foot from the camp, with access to the distal parts of the claims difficult due to the thick bush (Figure 6). All sample and field station locations were collected using hand-held GPS units.

Three workers performed a combination of prospecting and soil geochemistry from September 1 to 6, 2019.

A total of 94 soil samples were collected along UTM grid lines, along the cutline established in 1997, and in opportunistic locations.

A Niton XL3t portable hand-held XRF was used at camp to provide rapid qualitative evaluation of soils and rocks. XRF readings were taken for 30 seconds through the soil sample bags, and high values of Pb, Zn, Cu and As used as indicators of mineralization. The information provided by the XRF was useful in directing the next day's exploration traverses.

Seven rock samples were sent for analysis and six rocks were sent to Van Petro for thin section preparation and potassium staining.

2019 Soil Geochemistry

Samples were collected with a narrow spade from as deep a hole as practical. Care was taken to avoid organic soils (locally over 30 cm thick) and the White River ash layer (up to 10 cm thick) and to seek angular pebbles indicating proximal material. Samples were placed into kraft paper bags along with a unique sample tag. The sample number was written in felt pen on each bag, and sample sites were marked in the field with numbered flagging tape. Sample location was determined by GPS and recorded along with sample depth, colour and texture. A photograph was taken of each sample site in the field, along with the sample material.

Sample preparation, analysis and security followed standard procedures; Bureau Veritas Minerals in Vancouver completed the analysis. Samples were analyzed for 36 elements using an aqua regia digestion followed by inductively coupled plasma spectrometry.

Soil sample locations and descriptions, results, and details on laboratory procedures, including quality control, are in Appendix A.

Copper values from soil samples collected during the 2019 program are shown in Figure 6.

Figure 6 CDL Property Waypoints and Features




Figure 7 Soil Geochemistry - Copper (ppm)




Figure 8 1975 Soil Geochemistry - Copper (DC Syndicate)





Figure 9 Rock Sample and Thin Section Locations



The strongest copper values are associated with soil samples (1961053, 1961166-1961168) collected at or near the skarn zone. Soil sample 1961053 from the skarn zone returned 604.4 ppm copper, 76.2 ppb gold, 103.3 ppm bismuth, and 6.6 ppm silver. The highest copper value (1271.2 ppm) is from sample 1961167. Elevated copper values in soils are indicated in the south-central area of the CDL claimblock.

In 1975 the DC Syndicate completed a soil grid over what is now the CDL property. The grid is shown on historical paper maps in poor condition. The DC Syndicate map was georeferenced and copper values (ppm) from soils collected in 1975 are shown superimposed on the 2019 values in Figure 8. The highest results from the DC Syndicate work correlate with the skarn zone. The skarn zone is under cover and was not discovered until 1997. The DC Syndicate soil grid results show elevated copper-in-soil values in the far north part of the CDL claim group.

2019 Rock Geochemistry

Seven rock samples were sent for analysis. These rocks were known to be mineralized based on visual and XRF examination. The rock samples were sent to Bureau Veritas Minerals in Vancouver for analysis, after preparation at their Whitehorse facility. Rock geochemical results and quality control information are presented in Appendix B. Results from readings taken from the NITON XRF probe in camp are in Appendix C.

Four of the rock samples were collected from the JAVA/ BACON area within or proximal to re-discovered prospecting pits near the skarn occurrence. The camp and helicopter pad from the 1999 exploration were located along with several hand-dug pits (Ouellette, 2000). The 2019 analyses returned highly anomalous values for Mo, Cu, Pb, Zn, Ag, Au, W, Sb and Bi. This showing appears to be skarn and endoskarn associated with a biotite granite.

Table 2 Rock Sample Locations and Descriptions

	UTM WGS 84 Zone 8V						
Sample	East	North	Type	Description	Cu (ppm)	Au (ppb)	Bi (ppm)
65707	505150	6808457	float	Chips of cobbles from pit dug at site of rusty cobble on surface. Limonite-rich rock after sulphides. Some c.g. white marble. Non-magnetic.	858.9	82.6	160.8
65708	505154	6808458	float	Chips of cobbles from old prospecting pit 5m downslope from 65707 under root of large tree. 50cm x 15cm x 20cm deep. Some red-brown garnets and dark grey-green skarn. Some biotite-quartz endoskarn (?). Non-magnetic.	272.4	3.4	1.2
65709	505156	6808465	float	Chips of cobbles from old prospecting pit 50cm wide x 75cm high dug into bank. 2 rock types: (A) dark red-brown garnet skarn, non-magnetic. (B) Light orange-brown to light grey endoskarn. Biotite-quartz- rich w/ dissem. F.g. sulphides. No fresh surfaces seen, breaks on rusty fractures. One cobble with green malachite stain.	2774.4	17.3	10.3
65710	505204	6806723	outcrop	Chips of skarn-altered (?) crystal tuff. Trace f.g. sulphide. From OC36. Non-magnetic, variably calcareous. NOT rusty weathering. Dark grey-green c.g. rock w/ c.g. hornblende.	50.6	<0.5	0.3

65711	506167	6806323	outcrop	Chips from outcrop and rubble from steep hillside proximal to recessive linear. Rock is rusty w/ Quartz vugs. Protolith indistinct, hard to get a fresh surface.	82.0	2.2	0.1
65712	505132	6808538	outcrop	Panel Chip of 3m x 3m outcrop (OC10). Fine-grained pyritic hornfels, very rusty. Rock breaks on rusty fractures, so hard to examine. No skarn minerals observed. Boxwork limonitic pockets up to 10cm after sulphides.	679.0	47.7	43.4
72866	505034	6807753	outcrop	South facing exposure on steep cliff overlooking creek. Lapilli bomb tuff – rounded pebbles up to 4 cm, large feldspar crystals, calcite. Non-magnetic.	1.7	5.3	<0.1

Petrography

Rocks in the CDL project area tend to be homogenous, with diffuse textures; they can be challenging to identify. Six rock slabs from 2019 were sent to Van Petro for thin section preparation and potassium staining with cobaltinitrite. The six thin sections, and fourteen thin sections and two polished mounts obtained from the 1997 JAVA program, were examined and described by Dr. T. Liverton. The analysis and photomicrographs are shown in Appendix D. The precise locations of the 1997 rocks are not known but are plotted in Figure 5 from Ouellette's 1997 report. The 2019 sample locations and rock descriptions are presented in Table 3. An example of thin section analysis value is shown in Figure 10, where a sample thought to be a monzonite when collected in the field turned out to be a latite tuff. A photo of historical thin section slabs (from 1997) shows the abundance of potassium feldspar in various rock types underlying the CDL project area (Figure 11).

Figure 10 Latite Tuff



Table 3 CDL Thin Section Locations and Rock Descriptions

UTM WGS 84 Zone 8V				
Section	Rock #	East	North	Description
C1	R 2	505195	6808497	Biotite-granite boulder, non-magnetic. 3m from anomalous soil #1961167. Thin Section: Quartz monzonite
C2	OC 3	504852	6807208	Black hornfels? w/ hard black matrix, 1mm white fspar, minor Q eyes, possible crystal tuff, f.g. pyrite, possible trace chalcopyrite. Non-magnetic. Some black "shale" layers with no sulphides or c.g. fspar or Qtz. Ridge crest runs 090 degrees. Thin Section: Pyroclastic tuff
C3	OC 7	505465	6807862	1m diameter outcrop orange- weathering monzonite. No quartz noted. White fspar with black non-aligned hornblende to 5mm. Non-magnetic. Similar but larger outcrop 10m NW. Thin Section: Latite
C4	OC 29	504769	6806108	15 x 3m sloping outcrop & float monzonite. Coarse-grained feldspars, <5% Qtz, biotite & hornblende. Non-magnetic. Thin Section: Latite tuff
C5	OC 30	504709	6806153	40 x 10m slope outcrop monzonite. Hornblende & biotite, magnetic. 30m upslope is huge monzonite outcrop w/ 20m cliffs x 100+m. Thin Section: Latite lapilli tuff
C6	65708	505154	6808458	Cobble from old prospecting pit 5m downslope from 65707 under root of large tree. 50cm x 15cm x 20cm deep. Dark grey-green skarn (?). Proximal to garnet skarn and biotite-quartz endoskarn. Non-magnetic. Thin section: Andesite
C7	OC 28	505272	6806709	10 x 2m cliff outcrop. Bomb tuff, crystalline matrix, non-magnetic, with patches hematitic & limonitic boxwork after sulphides. Thin section: Lava – latite?


Prospecting and Geology

A rudimentary geology map is presented in Figure 12. The 2019 field season confirmed the presence of a variety of volcanic rocks, including crystal tuffs, andesite, and latite. Sedimentary rocks belonging to the Laberge group were scarce. It is unclear as to the relationship between the various volcanic suites and the quartz monzonite-monzonite-granitic intrusive rocks. Numerous hornfels zones were noted.

Figure 11 Historical Thin Sections (1997) - Potassium Staining



Figure 12 CDL Geology



DISCUSSION

Surface evaluation of the CDL project is hindered by a combination of dense vegetation, scarce rock exposure, and glacial till. Soil sample results were muted, as other geologists and prospectors in the area have noted.

The JAVA skarn area, first discovered in 1996, was re-located and sampled. Rock samples 65707, 65709, 65709 and 65712 returned copper values of 272.4 to 2772.2 ppm. Sample 65707 contained anomalous lead (336 ppm), silver (6.5 ppm), gold (82.6 ppb), and bismuth (160.8 ppm). The extent of skarn mineralization is limited by the narrow width of host limestone observed in this area; the limestone tapers from 500 m to 1 km to the north to less than 100 m (?) at the skarn. The skarn is located at the southern termination of the limestone where it pinches out. The size potential of the skarn appears to be limited.

Two rock samples collected on the south slope of the property overlooking Little Miller Lake returned 82.0 ppm and 50.6 ppm copper. Previously, Ouellette (1997) noted two rock samples from the south slope that returned 721 ppm and 481 ppm copper (93 ppm bismuth and 76 ppb gold). The soil geochemical results from 2019 show elevated copper in this same area. This area also corresponds with anomalous bark samples (Kreft, 2013) and a favourable underlying magnetic and potassic airborne geophysical signature indicative of an alkali copper-gold porphyry.

Volcanic Rocks

The Mars property to the south of Miller Creek has seen several phases of mineral exploration, including drilling, and the geological setting has been investigated and described by government geologists (Hart, 1997; Sack *et al.*, 2020). The underlying geology of the CDL property north of Miller Creek remains enigmatic. Government geological maps show limited monzonite to syenite dykes belonging to the Bryde Suite Teslin Crossing pluton intruding a broad expanse of Jurassic Laberge Group sedimentary rocks and older Triassic Hancock formation limestone.

Limited prospecting, rock sampling, and petrographic analysis on the CDL property to date indicate an extensive suite of pyroclastic rocks, latite, latite tuffs, latite lapilli tuffs, rhyolite, and andesitic flows associated with monzonite and granitic rocks. The volcanic assemblage underlying CDL is potassic rich and quartz deficient, as shown by feldspar staining and petrographic analysis. Exposures of Laberge Group sedimentary rocks are scarce.

Sack *et al.*, (2020) describe a roof pendant of the Laberge Group embedded within the center of the Teslin Crossing stock on the Mars property. The roof pendant is attributed to the Nordenskiöld facies (khaki-green dacite crystal tuff and volcanoclastic sandstone). The Nordenskiöld facies is a distinct crystal-lithic tuff exposed at multiple stratigraphic levels in the Laberge Group (Richthofen and Tanglefoot formations) representing at least three separate volcanic events between 188 and 186 Ma in the northern Whitehorse Trough and at 184 Ma east of Lake Laberge. According to Colpron and Friedman (2008), the Nordenskiöld facies is a crystal-rich volcanoclastic unit forming resistant, featureless outcrops. It is composed predominantly of angular to subangular plagioclase and quartz crystals, with subordinate amounts of K-feldspar, biotite and hornblende in a cryptocrystalline matrix. The Nordenskiöld volcanoclastic rocks generally have the composition of dacite to andesite. It is suggested that the Aishihik batholith (186 Ma) may be the magmatic parent for the volcanoclastic rocks of the Nordenskiöld formation.

Alternatively, Keyser (2002) speculated that the exposed volcanic rocks in the center of the Teslin Crossing pluton might be temporally and spatially related to pluton's intrusion. The inlier was

identified as a locally porphyryblastic, phyrlic dacite to trachyandesite showing locally strong carbonate alteration.

It may be possible that the extensive volcanic rocks noted on the CDL project area are related to the underlying intrusive complex. Hart (1997) noted that water-lain acid tuff and fine volcanoclastic breccia were observed by Geological Survey of Canada geologists (Poulton and Tipper, 1991) studying Jurassic ammonites throughout British Columbia and Yukon. The GSC report describes Aalenian (170.3 to 174.1 Ma) ammonites in a tuff from a location that corresponds with the CDL 2019 camp location on the highest peak in the area. This age is similar to the latest age dates for the Teslin Crossing pluton, as reported by Sack *et al.*, (2020).

To summarize, the high potassium content, lack of quartz, age (as indicated by ammonite fossils), scarcity of Laberge Group sedimentary rocks, and sheer extent of high-level volcanic rocks and tuffs suggests that the CDL property may be underlain by volcanic rocks related to intrusion of the Teslin Crossing pluton.

The strong magnetic anomaly underlying the property may represent near-surface and only lightly – eroded monzonite. The exploration potential for alkalic-porphyry related copper-gold mineralization on the CDL property is significantly increased under this model. This concept is speculative and additional work is required to define the relationship between rock units. In addition, there is potential for additional skarn and distal vein mineralization related to the intrusive complex.

RECOMMENDATIONS

To date, the CDL property has been investigated during intermittent, short field programs.

The primary focus of further work should be on the intrusive body underlying the southern third of the claims, which is highly magnetic and highly potassic, as seen in airborne geophysical surveys (Kreft, 2015). This area is thought to have the highest potential for an alkalic copper-gold porphyry system.

A camp could be located in or near the southern area of the claims. From this base, reports of limestone, skarn mineralization and copper-rich rocks could be verified and re-interpreted in light of current detailed airborne geophysical survey information and petrographic analysis. Some of the stronger biogeochemical anomalies in this area reported by Kreft (2013) could be prospected and sampled. The existing historical cutline could be cleared and extended one km north to provide for better access through the dense vegetation. Specialized soil geochemical analytical techniques are recommended for the CDL project area to test their effectiveness in penetrating the till blanket. Thin section analysis and age dating is recommended to clarify the distribution of rock units.

The limestone at the north end of the claims should be further examined for large-scale skarn mineralization.

REFERENCES

- Aurora Geosciences Ltd. and Bruce, J.O., 2017b. Reprocessing of Yukon magnetic data for NTS 115I. Yukon Geological Survey, Open File 2017-38, scale 1:250,000.
- Bordet, E., Crowley, J.L. and Piercey, S.J., 2019. Geology of the eastern Lake Laberge area (105E), south-central Yukon. Yukon Geological Survey, Open File 2019-1, 120 p.
- Bostock, H.S. and Lees, E.J., 1938. Geological Survey Memoir 217, Laberge Map-Area, Yukon. Geological Survey of Canada.
- Colpron, M. and Friedman, R.M., 2008. U-Pb zircon ages for the Nordenskiöld formation (Laberge Group) and Cretaceous intrusive rocks, Whitehorse trough, Yukon. In: Yukon Exploration and Geology, 2007, pp. 139-151.
- Colpron, M. (comp.), 2011. Geological compilation of Whitehorse trough - Whitehorse (105D), Lake Laberge (105E), and part of Carmacks (115I), Glenlyon (105L), Aishihik Lake (115H), Quiet Lake (105F) and Teslin (105C) (1:250 000 scale). Yukon Geological Survey, Geoscience Map 2011-1, 3 maps, legend and appendices.
- Hart, C.J.R., 1997. Geology and geochemistry of the Teslin Crossing Pluton: A gold-rich alkalic porphyry target. In: Yukon Exploration and Geology 1996, Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, p. 131- 137.
- Keyser, H.J., 2002. Report on the 2001 Geochemical Work on the Mars Property. Yukon Assessment Report #094290.
- Kiss, F. and Boulanger, O., 2018. First vertical derivative of the magnetic field, aeromagnetic survey of the Marsh Lake area, Yukon, Part of NTS 105-E/South; Geological Survey of Canada, Open File 8421; Yukon Geological Survey Open File 2018-12, Scale 1:100 000.
- Klassen, R.W. and Morison, S.R., 1987. Surficial Geology, Laberge, Yukon Territory; Geological Survey of Canada, Map 8- 1985, scale 1:250,000.
- Kreft, B., 2013. Geochemical Report on The APCAR Project. YMEP report 2013- 042.
- Kreft, B., 2015. Airborne Survey Interpretation 2014 APCAR Focused Regional Project. YMEP report 2014- 022.
- Lang, J.R. and McClaren, M., 2004. The Mars alkalic Cu-Au property, Laberge map area (105E/7), Yukon Territory, Canada: geology, alteration, mineralization – diamond drilling. Yukon Assessment Report #094480.
- Lang, J.R., and McClaren, M., 2004. Hydrothermal alteration, mineralization and exploration potential of the Mars alkalic copper-gold-molybdenum porphyry occurrence, Laberge map area (105E/7), Yukon. In: Yukon Exploration and Geology, 2004, pp. 261- 270.
- Ouellette, D., 1997. Geological and geochemical work on the JAVA Property. Yukon Assessment Report #093834.
- Ouellette, D., 2000. Report - Geological and geochemical work on the Java Property. Yukon Assessment Report #094282.
- Ouellette, D., 2010. 2010 Report on the airborne geophysical survey of the Java Property. Yukon Assessment Report #095299.

- Pangman, P.G. and VanTassell, R.E., 1972. Geological and geochemical report on the TUV 1-24 claims, Assessment Report #060152.
- Poulton, T.P. and Tipper, H.W., 1991. Aalenian ammonites and strata of western Canada. Geological Survey of Canada, Bulletin 411, 71 p.
- Sack, P.J., Colpron, M., Crowley, J.L., Ryan, J.J., Allan, M.M., Beranek, L.P. and Joyce, N.L., 2020. Atlas of Late Triassic to Jurassic plutons in the Intermontane terranes of Yukon. Yukon Geological Survey, Open File 2020-1, 365 p.
- Smith, C.A.S., Meikle, J.C. & Roots, C.F. (editors), 2004. Ecoregions of the Yukon Territory: Biophysical properties of Yukon landscapes.
- Tempelman-Kluit, D.J., 1984. Geology, Laberge (105E) and Carmacks (115I), Yukon Territory. Geological Survey of Canada, Open File 1101, 10 pages and two maps, scale 1:250 000.
- Tempelman-Kluit, D.J., 2009. Geology of Carmacks and Laberge map areas, central Yukon: Incomplete draft manuscript on stratigraphy, structure and its early interpretation (ca. 1986). Geological Survey of Canada, Open File 5982, 399 p.
- Walton, L., 1996. Geological, geophysical and geochemical work on the Mars property, Yukon Assessment Report #093656.
- Wark, M., 1997. Geophysical surveys on the Mars property, Yukon Assessment Report #093874.

STATEMENT OF QUALIFICATIONS

I, Lori Walton, of Edmonton, Alberta hereby certify that:

I am a graduate of the University of Alberta in 1987 with an M.Sc. degree in Economic Geology.

I have worked in Yukon and various other provinces, territories, and countries as a geologist since 1987.

I am a member in good standing of the Association of Professional Engineers and Geoscientists of Alberta, Registration No. 82840

I am the author of this assessment report on the CDL project located in the Whitehorse Mining District, Yukon.

Lori Walton, P. Geo.

i

STATEMENT OF EXPENDITURES

CDL Group of Claims (CDL 1-36, YD132137 - YD132172)

Fieldwork September 1-6, 2019

Labour

W. Mann (geologist) 9.25 days @ \$500/day	\$ 4,625.00
L. Walton (geologist) 6.0 days @ \$500/day	\$ 3,000.00
C. Ouellette (technician) 6.0 days @ \$350/day	<u>\$ 2,100.00</u>
	\$ 9,725.00

Expenses

Camp room and board 18 days @\$100/day	\$ 1,800.00
Niton Probe 6 days @\$110/day	\$ 660.00
Capital Helicopters – mobilization to camp	\$ 1,976.00
Capital Helicopters – demobilization	\$ 1,756.44
Bureau Veritas - soil geochemistry	\$ 2,719.19
Bureau Veritas - rock geochemistry	\$ 240.51
Thin Section preparation and analysis (Van Petro Ltd., T. Liverton)	\$ 2,511.50
Report writing	<u>\$ 2,740.00</u>
	\$14,403.64

Total Expenditures	\$24,128.64
--------------------	-------------

Joni Walton
May 27
2020

APPENDIX A

2019 SOIL SAMPLES COLLECTED FROM THE CDL PROJECT

SampleNo	Longitude	Latitude	Depth_cm	Description_soil
1961053	505129	6808540	20	dk red-brown, good sample, a base of 3m rusty (hornfels?) cliff. Sandy soil w/ angular rock. Area generally has thick moss, outcrop very rare.
1961054	505209	6806709	25	orange-brown, good sample, silty on steep slope proximal to OC37 - crystal tuff.
1961055	505267	6806699	30	lt brown, good sample, silty with angular rock chips. steep bank. Proximal to OC28 - crystal bomb tuff.
1961056	505881	6806076	25	orange-brown, good sample, Silty. Area has angular cobbles monzonite with rusty fractures, at surface.
1961151	504844	6807201	35	grey-green and red/brown, silt-sand, minimal pebbles
1961152	504699	6807200	45	grey-brown, abundant gravels, some angular
1961153	504804	6607209	45	dk grey-brown/black, poor quality silt-sand mixed with cobbles
1961154	504887	6807260	25	light red-brown, dry, silt-sand, no pebbles
1961155	504978	6807234	30	light brown, dry, silt-sand mixed with abundant pebbles
1961156	505019	6807183	?	light brown-grey sand, some red, silt sand mixed with cobbles
1961157	504608	6808505	40	taken in creek bed, wet soil, dk brown/black
1961158	504649	6808505	35	med brown coarse sand mixed with abundant pebbles
1961159	504702	6808500	30	med brown, moist, some cobbles
1961160	504799	6808502	30	wet, muddy, dark grey-brown
1961161	504851	6808505	40	med brown-grey, silt sand, cobbles
1961162	504900	6808500	45	med brown-grey, coarse sand, abundant pebbles
1961163	504952	6808501	40	med brown, small amounts of orange, silt-sand, wet, some pebbles
1961164	505000	6808504	35	very coarse, abundant pebbles and rocks, not good sample
1961165	505100	6808500	35	yellow-brown to red-brown, silt-sand, abundant pebbles and cobbles
1961166	505150	6808501	40	grey-brown, very coarse, abundant pebbles
1961167	505197	6808500	35	medium-brown, coarse sand, abundant pebbles
1961168	505251	6808502	55	dk brown/black, wet-silty sand, dry creek bed
1961169	505298	6808505	40	dk brown, moist, abundant pebbles and cobbles, coarse sand
1961170	505350	6808501	30	lt brown mixed with dk brown, mud-like texture, silt-sand
1961171	505401	6808505	35	thin grey brown muddy layers above permafrost, not good sample
1961172	505450	6808500	40	grey-brown, silt-sand, wet
1961173	505505	6808497	25	wet sand silt, no pebbles
1961174	505553	6808500	30	yellow-brown with small amount of red-brown, dry silt-sand, no pebbles
1961175	505600	6808501	30	yellow-brown/light brown, moist sand-silt, no pebbles
1961176	505655	6808505	25	yellow-brown with small green spots, moist sand-silt
1961177	505698	6808505	?	yellow-brown, wet silt sand, some pebbles
1961178	505750	6808498	25	yellow-brown/red-brown, some pebbles, abundant cobbles
1961179	505800	6808498	?	dk brown and yellow-brown, dry, coarse sand
1961180	504313	6809000	25	red-brown to med brown, damp, abundant cobbles
1961181	504350	6808999	45	grey brown, under ash, sit-sand, some pebbles
1961182	504395	6809004	35	med brown/yellow brown/red brown, abundant cobbles, silt sand
1961183	504445	6808996	?	red-brown, yellow-brown, silt-sand, abundant cobbles
1961184	504495	6808997	30	bands of red-brown/yellow-brown, abundant cobbles, coarse sand
1961185	504555	6809000	40	med brown, coarse sand, abundant pebbles
1961186	504600	6809000	40	med brown, abundant cobbles, silty sand
1961187	504650	6808995	30	med brown with small red bands, silty sand, no cobbles
1961188	504700	6809001	25	yellow-brown with red blotches, silt sand, dry
1961189	504745	6809005	60	dk brown-black/mixed with red, dry creek bed, moist
1961190	504796	6808998	35	dk grey-brown, dry creek bed, wet sample
1961191	504850	6808996	30	reddish-brown, coarse sand, abundant pebbles and cobbles
1961192	504908	6809006	40	yellow-brown/red-brown, silty sand, some pebbles
1961193	504950	6809013	25	yellow-brown/reddish brown, silt-sand
1961194	504996	6809004	30	red-brown with dark red blotches, silt sand, abundant pebbles
1961195	505050	6808997	40	med brown, small amounts of red, coarse sand, abundant pebbles and cobbles
1961196	505100	6809010	30	med brown, some orange, coarse sand, abundant pebbles and cobbles
1961197	505150	6809011	60	dk brown/black, wet sample, creek bed over permafrost
1961198	505200	6808993	40	lt brown-grey, clay like silt-sand, dry
1961199	505250	6808994	35	med-brown to yellow-brown, coarse sand, some cobbles
1961200	505298	6809000	35	yellow-brown to red-brown to grey brown, coarse sand, some pebbles
1961201	505345	6809000	50	grey brown, wet sample from creek bed, abundant cobbles
1961202	504979	6806540	45	grey-brown, some orange blotches, silt-sand, some pebbles
1961203	504978	6806499	40	grey-brown, some orange specks, coarse sand, some pebbles
1961204	504976	6806449	50	grey-brown, some orange blotches, abundant pebbles, coarse sand
1961205	504978	6806400	50	grey-brown, some orange blotches, coarse sand
1961206	504977	6806352	40	grey-brown, black, coarse sand, sample taken from under cobble
1961207	504978	6806300	40	grey brown, coarse sand, abundant pebbles
1961208	504980	6806240	60	dk red-dk brown to grey-brown, silt sand, some pebbles
1961209	505038	6805387	40	grey-brown, coarse sand, abundant pebbles
1961210	505114	6804159	25	tan-brown, coarse sand, abundant pebbles
1961211	505110	6804284	80	brick red to yellow-red/med brown, silt sand, some pebbles
1961212	505092	6804385	40	brick red to yellow brown, sand silt, some pebbles, dry
1961213	505085	6804513	40	red-brown, light brown, silt sand, some pebbles
1961214	505084	6804635	25	red-brown, coarse sand, abundant pebbles
1961215	505081	6804742	?	tan-brown/red-brown, coarse sand, abundant pebbles
1961216	505070	6804856	40	grey brown, coarse sand, abundant pebbles, damp
1961217	505052	6805092	30	tan-brown to red-brown, coarse sand, abundant pebbles and cobbles
1961218	505048	6805219	50	tan brown, some orange/red streaks, silt sand, abundant pebbles

2019 SOIL SAMPLES COLLECTED FROM THE CDL PROJECT

1961219	505040	6805349	45	grey brown with green blotches, silt sand, some pebbles
1961220	505032	6805514	40	grey brown with green, red, orange blotches, sand-silt, some pebbles, damp
1961228	504700	6805014	30	Yellow/red-brown, red layer, abundant pebbles, dry
1961229	504691	6805049	25	med brown, some yellow, abundant pebbles and cobbles, coarse sand
1961230	504699	6805104	30	med brown/red brown/grey brown, coarse sand, abundant pebbles and cobbles
1961231	504700	6805206	30	lt grey-brown, some red mixed in, silt-sand, some pebbles
1961232	504702	6805281	30	brick red/some yellow, silt-sand, some pebbles, sample taken at base of outcrop
1961233	504709	6805300	40	med brown/some reds and yellows, coarse sand, abundant pebbles, base of outcrop
1961234	504704	6805401	40	med brown mixed with red/some yellow
1961235	504696	6805501	40	brick-red mixed with yellow-brown, salt-sand, few pebbles
1961236	504712	6805600	60	grey-brown/some red, sample under heavy moss, silt-sand, some pebbles
1961237	504719	6805755	60	lt yellow-brown, coarse sand, abundant pebbles
1961238	504697	6805805	50	yellow-brown/some red-brown, coarse sand, abundant pebbles and cobbles
1961239	504697	6805919	50	brick-red/yellow-brown, coarse sand, abundant pebbles, dry
1961240	504701	6806140	35	med brown, some red-brown, coarse sand, abundant pebbles and cobbles
1961241	504700	6806180	35	med brown to yellow brown, coarse sand, abundant cobbles and pebbles
1961242	504704	6806290	60	grey brown, dark brown bands, orange dots, silt sand
1961243	504700	6806400	60	grey brown, some yellow, coarse sand, damp, some pebbles
1961244	504715	6806497	40	grey brown, damp, coarse sand, abundant pebbles
72910	505340	6807753	?	near surface, lapilli tuff outcrop



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St. Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Submitted By: Bill Mann
Receiving Lab: Canada-Whitehorse
Received: September 09, 2019
Report Date: September 27, 2019
Page: 1 of 5

CERTIFICATE OF ANALYSIS

WHI19000534.1

CLIENT JOB INFORMATION

Project: CDL
Shipment ID:
P.O. Number
Number of Samples: 94

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
DY060	94	Dry at 60C			WHI
SS80	94	Dry at 60C sieve 100g to -80 mesh			WHI
AQ201	94	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
DISPL	94	Disposal of pulps			VAN
SHP01	94	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Bill Mann
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1
Canada

CC: Lori Walton


MAY LAI
Data Validation Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Bill Mann

19 Hayes Cres.

Whitehorse Yukon Y1A 0E1 Canada

Project:

CDL

Report Date:

September 27, 2019

Page:

2 of 5

Part:

2 of 2

CERTIFICATE OF ANALYSIS

WHI19000534.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1961053	Soil	9	0.13	39	0.012	<1	0.33	0.010	0.04	34.1	0.06	1.9	0.1	0.26	6	6.4	0.3
1961054	Soil	34	0.52	175	0.033	1	1.77	0.017	0.16	0.1	<0.01	7.8	0.2	0.06	5	<0.5	<0.2
1961055	Soil	38	0.74	93	0.076	3	2.77	0.068	0.18	0.3	0.01	7.1	0.7	0.07	9	3.3	<0.2
1961056	Soil	27	0.36	199	0.049	1	1.63	0.012	0.07	0.2	<0.01	2.5	<0.1	<0.05	6	<0.5	<0.2
1961057	Soil	35	0.53	218	0.060	<1	1.27	0.015	0.07	0.2	0.02	4.9	0.1	<0.05	4	<0.5	<0.2
1961151	Soil	33	0.48	181	0.058	<1	1.56	0.010	0.05	0.2	<0.01	3.1	0.2	<0.05	5	<0.5	<0.2
1961152	Soil	33	0.57	169	0.060	2	2.02	0.014	0.09	0.2	0.01	4.6	0.3	<0.05	5	<0.5	<0.2
1961153	Soil	35	0.63	140	0.065	<1	1.89	0.038	0.09	0.2	0.04	6.0	0.3	0.08	6	1.7	<0.2
1961154	Soil	32	0.49	167	0.064	1	1.65	0.011	0.06	0.2	<0.01	3.6	0.2	<0.05	5	<0.5	<0.2
1961155	Soil	31	0.50	236	0.034	1	1.80	0.015	0.06	0.2	<0.01	3.8	0.3	<0.05	5	<0.5	<0.2
1961156	Soil	36	0.50	141	0.028	2	1.87	0.013	0.06	0.2	0.01	5.0	0.2	<0.05	5	0.6	<0.2
1961157	Soil	27	0.44	185	0.040	2	1.38	0.025	0.07	0.2	0.03	4.1	0.2	0.05	4	1.0	<0.2
1961158	Soil	35	0.64	243	0.051	2	1.64	0.022	0.08	0.2	0.03	6.4	0.2	<0.05	5	<0.5	<0.2
1961159	Soil	30	0.58	156	0.043	2	1.42	0.019	0.07	0.2	<0.01	4.0	0.2	<0.05	5	<0.5	<0.2
1961160	Soil	39	0.58	319	0.048	2	1.64	0.015	0.07	0.2	0.05	6.2	0.2	<0.05	5	<0.5	<0.2
1961161	Soil	36	0.63	200	0.036	2	1.79	0.017	0.07	0.2	0.01	5.2	0.3	<0.05	5	0.5	<0.2
1961162	Soil	35	0.53	179	0.079	<1	1.75	0.036	0.06	0.2	<0.01	4.9	0.3	<0.05	7	0.5	<0.2
1961163	Soil	36	0.60	240	0.048	2	1.79	0.019	0.09	0.2	0.02	6.0	0.2	<0.05	6	<0.5	<0.2
1961164	Soil	34	0.62	226	0.046	2	1.86	0.019	0.07	0.2	0.02	4.7	0.3	<0.05	5	<0.5	<0.2
1961165	Soil	30	0.46	248	0.039	1	1.65	0.013	0.04	0.2	0.01	4.2	0.2	<0.05	5	<0.5	<0.2
1961166	Soil	27	0.43	205	0.034	<1	1.27	0.021	0.07	0.2	0.02	4.2	0.2	<0.05	4	<0.5	<0.2
1961167	Soil	31	0.49	134	0.053	2	1.41	0.020	0.07	0.5	0.02	4.3	0.2	<0.05	5	0.6	<0.2
1961168	Soil	34	0.56	281	0.033	2	1.34	0.018	0.06	0.2	0.05	5.6	0.2	0.09	4	0.7	<0.2
1961169	Soil	31	0.52	167	0.049	2	1.14	0.020	0.07	0.2	0.02	4.9	0.2	<0.05	4	<0.5	<0.2
1961170	Soil	39	0.63	219	0.062	2	1.39	0.018	0.07	0.2	0.05	6.1	0.2	<0.05	5	<0.5	<0.2
1961171	Soil	30	0.43	166	0.050	<1	1.17	0.018	0.05	0.2	0.04	3.7	0.1	<0.05	4	<0.5	<0.2
1961172	Soil	33	0.46	166	0.056	<1	1.23	0.015	0.05	0.2	0.03	3.4	0.1	<0.05	4	<0.5	<0.2
1961173	Soil	34	0.51	111	0.066	<1	1.49	0.010	0.04	0.3	0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
1961174	Soil	39	0.62	209	0.060	<1	1.94	0.012	0.06	0.2	0.02	4.2	0.2	<0.05	5	<0.5	<0.2
1961175	Soil	38	0.66	132	0.066	<1	1.43	0.010	0.05	0.2	<0.01	3.5	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Bill Mann

19 Hayes Cres.

Whitehorse Yukon Y1A 0E1 Canada

Project:

CDL

Report Date:

September 27, 2019

Page:

3 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000534.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te
					ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1961176	Soil	39	0.59	152	0.066	1	1.68	0.011	0.05	0.2	<0.01	3.9	0.1	<0.05	5	<0.5	<0.2			
1961177	Soil	33	0.50	171	0.060	<1	1.35	0.011	0.03	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2			
1961178	Soil	31	0.55	112	0.067	1	1.28	0.010	0.08	0.4	0.02	3.2	0.1	<0.05	5	<0.5	<0.2			
1961179	Soil	36	0.52	208	0.062	1	1.03	0.027	0.04	0.2	0.01	4.0	<0.1	<0.05	4	<0.5	<0.2			
1961180	Soil	32	0.61	201	0.040	<1	1.44	0.015	0.06	0.2	0.01	4.9	0.2	0.06	5	<0.5	<0.2			
1961181	Soil	38	0.61	216	0.070	1	1.24	0.017	0.06	0.3	0.01	4.4	0.1	<0.05	5	<0.5	<0.2			
1961182	Soil	35	0.52	248	0.055	<1	1.61	0.012	0.05	0.2	0.02	5.9	0.2	<0.05	5	<0.5	<0.2			
1961183	Soil	32	0.58	194	0.040	2	1.44	0.015	0.05	0.1	<0.01	3.9	0.2	<0.05	5	<0.5	<0.2			
1961184	Soil	31	0.44	180	0.049	<1	1.59	0.012	0.05	0.2	<0.01	3.8	0.2	<0.05	6	<0.5	<0.2			
1961185	Soil	32	0.48	243	0.040	1	1.51	0.020	0.06	0.2	<0.01	4.2	0.2	<0.05	5	<0.5	<0.2			
1961186	Soil	31	0.55	221	0.055	<1	1.53	0.018	0.07	0.1	0.02	4.4	0.1	<0.05	5	0.7	<0.2			
1961187	Soil	33	0.55	110	0.074	1	1.45	0.011	0.05	0.2	0.01	3.6	0.1	<0.05	5	<0.5	<0.2			
1961188	Soil	31	0.50	180	0.066	1	1.53	0.012	0.05	0.2	<0.01	3.1	0.1	<0.05	6	<0.5	<0.2			
1961189	Soil	30	0.51	223	0.041	3	1.13	0.016	0.05	0.2	0.04	3.9	0.1	0.09	4	0.6	<0.2			
1961190	Soil	34	0.53	200	0.063	1	1.14	0.017	0.05	0.2	0.02	4.8	<0.1	0.06	4	<0.5	<0.2			
1961191	Soil	32	0.55	155	0.039	4	1.46	0.011	0.06	0.1	<0.01	3.8	0.2	<0.05	5	<0.5	<0.2			
1961192	Soil	40	0.61	149	0.076	2	1.54	0.013	0.07	0.2	0.01	3.7	0.1	<0.05	5	<0.5	<0.2			
1961193	Soil	37	0.59	127	0.064	2	1.49	0.011	0.05	0.2	0.02	3.7	0.1	<0.05	5	<0.5	<0.2			
1961194	Soil	30	0.51	210	0.020	1	1.71	0.013	0.05	0.1	0.02	5.0	0.3	<0.05	5	<0.5	<0.2			
1961195	Soil	29	0.51	161	0.041	2	1.41	0.012	0.06	0.2	<0.01	3.8	0.2	0.07	5	<0.5	<0.2			
1961196	Soil	34	0.61	227	0.037	2	1.47	0.022	0.07	0.2	0.05	7.7	0.2	<0.05	4	<0.5	<0.2			
1961197	Soil	12	0.21	192	0.021	2	0.64	0.029	0.02	<0.1	0.02	1.5	<0.1	0.16	2	0.8	<0.2			
1961198	Soil	33	0.54	147	0.076	2	0.95	0.018	0.05	0.2	0.01	3.8	<0.1	<0.05	4	<0.5	<0.2			
1961199	Soil	27	0.41	185	0.040	<1	1.08	0.014	0.05	0.1	0.02	5.2	0.1	<0.05	4	<0.5	<0.2			
1961200	Soil	36	0.57	180	0.061	2	1.69	0.012	0.06	0.2	<0.01	3.9	0.2	0.05	5	<0.5	<0.2			
1961201	Soil	18	0.32	123	0.035	2	0.87	0.029	0.05	0.1	0.01	3.4	0.1	0.07	3	<0.5	<0.2			
1961202	Soil	34	0.53	232	0.057	3	1.33	0.019	0.07	0.2	0.03	5.3	0.1	0.07	5	0.6	<0.2			
1961203	Soil	44	0.77	221	0.070	4	2.09	0.022	0.12	0.2	0.03	9.5	0.3	0.10	6	<0.5	<0.2			
1961204	Soil	30	0.58	155	0.041	1	1.43	0.020	0.08	0.1	0.02	5.0	0.2	<0.05	4	<0.5	<0.2			
1961205	Soil	35	0.67	198	0.042	1	1.55	0.020	0.09	0.2	0.01	5.1	0.2	<0.05	5	<0.5	<0.2			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Bill Mann

19 Hayes Cres.

Whitehorse Yukon Y1A 0E1 Canada

Project:

CDL

Report Date:

September 27, 2019

Page:

4 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000534.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1961206	Soil				31	0.64	123	0.049	3	1.17	0.030	0.10	0.2	0.03	5.6	0.2	0.09	4	<0.5	<0.2
1961207	Soil				30	0.60	163	0.049	2	1.41	0.034	0.10	0.2	0.02	6.2	0.2	0.08	4	<0.5	<0.2
1961208	Soil				25	0.39	325	0.017	3	1.17	0.021	0.05	0.1	0.04	3.3	0.1	0.16	3	2.2	<0.2
1961209	Soil				31	0.54	167	0.054	5	1.17	0.019	0.08	0.2	0.03	5.0	<0.1	0.10	4	<0.5	<0.2
1961210	Soil				29	0.41	118	0.078	3	1.03	0.014	0.12	0.1	<0.01	3.6	<0.1	<0.05	3	<0.5	<0.2
1961211	Soil				33	0.41	164	0.074	2	1.24	0.017	0.13	0.2	<0.01	4.1	0.1	<0.05	4	<0.5	<0.2
1961212	Soil				35	0.50	145	0.056	3	1.22	0.013	0.08	0.2	0.01	6.3	0.1	<0.05	4	0.6	<0.2
1961213	Soil				31	0.39	148	0.051	2	1.07	0.011	0.05	0.2	0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
1961214	Soil				33	0.42	130	0.047	2	1.18	0.013	0.05	0.2	0.01	4.5	0.1	<0.05	4	0.7	<0.2
1961215	Soil				34	0.49	134	0.058	2	1.27	0.015	0.07	0.2	0.01	5.1	0.1	<0.05	4	<0.5	<0.2
1961216	Soil				29	0.58	128	0.040	5	0.95	0.021	0.08	0.2	0.03	6.0	0.2	0.06	4	0.6	<0.2
1961217	Soil				30	0.46	109	0.067	2	0.94	0.015	0.07	0.2	<0.01	3.4	<0.1	<0.05	3	<0.5	<0.2
1961218	Soil				31	0.50	145	0.060	2	1.10	0.015	0.06	0.2	0.03	4.7	<0.1	<0.05	4	0.5	<0.2
1961219	Soil				38	0.66	163	0.075	2	1.26	0.021	0.08	0.3	0.02	4.9	<0.1	<0.05	4	<0.5	<0.2
1961220	Soil				38	0.74	152	0.069	4	1.36	0.022	0.10	0.2	0.02	6.1	0.1	0.06	4	0.8	<0.2
1961221	Soil				29	0.50	133	0.046	4	1.08	0.018	0.08	0.2	0.02	5.2	0.2	0.05	4	0.6	<0.2
1961228	Soil				34	0.61	126	0.071	2	1.33	0.016	0.08	0.2	<0.01	4.9	0.1	<0.05	5	<0.5	<0.2
1961229	Soil				32	0.52	148	0.022	3	1.54	0.014	0.06	0.1	0.02	5.9	0.2	<0.05	5	0.6	<0.2
1961230	Soil				30	0.45	140	0.044	3	1.16	0.018	0.06	0.1	0.02	5.5	0.1	0.05	4	0.7	<0.2
1961231	Soil				33	0.49	207	0.062	2	1.28	0.017	0.07	0.2	0.01	3.8	0.1	0.07	5	<0.5	<0.2
1961232	Soil				34	0.45	132	0.071	3	1.46	0.014	0.11	0.2	<0.01	3.4	0.1	0.06	5	<0.5	<0.2
1961233	Soil				33	0.47	166	0.058	3	1.33	0.013	0.15	0.2	<0.01	3.5	0.1	<0.05	5	<0.5	<0.2
1961234	Soil				28	0.44	136	0.038	2	1.14	0.015	0.08	0.1	<0.01	3.3	0.1	<0.05	5	<0.5	<0.2
1961235	Soil				33	0.52	158	0.068	1	1.53	0.011	0.08	0.2	<0.01	3.7	0.1	0.06	5	<0.5	<0.2
1961236	Soil				35	0.60	190	0.069	2	1.37	0.016	0.07	0.3	0.01	5.5	0.1	0.08	5	<0.5	<0.2
1961237	Soil				38	0.53	206	0.067	1	1.32	0.017	0.08	0.2	0.01	5.2	<0.1	0.07	5	<0.5	<0.2
1961238	Soil				35	0.54	230	0.032	2	1.36	0.022	0.08	0.2	0.02	8.0	0.2	0.08	4	0.6	<0.2
1961239	Soil				35	0.51	189	0.041	1	1.55	0.011	0.09	0.2	<0.01	4.1	0.1	0.06	6	<0.5	<0.2
1961240	Soil				31	0.46	169	0.028	3	1.48	0.014	0.05	0.2	<0.01	5.0	0.2	<0.05	6	<0.5	<0.2
1961241	Soil				31	0.50	217	0.035	2	1.48	0.013	0.04	0.2	<0.01	3.7	0.2	<0.05	5	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: CDL
Report Date: September 27, 2019

Page: 5 of 5

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000534.1

Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
				Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga
				ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm
				1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1
1961242	Soil			42	0.49	349	0.047	2	1.56	0.020	0.05	0.2	0.03	6.2	<0.1	0.10	5
1961243	Soil			33	0.56	188	0.051	1	1.38	0.015	0.06	0.2	0.02	4.6	0.2	0.06	5
1961244	Soil			39	0.66	259	0.042	2	1.58	0.029	0.08	0.2	0.04	8.7	0.2	0.05	5
72910	Soil			15	0.43	96	0.038	2	3.05	0.019	0.12	<0.1	0.01	5.8	0.1	<0.05	8



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: CDL
Report Date: September 27, 2019

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI19000534.1

Method Analyte Unit MDL	AQ201															
	Cr ppm 1	Mg % 0.01	Ba ppm 1	Ti % 0.001	B ppm 1	Al % 0.01	Na % 0.001	K % 0.01	W ppm 0.1	Hg ppm 0.01	Sc ppm 0.1	Tl ppm 0.1	S % 0.05	Ga ppm 1	Se ppm 0.5	Te ppm 0.2
Pulp Duplicates																
1961055 Soil	38	0.74	93	0.076	3	2.77	0.068	0.18	0.3	0.01	7.1	0.7	0.07	9	3.3	<0.2
REP 1961055 QC	36	0.71	91	0.076	3	2.60	0.063	0.18	0.3	0.02	6.7	0.7	0.07	9	2.9	<0.2
1961164 Soil	34	0.62	226	0.046	2	1.86	0.019	0.07	0.2	0.02	4.7	0.3	<0.05	5	<0.5	<0.2
REP 1961164 QC	34	0.59	227	0.050	2	1.82	0.022	0.07	0.2	0.02	5.1	0.3	<0.05	6	<0.5	<0.2
1961200 Soil	36	0.57	180	0.061	2	1.69	0.012	0.06	0.2	<0.01	3.9	0.2	0.05	5	<0.5	<0.2
REP 1961200 QC	35	0.55	182	0.064	1	1.62	0.010	0.07	0.2	0.01	3.7	0.1	<0.05	5	<0.5	<0.2
1961236 Soil	35	0.60	190	0.069	2	1.37	0.016	0.07	0.3	0.01	5.5	0.1	0.08	5	<0.5	<0.2
REP 1961236 QC	35	0.59	202	0.069	2	1.39	0.016	0.07	0.3	0.01	5.1	0.1	0.06	5	<0.5	<0.2
72910 Soil	15	0.43	96	0.038	2	3.05	0.019	0.12	<0.1	0.01	5.8	0.1	<0.05	8	<0.5	<0.2
REP 72910 QC	16	0.47	102	0.040	3	3.05	0.021	0.13	<0.1	0.02	6.6	0.1	<0.05	8	<0.5	<0.2
Reference Materials																
STD BVGEO01 Standard	182	1.27	260	0.220	2	2.14	0.197	0.84	5.3	0.10	6.0	0.6	0.68	8	5.1	1.1
STD DS11 Standard	58	0.84	402	0.096	7	1.20	0.078	0.43	3.2	0.27	3.5	4.9	0.35	5	1.7	4.7
STD DS11 Standard	61	0.83	378	0.091	9	1.11	0.080	0.38	3.4	0.27	3.8	5.0	0.33	5	2.9	4.7
STD DS11 Standard	61	0.91	372	0.095	5	1.20	0.078	0.40	2.8	0.26	3.7	5.1	0.26	5	2.6	4.4
STD DS11 Standard	57	0.83	380	0.095	7	1.15	0.073	0.40	3.2	0.25	3.5	5.1	0.24	5	2.1	4.8
STD OREAS262 Standard	44	1.25	244	0.003	3	1.36	0.067	0.31	0.2	0.16	3.2	0.4	0.33	4	<0.5	0.2
STD OREAS262 Standard	43	1.12	246	0.003	4	1.16	0.065	0.30	0.2	0.14	3.6	0.5	0.31	4	<0.5	<0.2
STD OREAS262 Standard	40	1.17	234	0.002	2	1.22	0.069	0.31	0.2	0.16	3.1	0.4	0.31	4	<0.5	0.3
STD OREAS262 Standard	43	1.07	257	0.003	5	1.26	0.063	0.28	0.2	0.16	3.7	0.5	0.22	4	<0.5	0.2
STD OREAS262 Standard	43	1.16	259	0.002	3	1.31	0.068	0.32	0.3	0.15	3.4	0.5	0.25	4	<0.5	0.2
STD BVGEO01 Expected	187	1.2963	260	0.233	3.8	2.347	0.1924	0.89	5.3	0.1	5.97	0.62	0.6655	7.37	4.84	1.02
STD DS11 Expected	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56
STD OREAS262 Expected	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	3.73	0.4	0.23
BLK Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK Blank	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.05	<1	<0.5	<0.2
BLK Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Bill Mann

19 Hayes Cres.

Whitehorse Yukon Y1A 0E1 Canada

Project:

CDL

Report Date:

September 27, 2019

Page:

2 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI19000534.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
		ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
BLK	Blank	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5

APPENDIX B



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada
PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Submitted By: Bill Mann
Receiving Lab: Canada-Whitehorse
Received: September 09, 2019
Report Date: September 27, 2019
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI19000535.1

CLIENT JOB INFORMATION

Project: CDL
Shipment ID:
P.O. Number
Number of Samples: 7

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 60 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.


SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	7	Crush, split and pulverize 250 g rock to 200 mesh			WHI
AQ201	7	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	7	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS

Invoice To: Bill Mann
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1
Canada

CC: Lori Walton


KERRY JAY
Gracem Project Specialist

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted. *** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: CDL
Report Date: September 27, 2019

Page: 2 of 2

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI19000535.1

	Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201		
			La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Ti	S	Ga	Se	Te	
			Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
			MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
65707	Rock		7	16	0.50	28	0.075	2	0.91	0.002	0.09	5.3	<0.01	2.8	<0.1	0.06	5	2.7	0.7	
65708	Rock		21	43	1.36	233	0.213	<1	3.52	0.384	0.33	0.7	<0.01	1.8	0.4	0.34	8	<0.5	<0.2	
65709	Rock		11	7	0.28	129	0.032	4	2.96	0.066	0.13	0.6	<0.01	3.7	0.1	0.99	6	1.9	1.3	
65710	Rock		19	10	1.66	234	0.141	3	2.02	0.094	0.14	0.2	<0.01	6.3	0.1	0.06	10	<0.5	<0.2	
65711	Rock		5	33	0.80	56	0.143	<1	1.57	0.040	0.17	0.2	<0.01	9.3	<0.1	<0.05	8	1.4	<0.2	
65712	Rock		3	2	0.05	8	0.002	1	0.28	0.002	<0.01	18.7	<0.01	0.9	<0.1	0.18	10	1.8	<0.2	
72866	Rock		1	3	0.14	18	0.073	<1	1.60	0.651	0.05	0.1	<0.01	1.2	<0.1	<0.05	3	<0.5	<0.2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Bill Mann**
19 Hayes Cres.
Whitehorse Yukon Y1A 0E1 Canada

Project: CDL
Report Date: September 27, 2019

Page: 1 of 1

Part: 2 of 2

QUALITY CONTROL REPORT

WHI19000535.1

Method	Analyte	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te	
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																			
STD DS11	Standard	17	55	0.79	361	0.082	5	1.10	0.066	0.38	2.9	0.25	3.0	5.0	0.26	5	1.7	4.5	
STD OREAS262	Standard	14	38	1.08	230	0.002	2	1.12	0.065	0.28	0.2	0.14	3.0	0.4	0.24	4	0.6	<0.2	
STD DS11 Expected		18.6	61.5	0.85	385	0.0976		1.1795	0.0762	0.4	2.9	0.26	3.4	4.9	0.2835	5.1	2.2	4.56	
STD OREAS262 Expected		15.9	41.7	1.17	248	0.0027	4	1.3	0.071	0.312	0.2	0.17	3.24	0.47	0.253	3.73	0.4	0.23	
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2	
Prep Wash																			
ROCK-WHI	Prep Blank	6	3	0.47	59	0.063	<1	0.82	0.079	0.09	<0.1	<0.01	2.5	<0.1	<0.05	3	<0.5	<0.2	

APPENDIX C

XRF READING 2019 CDL PROJECT			NITON XL3T 2 SIGMA SOIL MODE								
SAMPLE	Reading No	Duration	Mo	Mo Error	Zr	Zr Error	Sr	Sr Error	U	U Error	Rb
1961151	1191	30.14	< LOD	6.41	120.19	8.46	189.49	8.19	< LOD	10.25	31.08
1961152	1192	30.13	< LOD	6.59	98.05	8.36	233.92	9.23	< LOD	11.63	31.8
1961153	1193	30.14	21.46	6.64	50.7	8.95	72.87	7.5	< LOD	13.12	9.17
1961154	1194	30.13	< LOD	6.95	128.83	9.3	179.61	8.63	< LOD	10.93	30.83
1961156	1195	30.14	< LOD	6.59	147.83	9.06	208.99	8.55	< LOD	10.92	32.55
1961155	1196	30.13	6.74	4.27	107	8.48	299.61	9.98	< LOD	11.45	34.76
OC 3	1197	30.15	< LOD	7.38	113.61	10.63	466.39	14.21	< LOD	14.93	51.43
OC 3	1198	30.12	< LOD	9.25	91.15	12.11	337.95	15.34	< LOD	15.96	38.89
OC 4	1199	30.13	< LOD	6.83	48.91	8.52	359.15	12.36	< LOD	14.39	54.7
LW HORN	1200	30.14	< LOD	10.86	462.15	21.31	295.59	15.24	< LOD	14.81	8.65
LW CHERT	1201	30.13	< LOD	8.76	112.77	13.34	589.79	19.06	< LOD	18.54	48.66
OC 5	1202	30.12	< LOD	8.33	223.95	16.48	1043.15	23.75	< LOD	19.3	52.5
OC 5	1203	30.15	< LOD	9.31	188.6	16.95	812.56	23.65	< LOD	20.43	50.19
1961053	1204	30.13	14.45	5.62	43.82	8.04	102.99	7.72	< LOD	11.6	11.49
OC 8	1205	30.12	< LOD	8.24	251.48	15.86	945.62	21.6	< LOD	19.03	48.91
OC 8	1206	30.13	< LOD	7.8	268.5	15.19	921.92	20.2	< LOD	18.11	88.87
OC 10	1207	30.13	< LOD	11.29	< LOD	11.64	8.57	4.44	< LOD	16.09	< LOD
OC 10	1208	30.15	11.94	7.92	< LOD	15.16	< LOD	5.65	< LOD	18.6	24.7
LW 01	1209	30.14	< LOD	8.13	262.63	16.9	1298.49	24.88	< LOD	19	60.05
LW 01b	1210	30.12	< LOD	9.54	257.03	18.88	1057.61	26.38	< LOD	22.89	50.87
LW 02	1211	30.13	< LOD	6.77	127.3	10.44	482.44	13.77	< LOD	14.27	58.31
1961157	1212	30.13	11.16	6.19	77.63	10.74	235.75	12.52	< LOD	14.54	17.97
1961158	1213	30.14	< LOD	6.44	113.49	8.66	274.48	9.75	< LOD	11.16	32.41
1961159	1214	30.11	< LOD	6.3	98.09	8.17	220.01	8.85	< LOD	11.01	41.05
1961160	1215	30.15	< LOD	6.58	141.14	8.91	192.05	8.23	< LOD	10.85	30.78
1961161	1216	30.07	< LOD	6.4	103.89	8.55	293.08	10.08	< LOD	11.09	31.08
1961162	1217	30.12	< LOD	6.5	104.75	8.92	361.39	11.24	< LOD	12.55	43.9
1961163	1218	30.13	< LOD	6.71	103.24	8.46	214.32	8.93	< LOD	11.09	31.57
1961164	1219	30.12	< LOD	6.15	107.86	7.94	209.29	8.23	< LOD	10.18	28.28
1961165	1220	30.13	< LOD	6.11	105.85	8.16	241.97	8.95	< LOD	9.41	25.01
1961166	1221	30.11	< LOD	6.46	107.56	8.7	253.27	9.64	< LOD	11.61	37.44
1961167	1222	30.15	< LOD	6.31	154.32	9.28	274.92	9.57	< LOD	10.47	24.11
1961168	1223	30.13	< LOD	5.44	78.13	6.1	116.9	5.56	< LOD	7.65	13.45
1961169	1224	30.12	< LOD	6.97	93.96	8.71	242.71	9.87	< LOD	11.05	25.96
1961170	1225	30.07	< LOD	6.41	131.02	8.66	209.73	8.48	< LOD	10.42	27.3
1961171	1226	30.14	< LOD	6.34	132.38	8.64	191.56	8.15	< LOD	10.55	29.5
1961172	1227	30.15	< LOD	6.05	169.99	8.61	150.78	6.81	< LOD	9.25	19.17
1961173	1228	30.07	< LOD	6.23	124	8.15	154.84	7.23	< LOD	9.6	22.07
1961174	1229	30.14	< LOD	6.45	130.26	9	258.98	9.53	< LOD	11.23	31.59
1961175	1230	30.12	< LOD	6.18	128.12	8.44	197.32	8.13	< LOD	9.98	26.97
1961176	1231	30.15	< LOD	6.55	148.91	9.21	178.69	8.15	< LOD	10.61	28.05
1961177	1232	30.15	< LOD	6.84	144.03	9.43	167.92	8.24	< LOD	11.76	27.24
1961178	1233	30.11	< LOD	6.6	175.24	9.99	252.34	9.59	< LOD	11.99	47.48
1961179	1234	30.12	< LOD	6.32	148.27	9.24	223.83	8.93	< LOD	10.79	32.79
1961180	1235	30.12	< LOD	6.48	104.71	8.46	260.41	9.55	< LOD	11.56	35.61
1961181	1236	30.09	< LOD	6.48	108.8	8.21	167.57	7.79	< LOD	9.71	29.4
1961182	1237	30.12	9.8	5.01	118.36	9.35	172.55	8.75	13.72	8.54	25.99
1961183	1238	30.14	< LOD	6.41	118.19	8.94	273.22	9.94	< LOD	11.66	38.88

XRF READING 2019 CDL PROJECT			NITON XL3T 2 SIGMA SOIL MODE								
SAMPLE	Reading No	Duration	Mo	Mo Error	Zr	Zr Error	Sr	Sr Error	U	U Error	Rb
	1287	30.42	< LOD	6.91	180.65	10.32	245.54	9.71	< LOD	11.68	39.36
	1288	30.51	< LOD	7	107.37	9.37	311.42	11.17	< LOD	12.82	33.7
	1289	30.46	< LOD	6.59	145.26	9.41	231.83	9.27	< LOD	11.85	36.06
	1290	30.52	8.44	4.64	311.74	11.89	229.58	8.95	< LOD	10.04	26.01
	1291	30.5	< LOD	6.85	296.24	11.69	214.63	8.74	< LOD	10.57	23.34
	1292	30.52	< LOD	6.07	165.19	8.64	154.96	6.98	< LOD	9.4	18.93
	1293	30.44	< LOD	6.95	217.86	10.85	196.47	8.77	< LOD	10.83	30.23
	1294	30.81	7.45	4.54	216.3	10.53	254.34	9.47	< LOD	10.84	33
	1295	30.75	< LOD	6.48	139.44	8.77	191.86	8.16	< LOD	10.41	29.38
	1296	30.4	< LOD	7.14	367.71	13.12	296.41	10.33	< LOD	11.11	31.62
	1297	30.43	10.22	5.91	54.16	9.42	156.48	9.98	< LOD	13.33	16.17
	1298	30.46	< LOD	9.23	171.02	14.83	468.32	17.92	< LOD	18.43	34.83
	1299	30.44	< LOD	7.93	130.48	12.83	673.67	18.5	< LOD	17.14	37.63
	1300	30.47	< LOD	7.78	78.02	13.93	1209.75	24.64	< LOD	17.63	29.79
	1301	180	< LOD	5.59	146.46	7.99	292.9	8.41	48.62	9.83	89.89
	1302	180	25.43	4.1	132.42	7.6	223.62	7.47	< LOD	12.6	95.94
	1303	180	< LOD	5.59	150.86	8.52	411.59	10.15	< LOD	11.99	72.6
	1304	180	< LOD	5.02	128.27	7.15	261.53	7.63	< LOD	9.52	50.02
	1305	30.44	11.06	6.11	239.92	15.6	587.19	18.35	< LOD	20.21	88.59
	1306	30.46	< LOD	8.75	258.44	17.89	1244.42	26.13	< LOD	20.54	54.18
	1307	30.49	< LOD	7.11	121.07	9.96	328.91	11.69	< LOD	16.26	110.59
	1308	30.41	< LOD	7.04	123.42	9.99	298.21	11.25	< LOD	15.79	104.94
	1309	30.52	< LOD	8.18	293.06	15.06	513.59	15.96	< LOD	16.58	66.7
	1310	180	< LOD	5.36	276.63	10.06	596.54	11.47	12.37	7.98	57.39
	1311	30.44	< LOD	8.59	279.19	15.41	506.45	16.5	< LOD	16.84	57.73
	1312	30.8	10.66	6.32	234.92	15.47	448.23	16.7	< LOD	17.64	38.71
	1313	30.5	< LOD	7.45	271.36	14.83	784.5	18.68	< LOD	15.28	41.74
	1314	30.81	< LOD	8.14	< LOD	11.88	265.26	12.82	< LOD	11.5	< LOD
65711	1315	180	6.12	3.67	96.97	6.71	191.82	6.91	< LOD	8.54	28.23
65711	1316	30.43	< LOD	6.68	78.65	7.86	184.08	8.43	< LOD	10.19	16.87
65711	1317	30.07	< LOD	7.78	75.56	9.32	210.22	10.53	< LOD	12.52	21.9
65711	1318	30.13	18.19	6.09	120.21	11.39	249.55	12.13	< LOD	15.79	46.29
65710	1319	30.14	< LOD	8.17	208.66	14.52	767.35	19.48	< LOD	17.54	38.68
CO BROWN	1320	30.13	< LOD	7.89	94.78	11.69	579.64	17.2	< LOD	15.38	39.22
CO BROWN	1321	30.14	< LOD	7.33	111.19	9.68	187.58	9.47	< LOD	18.3	112.07
CO 206	1322	30.12	< LOD	8.09	128.29	11.72	431.22	14.85	< LOD	14.75	45.38
1961202	1323	30.11	< LOD	6.2	121.84	8.29	207.51	8.27	< LOD	9.61	28.09
1961203	1324	30.13	< LOD	6.62	110.82	9.04	248.99	9.89	< LOD	11.78	38.75
1961204	1325	30.11	< LOD	6.58	151.21	9.7	268.39	9.98	< LOD	11.59	34.17
1961205	1326	30.13	< LOD	6.89	102.84	9.18	311.82	11.08	< LOD	11.95	40.53
1961206	1327	30.12	< LOD	6.72	130.26	9.61	333.14	11.16	< LOD	11.63	46.04
1961207	1328	30.15	< LOD	6.67	155.31	9.69	267.94	9.9	< LOD	11.22	36.39
1961208	1329	30.14	6.89	4.11	65.8	7.07	223.95	8.46	< LOD	9.96	16.97
1961209	1330	30.07	< LOD	6.39	129.41	9.03	280.27	9.88	< LOD	10.61	33.25
1961210	1331	30.13	< LOD	6.84	169.45	10.43	297.05	10.76	< LOD	12.38	50.07
1961211	1332	30.13	< LOD	6.92	148.23	9.97	297.73	10.72	< LOD	12.33	40.95
1961212	1333	30.14	< LOD	7.04	134.31	9.6	223.8	9.56	< LOD	11.38	46.18
1961213	1334	30.12	< LOD	7.03	190.05	10.73	249.21	9.98	< LOD	12.33	38.33

XRF READING											
SAMPLE	Rb Error	Th	Th Error	Pb	Pb Error	Se	Se Error	As	As Error	Hg	Hg Error
1961151	4.09	< LOD	6.58	< LOD	8.91	< LOD	3.79	8.45	5.11	< LOD	8.83
1961152	4.35	< LOD	7.25	< LOD	9.84	< LOD	4.57	< LOD	7.99	< LOD	9.46
1961153	4.05	< LOD	11.05	< LOD	12.03	< LOD	7.41	< LOD	9.25	< LOD	18
1961154	4.4	< LOD	7.43	< LOD	10.14	< LOD	4.3	< LOD	7.61	< LOD	9.93
1961156	4.22	< LOD	6.4	< LOD	8.19	< LOD	3.76	7.23	4.69	< LOD	9.51
1961155	4.32	< LOD	7.25	11.26	6.47	< LOD	3.98	9.92	5.52	< LOD	8.94
OC 3	5.84	< LOD	8.44	11.91	7.6	< LOD	4.62	< LOD	7.96	< LOD	10.87
OC 3	6.42	< LOD	10.15	15.59	10.1	< LOD	6.63	< LOD	12.16	< LOD	15.56
OC 4	5.86	< LOD	7.98	22.97	8.63	< LOD	4.48	< LOD	10.13	< LOD	9.79
LW HORN	4.58	< LOD	12.35	< LOD	15.3	< LOD	6.29	< LOD	11.21	< LOD	16.37
LW CHERT	6.93	< LOD	10.3	< LOD	13.49	< LOD	6.31	< LOD	10.75	< LOD	14.29
OC 5	6.86	< LOD	10.41	36.91	11.47	< LOD	5.37	31	10.77	< LOD	14.5
OC 5	7.5	< LOD	12.66	29.93	12.17	< LOD	5.93	< LOD	13.49	< LOD	15.39
1961053	3.84	41.97	9.84	< LOD	13.25	8.56	4.81	16.49	7.84	< LOD	14.35
OC 8	6.52	< LOD	9.87	21.55	9.44	< LOD	4.97	< LOD	9.87	< LOD	11.89
OC 8	7.5	< LOD	9.94	< LOD	12.04	< LOD	4.87	< LOD	9.55	< LOD	11.89
OC 10	6.78	< LOD	15.54	28.5	14	< LOD	9.14	< LOD	17.14	< LOD	23.82
OC 10	7.65	566.7	44.37	< LOD	35.53	25.08	11.67	117.29	23.27	30.85	18.18
LW 01	6.81	12.09	7.33	< LOD	12.77	< LOD	5.05	< LOD	10.33	< LOD	11.44
LW 01b	7.73	< LOD	12.84	22.68	11.32	< LOD	6.21	< LOD	13.54	< LOD	13.19
LW 02	5.81	< LOD	6.87	< LOD	8.7	< LOD	4.07	< LOD	6.66	< LOD	9.54
1961157	4.85	< LOD	10.7	15.62	9.83	< LOD	6.24	< LOD	11.12	< LOD	15.49
1961158	4.25	< LOD	7.34	13.25	6.78	< LOD	4.07	< LOD	8.18	< LOD	9
1961159	4.61	< LOD	6.82	11.21	6.47	< LOD	3.54	12.12	5.78	< LOD	8.76
1961160	4.16	8.54	5.17	< LOD	9.55	< LOD	4.06	< LOD	7.71	< LOD	8.93
1961161	4.18	< LOD	6.57	< LOD	9.04	< LOD	3.67	< LOD	7.52	< LOD	8.99
1961162	4.88	< LOD	7.32	< LOD	9.17	< LOD	3.76	9.28	5.28	< LOD	8.91
1961163	4.3	< LOD	7.3	< LOD	8.93	< LOD	4.13	< LOD	7.49	< LOD	9.21
1961164	3.85	< LOD	5.96	9.13	5.92	< LOD	3.59	8.01	5.03	< LOD	8.79
1961165	3.64	< LOD	6.76	< LOD	7.79	< LOD	3.49	8.34	4.58	< LOD	9.04
1961166	4.59	< LOD	7.65	14.94	7.09	< LOD	3.82	< LOD	8.33	< LOD	8.92
1961167	3.74	8.03	5.02	11.05	6.36	< LOD	3.34	< LOD	7.53	< LOD	8.83
1961168	2.62	< LOD	5.3	8.5	5.21	< LOD	3.18	< LOD	5.49	< LOD	6.76
1961169	4.14	< LOD	7.03	< LOD	9.66	< LOD	4.11	< LOD	7.99	< LOD	9.9
1961170	3.91	< LOD	6.88	11.94	6.52	< LOD	3.88	< LOD	7.68	< LOD	8.87
1961171	4.04	< LOD	7.1	< LOD	8.49	< LOD	4.13	< LOD	6.72	< LOD	8.55
1961172	3.26	< LOD	6.62	< LOD	7.67	< LOD	3.69	< LOD	6.22	< LOD	7.69
1961173	3.54	< LOD	6.39	< LOD	9	< LOD	3.76	< LOD	6.63	< LOD	8.35
1961174	4.24	10.49	5.38	< LOD	8.95	< LOD	3.74	< LOD	7.43	< LOD	8.65
1961175	3.82	< LOD	6.85	< LOD	8.43	< LOD	3.87	< LOD	6.86	< LOD	8.27
1961176	4.07	< LOD	6.95	< LOD	9.62	< LOD	3.63	< LOD	7.52	< LOD	9.08
1961177	4.29	< LOD	7.06	< LOD	9.52	< LOD	4.31	< LOD	8.03	< LOD	9.85
1961178	5	7.93	5.27	< LOD	8.34	< LOD	4.27	11.61	5.08	< LOD	9.3
1961179	4.25	< LOD	7.4	< LOD	8.05	< LOD	3.91	13.65	5.16	< LOD	8.93
1961180	4.44	< LOD	7.38	12.33	6.7	< LOD	3.9	< LOD	8.29	< LOD	9.31
1961181	3.99	< LOD	7.36	< LOD	9.24	< LOD	4.06	< LOD	7.27	< LOD	9.03
1961182	4.5	< LOD	8.33	< LOD	10.21	< LOD	4.73	< LOD	7.83	< LOD	10.92
1961183	4.63	< LOD	7.15	15.55	7.08	< LOD	3.91	< LOD	8.31	< LOD	9.97

XRF READING											
SAMPLE	Rb Error	Th	Th Error	Pb	Pb Error	Se	Se Error	As	As Error	Hg	Hg Error
	4.75	< LOD	7.64	< LOD	9.47	< LOD	4.52	< LOD	7.45	< LOD	10.06
	4.72	< LOD	7.06	< LOD	10.22	< LOD	4.7	< LOD	8.47	< LOD	10.25
	4.58	< LOD	7.6	< LOD	9.78	< LOD	3.91	< LOD	7.87	< LOD	9.29
	3.83	< LOD	7.45	< LOD	9.29	< LOD	3.82	< LOD	7.12	< LOD	9.56
	3.79	< LOD	6.81	< LOD	8.29	< LOD	4.11	8.27	4.8	< LOD	9.57
	3.28	9.04	4.76	< LOD	8.05	< LOD	3.16	< LOD	5.99	< LOD	8.26
	4.27	< LOD	6.59	< LOD	9.36	< LOD	4.24	< LOD	7.27	< LOD	9.61
	4.25	< LOD	6.81	< LOD	8.18	< LOD	3.72	8.72	4.83	< LOD	9.48
	4.02	< LOD	6.63	10.91	6.36	< LOD	3.7	< LOD	7.42	< LOD	8.86
	4.26	< LOD	6.32	< LOD	8.79	< LOD	3.92	< LOD	7.41	< LOD	9.24
	4.6	58.85	12.04	17.81	10.46	< LOD	6.62	15.46	9	< LOD	15.14
	6.47	< LOD	9.36	< LOD	13.8	< LOD	6.38	< LOD	11.09	< LOD	15.62
	5.85	< LOD	8.83	24.41	9.71	< LOD	4.9	< LOD	11.69	< LOD	11.74
	5.47	< LOD	9.49	< LOD	11.69	< LOD	5.47	< LOD	9.86	< LOD	12.3
	5.76	36.32	6.59	33.29	7.58	< LOD	4.24	< LOD	8.86	< LOD	13.4
	5.69	49.21	7.47	48.94	8.69	< LOD	4.13	< LOD	9.74	< LOD	8.93
	5.11	13.23	5.22	16.55	6.32	< LOD	3.88	< LOD	7.07	< LOD	9.04
	4.01	< LOD	5.61	17.09	5.7	< LOD	3.19	78.17	7.81	< LOD	8.17
	8.56	30.12	10.26	67.8	14.98	9.36	4.92	< LOD	17.57	< LOD	12.57
	7.1	12.07	7.79	< LOD	13.32	< LOD	5.36	< LOD	10.2	< LOD	12.66
	7.75	13.28	6.79	19.18	8.44	< LOD	4.8	< LOD	9.03	< LOD	9.92
	7.61	18.19	7.25	17.28	8.21	< LOD	4.29	< LOD	9.44	< LOD	11.18
	6.93	< LOD	10.52	28.84	10.2	< LOD	5.23	< LOD	12.38	< LOD	11.19
	4.48	9.55	4.48	< LOD	6.95	< LOD	3.43	< LOD	5.4	< LOD	7.58
	6.83	< LOD	10.64	29.63	10.82	< LOD	6.84	< LOD	12.51	< LOD	13.35
	6.44	< LOD	12.1	27.39	11.02	< LOD	5.63	< LOD	13.98	< LOD	14.45
	5.53	< LOD	9.66	14.04	8.08	< LOD	4.32	< LOD	8.83	< LOD	11.43
	4.51	< LOD	7.67	< LOD	12.81	< LOD	6.23	< LOD	9.44	< LOD	14.19
65711	3.36	< LOD	6.35	93.69	10.48	< LOD	3.67	37.68	9.25	< LOD	8.38
65711	3.51	< LOD	6.87	< LOD	7.72	< LOD	3.73	< LOD	6.66	< LOD	9.29
65711	4.53	< LOD	8.54	< LOD	10.83	< LOD	5.46	56.56	10.08	< LOD	11.72
65711	6.39	< LOD	11.22	65.27	14.26	< LOD	5.97	23.17	12.17	< LOD	12.98
65710	5.88	< LOD	10.22	< LOD	11.86	< LOD	5.48	< LOD	9.7	< LOD	13.11
CO BROWN	5.73	< LOD	9.26	< LOD	11.83	< LOD	5.36	< LOD	9.13	< LOD	12.57
CO BROWN	8.38	19.27	7.75	20.7	9.17	< LOD	5.34	< LOD	10.39	< LOD	11.31
CO 206	5.93	< LOD	8.77	< LOD	11.64	< LOD	4.79	< LOD	9.1	< LOD	13.01
1961202	3.8	< LOD	6.47	< LOD	8.29	< LOD	3.56	< LOD	6.79	< LOD	8.48
1961203	4.78	< LOD	7.48	< LOD	8.91	< LOD	3.82	12.33	5.55	< LOD	9.21
1961204	4.48	< LOD	6.87	< LOD	8.93	< LOD	4.14	< LOD	7.45	< LOD	9.28
1961205	4.88	< LOD	6.41	12.18	7.14	< LOD	4.74	< LOD	8.57	< LOD	9.6
1961206	4.97	< LOD	7.43	14.68	7.25	< LOD	4.38	< LOD	8.48	< LOD	10.04
1961207	4.5	< LOD	6.25	11.62	6.63	< LOD	3.87	< LOD	8.11	< LOD	9.49
1961208	3.3	< LOD	6.44	< LOD	8.63	4.33	2.79	< LOD	6.82	< LOD	8
1961209	4.21	< LOD	7.21	< LOD	8.51	< LOD	4.03	9.33	4.96	< LOD	9
1961210	5.29	< LOD	8.08	11.43	6.95	< LOD	3.96	< LOD	8.48	< LOD	10.21
1961211	4.9	< LOD	7.76	16.85	7.61	< LOD	4.4	< LOD	8.44	< LOD	9.59
1961212	5.11	< LOD	7.51	< LOD	10.17	< LOD	4.48	< LOD	8.22	< LOD	9.71
1961213	4.85	< LOD	8.05	< LOD	9.46	< LOD	4.18	9.84	5.55	< LOD	10.77

XRF READING										
SAMPLE	Zn	Zn Error	W	W Error	Cu	Cu Error	Ni	Ni Error	Co	Co Error
1961151	64.86	14.67	< LOD	59.54	< LOD	26.26	< LOD	52.6	147.55	90.04
1961152	101.31	17.65	< LOD	65.74	< LOD	25.96	< LOD	53.6	171.74	95.25
1961153	194.97	32.36	< LOD	123.29	60.19	34.54	< LOD	83.39	< LOD	94.62
1961154	74.83	16.73	< LOD	69.45	42.88	21.38	< LOD	59.44	133.84	87.92
1961156	68.33	14.85	< LOD	61.83	40.79	18.67	< LOD	51.5	190.45	78.48
1961155	83.99	15.74	< LOD	60.85	37.29	17.85	< LOD	50.56	229.97	87.16
OC 3	65.74	17.31	< LOD	78.01	< LOD	32.65	< LOD	62.96	< LOD	169.04
OC 3	47.59	21.42	< LOD	113.26	< LOD	48.51	< LOD	90.74	< LOD	251.55
OC 4	44.11	14.38	< LOD	68.43	< LOD	28.12	< LOD	60.8	< LOD	120.27
LW HORN	< LOD	34.75	< LOD	115.15	< LOD	52.1	207.16	81.89	< LOD	725.76
LW CHERT	< LOD	24.6	< LOD	96.25	< LOD	44.6	< LOD	82.71	< LOD	266.24
OC 5	47.9	19.76	< LOD	101.25	58.28	28.42	< LOD	80.5	< LOD	271.73
OC 5	88.65	25.82	< LOD	102.81	< LOD	48.49	< LOD	93.76	< LOD	325.49
1961053	< LOD	24.43	< LOD	94.41	489.29	51.34	< LOD	82.56	618.9	264.21
OC 8	41.36	19.29	< LOD	77.87	< LOD	34.8	< LOD	76.06	< LOD	350.08
OC 8	23.71	13.59	< LOD	80.1	< LOD	29.69	< LOD	61.68	< LOD	134.17
OC 10	< LOD	54.39	< LOD	165.85	1394.28	114.23	< LOD	146.49	< LOD	869.25
OC 10	< LOD	48.93	< LOD	159.27	1204.15	110.83	< LOD	192.6	< LOD	1312.22
LW 01	157.09	25.29	< LOD	78.01	49.08	25	< LOD	71.95	< LOD	243.54
LW 01b	76.63	23.22	< LOD	100	< LOD	46.92	< LOD	86.04	< LOD	239.91
LW 02	< LOD	16.44	< LOD	66.14	< LOD	26.35	< LOD	54.84	< LOD	93.91
1961157	162.84	28.95	< LOD	104.68	< LOD	45.58	< LOD	80.14	< LOD	143.22
1961158	78.25	15.68	< LOD	61.26	34.94	18.24	< LOD	53.83	174.8	92
1961159	20.95	11.14	< LOD	62.41	< LOD	25.52	< LOD	54.62	196.64	88.95
1961160	34.94	12.5	< LOD	62.57	36.45	18.27	< LOD	48.22	< LOD	132.9
1961161	43.65	13.17	< LOD	62.5	< LOD	25.36	< LOD	52.16	213.93	91.8
1961162	125.6	18.74	< LOD	63.36	< LOD	26.89	< LOD	55.27	< LOD	131.58
1961163	35.44	12.93	< LOD	62.09	43.52	19.76	< LOD	55.24	< LOD	147.82
1961164	35.13	12.02	71.11	42.77	< LOD	23.76	< LOD	46.9	< LOD	117.53
1961165	52.44	13.5	< LOD	62.04	31.21	17.2	< LOD	47.17	< LOD	120.8
1961166	41.44	13.33	< LOD	65.25	42.4	19.59	< LOD	53.08	< LOD	128.51
1961167	244.77	24.32	< LOD	61.17	465.19	38.05	< LOD	48	163.23	67.61
1961168	25.59	8.94	< LOD	44.97	22.64	13.38	< LOD	39.53	80.28	43.13
1961169	26.46	12.57	< LOD	70.62	38.49	20.73	< LOD	59.15	< LOD	127.1
1961170	40.83	12.62	< LOD	60.05	27.66	17.28	< LOD	48.54	178.32	82.82
1961171	24.36	10.97	< LOD	57.92	< LOD	24.78	< LOD	50.18	115.45	76.12
1961172	19.76	9.43	< LOD	55	< LOD	21.48	< LOD	45.78	82.92	45.11
1961173	17.16	10.07	< LOD	58.3	< LOD	23.61	< LOD	51.15	187.23	75.9
1961174	48.99	13.59	< LOD	60.89	36.35	18.44	< LOD	52.28	< LOD	133.69
1961175	20.37	10.68	< LOD	58.89	29.91	17.18	< LOD	49.76	< LOD	124.32
1961176	41.05	13.18	< LOD	63.37	< LOD	27.44	77.14	40.13	158.1	93.15
1961177	30.99	12.74	< LOD	67.88	< LOD	28.74	< LOD	55.23	< LOD	119.58
1961178	62.1	14.79	< LOD	61.36	< LOD	26.55	< LOD	55.31	< LOD	136.39
1961179	28.93	11.8	< LOD	57.83	< LOD	25.97	< LOD	51.95	< LOD	134.56
1961180	67.82	15.03	< LOD	61.44	33.41	18.22	< LOD	52.75	140.74	91.55
1961181	55	13.99	< LOD	64.58	< LOD	26.56	< LOD	51.72	139.1	73.4
1961182	86.74	18.23	< LOD	72.24	42.78	22.23	< LOD	56.32	195.78	89.86
1961183	67.29	15.45	< LOD	67.97	28.01	18.39	< LOD	54.76	149.56	92.76

XRF READING										
SAMPLE	Zn	Zn Error	W	W Error	Cu	Cu Error	Ni	Ni Error	Co	Co Error
	63.46	15.46	< LOD	68.75	< LOD	26.7	< LOD	57.89	167.99	92.11
	32.52	13.66	< LOD	71.53	39.05	20.91	< LOD	60.82	< LOD	163.51
	63.27	15	< LOD	60.51	< LOD	25.59	< LOD	55.67	170.38	97.8
	28.12	11.79	< LOD	66.02	36.46	18.47	< LOD	52.81	223.07	76.95
	37.97	12.43	< LOD	62	36.03	18.56	< LOD	51.94	204.25	68.03
	73.72	13.96	< LOD	52.03	34.14	16.53	< LOD	46.67	137.58	64.33
	38.09	13.05	< LOD	65.4	< LOD	28.42	< LOD	54.96	207.36	74.25
	66.65	14.93	< LOD	67.05	50.51	19.73	< LOD	54.67	169.15	72.25
	35.72	12.24	< LOD	61.54	< LOD	25.61	< LOD	52.02	< LOD	119.91
	66.84	15.2	< LOD	67.88	65.47	21.1	< LOD	53.66	217.63	74.78
	< LOD	32.48	< LOD	105.78	663.74	62.58	< LOD	95.39	550.75	312
	41.93	20.74	< LOD	109.54	< LOD	44.33	< LOD	85.46	< LOD	268.34
	67.51	19.05	< LOD	78.16	< LOD	33.73	< LOD	70.99	< LOD	211.76
	36.69	17.21	< LOD	92.17	< LOD	34.69	< LOD	74.12	299.31	154.74
	3218.69	76.44	< LOD	124.26	24617.22	216.16	< LOD	55.96	< LOD	151.75
	274.35	25.59	< LOD	68.3	3824.64	87.79	< LOD	49.61	< LOD	144.69
	90.27	16.5	< LOD	58.59	144.8	23.35	109.38	39.07	< LOD	256.35
	121.79	16.14	< LOD	52.61	122.04	20.16	65.07	32.72	< LOD	204.01
	88.99	28.22	< LOD	91.37	1182.08	77.99	228.03	63.05	< LOD	446.06
	30.77	16.89	< LOD	91.41	< LOD	35.99	< LOD	76.6	< LOD	205.06
	88.35	18.05	< LOD	70.25	215.09	32.26	< LOD	58.61	< LOD	91.05
	92.81	18.91	< LOD	77	218.03	32.91	66.26	41.8	< LOD	112.49
	34.1	18.67	< LOD	72.95	336.15	42.2	< LOD	74.13	< LOD	339.32
	57.2	12.11	< LOD	49.17	< LOD	22.39	< LOD	47.45	< LOD	156
	< LOD	29.5	< LOD	89.31	269.62	40.96	< LOD	76.79	< LOD	369.18
	< LOD	36.95	< LOD	100.72	641.95	62.39	115.87	67.35	< LOD	498.3
	40.45	15.69	< LOD	80.45	< LOD	31.64	< LOD	64.83	< LOD	178.01
	< LOD	22	< LOD	94.37	< LOD	38.37	< LOD	74.13	< LOD	52.9
65711	269.97	22.66	< LOD	61.2	186.61	24.35	68.69	36.92	< LOD	217.87
65711	30.33	12.15	< LOD	65.3	< LOD	27.08	< LOD	53.33	< LOD	95.93
65711	53.77	19.72	< LOD	76.46	< LOD	35.37	< LOD	77.99	< LOD	328.23
65711	177.45	29.56	< LOD	87.04	119.75	33.76	< LOD	73.53	< LOD	309.21
65710	45.5	16.97	< LOD	79.2	46.16	25.39	< LOD	70.14	< LOD	194.93
CO BROWN	55.55	20.33	< LOD	86.48	< LOD	34.12	120.36	53.71	< LOD	328.83
CO BROWN	20.11	12.57	< LOD	74.92	< LOD	29.91	< LOD	57.74	< LOD	97.32
CO 206	87.91	21.57	< LOD	86.5	< LOD	31.96	< LOD	76.58	< LOD	269.93
1961202	70.57	14.57	< LOD	55.99	40.81	17.75	< LOD	48.09	181.97	87.21
1961203	78.02	16.91	< LOD	66	43.71	20.81	< LOD	62.16	203.86	113.5
1961204	53.45	14.33	< LOD	67.55	28.36	18.72	< LOD	54.28	191.35	79.43
1961205	43.27	14.3	< LOD	69.3	< LOD	29.32	< LOD	60.63	< LOD	158.16
1961206	72.04	16.21	< LOD	68.49	41.21	19.98	< LOD	59.3	174.73	103.24
1961207	61.31	14.89	< LOD	69.57	33.69	18.97	< LOD	53.76	162.66	74.8
1961208	37.63	11.79	< LOD	55.64	48.65	18.03	< LOD	48.68	143.8	76.38
1961209	22.8	11.37	< LOD	63.67	41.17	18.77	< LOD	52.82	169.04	85.45
1961210	50.56	14.98	< LOD	74.43	< LOD	28.61	< LOD	55.57	185.56	99.29
1961211	43.05	13.82	< LOD	63.94	< LOD	29.06	< LOD	56.95	144.49	95.89
1961212	36.5	14.09	< LOD	70.41	35.37	20.67	< LOD	59.74	< LOD	171.3
1961213	72.25	16.75	< LOD	73.8	< LOD	27.63	< LOD	61.12	< LOD	158.12

XRF READING											
SAMPLE	Fe	Fe Error	Mn	Mn Error	Cr	Cr Error	V	V Error	Ti	Ti Error	Sc
1961151	13826	310.41	200.04	63.7							
1961152	14785.97	327.38	256.26	69.4							
1961153	2576.21	195.27	199.15	84.38							
1961154	11072.93	300.68	153.01	62.18							
1961156	9792.85	260.94	182.32	59.85							
1961155	12775.62	292.1	194.83	61.11							
OC 3	18996.96	408.25	488.99	96.52							
OC 3	28361.87	628.54	192.75	98.68							
OC 4	9832.98	291.35	317.67	79.45							
LW HORN	214010.6	1822.04	1173.57	238.81							
LW CHERT	32656.06	638.16	403.06	114.73							
OC 5	37014.61	639.53	1165.71	158.55							
OC 5	44241.1	787.23	1108.35	177.88							
1961053	79701.84	928.4	506.89	129.32							
OC 8	75758.5	871.07	519.82	124.81							
OC 8	10940.69	315.87	375.29	87.83							
OC 10	231207.8	2167.65	1599.69	300.47							
OC 10	466784.5	3180.53	2010.84	386.32							
LW 01	35439.12	588.51	1447.3	161.87							
LW 01b	24598.29	576.61	1292.44	178.5							
LW 02	5848.45	217.58	127.11	57.25							
1961157	8331.53	333.47	280.8	93.29							
1961158	14370.21	315.51	269.44	69.13							
1961159	12822.35	301.07	207.77	64.03							
1961160	13935.36	311.53	307.49	72.09							
1961161	13894.33	310.93	285.5	69.79							
1961162	13025.74	303.19	223.27	65.03							
1961163	15958.97	343.07	307.12	75.21							
1961164	11671.29	273.92	213.16	61.04							
1961165	12329.88	285.52	289.44	68.56							
1961166	12287.79	300.23	200.86	64.46							
1961167	7292.24	221.7	256.98	63.59							
1961168	3780.07	140.44	258.3	53.94							
1961169	10592.75	291.64	270.62	72.59							
1961170	11501.08	279.74	114.58	54.17							
1961171	9881.25	260.46	163.54	58.05							
1961172	3382.63	144.54	121.3	46.88							
1961173	9619.7	252.31	168.1	57.03							
1961174	14018.42	313.3	249.56	67.42							
1961175	12773.53	291.07	328	71.09							
1961176	14064.9	320.56	309.06	74.39							
1961177	9621.62	276.42	158.22	60.52							
1961178	13675.42	315.32	245.01	69.25							
1961179	13860.07	313.25	304.54	72.36							
1961180	14363.34	316.81	241.14	67.53							
1961181	8481.57	246.31	177.84	59.36							
1961182	10264.9	299.34	244.71	73.59							
1961183	14156.72	320	232.23	67.28							

XRF READING											
SAMPLE	Fe	Fe Error	Mn	Mn Error	Cr	Cr Error	V	V Error	Ti	Ti Error	Sc
	12919.72	315.07	675.47	99.5	< LOD	118.74	< LOD	26.17	< LOD	312.49	< LOD
	17939.12	379.82	366.56	83.71	< LOD	130.9	< LOD	20.35	< LOD	240.45	< LOD
	15425.79	337.04	275.94	72.12	< LOD	156.81	< LOD	199.32	< LOD	606.56	< LOD
	9025.38	250.97	221.06	62.11	< LOD	95.64	< LOD	166.8	< LOD	504.81	< LOD
	6565.46	216.4	258.75	65.6	< LOD	95.71	< LOD	261.34	< LOD	648.22	< LOD
	7399.61	214.05	321.83	65.77	< LOD	130.86	< LOD	3.88	< LOD	24.47	< LOD
	7295.16	238.49	209.29	63.71	< LOD	32.93	< LOD	8.68	< LOD	70.55	< LOD
	8005.67	238.26	237.03	64.15	< LOD	103.44	< LOD	142.7	< LOD	205.59	< LOD
	11418.43	279.92	290.48	69.75	< LOD	53.09	< LOD	141.32	< LOD	417.67	< LOD
	8009.51	241.67	332.35	72.69	< LOD	201.94	< LOD	9.64	< LOD	66.93	< LOD
	99939.56	1106.78	504.78	145.98	< LOD	123.14	< LOD	446.22	< LOD	1016.4	< LOD
	29389.25	637.87	709.1	144.33	< LOD	170.24	< LOD	461.5	< LOD	981.71	< LOD
	24668.54	505.11	685.43	120.7	< LOD	31.17	< LOD	386.11	< LOD	1160.84	< LOD
	27941.52	536.1	775.71	127.37	< LOD	13.19	< LOD	28.34	< LOD	342.96	< LOD
	27132.92	363.37	5168.8	200.5	67.31	24.58	197.12	58.11	1436.97	134.59	< LOD
	26564.87	361.14	212.41	59.33	< LOD	29.39	164.86	46.92	1829.9	113.46	< LOD
	79829.79	633.35	1755.2	132.78	< LOD	34.59	115.17	44.19	1019.87	103.38	81.34
	57755.04	503.88	571.26	81.29	< LOD	36.25	149.59	59.95	1539.22	141.41	< LOD
	112713.6	1140.79	195.28	124.91	< LOD	165.83	< LOD	49.14	< LOD	594.67	< LOD
	23457.24	513.46	380.29	103.97	< LOD	33.15	< LOD	201.24	< LOD	722.79	< LOD
	5771.26	221.15	137.78	60.27	< LOD	91.29	< LOD	249.95	< LOD	277.5	< LOD
	9287.62	282.09	295.86	77.13	< LOD	5.41	< LOD	35.64	< LOD	430.43	< LOD
	65931.87	811.09	602.79	127.78	< LOD	189.83	< LOD	174.57	< LOD	749.18	< LOD
	32000.6	378.15	699.65	82.16	41.95	26.39	189.64	90.94	6137.28	234.36	< LOD
	72899.37	887.82	518.81	129.49	< LOD	121.14	< LOD	320.75	< LOD	948.18	< LOD
	119518.8	1221.75	2150.76	235.52	< LOD	94.32	< LOD	310.5	< LOD	760.02	< LOD
	20113.04	428.11	971.03	128.67	< LOD	162.41	< LOD	387.36	< LOD	949.14	< LOD
	852.7	111.04	< LOD	93.9	< LOD	53.79	< LOD	23.66	< LOD	284.27	< LOD
65711	57010.96	525.99	1030.14	103.42	150.81	26.54	181.85	48.06	1118.88	107.53	37.67
65711	6319.52	220.45	< LOD	74.88	< LOD	32.89	< LOD	6	< LOD	10.02	< LOD
65711	63548.88	810.94	1318.55	166.89							
65711	50152.11	763.81	692.07	138.95							
65710	20916.85	459.4	495.96	105.85							
CO BROWN	65805.94	825.99	3804.7	259.71							
CO BROWN	6107.11	240.87	130.92	63.48							
CO 206	39653.75	639.56	1462.69	167.96							
1961202	13539.5	297.55	309.63	69.84							
1961203	19765.29	392.96	329.47	80.04							
1961204	9238.58	262.68	165.88	60.77							
1961205	16983.8	366.52	352.35	81.37							
1961206	16974.96	357.08	300.01	76.07							
1961207	8367.34	248.16	153.12	58.31							
1961208	10587.2	260.1	468.25	77.92							
1961209	12086.48	290.53	211.39	63.15							
1961210	14784.4	340.17	394.24	84.12							
1961211	14173.07	331.33	313.86	76.86							
1961212	19962.41	402.02	273.22	78.85							
1961213	16967.39	367.27	381.96	84.47							

[illegible]

[illegible]

[illegible]

[illegible]

XRF READING	
SAMPLE	Pd Error
1961151	
1961152	
1961153	
1961154	
1961156	
1961155	
OC 3	
OC 3	
OC 4	
LW HORN	
LW CHERT	
OC 5	
OC 5	
1961053	
OC 8	
OC 8	
OC 10	
OC 10	
LW 01	
LW 01b	
LW 02	
1961157	
1961158	
1961159	
1961160	
1961161	
1961162	
1961163	
1961164	
1961165	
1961166	
1961167	
1961168	
1961169	
1961170	
1961171	
1961172	
1961173	
1961174	
1961175	
1961176	
1961177	
1961178	
1961179	
1961180	
1961181	
1961182	
1961183	

XRF READING	
SAMPLE	Pd Error
	7.57
	11.18
	9.91
	7.09
	10.39
65711	9.25
65711	
65711	
65711	
65710	
CO BROWN	
CO BROWN	
CO 206	
1961202	
1961203	
1961204	
1961205	
1961206	
1961207	
1961208	
1961209	
1961210	
1961211	
1961212	
1961213	

APPENDIX D

2019 Rock Samples – Petrography completed by T. Liverton, Ph.D.

C1

This is a biotite hornblende quartz monzonite. Plagioclase and orthoclase are in roughly equal proportion and the texture is even-grained. Plagioclase forms subhedral phenocrysts to 4mm long, but most are around 2mm. Orthoclase is anhedral, about 2mm with only very occasional perthite. Quartz is finer grained and at about 10% of the volume. Biotite is deep red-brown to yellow in ragged 'flakes' to 1.5mm long. It contains a few monazite inclusions that produce pleichroic halos – about 10% volume. Amphibole is the only altered mineral. It is mostly euhedral and up to 2mm, but altered to about 50% (?) sericite. Only a few 0.3mm grains of apatite were noted, but no zircon.

Cobaltnitrite Stained Slab

C1 K feldspar is finer-grained than plagioclase, roughly equal proportions

C2

The mineral components of this rock are granitic. There is much quartz, feldspars. It is a pyroclastic. K-feldspars are up to 1.5mm with sharply angular quartz clasts to 3mm long. Plagioclase, which tends to be the smaller clasts is subordinate to K-feldspar. Both feldspars are a little clay altered. The fine-grained matrix (0.04mm) varies from 30 to 50% volume across the slide, this contains 10% opaques, but only a few are pyrite. Ferromagnesians are not obvious.

The central portion of the section is somewhat finer-grained than the rest: bedding in the tuff?

One corner of the slide is of distinctly coarser material, with only about 10% matrix: may be a lapillus.

Cobaltnitrite Stained Slab

C2 Orthoclase tends to cluster, about equal content to plagioclase. One corner of the slab may be a lapillus, as well as the central portion.

C3

This rock is composed of orthoclase and plagioclase in equal proportion as euhedral to subhedral forms. Lesser amounts of pale green pyroxene and light brown amphibole are found with very chloritized mica. Both feldspars are up to 2mm long, the pyroxene to 0.6mm (subhedral) and amphibole (subhedral to euhedral) to 1mm. The groundmass amounts to only about 15% volume. None of the crystals impinge upon their neighbours, so this is likely a crystal tuff. Quartz may be present in the groundmass, but it is not obvious. Without point-counting a guess as to composition is a latite.

Cobaltnitrite Stained Slab

C3 Nearly all the groundmass is stained. K feldspar predominates over plagioclase phenocrysts.

C4

This is similar in mineralogy to C3. Pyroxene and biotite (deep brown) are unaltered. Feldspars are somewhat clay altered (especially the plagioclase) and up to 2mm long. Groundmass amounts to 40%. Amphibole is absent. The groundmass is of 0.04mm anhedral, equant feldspar grains. A latite tuff.


C5

Latite lapilli tuff. This rock is an undisputable pyroclastic: it contains a lapillus of the lava.


The lapillus is ovoid shaped, 10mm long with distinct margins. It is of similar mineralogy to the tuff, but finer grained and its texture is that of a lava. Plagioclase is to 2mm, pyroxene to 1mm. The lapillus has biotite (golden yellow to brown) at 5%. Pyrite is common here as 0.12mm subhedral forms, some oxidized to limonite.

PHOTOMICROGRAPHS


C1 -2.5pp general view: biotite




-2,5pp2 general view: amphibole




C2 -2,5xp general view of texture




-5,0pp general view of texture




-5,0xp fractured feldspar **




-10xp altered feldspar and pyrite



C3 -2,5pp




-2,5xp) general view




-5,0xp euhedral feldspar


-20xp




C4 -2,5pp general view of texture




-5,0xp general view




C5 -2,5xp is of the lapillus




C6 -5,0xp pyrite under oblique illumination




-5,0xp2 altered pyroxene




-mosaic shows the mineral veins (2,5pp four stitched photos)



C7 -2,5xp general view; euhedral feldspar





POLISHED BLOCK (PB) and THIN SECTION DESCRIPTIONS of ROCKS (pre-2019 exploration)¹

DESCRIPTIONS, COMMENTS

*97R010 PB

This block is massive magnetite with frequent irregular fractures (maximum 'clast' size 8mm). These fractures are filled with a grey, low reflective mineral that shows red-brown internal reflections under crossed polarizers, but without the typical anisotropy of lepidocrocite or goethite. Reflections are too brown for cuprite. Some pyrite is preserved in the core of this fracture filling, which is probably an iron oxide.

*DO87ROO8 PB

This block is mostly silicate 'gangue'. One edge of the specimen has a 3mm+ wide vein of pyrite that contains many subhedral rectangular outline silicate inclusions. Small fractures, 0.08-0.12mm wide with irregular boundaries radiate out from the main vein for about 10mm length. These are pyrite filled. A few irregular 0.6mm pyrite masses are found further from the vein.

*BC97R002

A monzonite. Feldspars are only very slightly clay altered. Pyroxene occupies $\approx 20\%$ volume. It is subhedral and slightly altered: some biotite replacement and cleavages and cracks are outlined, presumably by carbonate. 0.2-1.5mm grain size plagioclase is subhedral, albite-twinned. None is poikilitically enclosed in pyroxene. Biotite (yellow to red-brown) is prominent as rather 'ragged' grains up to 2mm long. It constitutes $\approx 15\%$ of the volume. A little (10%) untwinned feldspar or feldspathoid is interstitial to the plagioclase. (The rock is too fine-grained for confident recognition of, say, nepheline). Acicular apatite crystals are prominent inclusions in feldspar – up to 0.7mm long and $< 0.5\%$ of the volume. No zircon was noted and only very rare monazite forms inclusions in the biotite. Sulphide mineralization is present, forming a network of grains interstitial to the feldspars.

Under the stereo microscope, the cobaltinitrite stained offcut shows irregular patches of K-feldspar, although some border 0.3mm wide veins. This veining and probable alteration is quite cryptic.

*BC97R066

Andesite. Rather clay-altered feldspars (mostly euhedral) are from 0.5-2mm grain size. Any orthoclase is impossible to recognize. A few ($< 1\%$) 0.25mm euhedral quartz crystals are present as well as some apatite. Groundmass is $\approx 40\%$ volume. Biotite is in subhedral forms to 0.8mm long, pleichroic from golden yellow to deep brown. It is mostly unaltered. 0.2mm subhedral pyrite crystals are disseminated ($< 0.5\%$). Some other euhedral crystals, mostly of 1-

¹ See Ouellette (1997) Figure 5 for sample locations and rock descriptions

An unlabelled stained offcut that matches the slide indicates that the coarser layer contains 30% K feldspar.

*DO97R024

This plutonic rock is an alkali feldspar (micro) granite *sensu stricto*. This implies that the plagioclase is Ab $\geq$ 95%, which is considered an alkali feldspar. Alaskites have been included in this classification. This does not necessarily imply alkaline affinity. Local examples are the Li-mica leucogranites of the Thirtymile Range and the STQ stock, satellite to the Seagull batholith.

K-feldspar probably is more abundant than plagioclase, judging by twinning (no stained slab was available). The feldspars are of 1-1.5mm grainsize and the rock is quartz-rich: 30% in 1-2mm anhedral grains. Biotite, which is almost completely chloritized is from 0.25-0.8mm grainsize and forms 2% of the bulk. No other ferromagnesian minerals were noted. Sphene is fairly common, but < 1% total. It forms 0.2-0.4mm sized crystals, some euhedral. All feldspars are fairly clay altered.

*DO97R032

Andesite. Contains slightly more groundmass and biotite than the others, with less pyroxene. Feldspars are clay altered and biotite is mostly fresh. Groundmass $\approx$ 30%, pyroxene 5%, biotite 5%. A few small patches of chlorite are up to 0.16mm across. K feldspar is to 3.5mm long, plagioclase to 3mm (euhedral). Very few euhedral quartz crystals are present to 0.8mm. Pyroxene is up to 2mm long. Under the stereo microscope the stained offcut indicates a strongly potassic groundmass.

*DO97R031

This andesite has little groundmass – about 10%. Feldspars are still euhedral, but generally around 0.6mm grainsize. They are fairly clay altered. There is also some chlorite alteration of pyroxene along cracks in the crystals. Pyroxenes are up to 2.5mm long and are about 10% of the bulk. Biotite is scarce (<2%), highly chloritized and up to 0.8mm long. A few 0.5mm chloritic masses are found in the groundmass. Opaques (probably pyrite) are subhedral and up to 0.3mm. These are found mostly in the groundmass, but also occasionally replace pyroxene. Total $\approx$ 1%. In the offcut the groundmass is strongly stained.

*DO97R044

An andesite. Has mostly euhedral plagioclase which is carlsbad-albite twinned and zoned. Orthoclase is subordinate. Feldspars are 1-4mm grainsize. Occasional quartz as 0.2mm subhedral crystals is seen (<2% vol.). Green augite is mainly euhedral and 0.2-1.2mm size. Some euhedral 8mm crystals are present: total pyroxene $\approx$ 5%. Biotite is almost completely chloritized (<5%). Feldspars are slightly clay altered. Some carbonate accompanies the chlorite. The stained offcut indicates a potassic groundmass, with a few zones within coarse plagioclase (antiperthite?)

*LWSKARN06 PTS

COMMENTS

These thin and polished sections, plus two polished blocks, show a variety of rock types: mostly volcanics of andesitic composition, but also an alkali feldspar granite, a monzonite and quartzites.

I am informed by Bill Mann that the andesitic volcanics have been mapped as tuffs (Nordenskiöld). All show mostly euhedral plagioclase phenocrysts and pyroxenes in a very fine-grained groundmass. There are no lithic clasts or broken phenocrysts and no sign of bedding, so without field data to the contrary I have described them as volcanic flows. I have noted varying degrees of 'clay alteration' in the feldspars. How much of this is due to weathering is uncertain. There may well be genuine kaolin alteration. Some of these volcanics do have slight potassic (biotite), chlorite and carbonate alteration and others some pyrite mineralization. The spatial relationship of these might be instructive. Although some of the biotite is chlorite altered, the predominance of alteration within pyroxenes over micas is interesting but perplexing; a magmatic feature perhaps.

The plutonic rocks might deserve further attention. An alkali feldspar granite is always a potential happy hunting ground for HFSE mineralization and monzonites cannot be ignored. Age relationships between the volcanics, intrusives and sediments need to be deduced (if exposure permits!) The quartzites might be derived from the granite.

In prospecting potential sulphide mineralization in the volcanics, provided fresh rock can be obtained (albeit felsensmeer), lithogeochemistry may be quite useful. Use of calculated alteration indices such as the Ross Large box plot sometimes works to identify the more altered and hopefully mineralized material. Also, perhaps lay out a few strips of bacon and wait for the grizzly bear to create exposure.

APPENDIX E

View of the CDL property – looking north with Little Miller Lake in the foreground



The north-south ridge bisecting the CDL property



Rock sample 65708 from the Skarn Zone



Rock Sample 65709 from the Skarn Zone



Bivalve fossils in limestone underlying camp helicopter pad



Large bivalve fossil in limestone near camp

