



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 02, 2016
Report Date: May 17, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000038.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-01
P.O. Number
Number of Samples: 88

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	88	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	88	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	88	Analysis sample split/packet			VAN
Split -150	88	Analysis sample split/packet			VAN
FS631	88	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	88	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	88	Per sample shipping charges for branch shipments			VAN
FA530	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

	Method	Analyte	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
			Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
			kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
			MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1506001	Rock		1.01	450	0.227	0.36	3.20	20.34	0.4	4.8	26.5	4	0.3	1.5	0.5	93	0.74	3.0	0.2	175.8	0.3	1
1506002	Rock		0.91	412	0.006	<0.01	<0.17	20.15	0.3	4.7	7.4	9	0.2	1.2	0.5	71	0.54	1.4	0.3	2.7	2.6	5
1506003	Rock		1.04	456	0.508	0.86	9.63	17.35	0.3	4.5	11.6	15	0.8	1.8	0.6	76	0.67	2.4	0.5	311.2	2.4	4
1506004	Rock		1.25	543	0.364	1.00	16.11	21.97	0.4	4.7	5.3	5	0.5	1.9	0.7	111	0.77	1.8	0.3	3316.0	0.9	<1
1506005	Rock		0.61	532	4.319	13.07	176.72	27.02	0.5	10.9	606.9	406	8.5	1.8	0.7	89	1.15	3.8	0.3	11512.6	0.1	7
1506006	Rock		0.64	549	0.069	0.08	0.28	24.89	0.6	5.8	5.8	16	<0.1	1.9	1.3	719	1.48	7.6	1.0	8.0	0.5	4
1506007	Rock		0.91	412	0.276	0.61	6.43	22.10	0.5	5.0	4.2	9	0.2	1.7	1.0	343	1.09	3.7	0.3	290.5	0.4	3
1506008	Rock		0.64	559	<0.005	<0.01	<0.17	28.26	0.6	6.0	0.2	<1	<0.1	2.1	0.9	114	1.05	0.8	<0.1	<0.5	<0.1	<1
1506009	Rock		0.52	444	0.005	<0.01	<0.17	30.49	0.4	5.1	0.8	2	0.1	1.7	0.7	93	0.86	1.1	<0.1	2.4	0.3	<1
1506010	Rock		0.61	522	0.006	<0.01	<0.17	24.08	0.6	5.2	5.4	2	<0.1	2.2	1.1	157	1.07	4.7	<0.1	1.2	0.2	6
1506011	Rock		0.92	436	0.563	0.61	1.41	24.09	2.1	5.2	247.1	35	3.5	1.8	2.2	191	2.55	9.3	1.4	980.6	1.1	4
1506012	Rock		0.90	395	0.027	0.03	<0.17	30.43	0.5	6.8	48.4	35	0.6	1.6	0.8	150	0.93	3.7	0.3	21.0	0.3	2
1506013	Rock		0.90	377	0.063	0.07	<0.17	25.50	0.6	5.8	0.7	2	0.1	1.9	0.8	106	1.08	1.8	0.2	10.9	0.6	<1
1506014	Rock		0.78	515	0.027	0.03	<0.17	16.36	1.6	3.4	12.7	7	0.1	1.1	0.7	117	0.94	7.6	0.7	13.5	8.3	4
1506015	Rock		1.09	488	0.050	0.05	<0.17	21.12	0.4	5.2	150.6	40	0.5	1.1	0.7	160	0.84	6.8	0.7	61.9	5.2	2
1506016	Rock		1.25	571	0.110	0.12	0.38	20.88	0.5	5.5	26.0	42	1.4	2.0	0.9	149	1.63	8.1	0.5	208.1	1.0	9
1506017	Rock		0.63	551	0.171	0.21	0.81	29.79	3.7	5.2	56.3	28	0.9	2.1	1.9	103	1.93	30.9	1.3	287.7	1.5	31
1506018	Rock		0.84	383	0.108	0.12	0.23	30.11	0.9	5.6	3.7	30	0.2	2.3	0.8	131	1.39	9.5	0.6	57.9	1.9	10
1506019	Rock		1.05	485	1.850	3.98	40.62	26.71	0.4	4.0	21.0	3	1.7	1.5	0.6	80	0.81	1.3	<0.1	4278.2	<0.1	3
1506020	Rock		0.70	472	0.034	0.03	<0.17	30.12	0.5	6.6	17.8	6	0.3	2.1	0.9	103	0.95	4.2	0.3	26.8	1.8	<1
1506021	Rock		0.87	380	<0.005	<0.01	<0.17	29.65	0.5	4.8	1.1	1	<0.1	1.9	0.8	120	0.88	0.8	0.3	1.7	0.4	<1
1506022	Rock		0.63	547	0.006	<0.01	<0.17	26.97	0.8	9.6	4.3	22	0.4	12.6	3.2	345	1.20	8.8	0.3	0.9	0.9	5
1506023	Rock		1.10	503	<0.005	<0.01	<0.17	26.33	0.5	4.4	9.2	20	0.4	17.3	2.1	263	1.12	4.8	0.1	<0.5	1.9	4
1506024	Rock		1.30	567	0.026	0.05	0.66	22.84	0.7	5.9	1.9	14	0.3	2.4	3.4	356	1.68	8.7	0.4	35.8	5.2	7
1506025	Rock		1.07	460	0.043	0.04	<0.17	30.37	0.7	10.2	9.0	24	0.3	5.7	3.1	296	1.78	22.1	0.5	33.4	5.0	5
1506026	Rock		1.47	471	9.102	11.98	55.14	29.38	0.6	5.4	13.2	3	5.9	3.7	3.2	111	2.07	5.2	0.8	14733.8	2.5	4
1506027	Rock		1.31	547	0.029	0.03	<0.17	22.23	0.4	4.1	0.9	9	<0.1	2.0	1.4	98	0.90	<0.5	<0.1	8.0	0.9	3
1506028	Rock		1.00	447	0.012	0.01	<0.17	28.41	0.6	4.4	3.5	2	0.1	2.1	1.2	319	0.82	46.6	0.1	11.7	1.7	7
1506029	Rock		0.98	447	<0.005	<0.01	<0.17	30.11	0.5	4.9	1.2	8	<0.1	2.0	1.1	224	1.00	1.1	0.2	2.8	0.2	24
1506030	Rock		1.37	546	<0.005	<0.01	<0.17	28.13	0.4	5.1	10.4	3	<0.1	1.8	0.8	95	0.84	0.8	<0.1	1.9	0.2	2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: May 17, 2016

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

	Method	Analyte	Unit																			MDL	
			AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201		
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl		S
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm		%
			0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1506001	Rock		<0.1	0.4	0.3	<2	<0.01	<0.001	<1	4	<0.01	107	<0.001	2	0.02	0.003	0.01	<0.1	0.01	<0.1	<0.1	<0.05	
1506002	Rock		<0.1	0.2	<0.1	<2	0.02	0.009	12	3	<0.01	400	<0.001	<1	0.24	0.024	0.27	<0.1	0.02	0.6	<0.1	<0.05	
1506003	Rock		0.1	0.2	0.1	<2	0.01	0.005	13	4	<0.01	292	<0.001	1	0.18	0.035	0.19	<0.1	0.01	0.6	<0.1	<0.05	
1506004	Rock		<0.1	0.1	<0.1	<2	<0.01	0.002	4	4	<0.01	77	<0.001	2	0.08	0.002	0.05	<0.1	<0.01	0.3	<0.1	<0.05	
1506005	Rock		7.1	1.1	6.9	<2	<0.01	<0.001	<1	5	<0.01	421	<0.001	<1	0.01	0.001	0.01	<0.1	0.92	<0.1	<0.1	0.18	
1506006	Rock		0.2	0.5	<0.1	2	0.02	0.003	2	5	0.16	171	0.002	<1	0.12	0.001	0.02	0.4	0.02	2.2	<0.1	<0.05	
1506007	Rock		<0.1	0.3	<0.1	<2	0.02	0.003	2	5	0.09	96	0.001	1	0.10	0.001	0.02	0.2	0.02	0.9	<0.1	<0.05	
1506008	Rock		<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	7	<0.01	10	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506009	Rock		<0.1	0.3	<0.1	<2	<0.01	<0.001	<1	5	<0.01	34	<0.001	1	0.03	0.004	0.02	<0.1	<0.01	<0.1	<0.1	<0.05	
1506010	Rock		<0.1	0.2	<0.1	<2	0.02	0.011	<1	6	0.04	41	<0.001	2	0.06	0.002	0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1506011	Rock		0.5	0.8	2.0	<2	0.01	0.002	3	4	0.06	124	<0.001	2	0.14	0.006	0.05	<0.1	0.03	0.7	<0.1	<0.05	
1506012	Rock		0.1	0.5	0.8	<2	<0.01	<0.001	2	4	0.02	79	<0.001	2	0.08	0.001	0.04	<0.1	0.02	0.2	<0.1	<0.05	
1506013	Rock		<0.1	0.3	<0.1	<2	<0.01	<0.001	1	6	<0.01	9	<0.001	<1	0.02	0.006	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506014	Rock		0.1	0.4	<0.1	<2	0.02	0.008	22	3	0.03	129	<0.001	2	0.26	0.133	0.09	<0.1	<0.01	0.7	<0.1	<0.05	
1506015	Rock		0.5	0.9	0.2	<2	0.01	0.005	15	3	0.03	229	<0.001	2	0.29	0.055	0.20	0.1	0.04	1.3	<0.1	<0.05	
1506016	Rock		0.8	0.5	0.3	<2	<0.01	0.002	3	6	0.01	643	<0.001	2	0.09	0.004	0.05	0.1	0.05	0.4	<0.1	0.14	
1506017	Rock		0.3	0.9	0.2	<2	0.01	0.012	5	3	<0.01	1985	<0.001	<1	0.26	0.020	0.33	0.1	0.02	0.6	<0.1	0.07	
1506018	Rock		0.1	0.5	<0.1	<2	<0.01	0.003	6	5	0.03	1397	0.001	<1	0.21	0.006	0.22	0.1	<0.01	0.9	<0.1	<0.05	
1506019	Rock		<0.1	0.2	0.6	<2	<0.01	<0.001	<1	4	<0.01	541	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.05	<0.1	<0.1	<0.05	
1506020	Rock		<0.1	0.5	1.7	<2	<0.01	0.004	5	6	<0.01	54	<0.001	1	0.08	0.020	0.05	<0.1	0.03	0.3	<0.1	<0.05	
1506021	Rock		<0.1	0.2	<0.1	<2	<0.01	<0.001	2	5	<0.01	35	<0.001	<1	0.02	<0.001	0.01	<0.1	<0.01	0.1	<0.1	<0.05	
1506022	Rock		0.1	1.8	<0.1	4	0.03	0.015	4	8	0.04	153	<0.001	1	0.13	0.002	0.07	<0.1	<0.01	0.8	<0.1	<0.05	
1506023	Rock		0.2	0.7	<0.1	<2	0.01	0.003	6	6	0.07	192	<0.001	<1	0.14	0.048	0.03	<0.1	0.01	1.0	<0.1	<0.05	
1506024	Rock		0.2	0.4	<0.1	5	0.09	0.035	17	4	0.05	238	0.002	2	0.43	0.097	0.23	0.1	0.04	1.6	<0.1	<0.05	
1506025	Rock		0.2	0.3	<0.1	5	0.11	0.047	16	4	0.01	168	0.001	2	0.31	0.032	0.28	<0.1	0.01	1.5	<0.1	<0.05	
1506026	Rock		<0.1	0.2	<0.1	<2	0.01	0.007	5	5	<0.01	133	<0.001	<1	0.06	0.002	0.06	<0.1	0.04	0.5	<0.1	0.58	
1506027	Rock		<0.1	0.1	<0.1	<2	0.05	0.006	3	5	0.02	75	0.001	<1	0.12	0.007	0.06	<0.1	0.01	0.5	<0.1	<0.05	
1506028	Rock		<0.1	0.4	<0.1	<2	0.16	0.016	6	5	0.01	82	0.002	<1	0.09	<0.001	0.11	<0.1	<0.01	0.2	<0.1	<0.05	
1506029	Rock		<0.1	0.1	<0.1	<2	1.16	0.003	<1	5	0.02	99	<0.001	<1	0.05	<0.001	0.04	<0.1	<0.01	0.5	<0.1	<0.05	
1506030	Rock		<0.1	0.2	<0.1	<2	0.02	0.002	<1	5	0.01	65	<0.001	<1	0.04	0.005	0.02	<0.1	<0.01	0.2	<0.1	<0.05	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1506001	Rock	<1	<0.5	<0.2
1506002	Rock	<1	<0.5	<0.2
1506003	Rock	<1	<0.5	<0.2
1506004	Rock	<1	<0.5	<0.2
1506005	Rock	<1	0.8	<0.2
1506006	Rock	<1	<0.5	<0.2
1506007	Rock	<1	<0.5	<0.2
1506008	Rock	<1	<0.5	<0.2
1506009	Rock	<1	<0.5	<0.2
1506010	Rock	<1	<0.5	<0.2
1506011	Rock	<1	0.7	0.7
1506012	Rock	<1	<0.5	<0.2
1506013	Rock	<1	<0.5	<0.2
1506014	Rock	<1	<0.5	<0.2
1506015	Rock	<1	<0.5	<0.2
1506016	Rock	<1	<0.5	0.3
1506017	Rock	<1	<0.5	<0.2
1506018	Rock	<1	<0.5	<0.2
1506019	Rock	<1	<0.5	<0.2
1506020	Rock	<1	<0.5	<0.2
1506021	Rock	<1	<0.5	<0.2
1506022	Rock	<1	<0.5	<0.2
1506023	Rock	<1	<0.5	<0.2
1506024	Rock	1	<0.5	<0.2
1506025	Rock	1	<0.5	<0.2
1506026	Rock	<1	1.1	<0.2
1506027	Rock	<1	<0.5	<0.2
1506028	Rock	<1	<0.5	<0.2
1506029	Rock	<1	<0.5	<0.2
1506030	Rock	<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1506031	Rock				0.81	522	<0.005	<0.01	<0.17	21.22	0.4	4.2	2.5	3	0.2	1.4	0.6	90	0.77	7.2	0.2	2.9	0.5	<1
1506032	Rock				0.72	471	0.007	<0.01	<0.17	23.28	0.5	4.9	46.4	7	1.3	1.7	0.9	111	0.90	29.9	0.6	6.5	1.2	1
1506033	Rock				0.86	363	<0.005	<0.01	<0.17	25.78	0.4	5.1	2.6	3	0.3	1.8	0.7	86	0.75	3.1	<0.1	0.6	0.2	<1
1506034	Rock				0.65	441	<0.005	<0.01	<0.17	25.26	0.6	6.7	6.3	3	0.3	2.3	1.0	110	1.01	4.8	0.2	2.5	0.4	<1
1506035	Rock				1.08	488	0.034	0.03	<0.17	29.45	0.5	5.4	17.0	401	0.6	1.8	0.7	82	0.98	47.4	0.2	48.2	0.7	3
1506036	Rock				0.67	581	0.014	0.01	<0.17	27.31	0.6	5.5	488.6	7	3.3	1.9	1.1	222	0.99	8.9	0.3	11.5	0.2	1
1506037	Rock				0.60	526	0.011	0.06	0.86	30.27	0.4	4.8	2.3	6	<0.1	1.8	0.7	81	0.85	5.7	<0.1	12.5	0.4	<1
1506038	Rock				0.60	523	0.006	<0.01	<0.17	28.93	0.5	5.1	4.3	10	0.2	2.0	0.8	102	1.00	18.8	<0.1	9.4	0.2	2
1506039	Rock				0.68	536	0.009	<0.01	<0.17	28.29	0.5	4.6	3.4	5	0.1	1.7	0.8	94	0.91	15.0	<0.1	10.5	0.3	<1
1506040	Rock				0.60	514	0.005	<0.01	<0.17	29.05	0.4	4.0	0.5	<1	<0.1	1.8	0.8	96	0.94	2.5	<0.1	2.7	<0.1	<1
1506041	Rock				0.36	284	7.611	7.74	8.90	27.76	1.1	5.7	10.9	41	1.0	5.0	1.9	385	5.03	288.8	7.6	9088.8	6.2	8
1506042	Rock				0.82	539	8.917	8.83	7.27	27.51	0.4	3.1	2.1	13	0.8	2.1	1.5	162	2.05	158.6	2.1	7074.3	3.4	17
1506043	Rock				0.72	454	0.130	0.13	<0.17	24.08	0.3	2.5	2.5	8	0.4	1.0	0.7	80	1.00	11.3	1.1	118.6	7.1	4
1506044	Rock				0.73	511	0.019	0.02	<0.17	28.68	0.2	3.3	4.6	2	<0.1	1.6	1.0	54	0.59	5.5	0.2	17.3	0.8	<1
1506045	Rock				0.80	543	1.376	1.47	3.59	23.96	0.4	9.1	190.1	3	2.1	2.4	2.7	122	1.12	0.9	0.8	1692.0	1.3	8
1506046	Rock				0.72	483	0.375	0.37	0.21	28.61	0.3	11.1	58.7	8	1.4	1.8	2.3	175	0.90	1.7	1.0	433.5	0.4	4
1506047	Rock				0.52	459	0.060	0.07	<0.17	28.27	0.4	229.7	477.0	6	5.0	1.5	0.9	96	0.75	60.7	0.7	43.4	0.4	3
1506048	Rock				0.61	535	0.033	0.03	<0.17	29.18	0.4	14.1	68.3	5	0.2	1.6	1.0	193	0.70	1.4	1.2	37.2	0.2	2
1506049	Rock				0.78	511	1.014	1.03	1.35	26.02	0.3	14.1	116.2	8	1.6	2.3	3.1	135	1.29	1.7	1.3	817.7	0.8	4
1506050	Rock				0.88	380	1.249	1.65	6.25	30.38	0.4	71.4	2386.7	4	15.3	1.6	0.7	126	0.90	41.0	1.4	2836.4	<0.1	2
1506051	Rock				0.51	437	0.015	0.01	<0.17	27.68	0.3	3.4	8.5	<1	<0.1	1.3	0.7	72	0.62	9.8	0.4	13.1	0.6	1
1506052	Rock				1.03	453	0.014	0.01	<0.17	28.92	0.3	3.5	18.6	6	0.5	1.0	0.7	99	0.62	8.0	0.6	11.2	3.6	2
1506053	Rock				0.78	518	1.017	1.08	2.16	31.09	0.4	1137.8	2912.1	48	30.3	1.4	1.0	82	0.92	146.2	2.7	1058.2	<0.1	9
1506054	Rock				0.86	541	1.078	1.08	1.08	30.55	0.3	26.3	162.1	5	1.6	2.7	5.6	181	1.43	2.6	1.0	1265.3	0.4	8
1506055	Rock				1.05	441	0.093	0.09	<0.17	27.98	0.4	44.2	184.3	4	1.7	1.3	0.7	76	0.79	4.7	0.4	112.9	<0.1	3
1506056	Rock				0.73	492	1.186	1.20	1.48	28.43	0.5	65.5	1300.3	4	7.2	1.5	1.1	69	1.14	12.9	0.6	956.5	<0.1	2
1506057	Rock				0.57	483	5.336	6.02	18.71	24.58	0.6	102.1	1052.1	6	11.8	1.7	1.4	64	1.34	20.9	0.5	6495.5	<0.1	2
1506058	Rock				0.80	351	2.152	2.76	10.25	26.45	0.9	186.8	4123.2	29	23.3	3.0	7.0	70	5.43	37.7	6.3	2253.2	<0.1	7
1506059	Rock				0.84	373	0.496	0.65	2.66	26.28	0.6	104.3	1359.8	9	12.5	1.7	1.6	79	1.39	48.5	1.4	699.9	0.3	7
1506060	Rock				0.99	449	0.008	<0.01	<0.17	27.97	0.4	11.7	17.3	2	0.2	1.4	0.6	87	0.65	0.8	0.2	7.7	<0.1	1



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: May 17, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201		
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
1506031	Rock																							
1506032	Rock																							
1506033	Rock																							
1506034	Rock																							
1506035	Rock																							
1506036	Rock																							
1506037	Rock																							
1506038	Rock																							
1506039	Rock																							
1506040	Rock																							
1506041	Rock																							
1506042	Rock																							
1506043	Rock																							
1506044	Rock																							
1506045	Rock																							
1506046	Rock																							
1506047	Rock																							
1506048	Rock																							
1506049	Rock																							
1506050	Rock																							
1506051	Rock																							
1506052	Rock																							
1506053	Rock																							
1506054	Rock																							
1506055	Rock																							
1506056	Rock																							
1506057	Rock																							
1506058	Rock																							
1506059	Rock																							
1506060	Rock																							



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
1506031	Rock	<1	<0.5	<0.2
1506032	Rock	<1	<0.5	<0.2
1506033	Rock	<1	<0.5	<0.2
1506034	Rock	<1	<0.5	<0.2
1506035	Rock	<1	<0.5	<0.2
1506036	Rock	<1	1.5	<0.2
1506037	Rock	<1	<0.5	<0.2
1506038	Rock	<1	<0.5	<0.2
1506039	Rock	<1	<0.5	<0.2
1506040	Rock	<1	<0.5	<0.2
1506041	Rock	2	1.4	0.7
1506042	Rock	<1	<0.5	0.4
1506043	Rock	<1	<0.5	<0.2
1506044	Rock	<1	<0.5	<0.2
1506045	Rock	<1	<0.5	<0.2
1506046	Rock	<1	<0.5	<0.2
1506047	Rock	<1	<0.5	<0.2
1506048	Rock	<1	<0.5	<0.2
1506049	Rock	<1	<0.5	<0.2
1506050	Rock	<1	1.9	<0.2
1506051	Rock	<1	<0.5	<0.2
1506052	Rock	<1	<0.5	<0.2
1506053	Rock	<1	4.9	<0.2
1506054	Rock	<1	<0.5	<0.2
1506055	Rock	<1	<0.5	<0.2
1506056	Rock	<1	1.7	<0.2
1506057	Rock	<1	1.8	<0.2
1506058	Rock	<1	4.5	<0.2
1506059	Rock	<1	1.3	<0.2
1506060	Rock	<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1506061	Rock				0.86	385	0.010	<0.01	<0.17	26.84	0.4	16.1	11.7	5	0.2	1.8	0.7	93	0.73	0.9	0.4	2.4	<0.1	1
1506101	Rock				0.52	442	0.871	1.10	4.59	27.03	0.3	77.9	1029.9	9	3.7	1.5	0.9	57	0.94	4.3	0.1	635.8	<0.1	<1
1506102	Rock				0.59	506	0.468	0.57	2.23	28.22	0.3	74.9	510.7	10	4.9	1.3	0.7	61	0.86	7.6	0.4	255.1	<0.1	<1
1506103	Rock				0.81	547	4.554	7.62	75.45	23.67	0.4	91.4	4261.8	16	23.0	2.1	2.5	69	2.36	14.7	1.3	18082.3	<0.1	3
1506104	Rock				0.61	537	1.342	1.42	2.72	31.60	0.3	400.0	822.7	47	6.1	1.6	1.3	64	1.50	15.4	0.7	1536.8	<0.1	2
1506105	Rock				0.55	415	4.113	5.42	27.77	22.87	0.4	41.9	>10000	3	50.6	1.2	0.6	73	0.82	15.7	0.7	15111.7	<0.1	5
1506106	Rock				0.57	482	1.678	1.68	1.63	30.60	0.4	57.9	883.2	6	5.3	1.4	1.1	62	1.07	7.9	0.4	2007.2	<0.1	2
1506107	Rock				0.54	451	1.130	1.13	1.14	28.02	0.4	29.0	325.4	3	5.5	1.3	1.0	65	1.01	6.9	0.3	1225.1	0.1	6
1506108	Rock				0.88	391	0.155	0.15	<0.17	27.11	0.2	28.2	71.9	3	1.1	2.1	0.5	78	1.04	4.3	0.8	169.6	0.5	9
1506109	Rock				0.65	538	4.839	5.78	26.06	23.91	0.7	113.9	5678.6	25	19.0	4.9	6.1	111	4.54	24.0	13.6	6765.9	0.1	8
1506110	Rock				0.70	469	>10	59.18	273.06	27.02	18.7	54.3	>10000	31	70.4	5.3	8.1	85	11.03	124.4	15.2	60383.4	0.4	3
1506111	Rock				0.56	478	4.950	6.34	27.04	30.03	0.9	48.8	1814.2	19	7.1	4.7	6.3	108	4.36	15.0	6.1	6173.8	0.7	4
1506112	Rock				0.54	469	0.556	0.65	1.99	31.10	0.6	70.3	225.4	6	1.9	2.6	0.9	106	1.78	5.9	0.7	498.7	0.3	5
1506113	Rock				0.71	537	0.782	0.80	1.11	29.63	0.5	34.9	179.4	5	1.7	2.5	1.3	90	1.65	2.6	1.4	1251.0	1.0	4
1506114	Rock				0.52	449	5.788	6.19	12.31	27.86	1.5	26.4	2623.3	11	13.7	4.2	5.1	91	5.54	29.5	8.1	7205.9	0.2	14
1506115	Rock				0.50	421	1.240	1.44	4.14	28.53	0.7	2.1	108.8	7	3.7	3.8	1.8	85	1.84	3.8	2.1	1267.1	1.8	15
1506116	Rock				0.47	405	1.976	2.54	10.34	27.27	0.3	4.1	131.8	4	3.3	4.2	3.5	104	2.53	3.4	0.4	2195.1	1.0	11
1506117	Rock				0.65	567	0.005	<0.01	<0.17	30.48	0.6	1.6	2.6	3	<0.1	2.5	0.7	149	1.04	1.9	<0.1	5.4	<0.1	<1
1506118	Rock				0.49	419	<0.005	0.01	<0.17	25.89	0.2	2.7	3.0	6	<0.1	4.1	1.0	115	1.03	1.0	<0.1	5.3	0.1	1
1506119	Rock				0.80	554	<0.005	<0.01	<0.17	33.94	0.5	1.1	1.0	<1	<0.1	1.9	0.3	85	0.88	<0.5	<0.1	2.2	<0.1	<1
1506120	Rock				0.52	443	<0.005	<0.01	<0.17	27.25	0.2	1.3	4.7	2	<0.1	2.2	0.4	94	0.80	0.6	<0.1	1.5	0.3	1
1506121	Rock				0.72	473	0.018	0.02	<0.17	28.42	0.7	16.7	73.9	5	0.3	2.4	0.4	94	1.34	3.0	1.0	9.7	0.1	1
1506122	Rock				0.62	536	0.255	0.27	0.48	31.36	0.2	8.1	32.6	<1	0.3	1.9	0.6	60	0.87	1.4	0.2	108.3	<0.1	2
1506123	Rock				1.29	542	0.591	0.68	2.19	29.71	0.5	42.5	192.3	5	1.6	2.1	0.9	85	1.50	22.8	0.5	589.8	<0.1	5
1506062	Rock				0.98	434	0.006	<0.01	<0.17	28.13	0.2	1.9	1.3	2	<0.1	2.4	0.8	169	0.87	1.5	<0.1	6.4	<0.1	<1
1506063	Rock				1.08	494	<0.005	<0.01	<0.17	33.22	0.8	1.8	0.6	<1	<0.1	3.0	0.6	137	1.41	0.6	<0.1	1.1	<0.1	<1
1506064	Rock				0.67	429	0.403	0.41	0.50	32.11	0.3	9.1	181.3	2	0.9	2.1	0.7	87	1.22	1.5	0.4	166.6	<0.1	2
1506065	Rock				1.16	551	0.056	0.05	<0.17	31.53	0.5	6.8	19.8	<1	0.4	1.7	0.3	82	1.02	0.8	<0.1	115.3	<0.1	2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
	Unit	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
	MDL	0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1506061	Rock	<0.1	0.9	<0.1	<2	<0.01	<0.001	<1	4	<0.01	51	<0.001	<1	<0.01	0.002	<0.01	<0.1	0.03	<0.1	<0.1	<0.05
1506101	Rock	0.5	55.5	2.5	<2	<0.01	0.001	<1	3	<0.01	107	<0.001	<1	<0.01	0.002	<0.01	<0.1	4.74	<0.1	<0.1	0.39
1506102	Rock	0.5	70.2	2.6	<2	<0.01	0.001	<1	4	<0.01	75	<0.001	<1	<0.01	0.002	<0.01	<0.1	5.71	<0.1	<0.1	0.29
1506103	Rock	1.4	77.0	18.3	6	<0.01	0.015	<1	5	<0.01	172	<0.001	1	<0.01	0.004	<0.01	<0.1	5.53	<0.1	<0.1	0.68
1506104	Rock	1.9	222.7	1.4	<2	<0.01	0.001	<1	4	<0.01	92	<0.001	<1	<0.01	0.002	<0.01	<0.1	22.28	<0.1	<0.1	1.06
1506105	Rock	0.5	74.3	36.7	<2	<0.01	0.003	<1	4	<0.01	129	<0.001	1	<0.01	0.002	<0.01	<0.1	8.71	0.1	<0.1	0.28
1506106	Rock	0.4	36.4	3.1	<2	<0.01	0.004	<1	4	<0.01	107	<0.001	<1	<0.01	0.002	<0.01	<0.1	2.39	<0.1	<0.1	0.40
1506107	Rock	0.1	12.8	4.9	<2	<0.01	0.003	<1	4	<0.01	489	<0.001	<1	<0.01	0.002	<0.01	<0.1	0.36	<0.1	<0.1	0.16
1506108	Rock	<0.1	5.7	0.4	<2	<0.01	0.003	<1	4	<0.01	380	<0.001	<1	0.03	0.003	0.02	<0.1	0.14	0.3	<0.1	0.08
1506109	Rock	2.0	36.4	18.2	11	<0.01	0.055	<1	6	<0.01	215	<0.001	2	0.02	0.004	0.01	0.1	0.98	0.3	<0.1	0.50
1506110	Rock	0.9	30.6	69.0	13	<0.01	0.176	2	12	<0.01	168	<0.001	<1	0.05	0.006	0.03	0.7	0.78	0.4	0.2	0.69
1506111	Rock	0.6	3.8	8.4	9	0.01	0.024	3	10	0.02	128	<0.001	<1	0.10	0.005	0.05	0.1	0.18	0.3	<0.1	0.06
1506112	Rock	0.2	14.9	1.0	<2	<0.01	0.003	<1	10	<0.01	191	<0.001	<1	0.04	0.003	0.03	<0.1	0.51	0.3	<0.1	0.34
1506113	Rock	0.2	5.2	0.7	3	0.01	0.006	3	9	0.01	199	<0.001	2	0.10	0.004	0.06	<0.1	0.67	0.4	<0.1	0.06
1506114	Rock	0.3	3.2	5.9	12	<0.01	0.034	1	6	<0.01	510	<0.001	<1	0.07	0.006	0.04	0.2	0.16	0.5	<0.1	0.21
1506115	Rock	<0.1	0.5	2.5	<2	<0.01	0.008	4	9	<0.01	818	0.002	<1	0.12	0.007	0.09	<0.1	0.04	0.8	<0.1	0.15
1506116	Rock	0.2	0.2	0.8	<2	0.01	0.002	1	5	<0.01	105	<0.001	<1	0.09	0.006	0.03	<0.1	0.05	0.2	<0.1	1.01
1506117	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	0.04	14	<0.001	<1	0.04	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05
1506118	Rock	<0.1	0.2	<0.1	2	<0.01	0.003	<1	6	0.04	15	<0.001	<1	0.08	<0.001	0.01	<0.1	<0.01	0.3	<0.1	<0.05
1506119	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05
1506120	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	<1	4	<0.01	70	<0.001	<1	0.05	0.002	0.05	<0.1	0.01	0.5	<0.1	<0.05
1506121	Rock	<0.1	0.6	<0.1	4	<0.01	0.008	<1	9	<0.01	29	<0.001	<1	0.01	0.002	<0.01	<0.1	0.01	0.2	<0.1	<0.05
1506122	Rock	<0.1	0.6	<0.1	<2	<0.01	0.002	<1	3	<0.01	179	<0.001	<1	<0.01	0.002	<0.01	<0.1	0.02	<0.1	<0.1	<0.05
1506123	Rock	0.2	4.5	0.5	<2	<0.01	0.003	<1	9	<0.01	463	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.13	<0.1	<0.1	0.26
1506062	Rock	<0.1	<0.1	<0.1	<2	0.01	0.004	<1	4	0.03	16	<0.001	<1	0.03	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05
1506063	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.002	<1	14	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05
1506064	Rock	0.1	6.0	0.3	4	<0.01	0.003	<1	4	<0.01	215	<0.001	<1	<0.01	0.002	<0.01	<0.1	0.14	0.2	<0.1	0.07
1506065	Rock	<0.1	0.8	0.1	<2	<0.01	<0.001	<1	8	<0.01	146	<0.001	<1	<0.01	0.002	<0.01	<0.1	0.02	<0.1	<0.1	0.06



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000038.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
1506061	Rock	<1	<0.5	<0.2	
1506101	Rock	<1	1.5	<0.2	
1506102	Rock	<1	1.0	<0.2	
1506103	Rock	<1	5.7	<0.2	
1506104	Rock	<1	1.6	<0.2	
1506105	Rock	<1	10.8	<0.2	
1506106	Rock	<1	1.5	<0.2	
1506107	Rock	<1	<0.5	<0.2	
1506108	Rock	<1	<0.5	<0.2	
1506109	Rock	<1	3.1	<0.2	
1506110	Rock	<1	15.2	0.8	46.1
1506111	Rock	<1	0.9	<0.2	
1506112	Rock	<1	<0.5	<0.2	
1506113	Rock	<1	<0.5	<0.2	
1506114	Rock	<1	1.5	<0.2	
1506115	Rock	<1	<0.5	<0.2	
1506116	Rock	<1	0.7	<0.2	
1506117	Rock	<1	<0.5	<0.2	
1506118	Rock	<1	<0.5	<0.2	
1506119	Rock	<1	<0.5	<0.2	
1506120	Rock	<1	<0.5	<0.2	
1506121	Rock	<1	<0.5	<0.2	
1506122	Rock	<1	<0.5	<0.2	
1506123	Rock	<1	<0.5	<0.2	
1506062	Rock	<1	<0.5	<0.2	
1506063	Rock	<1	<0.5	<0.2	
1506064	Rock	<1	<0.5	<0.2	
1506065	Rock	<1	<0.5	<0.2	



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: May 17, 2016

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000038.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	
Pulp Duplicates																						
1506007	Rock	0.91	412	0.276	0.61	6.43	22.10	0.5	5.0	4.2	9	0.2	1.7	1.0	343	1.09	3.7	0.3	290.5	0.4	3	
REP 1506007	QC							0.6	5.1	4.3	9	0.5	1.9	1.1	333	1.09	3.5	0.3	1200.2	0.4	3	
1506025	Rock	1.07	460	0.043	0.04	<0.17	30.37	0.7	10.2	9.0	24	0.3	5.7	3.1	296	1.78	22.1	0.5	33.4	5.0	5	
REP 1506025	QC							0.049														
1506042	Rock	0.82	539	8.917	8.83	7.27	27.51	0.4	3.1	2.1	13	0.8	2.1	1.5	162	2.05	158.6	2.1	7074.3	3.4	17	
REP 1506042	QC							0.3	3.3	2.2	14	0.9	2.1	1.8	164	2.06	165.2	2.3	8292.6	3.5	16	
1506110	Rock	0.70	469	>10	59.18	273.06	27.02	18.7	54.3	>10000	31	70.4	5.3	8.1	85	11.03	124.4	15.2	60383.4	0.4	3	
REP 1506110	QC																					
1506111	Rock	0.56	478	4.950	6.34	27.04	30.03	0.9	48.8	1814.2	19	7.1	4.7	6.3	108	4.36	15.0	6.1	6173.8	0.7	4	
REP 1506111	QC							5.303														
1506116	Rock	0.47	405	1.976	2.54	10.34	27.27	0.3	4.1	131.8	4	3.3	4.2	3.5	104	2.53	3.4	0.4	2195.1	1.0	11	
REP 1506116	QC							0.3	4.2	130.4	4	3.6	3.8	3.1	103	2.52	3.2	0.4	3330.6	1.0	11	
Core Reject Duplicates																						
1506032	Rock	0.72	471	0.007	<0.01	<0.17	23.28	0.5	4.9	46.4	7	1.3	1.7	0.9	111	0.90	29.9	0.6	6.5	1.2	1	
DUP 1506032	QC			117	0.008	<0.01	<0.17	22.54	0.8	7.2	43.7	7	1.5	2.3	1.1	144	1.30	26.9	0.6	7.8	1.1	1
1506105	Rock	0.55	415	4.113	5.42	27.77	22.87	0.4	41.9	>10000	3	50.6	1.2	0.6	73	0.82	15.7	0.7	15111.7	<0.1	5	
DUP 1506105	QC			66	4.426	5.39	8.60	15.12	0.4	45.0	>10000	3	49.2	1.2	0.6	70	0.83	17.2	0.8	5032.8	<0.1	5
Reference Materials																						
STD AGPROOF	Standard																					
STD DS10	Standard							15.4	150.2	152.6	361	1.9	69.3	12.8	899	2.79	48.1	2.7	99.7	7.7	61	
STD DS10	Standard							16.7	152.1	158.6	347	2.1	79.8	13.9	909	2.87	51.7	2.8	92.7	8.1	69	
STD DS10	Standard							16.9	142.4	151.0	348	1.9	74.2	13.8	892	2.90	49.0	2.8	87.8	8.4	67	
STD OXC129	Standard							1.2	24.3	6.3	38	<0.1	76.6	19.7	413	2.98	<0.5	0.7	197.9	1.8	173	
STD OXC129	Standard							1.4	25.4	6.5	39	<0.1	78.4	20.9	424	3.09	0.6	0.7	202.1	1.9	210	
STD OXC129	Standard							1.3	26.5	6.7	40	<0.1	79.1	19.7	425	3.10	0.8	0.7	201.3	2.0	199	
STD OXD108	Standard							0.421														
STD OXD108	Standard							0.417														
STD OXD108	Standard							0.411														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Page: 1 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000038.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
Pulp Duplicates																					
1506007	Rock	<0.1	0.3	<0.1	<2	0.02	0.003	2	5	0.09	96	0.001	1	0.10	0.001	0.02	0.2	0.02	0.9	<0.1	<0.05
REP 1506007	QC	<0.1	0.4	<0.1	<2	0.02	0.003	2	5	0.09	98	0.001	<1	0.10	0.002	0.02	0.2	0.03	0.9	<0.1	<0.05
1506025	Rock	0.2	0.3	<0.1	5	0.11	0.047	16	4	0.01	168	0.001	2	0.31	0.032	0.28	<0.1	0.01	1.5	<0.1	<0.05
REP 1506025	QC																				
1506042	Rock	0.1	0.4	<0.1	<2	0.07	0.008	10	3	0.08	1066	<0.001	4	0.33	0.041	0.10	>100	0.07	4.0	<0.1	<0.05
REP 1506042	QC	0.1	0.5	<0.1	<2	0.07	0.008	10	3	0.08	1184	<0.001	4	0.33	0.043	0.10	>100	0.07	4.0	<0.1	<0.05
1506110	Rock	0.9	30.6	69.0	13	<0.01	0.176	2	12	<0.01	168	<0.001	<1	0.05	0.006	0.03	0.7	0.78	0.4	0.2	0.69
REP 1506110	QC																				
1506111	Rock	0.6	3.8	8.4	9	0.01	0.024	3	10	0.02	128	<0.001	<1	0.10	0.005	0.05	0.1	0.18	0.3	<0.1	0.06
REP 1506111	QC																				
1506116	Rock	0.2	0.2	0.8	<2	0.01	0.002	1	5	<0.01	105	<0.001	<1	0.09	0.006	0.03	<0.1	0.05	0.2	<0.1	1.01
REP 1506116	QC	0.2	0.2	0.8	<2	0.01	0.002	1	4	<0.01	117	<0.001	<1	0.09	0.006	0.03	<0.1	0.06	0.1	<0.1	1.00
Core Reject Duplicates																					
1506032	Rock	0.1	0.5	1.0	<2	0.01	0.003	4	5	0.01	38	<0.001	<1	0.05	0.003	0.03	<0.1	<0.01	0.5	<0.1	<0.05
DUP 1506032	QC	0.1	0.5	0.9	<2	<0.01	0.003	4	7	0.01	50	<0.001	<1	0.08	0.005	0.04	0.1	0.01	0.5	<0.1	<0.05
1506105	Rock	0.5	74.3	36.7	<2	<0.01	0.003	<1	4	<0.01	129	<0.001	1	<0.01	0.002	<0.01	<0.1	8.71	0.1	<0.1	0.28
DUP 1506105	QC	0.5	86.3	39.9	<2	<0.01	0.003	<1	4	<0.01	158	<0.001	<1	<0.01	0.002	<0.01	<0.1	8.54	<0.1	<0.1	0.29
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard	2.6	8.5	13.1	43	1.08	0.079	17	58	0.79	364	0.077	7	1.06	0.075	0.35	3.5	0.29	3.0	5.6	0.27
STD DS10	Standard	3.0	9.9	12.7	43	1.12	0.078	18	58	0.81	379	0.079	7	1.15	0.080	0.36	3.5	0.30	3.4	5.7	0.27
STD DS10	Standard	2.9	8.9	12.5	45	1.14	0.081	19	57	0.81	391	0.087	8	1.18	0.080	0.37	3.3	0.29	3.3	5.8	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.60	0.094	12	51	1.52	50	0.377	1	1.57	0.623	0.40	<0.1	<0.01	0.6	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.69	0.104	13	55	1.56	51	0.396	2	1.63	0.616	0.39	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.73	0.101	13	54	1.58	51	0.402	2	1.68	0.616	0.39	<0.1	<0.01	0.9	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000038.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
Pulp Duplicates				
1506007	Rock	<1	<0.5	<0.2
REP 1506007	QC	<1	<0.5	<0.2
1506025	Rock	1	<0.5	<0.2
REP 1506025	QC			
1506042	Rock	<1	<0.5	0.4
REP 1506042	QC	<1	0.8	0.4
1506110	Rock	<1	15.2	0.8
REP 1506110	QC			46.1
1506111	Rock	<1	0.9	<0.2
REP 1506111	QC			47.5
1506116	Rock	<1	0.7	<0.2
REP 1506116	QC	<1	0.6	<0.2
Core Reject Duplicates				
1506032	Rock	<1	<0.5	<0.2
DUP 1506032	QC	<1	<0.5	<0.2
1506105	Rock	<1	10.8	<0.2
DUP 1506105	QC	<1	11.5	<0.2
Reference Materials				
STD AGPROOF	Standard			<0.9
STD DS10	Standard	5	2.2	5.3
STD DS10	Standard	5	2.6	5.3
STD DS10	Standard	5	2.7	5.3
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000038.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXD108	Standard			0.416																	
STD OXI121	Standard			1.815																	
STD OXI121	Standard			1.839																	
STD OXI121	Standard			1.834																	
STD OXI121	Standard			1.790																	
STD OXN117	Standard			7.772																	
STD OXN117	Standard			7.691																	
STD OXN117	Standard			7.631																	
STD OXN117	Standard			7.629																	
STD OXP91	Standard					15.11	30.51														
STD OXP91	Standard					14.98	29.83														
STD OXP91	Standard					14.96	30.08														
STD OXP91	Standard					15.04	30.05														
STD OXP91	Standard					15.03	30.20														
STD OXP91	Standard					15.06	29.61														
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000038.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000038.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2	FA530 -Au ppm 0.9
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.3
STD SQ70	Standard				39.9
STD OXP91 Expected					
STD DS10 Expected		4.5	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000038.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank																				
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		517	<0.005	<0.01	<0.17	24.19	0.6	4.6	1.6	41	<0.1	1.0	4.0	437	1.84	1.4	0.5	<0.5	2.5	38
ROCK-WHI	Prep Blank		502	<0.005	<0.01	<0.17	29.85	0.5	5.8	1.6	31	<0.1	1.0	3.8	441	1.84	1.3	0.5	0.5	2.4	40



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000038.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.76	0.045	6	3	0.40	87	0.092	4	1.31	0.200	0.18	0.1	<0.01	3.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.74	0.040	6	3	0.40	103	0.090	4	1.27	0.189	0.17	0.1	<0.01	3.2	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: May 17, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000038.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				<0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
Prep Wash					
ROCK-WHI	Prep Blank	5	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	