



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 24, 2016
Report Date: June 07, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-03
P.O. Number
Number of Samples: 59

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	58	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	58	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	58	Analysis sample split/packet			VAN
Split -150	58	Analysis sample split/packet			VAN
FS631	58	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	58	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	58	Per sample shipping charges for branch shipments			VAN
FA530	3	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 2 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1506071	Rock				L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.			
1506072	Rock				1.34	475	0.019	0.02	<0.17	10.41	0.5	8.1	1.8	18	0.1	7.3	10.7	599	2.27	1.2	0.1	48.5	0.2	163
1506073	Rock				0.91	407	<0.005	<0.01	<0.17	6.28	0.4	7.3	31.9	12	0.3	1.0	0.3	99	0.75	0.8	0.2	1.1	0.5	<1
1506074	Rock				0.75	497	<0.005	<0.01	<0.17	4.88	0.3	12.3	56.7	33	0.6	1.9	0.5	115	1.08	1.7	0.3	5.3	2.4	57
1506075	Rock				0.95	431	0.010	<0.01	<0.17	2.24	0.4	10.2	32.7	14	3.6	1.1	0.4	90	0.89	0.5	0.3	5.9	0.5	<1
1506076	Rock				1.50	358	0.005	<0.01	<0.17	0.89	1.0	5.9	26.2	24	0.9	2.4	1.5	123	0.96	1.8	<0.1	3.5	0.7	2
1506077	Rock				1.00	465	0.072	0.07	<0.17	21.46	8.6	1.7	176.0	69	3.7	0.6	0.2	61	0.65	0.8	0.4	128.9	0.3	1
1506078	Rock				1.01	470	0.453	0.45	<0.17	8.13	6.2	2.3	352.9	113	13.2	0.8	0.2	77	0.87	0.7	0.4	370.0	0.7	36
1506079	Rock				1.15	529	0.109	0.15	4.04	5.94	0.6	3.8	14.5	5	0.4	1.9	0.7	89	1.37	3.9	0.9	98.2	0.7	2
1506080	Rock				1.23	558	0.007	<0.01	<0.17	6.23	0.2	2.7	18.7	5	0.4	1.2	2.7	106	1.02	0.6	0.3	<0.5	1.5	18
1506081	Rock				1.07	475	0.008	<0.01	<0.17	5.33	0.3	1.0	1.3	<1	<0.1	0.6	0.2	74	0.69	<0.5	<0.1	<0.5	<0.1	1
1506082	Rock				1.22	562	<0.005	<0.01	<0.17	16.73	0.3	1.2	0.4	<1	<0.1	0.5	0.1	52	0.51	<0.5	<0.1	<0.5	<0.1	<1
1506083	Rock				0.97	443	<0.005	<0.01	<0.17	16.21	0.4	2.0	14.2	10	<0.1	0.7	0.3	95	0.74	0.7	0.1	1.3	0.3	19
1506084	Rock				0.71	455	<0.005	<0.01	<0.17	0.61	0.3	0.8	0.4	<1	<0.1	0.7	0.1	75	0.70	<0.5	<0.1	1.7	<0.1	<1
1506085	Rock				0.86	266	<0.005	<0.01	<0.17	0.35	0.3	1.5	1.9	2	<0.1	1.0	0.2	98	0.81	0.8	0.2	2.3	2.0	3
1506086	Rock				0.75	502	<0.005	<0.01	<0.17	5.26	0.4	2.0	9.4	4	0.1	0.8	0.2	68	0.61	0.6	0.2	<0.5	1.8	<1
1506087	Rock				0.65	407	<0.005	<0.01	<0.17	1.19	0.3	1.7	10.6	7	<0.1	0.6	0.3	84	0.76	0.6	0.6	<0.5	5.2	5
1506088	Rock				0.91	397	<0.005	<0.01	<0.17	0.88	0.3	6.6	4.6	37	<0.1	1.6	1.2	588	1.18	<0.5	0.4	<0.5	3.1	17
1506089	Rock				0.93	452	<0.005	<0.01	<0.17	0.03	0.5	1.8	0.5	2	<0.1	1.1	0.3	189	0.93	0.5	<0.1	<0.5	0.1	2
1506090	Rock				0.79	347	<0.005	<0.01	<0.17	0.45	0.6	45.6	6.8	9	0.4	5.5	2.1	88	1.67	6.3	0.3	3.2	2.0	5
1506091	Rock				1.19	554	2.540	2.77	420.00	0.30	0.5	2666.9	8380.4	8646	>100	1.3	1.2	126	1.47	159.3	1.4	3049.5	0.1	99
1506092	Rock				1.17	537	0.244	0.25	3.77	0.53	0.5	53.7	76.8	1818	2.6	0.9	0.2	110	0.94	5.1	<0.1	111.2	0.1	3
1506093	Rock				1.39	547	0.226	0.23	<0.17	0.23	0.5	225.2	1082.1	803	13.4	1.1	0.4	100	1.38	16.7	<0.1	228.8	<0.1	4
1506094	Rock				1.07	482	0.007	<0.01	<0.17	0.22	0.7	3.3	6.2	7	0.5	1.1	0.4	113	1.03	1.2	<0.1	3.7	0.5	1
1506095	Rock				0.81	349	1.800	1.93	920.00	0.05	0.8	9.7	409.1	99	7.6	1.2	0.3	119	1.55	7.9	<0.1	2005.0	0.3	2
1506096	Rock				1.11	525	0.698	0.81	183.87	0.31	0.4	17.5	449.5	207	2.3	1.2	0.7	129	2.11	3.3	1.5	684.8	6.9	8
1506097	Rock				1.05	470	0.005	<0.01	<0.17	0.87	0.7	5.3	2.2	4	<0.1	1.5	0.5	304	0.94	<0.5	<0.1	0.7	<0.1	58
1506124	Rock				0.79	527	5.506	6.08	956.25	0.32	0.9	772.9	1094.1	68	48.2	2.1	1.9	117	1.87	65.0	3.2	6600.7	<0.1	3
1506131	Rock				0.54	448	0.009	<0.01	<0.17	0.72	0.6	12.9	7.0	15	0.1	3.0	3.7	408	1.26	1.2	0.2	3.6	3.1	35
1506132	Rock				0.70	447	0.007	<0.01	<0.17	0.35	0.8	9.8	71.2	19	0.2	2.4	1.0	348	1.17	1.5	<0.1	4.5	0.3	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: June 07, 2016

Page: 2 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

	Method	Analyte	AQ201																			
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
			0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
1506071	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	
1506072	Rock	0.3	0.1	<0.1	2	2.43	0.005	<1	3	0.64	37	<0.001	<1	0.05	0.002	0.04	<0.1	<0.01	2.2	<0.1	0.47	
1506073	Rock	<0.1	0.3	0.2	<2	<0.01	0.002	2	3	0.04	17	<0.001	<1	0.06	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506074	Rock	<0.1	0.4	0.6	4	0.07	0.038	4	7	0.20	2346	0.012	<1	0.23	0.016	0.10	0.1	0.02	0.9	<0.1	0.08	
1506075	Rock	<0.1	0.5	3.1	<2	<0.01	0.001	1	3	0.01	63	<0.001	<1	0.04	0.010	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506076	Rock	<0.1	0.1	2.3	<2	0.01	0.003	2	5	0.05	39	0.005	<1	0.07	0.003	0.02	0.1	<0.01	0.2	<0.1	<0.05	
1506077	Rock	1.7	0.3	0.7	<2	<0.01	<0.001	<1	3	<0.01	96	<0.001	<1	<0.01	0.001	<0.01	0.2	0.05	<0.1	<0.1	<0.05	
1506078	Rock	2.8	1.3	1.2	<2	<0.01	<0.001	<1	3	<0.01	990	<0.001	<1	0.02	0.001	0.01	0.1	0.34	<0.1	<0.1	0.15	
1506079	Rock	<0.1	0.3	0.4	<2	<0.01	0.003	<1	4	0.01	94	<0.001	<1	0.05	0.001	0.04	0.1	0.12	0.2	<0.1	<0.05	
1506080	Rock	<0.1	0.2	0.1	<2	0.04	0.021	17	3	0.02	1381	0.003	<1	0.15	0.006	0.19	<0.1	<0.01	0.2	<0.1	0.10	
1506081	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	52	<0.001	<1	0.03	<0.001	0.03	<0.1	<0.01	<0.1	<0.1	<0.05	
1506082	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	16	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506083	Rock	<0.1	0.1	<0.1	<2	<0.01	0.002	<1	3	0.02	971	0.002	1	0.14	0.003	0.18	<0.1	<0.01	0.1	<0.1	<0.05	
1506084	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	9	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506085	Rock	<0.1	<0.1	<0.1	<2	0.02	0.001	8	3	<0.01	122	<0.001	<1	0.07	0.006	0.06	<0.1	<0.01	0.3	<0.1	<0.05	
1506086	Rock	<0.1	<0.1	0.3	<2	<0.01	0.002	<1	2	0.02	21	<0.001	<1	0.06	0.033	0.03	<0.1	<0.01	0.1	<0.1	<0.05	
1506087	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.005	<1	2	0.02	158	<0.001	<1	0.16	0.016	0.19	<0.1	0.03	0.4	<0.1	<0.05	
1506088	Rock	1.2	<0.1	<0.1	<2	0.35	<0.001	8	3	<0.01	249	<0.001	<1	0.08	0.008	0.06	<0.1	0.01	0.1	<0.1	0.15	
1506089	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	<0.01	144	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1506090	Rock	<0.1	2.8	<0.1	3	<0.01	0.004	7	4	0.03	58	0.003	2	0.15	0.014	0.09	0.2	0.41	0.9	<0.1	<0.05	
1506091	Rock	199.7	287.4	60.0	<2	0.10	<0.001	<1	4	<0.01	112	<0.001	<1	0.02	0.002	<0.01	0.1	41.84	<0.1	<0.1	0.77	
1506092	Rock	68.3	7.7	0.1	<2	0.02	<0.001	<1	3	<0.01	129	<0.001	<1	0.01	0.002	<0.01	<0.1	4.48	<0.1	<0.1	0.09	
1506093	Rock	46.2	35.6	1.1	<2	<0.01	<0.001	<1	4	<0.01	141	<0.001	1	<0.01	0.002	<0.01	<0.1	4.37	<0.1	<0.1	0.33	
1506094	Rock	0.1	0.6	<0.1	<2	<0.01	0.001	2	4	<0.01	54	<0.001	<1	0.05	<0.001	0.04	<0.1	0.10	0.1	<0.1	<0.05	
1506095	Rock	5.0	9.0	0.3	<2	<0.01	<0.001	2	5	<0.01	273	<0.001	1	0.05	0.003	0.02	<0.1	1.64	0.1	<0.1	0.11	
1506096	Rock	0.5	2.1	0.8	<2	<0.01	0.004	14	2	<0.01	355	<0.001	2	0.26	0.098	0.15	<0.1	0.70	5.9	<0.1	0.36	
1506097	Rock	<0.1	<0.1	<0.1	<2	1.96	<0.001	1	3	0.01	36	<0.001	<1	0.02	0.003	<0.01	<0.1	0.01	0.8	<0.1	<0.05	
1506124	Rock	2.8	554.0	19.5	<2	<0.01	0.001	<1	4	<0.01	205	<0.001	<1	<0.01	0.002	<0.01	<0.1	22.74	<0.1	<0.1	0.71	
1506131	Rock	0.2	1.2	0.2	3	0.06	0.023	7	6	0.16	833	0.004	<1	0.31	0.023	0.11	<0.1	0.06	0.8	<0.1	<0.05	
1506132	Rock	0.3	1.2	<0.1	<2	<0.01	0.003	1	4	0.04	962	<0.001	<1	0.07	0.001	0.02	<0.1	0.05	<0.1	<0.1	<0.05	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 2 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	Ag
Unit	ppm	ppm	ppm	gm/t
MDL	1	0.5	0.2	20
1506071	Rock	L.N.R.	L.N.R.	L.N.R.
1506072	Rock	<1	<0.5	<0.2
1506073	Rock	<1	<0.5	<0.2
1506074	Rock	1	<0.5	<0.2
1506075	Rock	<1	0.6	<0.2
1506076	Rock	<1	<0.5	<0.2
1506077	Rock	<1	<0.5	1.1
1506078	Rock	<1	0.7	6.0
1506079	Rock	<1	<0.5	<0.2
1506080	Rock	<1	<0.5	<0.2
1506081	Rock	<1	<0.5	<0.2
1506082	Rock	<1	<0.5	<0.2
1506083	Rock	<1	<0.5	<0.2
1506084	Rock	<1	<0.5	<0.2
1506085	Rock	<1	<0.5	<0.2
1506086	Rock	<1	<0.5	<0.2
1506087	Rock	<1	<0.5	<0.2
1506088	Rock	<1	<0.5	<0.2
1506089	Rock	<1	<0.5	<0.2
1506090	Rock	<1	<0.5	<0.2
1506091	Rock	<1	14.9	0.6 93
1506092	Rock	<1	<0.5	<0.2
1506093	Rock	<1	1.7	<0.2
1506094	Rock	<1	<0.5	<0.2
1506095	Rock	<1	0.8	<0.2
1506096	Rock	<1	<0.5	<0.2
1506097	Rock	<1	<0.5	<0.2
1506124	Rock	<1	3.2	<0.2
1506131	Rock	1	<0.5	<0.2
1506132	Rock	<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 3 of 3

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1506133	Rock	0.87	375	<0.005	<0.01	<0.17	0.63	0.8	6.4	45.8	30	0.1	2.9	1.4	306	1.42	0.8	0.2	<0.5	1.0	85
1506134	Rock	0.92	415	<0.005	<0.01	<0.17	0.66	0.5	4.8	4.5	12	<0.1	2.0	0.7	166	1.16	1.1	0.1	<0.5	0.2	2
1506135	Rock	0.85	380	0.453	0.55	27.94	1.36	2.2	2.7	94.7	3	4.1	1.0	0.2	112	1.14	0.7	0.1	531.3	0.3	92
1506136	Rock	0.84	364	0.011	0.01	<0.17	0.69	0.6	8.1	5.3	16	0.2	2.2	1.9	218	1.50	9.4	0.2	11.8	1.4	11
1506137	Rock	0.56	490	0.073	0.07	<0.17	25.51	1.2	2.0	32.8	6	0.8	0.7	0.2	63	0.64	0.8	0.3	65.1	1.1	65
1506138	Rock	0.69	464	0.015	0.01	<0.17	27.67	0.8	2.1	8.3	<1	0.3	0.9	0.3	75	0.67	0.7	0.3	14.8	1.0	3
1506139	Rock	1.29	541	<0.005	<0.01	<0.17	29.36	0.5	6.7	10.7	12	0.2	1.1	0.9	184	0.70	1.0	1.1	0.6	1.8	2
1506140	Rock	0.60	528	<0.005	<0.01	<0.17	24.69	<0.1	1.3	0.7	1	<0.1	0.8	0.3	99	0.57	<0.5	<0.1	<0.5	0.2	<1
1506141	Rock	0.83	375	0.242	0.34	2.38	18.07	0.4	4.0	10.3	7	0.9	1.6	1.3	164	2.10	6.6	1.3	138.1	0.6	3
1506142	Rock	0.81	364	<0.005	<0.01	<0.17	17.11	0.2	1.5	0.7	<1	<0.1	0.5	0.1	71	0.56	<0.5	<0.1	<0.5	<0.1	<1
1506143	Rock	0.90	401	<0.005	<0.01	<0.17	18.79	0.2	1.5	1.1	1	<0.1	0.7	0.2	95	0.78	<0.5	<0.1	0.9	0.2	1
1506144	Rock	0.96	439	<0.005	<0.01	<0.17	20.27	0.1	4.2	2.9	5	0.1	0.8	0.4	86	0.58	0.9	<0.1	1.2	0.3	4
1506145	Rock	1.14	500	<0.005	<0.01	<0.17	18.58	0.3	2.3	2.0	7	<0.1	0.7	0.3	95	0.69	0.7	<0.1	0.6	<0.1	1
1506146	Rock	0.65	415	<0.005	<0.01	<0.17	24.72	<0.1	1.0	2.3	1	<0.1	0.5	0.2	69	0.52	<0.5	<0.1	<0.5	<0.1	<1
1506147	Rock	0.96	433	<0.005	<0.01	<0.17	26.42	0.3	5.3	22.1	18	0.3	1.2	0.7	147	0.75	3.5	0.3	<0.5	0.4	2
1506148	Rock	0.65	430	<0.005	<0.01	<0.17	22.10	0.2	1.1	4.3	3	<0.1	0.8	0.2	93	0.72	<0.5	0.1	<0.5	0.1	4
1506149	Rock	0.71	463	<0.005	<0.01	<0.17	30.13	0.2	0.9	0.8	1	<0.1	0.5	0.2	55	0.52	<0.5	<0.1	<0.5	0.3	8
1506150	Rock	0.71	465	<0.005	<0.01	<0.17	31.02	0.2	2.3	5.6	4	0.9	1.2	0.3	233	0.73	<0.5	<0.1	<0.5	<0.1	1
1506151	Rock	0.76	487	0.006	<0.01	<0.17	24.91	0.5	20.1	3.8	4	0.4	6.4	2.5	88	1.27	7.1	0.9	0.9	0.7	5
1506152	Rock	0.49	407	<0.005	<0.01	<0.17	24.64	0.2	1.9	22.1	3	0.2	1.2	1.1	122	0.96	4.9	<0.1	2.1	0.4	3
1506153	Rock	1.27	502	3.393	4.15	19.50	23.64	<0.1	1477.6	7547.0	4544	>100	1.1	0.6	69	0.79	137.6	0.7	4251.6	<0.1	19
1506154	Rock	1.10	495	6.755	9.16	82.05	15.82	0.6	18.4	>10000	28	96.7	1.0	0.3	99	1.21	36.0	0.2	12421.4	<0.1	13
1506155	Rock	0.56	474	0.268	0.27	0.26	19.54	0.7	34.2	4536.2	52	12.3	0.8	0.3	72	0.87	4.4	0.7	373.0	<0.1	1
1506156	Rock	0.84	542	5.635	6.42	23.05	24.43	0.5	499.2	>10000	162	>100	1.0	0.3	110	1.56	429.3	0.5	6188.0	<0.1	99
1506157	Rock	0.84	518	0.016	0.01	<0.17	28.11	0.2	2.7	65.3	2	0.6	0.5	0.3	67	0.49	1.5	0.1	21.3	1.1	2
1506158	Rock	1.10	493	1.078	1.29	6.92	18.22	0.7	98.3	3335.6	610	22.1	0.9	0.4	75	1.81	17.8	0.3	972.1	0.4	9
1506159	Rock	0.44	357	0.978	1.71	13.11	21.51	0.2	4.5	739.2	50	5.6	0.7	0.2	60	0.69	3.7	<0.1	1546.3	<0.1	1
1506160	Rock	0.97	416	0.275	0.30	0.74	27.09	<0.1	76.3	3416.5	>10000	28.0	1.1	1.6	109	1.40	1.9	0.9	592.3	1.0	118
1506161	Rock	0.81	521	<0.005	<0.01	<0.17	19.46	0.5	5.0	7.9	28	0.1	4.1	1.2	328	1.20	<0.5	0.2	0.8	0.1	23



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 3 of 3

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1506133	Rock		0.1	0.2	0.8	<2	0.02	0.007	1	6	0.12	2406	0.001	<1	0.18	0.009	0.05	<0.1	<0.01	0.4	<0.1	0.07		
1506134	Rock		<0.1	0.2	<0.1	<2	0.02	0.010	<1	4	0.08	78	<0.001	<1	0.11	0.009	0.02	<0.1	<0.01	0.2	<0.1	<0.05		
1506135	Rock		<0.1	1.1	0.4	<2	<0.01	0.001	<1	4	<0.01	2023	<0.001	<1	0.02	0.002	0.01	0.1	0.08	0.1	<0.1	0.06		
1506136	Rock		<0.1	1.0	<0.1	<2	<0.01	0.008	5	6	0.07	35	<0.001	<1	0.16	0.005	0.03	<0.1	<0.01	0.5	<0.1	<0.05		
1506137	Rock		0.1	0.5	0.1	<2	<0.01	<0.001	1	2	<0.01	1698	<0.001	1	0.02	0.003	0.01	0.1	0.04	<0.1	<0.1	0.07		
1506138	Rock		<0.1	0.4	<0.1	<2	<0.01	<0.001	1	3	<0.01	279	<0.001	<1	0.02	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05		
1506139	Rock		<0.1	<0.1	<0.1	<2	0.01	0.007	8	2	0.04	73	0.005	1	0.10	0.007	0.07	<0.1	0.01	0.8	<0.1	<0.05		
1506140	Rock		<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	2	<0.01	11	<0.001	<1	0.01	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05		
1506141	Rock		0.1	0.5	0.4	<2	<0.01	0.004	2	4	<0.01	349	<0.001	2	0.04	<0.001	0.03	<0.1	0.10	0.4	<0.1	<0.05		
1506142	Rock		<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	17	<0.001	<1	0.01	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05		
1506143	Rock		<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	22	<0.001	<1	0.02	<0.001	0.02	<0.1	0.02	0.1	<0.1	<0.05		
1506144	Rock		<0.1	0.2	<0.1	<2	<0.01	0.005	<1	2	<0.01	182	<0.001	2	0.04	0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05		
1506145	Rock		<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	3	0.01	37	<0.001	<1	0.04	<0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05		
1506146	Rock		<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	35	<0.001	<1	0.02	<0.001	0.03	<0.1	<0.01	<0.1	<0.1	<0.05		
1506147	Rock		0.1	0.3	0.4	<2	<0.01	0.005	<1	3	<0.01	43	0.002	<1	0.05	0.004	0.03	<0.1	<0.01	0.2	<0.1	<0.05		
1506148	Rock		<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	266	<0.001	<1	0.02	0.002	0.03	<0.1	<0.01	<0.1	<0.1	<0.05		
1506149	Rock		<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	2	<0.01	503	<0.001	<1	0.02	0.002	0.02	<0.1	0.02	<0.1	<0.1	<0.05		
1506150	Rock		<0.1	0.2	0.9	<2	0.01	<0.001	4	3	<0.01	74	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.7	<0.1	<0.05		
1506151	Rock		<0.1	2.5	0.1	<2	<0.01	0.002	4	2	<0.01	77	<0.001	<1	0.04	0.004	0.03	<0.1	0.23	0.3	<0.1	<0.05		
1506152	Rock		<0.1	0.2	0.2	<2	<0.01	<0.001	<1	3	<0.01	557	<0.001	<1	0.02	0.001	0.02	<0.1	0.01	<0.1	<0.1	0.11		
1506153	Rock		92.5	350.0	44.9	<2	0.04	0.002	<1	2	<0.01	401	<0.001	3	0.02	<0.001	<0.01	<0.1	>50	0.4	<0.1	0.39		
1506154	Rock		2.9	104.7	5.7	<2	<0.01	<0.001	<1	4	<0.01	182	<0.001	1	<0.01	0.006	0.01	<0.1	14.09	<0.1	<0.1	0.42		
1506155	Rock		0.7	4.2	3.0	<2	<0.01	<0.001	<1	3	<0.01	108	<0.001	<1	0.01	0.002	<0.01	<0.1	0.97	<0.1	<0.1	0.15		
1506156	Rock		8.5	73.3	14.3	<2	<0.01	<0.001	<1	4	<0.01	151	<0.001	<1	<0.01	0.001	<0.01	0.2	36.53	<0.1	<0.1	0.69		
1506157	Rock		<0.1	0.3	0.1	<2	<0.01	0.001	<1	2	<0.01	142	<0.001	<1	0.03	0.011	0.03	<0.1	0.15	0.2	<0.1	<0.05		
1506158	Rock		31.8	18.8	3.7	<2	<0.01	<0.001	1	4	<0.01	284	<0.001	<1	0.06	0.002	<0.01	<0.1	9.47	0.2	<0.1	0.26		
1506159	Rock		2.2	6.2	0.3	<2	<0.01	<0.001	<1	3	<0.01	166	<0.001	1	<0.01	0.002	<0.01	<0.1	1.37	<0.1	<0.1	0.09		
1506160	Rock		285.0	7.7	44.6	<2	0.01	0.003	3	5	<0.01	148	<0.001	6	0.07	0.008	0.02	0.2	>50	0.5	<0.1	0.75		
1506161	Rock		0.2	<0.1	0.1	14	1.12	0.009	1	3	0.22	81	<0.001	<1	0.33	0.004	0.01	<0.1	0.09	1.1	<0.1	<0.05		



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 3 of 3

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000041.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	Ag
Unit	ppm	ppm	ppm	gm/t
MDL	1	0.5	0.2	20
1506133	Rock	<1	<0.5	<0.2
1506134	Rock	<1	<0.5	<0.2
1506135	Rock	<1	<0.5	2.9
1506136	Rock	<1	<0.5	<0.2
1506137	Rock	<1	<0.5	0.3
1506138	Rock	<1	<0.5	0.2
1506139	Rock	<1	<0.5	<0.2
1506140	Rock	<1	<0.5	<0.2
1506141	Rock	<1	<0.5	<0.2
1506142	Rock	<1	<0.5	<0.2
1506143	Rock	<1	<0.5	<0.2
1506144	Rock	<1	<0.5	<0.2
1506145	Rock	<1	<0.5	<0.2
1506146	Rock	<1	<0.5	<0.2
1506147	Rock	<1	<0.5	<0.2
1506148	Rock	<1	<0.5	<0.2
1506149	Rock	<1	<0.5	<0.2
1506150	Rock	<1	<0.5	<0.2
1506151	Rock	<1	<0.5	<0.2
1506152	Rock	<1	<0.5	<0.2
1506153	Rock	<1	11.9	1.1 96
1506154	Rock	<1	10.7	0.3
1506155	Rock	<1	6.4	<0.2
1506156	Rock	<1	17.4	0.4 206
1506157	Rock	<1	<0.5	<0.2
1506158	Rock	<1	3.5	<0.2
1506159	Rock	<1	0.8	<0.2
1506160	Rock	<1	6.6	<0.2
1506161	Rock	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000041.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1506072	Rock	1.34	475	0.019	0.02	<0.17	10.41	0.5	8.1	1.8	18	0.1	7.3	10.7	599	2.27	1.2	0.1	48.5	0.2	163
REP 1506072	QC							0.4	8.2	1.8	18	0.1	6.4	10.4	605	2.26	1.1	<0.1	36.7	0.2	158
1506138	Rock	0.69	464	0.015	0.01	<0.17	27.67	0.8	2.1	8.3	<1	0.3	0.9	0.3	75	0.67	0.7	0.3	14.8	1.0	3
REP 1506138	QC			0.016																	
1506139	Rock	1.29	541	<0.005	<0.01	<0.17	29.36	0.5	6.7	10.7	12	0.2	1.1	0.9	184	0.70	1.0	1.1	0.6	1.8	2
REP 1506139	QC			<0.005				0.4	6.3	10.2	11	0.2	1.0	0.8	178	0.69	1.2	1.0	<0.5	1.7	2
1506156	Rock	0.84	542	5.635	6.42	23.05	24.43	0.5	499.2	>10000	162	>100	1.0	0.3	110	1.56	429.3	0.5	6188.0	<0.1	99
REP 1506156	QC																				
Core Reject Duplicates																					
1506079	Rock	1.15	529	0.109	0.15	4.04	5.94	0.6	3.8	14.5	5	0.4	1.9	0.7	89	1.37	3.9	0.9	98.2	0.7	2
DUP 1506079	QC		490	0.108	0.11	<0.17	6.23	0.3	2.0	16.7	4	0.5	1.2	0.7	88	1.39	4.2	1.0	196.2	0.7	2
1506145	Rock	1.14	500	<0.005	<0.01	<0.17	18.58	0.3	2.3	2.0	7	<0.1	0.7	0.3	95	0.69	0.7	<0.1	0.6	<0.1	1
DUP 1506145	QC		515	<0.005	<0.01	<0.17	28.18	0.2	2.3	2.1	7	<0.1	1.1	0.3	96	0.71	<0.5	<0.1	<0.5	0.1	1
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard							13.4	153.2	146.5	342	1.9	73.7	13.3	894	2.85	47.2	2.5	75.3	7.6	70
STD DS10	Standard							15.8	157.5	145.3	357	2.0	78.2	13.1	889	2.78	46.7	2.5	79.4	7.3	63
STD OXC129	Standard							1.3	27.4	6.1	39	<0.1	81.5	19.9	430	3.12	<0.5	0.7	185.3	1.9	188
STD OXC129	Standard							1.2	27.0	6.5	41	<0.1	78.0	20.0	412	3.03	0.7	0.6	189.0	1.8	186
STD OXD108	Standard			0.421																	
STD OXD108	Standard			0.404																	
STD OXI121	Standard			1.824																	
STD OXI121	Standard			1.777																	
STD OXN117	Standard			7.667																	
STD OXN117	Standard			7.624																	
STD OXP91	Standard					15.15	30.56														
STD OXP91	Standard					15.04	30.05														
STD OXP91	Standard					15.03	30.07														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1506072	Rock	0.3	0.1	<0.1	2	2.43	0.005	<1	3	0.64	37	<0.001	<1	0.05	0.002	0.04	<0.1	<0.01	2.2	<0.1	0.47
REP 1506072	QC	0.4	0.1	<0.1	2	2.40	0.006	<1	3	0.64	36	<0.001	<1	0.05	0.002	0.04	<0.1	<0.01	2.1	<0.1	0.47
1506138	Rock	<0.1	0.4	<0.1	<2	<0.01	<0.001	1	3	<0.01	279	<0.001	<1	0.02	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1506138	QC																				
1506139	Rock	<0.1	<0.1	<0.1	<2	0.01	0.007	8	2	0.04	73	0.005	1	0.10	0.007	0.07	<0.1	0.01	0.8	<0.1	<0.05
REP 1506139	QC	<0.1	0.1	<0.1	<2	0.01	0.007	7	2	0.04	69	0.004	<1	0.10	0.006	0.07	<0.1	<0.01	0.6	<0.1	<0.05
1506156	Rock	8.5	73.3	14.3	<2	<0.01	<0.001	<1	4	<0.01	151	<0.001	<1	<0.01	0.001	<0.01	0.2	36.53	<0.1	<0.1	0.69
REP 1506156	QC																				
Core Reject Duplicates																					
1506079	Rock	<0.1	0.3	0.4	<2	<0.01	0.003	<1	4	0.01	94	<0.001	<1	0.05	0.001	0.04	0.1	0.12	0.2	<0.1	<0.05
DUP 1506079	QC	<0.1	0.3	0.4	<2	<0.01	0.002	<1	3	<0.01	105	<0.001	<1	0.05	0.001	0.03	0.1	0.11	0.2	<0.1	<0.05
1506145	Rock	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	3	0.01	37	<0.001	<1	0.04	<0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05
DUP 1506145	QC	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	3	0.01	41	<0.001	<1	0.04	<0.001	0.03	<0.1	<0.01	0.1	<0.1	<0.05
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard	2.4	9.3	13.3	45	1.10	0.075	18	54	0.79	360	0.080	6	1.08	0.074	0.34	3.4	0.29	3.2	5.4	0.29
STD DS10	Standard	2.6	8.8	11.3	42	1.08	0.071	17	55	0.78	351	0.075	8	1.09	0.073	0.34	3.3	0.40	2.8	5.1	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.107	12	51	1.55	48	0.386	<1	1.58	0.606	0.38	0.1	<0.01	1.4	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.66	0.100	11	52	1.53	51	0.358	<1	1.58	0.586	0.36	<0.1	0.02	0.9	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000041.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	Ag
		ppm	ppm	ppm	gm/t
		1	0.5	0.2	20
Pulp Duplicates					
1506072	Rock	<1	<0.5	<0.2	
REP 1506072	QC	<1	<0.5	<0.2	
1506138	Rock	<1	<0.5	0.2	
REP 1506138	QC				
1506139	Rock	<1	<0.5	<0.2	
REP 1506139	QC	<1	0.6	<0.2	
1506156	Rock	<1	17.4	0.4	206
REP 1506156	QC	208			
Core Reject Duplicates					
1506079	Rock	<1	<0.5	<0.2	
DUP 1506079	QC	<1	<0.5	<0.2	
1506145	Rock	<1	<0.5	<0.2	
DUP 1506145	QC	<1	<0.5	<0.2	
Reference Materials					
STD AGPROOF	Standard	96			
STD DS10	Standard	5	3.3	5.0	
STD DS10	Standard	5	2.3	5.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	6	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000041.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91	Standard					15.03	29.27														
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			0.005																	
BLK	Blank			<0.005																	
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank		467	<0.005	<0.01	<0.17	3.93	0.6	3.4	1.6	29	<0.1	1.0	3.4	420	1.88	0.7	0.4	<0.5	2.4	30
ROCK-WHI	Prep Blank		524	<0.005	<0.01	<0.17	4.17	0.7	3.2	1.3	31	<0.1	1.0	3.6	430	1.91	0.7	0.4	<0.5	2.5	30



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000041.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXP91	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD SQ70 Expected																					
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	20	0.60	0.038	5	3	0.38	66	0.076	<1	0.98	0.131	0.11	<0.1	<0.01	2.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	21	0.65	0.040	5	3	0.38	67	0.075	1	1.07	0.143	0.12	0.1	<0.01	3.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: June 07, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000041.1

		AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	Ag
		ppm	ppm	ppm	gm/t
		1	0.5	0.2	20
STD OXP91	Standard				
STD SP49	Standard				60
STD SQ70	Standard				159
STD OXP91 Expected					
STD DS10 Expected		4.5	2.3	5.01	
STD OXC129 Expected		5.6			
STD AGPROOF Expected					94
STD SP49 Expected					60.2
STD SQ70 Expected					159.5
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				
BLK	Blank				
BLK	Blank				<20
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	