



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 17, 2016
Report Date: July 06, 2016
Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000051.1

CLIENT JOB INFORMATION

Project: Gold Run/Wash Cr
Shipment ID:
P.O. Number
Number of Samples: 54

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	54	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	54	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	54	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	54	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr

Report Date: July 06, 2016

Page: 2 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000051.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506162	Rock				0.56	<0.005	0.1	1.7	0.1	<1	<0.1	0.4	0.2	27	0.24	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506163	Rock				0.92	<0.005	0.1	2.7	0.2	<1	<0.1	1.0	0.3	32	0.30	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506164	Rock				0.76	<0.005	<0.1	1.5	<0.1	<1	<0.1	0.5	0.2	28	0.25	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506165	Rock				0.83	<0.005	<0.1	1.1	<0.1	<1	<0.1	0.4	0.2	29	0.26	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506166	Rock				0.71	<0.005	0.2	11.0	0.2	1	<0.1	4.7	0.8	40	0.53	0.7	<0.1	<0.5	<0.1	<1	<0.1	<0.1	4	
1506167	Rock				0.65	<0.005	<0.1	0.9	<0.1	<1	<0.1	0.3	0.1	21	0.19	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506168	Rock				1.09	<0.005	<0.1	1.0	0.2	<1	<0.1	0.4	0.2	43	0.25	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506169	Rock				1.18	<0.005	0.1	1.0	0.3	1	<0.1	0.4	0.2	64	0.26	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506170	Rock				0.65	<0.005	0.1	0.8	0.1	<1	<0.1	0.3	0.3	47	0.21	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506171	Rock				0.86	<0.005	0.1	0.9	0.1	<1	<0.1	0.4	0.2	42	0.28	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506172	Rock				0.85	<0.005	<0.1	0.9	<0.1	3	<0.1	0.5	0.4	47	0.30	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506173	Rock				0.68	<0.005	0.3	10.2	1.4	2	<0.1	0.8	0.5	54	0.35	0.6	0.2	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506174	Rock				1.54	<0.005	0.2	9.8	59.7	1	0.7	1.0	0.8	312	0.43	<0.5	<0.1	<0.5	0.5	<1	<0.1	<0.1	2.5	
1506175	Rock				0.72	<0.005	0.1	1.1	0.6	1	<0.1	0.9	1.3	143	0.31	1.0	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506176	Rock				0.74	<0.005	0.1	2.0	0.4	<1	<0.1	0.5	0.4	55	0.26	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506177	Rock				0.78	<0.005	0.4	6.2	143.2	25	0.2	3.4	3.8	320	0.56	<0.5	0.4	<0.5	1.9	4	0.3	<0.1	1.9	
1506178	Rock				0.75	<0.005	0.3	3.3	26.5	17	<0.1	2.3	1.1	318	0.30	0.6	<0.1	<0.5	<0.1	1	0.3	<0.1	0.6	
1506179	Rock				0.78	<0.005	<0.1	2.4	67.5	5	<0.1	0.9	0.5	69	0.28	<0.5	<0.1	<0.5	0.2	3	<0.1	<0.1	1.6	
1506180	Rock				1.06	<0.005	0.1	3.5	9.7	3	<0.1	0.7	0.4	49	0.55	23.3	1.9	1.6	0.6	21	<0.1	0.3	0.4	
1506181	Rock				1.13	<0.005	0.4	4.3	6.2	3	0.2	0.8	0.6	87	1.19	38.1	1.8	1.1	0.3	11	<0.1	0.7	0.6	
1506182	Rock				2.30	<0.005	0.2	7.3	11.0	5	<0.1	0.7	0.5	56	0.38	12.1	1.7	2.2	0.8	3	<0.1	0.2	0.9	
1506183	Rock				0.96	<0.005	0.6	7.9	31.3	8	0.1	3.0	0.9	98	0.74	26.3	2.3	1.9	0.4	5	<0.1	0.3	0.4	
1506184	Rock				0.64	<0.005	0.4	5.8	10.0	6	<0.1	1.5	0.4	52	0.39	1.4	0.2	0.6	<0.1	1	<0.1	<0.1	0.2	
1506185	Rock				0.81	<0.005	0.4	4.1	0.3	3	<0.1	1.6	0.3	142	0.31	<0.5	<0.1	<0.5	<0.1	1	<0.1	<0.1	<2	
1506186	Rock				0.39	<0.005	1.7	17.6	436.0	3	2.9	2.6	1.5	136	0.78	4.6	0.4	0.7	1.2	9	0.2	0.2	6.9	
1506187	Rock				0.85	<0.005	0.5	4.5	2.6	3	<0.1	2.5	0.8	72	0.40	1.7	<0.1	<0.5	0.4	<1	<0.1	<0.1	<2	
1506188	Rock				1.20	<0.005	0.4	5.4	4.1	3	<0.1	1.8	0.4	54	0.32	0.7	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506189	Rock				0.56	<0.005	0.5	7.1	0.9	4	<0.1	2.1	0.6	41	0.38	<0.5	<0.1	0.7	<0.1	<1	<0.1	<0.1	<2	
1506190	Rock				0.80	<0.005	0.4	3.4	6.6	2	<0.1	1.6	0.6	83	0.32	0.7	<0.1	<0.5	0.2	1	<0.1	<0.1	<2	
1506191	Rock				0.57	<0.005	0.7	4.2	0.4	3	<0.1	2.0	0.9	214	0.36	0.8	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr
Report Date: July 06, 2016

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000051.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1506162	Rock																						
1506163	Rock																						
1506164	Rock																						
1506165	Rock																						
1506166	Rock																						
1506167	Rock																						
1506168	Rock																						
1506169	Rock																						
1506170	Rock																						
1506171	Rock																						
1506172	Rock																						
1506173	Rock																						
1506174	Rock																						
1506175	Rock																						
1506176	Rock																						
1506177	Rock																						
1506178	Rock																						
1506179	Rock																						
1506180	Rock																						
1506181	Rock																						
1506182	Rock																						
1506183	Rock																						
1506184	Rock																						
1506185	Rock																						
1506186	Rock																						
1506187	Rock																						
1506188	Rock																						
1506189	Rock																						
1506190	Rock																						
1506191	Rock																						



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr

Report Date: July 06, 2016

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000051.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506192	Rock				0.64	<0.005	0.4	3.0	0.4	2	<0.1	1.4	0.3	38	0.30	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506193	Rock				0.79	<0.005	0.7	5.5	0.4	3	<0.1	2.1	0.6	66	0.36	1.0	<0.1	1.9	<0.1	<1	<0.1	<0.1	<2	
1506194	Rock				0.87	<0.005	0.5	5.4	1.5	6	<0.1	2.5	0.6	54	0.46	<0.5	<0.1	0.8	<0.1	<1	<0.1	<0.1	<2	
1506195	Rock				0.77	<0.005	0.5	5.5	7.9	4	<0.1	2.4	0.5	63	0.35	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<2	
1506196	Rock				0.89	<0.005	0.9	5.2	5.8	6	<0.1	2.8	0.6	131	0.46	<0.5	<0.1	0.7	<0.1	2	0.1	<0.1	<0.1	<2
1506197	Rock				0.78	<0.005	0.5	5.2	0.5	3	<0.1	1.9	0.3	40	0.31	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506198	Rock				0.92	<0.005	0.4	5.1	0.8	5	<0.1	2.1	0.9	190	0.50	0.5	<0.1	0.8	<0.1	<1	<0.1	<0.1	<0.1	2
1506199	Rock				0.82	<0.005	0.5	7.6	0.4	13	<0.1	2.4	1.6	102	0.78	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4
1506200	Rock				0.60	<0.005	0.3	4.6	0.3	3	<0.1	1.6	0.4	42	0.33	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506251	Rock				0.55	<0.005	0.6	5.5	0.3	3	<0.1	2.4	0.6	60	0.39	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506252	Rock				0.46	<0.005	0.5	9.1	0.3	4	<0.1	2.8	0.6	58	0.49	0.6	<0.1	0.7	<0.1	<1	<0.1	<0.1	<0.1	<2
1506253	Rock				0.88	<0.005	0.7	7.1	0.3	4	<0.1	2.8	0.5	50	0.45	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506254	Rock				0.86	<0.005	0.3	14.3	0.3	9	<0.1	4.9	4.2	75	0.68	1.1	<0.1	0.5	<0.1	3	<0.1	<0.1	<0.1	3
1506255	Rock				0.54	<0.005	0.4	6.2	0.4	13	<0.1	3.9	1.9	106	0.73	0.7	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4
1506256	Rock				0.58	<0.005	0.4	4.5	0.2	3	<0.1	1.8	0.3	38	0.35	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506257	Rock				0.59	<0.005	0.5	5.8	0.4	16	<0.1	5.2	1.4	117	0.76	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5
1506258	Rock				0.82	<0.005	0.9	27.9	0.3	9	<0.1	5.5	1.7	79	0.76	0.9	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5
1506259	Rock				0.45	<0.005	0.4	5.2	0.3	3	<0.1	2.2	0.5	66	0.44	0.7	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506260	Rock				0.72	<0.005	0.4	5.1	0.2	3	<0.1	1.9	0.4	38	0.31	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506261	Rock				0.60	<0.005	0.3	7.6	0.2	3	<0.1	2.1	0.9	78	0.37	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506262	Rock				0.68	<0.005	0.3	9.0	0.3	5	<0.1	3.4	1.0	47	0.34	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506263	Rock				0.71	<0.005	0.3	5.3	0.1	1	<0.1	1.2	0.3	25	0.23	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506264	Rock				0.71	<0.005	0.4	9.0	0.2	3	<0.1	1.9	0.3	33	0.30	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506265	Rock				0.56	<0.005	0.4	4.2	0.2	2	<0.1	1.8	0.4	42	0.39	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr
Report Date: July 06, 2016

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000051.1

Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1506192	Rock	<0.01	<0.001	<1	3	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506193	Rock	<0.01	<0.001	<1	5	<0.01	4	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506194	Rock	<0.01	0.002	<1	4	<0.01	6	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506195	Rock	<0.01	<0.001	<1	5	<0.01	4	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506196	Rock	0.02	0.010	<1	5	0.02	10	<0.001	<1	0.04	0.004	0.01	<0.1	<0.01	0.2	<0.05	<1	<0.5	<0.2
1506197	Rock	<0.01	0.002	<1	4	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506198	Rock	0.02	0.005	<1	4	0.04	18	0.005	<1	0.07	<0.001	0.01	<0.1	<0.01	0.3	<0.05	<1	<0.5	<0.2
1506199	Rock	<0.01	0.003	<1	5	0.14	3	<0.001	<1	0.21	<0.001	<0.01	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2
1506200	Rock	<0.01	<0.001	<1	4	<0.01	5	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506251	Rock	<0.01	<0.001	<1	5	0.02	4	<0.001	<1	0.03	0.001	<0.01	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2
1506252	Rock	<0.01	0.002	<1	5	0.01	6	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2
1506253	Rock	<0.01	0.002	<1	6	<0.01	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506254	Rock	0.07	0.036	<1	5	0.12	7	<0.001	<1	0.14	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506255	Rock	0.01	0.003	<1	7	0.22	16	0.002	<1	0.25	0.002	0.01	<0.1	<0.01	0.3	<0.05	<1	<0.5	<0.2
1506256	Rock	<0.01	0.002	<1	4	<0.01	2	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506257	Rock	<0.01	0.001	<1	6	0.24	12	0.002	<1	0.27	0.002	0.01	<0.1	<0.01	0.3	<0.05	<1	<0.5	<0.2
1506258	Rock	<0.01	0.003	<1	7	0.07	10	<0.001	<1	0.11	<0.001	<0.01	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2
1506259	Rock	<0.01	0.002	<1	5	<0.01	7	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2
1506260	Rock	<0.01	<0.001	<1	4	<0.01	6	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506261	Rock	0.01	0.006	<1	4	0.04	6	<0.001	<1	0.04	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506262	Rock	0.05	0.011	<1	6	0.09	1	0.009	<1	0.10	0.017	<0.01	<0.1	<0.01	0.2	<0.05	<1	<0.5	<0.2
1506263	Rock	<0.01	<0.001	<1	3	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506264	Rock	<0.01	<0.001	<1	4	<0.01	2	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<1	<0.5	<0.2
1506265	Rock	<0.01	<0.001	<1	4	<0.01	3	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	0.1	<0.05	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr
Report Date: July 06, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000051.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1506186	Rock	0.39	<0.005	1.7	17.6	436.0	3	2.9	2.6	1.5	136	0.78	4.6	0.4	0.7	1.2	9	0.2	0.2	6.9	<2
REP 1506186	QC			1.9	16.7	427.7	4	2.9	2.6	1.5	136	0.78	4.2	0.4	0.5	1.2	9	0.1	0.2	6.9	<2
Core Reject Duplicates																					
1506174	Rock	1.54	<0.005	0.2	9.8	59.7	1	0.7	1.0	0.8	312	0.43	<0.5	<0.1	<0.5	0.5	<1	<0.1	<0.1	2.5	<2
DUP 1506174	QC		<0.005	0.2	9.7	55.3	1	0.6	1.0	0.7	291	0.39	0.5	<0.1	<0.5	0.4	<1	0.1	<0.1	2.2	<2
1506258	Rock	0.82	<0.005	0.9	27.9	0.3	9	<0.1	5.5	1.7	79	0.76	0.9	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5
DUP 1506258	QC		<0.005	0.4	26.5	0.2	8	<0.1	4.9	1.4	81	0.78	1.0	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5
Reference Materials																					
STD DS10	Standard			14.4	154.7	152.4	362	1.9	75.6	12.9	868	2.75	45.8	2.8	104.1	7.8	70	2.6	10.3	12.7	43
STD DS10	Standard			15.7	155.6	154.3	374	1.9	73.0	13.1	891	2.82	47.2	3.0	76.2	8.0	69	2.7	10.5	13.0	45
STD OXC129	Standard			1.3	26.3	6.8	42	<0.1	77.1	20.5	416	2.99	<0.5	0.7	183.4	1.8	181	<0.1	<0.1	<0.1	50
STD OXC129	Standard			1.2	29.3	7.1	43	<0.1	78.9	21.7	429	3.03	0.5	0.8	214.3	2.1	191	<0.1	<0.1	<0.1	54
STD OXD108	Standard		0.418																		
STD OXD108	Standard		0.415																		
STD OXD108	Standard		0.413																		
STD OXI121	Standard		1.809																		
STD OXI121	Standard		1.862																		
STD OXI121	Standard		1.801																		
STD OXN117	Standard		7.744																		
STD OXN117	Standard		7.619																		
STD OXN117	Standard		7.575																		
STD OXD108 Expected			0.414																		
STD OXN117 Expected			7.679																		
STD OXI121 Expected			1.834																		
STD DS10 Expected				15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
BLK	Blank		<0.005																		
BLK	Blank		<0.005																		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr
Report Date: July 06, 2016

Page: 1 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000051.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
Pulp Duplicates																				
1506186	Rock	0.05	0.026	3	4	<0.01	16	<0.001	<1	0.08	0.006	0.04	<0.1	<0.01	0.1	<0.1	<0.05	<1	2.5	0.6
REP 1506186	QC	0.05	0.026	3	4	<0.01	15	<0.001	<1	0.08	0.006	0.04	<0.1	<0.01	<0.1	<0.1	<0.05	<1	2.0	0.5
Core Reject Duplicates																				
1506174	Rock	<0.01	<0.001	1	3	<0.01	48	<0.001	<1	0.03	0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	0.2
DUP 1506174	QC	<0.01	<0.001	1	3	<0.01	48	<0.001	<1	0.03	0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506258	Rock	<0.01	0.003	<1	7	0.07	10	<0.001	<1	0.11	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
DUP 1506258	QC	<0.01	0.003	<1	5	0.09	9	<0.001	<1	0.12	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																				
STD DS10	Standard	1.06	0.074	18	57	0.78	352	0.081	6	1.05	0.070	0.33	3.4	0.29	2.9	5.3	0.27	4	1.9	5.0
STD DS10	Standard	1.10	0.074	19	56	0.79	372	0.083	7	1.07	0.073	0.34	3.5	0.29	2.9	5.2	0.29	5	2.3	5.3
STD OXC129	Standard	0.63	0.106	13	51	1.51	52	0.397	<1	1.55	0.598	0.37	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	0.68	0.102	13	53	1.57	52	0.407	<1	1.58	0.608	0.38	<0.1	<0.01	0.5	<0.1	<0.05	6	<0.5	<0.2
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
BLK	Blank																			
BLK	Blank																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr
Report Date: July 06, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000051.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.5	2.8	1.5	31	<0.1	0.6	3.7	431	1.76	0.9	0.5	0.7	2.6	30	<0.1	<0.1	<0.1	24
ROCK-WHI	Prep Blank		<0.005	0.5	3.4	1.5	33	<0.1	0.7	3.6	432	1.76	1.1	0.8	<0.5	2.8	31	<0.1	<0.1	<0.1	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: Gold Run/Wash Cr
Report Date: July 06, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000051.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
Prep Wash																				
ROCK-WHI	Prep Blank	0.69	0.038	6	2	0.39	71	0.092	<1	1.06	0.129	0.12	0.1	<0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.67	0.040	6	2	0.40	68	0.096	<1	1.06	0.148	0.14	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2