



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: June 28, 2016  
Report Date: July 12, 2016  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI16000060.1

### CLIENT JOB INFORMATION

Project: WC  
Shipment ID: WC16-13  
P.O. Number  
Number of Samples: 69

### SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	69	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	69	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	69	Analysis sample split/packet			VAN
Split -150	69	Analysis sample split/packet			VAN
FS631	69	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	69	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	69	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 2 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1506266	Rock				0.56	476	<0.005	<0.01	<0.17	38.52	0.3	4.0	1.6	3	<0.1	1.6	0.7	84	0.67	1.9	0.1	1.3	0.2	<1
1506267	Rock				0.82	374	<0.005	<0.01	<0.17	29.37	0.6	2.6	0.5	1	<0.1	1.5	0.8	138	1.00	<0.5	<0.1	<0.5	<0.1	<1
1506268	Rock				0.46	382	<0.005	<0.01	<0.17	35.94	0.3	4.0	0.5	<1	<0.1	1.6	0.9	103	0.63	0.7	<0.1	<0.5	0.4	<1
1506269	Rock				0.94	443	<0.005	<0.01	<0.17	30.86	0.5	1.8	0.4	<1	<0.1	0.9	0.2	98	0.85	<0.5	<0.1	<0.5	<0.1	<1
1506270	Rock				0.73	489	<0.005	<0.01	<0.17	35.99	0.4	18.3	1.1	2	<0.1	1.3	1.0	100	0.82	4.7	0.3	<0.5	1.3	<1
1506271	Rock				0.63	388	<0.005	<0.01	<0.17	34.90	0.6	5.7	244.1	18	3.6	2.5	2.2	204	1.20	78.7	1.3	5.5	0.1	1
1506272	Rock				0.70	480	<0.005	<0.01	<0.17	32.50	0.3	4.4	1.3	<1	<0.1	1.6	0.6	84	0.73	1.1	<0.1	1.7	<0.1	<1
1506273	Rock				0.46	380	<0.005	<0.01	<0.17	31.71	0.4	1.1	3.0	<1	<0.1	0.8	0.2	81	0.73	<0.5	<0.1	0.7	<0.1	<1
1506274	Rock				0.41	338	<0.005	<0.01	<0.17	39.55	0.3	1.2	3.2	3	<0.1	0.9	0.2	89	0.81	0.6	<0.1	0.9	<0.1	<1
1506275	Rock				0.70	429	<0.005	<0.01	<0.17	35.22	0.3	3.2	0.3	<1	<0.1	1.3	0.5	69	0.61	0.6	<0.1	0.8	<0.1	<1
1506276	Rock				0.58	340	<0.005	<0.01	<0.17	32.58	0.4	1.4	0.3	<1	<0.1	0.9	0.2	95	0.85	<0.5	<0.1	0.7	<0.1	<1
1506277	Rock				0.61	533	<0.005	<0.01	<0.17	35.21	0.3	3.4	0.2	<1	<0.1	1.4	0.5	75	0.66	0.6	<0.1	1.3	<0.1	<1
1506278	Rock				0.65	572	<0.005	<0.01	<0.17	33.69	0.4	1.1	0.1	<1	<0.1	0.7	0.2	78	0.72	<0.5	<0.1	0.9	<0.1	<1
1506279	Rock				0.74	458	<0.005	<0.01	<0.17	40.19	0.5	5.3	0.8	2	<0.1	2.6	2.1	352	0.77	3.6	<0.1	1.3	<0.1	1
1506280	Rock				0.69	413	<0.005	<0.01	<0.17	40.21	0.3	0.8	<0.1	<1	<0.1	0.7	0.2	86	0.79	0.6	<0.1	0.6	<0.1	<1
1506281	Rock				0.55	476	<0.005	<0.01	<0.17	17.07	0.3	0.7	<0.1	1	<0.1	0.7	0.2	67	0.64	<0.5	<0.1	1.3	<0.1	<1
1506282	Rock				0.56	483	<0.005	<0.01	<0.17	18.94	0.4	3.6	0.2	<1	<0.1	1.4	0.7	89	0.67	0.9	<0.1	1.3	<0.1	<1
1506283	Rock				0.54	463	<0.005	<0.01	<0.17	20.31	0.3	1.2	0.1	<1	<0.1	0.7	0.2	79	0.73	<0.5	<0.1	0.7	<0.1	<1
1506284	Rock				0.62	536	<0.005	<0.01	<0.17	22.53	0.2	2.9	0.1	<1	<0.1	1.0	0.5	69	0.57	<0.5	<0.1	0.6	<0.1	<1
1506285	Rock				0.53	457	<0.005	<0.01	<0.17	15.31	0.4	1.3	6.7	2	<0.1	0.9	0.4	146	0.86	1.2	<0.1	0.8	0.3	3
1506286	Rock				0.62	547	<0.005	<0.01	<0.17	19.97	0.3	3.5	3.8	2	<0.1	1.4	0.6	173	0.67	<0.5	<0.1	1.9	0.2	9
1506287	Rock				0.40	334	<0.005	<0.01	<0.17	18.65	0.4	1.3	0.3	6	<0.1	2.7	1.0	95	0.88	<0.5	<0.1	1.6	<0.1	<1
1506288	Rock				0.60	531	<0.005	<0.01	<0.17	21.60	0.3	3.5	0.2	2	<0.1	1.7	0.7	73	0.60	0.6	<0.1	0.7	<0.1	<1
1506289	Rock				0.47	401	<0.005	<0.01	<0.17	26.43	0.4	1.2	0.1	<1	<0.1	1.0	0.2	79	0.74	<0.5	<0.1	1.5	<0.1	<1
1506290	Rock				0.44	354	<0.005	<0.01	<0.17	19.42	0.4	1.8	0.2	5	<0.1	2.4	1.0	110	1.09	<0.5	<0.1	0.9	0.1	<1
1506291	Rock				0.64	364	<0.005	<0.01	<0.17	21.44	0.4	5.3	0.5	2	<0.1	2.4	0.9	107	1.06	0.6	<0.1	1.6	<0.1	<1
1506292	Rock				0.58	471	<0.005	<0.01	<0.17	27.58	0.5	1.7	<0.1	2	<0.1	1.5	0.4	98	1.01	<0.5	<0.1	<0.5	<0.1	<1
1506293	Rock				0.54	457	<0.005	<0.01	<0.17	26.99	0.5	4.0	<0.1	<1	<0.1	1.6	0.6	84	0.73	<0.5	<0.1	0.7	<0.1	<1
1506294	Rock				0.78	504	<0.005	<0.01	<0.17	20.36	0.5	1.3	<0.1	<1	<0.1	0.8	0.2	88	0.85	<0.5	<0.1	0.9	<0.1	<1
1506295	Rock				0.65	439	<0.005	<0.01	<0.17	30.63	0.4	4.9	<0.1	<1	<0.1	1.8	0.8	99	0.84	0.6	<0.1	1.3	<0.1	<1



# CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201				
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	
1506266	Rock				<0.1	0.5	<0.1	<2	<0.01	0.003	<1	8	<0.01	11	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.05		
1506267	Rock				<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	10	<0.01	11	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.05		
1506268	Rock				<0.1	<0.1	<0.1	<2	<0.01	0.001	1	9	<0.01	17	<0.001	<1	0.03	<0.001	0.01	<0.1	<0.01	<0.1	<0.05		
1506269	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	10	<0.01	4	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05		
1506270	Rock				<0.1	<0.1	<0.1	<2	<0.01	0.003	3	9	<0.01	41	0.001	<1	0.04	0.003	0.03	<0.1	<0.01	0.1	<0.1	<0.05	
1506271	Rock				<0.1	0.3	13.6	<2	<0.01	0.006	<1	11	<0.01	7	<0.001	<1	0.02	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506272	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	10	<0.01	1	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506273	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506274	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	0.01	17	<0.001	<1	0.02	0.002	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506275	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506276	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	4	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506277	Rock				<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	9	<0.01	6	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506278	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506279	Rock				<0.1	0.1	<0.1	<2	<0.01	0.001	<1	10	<0.01	31	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1506280	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506281	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506282	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	10	<0.01	2	<0.001	<1	0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506283	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	<1	<0.001	<1	<0.01	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506284	Rock				<0.1	<0.1	<0.1	<2	<0.01	0.004	<1	9	<0.01	2	<0.001	<1	<0.01	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506285	Rock				<0.1	<0.1	<0.1	<2		0.04	0.018	2	8	<0.01	13	<0.001	<1	0.02	<0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05
1506286	Rock				<0.1	<0.1	<0.1	<2		0.11	0.005	1	10	<0.01	22	<0.001	2	0.02	0.001	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
1506287	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	0.06	2	<0.001	<1	0.07	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506288	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	<0.01	2	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506289	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	8	<0.01	<1	<0.001	<1	0.01	0.003	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506290	Rock				<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	0.03	2	<0.001	<1	0.06	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506291	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	6	0.01	1	0.003	<1	0.03	0.004	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506292	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	0.01	<1	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506293	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506294	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506295	Rock				<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	6	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 2 of 4

**Part:** 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000060.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1506266	Rock	<1	<0.5	<0.2
1506267	Rock	<1	<0.5	<0.2
1506268	Rock	<1	<0.5	<0.2
1506269	Rock	<1	<0.5	<0.2
1506270	Rock	<1	<0.5	<0.2
1506271	Rock	<1	0.8	0.9
1506272	Rock	<1	<0.5	<0.2
1506273	Rock	<1	<0.5	<0.2
1506274	Rock	<1	<0.5	<0.2
1506275	Rock	<1	<0.5	<0.2
1506276	Rock	<1	<0.5	<0.2
1506277	Rock	<1	<0.5	<0.2
1506278	Rock	<1	<0.5	<0.2
1506279	Rock	<1	<0.5	<0.2
1506280	Rock	<1	<0.5	<0.2
1506281	Rock	<1	<0.5	<0.2
1506282	Rock	<1	<0.5	<0.2
1506283	Rock	<1	<0.5	<0.2
1506284	Rock	<1	<0.5	<0.2
1506285	Rock	<1	<0.5	<0.2
1506286	Rock	<1	<0.5	<0.2
1506287	Rock	<1	<0.5	<0.2
1506288	Rock	<1	<0.5	<0.2
1506289	Rock	<1	<0.5	<0.2
1506290	Rock	<1	<0.5	<0.2
1506291	Rock	<1	<0.5	<0.2
1506292	Rock	<1	<0.5	<0.2
1506293	Rock	<1	<0.5	<0.2
1506294	Rock	<1	<0.5	<0.2
1506295	Rock	<1	<0.5	<0.2



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 3 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
1506296	Rock				0.59	507	<0.005	<0.01	<0.17	27.18	0.5	1.8	<0.1	1	<0.1	1.2	0.2	103	1.08	<0.5	<0.1	<0.5	<0.1	<1
1506297	Rock				0.52	447	<0.005	<0.01	<0.17	27.87	0.4	5.8	0.1	2	<0.1	2.4	0.8	90	0.83	0.6	<0.1	1.8	<0.1	<1
1506298	Rock				0.60	415	<0.005	<0.01	<0.17	23.16	0.3	27.0	0.6	2	<0.1	8.7	2.5	64	0.78	5.8	0.1	1.2	<0.1	23
1506299	Rock				0.93	362	<0.005	<0.01	<0.17	27.23	0.4	5.7	<0.1	<1	<0.1	2.7	1.1	96	0.84	1.0	<0.1	<0.5	<0.1	<1
1506300	Rock				0.67	393	<0.005	<0.01	<0.17	21.95	0.4	3.0	0.2	1	<0.1	2.3	0.7	92	0.92	<0.5	<0.1	1.8	<0.1	2
1506351	Rock				0.64	384	<0.005	<0.01	<0.17	26.01	0.4	8.7	3.2	2	<0.1	1.8	0.7	175	0.80	0.6	0.2	<0.5	<0.1	<1
1506352	Rock				0.57	401	0.009	<0.01	<0.17	27.65	0.4	7.6	1.4	2	<0.1	0.8	0.2	95	0.88	<0.5	<0.1	2.4	<0.1	<1
1506353	Rock				0.39	126	<0.005	<0.01	<0.17	17.99	0.5	7.2	0.6	<1	<0.1	1.9	0.7	101	0.96	0.7	<0.1	<0.5	0.1	<1
1506354	Rock				0.55	351	<0.005	<0.01	<0.17	25.13	0.6	9.8	3.9	2	<0.1	1.7	0.9	108	1.06	1.1	0.2	1.0	0.7	44
1506355	Rock				0.64	412	<0.005	<0.01	<0.17	27.21	0.8	6.2	3.2	2	<0.1	0.8	0.2	101	1.02	0.6	0.4	1.5	0.3	5
1506356	Rock				0.45	376	<0.005	<0.01	<0.17	23.74	0.4	5.0	<0.1	<1	<0.1	1.8	0.6	98	0.83	0.8	<0.1	1.5	<0.1	<1
1506357	Rock				0.55	340	<0.005	<0.01	<0.17	23.05	0.4	1.2	<0.1	2	<0.1	0.7	0.2	92	0.83	<0.5	<0.1	<0.5	<0.1	<1
1506358	Rock				0.49	407	<0.005	<0.01	<0.17	25.93	0.5	5.3	0.1	3	<0.1	2.7	1.1	112	0.94	0.7	<0.1	0.7	<0.1	<1
1506359	Rock				0.41	328	<0.005	<0.01	<0.17	23.21	0.3	2.4	0.2	6	<0.1	2.7	0.9	109	0.92	0.5	<0.1	1.2	<0.1	<1
1506360	Rock				0.75	474	<0.005	<0.01	<0.17	29.39	1.3	10.8	5.2	5	<0.1	1.4	0.5	89	1.60	0.8	0.1	<0.5	6.9	3
1506361	Rock				0.82	529	<0.005	<0.01	<0.17	24.06	0.6	4.2	1.7	<1	<0.1	0.6	0.1	70	1.06	0.7	<0.1	<0.5	3.6	2
1506362	Rock				0.44	365	<0.005	<0.01	<0.17	23.63	0.5	7.3	<0.1	3	<0.1	3.9	1.4	136	1.20	0.7	<0.1	0.9	<0.1	<1
1506363	Rock				0.54	387	<0.005	<0.01	<0.17	24.91	0.5	1.6	<0.1	1	<0.1	1.0	0.2	97	0.98	0.7	<0.1	<0.5	<0.1	<1
1506364	Rock				0.47	397	<0.005	<0.01	<0.17	24.05	0.5	5.4	<0.1	<1	<0.1	2.2	0.8	116	1.10	0.9	<0.1	<0.5	<0.1	<1
1506365	Rock				0.55	481	<0.005	<0.01	<0.17	26.17	0.5	1.3	<0.1	<1	<0.1	0.8	0.2	94	0.87	<0.5	<0.1	<0.5	<0.1	<1
1506366	Rock				0.47	395	<0.005	<0.01	<0.17	26.15	0.5	4.8	0.2	2	<0.1	1.1	0.3	114	1.16	<0.5	<0.1	<0.5	<0.1	<1
1506367	Rock				0.41	339	<0.005	<0.01	<0.17	28.48	0.3	5.8	<0.1	1	<0.1	1.8	0.7	100	0.88	1.0	<0.1	<0.5	<0.1	<1
1506368	Rock				0.55	472	<0.005	<0.01	<0.17	26.61	0.5	1.2	<0.1	<1	<0.1	1.1	0.3	94	0.93	0.6	<0.1	<0.5	<0.1	<1
1506369	Rock				0.52	451	<0.005	<0.01	<0.17	23.35	0.5	5.8	<0.1	1	<0.1	2.2	0.8	111	1.03	0.7	<0.1	0.9	<0.1	<1
1506370	Rock				0.60	397	<0.005	<0.01	<0.17	23.26	0.4	1.0	0.7	2	<0.1	1.2	0.4	106	0.86	0.7	<0.1	<0.5	<0.1	<1
1506371	Rock				0.49	416	<0.005	<0.01	<0.17	26.39	0.3	4.2	0.5	2	<0.1	2.0	0.9	96	0.66	0.7	<0.1	2.4	<0.1	<1
1506372	Rock				0.65	561	<0.005	<0.01	<0.17	26.42	0.3	2.6	0.3	2	<0.1	1.9	1.0	114	0.67	0.6	<0.1	<0.5	<0.1	<1
1506373	Rock				0.53	442	<0.005	<0.01	<0.17	28.01	0.4	6.5	<0.1	<1	<0.1	2.8	1.0	88	0.85	0.7	<0.1	<0.5	<0.1	<1
1506374	Rock				0.47	393	<0.005	<0.01	<0.17	24.25	0.4	3.3	41.8	4	<0.1	1.0	0.3	202	1.01	<0.5	1.2	<0.5	13.6	1
1506375	Rock				0.76	498	<0.005	<0.01	<0.17	25.64	0.5	5.3	52.7	3	0.8	0.8	0.2	156	0.89	<0.5	2.3	1.0	11.2	<1



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 3 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method	Analyte	AQ201																			
			Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
			ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
			0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1506296	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506297	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.006	<1	5	<0.01	<1	0.016	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506298	Rock	<0.1	<0.1	<0.1	3	0.45	0.221	2	3	0.01	2	0.002	<1	0.05	0.002	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	
1506299	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	5	<0.01	1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506300	Rock	<0.1	<0.1	<0.1	<2	0.04	<0.001	<1	4	<0.01	1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506351	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.002	<1	5	<0.01	29	<0.001	<1	0.01	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506352	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	27	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506353	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	6	<0.01	17	<0.001	<1	0.01	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506354	Rock	<0.1	0.9	<0.1	<2	<0.01	0.002	<1	5	<0.01	1878	<0.001	<1	0.05	<0.001	0.04	<0.1	<0.01	<0.1	<0.1	0.05	
1506355	Rock	<0.1	0.4	<0.1	<2	<0.01	0.004	<1	3	<0.01	240	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506356	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	5	<0.01	6	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506357	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506358	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	6	0.04	6	<0.001	<1	0.04	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506359	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	0.09	8	<0.001	<1	0.10	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506360	Rock	<0.1	<0.1	2.3	<2	<0.01	0.006	8	4	0.03	428	0.001	<1	0.08	<0.001	0.05	<0.1	<0.01	0.1	<0.1	<0.05	
1506361	Rock	<0.1	<0.1	0.3	<2	<0.01	0.003	7	3	<0.01	154	<0.001	<1	0.03	<0.001	0.04	<0.1	<0.01	<0.1	<0.1	<0.05	
1506362	Rock	<0.1	0.1	<0.1	<2	<0.01	0.001	<1	7	0.07	5	<0.001	<1	0.07	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506363	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506364	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	7	<0.01	2	<0.001	1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506365	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506366	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	5	0.01	3	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506367	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	5	<0.01	2	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506368	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	2	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506369	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	7	<0.01	5	<0.001	2	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506370	Rock	<0.1	<0.1	<0.1	3	<0.01	0.001	<1	3	0.03	15	0.004	8	0.04	0.002	0.02	<0.1	<0.01	<0.1	<0.1	<0.05	
1506371	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.004	<1	4	0.02	9	0.002	<1	0.03	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	
1506372	Rock	<0.1	<0.1	<0.1	<2	0.02	0.009	<1	2	0.03	4	<0.001	<1	0.04	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	
1506373	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.005	<1	5	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	
1506374	Rock	<0.1	0.1	<0.1	<2	<0.01	0.005	33	4	<0.01	19	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	
1506375	Rock	<0.1	0.2	1.3	<2	<0.01	0.002	10	3	<0.01	22	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: WC  
Report Date: July 12, 2016

Page: 3 of 4

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000060.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1506296	Rock	<1	<0.5	<0.2
1506297	Rock	<1	<0.5	<0.2
1506298	Rock	<1	<0.5	<0.2
1506299	Rock	<1	<0.5	<0.2
1506300	Rock	<1	<0.5	<0.2
1506351	Rock	<1	<0.5	<0.2
1506352	Rock	<1	<0.5	<0.2
1506353	Rock	<1	<0.5	<0.2
1506354	Rock	<1	<0.5	<0.2
1506355	Rock	<1	<0.5	<0.2
1506356	Rock	<1	<0.5	<0.2
1506357	Rock	<1	<0.5	<0.2
1506358	Rock	<1	<0.5	<0.2
1506359	Rock	<1	<0.5	<0.2
1506360	Rock	<1	<0.5	<0.2
1506361	Rock	<1	<0.5	<0.2
1506362	Rock	<1	<0.5	<0.2
1506363	Rock	<1	<0.5	<0.2
1506364	Rock	<1	<0.5	<0.2
1506365	Rock	<1	<0.5	<0.2
1506366	Rock	<1	<0.5	<0.2
1506367	Rock	<1	<0.5	<0.2
1506368	Rock	<1	<0.5	<0.2
1506369	Rock	<1	<0.5	<0.2
1506370	Rock	<1	<0.5	<0.2
1506371	Rock	<1	<0.5	<0.2
1506372	Rock	<1	<0.5	<0.2
1506373	Rock	<1	<0.5	<0.2
1506374	Rock	<1	<0.5	<0.2
1506375	Rock	<1	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 4 of 4

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
1506376	Rock	0.66	549	<0.005	<0.01	<0.17	27.45	1.1	8.2	47.2	3	0.4	1.7	0.6	112	0.74	0.6	0.3	<0.5	1.6	2
1506377	Rock	0.59	394	<0.005	<0.01	<0.17	27.89	0.9	3.7	14.5	2	0.5	0.9	0.2	82	0.73	<0.5	0.2	<0.5	2.2	<1
1506378	Rock	0.45	374	<0.005	<0.01	<0.17	28.72	0.4	4.2	0.3	<1	<0.1	1.6	0.6	87	0.76	<0.5	<0.1	<0.5	<0.1	<1
1506379	Rock	0.58	505	<0.005	<0.01	<0.17	27.31	0.3	0.7	0.1	<1	<0.1	0.7	<0.1	78	0.73	<0.5	<0.1	<0.5	<0.1	<1
1506380	Rock	0.43	357	<0.005	<0.01	<0.17	24.79	0.3	4.2	<0.1	<1	<0.1	1.6	0.5	88	0.75	0.8	<0.1	<0.5	<0.1	<1
1506381	Rock	0.46	383	<0.005	<0.01	<0.17	25.68	0.4	5.0	0.6	1	<0.1	1.5	0.6	96	0.82	0.6	<0.1	1.3	0.3	<1
1506382	Rock	0.66	461	<0.005	<0.01	<0.17	24.61	0.5	1.2	0.3	<1	<0.1	0.9	0.2	97	0.94	<0.5	<0.1	<0.5	<0.1	<1
1506383	Rock	0.56	483	<0.005	<0.01	<0.17	21.67	0.4	4.7	4.3	4	<0.1	1.5	0.6	81	0.77	0.9	0.2	<0.5	0.1	2
1506384	Rock	0.63	437	<0.005	<0.01	<0.17	21.38	0.4	1.1	0.5	4	<0.1	0.9	0.2	92	0.86	<0.5	<0.1	<0.5	<0.1	<1





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 4 of 4

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
1506376	Rock	<0.1	0.7	0.5	<2	<0.01	0.004	4	4	0.01	352	<0.001	<1	0.09	0.001	0.10	<0.1	<0.01	0.2	<0.1	<0.05
1506377	Rock	<0.1	0.2	0.9	<2	<0.01	0.001	3	3	0.01	78	<0.001	<1	0.09	0.001	0.10	<0.1	<0.01	0.1	<0.1	<0.05
1506378	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	5	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506379	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506380	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	5	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506381	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.002	<1	5	0.01	12	<0.001	<1	0.03	0.002	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
1506382	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	4	<0.01	3	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506383	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	<0.01	13	<0.001	<1	0.01	0.002	0.02	<0.1	<0.01	<0.1	<0.1	<0.05
1506384	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: WC  
Report Date: July 12, 2016

Page: 4 of 4

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000060.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
1506376	Rock	<1	<0.5	<0.2
1506377	Rock	<1	<0.5	<0.2
1506378	Rock	<1	<0.5	<0.2
1506379	Rock	<1	<0.5	<0.2
1506380	Rock	<1	<0.5	<0.2
1506381	Rock	<1	<0.5	<0.2
1506382	Rock	<1	<0.5	<0.2
1506383	Rock	<1	<0.5	<0.2
1506384	Rock	<1	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Page: 1 of 2

Part: 1 of 3

## QUALITY CONTROL REPORT

WHI16000060.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
1506274	Rock	0.41	338	<0.005	<0.01	<0.17	39.55	0.3	1.2	3.2	3	<0.1	0.9	0.2	89	0.81	0.6	<0.1	0.9	<0.1	<1
REP 1506274	QC							0.5	1.1	3.2	3	<0.1	1.0	0.2	92	0.82	<0.5	<0.1	1.1	<0.1	<1
1506355	Rock	0.64	412	<0.005	<0.01	<0.17	27.21	0.8	6.2	3.2	2	<0.1	0.8	0.2	101	1.02	0.6	0.4	1.5	0.3	5
REP 1506355	QC			<0.005				0.7	6.3	3.2	3	<0.1	0.8	0.3	101	1.01	<0.5	0.4	1.3	0.3	6
1506359	Rock	0.41	328	<0.005	<0.01	<0.17	23.21	0.3	2.4	0.2	6	<0.1	2.7	0.9	109	0.92	0.5	<0.1	1.2	<0.1	<1
REP 1506359	QC			<0.005																	
1506384	Rock	0.63	437	<0.005	<0.01	<0.17	21.38	0.4	1.1	0.5	4	<0.1	0.9	0.2	92	0.86	<0.5	<0.1	<0.5	<0.1	<1
REP 1506384	QC							0.3	1.2	0.5	4	<0.1	1.0	0.2	96	0.89	0.7	<0.1	<0.5	<0.1	<1
Core Reject Duplicates																					
1506269	Rock	0.94	443	<0.005	<0.01	<0.17	30.86	0.5	1.8	0.4	<1	<0.1	0.9	0.2	98	0.85	<0.5	<0.1	<0.5	<0.1	<1
DUP 1506269	QC		344	<0.005	<0.01	<0.17	35.39	0.3	3.8	0.3	<1	<0.1	1.3	0.6	83	0.66	0.6	<0.1	<0.5	<0.1	<1
1506353	Rock	0.39	126	<0.005	<0.01	<0.17	17.99	0.5	7.2	0.6	<1	<0.1	1.9	0.7	101	0.96	0.7	<0.1	<0.5	0.1	<1
DUP 1506353	QC		106	<0.005	<0.01	<0.17	15.19	0.5	4.3	0.7	7	<0.1	1.1	0.3	99	1.04	<0.5	<0.1	<0.5	0.1	<1
Reference Materials																					
STD DS10	Standard							15.7	158.6	161.1	377	1.9	76.6	13.3	903	2.89	47.4	3.1	84.5	8.6	77
STD DS10	Standard							14.8	156.8	157.4	374	1.9	78.5	12.9	914	2.85	47.3	2.9	79.9	8.3	74
STD DS10	Standard							13.9	157.8	152.0	361	1.9	79.8	13.5	884	2.82	45.3	2.9	84.0	7.9	72
STD OXC129	Standard							1.4	26.8	6.4	40	<0.1	79.1	20.1	420	3.10	<0.5	0.7	212.3	1.9	197
STD OXC129	Standard							1.2	27.4	6.7	43	<0.1	79.2	20.7	431	3.09	<0.5	0.7	208.4	2.0	187
STD OXC129	Standard							1.3	27.7	6.6	41	<0.1	81.6	20.4	423	3.09	<0.5	0.7	194.8	2.0	193
STD OXD108	Standard			0.420																	
STD OXD108	Standard			0.410																	
STD OXI121	Standard			1.776																	
STD OXI121	Standard			1.835																	
STD OXN117	Standard			7.554																	
STD OXN117	Standard			7.313																	
STD OXP91	Standard					15.27	29.54														
STD OXP91	Standard					15.06	29.69														



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

WC

Report Date:

July 12, 2016

Page:

1 of 2

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI16000060.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
1506274	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	0.01	17	<0.001	<1	0.02	0.002	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1506274	QC	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	9	0.01	19	<0.001	<1	0.02	0.002	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506355	Rock	<0.1	0.4	<0.1	<2	<0.01	0.004	<1	3	<0.01	240	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1506355	QC	<0.1	0.4	<0.1	<2	<0.01	0.003	<1	3	<0.01	245	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506359	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	0.09	8	<0.001	<1	0.10	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1506359	QC																				
1506384	Rock	<0.1	0.1	<0.1	<2	<0.01	<0.001	<1	3	<0.01	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
REP 1506384	QC	<0.1	0.2	<0.1	<2	<0.01	<0.001	<1	3	<0.01	3	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Core Reject Duplicates																					
1506269	Rock	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	10	<0.01	4	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
DUP 1506269	QC	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	10	<0.01	4	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
1506353	Rock	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	6	<0.01	17	<0.001	<1	0.01	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
DUP 1506353	QC	<0.1	<0.1	<0.1	<2	<0.01	0.001	<1	4	<0.01	17	<0.001	<1	0.01	<0.001	0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.8	10.1	14.4	46	1.10	0.080	20	58	0.79	368	0.085	6	1.07	0.072	0.34	3.5	0.30	3.2	5.3	0.28
STD DS10	Standard	2.8	9.7	13.5	45	1.11	0.080	19	59	0.81	392	0.088	8	1.10	0.072	0.34	3.3	0.30	2.9	5.3	0.29
STD DS10	Standard	2.5	9.2	13.0	43	1.08	0.075	18	56	0.80	360	0.085	7	1.07	0.070	0.34	3.2	0.30	2.9	5.2	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.67	0.100	13	52	1.52	49	0.406	<1	1.55	0.591	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.67	0.102	13	53	1.56	51	0.423	<1	1.60	0.613	0.38	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.66	0.099	13	53	1.55	51	0.419	<1	1.58	0.601	0.37	<0.1	<0.01	0.9	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 1 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI16000060.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
1506274	Rock	<1	<0.5	<0.2
REP 1506274	QC	<1	<0.5	<0.2
1506355	Rock	<1	<0.5	<0.2
REP 1506355	QC	<1	<0.5	<0.2
1506359	Rock	<1	<0.5	<0.2
REP 1506359	QC			
1506384	Rock	<1	<0.5	<0.2
REP 1506384	QC	<1	<0.5	<0.2
Core Reject Duplicates				
1506269	Rock	<1	<0.5	<0.2
DUP 1506269	QC	<1	<0.5	<0.2
1506353	Rock	<1	<0.5	<0.2
DUP 1506353	QC	<1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	2.3	5.2
STD DS10	Standard	5	2.6	5.3
STD DS10	Standard	4	2.3	4.8
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI16000060.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91	Standard					14.96	30.14														
STD OXP91	Standard					15.01	30.12														
STD OXP91	Standard					15.12	29.37														
STD OXP91	Standard					14.96	29.34														
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
STD OXP91 Expected						14.82															
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		501	<0.005	<0.01	<0.17	32.38	0.6	4.1	2.8	32	<0.1	0.9	3.7	433	1.81	1.2	0.5	<0.5	2.5	35
ROCK-WHI	Prep Blank		491	<0.005	<0.01	<0.17	26.91	0.5	3.2	2.8	32	<0.1	0.8	3.7	436	1.85	0.9	0.4	1.0	2.6	39



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI16000060.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
STD OXP91 Expected																					
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	0.2	<0.1	23	0.63	0.038	6	5	0.40	90	0.090	<1	1.08	0.139	0.13	0.1	<0.01	3.7	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.70	0.041	6	4	0.40	97	0.093	<1	1.16	0.159	0.14	0.1	<0.01	4.3	<0.1	<0.05



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** WC  
**Report Date:** July 12, 2016

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI16000060.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
STD OXP91 Expected				
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2