



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: July 20, 2016  
Report Date: August 10, 2016  
Page: 1 of 4

## CERTIFICATE OF ANALYSIS

WHI16000119.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS16-38  
P.O. Number  
Number of Samples: 74

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	74	Crush, split and pulverize 500g rock to 200 mesh			WHI
FA430	74	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	74	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	74	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS

Insufficient reject material to check sample 1506929 DUP.



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

**Page:** 2 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI16000119.1

	Method	Analyte	Unit	MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
					kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
					0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506921	Rock				0.89	<0.005	0.2	1.1	1.2	3	<0.1	1.0	0.2	81	0.78	0.9	<0.1	1.6	0.3	<1	<0.1	<0.1	<0.1	<2
1506922	Rock				0.34	<0.005	0.2	2.5	2.5	2	<0.1	1.4	0.8	146	0.87	0.9	<0.1	1.3	0.2	<1	<0.1	<0.1	<0.1	<2
1506923	Rock				1.07	<0.005	1.0	16.0	2.3	6	<0.1	5.2	2.2	148	1.17	3.3	0.2	1.4	0.3	4	<0.1	<0.1	<0.1	<2
1506924	Rock				0.65	<0.005	0.3	2.4	0.5	2	<0.1	2.0	0.6	96	0.89	0.7	<0.1	0.6	0.1	<1	<0.1	<0.1	<0.1	<2
1506925	Rock				0.67	<0.005	0.6	3.5	0.8	3	<0.1	5.1	1.2	122	1.00	<0.5	<0.1	<0.5	0.1	1	<0.1	<0.1	<0.1	<2
1506926	Rock				0.91	<0.005	0.5	2.3	4.2	11	<0.1	3.8	2.1	296	1.09	0.6	0.2	1.1	0.6	7	0.1	<0.1	<0.1	4
1506927	Rock				0.92	<0.005	0.2	1.4	0.6	2	<0.1	0.6	0.5	57	0.33	0.5	<0.1	<0.5	<0.1	1	<0.1	<0.1	<0.1	<2
1506928	Rock				0.60	<0.005	1.1	30.2	2.3	6	0.2	2.3	1.5	87	0.76	9.1	0.1	<0.5	<0.1	<1	<0.1	0.2	0.4	<2
1506929	Rock				0.67	<0.005	0.4	21.7	9.7	12	0.3	0.9	0.7	63	0.52	10.8	0.1	<0.5	0.2	<1	<0.1	0.2	1.6	<2
1506930	Rock				0.52	<0.005	0.4	6.3	6.5	2	1.0	3.3	3.3	121	0.90	1.1	<0.1	1.8	0.1	3	<0.1	<0.1	1.2	<2
1506931	Rock				0.74	<0.005	0.1	2.6	10.3	3	0.1	0.4	0.4	40	0.35	1.4	<0.1	<0.5	0.3	1	<0.1	<0.1	0.2	<2
1506932	Rock				0.69	0.011	1.4	61.5	6.7	16	0.2	1.7	2.8	67	3.21	17.3	<0.1	10.5	0.2	7	<0.1	0.1	1.3	32
1506933	Rock				0.70	<0.005	<0.1	3.2	1.4	3	<0.1	0.2	0.3	27	0.41	1.6	<0.1	<0.5	0.2	2	<0.1	<0.1	0.1	<2
1506934	Rock				0.92	<0.005	0.8	2.5	2.5	3	<0.1	2.0	0.8	93	1.11	5.1	<0.1	<0.5	0.3	3	<0.1	<0.1	<0.1	<2
1506935	Rock				0.69	0.028	0.4	2.0	4.7	3	0.1	1.1	0.3	95	1.26	14.0	<0.1	31.9	0.3	4	<0.1	<0.1	0.8	<2
1506936	Rock				0.82	<0.005	0.3	2.6	3.0	4	<0.1	1.3	0.3	95	1.05	2.7	<0.1	3.0	0.2	2	<0.1	<0.1	0.3	<2
1506937	Rock				0.66	0.027	0.3	1.8	3.1	5	<0.1	1.3	0.5	95	1.24	11.9	<0.1	33.6	0.5	4	<0.1	<0.1	1.3	3
1506938	Rock				1.07	<0.005	0.2	1.9	2.3	5	<0.1	1.3	0.7	86	0.99	4.6	<0.1	5.4	1.0	2	<0.1	<0.1	0.2	<2
1506939	Rock				1.09	0.015	0.3	3.3	4.2	10	<0.1	2.1	2.1	110	1.64	11.2	0.3	16.6	0.6	8	<0.1	<0.1	0.8	<2
1506940	Rock				1.14	0.007	0.2	4.6	4.5	7	<0.1	1.4	0.9	105	1.68	12.6	0.1	6.1	0.3	7	<0.1	<0.1	0.3	2
1506941	Rock				0.97	<0.005	0.2	2.1	2.3	4	<0.1	1.1	0.5	89	0.99	3.6	<0.1	<0.5	0.1	1	<0.1	<0.1	<0.1	<2
1506942	Rock				1.02	<0.005	0.2	3.4	1.8	3	<0.1	1.5	0.7	97	1.22	7.2	<0.1	1.8	0.1	3	<0.1	<0.1	0.1	<2
1506943	Rock				1.28	<0.005	0.3	2.0	1.3	2	<0.1	1.2	0.4	90	0.91	2.3	<0.1	2.2	<0.1	1	<0.1	<0.1	<0.1	<2
1506944	Rock				0.80	<0.005	0.2	3.6	3.0	2	<0.1	1.3	0.4	62	0.95	3.5	0.1	4.2	0.3	3	<0.1	<0.1	0.2	2
1506945	Rock				0.73	<0.005	0.3	2.3	3.2	4	<0.1	1.7	0.8	98	1.45	17.3	<0.1	2.4	<0.1	6	<0.1	<0.1	0.7	<2
1506946	Rock				0.88	<0.005	1.6	7.8	2.4	6	<0.1	2.8	1.0	96	1.54	3.8	0.1	3.6	0.6	8	<0.1	<0.1	<0.1	5
1506947	Rock				0.75	0.007	1.9	13.5	3.7	5	<0.1	4.0	1.4	114	2.27	4.8	0.4	4.4	0.3	6	<0.1	0.2	0.2	4
1506948	Rock				0.79	<0.005	0.8	6.1	3.2	4	<0.1	3.3	1.0	124	1.62	4.0	0.2	4.3	0.3	2	<0.1	0.1	0.1	4
1506949	Rock				0.66	<0.005	0.4	6.2	1.8	4	<0.1	2.9	1.3	97	1.26	1.5	0.2	1.5	0.1	3	<0.1	<0.1	<0.1	2
1506950	Rock				0.62	<0.005	1.3	8.6	2.1	4	<0.1	3.0	1.1	100	1.30	2.1	0.2	3.3	0.2	3	<0.1	<0.1	<0.1	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Project:** LS  
**Report Date:** August 10, 2016

**Page:** 2 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI16000119.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
					%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
					0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
1506921	Rock	<0.01	0.002	<1	7	<0.01	24	<0.001	<1	0.03	0.010	0.02	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
1506922	Rock	<0.01	0.002	<1	7	<0.01	14	<0.001	<1	0.03	0.002	<0.01	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
1506923	Rock	0.02	0.005	3	10	0.04	35	0.002	1	0.07	0.004	0.02	<0.1	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2			
1506924	Rock	0.02	0.003	<1	8	0.01	20	<0.001	<1	0.04	0.001	0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
1506925	Rock	0.03	0.005	<1	10	0.02	29	0.003	<1	0.05	0.004	0.02	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
1506926	Rock	0.70	0.002	2	7	0.02	112	<0.001	<1	0.08	0.001	0.04	<0.1	<0.01	0.9	<0.1	<0.05	<1	<0.5	<0.2			
1506927	Rock	0.04	0.019	<1	7	0.01	17	<0.001	<1	0.04	0.003	0.02	0.2	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
1506928	Rock	<0.01	<0.001	<1	6	<0.01	7	<0.001	<1	<0.01	0.002	<0.01	0.2	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
1506929	Rock	<0.01	<0.001	1	6	<0.01	16	<0.001	<1	0.03	0.001	0.02	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	0.2			
1506930	Rock	<0.01	0.001	<1	6	0.01	362	<0.001	<1	0.08	0.002	0.07	<0.1	<0.01	0.1	<0.1	0.09	<1	<0.5	<0.2			
1506931	Rock	<0.01	0.002	2	5	<0.01	25	<0.001	1	0.03	0.002	0.02	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1506932	Rock	0.06	0.010	1	7	0.23	39	0.002	<1	0.42	0.016	0.05	2.1	<0.01	3.4	<0.1	<0.05	2	<0.5	1.3			
1506933	Rock	<0.01	0.003	<1	4	0.01	106	<0.001	<1	0.03	0.002	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
1506934	Rock	<0.01	0.004	<1	9	<0.01	206	<0.001	<1	0.05	0.003	0.02	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2			
1506935	Rock	0.01	0.003	<1	8	0.01	531	<0.001	<1	0.08	0.006	0.08	0.1	<0.01	0.2	<0.1	0.07	<1	0.5	0.5			
1506936	Rock	<0.01	0.002	<1	8	<0.01	318	<0.001	<1	0.07	0.006	0.05	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	0.4			
1506937	Rock	0.01	0.004	<1	8	0.02	316	0.001	<1	0.14	0.014	0.09	<0.1	<0.01	0.7	0.1	0.08	<1	<0.5	0.7			
1506938	Rock	<0.01	0.003	2	8	<0.01	102	<0.001	<1	0.08	0.010	0.05	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1506939	Rock	<0.01	0.018	3	8	<0.01	52	<0.001	1	0.06	0.007	0.05	0.2	<0.01	0.4	<0.1	0.06	<1	<0.5	0.9			
1506940	Rock	<0.01	0.011	2	9	<0.01	36	<0.001	<1	0.05	0.008	0.04	0.2	<0.01	0.5	<0.1	<0.05	<1	<0.5	0.4			
1506941	Rock	<0.01	0.004	<1	7	<0.01	76	<0.001	<1	0.02	0.004	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1506942	Rock	<0.01	0.003	<1	8	<0.01	277	<0.001	<1	0.02	0.003	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2			
1506943	Rock	<0.01	<0.001	<1	9	<0.01	31	<0.001	<1	<0.01	0.004	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2			
1506944	Rock	<0.01	0.007	1	8	<0.01	139	<0.001	<1	0.03	0.005	0.03	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	0.4			
1506945	Rock	<0.01	0.006	1	9	<0.01	432	<0.001	<1	0.02	0.003	<0.01	0.9	<0.01	0.3	<0.1	<0.05	<1	1.0	1.3			
1506946	Rock	<0.01	0.010	2	9	0.01	924	<0.001	<1	0.11	0.005	0.07	0.2	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2			
1506947	Rock	0.03	0.038	6	9	<0.01	50	<0.001	<1	0.06	0.007	0.06	<0.1	0.08	0.7	0.1	0.10	<1	<0.5	<0.2			
1506948	Rock	<0.01	0.009	3	10	<0.01	44	<0.001	<1	0.05	0.005	0.03	0.2	0.01	0.4	<0.1	<0.05	<1	<0.5	<0.2			
1506949	Rock	0.04	0.026	1	7	<0.01	58	<0.001	<1	0.05	0.004	0.03	0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2			
1506950	Rock	<0.01	0.008	2	9	<0.01	28	<0.001	<1	0.04	0.004	0.02	0.1	0.02	0.4	<0.1	<0.05	<1	<0.5	<0.2			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

**Page:** 3 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI16000119.1

	Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506951	Rock	1.24	0.005	1.5	5.0	1.6	3	<0.1	2.0	1.9	94	1.13	0.7	0.1	6.5	<0.1	2	<0.1	<0.1	<0.1	<2
1506952	Rock	0.72	<0.005	0.4	7.5	2.4	5	<0.1	3.3	3.1	150	1.46	1.2	0.2	0.5	<0.1	1	<0.1	<0.1	<0.1	2
1506953	Rock	0.46	<0.005	1.2	4.2	5.9	7	<0.1	3.5	1.8	139	1.51	22.9	0.2	3.8	0.3	2	<0.1	<0.1	<0.1	3
1506954	Rock	0.84	<0.005	0.8	6.6	2.3	6	<0.1	5.0	2.7	147	1.80	2.6	0.2	5.2	0.2	5	<0.1	0.1	0.2	3
1506955	Rock	0.76	<0.005	0.3	7.7	2.4	4	<0.1	3.0	1.2	109	0.95	2.9	<0.1	1.8	<0.1	<1	<0.1	<0.1	<0.1	<2
1506956	Rock	0.78	<0.005	0.6	2.0	1.9	4	<0.1	2.5	1.3	127	1.05	4.4	0.2	1.6	<0.1	3	<0.1	<0.1	<0.1	<2
1506957	Rock	0.80	<0.005	0.3	1.9	1.0	2	<0.1	1.8	1.0	111	0.89	5.0	0.2	1.9	0.1	<1	<0.1	<0.1	<0.1	<2
1506958	Rock	1.28	<0.005	0.3	0.9	0.4	1	<0.1	1.5	0.4	98	0.86	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506959	Rock	0.73	0.007	1.7	2.8	11.6	14	<0.1	10.8	3.6	412	1.85	1.2	<0.1	5.2	<0.1	36	<0.1	<0.1	0.2	19
1506960	Rock	1.18	0.015	0.3	48.3	9.3	24	<0.1	4.4	5.3	1373	3.59	2.0	0.2	22.1	<0.1	91	0.2	1.2	0.3	25
1506961	Rock	0.95	0.047	1.6	159.1	24.2	44	4.0	26.0	9.4	779	6.99	79.9	0.1	44.0	<0.1	33	0.4	13.0	2.5	10
1506962	Rock	1.53	0.013	0.4	7.7	17.5	34	0.4	7.1	9.2	978	7.12	8.3	0.1	14.4	0.1	24	0.3	0.1	1.0	4
1506963	Rock	1.36	0.009	1.9	4.5	4.1	14	0.1	6.0	15.2	532	3.78	1.3	0.2	7.3	0.5	61	<0.1	<0.1	0.4	27
1506964	Rock	0.94	<0.005	0.3	1.0	1.3	2	<0.1	1.9	0.6	340	1.08	0.9	0.4	<0.5	<0.1	68	<0.1	<0.1	<0.1	3
1506965	Rock	0.84	<0.005	0.3	9.7	2.1	21	0.1	7.1	3.5	1207	2.23	3.2	0.3	<0.5	0.6	53	<0.1	<0.1	<0.1	13
1506966	Rock	0.95	0.010	0.3	2.7	6.1	18	<0.1	6.6	12.4	1082	5.18	2.2	0.3	4.3	<0.1	74	<0.1	<0.1	0.9	47
1506967	Rock	0.69	<0.005	0.3	1.4	0.8	4	<0.1	2.3	0.7	195	0.97	2.6	0.1	<0.5	<0.1	16	<0.1	<0.1	<0.1	<2
1506968	Rock	1.44	0.019	0.4	22.2	191.4	111	2.1	9.9	9.8	349	1.63	6.9	1.1	23.7	2.1	6	1.3	2.4	3.3	2
1506969	Rock	1.23	0.016	0.3	18.2	50.1	34	0.7	4.3	2.5	867	1.01	4.7	<0.1	16.0	0.3	10	0.5	2.1	1.0	<2
1506970	Rock	1.04	0.012	0.2	16.0	3.4	10	0.3	3.9	2.3	885	1.04	1.8	<0.1	18.7	0.3	21	0.6	1.2	<0.1	<2
1506971	Rock	1.07	<0.005	0.2	10.2	4.9	36	0.1	12.9	12.5	2301	0.86	1.7	<0.1	1.4	0.3	10	1.5	0.3	<0.1	<2
1506972	Rock	1.07	<0.005	0.4	3.5	1.8	11	<0.1	5.0	2.7	599	0.90	2.6	<0.1	<0.5	0.2	12	0.1	<0.1	<0.1	<2
1506973	Rock	1.35	<0.005	0.6	10.3	5.8	24	0.2	8.9	5.1	436	0.99	7.7	0.2	4.1	0.7	5	0.2	0.2	<0.1	5
1506974	Rock	1.02	<0.005	0.2	14.2	80.3	40	0.2	5.4	2.3	145	0.94	11.1	<0.1	<0.5	0.3	1	0.2	0.3	<0.1	6
1506975	Rock	1.04	<0.005	0.2	1.2	1.1	2	<0.1	1.7	0.5	88	0.71	1.1	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506976	Rock	0.95	<0.005	0.2	1.1	0.9	11	<0.1	2.4	1.2	111	0.88	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3
1506977	Rock	0.95	<0.005	0.5	33.3	52.8	46	0.3	9.9	5.2	123	1.18	35.5	0.2	<0.5	0.2	1	0.1	0.3	0.2	4
1506978	Rock	0.93	<0.005	0.3	29.7	63.6	43	0.3	7.5	4.7	94	1.04	39.0	0.2	1.3	0.3	3	0.1	0.6	<0.1	4
1506979	Rock	1.42	<0.005	0.4	4.4	24.9	15	0.2	2.4	0.6	93	0.84	8.6	<0.1	<0.5	<0.1	<1	<0.1	0.2	0.1	<2
1506980	Rock	1.19	<0.005	0.3	11.9	8.8	18	<0.1	4.1	1.6	76	0.75	7.4	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

**Page:** 3 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI16000119.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
1506951	Rock	<0.01	0.006	2	8	<0.01	77	<0.001	<1	0.02	0.003	0.01	0.1	0.03	0.2	<0.1	0.15	<1	<0.5	<0.2
1506952	Rock	<0.01	0.004	<1	8	<0.01	36	<0.001	<1	0.02	0.004	<0.01	0.4	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506953	Rock	0.03	0.022	2	8	0.01	25	0.001	<1	0.06	0.005	0.03	2.9	<0.01	0.5	<0.1	<0.05	<1	<0.5	<0.2
1506954	Rock	<0.01	0.012	2	9	<0.01	55	<0.001	2	0.04	0.005	0.03	0.6	0.06	0.6	0.2	<0.05	<1	0.7	<0.2
1506955	Rock	<0.01	0.002	<1	8	0.02	29	<0.001	<1	0.04	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506956	Rock	<0.01	0.002	<1	8	<0.01	226	<0.001	<1	0.04	0.001	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506957	Rock	0.02	0.002	<1	7	<0.01	25	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	0.7	<0.2
1506958	Rock	<0.01	0.002	<1	9	<0.01	14	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506959	Rock	3.17	0.163	1	16	0.68	46	0.002	<1	0.28	0.002	0.01	<0.1	0.02	4.9	<0.1	0.72	<1	0.8	<0.2
1506960	Rock	9.64	0.003	4	5	1.26	117	0.001	2	0.22	0.004	0.02	3.9	0.19	13.7	<0.1	0.82	1	0.6	<0.2
1506961	Rock	2.99	0.015	2	15	0.90	6	<0.001	2	0.13	0.003	0.03	<0.1	0.04	5.2	<0.1	6.38	<1	1.1	1.1
1506962	Rock	1.95	0.003	4	5	0.62	5	<0.001	<1	0.05	0.006	0.04	<0.1	<0.01	1.7	<0.1	6.20	<1	1.0	0.5
1506963	Rock	5.98	0.020	3	6	0.62	20	0.001	1	0.54	0.004	0.08	<0.1	0.02	5.1	0.1	2.70	2	0.9	<0.2
1506964	Rock	2.19	0.035	<1	6	0.71	543	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
1506965	Rock	4.05	0.011	4	11	1.80	87	<0.001	1	0.15	0.007	0.03	<0.1	<0.01	3.4	<0.1	0.08	<1	0.7	<0.2
1506966	Rock	6.71	0.011	3	5	2.95	11	<0.001	1	0.23	0.004	0.03	<0.1	0.01	10.8	<0.1	3.64	<1	1.2	0.5
1506967	Rock	0.49	0.005	<1	8	0.22	19	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1506968	Rock	0.03	0.021	4	10	0.18	992	<0.001	<1	0.19	0.002	0.03	<0.1	0.15	0.6	<0.1	<0.05	<1	1.2	0.4
1506969	Rock	0.30	0.017	<1	8	0.33	47	0.001	<1	0.20	0.002	0.03	0.1	0.07	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506970	Rock	0.77	0.021	<1	7	0.29	25	0.001	<1	0.05	0.002	0.02	<0.1	0.03	0.4	<0.1	0.06	<1	<0.5	<0.2
1506971	Rock	0.09	0.032	3	25	0.02	27	0.004	1	0.06	0.002	0.03	<0.1	0.02	0.3	<0.1	<0.05	<1	<0.5	<0.2
1506972	Rock	0.52	0.022	<1	21	0.04	247	<0.001	<1	0.11	0.006	0.09	<0.1	0.03	0.5	<0.1	<0.05	<1	<0.5	<0.2
1506973	Rock	0.11	0.039	2	33	0.24	235	0.001	<1	0.24	0.007	0.08	<0.1	0.03	0.7	<0.1	0.05	<1	<0.5	<0.2
1506974	Rock	0.02	0.009	1	32	0.10	41	0.001	<1	0.16	0.002	0.02	<0.1	<0.01	0.7	<0.1	<0.05	<1	0.8	<0.2
1506975	Rock	<0.01	<0.001	<1	37	<0.01	13	<0.001	<1	<0.01	0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1506976	Rock	<0.01	<0.001	<1	35	0.14	21	<0.001	<1	0.15	0.001	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506977	Rock	0.01	0.005	2	36	0.09	26	0.001	<1	0.12	0.004	0.01	<0.1	<0.01	0.5	<0.1	<0.05	<1	1.2	<0.2
1506978	Rock	0.02	0.010	2	34	0.07	44	0.001	<1	0.12	0.003	0.03	<0.1	<0.01	0.4	<0.1	<0.05	<1	0.8	<0.2
1506979	Rock	<0.01	<0.001	<1	41	<0.01	13	0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
1506980	Rock	<0.01	<0.001	<1	37	0.01	11	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

**Page:** 4 of 4

**Part:** 1 of 2

# CERTIFICATE OF ANALYSIS

WHI16000119.1

	Method	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506981	Rock	0.76	<0.005	0.2	14.6	28.1	55	0.2	13.0	4.9	193	1.00	12.5	<0.1	<0.5	0.1	15	0.2	0.2	<0.1	3
1506982	Rock	0.59	<0.005	0.3	3.9	9.7	13	<0.1	3.8	1.5	114	0.96	2.6	<0.1	<0.5	0.2	<1	<0.1	<0.1	<0.1	3
1506983	Rock	0.77	<0.005	0.3	4.4	0.4	6	<0.1	3.6	1.6	105	1.00	2.1	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4
1506984	Rock	0.82	<0.005	0.4	25.4	23.7	27	0.2	6.9	2.2	100	0.89	19.1	<0.1	<0.5	0.4	1	<0.1	0.5	<0.1	<2
1506985	Rock	1.10	<0.005	0.2	1.2	0.2	3	<0.1	2.2	0.6	88	0.65	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506986	Rock	0.92	<0.005	0.3	5.3	3.3	4	<0.1	3.1	1.3	97	0.86	2.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
1506987	Rock	0.86	<0.005	0.3	6.7	23.5	13	0.2	2.8	0.7	80	0.84	11.0	<0.1	<0.5	<0.1	<1	<0.1	0.2	<0.1	<2
1506988	Rock	0.52	<0.005	0.4	32.5	20.8	16	0.2	17.5	8.1	121	1.15	29.1	<0.1	3.0	<0.1	<1	<0.1	0.3	<0.1	<2
1506989	Rock	1.00	<0.005	0.3	2.4	7.7	22	<0.1	2.7	2.1	98	0.74	13.1	<0.1	<0.5	<0.1	<1	0.1	0.4	<0.1	<2
1506990	Rock	1.48	0.518	<0.1	310.5	1443.3	96	16.6	1.1	0.4	112	0.50	7.3	0.3	224.5	<0.1	276	4.9	51.8	1.9	<2
1506991	Rock	1.16	<0.005	0.2	11.4	6.3	7	<0.1	8.0	3.0	292	1.39	13.7	<0.1	<0.5	<0.1	91	<0.1	5.2	<0.1	6
1506992	Rock	0.98	<0.005	0.2	2.2	5.6	3	<0.1	3.4	1.2	383	1.25	5.1	<0.1	<0.5	<0.1	103	<0.1	0.6	<0.1	4
1506993	Rock	1.25	0.006	0.3	1.1	11.5	13	<0.1	1.3	0.2	116	0.74	6.8	0.3	6.0	1.0	491	0.1	0.1	<0.1	<2
1506994	Rock	0.96	0.282	6.4	196.9	311.5	140	23.0	1.6	0.4	77	1.84	106.4	1.4	331.8	0.5	2	0.6	8.9	0.5	<2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

**Page:** 4 of 4

**Part:** 2 of 2

# CERTIFICATE OF ANALYSIS

WHI16000119.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5
1506981	Rock	0.33	0.008	2	29	0.06	31	<0.001	<1	0.08	0.001	0.01	<0.1	<0.01	0.4	<0.1	<0.05	<1	<0.5
1506982	Rock	0.02	0.007	<1	31	0.06	29	0.006	<1	0.09	0.002	0.02	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5
1506983	Rock	<0.01	<0.001	<1	28	0.08	19	<0.001	<1	0.10	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5
1506984	Rock	0.03	0.015	<1	31	0.03	35	<0.001	<1	0.06	0.001	0.02	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5
1506985	Rock	<0.01	<0.001	<1	37	0.02	15	<0.001	<1	0.03	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
1506986	Rock	<0.01	<0.001	<1	35	<0.01	11	<0.001	<1	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5
1506987	Rock	<0.01	0.003	<1	31	0.01	8	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5
1506988	Rock	<0.01	0.002	<1	29	0.01	16	<0.001	<1	0.03	<0.001	<0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	1.0
1506989	Rock	<0.01	0.002	<1	25	<0.01	9	<0.001	<1	0.03	0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5
1506990	Rock	0.25	<0.001	2	3	0.02	865	<0.001	<1	0.06	<0.001	<0.01	0.2	2.69	0.6	<0.1	0.09	<1	0.8
1506991	Rock	1.88	0.004	<1	27	0.92	668	<0.001	<1	0.08	0.009	0.02	<0.1	0.11	1.3	<0.1	<0.05	<1	<0.5
1506992	Rock	3.09	0.008	<1	24	1.56	563	<0.001	<1	0.04	0.003	0.01	<0.1	0.02	1.2	<0.1	<0.05	<1	<0.5
1506993	Rock	2.44	0.002	10	20	<0.01	144	<0.001	<1	0.08	0.053	0.02	<0.1	0.02	1.2	<0.1	<0.05	<1	<0.5
1506994	Rock	<0.01	0.005	<1	23	<0.01	52	<0.001	<1	0.04	0.001	0.01	<0.1	0.03	0.6	<0.1	<0.05	<1	<0.5



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Page: 1 of 2

Part: 1 of 2

## QUALITY CONTROL REPORT

WHI16000119.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																					
1506933	Rock	0.70	<0.005	<0.1	3.2	1.4	3	<0.1	0.2	0.3	27	0.41	1.6	<0.1	<0.5	0.2	2	<0.1	<0.1	0.1	<2
REP 1506933	QC			<0.1	3.4	1.4	3	<0.1	0.2	0.3	27	0.41	1.7	<0.1	<0.5	0.2	2	<0.1	<0.1	<0.1	<2
1506941	Rock	0.97	<0.005	0.2	2.1	2.3	4	<0.1	1.1	0.5	89	0.99	3.6	<0.1	<0.5	0.1	1	<0.1	<0.1	<0.1	<2
REP 1506941	QC			0.2	1.9	2.1	4	<0.1	0.9	0.5	82	0.97	3.4	<0.1	<0.5	0.1	1	<0.1	<0.1	<0.1	<2
1506952	Rock	0.72	<0.005	0.4	7.5	2.4	5	<0.1	3.3	3.1	150	1.46	1.2	0.2	0.5	<0.1	1	<0.1	<0.1	<0.1	2
REP 1506952	QC		<0.005																		
1506964	Rock	0.94	<0.005	0.3	1.0	1.3	2	<0.1	1.9	0.6	340	1.08	0.9	0.4	<0.5	<0.1	68	<0.1	<0.1	<0.1	3
REP 1506964	QC		<0.005																		
1506974	Rock	1.02	<0.005	0.2	14.2	80.3	40	0.2	5.4	2.3	145	0.94	11.1	<0.1	<0.5	0.3	1	0.2	0.3	<0.1	6
REP 1506974	QC			0.3	13.2	79.5	41	0.2	5.2	2.2	143	0.93	10.8	<0.1	<0.5	0.3	1	<0.1	0.2	<0.1	6
1506994	Rock	0.96	0.282	6.4	196.9	311.5	140	23.0	1.6	0.4	77	1.84	106.4	1.4	331.8	0.5	2	0.6	8.9	0.5	<2
REP 1506994	QC		0.279	6.5	206.1	326.4	152	23.3	1.9	0.4	75	1.86	110.7	1.4	365.9	0.5	2	0.7	9.9	0.5	<2
Core Reject Duplicates																					
1506929	Rock	0.67	<0.005	0.4	21.7	9.7	12	0.3	0.9	0.7	63	0.52	10.8	0.1	<0.5	0.2	<1	<0.1	0.2	1.6	<2
DUP 1506929	QC		<0.005	0.6	23.9	10.8	11	0.3	2.1	0.7	116	1.25	12.2	0.1	1.4	0.2	<1	<0.1	0.1	1.9	<2
1506963	Rock	1.36	0.009	1.9	4.5	4.1	14	0.1	6.0	15.2	532	3.78	1.3	0.2	7.3	0.5	61	<0.1	<0.1	0.4	27
DUP 1506963	QC		0.008	2.0	4.0	4.0	13	0.1	5.9	15.6	533	3.78	1.2	0.2	8.0	0.4	59	<0.1	<0.1	0.4	28
Reference Materials																					
STD DS10	Standard			15.1	151.7	144.6	374	1.9	74.0	13.3	872	2.72	46.3	2.5	80.5	6.9	65	2.6	8.4	11.8	42
STD DS10	Standard			15.2	159.8	147.6	361	1.9	75.2	13.2	882	2.77	45.6	2.6	85.5	7.3	69	2.5	8.3	12.1	42
STD DS10	Standard			14.8	157.0	144.5	377	1.8	79.2	13.6	898	2.78	47.5	2.6	73.8	7.4	65	2.7	8.9	11.8	43
STD DS10	Standard			15.7	154.2	152.2	382	1.9	79.6	13.9	890	2.80	48.9	2.6	82.7	7.7	65	2.7	9.6	11.9	44
STD OXC129	Standard			1.1	26.1	5.9	39	<0.1	74.1	19.7	425	3.03	0.7	0.6	193.9	1.6	178	<0.1	<0.1	<0.1	51
STD OXC129	Standard			1.1	26.3	6.0	39	<0.1	79.4	19.9	421	3.02	<0.5	0.7	187.3	1.8	177	<0.1	<0.1	<0.1	51
STD OXC129	Standard			1.0	25.2	5.9	37	<0.1	76.1	20.9	417	3.04	0.7	0.6	196.1	1.7	170	<0.1	<0.1	<0.1	51
STD OXC129	Standard			1.3	27.6	6.5	43	<0.1	81.0	20.4	432	3.10	0.6	0.7	202.5	1.9	198	<0.1	<0.1	<0.1	53
STD OXD108	Standard		0.416																		
STD OXD108	Standard		0.426																		





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** August 10, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Page:** 1 of 2

**Part:** 2 of 2

## QUALITY CONTROL REPORT

WHI16000119.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
Pulp Duplicates																				
1506933	Rock	<0.01	0.003	<1	4	0.01	106	<0.001	<1	0.03	0.002	<0.01	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2
REP 1506933	QC	<0.01	0.002	<1	4	0.01	104	<0.001	<1	0.03	0.002	<0.01	0.2	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506941	Rock	<0.01	0.004	<1	7	<0.01	76	<0.001	<1	0.02	0.004	0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1506941	QC	<0.01	0.004	<1	7	<0.01	77	<0.001	<1	0.02	0.003	0.01	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1506952	Rock	<0.01	0.004	<1	8	<0.01	36	<0.001	<1	0.02	0.004	<0.01	0.4	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
REP 1506952	QC																			
1506964	Rock	2.19	0.035	<1	6	0.71	543	<0.001	<1	0.02	0.001	<0.01	<0.1	<0.01	0.6	<0.1	<0.05	<1	<0.5	<0.2
REP 1506964	QC																			
1506974	Rock	0.02	0.009	1	32	0.10	41	0.001	<1	0.16	0.002	0.02	<0.1	<0.01	0.7	<0.1	<0.05	<1	0.8	<0.2
REP 1506974	QC	0.02	0.008	1	32	0.10	37	0.001	<1	0.16	0.002	0.02	<0.1	<0.01	0.7	<0.1	<0.05	<1	<0.5	<0.2
1506994	Rock	<0.01	0.005	<1	23	<0.01	52	<0.001	<1	0.04	0.001	0.01	<0.1	0.03	0.6	<0.1	<0.05	<1	<0.5	<0.2
REP 1506994	QC	<0.01	0.006	1	26	<0.01	57	<0.001	<1	0.04	0.001	0.01	<0.1	0.03	0.7	<0.1	<0.05	<1	<0.5	<0.2
Core Reject Duplicates																				
1506929	Rock	<0.01	<0.001	1	6	<0.01	16	<0.001	<1	0.03	0.001	0.02	0.2	<0.01	0.1	<0.1	<0.05	<1	<0.5	0.2
DUP 1506929	QC	<0.01	0.001	1	9	<0.01	15	<0.001	2	0.02	0.002	0.02	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506963	Rock	5.98	0.020	3	6	0.62	20	0.001	1	0.54	0.004	0.08	<0.1	0.02	5.1	0.1	2.70	2	0.9	<0.2
DUP 1506963	QC	6.05	0.018	3	6	0.62	20	0.001	<1	0.54	0.004	0.08	<0.1	<0.01	5.5	0.2	2.70	2	1.2	<0.2
Reference Materials																				
STD DS10	Standard	1.05	0.073	17	55	0.77	358	0.077	6	1.02	0.068	0.33	3.2	0.31	2.9	5.3	0.27	4	3.1	5.0
STD DS10	Standard	1.05	0.073	17	54	0.78	357	0.073	7	1.05	0.069	0.34	3.4	0.28	2.9	5.4	0.28	4	2.4	5.0
STD DS10	Standard	1.11	0.078	18	57	0.80	372	0.080	9	1.08	0.069	0.34	3.3	0.29	3.0	5.3	0.28	5	2.1	4.9
STD DS10	Standard	1.09	0.082	18	59	0.80	373	0.079	7	1.13	0.059	0.36	3.3	0.30	2.9	5.3	0.28	4	2.1	5.2
STD OXC129	Standard	0.66	0.098	11	49	1.56	49	0.393	2	1.57	0.592	0.36	<0.1	<0.01	1.1	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	0.67	0.101	12	50	1.52	48	0.388	<1	1.56	0.588	0.35	<0.1	<0.01	0.7	<0.1	<0.05	6	<0.5	<0.2
STD OXC129	Standard	0.66	0.104	12	50	1.56	47	0.397	1	1.57	0.583	0.35	<0.1	<0.01	0.9	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	0.69	0.105	13	54	1.55	53	0.396	2	1.75	0.580	0.37	<0.1	<0.01	1.2	<0.1	<0.05	6	<0.5	<0.2
STD OXD108	Standard																			
STD OXD108	Standard																			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: August 10, 2016

Page: 2 of 2

Part: 1 of 2

## QUALITY CONTROL REPORT

WHI16000119.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OXD108	Standard	0.413																			
STD OXD108	Standard	0.412																			
STD OXI121	Standard	1.828																			
STD OXI121	Standard	1.845																			
STD OXI121	Standard	1.802																			
STD OXI121	Standard	1.782																			
STD OXN117	Standard	7.369																			
STD OXN117	Standard	7.717																			
STD OXN117	Standard	7.607																			
STD OXN117	Standard	7.591																			
STD DS10 Expected				15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1	2.62	9	11.65	43
STD OXC129 Expected				1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9					51
STD OXD108 Expected		0.414																			
STD OXN117 Expected		7.679																			
STD OXI121 Expected		1.834																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank		<0.005	0.5	2.5	1.5	29	<0.1	0.8	3.8	460	1.97	1.1	0.4	1.2	2.2	33	<0.1	<0.1	<0.1	23
ROCK-WHI	Prep Blank		<0.005	0.5	2.7	1.2	31	<0.1	1.2	3.6	453	1.98	1.1	0.4	<0.5	2.3	32	<0.1	<0.1	<0.1	22



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

LS

Report Date:

August 10, 2016

Page:

2 of 2

Part:

2 of 2

## QUALITY CONTROL REPORT

WHI16000119.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
STD OXD108	Standard																			
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD OXN117	Standard																			
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.72	0.040	5	3	0.40	69	0.088	<1	1.04	0.091	0.09	0.2	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.64	0.041	5	4	0.41	80	0.081	<1	0.98	0.097	0.10	<0.1	<0.01	3.1	<0.1	<0.05	4	<0.5	<0.2