



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman

Receiving Lab: Canada-Whitehorse

Received: August 22, 2016

Report Date: September 09, 2016

Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI16000196.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: EC16-44
P.O. Number
Number of Samples: 130

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	117	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	130	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	130	Analysis sample split/packet			VAN
Split -150	130	Analysis sample split/packet			VAN
FS631	117	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	130	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	130	Per sample shipping charges for branch shipments			VAN
SLBHP	13	Sort, label and box pulps			VAN
FA530	3	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002599	Drill Core				1.07	444	0.006	<0.01	<0.17	19.64	3.1	59.0	123.0	401	1.2	22.1	14.0	529	3.48	17.5	4.7	3.2	6.7	33
2002600	Rock Pulp				0.12		7.336	I.S.	I.S.	I.S.	13.5	70.4	23.2	59	0.8	19.6	9.6	460	4.27	11.9	0.4	7237.7	1.2	55
2002601	Drill Core				1.15	454	<0.005	<0.01	<0.17	30.68	1.3	12.4	52.1	223	0.4	9.7	5.8	561	1.42	5.1	0.4	<0.5	0.8	5
2002602	Drill Core				1.01	403	<0.005	<0.01	<0.17	19.38	2.9	36.7	81.9	371	0.9	21.2	12.0	743	3.23	9.4	3.4	1.1	5.1	21
2002603	Drill Core				1.02	382	0.355	0.36	0.36	25.06	3.9	56.9	37.5	392	0.8	58.0	30.7	1207	3.63	34.9	1.4	285.2	4.7	26
2002604	Drill Core				1.03	404	<0.005	<0.01	<0.17	23.33	2.6	64.4	118.4	956	1.0	37.4	31.8	1646	2.94	4.5	0.6	<0.5	3.6	16
2002605	Drill Core				0.88	361	<0.005	<0.01	<0.17	29.14	1.9	49.6	27.9	196	0.4	33.5	13.9	588	3.02	6.8	0.5	<0.5	3.6	13
2002606	Drill Core				1.17	473	<0.005	<0.01	<0.17	28.04	3.3	71.2	33.0	220	0.6	38.1	17.6	671	3.34	9.9	0.8	<0.5	4.2	21
2002607	Drill Core				3.00	488	0.023	0.02	<0.17	26.30	2.2	71.0	23.6	316	0.4	32.7	16.0	948	3.39	17.3	0.6	2.1	4.5	33
2002608	Drill Core				1.14	467	<0.005	<0.01	<0.17	29.79	1.4	51.2	43.8	123	0.5	13.5	8.2	419	2.93	3.2	0.9	<0.5	6.1	22
2002609	Drill Core				1.05	452	<0.005	<0.01	<0.17	27.66	2.6	56.4	2.2	85	0.2	21.4	9.5	374	3.13	4.6	1.3	<0.5	5.5	33
2002610	Rock Pulp				0.12		0.006	I.S.	I.S.	I.S.	1.8	63.5	3.6	33	<0.1	5.0	8.2	347	2.45	0.9	0.8	1.7	2.5	64
2002611	Drill Core				1.73	343	<0.005	<0.01	<0.17	26.00	2.0	46.7	21.1	88	0.3	23.9	11.8	513	2.93	6.9	1.0	0.9	4.5	34
2002612	Drill Core				0.97	394	<0.005	<0.01	<0.17	27.42	1.8	53.5	10.2	96	0.2	24.4	15.8	420	2.83	3.4	1.1	<0.5	5.2	24
2002613	Drill Core				0.93	387	<0.005	<0.01	<0.17	22.45	1.5	42.7	8.5	106	0.2	23.5	11.7	566	3.05	3.9	0.9	<0.5	5.2	23
2002614	Drill Core				0.70	460	<0.005	<0.01	<0.17	26.26	1.7	27.7	16.0	113	0.3	23.3	10.7	911	2.87	9.7	0.7	<0.5	4.8	49
2002615	Drill Core				0.78	437	<0.005	<0.01	<0.17	28.90	1.8	32.1	11.0	126	0.2	36.6	15.5	813	3.37	14.8	0.7	<0.5	5.4	60
2002616	Drill Core				1.04	432	0.007	<0.01	<0.17	24.00	1.5	53.9	51.2	676	0.8	19.9	7.2	698	3.63	15.7	1.8	<0.5	5.0	104
2002617	Drill Core				1.01	381	<0.005	<0.01	<0.17	26.02	2.3	79.7	20.7	642	0.6	35.9	16.1	900	3.47	9.3	2.2	<0.5	3.8	29
2002618	Drill Core				1.01	438	0.009	<0.01	<0.17	28.92	3.2	63.6	24.1	365	0.8	23.2	6.6	539	4.00	51.1	3.4	5.0	4.5	61
2002619	Drill Core				0.49	415	0.014	0.01	<0.17	17.96	1.1	29.2	38.5	210	0.3	18.8	8.9	460	2.11	16.8	0.6	9.5	1.3	11
2002620	Rock Pulp				0.12		6.956	I.S.	I.S.	I.S.	14.5	70.0	23.4	59	0.8	19.7	10.0	473	4.39	12.3	0.4	7242.0	1.2	59
2002621	Drill Core				1.09	453	0.009	<0.01	<0.17	25.48	2.2	83.4	49.3	458	0.5	37.0	13.7	673	3.52	31.0	2.1	5.3	4.0	28
2002622	Drill Core				0.87	343	0.247	0.24	0.20	29.62	2.5	9.4	213.8	155	2.4	25.1	9.3	394	2.25	26.7	1.3	283.7	7.7	26
2002623	Drill Core				1.57	414	3.544	3.88	8.40	28.80	2.6	19.7	397.7	161	7.7	11.3	6.3	289	1.94	35.3	0.8	3548.7	2.6	14
2002624	Drill Core				1.12	391	0.205	0.45	3.66	27.84	1.5	10.1	15.9	36	0.8	17.0	8.8	169	1.46	40.1	1.6	324.6	14.4	18
2002625	Drill Core				2.20	408	0.091	0.09	<0.17	25.11	0.5	12.2	24.1	38	1.2	5.5	4.3	134	1.13	37.7	1.4	77.9	11.3	12
2002626	Drill Core				1.17	435	0.020	0.02	<0.17	27.90	0.5	5.9	19.3	44	0.9	9.2	3.7	221	1.50	21.8	1.2	16.8	10.6	23
2002627	Drill Core				1.01	369	0.019	0.02	<0.17	28.62	0.2	3.0	28.4	17	0.5	0.7	0.5	98	0.64	5.9	1.2	35.3	13.5	6
2002628	Drill Core				1.02	416	0.018	0.02	<0.17	25.91	0.3	3.0	30.3	33	0.2	1.0	0.7	80	0.68	8.0	1.4	11.9	14.1	3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2002599	Drill Core	3.8	1.0	0.9	26	0.28	0.073	11	26	1.44	220	0.018	2	1.68	0.009	0.38	<0.1	<0.01	2.9	0.2	<0.05
2002600	Rock Pulp	0.2	5.3	0.5	94	1.04	0.050	5	29	0.62	88	0.099	3	1.79	0.153	0.13	1.5	0.28	4.3	<0.1	<0.05
2002601	Drill Core	2.7	0.4	0.7	5	0.04	0.010	2	19	0.36	51	0.006	<1	0.34	0.003	0.06	<0.1	0.02	0.9	<0.1	0.07
2002602	Drill Core	3.3	1.0	0.9	24	0.27	0.065	11	24	1.58	239	0.023	<1	1.84	0.007	0.37	0.1	<0.01	2.7	0.2	<0.05
2002603	Drill Core	3.3	2.6	0.4	38	0.33	0.082	14	29	1.28	204	0.018	1	1.58	0.015	0.29	0.2	<0.01	4.0	0.2	<0.05
2002604	Drill Core	7.7	0.9	0.9	29	0.16	0.064	8	22	1.44	198	0.019	<1	1.47	0.007	0.29	<0.1	<0.01	2.6	0.1	<0.05
2002605	Drill Core	0.5	1.6	0.2	26	0.23	0.074	9	21	1.04	180	0.014	<1	1.25	0.015	0.25	<0.1	<0.01	2.4	<0.1	<0.05
2002606	Drill Core	0.4	4.5	0.3	35	0.33	0.083	9	25	1.27	247	0.036	<1	1.62	0.015	0.35	0.2	<0.01	3.0	0.1	<0.05
2002607	Drill Core	3.6	1.3	0.3	26	0.20	0.079	11	20	1.39	217	0.007	<1	1.47	0.007	0.34	<0.1	<0.01	2.6	0.1	0.07
2002608	Drill Core	0.7	0.5	0.5	25	0.18	0.067	15	24	1.36	222	0.016	<1	1.50	0.019	0.30	0.2	<0.01	3.1	<0.1	<0.05
2002609	Drill Core	0.2	0.5	<0.1	35	0.27	0.093	13	30	1.35	287	0.037	<1	1.61	0.019	0.37	0.2	<0.01	2.8	<0.1	0.06
2002610	Rock Pulp	0.1	<0.1	<0.1	86	0.77	0.055	7	11	0.68	106	0.092	2	1.38	0.155	0.19	1.7	<0.01	2.0	<0.1	<0.05
2002611	Drill Core	0.7	0.7	0.1	32	0.71	0.098	9	32	1.27	225	0.029	<1	1.49	0.010	0.29	0.2	<0.01	2.9	<0.1	<0.05
2002612	Drill Core	0.3	0.6	<0.1	29	0.26	0.072	10	22	1.27	273	0.023	2	1.57	0.027	0.40	0.2	<0.01	2.7	<0.1	<0.05
2002613	Drill Core	0.6	0.5	<0.1	26	0.87	0.064	10	19	1.32	218	0.022	<1	1.57	0.023	0.32	0.2	<0.01	3.5	<0.1	<0.05
2002614	Drill Core	1.0	0.7	0.2	33	1.90	0.063	11	24	1.55	231	0.022	<1	1.72	0.018	0.36	0.2	<0.01	4.0	<0.1	<0.05
2002615	Drill Core	0.4	0.7	0.1	43	1.85	0.075	10	32	1.88	257	0.019	<1	2.04	0.012	0.36	0.2	<0.01	4.1	0.1	<0.05
2002616	Drill Core	3.2	0.8	0.4	44	0.31	0.075	8	29	1.56	249	0.080	1	2.02	0.011	0.49	0.3	<0.01	3.8	0.2	0.09
2002617	Drill Core	3.0	0.4	0.4	40	0.24	0.074	9	26	1.53	229	0.047	<1	1.74	0.016	0.36	0.2	<0.01	3.4	0.1	0.05
2002618	Drill Core	1.9	1.2	0.2	59	0.33	0.085	7	39	1.59	107	0.077	<1	1.74	0.009	0.27	0.3	<0.01	4.9	<0.1	0.16
2002619	Drill Core	0.8	0.5	0.5	21	0.13	0.033	3	23	0.61	59	0.027	<1	0.64	0.007	0.09	0.3	<0.01	2.3	<0.1	<0.05
2002620	Rock Pulp	0.2	5.4	0.5	97	1.09	0.052	6	31	0.64	92	0.110	3	1.86	0.160	0.14	1.6	0.31	4.8	<0.1	<0.05
2002621	Drill Core	2.0	0.9	0.4	51	0.35	0.082	7	32	1.43	112	0.070	<1	1.64	0.008	0.25	0.2	<0.01	4.2	<0.1	<0.05
2002622	Drill Core	0.9	1.7	0.9	9	0.31	0.060	16	16	0.72	309	0.039	1	0.89	0.010	0.25	0.8	<0.01	2.8	0.1	<0.05
2002623	Drill Core	0.7	2.5	18.1	10	0.18	0.029	8	22	0.33	99	0.013	<1	0.49	0.002	0.12	0.8	0.16	1.2	<0.1	<0.05
2002624	Drill Core	1.1	1.4	0.2	6	0.25	0.063	35	9	0.25	311	0.011	1	0.68	0.009	0.39	0.4	<0.01	1.4	0.1	<0.05
2002625	Drill Core	1.1	1.5	0.3	4	0.14	0.051	32	8	0.20	230	0.002	1	0.57	0.006	0.35	0.5	<0.01	1.5	0.1	<0.05
2002626	Drill Core	0.7	1.0	0.5	4	0.11	0.037	38	9	0.20	142	0.001	2	0.59	0.003	0.25	0.8	0.04	1.3	0.1	<0.05
2002627	Drill Core	0.4	0.5	0.1	<2	0.02	0.006	37	6	0.09	418	<0.001	2	0.35	0.015	0.25	0.1	0.01	0.9	<0.1	<0.05
2002628	Drill Core	0.4	0.6	0.2	<2	0.01	0.007	41	6	0.04	313	<0.001	1	0.29	0.015	0.23	0.2	<0.01	0.7	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002599	Drill Core	4	1.4	<0.2
2002600	Rock Pulp	5	<0.5	<0.2
2002601	Drill Core	<1	<0.5	<0.2
2002602	Drill Core	4	1.1	<0.2
2002603	Drill Core	4	1.4	<0.2
2002604	Drill Core	4	1.4	<0.2
2002605	Drill Core	3	1.1	<0.2
2002606	Drill Core	4	0.7	<0.2
2002607	Drill Core	4	0.5	<0.2
2002608	Drill Core	4	1.2	<0.2
2002609	Drill Core	5	<0.5	<0.2
2002610	Rock Pulp	4	<0.5	<0.2
2002611	Drill Core	4	1.7	<0.2
2002612	Drill Core	4	0.7	<0.2
2002613	Drill Core	4	<0.5	<0.2
2002614	Drill Core	5	<0.5	<0.2
2002615	Drill Core	5	<0.5	<0.2
2002616	Drill Core	5	0.8	<0.2
2002617	Drill Core	4	<0.5	<0.2
2002618	Drill Core	5	3.4	<0.2
2002619	Drill Core	2	<0.5	<0.2
2002620	Rock Pulp	5	<0.5	0.2
2002621	Drill Core	5	3.4	<0.2
2002622	Drill Core	3	<0.5	<0.2
2002623	Drill Core	2	<0.5	0.4
2002624	Drill Core	2	<0.5	<0.2
2002625	Drill Core	2	<0.5	<0.2
2002626	Drill Core	2	<0.5	<0.2
2002627	Drill Core	1	<0.5	<0.2
2002628	Drill Core	<1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002629	Drill Core	0.75	424	<0.005	<0.01	<0.17	29.00	0.1	2.0	17.3	21	0.2	1.0	0.4	124	0.55	1.2	1.1	<0.5	13.3	24
2002630	Rock Pulp	0.12		0.014	I.S.	I.S.	I.S.	1.9	64.1	3.4	36	<0.1	5.1	8.1	347	2.44	0.5	0.8	1.1	2.4	63
2002631	Drill Core	1.06	459	0.023	0.02	<0.17	27.57	0.5	7.4	14.6	39	0.1	1.4	0.4	100	0.94	2.6	0.3	19.5	3.7	2
2002632	Drill Core	2.91	430	0.017	0.02	<0.17	28.18	1.2	6.4	8.2	48	0.1	5.4	2.6	1433	2.29	8.3	1.0	15.0	7.6	43
2002633	Drill Core	0.73	381	0.058	0.05	<0.17	27.36	0.2	1.2	4.5	21	<0.1	0.9	1.1	83	0.76	1.6	0.9	121.4	14.3	3
2002634	Drill Core	0.87	356	0.028	0.07	0.47	31.89	0.7	2.7	18.2	28	0.2	3.1	2.2	287	1.65	1.6	0.9	65.0	8.5	10
2002635	Drill Core	1.16	399	0.144	0.14	<0.17	31.17	0.4	6.0	11.8	41	0.2	5.9	5.8	730	1.97	4.9	1.8	72.2	9.8	155
2002636	Drill Core	0.72	359	0.421	0.43	0.58	29.35	0.8	28.1	7.1	33	0.5	7.0	7.4	554	2.06	1.9	1.0	457.5	7.5	56
2002637	Drill Core	0.96	406	1.393	2.97	21.22	32.42	0.8	50.9	3.4	38	1.2	3.8	3.1	1314	2.08	42.7	1.0	2735.9	1.0	145
2002638	Drill Core	1.00	422	2.553	2.70	5.01	25.35	0.5	18.7	12.9	39	1.0	9.9	7.5	450	2.13	2.3	0.7	2385.8	6.4	69
2002639	Drill Core	0.93	395	0.014	0.01	<0.17	24.81	0.6	31.2	2.2	50	0.2	7.3	5.2	574	1.92	4.4	0.9	22.5	6.0	69
2002640	Rock Pulp	0.12		7.313	I.S.	I.S.	I.S.	13.7	66.7	23.8	58	0.8	19.0	9.0	462	4.20	12.3	0.4	6684.3	1.3	58
2002641	Drill Core	0.94	440	0.186	0.19	0.28	24.60	0.2	46.5	13.3	53	1.0	15.0	9.5	1581	2.91	50.4	1.9	110.2	5.5	380
2002642	Drill Core	0.75	446	0.006	<0.01	<0.17	26.55	0.5	15.0	5.6	58	0.2	12.1	6.5	381	1.93	4.8	1.1	6.7	10.3	86
2002643	Drill Core	0.81	372	1.753	2.69	14.46	27.46	1.0	20.0	58.3	70	1.2	7.8	5.4	420	1.87	11.1	0.9	1825.1	5.5	14
2002644	Drill Core	0.75	412	0.037	0.03	<0.17	27.66	0.4	9.0	5.7	93	0.3	12.4	7.6	469	2.69	6.3	1.4	80.3	11.6	79
2002645	Drill Core	1.85	357	0.028	0.03	<0.17	25.45	1.2	10.7	17.7	70	0.3	11.8	7.7	332	2.35	13.5	2.0	18.9	10.5	84
2002646	Drill Core	0.73	435	0.034	0.03	<0.17	32.72	0.8	76.0	627.3	527	1.5	10.0	11.0	363	2.29	12.3	1.3	30.9	9.7	10
2002647	Drill Core	0.88	352	0.257	0.27	0.37	26.94	2.1	248.5	976.2	433	8.6	6.6	4.1	291	2.41	19.3	2.0	190.6	5.5	8
2002648	Drill Core	0.71	408	0.061	0.06	<0.17	31.75	1.6	95.4	704.9	444	2.3	11.4	11.7	557	2.98	27.8	2.3	52.1	10.1	11
2002649	Drill Core	0.76	431	0.009	0.02	0.17	29.39	0.5	12.4	33.8	93	0.3	12.0	8.3	403	2.54	9.1	1.2	3.6	9.4	20
2002650	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.9	64.7	3.9	47	<0.1	5.0	8.2	350	2.47	<0.5	0.8	<0.5	2.7	60
2002651	Drill Core	2.76	485	0.012	0.02	<0.17	31.51	0.8	12.1	15.9	61	0.4	9.5	7.0	361	2.36	16.3	1.8	9.9	11.1	72
2002652	Drill Core	0.67	471	0.017	0.02	<0.17	28.62	0.1	5.9	5.6	53	0.1	0.5	0.7	83	0.55	2.5	1.1	11.1	16.5	4
2002653	Drill Core	0.96	466	0.011	0.01	<0.17	30.61	0.3	8.3	24.9	39	0.1	0.6	0.6	103	0.65	1.8	0.6	6.2	12.3	6
2002654	Drill Core	0.94	430	0.021	0.02	<0.17	26.22	2.1	52.2	770.6	140	1.8	0.8	0.7	140	1.00	3.9	1.0	16.7	10.7	4
2002655	Drill Core	2.09	460	0.007	<0.01	<0.17	27.12	0.5	17.8	128.3	98	0.2	0.8	0.5	169	0.80	2.2	0.3	2.8	4.9	3
2002656	Drill Core	0.80	425	0.008	<0.01	<0.17	30.67	0.2	6.9	28.7	27	0.2	0.5	0.3	79	0.52	1.2	1.0	2.7	17.4	3
2002657	Drill Core	0.70	485	0.281	0.26	<0.17	30.84	0.1	6.2	16.2	23	0.2	0.4	0.3	74	0.39	0.7	0.9	214.0	16.7	9
2002658	Drill Core	0.87	488	0.008	<0.01	<0.17	30.78	0.2	3.4	5.9	15	<0.1	0.4	0.2	66	0.43	0.7	0.8	<0.5	14.8	3



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002629	Drill Core	0.3	0.5	<0.1	<2	0.28	0.005	30	5	0.16	346	0.002	<1	0.49	0.013	0.35	0.1	0.02	1.5	<0.1	<0.05			
2002630	Rock Pulp	<0.1	<0.1	<0.1	84	0.78	0.055	6	10	0.69	104	0.089	1	1.35	0.156	0.18	1.8	<0.01	2.2	<0.1	<0.05			
2002631	Drill Core	0.2	0.1	<0.1	<2	0.01	0.005	7	15	0.04	64	<0.001	<1	0.16	0.025	0.09	0.1	<0.01	0.4	<0.1	<0.05			
2002632	Drill Core	1.0	0.7	<0.1	8	0.43	0.069	11	17	1.02	203	0.006	3	0.77	0.059	0.14	0.6	0.01	4.5	<0.1	<0.05			
2002633	Drill Core	0.5	0.2	<0.1	<2	0.03	0.008	21	3	0.09	182	0.001	2	0.31	0.012	0.21	<0.1	<0.01	0.7	<0.1	<0.05			
2002634	Drill Core	0.5	0.3	0.1	<2	0.19	0.011	15	15	0.23	147	0.002	2	0.37	0.014	0.17	0.1	0.01	1.4	<0.1	<0.05			
2002635	Drill Core	0.5	0.3	0.1	6	2.22	0.034	11	13	0.90	292	0.004	2	0.87	0.019	0.22	0.2	<0.01	3.3	<0.1	0.48			
2002636	Drill Core	0.2	0.2	<0.1	6	1.04	0.039	11	9	0.50	181	0.005	2	0.74	0.016	0.27	0.2	<0.01	2.4	<0.1	0.31			
2002637	Drill Core	0.6	0.5	<0.1	3	5.14	0.005	2	13	0.40	63	0.002	1	0.29	0.004	0.10	0.1	<0.01	4.4	<0.1	0.30			
2002638	Drill Core	0.4	0.2	<0.1	6	1.17	0.041	9	11	0.53	180	0.006	1	0.77	0.029	0.28	0.2	<0.01	2.8	<0.1	0.57			
2002639	Drill Core	0.2	0.2	<0.1	7	1.21	0.046	11	13	0.55	224	0.005	1	0.85	0.031	0.29	0.1	<0.01	3.3	<0.1	0.10			
2002640	Rock Pulp	0.2	5.5	0.5	95	0.99	0.052	5	28	0.59	87	0.101	3	1.78	0.168	0.14	1.5	0.32	4.8	<0.1	<0.05			
2002641	Drill Core	1.1	0.5	0.1	15	5.53	0.109	4	10	1.76	196	0.006	<1	1.49	0.020	0.31	0.2	<0.01	5.7	<0.1	1.09			
2002642	Drill Core	0.3	1.0	0.2	16	1.30	0.052	22	23	0.69	175	0.031	<1	0.94	0.028	0.30	0.3	<0.01	3.5	0.1	0.12			
2002643	Drill Core	0.6	0.9	0.6	11	0.16	0.028	15	22	0.40	123	0.029	<1	0.56	0.035	0.16	0.4	0.01	3.0	<0.1	<0.05			
2002644	Drill Core	0.5	0.7	0.1	33	1.02	0.068	31	37	1.13	94	0.084	<1	1.34	0.046	0.20	0.5	<0.01	6.1	<0.1	0.14			
2002645	Drill Core	0.3	0.6	0.3	22	1.41	0.057	21	27	0.90	310	0.038	1	1.05	0.058	0.23	0.4	<0.01	5.3	<0.1	0.19			
2002646	Drill Core	2.7	0.6	0.5	26	0.19	0.073	22	25	0.69	156	0.003	<1	1.04	0.015	0.25	0.2	<0.01	3.2	<0.1	<0.05			
2002647	Drill Core	1.0	1.4	6.1	17	0.11	0.047	12	20	0.47	143	0.002	<1	0.71	0.004	0.19	0.3	0.04	2.2	<0.1	<0.05			
2002648	Drill Core	2.7	0.9	1.2	40	0.22	0.077	25	31	0.76	169	0.004	<1	1.05	0.005	0.27	1.0	0.02	4.1	0.1	<0.05			
2002649	Drill Core	0.6	0.3	0.1	24	0.20	0.049	22	32	1.07	273	0.010	<1	1.16	0.029	0.23	0.1	0.01	5.3	0.1	<0.05			
2002650	Rock Pulp	<0.1	<0.1	<0.1	87	0.70	0.058	7	11	0.67	106	0.090	2	1.25	0.130	0.18	1.9	<0.01	2.1	<0.1	<0.05			
2002651	Drill Core	0.2	0.2	0.1	11	1.23	0.054	28	17	0.83	135	0.009	<1	1.24	0.021	0.21	<0.1	<0.01	2.7	<0.1	<0.05			
2002652	Drill Core	0.3	0.1	<0.1	<2	0.02	0.009	45	1	0.14	298	0.001	<1	0.43	0.022	0.25	<0.1	<0.01	1.2	<0.1	<0.05			
2002653	Drill Core	0.1	0.2	<0.1	<2	0.04	0.015	34	3	0.07	277	0.001	<1	0.37	0.029	0.25	<0.1	<0.01	0.8	<0.1	<0.05			
2002654	Drill Core	0.2	1.0	1.7	5	0.02	0.008	26	3	0.24	243	0.001	<1	0.50	0.025	0.24	0.1	0.01	1.5	<0.1	<0.05			
2002655	Drill Core	0.2	0.4	<0.1	<2	0.02	0.005	12	4	0.09	101	<0.001	1	0.20	0.005	0.11	0.2	<0.01	0.5	<0.1	<0.05			
2002656	Drill Core	<0.1	0.2	0.2	<2	0.02	0.009	47	2	0.09	295	0.002	1	0.45	0.030	0.35	<0.1	<0.01	1.2	<0.1	<0.05			
2002657	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.027	47	2	0.08	254	0.001	<1	0.35	0.016	0.28	<0.1	<0.01	1.1	<0.1	<0.05			
2002658	Drill Core	<0.1	<0.1	<0.1	<2	0.02	0.010	41	2	0.06	272	0.002	1	0.36	0.031	0.29	0.1	<0.01	1.1	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002629	Drill Core	2	<0.5	<0.2
2002630	Rock Pulp	4	<0.5	<0.2
2002631	Drill Core	<1	<0.5	<0.2
2002632	Drill Core	3	<0.5	<0.2
2002633	Drill Core	1	<0.5	<0.2
2002634	Drill Core	1	<0.5	<0.2
2002635	Drill Core	4	<0.5	<0.2
2002636	Drill Core	2	<0.5	<0.2
2002637	Drill Core	<1	<0.5	<0.2
2002638	Drill Core	2	<0.5	<0.2
2002639	Drill Core	2	<0.5	<0.2
2002640	Rock Pulp	5	<0.5	<0.2
2002641	Drill Core	5	0.6	0.2
2002642	Drill Core	4	<0.5	<0.2
2002643	Drill Core	3	<0.5	<0.2
2002644	Drill Core	8	<0.5	<0.2
2002645	Drill Core	5	<0.5	<0.2
2002646	Drill Core	6	0.6	<0.2
2002647	Drill Core	4	4.2	<0.2
2002648	Drill Core	6	0.9	<0.2
2002649	Drill Core	6	<0.5	<0.2
2002650	Rock Pulp	4	<0.5	<0.2
2002651	Drill Core	4	<0.5	<0.2
2002652	Drill Core	1	<0.5	<0.2
2002653	Drill Core	<1	<0.5	<0.2
2002654	Drill Core	2	1.1	<0.2
2002655	Drill Core	<1	<0.5	<0.2
2002656	Drill Core	1	<0.5	<0.2
2002657	Drill Core	1	<0.5	<0.2
2002658	Drill Core	1	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002659	Drill Core	0.95	461	0.012	0.01	<0.17	30.76	0.1	5.5	9.8	21	0.1	0.4	0.6	55	0.42	1.6	0.6	7.3	14.8	2
2002660	Rock Pulp	0.12		6.770	I.S.	I.S.	I.S.	14.0	70.8	23.9	59	0.8	19.0	9.4	467	4.23	12.2	0.4	6485.7	1.3	59
2002661	Drill Core	0.62	451	0.005	<0.01	<0.17	25.19	0.2	3.8	7.4	16	<0.1	0.7	0.3	79	0.48	1.1	0.5	2.6	11.5	3
2002662	Drill Core	1.01	484	0.006	<0.01	<0.17	31.03	0.2	3.8	9.6	16	<0.1	0.6	0.2	54	0.39	1.6	0.5	3.0	11.5	4
2002663	Drill Core	0.81	489	0.009	<0.01	<0.17	29.63	<0.1	2.8	4.5	19	0.1	0.3	0.2	41	0.33	1.1	1.0	4.4	15.3	3
2002664	Drill Core	0.64	477	>10	336.59	3683.00	26.89	0.4	6.4	9.8	44	50.6	<0.1	0.4	51	0.49	4.4	0.5>100000	10.8	9	
2002665	Drill Core	0.70	454	0.049	0.05	<0.17	32.22	0.1	11.1	15.4	31	0.2	0.5	0.6	56	0.42	3.5	0.8	48.1	14.8	3
2002666	Drill Core	0.66	448	1.519	1.55	1.95	30.78	0.2	6.5	15.0	14	0.6	0.4	0.3	75	0.47	<0.5	0.5	1162.2	12.1	5
2002667	Drill Core	1.89	512	0.007	<0.01	<0.17	29.51	0.1	5.8	10.9	14	0.2	0.3	0.3	68	0.42	1.0	0.6	3.7	13.2	4
2002668	Drill Core	1.21	507	0.150	0.17	0.49	30.48	0.2	5.4	15.6	27	0.2	0.3	0.4	78	0.41	1.6	0.9	197.8	15.3	11
2002669	Drill Core	1.15	484	0.013	0.01	<0.17	24.95	0.4	10.5	28.6	53	0.3	2.9	2.7	177	1.07	1.0	0.6	7.5	7.9	27
2002670	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.0	64.3	3.5	32	<0.1	5.0	7.6	317	2.26	0.9	0.8	0.7	2.6	54
2002671	Drill Core	0.97	505	0.029	0.03	<0.17	30.37	0.3	29.8	79.6	183	0.7	8.5	6.9	492	1.86	1.4	1.4	21.2	17.8	82
2002672	Drill Core	0.74	475	0.139	0.13	<0.17	20.45	0.8	42.6	280.1	274	0.9	7.1	5.9	653	2.11	2.1	0.8	191.4	5.2	77
2002673	Drill Core	1.77	411	0.044	0.04	<0.17	23.81	0.3	39.5	204.9	155	0.7	4.5	3.8	298	1.43	2.2	1.1	21.6	14.7	33
2002674	Drill Core	2.08	528	0.052	0.05	<0.17	15.74	0.7	109.1	477.2	267	2.4	5.8	4.1	379	1.83	9.1	1.1	33.1	13.9	14
2002675	Drill Core	1.06	497	4.056	6.20	48.50	24.02	0.5	26.9	125.0	124	1.6	3.7	3.2	283	1.45	1.4	0.4	4432.3	2.5	7
2002676	Drill Core	1.46	468	0.634	0.65	1.44	11.12	1.6	42.9	17.1	148	1.2	13.4	9.0	464	2.40	5.1	2.0	550.6	9.6	48
2002677	Drill Core	0.65	433	6.366	11.48	224.98	10.13	1.7	29.8	4.9	95	3.9	14.9	10.0	532	2.69	13.3	2.3	11472.7	10.0	29
2002678	Drill Core	1.80	432	0.839	0.86	1.41	14.15	1.0	18.2	6.1	67	0.9	8.9	7.3	387	2.18	5.4	1.7	884.0	10.6	40
2002679	Drill Core	0.97	483	0.033	0.03	<0.17	16.32	0.8	4.0	3.3	11	<0.1	1.8	0.6	274	1.08	1.6	0.2	25.0	0.6	3
2002680	Rock Pulp	0.12		7.213	I.S.	I.S.	I.S.	13.8	67.1	23.5	58	0.8	18.7	9.0	448	4.01	11.3	0.4	6731.6	1.3	56
2002681	Drill Core	0.89	394	1.479	1.54	3.41	11.44	1.2	18.4	11.7	77	1.0	9.7	7.3	263	2.84	10.9	2.7	1232.1	11.2	26
2002682	Drill Core	0.63	447	0.046	0.06	0.54	16.66	0.6	4.2	11.1	14	0.1	2.6	1.5	183	1.17	1.9	0.2	51.5	0.5	18
2002683	Drill Core	1.42	465	1.004	1.01	1.33	11.31	2.1	11.3	7.0	78	0.7	21.8	12.9	593	2.88	11.5	2.4	835.4	7.2	51
2002684	Drill Core	0.75	471	>10	12.72	82.45	8.49	1.7	14.5	14.8	48	5.2	18.4	11.0	921	3.68	34.0	2.3	11996.5	5.7	145
2002685	Drill Core	1.64	466	0.900	0.95	2.87	12.56	1.7	18.9	4.4	58	0.9	15.6	7.8	542	2.24	8.5	2.0	737.3	9.1	74
2002686	Drill Core	1.11	407	0.892	0.93	1.83	14.24	1.1	11.1	5.5	35	0.7	7.8	5.1	359	1.82	15.5	1.6	615.9	11.1	23
2002687	Drill Core	4.45	507	0.632	0.62	0.22	13.83	1.6	23.9	20.8	58	0.9	14.4	7.5	359	2.11	16.0	2.1	149.7	12.9	68
2002688	Drill Core	1.34	482	0.168	0.16	<0.17	11.24	1.2	10.8	19.4	32	0.5	8.6	4.7	360	1.58	11.7	1.2	103.6	6.9	48



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002659	Drill Core	<0.1	0.2	0.2	<2	0.01	0.007	38	2	0.07	363	0.002	<1	0.47	0.040	0.38	<0.1	<0.01	1.3	<0.1	<0.05			
2002660	Rock Pulp	0.1	5.5	0.5	97	1.00	0.053	5	29	0.60	89	0.105	3	1.83	0.174	0.15	1.5	0.29	5.1	<0.1	<0.05			
2002661	Drill Core	0.1	0.1	<0.1	<2	0.02	0.009	30	2	0.04	191	0.001	<1	0.27	0.023	0.21	<0.1	<0.01	0.7	<0.1	<0.05			
2002662	Drill Core	0.1	0.2	<0.1	<2	0.02	0.013	27	3	0.05	131	<0.001	<1	0.19	0.013	0.15	<0.1	<0.01	0.6	<0.1	<0.05			
2002663	Drill Core	<0.1	0.1	0.1	<2	0.02	0.010	46	2	0.05	273	0.002	<1	0.33	0.041	0.26	<0.1	<0.01	1.0	<0.1	<0.05			
2002664	Drill Core	<0.1	0.2	<0.1	<2	0.06	0.025	32	<1	0.06	230	0.002	1	0.33	0.043	0.21	<0.1	0.01	0.9	<0.1	<0.05			
2002665	Drill Core	0.2	0.3	0.1	<2	0.02	0.010	41	2	0.07	245	0.001	<1	0.33	0.028	0.24	<0.1	0.01	0.9	<0.1	<0.05			
2002666	Drill Core	<0.1	0.2	0.5	<2	0.02	0.014	31	2	0.06	177	0.001	<1	0.26	0.017	0.21	<0.1	0.01	0.7	<0.1	<0.05			
2002667	Drill Core	<0.1	0.2	0.2	<2	0.03	0.006	32	2	0.06	205	<0.001	2	0.26	0.017	0.23	<0.1	<0.01	0.8	<0.1	<0.05			
2002668	Drill Core	0.3	0.2	0.2	<2	0.05	0.023	36	2	0.07	262	0.002	2	0.28	0.021	0.22	0.1	0.02	0.9	<0.1	<0.05			
2002669	Drill Core	0.8	0.2	0.3	4	0.21	0.054	17	8	0.25	378	0.003	2	0.61	0.017	0.36	0.1	<0.01	1.7	0.1	<0.05			
2002670	Rock Pulp	<0.1	<0.1	<0.1	77	0.62	0.054	6	10	0.61	103	0.080	2	1.11	0.113	0.17	1.8	<0.01	1.8	<0.1	<0.05			
2002671	Drill Core	1.4	0.4	0.1	12	0.93	0.050	32	16	0.79	430	0.006	1	1.16	0.019	0.43	0.1	<0.01	3.6	0.2	<0.05			
2002672	Drill Core	1.1	0.5	0.1	12	0.90	0.034	12	20	0.78	103	0.007	<1	0.92	0.026	0.20	0.3	0.01	3.4	0.1	<0.05			
2002673	Drill Core	0.9	0.5	0.1	9	0.34	0.030	34	11	0.50	375	0.005	1	0.93	0.044	0.40	0.1	0.01	2.5	0.2	<0.05			
2002674	Drill Core	1.2	1.3	0.3	13	0.13	0.046	28	13	0.55	229	0.002	1	0.92	0.039	0.28	0.2	0.05	2.4	0.1	<0.05			
2002675	Drill Core	0.6	0.3	<0.1	7	0.06	0.017	7	11	0.25	69	0.003	1	0.35	0.013	0.11	0.1	<0.01	1.4	<0.1	<0.05			
2002676	Drill Core	2.8	0.6	0.2	18	0.53	0.065	24	23	0.75	454	0.015	1	1.14	0.036	0.41	0.2	<0.01	4.3	0.2	<0.05			
2002677	Drill Core	2.1	0.6	<0.1	13	0.29	0.054	22	21	0.62	371	0.009	<1	0.96	0.046	0.37	0.3	<0.01	4.4	0.1	<0.05			
2002678	Drill Core	0.8	0.5	<0.1	13	0.41	0.055	20	16	0.55	372	0.020	<1	0.91	0.051	0.34	0.4	<0.01	3.7	0.2	<0.05			
2002679	Drill Core	0.4	0.2	<0.1	<2	0.03	0.003	2	6	0.07	52	<0.001	<1	0.09	0.004	0.05	0.2	<0.01	1.2	<0.1	<0.05			
2002680	Rock Pulp	0.2	5.0	0.5	92	0.92	0.050	5	27	0.57	86	0.091	3	1.66	0.153	0.14	1.4	0.30	4.5	<0.1	<0.05			
2002681	Drill Core	1.0	0.7	0.2	15	0.25	0.055	19	19	0.56	287	0.007	<1	1.00	0.052	0.40	0.2	<0.01	4.0	0.2	<0.05			
2002682	Drill Core	0.2	<0.1	<0.1	2	0.11	0.042	2	7	0.10	22	<0.001	<1	0.14	0.012	0.03	0.1	<0.01	0.7	<0.1	<0.05			
2002683	Drill Core	1.2	0.4	<0.1	19	0.63	0.083	17	24	0.89	296	0.006	<1	1.25	0.035	0.39	0.3	0.01	5.1	0.1	<0.05			
2002684	Drill Core	2.0	1.1	0.2	17	1.91	0.082	12	22	0.94	198	0.017	<1	1.01	0.009	0.29	0.8	0.02	8.2	0.1	<0.05			
2002685	Drill Core	0.5	1.0	<0.1	19	0.74	0.069	16	29	0.87	405	0.007	1	1.25	0.008	0.45	0.2	<0.01	4.2	0.2	<0.05			
2002686	Drill Core	0.4	0.3	<0.1	9	0.19	0.054	26	8	0.40	362	0.003	1	0.91	0.031	0.44	0.4	<0.01	2.9	0.1	<0.05			
2002687	Drill Core	0.3	0.7	0.5	16	0.92	0.062	25	18	0.70	272	0.005	<1	1.16	0.031	0.37	0.1	<0.01	3.8	0.1	<0.05			
2002688	Drill Core	0.2	0.6	0.3	10	0.60	0.053	16	11	0.49	187	0.013	<1	0.74	0.028	0.29	0.3	<0.01	2.8	0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002659	Drill Core	1	<0.5	<0.2
2002660	Rock Pulp	5	<0.5	0.3
2002661	Drill Core	<1	<0.5	<0.2
2002662	Drill Core	<1	<0.5	<0.2
2002663	Drill Core	1	<0.5	<0.2
2002664	Drill Core	<1	<0.5	<0.2 136.8
2002665	Drill Core	1	<0.5	<0.2
2002666	Drill Core	<1	<0.5	<0.2
2002667	Drill Core	<1	<0.5	<0.2
2002668	Drill Core	<1	<0.5	<0.2
2002669	Drill Core	2	<0.5	<0.2
2002670	Rock Pulp	3	<0.5	<0.2
2002671	Drill Core	5	<0.5	<0.2
2002672	Drill Core	4	<0.5	<0.2
2002673	Drill Core	4	<0.5	<0.2
2002674	Drill Core	4	0.9	<0.2
2002675	Drill Core	2	<0.5	<0.2
2002676	Drill Core	5	<0.5	<0.2
2002677	Drill Core	4	<0.5	<0.2
2002678	Drill Core	4	<0.5	<0.2
2002679	Drill Core	<1	<0.5	<0.2
2002680	Rock Pulp	4	<0.5	<0.2
2002681	Drill Core	5	<0.5	<0.2
2002682	Drill Core	<1	<0.5	<0.2
2002683	Drill Core	5	0.5	<0.2
2002684	Drill Core	4	1.1	0.2 11.4
2002685	Drill Core	4	<0.5	<0.2
2002686	Drill Core	3	<0.5	<0.2
2002687	Drill Core	4	<0.5	<0.2
2002688	Drill Core	3	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method Analyte Unit MDL		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002689	Drill Core	1.92	476	0.103	0.10	<0.17	18.74	1.0	7.6	45.8	30	0.6	7.9	4.6	218	1.34	11.0	0.8	70.1	6.5	25
2002690	Rock Pulp	0.12		0.231	I.S.	I.S.	I.S.	1.8	63.7	3.7	34	<0.1	5.0	7.7	323	2.28	0.5	0.8	1.5	2.6	57
2002691	Drill Core	0.93	472	0.013	0.01	<0.17	8.89	0.7	12.4	7.2	50	0.2	13.2	7.0	256	2.01	20.4	1.4	12.3	11.6	38
2002692	Drill Core	0.86	447	0.107	0.10	<0.17	15.21	0.3	6.0	2.2	35	0.1	10.8	7.1	495	1.93	3.8	0.8	62.7	10.3	76
2002693	Drill Core	0.73	487	0.007	<0.01	<0.17	14.68	0.3	6.0	4.6	41	0.1	9.4	8.0	464	1.98	3.3	1.0	2.9	10.8	30
2002694	Drill Core	0.83	500	0.007	<0.01	<0.17	13.11	0.5	11.0	120.4	26	0.7	6.6	7.9	388	1.45	7.4	0.7	4.6	8.1	34
2002695	Drill Core	0.69	488	<0.005	<0.01	<0.17	13.91	0.3	28.9	19.1	47	0.3	8.3	7.4	328	1.65	4.7	1.0	2.3	11.0	24
2002696	Drill Core	2.19	432	0.010	<0.01	<0.17	16.48	0.5	8.4	5.8	44	0.1	8.9	6.9	405	1.84	2.4	1.1	9.5	10.2	33
2002697	Drill Core	0.79	455	<0.005	<0.01	<0.17	10.96	0.8	7.2	24.7	27	0.1	5.5	6.2	825	1.50	3.9	1.1	1.4	5.2	90
2002698	Drill Core	1.01	476	<0.005	<0.01	<0.17	15.81	0.5	8.6	3.9	46	<0.1	8.7	6.6	300	1.88	3.9	1.3	0.9	11.0	23
2002699	Drill Core	0.87	517	0.053	0.05	<0.17	15.99	0.9	4.9	4.8	41	0.1	7.7	6.1	334	1.79	2.9	0.9	46.2	9.4	26
2002700	Rock Pulp	0.12		6.920	I.S.	I.S.	I.S.	13.1	66.9	23.5	57	0.8	18.6	8.9	444	3.97	11.4	0.4	6804.7	1.3	55
2002701	Drill Core	3.40	452	0.011	0.01	<0.17	14.63	0.6	11.6	11.3	39	0.2	7.9	6.2	471	1.72	3.3	1.3	20.3	10.1	42
2002702	Drill Core	2.07	463	0.008	<0.01	<0.17	13.19	0.5	17.1	15.2	36	0.2	8.7	6.3	388	1.58	3.1	1.1	3.0	8.2	21
2002703	Drill Core	1.64	455	1.361	1.36	1.32	12.09	0.5	26.1	15.4	34	1.3	9.1	8.4	426	1.74	14.0	1.1	1265.5	9.0	33
2002704	Drill Core	0.80	493	0.287	0.29	0.29	13.67	0.5	5.0	3.3	28	0.3	9.0	8.1	447	1.62	7.7	0.8	301.8	7.5	21
2002705	Drill Core	0.79	466	0.453	0.46	0.87	11.51	0.6	4.6	27.2	28	0.4	5.5	6.0	499	1.37	4.5	1.5	412.8	5.5	16
2002706	Drill Core	4.23	416	0.603	0.67	2.12	18.43	0.6	12.3	6.0	32	0.6	10.0	8.3	353	1.68	8.9	1.1	526.0	9.1	24
2002707	Drill Core	0.87	442	8.558	12.94	679.24	2.89	0.8	9.2	2.2	17	2.8	3.1	2.1	418	1.32	1.2	0.3	11159.7	1.4	6
2002708	Drill Core	0.90	501	2.225	3.28	31.69	17.89	0.6	10.8	6.2	27	1.0	11.2	9.4	290	1.81	3.1	1.1	2213.4	10.0	20
2002709	Drill Core	0.57	497	2.527	2.85	10.51	19.89	0.6	5.1	9.8	28	1.1	10.1	9.6	521	1.98	5.5	1.1	3054.5	8.6	20
2002710	Rock Pulp	0.12		0.007	I.S.	I.S.	I.S.	1.8	73.6	3.7	32	<0.1	5.6	8.8	330	2.33	<0.5	0.8	1.0	2.5	49
2002711	Drill Core	1.87	487	0.227	0.31	4.00	10.76	0.8	37.7	8.0	40	0.4	8.2	6.3	416	1.65	2.7	1.0	257.4	9.4	24
2002712	Drill Core	0.64	421	1.356	2.83	43.74	14.61	1.1	67.6	2.9	26	1.5	6.7	5.5	592	1.89	2.2	0.9	4304.9	7.5	19
2002713	Drill Core	1.80	474	2.692	3.50	35.43	11.77	0.8	31.6	6.9	31	1.4	7.8	7.6	525	1.86	2.8	1.0	3621.0	9.4	24
2002714	Drill Core	0.64	430	9.445	15.56	180.87	15.32	0.6	31.4	2.4	30	5.3	7.5	6.4	449	1.71	1.8	1.1	14635.1	7.7	23
2002715	Drill Core	1.36	459	8.633	12.56	202.26	9.31	0.8	47.7	5.5	62	8.6	8.7	8.0	526	2.13	3.7	1.4	10880.2	8.7	17
2002716	Drill Core	1.67	463	>10	19.44	154.46	19.96	0.6	16.0	8.3	61	5.5	14.1	10.7	681	2.40	4.3	1.3	18292.0	7.3	27
2002717	Drill Core	0.67	494	0.277	0.33	1.60	21.28	0.7	9.9	20.4	50	0.3	8.8	6.8	512	1.55	3.7	0.7	189.5	7.7	26
2002718	Drill Core	2.81	446	0.279	0.27	<0.17	12.70	0.3	10.1	6.2	9	0.3	4.2	4.3	88	0.87	3.2	1.0	226.7	12.7	10



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002689	Drill Core	0.3	0.6	0.6	6	0.24	0.045	13	9	0.30	238	0.012	<1	0.58	0.019	0.31	0.2	<0.01	1.9	<0.1	<0.05			
2002690	Rock Pulp	<0.1	<0.1	<0.1	79	0.63	0.054	6	10	0.62	105	0.084	1	1.12	0.118	0.17	1.9	<0.01	1.8	<0.1	<0.05			
2002691	Drill Core	0.4	2.4	<0.1	13	0.38	0.057	16	15	0.86	251	0.051	1	1.14	0.022	0.56	0.3	<0.01	3.4	0.2	<0.05			
2002692	Drill Core	0.1	0.9	<0.1	17	1.01	0.035	20	21	0.94	211	0.080	1	1.26	0.049	0.29	0.6	0.01	4.5	<0.1	<0.05			
2002693	Drill Core	0.1	1.0	<0.1	14	0.35	0.053	19	14	0.93	192	0.072	<1	1.19	0.024	0.37	0.7	<0.01	3.5	0.2	<0.05			
2002694	Drill Core	0.2	1.0	1.9	7	0.51	0.035	18	7	0.45	292	0.018	1	0.83	0.016	0.50	0.3	0.01	2.5	0.2	<0.05			
2002695	Drill Core	0.1	1.2	<0.1	9	0.26	0.047	19	9	0.69	271	0.044	<1	1.05	0.019	0.62	0.5	0.01	2.4	0.2	<0.05			
2002696	Drill Core	<0.1	1.6	<0.1	13	0.35	0.050	17	13	0.86	219	0.074	1	1.14	0.036	0.56	0.6	0.02	3.4	0.2	<0.05			
2002697	Drill Core	0.5	1.5	<0.1	6	2.22	0.027	15	7	0.63	194	0.015	1	0.76	0.019	0.39	0.2	<0.01	2.8	0.2	<0.05			
2002698	Drill Core	0.2	2.5	<0.1	11	0.25	0.052	19	9	0.69	249	0.059	2	1.09	0.030	0.66	0.4	0.01	3.4	0.3	<0.05			
2002699	Drill Core	0.2	1.7	<0.1	9	0.36	0.043	17	8	0.61	226	0.027	1	0.95	0.021	0.57	0.3	<0.01	2.8	0.2	<0.05			
2002700	Rock Pulp	0.1	5.4	0.5	86	0.92	0.052	5	27	0.57	85	0.091	4	1.62	0.148	0.13	1.5	0.29	4.2	<0.1	<0.05			
2002701	Drill Core	0.2	2.7	<0.1	11	0.73	0.051	18	11	0.75	273	0.068	1	1.07	0.031	0.63	0.6	0.02	3.2	0.2	<0.05			
2002702	Drill Core	0.1	2.1	<0.1	11	0.28	0.047	14	13	0.74	213	0.063	<1	0.97	0.031	0.64	0.5	0.02	2.4	0.2	<0.05			
2002703	Drill Core	0.3	1.7	0.1	7	0.50	0.041	17	9	0.62	268	0.026	2	0.83	0.021	0.60	0.4	0.03	2.3	0.2	<0.05			
2002704	Drill Core	0.3	1.2	<0.1	7	0.26	0.041	17	9	0.57	263	0.024	2	0.80	0.015	0.54	0.4	0.02	2.2	0.2	<0.05			
2002705	Drill Core	0.4	1.2	<0.1	6	0.19	0.029	12	8	0.48	223	0.017	2	0.69	0.015	0.45	0.3	0.01	1.8	0.1	<0.05			
2002706	Drill Core	0.2	1.4	<0.1	10	0.32	0.047	20	12	0.67	308	0.041	2	1.03	0.033	0.61	0.5	0.02	2.8	0.2	<0.05			
2002707	Drill Core	0.3	0.6	<0.1	2	0.08	0.008	5	7	0.24	69	0.007	<1	0.25	0.007	0.10	0.2	0.02	0.9	<0.1	<0.05			
2002708	Drill Core	0.3	1.1	<0.1	8	0.25	0.050	22	9	0.58	331	0.030	1	0.93	0.024	0.57	0.5	<0.01	2.5	0.1	<0.05			
2002709	Drill Core	0.3	1.2	<0.1	8	0.23	0.030	16	10	0.69	271	0.030	1	0.91	0.031	0.52	0.4	0.01	2.4	0.1	<0.05			
2002710	Rock Pulp	<0.1	<0.1	<0.1	82	0.65	0.063	6	11	0.64	102	0.083	2	1.16	0.121	0.18	2.1	<0.01	1.7	<0.1	<0.05			
2002711	Drill Core	0.2	1.4	<0.1	9	0.41	0.056	20	10	0.69	248	0.039	1	0.95	0.022	0.48	0.4	<0.01	2.1	0.1	<0.05			
2002712	Drill Core	0.4	1.5	<0.1	5	0.41	0.029	17	9	0.42	211	0.012	1	0.61	0.014	0.35	0.3	0.01	1.9	<0.1	<0.05			
2002713	Drill Core	0.4	2.0	<0.1	7	0.33	0.044	20	10	0.61	275	0.029	1	0.90	0.014	0.51	0.5	<0.01	2.4	0.1	<0.05			
2002714	Drill Core	0.4	2.2	<0.1	7	0.29	0.044	14	12	0.69	158	0.039	<1	0.79	0.013	0.39	0.6	0.02	1.9	0.1	<0.05			
2002715	Drill Core	1.0	2.3	<0.1	7	0.23	0.051	18	10	0.71	209	0.030	1	0.86	0.023	0.52	0.5	0.02	2.4	0.2	<0.05			
2002716	Drill Core	0.6	1.5	<0.1	13	0.42	0.018	18	21	1.46	143	0.064	1	1.25	0.017	0.37	0.8	0.02	3.5	0.1	<0.05			
2002717	Drill Core	0.4	0.8	0.2	8	0.32	0.029	16	10	0.84	160	0.034	<1	0.87	0.032	0.31	0.6	<0.01	2.6	0.1	<0.05			
2002718	Drill Core	0.1	1.0	<0.1	3	0.15	0.047	26	5	0.13	255	0.009	<1	0.50	0.034	0.31	0.2	0.04	1.0	<0.1	<0.05			



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method	AQ201	AQ201	AQ201	FA530
Analyte	Ga	Se	Te	-Au
Unit	ppm	ppm	ppm	ppm
MDL	1	0.5	0.2	0.9
2002689	Drill Core	2	<0.5	<0.2
2002690	Rock Pulp	4	<0.5	<0.2
2002691	Drill Core	4	<0.5	<0.2
2002692	Drill Core	5	<0.5	<0.2
2002693	Drill Core	4	<0.5	<0.2
2002694	Drill Core	2	<0.5	<0.2
2002695	Drill Core	3	<0.5	<0.2
2002696	Drill Core	4	<0.5	<0.2
2002697	Drill Core	2	<0.5	<0.2
2002698	Drill Core	3	<0.5	<0.2
2002699	Drill Core	3	<0.5	<0.2
2002700	Rock Pulp	5	<0.5	<0.2
2002701	Drill Core	3	<0.5	<0.2
2002702	Drill Core	3	<0.5	<0.2
2002703	Drill Core	3	<0.5	<0.2
2002704	Drill Core	3	<0.5	<0.2
2002705	Drill Core	2	<0.5	<0.2
2002706	Drill Core	3	<0.5	<0.2
2002707	Drill Core	<1	<0.5	<0.2
2002708	Drill Core	3	0.7	<0.2
2002709	Drill Core	3	0.5	<0.2
2002710	Rock Pulp	4	<0.5	<0.2
2002711	Drill Core	3	<0.5	<0.2
2002712	Drill Core	2	<0.5	<0.2
2002713	Drill Core	3	<0.5	<0.2
2002714	Drill Core	3	<0.5	<0.2
2002715	Drill Core	3	<0.5	0.3
2002716	Drill Core	5	<0.5	0.3 13.4
2002717	Drill Core	3	<0.5	<0.2
2002718	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002719	Drill Core	1.27	481	0.032	0.03	<0.17	20.72	0.4	8.9	18.4	10	0.3	3.0	3.6	60	0.56	3.3	0.8	19.5	13.6
2002720	Rock Pulp	0.12		7.071	I.S.	I.S.	I.S.	15.3	79.0	22.8	60	0.8	20.5	10.1	465	4.22	12.2	0.4	7485.3	1.2
2002721	Drill Core	2.67	505	0.561	0.59	1.45	17.96	0.4	6.6	9.6	11	0.4	3.5	4.0	59	0.75	3.7	1.0	628.3	14.0
2002722	Drill Core	1.27	437	0.453	0.45	0.53	9.47	0.4	1.6	1.8	8	0.4	3.6	2.9	100	0.99	1.2	0.7	1249.6	6.6
2002723	Drill Core	0.79	504	0.764	0.77	0.90	19.89	0.2	3.7	6.0	16	0.4	7.7	3.6	86	1.06	4.3	1.3	607.7	12.7
2002724	Drill Core	1.29	472	1.521	1.59	2.75	26.87	0.4	4.7	4.4	22	0.8	10.1	4.3	80	1.40	6.8	2.4	1570.1	10.9
2002725	Drill Core	1.64	452	9.695	16.82	187.81	18.05	0.7	20.6	12.9	36	5.3	9.4	9.3	135	1.87	8.5	2.4	21921.0	10.3
2002726	Drill Core	1.28	437	1.524	1.62	3.65	19.47	0.4	5.3	11.0	18	1.0	5.1	2.1	76	1.78	10.5	1.8	1722.7	9.7
2002727	Drill Core	2.33	455	0.672	0.80	4.93	13.40	0.8	18.3	16.3	38	0.7	17.2	6.9	246	1.76	14.4	1.9	471.1	6.1
2002728	Drill Core	3.40	489	0.679	1.04	22.61	7.96	0.7	21.7	14.3	46	1.1	14.8	6.2	242	1.58	9.0	2.0	3412.1	9.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002719	Drill Core	<0.1	0.9	0.2	2	0.18	0.071	26	4	0.10	196	0.007	1	0.38	0.018	0.26	0.2	0.06	0.6	<0.1	<0.05
2002720	Rock Pulp	0.2	5.5	0.4	95	1.00	0.058	5	32	0.60	87	0.099	4	1.78	0.162	0.14	1.6	0.29	4.2	<0.1	<0.05
2002721	Drill Core	0.1	0.6	0.1	4	0.14	0.051	33	4	0.10	287	0.007	1	0.58	0.032	0.39	0.3	0.05	0.8	<0.1	<0.05
2002722	Drill Core	<0.1	0.5	<0.1	3	0.11	0.027	16	6	0.14	175	0.010	<1	0.43	0.016	0.23	0.3	0.02	0.8	<0.1	<0.05
2002723	Drill Core	<0.1	0.5	0.1	5	0.23	0.060	28	6	0.22	277	0.016	2	0.67	0.015	0.41	0.4	0.04	1.1	0.1	<0.05
2002724	Drill Core	0.2	0.8	<0.1	7	0.24	0.075	23	10	0.23	251	0.025	1	0.63	0.009	0.36	0.5	0.02	1.3	<0.1	<0.05
2002725	Drill Core	0.2	0.9	0.2	7	0.11	0.028	25	9	0.20	285	0.013	2	0.66	0.019	0.40	0.3	0.02	1.5	0.1	<0.05
2002726	Drill Core	<0.1	0.7	0.2	8	0.09	0.055	21	10	0.21	480	0.016	2	0.79	0.029	0.66	0.4	0.01	1.8	0.2	0.19
2002727	Drill Core	0.3	2.2	0.4	10	0.30	0.076	16	15	0.42	178	0.033	1	0.66	0.015	0.35	0.5	<0.01	2.0	0.1	<0.05
2002728	Drill Core	0.4	3.9	0.5	14	0.35	0.063	20	19	0.42	206	0.068	<1	0.78	0.045	0.33	0.7	0.01	2.7	0.2	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000196.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	FA530
		Ga	Se	Te	-Au
		ppm	ppm	ppm	ppm
		1	0.5	0.2	0.9
2002719	Drill Core	1	<0.5	<0.2	
2002720	Rock Pulp	5	<0.5	0.2	
2002721	Drill Core	2	<0.5	<0.2	
2002722	Drill Core	2	<0.5	<0.2	
2002723	Drill Core	2	<0.5	<0.2	
2002724	Drill Core	3	0.7	<0.2	
2002725	Drill Core	3	0.7	0.3	
2002726	Drill Core	3	1.4	<0.2	
2002727	Drill Core	2	0.7	<0.2	
2002728	Drill Core	3	0.6	<0.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 09, 2016

Page:

1 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000196.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																				
2002601 Drill Core	1.15	454	<0.005	<0.01	<0.17	30.68	1.3	12.4	52.1	223	0.4	9.7	5.8	561	1.42	5.1	0.4	<0.5	0.8	5
REP 2002601 QC			<0.005																	
2002627 Drill Core	1.01	369	0.019	0.02	<0.17	28.62	0.2	3.0	28.4	17	0.5	0.7	0.5	98	0.64	5.9	1.2	35.3	13.5	6
REP 2002627 QC							0.2	3.1	27.2	16	0.5	0.9	0.5	95	0.64	5.9	1.2	16.7	13.3	6
2002645 Drill Core	1.85	357	0.028	0.03	<0.17	25.45	1.2	10.7	17.7	70	0.3	11.8	7.7	332	2.35	13.5	2.0	18.9	10.5	84
REP 2002645 QC			0.025																	
2002651 Drill Core	2.76	485	0.012	0.02	<0.17	31.51	0.8	12.1	15.9	61	0.4	9.5	7.0	361	2.36	16.3	1.8	9.9	11.1	72
REP 2002651 QC			0.011																	
2002659 Drill Core	0.95	461	0.012	0.01	<0.17	30.76	0.1	5.5	9.8	21	0.1	0.4	0.6	55	0.42	1.6	0.6	7.3	14.8	2
REP 2002659 QC							0.2	5.8	10.0	21	0.1	0.4	0.6	57	0.42	1.6	0.7	6.0	14.7	2
2002674 Drill Core	2.08	528	0.052	0.05	<0.17	15.74	0.7	109.1	477.2	267	2.4	5.8	4.1	379	1.83	9.1	1.1	33.1	13.9	14
REP 2002674 QC			0.043																	
2002695 Drill Core	0.69	488	<0.005	<0.01	<0.17	13.91	0.3	28.9	19.1	47	0.3	8.3	7.4	328	1.65	4.7	1.0	2.3	11.0	24
REP 2002695 QC							0.4	30.4	19.6	47	0.3	8.4	7.4	328	1.64	4.1	1.1	2.2	11.3	25
2002725 Drill Core	1.64	452	9.695	16.82	187.81	18.05	0.7	20.6	12.9	36	5.3	9.4	9.3	135	1.87	8.5	2.4	21921.0	10.3	12
REP 2002725 QC			9.472																	
Core Reject Duplicates																				
2002613 Drill Core	0.93	387	<0.005	<0.01	<0.17	22.45	1.5	42.7	8.5	106	0.2	23.5	11.7	566	3.05	3.9	0.9	<0.5	5.2	23
DUP 2002613 QC		404	<0.005	<0.01	<0.17	29.61	1.4	43.1	8.9	103	0.2	23.1	11.6	559	2.98	3.6	0.9	<0.5	5.2	23
2002647 Drill Core	0.88	352	0.257	0.27	0.37	26.94	2.1	248.5	976.2	433	8.6	6.6	4.1	291	2.41	19.3	2.0	190.6	5.5	8
DUP 2002647 QC		383	0.209	0.21	0.20	29.64	1.9	276.1	1109.4	475	9.2	7.2	4.3	298	2.45	21.7	2.2	154.4	6.0	9
2002681 Drill Core	0.89	394	1.479	1.54	3.41	11.44	1.2	18.4	11.7	77	1.0	9.7	7.3	263	2.84	10.9	2.7	1232.1	11.2	26
DUP 2002681 QC		380	1.409	1.48	4.28	9.58	1.0	18.2	11.3	79	1.0	9.3	6.9	264	2.81	9.8	2.6	1327.2	11.3	26
2002715 Drill Core	1.36	459	8.633	12.56	202.26	9.31	0.8	47.7	5.5	62	8.6	8.7	8.0	526	2.13	3.7	1.4	10880.2	8.7	17
DUP 2002715 QC		457	5.058	8.48	87.70	18.94	0.7	49.0	5.4	63	7.1	8.4	7.8	517	2.01	3.6	1.4	9029.7	8.9	18
Reference Materials																				
STD AGPROOF Standard																				
STD DS10 Standard							14.9	152.4	152.0	356	1.9	73.7	12.7	877	2.78	44.5	2.8	94.4	7.8	69



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 09, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000196.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2002601	Drill Core	2.7	0.4	0.7	5	0.04	0.010	2	19	0.36	51	0.006	<1	0.34	0.003	0.06	<0.1	0.02	0.9	<0.1	0.07
REP 2002601	QC																				
2002627	Drill Core	0.4	0.5	0.1	<2	0.02	0.006	37	6	0.09	418	<0.001	2	0.35	0.015	0.25	0.1	0.01	0.9	<0.1	<0.05
REP 2002627	QC	0.4	0.5	0.1	<2	0.02	0.006	37	6	0.08	400	<0.001	1	0.35	0.015	0.25	<0.1	0.02	0.9	<0.1	<0.05
2002645	Drill Core	0.3	0.6	0.3	22	1.41	0.057	21	27	0.90	310	0.038	1	1.05	0.058	0.23	0.4	<0.01	5.3	<0.1	0.19
REP 2002645	QC																				
2002651	Drill Core	0.2	0.2	0.1	11	1.23	0.054	28	17	0.83	135	0.009	<1	1.24	0.021	0.21	<0.1	<0.01	2.7	<0.1	<0.05
REP 2002651	QC																				
2002659	Drill Core	<0.1	0.2	0.2	<2	0.01	0.007	38	2	0.07	363	0.002	<1	0.47	0.040	0.38	<0.1	<0.01	1.3	<0.1	<0.05
REP 2002659	QC	0.1	0.2	0.2	<2	0.01	0.006	39	2	0.07	371	0.002	1	0.49	0.042	0.39	<0.1	<0.01	1.4	0.1	<0.05
2002674	Drill Core	1.2	1.3	0.3	13	0.13	0.046	28	13	0.55	229	0.002	1	0.92	0.039	0.28	0.2	0.05	2.4	0.1	<0.05
REP 2002674	QC																				
2002695	Drill Core	0.1	1.2	<0.1	9	0.26	0.047	19	9	0.69	271	0.044	<1	1.05	0.019	0.62	0.5	0.01	2.4	0.2	<0.05
REP 2002695	QC	0.1	1.1	<0.1	9	0.26	0.045	20	9	0.69	276	0.045	1	1.04	0.018	0.63	0.5	0.01	2.5	0.3	<0.05
2002725	Drill Core	0.2	0.9	0.2	7	0.11	0.028	25	9	0.20	285	0.013	2	0.66	0.019	0.40	0.3	0.02	1.5	0.1	<0.05
REP 2002725	QC																				
Core Reject Duplicates																					
2002613	Drill Core	0.6	0.5	<0.1	26	0.87	0.064	10	19	1.32	218	0.022	<1	1.57	0.023	0.32	0.2	<0.01	3.5	<0.1	<0.05
DUP 2002613	QC	0.6	0.5	<0.1	26	0.87	0.062	10	19	1.30	231	0.021	<1	1.57	0.024	0.32	0.2	<0.01	3.4	<0.1	<0.05
2002647	Drill Core	1.0	1.4	6.1	17	0.11	0.047	12	20	0.47	143	0.002	<1	0.71	0.004	0.19	0.3	0.04	2.2	<0.1	<0.05
DUP 2002647	QC	1.2	1.5	6.9	18	0.12	0.050	14	21	0.52	162	0.002	<1	0.79	0.004	0.21	0.2	0.05	2.5	<0.1	<0.05
2002681	Drill Core	1.0	0.7	0.2	15	0.25	0.055	19	19	0.56	287	0.007	<1	1.00	0.052	0.40	0.2	<0.01	4.0	0.2	<0.05
DUP 2002681	QC	1.0	0.7	0.1	15	0.25	0.053	21	18	0.56	292	0.007	1	1.01	0.053	0.40	0.3	0.01	3.8	0.2	<0.05
2002715	Drill Core	1.0	2.3	<0.1	7	0.23	0.051	18	10	0.71	209	0.030	1	0.86	0.023	0.52	0.5	0.02	2.4	0.2	<0.05
DUP 2002715	QC	0.9	2.2	<0.1	7	0.23	0.051	17	10	0.71	197	0.030	1	0.83	0.020	0.51	0.5	0.02	2.4	0.2	<0.05
Reference Materials																					
STD AGPROOF	Standard																				
STD DS10	Standard	2.7	9.6	12.1	43	1.07	0.073	19	55	0.78	347	0.082	6	1.07	0.073	0.34	3.2	0.32	3.1	5.2	0.28



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 09, 2016

Page:

1 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000196.1

	Method	AQ201	AQ201	AQ201	FA530
	Analyte	Ga	Se	Te	-Au
	Unit	ppm	ppm	ppm	ppm
	MDL	1	0.5	0.2	0.9
Pulp Duplicates					
2002601	Drill Core	<1	<0.5	<0.2	
REP 2002601	QC				
2002627	Drill Core	1	<0.5	<0.2	
REP 2002627	QC	1	<0.5	<0.2	
2002645	Drill Core	5	<0.5	<0.2	
REP 2002645	QC				
2002651	Drill Core	4	<0.5	<0.2	
REP 2002651	QC				
2002659	Drill Core	1	<0.5	<0.2	
REP 2002659	QC	2	<0.5	<0.2	
2002674	Drill Core	4	0.9	<0.2	
REP 2002674	QC				
2002695	Drill Core	3	<0.5	<0.2	
REP 2002695	QC	3	<0.5	<0.2	
2002725	Drill Core	3	0.7	0.3	
REP 2002725	QC				
Core Reject Duplicates					
2002613	Drill Core	4	<0.5	<0.2	
DUP 2002613	QC	4	<0.5	<0.2	
2002647	Drill Core	4	4.2	<0.2	
DUP 2002647	QC	5	3.8	<0.2	
2002681	Drill Core	5	<0.5	<0.2	
DUP 2002681	QC	5	<0.5	<0.2	
2002715	Drill Core	3	<0.5	0.3	
DUP 2002715	QC	3	0.5	<0.2	
Reference Materials					
STD AGPROOF	Standard	<0.9			
STD DS10	Standard	4	2.1	5.2	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 09, 2016

Page:

2 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000196.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD DS10	Standard							13.6	146.4	142.9	345	1.8	71.8	12.9	853	2.65	43.6	2.8	87.7	8.0	70
STD DS10	Standard							14.6	151.9	154.3	366	1.8	73.2	13.4	889	2.83	45.6	3.0	80.1	8.6	74
STD DS10	Standard							14.7	159.9	145.7	358	1.8	79.6	14.4	868	2.74	43.2	2.5	75.5	7.0	58
STD OXC129	Standard							1.2	27.3	6.3	41	<0.1	79.9	20.7	411	3.04	0.8	0.7	199.1	1.9	191
STD OXC129	Standard							1.4	26.1	6.5	39	<0.1	76.9	20.2	409	2.95	<0.5	0.7	184.0	2.0	178
STD OXC129	Standard							1.3	26.0	6.3	39	<0.1	73.6	19.0	414	3.00	0.5	0.7	187.5	2.0	178
STD OXC129	Standard							1.4	30.7	6.2	40	<0.1	82.5	21.7	416	3.00	0.6	0.6	193.5	1.7	163
STD OXD108	Standard			0.417																	
STD OXD108	Standard			0.417																	
STD OXD108	Standard			0.427																	
STD OXD108	Standard			0.422																	
STD OXI121	Standard			1.836																	
STD OXI121	Standard			1.791																	
STD OXI121	Standard			1.821																	
STD OXI121	Standard			1.808																	
STD OXN117	Standard			7.814																	
STD OXN117	Standard			7.786																	
STD OXN117	Standard			7.707																	
STD OXN117	Standard			7.720																	
STD OXP91	Standard					15.04	29.45														
STD OXP91	Standard					14.91	31.11														
STD OXP91	Standard					14.90	29.26														
STD OXP91	Standard					14.93	29.47														
STD OXP91	Standard					15.01	30.17														
STD OXP91	Standard					15.02	29.83														
STD OXP91	Standard					15.02	29.03														
STD OXP91	Standard					14.84	31.34														
STD SP49	Standard																				
STD SQ70	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000196.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD DS10	Standard	2.4	9.3	12.5	44	1.01	0.073	17	53	0.74	339	0.080	6	1.01	0.070	0.32	3.0	0.26	3.0	4.8	0.27
STD DS10	Standard	2.4	9.8	13.7	45	1.09	0.077	19	54	0.78	340	0.084	8	1.05	0.073	0.34	3.2	0.29	3.1	4.9	0.29
STD DS10	Standard	2.7	9.2	12.1	43	1.04	0.078	17	61	0.76	331	0.079	7	1.02	0.070	0.33	3.4	0.27	2.6	4.8	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.69	0.095	12	54	1.53	48	0.400	1	1.58	0.605	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.60	0.099	13	48	1.49	48	0.401	1	1.46	0.569	0.35	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.64	0.100	13	50	1.51	46	0.405	1	1.55	0.587	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.61	0.101	12	57	1.52	47	0.396	1	1.49	0.578	0.36	<0.1	<0.01	0.5	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD SP49	Standard																				
STD SQ70	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 09, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000196.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2	FA530 -Au ppm 0.9
STD DS10	Standard	4	2.4	4.7	
STD DS10	Standard	4	2.5	4.9	
STD DS10	Standard	4	2.1	4.7	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXC129	Standard	5	<0.5	<0.2	
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXD108	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXI121	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXN117	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD OXP91	Standard				
STD SP49	Standard				18.5
STD SQ70	Standard				40.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 09, 2016

Page:

3 of 3

Part:

1 of 3

QUALITY CONTROL REPORT

WHI16000196.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank																				
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		465	<0.005	<0.01	<0.17	21.13	0.5	2.7	1.5	31	<0.1	1.5	3.9	425	1.78	1.1	0.5	<0.5	2.7	34
ROCK-WHI	Prep Blank		489	<0.005	<0.01	<0.17	26.99	0.7	3.9	1.4	30	<0.1	1.3	3.6	413	1.78	1.0	0.4	<0.5	2.4	32



www.bureauveritas.com/um

PHONE (604) 253-3158

Project: LS
Report Date: September 09, 2016

Part: 2 of 3

WHI16000196.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 09, 2016

Page:

3 of 3

Part:

3 of 3

QUALITY CONTROL REPORT

WHI16000196.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2	FA530 -Au ppm 0.9
STD OXP91 Expected					
STD DS10 Expected		4.5	2.3	5.01	
STD OXC129 Expected		5.6			
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank				
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank				<0.9
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
BLK	Blank	<1	<0.5	<0.2	
Prep Wash					
ROCK-WHI	Prep Blank	4	<0.5	<0.2	
ROCK-WHI	Prep Blank	4	<0.5	<0.2	