



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Submitted By: Peter Tallman

Receiving Lab: Canada-Whitehorse

Received: September 06, 2016

Report Date: September 27, 2016

Page: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000262.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-47
P.O. Number
Number of Samples: 55

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2
Canada

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-250	55	Crush, split and pulverize 250 g rock to 200 mesh			WHI
FA430	55	Lead Collection Fire - Assay Fusion - AAS Finish	30	Completed	VAN
AQ201	55	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SLBHP	55	Sort, label and box pulps			WHI

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Page: 2 of 3 **Part:** 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000262.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506441	Rock	2.34	0.005	1.9	5.2	13.3	28	0.2	11.2	3.5	54	0.97	19.4	0.3	4.5	2.3	24	0.3	0.3	<0.1	<2
1506442	Rock	1.39	<0.005	0.4	5.0	267.1	281	1.4	1.6	0.3	35	0.38	1.4	0.2	5.8	<0.1	<1	9.1	0.4	1.0	<2
1506443	Rock	1.35	<0.005	0.5	4.0	11.3	2	0.2	4.1	2.2	50	0.65	9.1	0.1	<0.5	<0.1	4	<0.1	<0.1	0.2	<2
1506444	Rock	1.86	<0.005	8.3	4.0	56.9	7	0.7	3.3	1.4	146	1.00	7.4	0.3	1.5	0.3	2	0.4	0.2	1.1	3
1506445	Rock	1.78	<0.005	6.7	4.0	32.5	4	0.8	2.2	1.0	104	0.67	3.2	0.1	2.4	0.2	<1	<0.1	0.1	1.6	<2
1506446	Rock	1.07	<0.005	2.6	14.3	35.9	35	0.5	11.9	2.9	128	0.84	30.3	0.5	<0.5	1.0	26	0.4	0.3	0.6	6
1506447	Rock	0.73	<0.005	0.7	18.8	19.0	65	0.5	9.9	6.8	229	2.77	65.6	0.6	4.3	6.3	82	0.4	0.6	<0.1	6
1506448	Rock	0.77	<0.005	0.7	4.4	17.3	191	0.2	5.1	1.4	96	0.62	9.2	<0.1	1.3	1.1	54	1.8	0.2	0.1	<2
1506449	Rock	1.45	<0.005	2.7	4.8	81.9	69	0.2	15.8	4.7	160	1.01	18.8	0.3	3.8	1.9	73	0.7	0.3	0.1	<2
1506450	Rock	1.05	0.006	2.7	4.2	48.4	150	0.2	29.9	6.8	96	1.56	36.0	0.5	3.6	4.0	60	1.2	0.3	0.1	<2
1506201	Rock	1.31	<0.005	2.7	3.0	31.0	16	0.2	3.1	1.3	479	1.41	11.9	0.8	1.6	6.0	83	0.2	0.7	<0.1	<2
1506202	Rock	0.88	<0.005	1.0	1.4	21.9	11	0.1	1.8	0.8	413	0.77	6.8	0.5	1.8	7.3	64	<0.1	0.4	<0.1	<2
1506203	Rock	1.09	<0.005	1.1	1.9	5.6	31	<0.1	1.3	0.7	72	0.49	0.8	0.8	1.2	7.2	15	<0.1	0.5	<0.1	<2
1506204	Rock	1.14	<0.005	0.3	0.9	12.5	40	<0.1	0.9	0.4	393	0.51	1.4	0.9	<0.5	5.5	346	0.3	0.8	0.2	<2
1506205	Rock	0.84	0.008	5.2	9.1	9.0	83	0.3	18.9	4.2	543	2.02	54.4	0.6	<0.5	2.5	452	0.9	0.5	0.1	59
1506206	Rock	1.64	<0.005	1.3	6.0	15.3	31	0.1	10.6	2.7	117	1.09	21.7	0.2	2.4	3.2	67	0.3	0.2	<0.1	3
1506207	Rock	1.00	<0.005	0.3	1.8	0.7	11	<0.1	2.5	1.6	278	0.98	0.6	<0.1	1.5	<0.1	71	0.2	0.1	<0.1	5
1506208	Rock	0.75	8.498	65.4	170.3	589.6	364	13.4	23.6	4.8	515	2.77	72.3	3.8	7076.9	1.1	112	4.9	4.2	1.0	62
1506209	Rock	1.04	0.879	38.0	142.4	733.8	140	7.8	9.9	6.3	88	3.34	275.6	1.0	188.2	0.2	10	1.6	8.6	0.6	15
1506210	Rock	1.10	0.254	19.7	464.4	2461.3	1044	16.5	10.8	14.7	676	10.82	1425.1	11.8	274.0	0.7	59	36.1	25.9	2.6	65
1506211	Rock	1.35	0.059	6.5	172.1	335.8	175	5.0	5.6	4.3	63	7.05	534.3	2.7	53.2	0.1	10	5.5	26.3	<0.1	6
1506212	Rock	1.09	<0.005	3.5	50.6	11.0	169	0.6	23.6	7.6	772	2.55	41.7	1.1	<0.5	2.9	608	4.0	0.9	<0.1	53
1506213	Rock	1.82	<0.005	0.8	8.3	36.3	76	0.2	9.0	1.9	406	0.90	4.4	0.3	0.5	1.1	333	1.8	0.2	0.1	39
1506214	Rock	0.91	0.006	3.2	8.4	348.4	872	1.0	60.1	13.2	232	2.42	61.7	0.8	2.8	6.6	160	8.4	0.8	1.0	4
1506215	Rock	0.97	0.132	0.7	2.9	41.1	4	0.5	1.7	0.4	37	0.42	7.3	0.2	53.8	1.8	3	<0.1	0.4	0.8	<2
1506098	Rock	1.17	<0.005	0.3	3.0	6.7	10	0.2	3.2	1.8	77	0.43	1.9	0.8	<0.5	13.8	8	<0.1	0.1	0.1	<2
1506099	Rock	0.80	<0.005	0.3	57.2	300.4	206	3.0	5.6	6.9	2152	2.16	<0.5	0.2	0.7	0.2	141	6.7	0.2	6.4	45
1506100	Rock	0.97	0.011	1.3	64.3	4.5	188	0.5	16.3	13.4	1138	4.63	6.0	0.7	2.4	2.6	380	4.9	0.7	<0.1	85
1506216	Rock	1.01	0.006	1.0	6.1	3.7	3	0.5	2.1	0.5	65	1.52	97.7	0.1	5.2	0.2	2	<0.1	1.5	<0.1	6
1506217	Rock	1.08	0.009	1.8	2.9	7.9	2	0.8	1.2	0.2	70	1.37	57.4	0.2	6.9	0.1	2	<0.1	1.8	0.1	4



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Page: 2 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000262.1

	Method	Analyte	Unit																		
			AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
			%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
</																					



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Page: 3 of 3

Part: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000262.1

	Method	Analyte	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
			Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
			kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
			0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506218	Rock	1.15	0.012	1.5	6.8	22.1	4	1.5	2.0	0.4	92	3.22	135.3	0.4	12.9	0.4	2	<0.1	2.7	0.3	8	
1506219	Rock	1.04	<0.005	3.7	2.6	3.9	1	0.4	1.6	0.3	58	1.07	35.7	0.3	4.8	<0.1	<1	<0.1	1.5	<0.1	<2	
1506220	Rock	1.51	0.008	2.0	3.4	4.0	3	0.4	2.0	0.3	57	1.34	49.5	0.4	5.0	<0.1	<1	<0.1	1.5	<0.1	6	
1506221	Rock	1.11	0.010	1.6	2.1	2.5	2	0.4	0.5	0.2	51	1.24	68.8	0.4	9.6	<0.1	<1	<0.1	2.0	<0.1	4	
1506222	Rock	0.94	0.014	1.2	4.4	4.0	2	0.3	1.9	0.4	78	2.05	48.7	0.2	12.7	0.2	<1	<0.1	2.5	<0.1	8	
1506223	Rock	1.07	0.010	0.8	3.8	3.5	4	0.5	0.5	0.1	72	2.10	48.5	0.2	10.3	0.2	<1	<0.1	2.7	<0.1	8	
1506224	Rock	1.11	0.022	0.5	3.2	0.9	2	0.3	0.9	0.3	57	0.81	8.7	0.3	19.4	<0.1	<1	<0.1	1.6	<0.1	<2	
1506225	Rock	1.09	0.295	0.6	2.2	1.3	9	0.3	1.3	0.2	124	4.23	120.1	0.7	461.1	0.2	2	<0.1	0.9	<0.1	9	
1506226	Rock	0.99	<0.005	0.5	11.2	28.3	14	0.5	1.9	1.3	91	0.79	10.5	0.1	2.8	<0.1	<1	<0.1	0.3	1.4	<2	
1506227	Rock	0.72	<0.005	0.3	8.0	5.5	1	0.1	0.9	0.6	56	0.54	4.4	<0.1	<0.5	0.2	1	<0.1	0.1	0.2	<2	
1506228	Rock	1.09	<0.005	0.4	3.7	3.9	2	0.1	2.3	0.7	324	0.42	2.0	<0.1	1.3	1.3	7	0.2	0.1	<0.1	<2	
1506229	Rock	0.97	<0.005	0.2	2.7	0.7	<1	<0.1	0.6	0.3	50	0.37	0.9	<0.1	<0.5	0.1	<1	<0.1	<0.1	<0.1	<2	
1506230	Rock	0.58	<0.005	0.5	8.6	42.8	42	0.3	0.9	1.9	360	0.46	1.0	0.6	1.2	1.7	2	0.2	0.1	<0.1	<2	
2005526	Rock	1.39	<0.005	0.3	18.4	10.5	56	<0.1	8.5	6.2	328	1.93	3.3	1.0	2.9	6.1	27	<0.1	1.0	<0.1	19	
2005527	Rock	2.26	0.015	<0.1	18.1	17.9	45	0.1	4.0	4.0	470	1.40	4.0	0.5	0.5	2.6	86	0.3	0.3	0.1	11	
2005528	Rock	1.16	<0.005	<0.1	2.7	8.4	14	<0.1	1.6	1.3	137	0.69	0.7	<0.1	<0.5	0.2	2	<0.1	<0.1	<0.1	2	
2005529	Rock	0.98	<0.005	0.4	3.7	0.9	19	<0.1	2.9	0.8	61	0.47	1.1	<0.1	1.1	<0.1	1	<0.1	0.1	<0.1	<2	
2005530	Rock	2.16	<0.005	0.2	13.4	2.7	49	0.1	3.9	1.8	209	1.35	1.2	0.8	0.9	7.1	10	0.6	0.2	<0.1	6	
2005531	Rock	1.13	<0.005	0.1	4.8	24.1	32	0.1	2.6	0.8	102	0.48	0.7	0.2	<0.5	2.5	2	0.1	0.1	0.2	2	
2005532	Rock	0.98	<0.005	1.0	9.1	6.3	24	0.4	6.2	1.4	64	1.73	53.0	1.2	2.4	6.5	9	<0.1	0.4	<0.1	2	
2005533	Rock	1.57	<0.005	6.4	1.9	29.8	94	<0.1	6.8	2.0	1124	1.48	12.3	0.6	0.9	1.6	510	0.5	0.5	<0.1	5	
2005534	Rock	2.02	0.028	0.4	13.6	3.8	37	0.4	2.5	4.1	1048	2.59	11.5	1.6	20.3	0.5	223	0.3	0.3	<0.1	2	
2005535	Rock	1.68	0.006	0.4	18.6	14.1	63	0.6	7.4	6.6	232	2.47	58.4	0.8	5.3	6.1	107	0.5	0.6	<0.1	6	
2005536	Rock	1.75	<0.005	0.6	4.6	21.9	12	<0.1	2.2	1.0	88	0.42	1.2	0.2	<0.5	1.6	5	<0.1	0.1	0.2	<2	
2005537	Rock	1.70	<0.005	0.9	49.7	215.9	313	0.5	9.1	5.8	617	3.18	10.5	3.5	2.8	3.8	33	1.0	0.3	0.6	21	



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Page: 3 of 3

Part: 2 of 2

CERTIFICATE OF ANALYSIS

WHI16000262.1

	Method	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1506218	Rock	<0.01	0.003	<1	4	<0.01	50	0.001	<1	0.03	<0.001	<0.01	2.8	0.05	1.0	<0.1	<0.05	<1	2.2	<0.2
1506219	Rock	<0.01	<0.001	<1	3	<0.01	4	<0.001	<1	<0.01	<0.001	<0.01	0.5	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506220	Rock	<0.01	0.002	<1	4	<0.01	6	<0.001	<1	0.01	<0.001	<0.01	0.7	0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506221	Rock	<0.01	0.002	<1	2	<0.01	11	<0.001	<1	<0.01	<0.001	<0.01	0.3	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
1506222	Rock	<0.01	0.005	<1	4	<0.01	5	<0.001	<1	<0.01	<0.001	<0.01	0.5	0.02	0.5	<0.1	<0.05	<1	1.5	<0.2
1506223	Rock	<0.01	0.005	<1	3	<0.01	25	<0.001	1	0.01	<0.001	<0.01	2.0	0.02	1.0	<0.1	<0.05	<1	1.8	<0.2
1506224	Rock	<0.01	0.003	<1	4	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	0.3	0.03	0.1	<0.1	<0.05	<1	0.6	<0.2
1506225	Rock	<0.01	0.008	1	4	<0.01	32	0.001	<1	0.05	<0.001	<0.01	0.7	0.02	2.5	<0.1	<0.05	1	<0.5	<0.2
1506226	Rock	<0.01	0.001	<1	4	<0.01	7	<0.001	<1	<0.01	0.002	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506227	Rock	<0.01	0.002	<1	3	<0.01	13	<0.001	<1	0.01	0.002	<0.01	0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506228	Rock	0.20	0.002	11	4	<0.01	76	<0.001	<1	0.05	0.003	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
1506229	Rock	<0.01	<0.001	<1	3	<0.01	14	<0.001	<1	0.01	0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
1506230	Rock	0.01	<0.001	3	4	<0.01	175	<0.001	<1	0.12	0.001	0.08	<0.1	0.02	0.3	<0.1	<0.05	<1	<0.5	<0.2
2005526	Rock	0.27	0.056	17	17	0.60	129	0.028	<1	1.08	0.083	0.15	0.3	<0.01	4.4	<0.1	<0.05	4	<0.5	<0.2
2005527	Rock	1.26	0.068	6	12	0.50	127	0.068	<1	0.86	0.131	0.10	0.2	<0.01	3.5	<0.1	<0.05	3	<0.5	<0.2
2005528	Rock	0.03	0.003	<1	4	0.19	19	0.002	<1	0.24	0.003	0.02	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
2005529	Rock	0.02	0.001	<1	5	0.03	4	<0.001	<1	0.06	0.013	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
2005530	Rock	0.09	0.018	21	4	0.58	176	0.004	1	0.86	0.041	0.20	0.1	<0.01	3.2	0.1	<0.05	4	<0.5	<0.2
2005531	Rock	0.02	0.004	8	3	0.15	54	0.001	<1	0.22	0.034	0.05	0.1	<0.01	0.8	<0.1	<0.05	<1	<0.5	<0.2
2005532	Rock	0.01	0.025	19	3	0.03	488	0.001	3	0.35	0.027	0.27	0.1	<0.01	1.0	<0.1	0.09	1	<0.5	<0.2
2005533	Rock	8.24	0.024	4	6	2.98	240	<0.001	<1	0.35	0.051	0.05	<0.1	0.02	14.2	<0.1	0.21	<1	0.9	<0.2
2005534	Rock	3.88	0.002	2	4	0.25	67	0.001	<1	0.27	0.002	0.02	0.1	0.05	6.6	<0.1	1.81	<1	2.3	<0.2
2005535	Rock	1.68	0.051	8	3	0.77	36	0.002	<1	0.31	0.108	0.05	0.1	0.01	5.6	<0.1	2.27	<1	3.0	<0.2
2005536	Rock	0.03	0.004	5	4	0.05	65	<0.001	<1	0.10	0.015	0.05	<0.1	<0.01	0.3	<0.1	<0.05	<1	<0.5	<0.2
2005537	Rock	0.14	0.044	11	8	1.56	334	0.009	<1	1.82	0.070	0.20	0.1	0.08	5.2	<0.1	0.06	6	0.7	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Page: 1 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000262.1

	Method Analyte Unit MDL	WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1
Pulp Duplicates																					
1506450	Rock	1.05	0.006	2.7	4.2	48.4	150	0.2	29.9	6.8	96	1.56	36.0	0.5	3.6	4.0	60	1.2	0.3	0.1	<2
REP 1506450	QC	0.006																			
1506214	Rock	0.91	0.006	3.2	8.4	348.4	872	1.0	60.1	13.2	232	2.42	61.7	0.8	2.8	6.6	160	8.4	0.8	1.0	4
REP 1506214	QC	3.1 8.2 347.4 891 1.0 58.7 13.3 228 2.39 60.1 0.7 4.6 6.2 164 8.4 0.7 0.9 4																			
1506223	Rock	1.07	0.010	0.8	3.8	3.5	4	0.5	0.5	0.1	72	2.10	48.5	0.2	10.3	0.2	<1	<0.1	2.7	<0.1	8
REP 1506223	QC	0.011																			
2005537	Rock	1.70	<0.005	0.9	49.7	215.9	313	0.5	9.1	5.8	617	3.18	10.5	3.5	2.8	3.8	33	1.0	0.3	0.6	21
REP 2005537	QC	1.1 48.5 218.1 307 0.5 9.0 5.5 618 3.18 10.5 3.6 2.8 3.7 35 1.0 0.3 0.6 21																			
Core Reject Duplicates																					
1506203	Rock	1.09	<0.005	1.1	1.9	5.6	31	<0.1	1.3	0.7	72	0.49	0.8	0.8	1.2	7.2	15	<0.1	0.5	<0.1	<2
DUP 1506203	QC	<0.005 1.1 1.8 5.2 31 <0.1 1.6 0.6 70 0.52 1.1 0.8 <0.5 7.0 15 0.1 0.4 <0.1 <2																			
2005529	Rock	0.98	<0.005	0.4	3.7	0.9	19	<0.1	2.9	0.8	61	0.47	1.1	<0.1	1.1	<0.1	1	<0.1	0.1	<0.1	<2
DUP 2005529	QC	<0.005 0.5 3.1 0.7 15 <0.1 2.4 0.7 53 0.41 0.8 <0.1 2.8 <0.1 1 <0.1 0.1 <0.1 <2																			
Reference Materials																					
STD DS10	Standard	15.4 154.9 149.5 355 1.8 74.1 13.0 858 2.70 42.2 2.6 77.4 7.6 69 2.4 9.6 12.5 44																			
STD DS10	Standard	13.2 168.3 157.2 375 1.9 74.5 12.9 898 2.78 49.9 3.0 148.3 7.9 61 2.8 9.4 12.5 44																			
STD OXC129	Standard	1.2 25.8 6.4 37 <0.1 78.5 19.6 419 2.99 0.5 0.7 189.7 1.8 182 <0.1 <0.1 <0.1 53																			
STD OXC129	Standard	1.4 30.4 7.4 43 <0.1 78.7 19.6 432 3.08 0.9 0.8 215.7 2.0 189 <0.1 <0.1 <0.1 53																			
STD OXD108	Standard	0.403																			
STD OXI121	Standard	1.829																			
STD OXN117	Standard	7.635																			
STD DS10 Expected		15.1 154.61 150.55 370 2.02 74.6 12.9 875 2.7188 46.2 2.59 91.9 7.5 67.1 2.62 9 11.65 43																			
STD OXC129 Expected		1.3 28 6.3 42.9 79.5 20.3 421 3.065 0.6 0.72 195 1.9 51																			
STD OXD108 Expected		0.414																			
STD OXN117 Expected		7.679																			
STD OXI121 Expected		1.834																			
BLK	Blank	<0.1 <0.1 0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <2																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1 <0.1 <0.1 <0.1 <2																			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver British Columbia V6B 1N2 Canada

Project:

LS

Report Date:

September 27, 2016

Page:

1 of 2

Part:

2 of 2

QUALITY CONTROL REPORT

WHI16000262.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1	0.05	1	0.5
Pulp Duplicates																				
1506450	Rock	0.87	0.077	4	5	0.22	22	0.001	<1	0.22	0.165	0.02	<0.1	0.02	1.5	<0.1	1.42	<1	3.1	<0.2
REP 1506450	QC																			
1506214	Rock	2.42	0.093	5	9	0.50	20	0.002	<1	0.22	0.122	0.03	0.1	0.37	2.0	<0.1	2.42	<1	6.2	<0.2
REP 1506214	QC	2.43	0.094	5	9	0.48	20	0.002	1	0.21	0.119	0.02	0.1	0.36	1.9	<0.1	2.43	<1	6.5	<0.2
1506223	Rock	<0.01	0.005	<1	3	<0.01	25	<0.001	1	0.01	<0.001	<0.01	2.0	0.02	1.0	<0.1	<0.05	<1	1.8	<0.2
REP 1506223	QC																			
2005537	Rock	0.14	0.044	11	8	1.56	334	0.009	<1	1.82	0.070	0.20	0.1	0.08	5.2	<0.1	0.06	6	0.7	<0.2
REP 2005537	QC	0.14	0.050	11	9	1.57	359	0.011	<1	1.84	0.073	0.21	0.1	0.09	5.9	<0.1	0.06	5	0.6	<0.2
Core Reject Duplicates																				
1506203	Rock	0.17	0.008	13	2	0.10	367	0.003	2	0.43	0.017	0.24	<0.1	0.02	2.2	<0.1	<0.05	1	<0.5	<0.2
DUP 1506203	QC	0.18	0.007	13	2	0.11	376	0.003	2	0.47	0.019	0.26	<0.1	0.02	2.0	<0.1	<0.05	2	<0.5	<0.2
2005529	Rock	0.02	0.001	<1	5	0.03	4	<0.001	<1	0.06	0.013	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
DUP 2005529	QC	0.01	<0.001	<1	5	0.03	4	<0.001	<1	0.05	0.012	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
Reference Materials																				
STD DS10	Standard	1.04	0.070	18	53	0.75	328	0.074	6	1.04	0.072	0.33	3.1	0.27	2.5	4.9	0.28	4	2.5	4.7
STD DS10	Standard	1.07	0.087	19	51	0.78	342	0.074	8	1.04	0.072	0.34	3.2	0.28	2.7	5.4	0.29	4	2.5	5.1
STD OXC129	Standard	0.61	0.096	12	50	1.48	46	0.387	<1	1.52	0.587	0.36	<0.1	<0.01	0.8	<0.1	<0.05	5	<0.5	<0.2
STD OXC129	Standard	0.62	0.132	15	51	1.56	58	0.389	1	1.54	0.596	0.38	<0.1	<0.01	1.3	<0.1	<0.05	5	<0.5	<0.2
STD OXD108	Standard																			
STD OXI121	Standard																			
STD OXN117	Standard																			
STD DS10 Expected		1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29	4.5	2.3	5.01
STD OXC129 Expected		0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1			5.6		
STD OXD108 Expected																				
STD OXN117 Expected																				
STD OXI121 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Page: 2 of 2

Part: 1 of 2

QUALITY CONTROL REPORT

WHI16000262.1

		WGHT	FA430	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.005	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	<0.005		0.9	4.5	1.4	27	<0.1	1.3	3.4	424	1.71	0.9	0.4	1.8	2.5	29	<0.1	<0.1	<0.1	23
ROCK-WHI	Prep Blank	<0.005		1.0	4.2	1.5	31	<0.1	1.3	3.4	434	1.74	0.7	0.4	1.6	2.5	29	<0.1	<0.1	<0.1	24



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver British Columbia V6P 6E5 Canada

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver British Columbia V6B 1N2 Canada

Project: LS
Report Date: September 27, 2016

Page: 2 of 2

Part: 2 of 2

QUALITY CONTROL REPORT

WHI16000262.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
ROCK-WHI	Prep Blank	0.60	0.035	5	3	0.38	82	0.071	2	0.91	0.116	0.11	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
ROCK-WHI	Prep Blank	0.61	0.037	6	3	0.38	82	0.079	<1	0.94	0.126	0.11	0.1	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2