



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: June 06, 2016  
Report Date: June 17, 2016  
Page: 1 of 7

## CERTIFICATE OF ANALYSIS

WHI16000045.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS16-06  
P.O. Number  
Number of Samples: 155

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	144	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	154	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	154	Analysis sample split/packet			VAN
Split -150	154	Analysis sample split/packet			VAN
FS631	144	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	154	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	154	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 2 of 7

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000101	Drill Core	0.36	284	0.009	<0.01	<0.17	18.31	0.3	2.6	6.0	11	0.3	0.9	0.3	70	0.67	3.9	0.5	10.6	7.4	3
2000102	Drill Core	1.44	438	<0.005	<0.01	<0.17	15.06	0.3	2.5	12.0	21	0.3	0.5	0.6	174	0.66	1.5	0.8	<0.5	7.2	16
2000103	Drill Core	0.26	202	<0.005	<0.01	<0.17	18.67	0.6	4.8	6.0	9	0.5	1.5	0.5	132	0.94	1.0	0.5	1.4	4.9	8
2000104	Drill Core	0.34	266	<0.005	<0.01	<0.17	14.22	0.3	1.8	15.4	32	0.2	0.8	1.0	194	0.80	<0.5	0.6	<0.5	7.1	62
2000105	Drill Core	1.36	454	<0.005	<0.01	<0.17	15.64	0.3	2.9	8.1	51	0.2	0.5	0.9	242	0.94	0.9	0.7	0.9	7.8	23
2000106	Drill Core	0.32	251	<0.005	<0.01	<0.17	22.02	0.6	3.6	3.3	11	0.2	2.0	0.5	138	1.21	0.6	0.1	0.6	1.6	3
2000107	Drill Core	0.59	503	<0.005	<0.01	<0.17	16.67	0.3	2.9	15.0	52	0.2	0.6	0.8	240	1.09	1.1	0.7	<0.5	7.5	11
2000108	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
2000109	Drill Core	2.42	527	0.009	<0.01	<0.17	19.55	0.4	2.2	12.9	15	0.2	0.4	0.4	104	0.63	1.5	0.8	3.0	9.7	4
2000110	Drill Core	0.53	449	0.008	<0.01	<0.17	19.69	0.4	3.3	28.6	36	0.2	0.6	0.6	131	0.87	4.0	0.5	3.3	4.8	5
2000111	Drill Core	1.72	363	<0.005	<0.01	<0.17	27.96	0.7	2.4	9.4	20	0.1	1.0	0.4	103	0.81	2.1	0.8	2.5	8.0	4
2000112	Drill Core	0.30	237	<0.005	<0.01	<0.17	18.20	0.5	2.3	5.6	3	0.2	1.8	0.3	104	0.91	1.8	0.2	0.8	1.6	1
2000113	Drill Core	1.87	394	0.005	<0.01	<0.17	20.55	0.2	2.3	19.3	19	0.2	0.3	0.2	79	0.55	5.1	1.0	1.1	10.6	5
2000114	Drill Core	0.39	314	<0.005	<0.01	<0.17	18.86	0.2	3.3	10.0	10	0.1	0.9	0.2	59	0.56	2.5	1.2	<0.5	10.9	4
2000115	Drill Core	0.40	329	<0.005	<0.01	<0.17	23.84	0.4	1.7	4.3	4	0.1	1.5	0.3	109	0.86	0.7	0.1	<0.5	1.0	2
2000116	Drill Core	0.90	371	0.011	<0.01	<0.17	19.98	0.7	3.9	15.9	53	0.4	0.8	1.2	146	1.16	4.7	1.1	8.3	8.3	17
2000117	Drill Core	3.10	489	<0.005	<0.01	<0.17	16.87	0.4	3.8	11.3	15	0.3	0.9	0.4	97	0.95	6.3	1.1	<0.5	7.1	16
2000118	Drill Core	0.32	250	0.006	<0.01	<0.17	18.75	0.4	4.2	2.7	2	0.2	1.1	0.8	82	0.73	1.4	<0.1	3.7	0.1	1
2000119	Drill Core	0.87	357	0.006	<0.01	<0.17	17.61	0.5	2.5	12.1	11	0.4	0.5	0.4	74	0.71	6.7	1.2	2.8	7.8	15
2000120	Rock Pulp	0.14	89	7.016	I.S.	I.S.	I.S.	13.1	67.7	21.9	58	0.8	17.9	8.9	470	4.22	12.6	0.3	7671.8	1.2	60
2000121	Drill Core	0.43	350	0.006	<0.01	<0.17	17.89	0.5	6.5	6.3	7	0.2	1.5	0.7	90	0.83	4.7	0.4	2.8	2.8	10
2000122	Drill Core	1.37	570	0.009	<0.01	<0.17	28.94	0.7	3.7	13.6	14	0.4	0.6	0.7	89	0.94	8.4	1.1	7.3	8.5	14
2000123	Drill Core	0.79	503	0.022	0.02	<0.17	15.25	0.4	5.4	19.7	10	0.3	1.1	0.9	85	0.80	5.8	1.0	12.3	3.4	21
2000124	Drill Core	1.14	479	0.006	<0.01	<0.17	18.41	0.4	3.2	9.7	13	0.3	0.8	0.6	64	0.69	4.2	0.9	1.8	8.5	17
2000125	Drill Core	0.68	450	<0.005	<0.01	<0.17	11.77	0.7	3.0	12.4	60	0.3	1.0	1.4	119	1.33	5.3	1.0	1.3	8.1	15
2000126	Drill Core	2.16	462	<0.005	<0.01	<0.17	24.60	0.6	5.7	9.0	102	0.4	1.0	1.6	159	1.28	2.2	0.7	1.7	5.6	10
2000128	Drill Core	1.90	431	<0.005	<0.01	<0.17	15.53	0.7	6.3	4.4	113	0.4	0.9	1.9	223	1.40	<0.5	1.0	2.9	8.1	7
2000129	Drill Core	1.03	431	0.007	<0.01	<0.17	19.22	1.1	4.5	14.1	24	0.5	0.9	1.2	67	0.86	6.5	0.9	3.0	6.2	19
2000136	Drill Core	1.10	474	0.020	0.03	0.30	16.57	0.9	3.5	7.7	21	0.3	2.3	0.7	149	1.14	4.5	0.8	4.3	5.5	15
2000137	Drill Core	1.41	489	0.005	<0.01	<0.17	18.17	0.3	3.4	13.3	33	0.3	0.8	1.4	100	0.71	3.8	1.6	2.6	9.5	8



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 2 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000101	Drill Core		0.1	0.2	0.1	<2	0.02	0.004	23	4	0.02	221	<0.001	<1	0.20	0.021	0.19	<0.1	0.03	0.8	<0.1	<0.05		
2000102	Drill Core		0.3	0.2	0.1	<2	0.02	0.005	23	2	0.13	915	0.001	<1	0.35	0.019	0.23	0.1	0.02	1.3	<0.1	<0.05		
2000103	Drill Core		0.3	1.3	<0.1	<2	0.08	0.001	17	7	0.09	546	<0.001	1	0.41	0.006	0.29	0.1	0.03	1.1	<0.1	<0.05		
2000104	Drill Core		0.3	0.3	0.2	<2	0.54	0.006	26	3	0.32	438	0.001	<1	0.61	0.012	0.31	<0.1	<0.01	1.5	<0.1	<0.05		
2000105	Drill Core		0.3	0.4	0.1	<2	0.13	0.005	23	1	0.39	358	<0.001	<1	0.57	0.009	0.24	0.1	0.04	1.4	<0.1	<0.05		
2000106	Drill Core		<0.1	0.7	<0.1	<2	0.01	0.004	5	9	0.06	152	<0.001	<1	0.17	0.010	0.08	<0.1	0.01	0.4	<0.1	<0.05		
2000107	Drill Core		0.4	0.4	0.2	<2	0.04	0.006	24	2	0.34	501	0.001	<1	0.61	0.009	0.28	0.2	0.01	1.9	<0.1	<0.05		
2000108	Drill Core		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.		
2000109	Drill Core		0.2	0.3	<0.1	<2	0.02	0.003	29	1	0.05	262	<0.001	<1	0.32	0.026	0.31	<0.1	0.02	1.3	<0.1	<0.05		
2000110	Drill Core		0.2	0.8	<0.1	<2	0.02	0.001	16	2	0.09	200	<0.001	<1	0.28	0.028	0.20	<0.1	0.02	1.4	<0.1	<0.05		
2000111	Drill Core		0.1	0.3	<0.1	<2	0.01	0.002	24	4	0.06	337	<0.001	<1	0.43	0.038	0.41	<0.1	0.01	1.6	<0.1	<0.05		
2000112	Drill Core		<0.1	0.4	<0.1	<2	<0.01	0.001	6	7	0.01	82	<0.001	<1	0.09	0.006	0.08	<0.1	0.02	0.2	<0.1	<0.05		
2000113	Drill Core		<0.1	0.2	<0.1	<2	0.01	0.002	34	1	0.06	231	<0.001	<1	0.36	0.033	0.33	0.1	0.01	1.3	<0.1	<0.05		
2000114	Drill Core		<0.1	0.1	<0.1	<2	0.01	0.003	36	3	0.05	379	<0.001	<1	0.38	0.044	0.29	<0.1	0.02	1.2	<0.1	<0.05		
2000115	Drill Core		<0.1	0.2	<0.1	<2	<0.01	<0.001	4	7	0.02	122	<0.001	<1	0.08	0.016	0.05	0.1	0.01	0.2	<0.1	<0.05		
2000116	Drill Core		0.1	0.8	0.1	<2	0.08	0.015	42	2	0.24	828	0.002	<1	0.71	0.017	0.35	0.5	0.05	3.8	<0.1	<0.05		
2000117	Drill Core		0.1	0.6	<0.1	<2	0.07	0.008	21	2	0.05	949	0.002	<1	0.37	0.032	0.26	3.9	0.02	2.2	<0.1	<0.05		
2000118	Drill Core		<0.1	0.3	<0.1	<2	<0.01	<0.001	<1	4	<0.01	136	<0.001	<1	0.01	0.002	<0.01	<0.1	0.02	<0.1	<0.1	<0.05		
2000119	Drill Core		<0.1	0.3	0.2	<2	0.02	0.007	26	1	0.04	1053	0.001	<1	0.40	0.043	0.34	0.1	0.04	1.4	<0.1	<0.05		
2000120	Rock Pulp		0.2	6.5	0.5	90	1.04	0.057	5	27	0.61	94	0.094	<1	1.78	0.157	0.13	1.7	0.34	4.6	<0.1	<0.05		
2000121	Drill Core		<0.1	0.4	<0.1	<2	<0.01	0.003	10	4	0.01	1224	<0.001	<1	0.13	0.013	0.13	4.3	0.02	0.6	<0.1	<0.05		
2000122	Drill Core		0.2	0.5	0.1	<2	0.03	0.008	23	2	0.04	1119	<0.001	<1	0.30	0.019	0.27	0.1	0.04	1.5	<0.1	<0.05		
2000123	Drill Core		<0.1	0.5	<0.1	<2	0.02	0.003	12	3	0.03	1902	<0.001	<1	0.22	0.014	0.16	0.1	0.02	1.2	<0.1	<0.05		
2000124	Drill Core		<0.1	0.5	<0.1	<2	0.03	0.008	27	3	0.04	1117	0.001	<1	0.33	0.026	0.28	0.5	0.02	2.1	<0.1	<0.05		
2000125	Drill Core		0.2	0.4	0.1	<2	0.06	0.010	33	3	0.27	639	0.001	<1	0.69	0.037	0.14	0.3	0.04	3.0	<0.1	<0.05		
2000126	Drill Core		<0.1	0.4	<0.1	<2	0.04	0.009	20	2	0.42	513	<0.001	<1	0.67	0.038	0.09	0.1	0.01	2.0	<0.1	<0.05		
2000128	Drill Core		0.1	0.3	<0.1	<2	0.04	0.010	32	3	0.83	697	0.002	<1	1.14	0.027	0.20	0.1	0.01	2.5	<0.1	<0.05		
2000129	Drill Core		0.2	0.5	0.1	<2	0.03	0.006	16	2	0.03	1457	<0.001	<1	0.28	0.029	0.19	0.1	0.02	1.7	<0.1	<0.05		
2000136	Drill Core		0.2	0.4	<0.1	<2	0.06	0.005	21	9	0.03	714	0.003	<1	0.25	0.023	0.19	0.8	0.02	1.2	<0.1	<0.05		
2000137	Drill Core		0.4	0.7	<0.1	<2	0.04	0.007	36	2	0.03	451	<0.001	<1	0.35	0.023	0.23	0.4	0.08	2.7	<0.1	<0.05		



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 2 of 7

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000101	Drill Core	<1	<0.5	<0.2
2000102	Drill Core	<1	<0.5	<0.2
2000103	Drill Core	1	<0.5	<0.2
2000104	Drill Core	2	<0.5	<0.2
2000105	Drill Core	1	<0.5	<0.2
2000106	Drill Core	<1	<0.5	<0.2
2000107	Drill Core	2	<0.5	<0.2
2000108	Drill Core	L.N.R.	L.N.R.	L.N.R.
2000109	Drill Core	1	<0.5	<0.2
2000110	Drill Core	<1	<0.5	<0.2
2000111	Drill Core	1	<0.5	<0.2
2000112	Drill Core	<1	<0.5	<0.2
2000113	Drill Core	1	<0.5	<0.2
2000114	Drill Core	1	<0.5	<0.2
2000115	Drill Core	<1	<0.5	<0.2
2000116	Drill Core	2	<0.5	<0.2
2000117	Drill Core	1	<0.5	<0.2
2000118	Drill Core	<1	<0.5	<0.2
2000119	Drill Core	1	<0.5	<0.2
2000120	Rock Pulp	5	<0.5	0.3
2000121	Drill Core	<1	<0.5	<0.2
2000122	Drill Core	<1	<0.5	<0.2
2000123	Drill Core	<1	<0.5	<0.2
2000124	Drill Core	1	<0.5	<0.2
2000125	Drill Core	2	<0.5	<0.2
2000126	Drill Core	2	<0.5	<0.2
2000128	Drill Core	3	<0.5	<0.2
2000129	Drill Core	1	<0.5	<0.2
2000136	Drill Core	1	<0.5	<0.2
2000137	Drill Core	1	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 3 of 7

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000138	Drill Core	2.53	538	0.035	0.04	0.22	18.53	0.7	2.3	16.3	42	0.5	0.9	0.7	73	0.93	12.4	1.7	25.8	9.1	4
2000139	Drill Core	2.43	519	0.009	<0.01	<0.17	25.71	0.6	2.6	12.8	33	0.3	0.8	1.1	97	1.11	20.4	1.6	6.2	9.3	3
2000140	Drill Core	2.62	568	0.006	<0.01	<0.17	22.62	1.0	1.6	12.5	36	0.3	0.8	1.0	131	1.16	35.7	1.9	4.4	10.5	4
2000141	Drill Core	0.35	272	0.007	<0.01	<0.17	21.43	1.0	3.1	9.2	34	0.4	1.5	1.9	381	1.20	19.0	2.0	2.5	10.1	6
2000142	Rock Pulp	0.14	88	<0.005	I.S.	I.S.	I.S.	1.8	60.6	3.1	34	<0.1	4.3	6.9	323	2.31	<0.5	0.7	5.9	2.0	58
2000143	Drill Core	1.65	482	0.014	0.03	0.35	20.19	0.8	1.6	10.2	28	0.6	0.7	0.9	122	1.05	21.6	1.3	17.6	8.5	4
2000144	Drill Core	0.28	175	0.009	<0.01	<0.17	6.28	0.9	4.5	6.8	35	0.3	1.4	1.2	243	1.51	14.1	1.2	3.2	7.3	5
2000145	Drill Core	0.76	479	0.005	<0.01	<0.17	11.14	0.3	2.2	15.6	42	0.3	0.5	0.6	155	0.68	5.5	1.7	7.5	9.2	17
2000146	Drill Core	1.05	451	0.009	<0.01	<0.17	25.28	0.3	3.2	15.8	26	0.3	0.7	0.5	136	0.75	8.4	2.4	9.7	11.3	8
2000147	Drill Core	0.54	445	0.327	0.31	<0.17	20.84	0.2	8.2	9.3	12	1.6	1.0	0.5	134	0.75	3.6	1.1	27.2	5.9	4
2000148	Drill Core	2.30	484	0.022	0.07	1.37	19.03	0.4	3.1	16.0	33	0.4	0.4	0.3	157	0.69	5.8	2.0	17.9	9.3	9
2000149	Drill Core	1.78	405	0.025	0.02	<0.17	16.92	0.7	9.9	54.2	261	1.7	0.8	1.0	368	1.52	5.9	1.8	24.1	9.3	22
2000150	Drill Core	0.51	413	0.010	<0.01	<0.17	21.00	0.9	5.3	14.1	91	0.9	0.7	0.8	470	1.28	4.8	1.4	14.2	6.9	18
2000151	Drill Core	1.15	462	0.018	0.02	<0.17	15.98	0.7	53.9	14.0	25	13.3	4.0	0.6	88	0.86	6.3	1.4	15.3	9.2	10
2000152	Drill Core	0.63	530	0.017	0.02	<0.17	20.65	0.5	3.8	16.2	20	0.4	0.8	0.5	89	0.98	7.3	1.1	16.3	7.4	8
2000153	Drill Core	2.04	431	0.006	<0.01	<0.17	27.44	0.5	9.8	15.9	152	1.3	0.9	1.3	170	1.48	1.8	1.4	3.3	8.4	15
2000154	Rock Pulp	0.14	91	3.792	I.S.	I.S.	I.S.	9.5	60.5	445.0	1574	51.1	27.4	7.6	395	3.49	32.6	0.4	3256.8	1.1	41
2000155	Drill Core	0.77	491	<0.005	<0.01	<0.17	25.74	0.1	7.3	20.1	30	0.3	1.8	2.0	238	0.92	1.7	1.4	5.0	8.5	83
2000156	Drill Core	0.59	499	0.008	<0.01	<0.17	11.31	0.2	8.5	8.3	40	0.2	2.6	2.4	164	0.83	0.8	0.7	0.9	2.9	48
2000157	Drill Core	0.63	541	<0.005	<0.01	<0.17	24.09	<0.1	3.6	55.5	42	0.8	0.6	1.0	157	0.73	0.8	1.1	3.5	11.1	15
2000158	Drill Core	0.76	481	<0.005	<0.01	<0.17	21.17	0.2	16.2	41.1	46	0.4	2.6	2.6	252	0.92	1.0	0.8	6.2	4.4	59
2000159	Drill Core	0.72	431	0.006	<0.01	<0.17	27.82	0.2	6.7	16.7	13	0.5	0.7	1.0	170	0.83	4.2	1.2	13.4	9.1	45
2000160	Drill Core	0.84	552	<0.005	<0.01	<0.17	19.37	0.1	4.4	10.5	17	0.2	0.7	0.7	95	0.54	1.0	1.3	<0.5	12.5	14
2000161	Drill Core	1.42	460	<0.005	<0.01	<0.17	19.94	0.3	12.9	20.3	64	0.3	9.1	7.0	365	2.15	1.1	1.4	<0.5	8.0	73
2000162	Drill Core	2.28	473	<0.005	<0.01	<0.17	16.26	0.2	6.4	59.8	55	0.3	2.5	2.3	238	1.30	1.1	0.8	0.8	8.7	13
2000163	Drill Core	0.46	372	<0.005	<0.01	<0.17	16.43	0.3	21.4	114.3	161	0.5	9.1	6.0	398	2.22	2.0	1.4	2.6	8.5	39
2000164	Drill Core	0.74	488	<0.005	<0.01	<0.17	19.84	0.3	15.7	26.8	54	0.3	9.3	7.1	411	2.09	7.1	0.7	2.0	5.0	61
2000165	Rock Pulp	0.14	87	<0.005	I.S.	I.S.	I.S.	1.7	57.7	3.3	34	<0.1	4.7	7.0	333	2.38	<0.5	0.7	<0.5	2.3	62
2000166	Drill Core	0.81	548	<0.005	<0.01	<0.17	16.21	0.2	7.6	3.2	60	<0.1	13.5	6.7	422	2.37	7.4	0.6	<0.5	7.5	112
2000167	Drill Core	0.62	515	<0.005	<0.01	<0.17	23.10	0.4	14.3	8.9	53	0.2	8.9	7.0	409	2.18	6.2	0.8	<0.5	6.1	118



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 3 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000138	Drill Core	0.3	0.5	<0.1	<2	0.02	0.007	30	3	0.02	269	0.001	<1	0.28	0.023	0.23	0.2	0.06	1.7	<0.1	<0.05			
2000139	Drill Core	0.2	0.6	<0.1	<2	0.02	0.006	29	2	0.02	201	0.001	<1	0.24	0.025	0.18	0.1	0.07	1.9	<0.1	<0.05			
2000140	Drill Core	0.4	0.8	<0.1	<2	0.02	0.007	36	3	0.01	207	0.002	<1	0.24	0.027	0.17	0.1	0.04	1.8	<0.1	<0.05			
2000141	Drill Core	0.7	0.7	<0.1	<2	0.02	0.009	67	3	0.02	435	<0.001	1	0.27	0.032	0.20	0.5	0.08	1.6	<0.1	<0.05			
2000142	Rock Pulp	<0.1	0.1	<0.1	76	0.63	0.060	6	9	0.64	102	0.075	3	1.17	0.119	0.16	1.8	<0.01	1.9	<0.1	<0.05			
2000143	Drill Core	0.5	0.6	<0.1	<2	0.01	0.006	32	1	<0.01	202	0.002	2	0.17	0.023	0.14	0.7	0.06	1.2	<0.1	<0.05			
2000144	Drill Core	0.7	0.6	<0.1	<2	0.02	0.006	33	3	0.01	291	<0.001	3	0.24	0.036	0.20	0.2	0.07	1.2	<0.1	<0.05			
2000145	Drill Core	0.4	0.5	<0.1	<2	0.09	0.004	33	2	0.02	984	0.001	2	0.38	0.020	0.23	0.3	0.05	2.0	<0.1	<0.05			
2000146	Drill Core	0.3	0.4	0.1	<2	0.05	0.008	44	2	0.05	514	<0.001	3	0.54	0.029	0.26	0.2	0.09	2.7	<0.1	<0.05			
2000147	Drill Core	0.3	0.3	<0.1	<2	0.02	0.003	21	2	0.02	196	<0.001	3	0.22	0.023	0.17	5.7	0.06	1.0	0.1	<0.05			
2000148	Drill Core	0.5	0.4	0.1	<2	0.06	0.008	36	1	0.06	428	<0.001	3	0.46	0.019	0.29	0.4	0.06	2.2	0.1	<0.05			
2000149	Drill Core	1.1	0.6	0.5	<2	0.09	0.012	41	2	0.40	732	0.001	2	1.00	0.035	0.19	0.2	0.09	4.5	0.1	<0.05			
2000150	Drill Core	1.4	0.4	0.2	<2	0.09	0.010	29	2	0.28	444	0.001	2	0.78	0.021	0.17	0.4	0.06	2.6	<0.1	<0.05			
2000151	Drill Core	0.6	0.9	0.1	<2	0.04	0.010	29	3	0.04	663	0.002	2	0.39	0.029	0.33	>100	<0.01	2.2	<0.1	<0.05			
2000152	Drill Core	0.5	0.5	<0.1	<2	0.03	0.006	28	2	0.07	490	0.001	2	0.42	0.018	0.22	0.5	0.04	2.2	<0.1	<0.05			
2000153	Drill Core	0.3	0.6	0.2	<2	0.08	0.014	31	2	0.41	670	0.002	1	0.93	0.041	0.17	4.0	0.03	4.3	<0.1	<0.05			
2000154	Rock Pulp	17.0	70.0	1.1	57	0.75	0.053	6	24	0.59	112	0.110	4	1.25	0.084	0.11	3.0	0.18	5.2	1.0	0.33			
2000155	Drill Core	0.5	0.7	<0.1	4	1.32	0.018	21	6	0.23	357	0.025	2	0.55	0.014	0.26	0.6	<0.01	2.8	<0.1	<0.05			
2000156	Drill Core	0.3	0.4	<0.1	5	0.56	0.025	7	8	0.31	271	0.040	1	0.62	0.023	0.24	0.2	<0.01	2.3	<0.1	<0.05			
2000157	Drill Core	0.3	0.4	0.8	2	0.23	0.011	33	1	0.18	366	0.004	1	0.53	0.031	0.30	0.1	<0.01	1.9	0.1	<0.05			
2000158	Drill Core	0.2	0.5	0.1	6	0.88	0.025	11	10	0.33	356	0.034	2	0.59	0.017	0.23	0.6	0.02	2.7	<0.1	<0.05			
2000159	Drill Core	0.4	0.3	0.2	<2	0.89	0.009	25	2	0.07	347	0.008	1	0.40	0.024	0.27	0.2	0.01	2.1	<0.1	<0.05			
2000160	Drill Core	0.2	0.2	0.1	<2	0.18	0.008	37	1	0.10	310	0.008	<1	0.40	0.053	0.26	0.3	0.03	1.7	<0.1	<0.05			
2000161	Drill Core	0.5	0.8	0.1	19	0.97	0.061	23	20	0.98	304	0.090	1	1.30	0.028	0.47	0.8	0.01	5.7	0.3	<0.05			
2000162	Drill Core	0.5	0.3	0.1	6	0.17	0.021	25	7	0.34	227	0.012	1	0.58	0.029	0.21	0.2	<0.01	2.5	<0.1	<0.05			
2000163	Drill Core	0.7	0.7	<0.1	22	0.49	0.064	24	25	0.77	240	0.078	1	1.18	0.039	0.29	0.4	<0.01	6.4	0.1	<0.05			
2000164	Drill Core	0.2	0.3	0.2	12	0.47	0.055	13	15	0.57	271	0.059	<1	0.74	0.048	0.35	0.2	<0.01	2.6	0.2	<0.05			
2000165	Rock Pulp	<0.1	0.1	<0.1	78	0.66	0.058	6	9	0.66	105	0.074	2	1.23	0.129	0.17	1.8	<0.01	1.9	<0.1	<0.05			
2000166	Drill Core	0.2	0.4	<0.1	17	0.82	0.067	19	17	0.76	391	0.036	<1	0.90	0.040	0.33	<0.1	<0.01	6.4	0.1	<0.05			
2000167	Drill Core	0.2	0.5	<0.1	11	1.25	0.067	14	12	0.54	423	0.052	<1	0.77	0.038	0.35	<0.1	<0.01	3.6	0.2	<0.05			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 3 of 7

Part: 3 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000138	Drill Core	1	<0.5	<0.2
2000139	Drill Core	1	<0.5	<0.2
2000140	Drill Core	1	<0.5	<0.2
2000141	Drill Core	1	<0.5	<0.2
2000142	Rock Pulp	4	<0.5	<0.2
2000143	Drill Core	<1	<0.5	<0.2
2000144	Drill Core	<1	<0.5	<0.2
2000145	Drill Core	2	<0.5	<0.2
2000146	Drill Core	2	<0.5	<0.2
2000147	Drill Core	<1	<0.5	<0.2
2000148	Drill Core	1	<0.5	<0.2
2000149	Drill Core	4	<0.5	<0.2
2000150	Drill Core	3	<0.5	<0.2
2000151	Drill Core	1	<0.5	<0.2
2000152	Drill Core	1	<0.5	<0.2
2000153	Drill Core	3	<0.5	<0.2
2000154	Rock Pulp	7	<0.5	<0.2
2000155	Drill Core	2	<0.5	<0.2
2000156	Drill Core	2	<0.5	<0.2
2000157	Drill Core	2	<0.5	<0.2
2000158	Drill Core	2	<0.5	<0.2
2000159	Drill Core	1	<0.5	<0.2
2000160	Drill Core	2	<0.5	<0.2
2000161	Drill Core	5	<0.5	<0.2
2000162	Drill Core	3	<0.5	<0.2
2000163	Drill Core	5	<0.5	<0.2
2000164	Drill Core	3	<0.5	<0.2
2000165	Rock Pulp	4	<0.5	<0.2
2000166	Drill Core	4	<0.5	<0.2
2000167	Drill Core	3	<0.5	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 4 of 7

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000168	Drill Core	0.68	432	<0.005	<0.01	<0.17	16.63	0.5	8.2	8.9	73	<0.1	7.3	5.4	542	2.56	32.7	0.5	<0.5	4.9	168
2000169	Drill Core	1.13	470	<0.005	<0.01	<0.17	14.46	0.5	7.4	22.3	23	0.3	4.0	2.9	182	1.13	4.6	0.9	<0.5	9.2	96
2000170	Rock Pulp	0.14	89	6.954	I.S.	I.S.	I.S.	12.3	62.7	20.5	58	0.8	17.0	8.2	454	4.07	12.4	0.3	8287.5	1.1	61
2000171	Drill Core	0.62	516	<0.005	<0.01	<0.17	12.43	1.8	27.8	194.5	198	1.1	5.0	2.8	170	1.14	15.3	0.9	2.3	11.7	22
2000172	Drill Core	1.13	466	<0.005	<0.01	<0.17	14.76	0.2	14.1	75.2	111	0.2	5.3	3.4	227	1.13	5.9	1.3	<0.5	10.7	25
2000173	Drill Core	0.57	467	<0.005	<0.01	<0.17	14.32	0.9	33.5	267.2	215	0.8	10.7	5.6	519	2.16	4.7	0.8	0.7	7.3	117
2000174	Drill Core	0.65	391	<0.005	<0.01	<0.17	13.02	0.4	20.7	238.2	148	0.7	10.2	4.6	393	1.79	7.2	0.7	3.4	9.2	58
2000175	Rock Pulp	0.14	88	<0.005	I.S.	I.S.	I.S.	1.9	57.8	3.4	35	<0.1	4.8	7.2	343	2.45	0.5	0.7	5.9	2.3	64
2000176	Drill Core	1.00	403	<0.005	<0.01	<0.17	11.46	0.4	18.5	69.1	52	0.4	4.9	3.4	274	1.08	1.3	1.7	3.5	13.4	87
2000177	Drill Core	1.29	560	<0.005	<0.01	<0.17	19.43	2.2	25.6	515.2	64	2.2	3.4	3.3	354	1.17	0.9	1.6	1.0	12.0	107
2000178	Drill Core	1.35	546	<0.005	<0.01	<0.17	22.45	0.3	13.4	25.1	36	0.4	3.9	3.1	191	1.14	3.8	1.7	<0.5	13.4	45
2000179	Drill Core	1.70	547	0.016	0.02	<0.17	26.36	0.7	18.0	22.6	36	1.0	7.6	4.2	249	1.23	6.2	1.5	9.0	12.0	53
2000180	Drill Core	3.08	336	0.007	<0.01	<0.17	21.83	0.9	29.3	39.9	78	0.8	14.3	5.1	325	1.60	6.9	1.1	2.2	9.7	65
2000181	Drill Core	0.70	433	0.091	0.09	<0.17	19.90	0.6	70.2	116.7	134	1.2	15.1	4.8	290	1.90	9.9	0.6	31.1	4.9	10
2000182	Drill Core	0.70	462	0.021	0.02	<0.17	18.68	4.7	41.6	130.0	88	1.9	10.3	3.6	178	1.29	2.6	0.5	19.5	7.2	14
2000183	Drill Core	1.51	495	0.120	0.13	0.36	16.53	0.7	41.9	53.1	177	1.3	12.8	5.3	244	1.74	6.6	0.8	68.3	9.6	32
2000184	Drill Core	0.49	402	0.023	0.02	<0.17	22.83	0.9	19.5	71.7	63	0.9	6.1	3.0	465	1.07	1.9	0.4	20.2	3.4	1958
2000185	Drill Core	0.71	454	0.021	0.02	<0.17	23.47	0.5	32.6	47.2	127	0.8	12.6	5.5	259	1.40	1.7	0.8	8.7	9.4	51
2000186	Drill Core	2.73	546	<0.005	<0.01	<0.17	18.97	1.1	11.6	27.5	47	0.4	6.3	3.5	274	1.07	0.6	1.1	7.9	12.7	71
2000187	Drill Core	0.91	393	0.005	<0.01	<0.17	22.85	1.8	16.0	13.1	60	0.3	16.3	8.4	605	2.12	5.7	1.0	2.3	7.3	232
2000188	Drill Core	1.87	412	0.291	0.29	0.30	26.49	1.1	11.2	10.6	33	0.7	7.1	3.5	150	1.06	7.3	1.3	348.5	12.2	26
2000189	Drill Core	1.09	464	0.714	0.71	0.67	23.75	0.9	11.7	8.0	34	0.8	6.3	3.5	189	1.13	14.4	1.2	704.0	12.9	19
2000190	Drill Core	0.67	421	0.006	<0.01	<0.17	25.15	0.4	11.7	14.5	31	0.3	6.8	3.7	210	1.18	1.3	1.6	6.1	12.2	33
2000191	Drill Core	0.65	549	0.107	0.10	<0.17	21.72	0.2	7.9	16.6	27	0.3	4.3	3.4	173	1.06	2.3	1.4	93.3	12.5	62
2000192	Drill Core	0.59	499	0.012	0.01	<0.17	17.26	0.4	14.5	19.0	30	0.5	3.8	3.1	186	1.07	2.3	1.3	7.3	10.7	90
2000193	Drill Core	1.02	425	<0.005	<0.01	<0.17	22.67	0.6	13.4	22.8	38	0.3	9.1	4.2	201	1.60	6.2	1.1	2.4	8.6	34
2000194	Drill Core	0.87	349	0.006	<0.01	<0.17	22.66	1.6	27.0	5.7	59	0.3	23.0	7.4	179	2.06	8.7	1.2	3.1	5.7	30
2000195	Drill Core	0.70	439	<0.005	<0.01	<0.17	16.59	2.2	19.4	8.9	53	0.3	20.7	8.8	162	1.62	11.0	2.8	2.3	6.4	36
2000196	Drill Core	0.87	537	0.367	0.35	<0.17	26.75	4.4	25.1	5.6	68	0.4	27.9	10.2	157	1.60	13.6	3.4	49.6	7.3	31
2000197	Drill Core	2.25	484	0.102	0.10	<0.17	18.71	3.8	12.2	5.7	39	0.4	28.7	12.2	296	2.21	28.0	1.3	104.0	8.2	72





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 4 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000168	Drill Core	0.2	0.6	<0.1	20	2.01	0.091	13	14	1.03	235	0.035	1	1.49	0.027	0.38	0.3	<0.01	5.8	0.1	<0.05			
2000169	Drill Core	0.2	1.0	0.5	5	0.79	0.040	22	5	0.30	211	0.015	1	0.50	0.036	0.34	0.2	<0.01	1.7	0.1	<0.05			
2000170	Rock Pulp	0.2	5.7	0.5	87	1.00	0.055	5	25	0.60	89	0.083	2	1.78	0.165	0.13	1.5	0.31	5.0	<0.1	<0.05			
2000171	Drill Core	0.6	1.2	0.3	7	0.26	0.043	22	7	0.37	239	0.030	2	0.65	0.054	0.35	0.7	0.01	2.1	0.2	<0.05			
2000172	Drill Core	0.7	1.0	0.2	9	0.28	0.038	20	8	0.43	188	0.062	<1	0.71	0.076	0.19	1.1	<0.01	2.0	0.1	<0.05			
2000173	Drill Core	0.7	1.4	0.5	18	1.67	0.047	16	22	1.19	96	0.060	<1	1.29	0.030	0.42	1.0	<0.01	4.8	0.4	<0.05			
2000174	Drill Core	0.6	1.3	0.5	19	0.71	0.057	17	19	1.08	185	0.050	1	1.22	0.027	0.62	0.8	<0.01	3.9	0.4	<0.05			
2000175	Rock Pulp	<0.1	<0.1	<0.1	80	0.67	0.060	6	9	0.68	110	0.077	2	1.30	0.133	0.17	1.8	<0.01	2.0	<0.1	<0.05			
2000176	Drill Core	0.6	0.8	0.3	7	1.04	0.049	34	8	0.27	215	0.062	<1	0.71	0.063	0.28	1.0	<0.01	2.0	0.1	0.08			
2000177	Drill Core	0.4	0.7	2.6	7	1.50	0.052	28	5	0.20	208	0.070	2	0.53	0.037	0.21	1.3	<0.01	1.7	<0.1	0.06			
2000178	Drill Core	0.5	0.7	0.5	8	0.63	0.047	32	6	0.21	271	0.070	<1	0.59	0.046	0.27	1.0	<0.01	2.2	<0.1	<0.05			
2000179	Drill Core	0.5	0.5	0.7	11	0.83	0.078	26	9	0.26	243	0.042	2	0.61	0.042	0.24	0.9	<0.01	2.4	<0.1	<0.05			
2000180	Drill Core	1.0	0.5	0.9	13	0.88	0.060	33	13	0.36	221	0.013	1	0.77	0.053	0.30	0.2	<0.01	2.8	0.1	<0.05			
2000181	Drill Core	1.4	0.6	0.3	16	0.13	0.049	21	20	0.43	186	0.002	<1	0.73	0.010	0.28	0.2	<0.01	1.4	0.1	<0.05			
2000182	Drill Core	1.1	0.3	2.1	10	0.19	0.041	21	11	0.25	235	0.003	2	0.61	0.026	0.33	0.1	<0.01	1.2	0.1	<0.05			
2000183	Drill Core	1.7	0.4	1.1	13	0.48	0.061	28	13	0.37	207	0.004	<1	0.77	0.032	0.32	0.3	<0.01	2.3	0.1	<0.05			
2000184	Drill Core	2.3	0.4	0.1	7	6.90	0.029	10	9	0.19	204	0.007	<1	0.39	0.009	0.24	3.9	<0.01	1.4	<0.1	<0.05			
2000185	Drill Core	1.0	0.6	0.2	12	0.58	0.097	26	12	0.36	291	0.025	<1	0.79	0.030	0.38	0.5	<0.01	2.6	0.1	0.06			
2000186	Drill Core	0.5	0.6	0.3	8	1.20	0.041	37	9	0.27	129	0.009	<1	0.55	0.037	0.25	0.3	<0.01	1.6	0.1	<0.05			
2000187	Drill Core	1.2	0.8	0.1	26	4.42	0.083	19	31	0.74	208	0.071	1	1.14	0.016	0.42	0.6	<0.01	7.4	0.2	0.12			
2000188	Drill Core	0.4	0.9	0.2	6	0.35	0.059	27	7	0.20	239	0.010	1	0.54	0.038	0.34	0.2	<0.01	1.3	0.1	<0.05			
2000189	Drill Core	0.4	1.0	0.2	6	0.26	0.033	30	7	0.22	160	0.012	1	0.49	0.042	0.24	0.3	<0.01	1.7	<0.1	<0.05			
2000190	Drill Core	0.2	0.5	0.2	10	0.57	0.044	33	11	0.29	180	0.048	1	0.64	0.065	0.23	0.8	<0.01	2.7	<0.1	<0.05			
2000191	Drill Core	0.1	0.4	0.3	5	0.94	0.035	27	5	0.35	252	0.023	<1	0.66	0.037	0.32	0.3	<0.01	2.0	<0.1	0.17			
2000192	Drill Core	0.2	0.4	0.3	5	1.49	0.034	26	5	0.29	176	0.033	1	0.54	0.048	0.23	0.4	<0.01	2.4	<0.1	0.11			
2000193	Drill Core	0.1	0.4	0.3	11	0.56	0.044	18	12	0.53	197	0.039	2	0.79	0.051	0.26	0.4	<0.01	3.3	<0.1	0.07			
2000194	Drill Core	0.3	1.4	<0.1	18	0.46	0.058	12	22	0.89	186	0.078	1	1.07	0.037	0.58	0.4	<0.01	4.8	0.3	0.06			
2000195	Drill Core	0.4	1.7	<0.1	15	0.39	0.064	12	16	0.67	219	0.067	2	0.86	0.033	0.55	0.7	<0.01	3.8	0.3	0.12			
2000196	Drill Core	0.6	2.2	<0.1	17	0.37	0.061	14	19	0.71	196	0.073	1	0.85	0.032	0.54	0.6	<0.01	4.3	0.3	0.12			
2000197	Drill Core	0.2	1.9	<0.1	20	0.93	0.086	16	24	0.98	217	0.094	1	1.11	0.043	0.58	1.6	<0.01	5.3	0.3	0.67			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 4 of 7

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000045.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000168	Drill Core	5	<0.5	<0.2
2000169	Drill Core	2	<0.5	<0.2
2000170	Rock Pulp	5	<0.5	0.2
2000171	Drill Core	3	<0.5	<0.2
2000172	Drill Core	3	<0.5	<0.2
2000173	Drill Core	6	0.5	<0.2
2000174	Drill Core	5	1.0	<0.2
2000175	Rock Pulp	4	<0.5	<0.2
2000176	Drill Core	3	<0.5	<0.2
2000177	Drill Core	3	2.4	<0.2
2000178	Drill Core	3	<0.5	<0.2
2000179	Drill Core	3	<0.5	<0.2
2000180	Drill Core	4	<0.5	<0.2
2000181	Drill Core	4	<0.5	<0.2
2000182	Drill Core	3	<0.5	<0.2
2000183	Drill Core	4	<0.5	<0.2
2000184	Drill Core	2	<0.5	<0.2
2000185	Drill Core	3	0.6	<0.2
2000186	Drill Core	3	<0.5	<0.2
2000187	Drill Core	4	0.6	<0.2
2000188	Drill Core	2	<0.5	<0.2
2000189	Drill Core	2	<0.5	<0.2
2000190	Drill Core	3	<0.5	<0.2
2000191	Drill Core	3	<0.5	<0.2
2000192	Drill Core	3	<0.5	<0.2
2000193	Drill Core	3	<0.5	<0.2
2000194	Drill Core	4	0.9	<0.2
2000195	Drill Core	3	1.0	<0.2
2000196	Drill Core	3	1.2	<0.2
2000197	Drill Core	5	1.2	<0.2



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 5 of 7

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000198	Drill Core	0.67	413	0.130	0.12	<0.17	19.82	2.2	20.6	12.3	53	0.4	28.8	10.5	218	2.21	18.4	3.2	108.0	7.0	41
2000199	Drill Core	0.68	444	0.024	0.02	<0.17	22.13	1.5	18.1	4.8	62	0.3	29.0	9.3	282	2.32	14.2	1.4	14.3	7.2	57
2000200	Drill Core	0.66	417	<0.005	<0.01	<0.17	22.48	1.6	26.7	26.9	67	0.5	24.5	8.8	325	2.27	61.7	3.2	2.6	6.1	74
2000201	Drill Core	0.75	485	0.008	<0.01	<0.17	24.51	0.2	6.1	17.5	32	0.3	1.9	2.3	278	0.89	5.3	0.8	5.9	11.0	10
2000202	Drill Core	1.06	425	<0.005	<0.01	<0.17	20.61	0.4	35.7	24.6	63	0.5	16.1	8.9	405	2.28	2.4	1.3	2.3	8.8	39
2000203	Drill Core	0.63	391	<0.005	<0.01	<0.17	20.20	0.2	5.9	45.7	50	0.2	12.0	5.2	367	2.04	2.5	0.5	<0.5	4.1	44
2000204	Drill Core	0.60	361	0.007	<0.01	<0.17	20.72	1.2	11.2	30.2	27	0.5	5.2	3.0	268	1.02	6.2	1.4	8.0	14.9	95
2000205	Drill Core	0.53	432	<0.005	<0.01	<0.17	20.17	0.2	22.2	50.9	63	0.5	9.1	5.8	325	1.74	14.4	1.0	2.3	10.3	22
2000206	Drill Core	0.85	488	0.006	<0.01	<0.17	14.88	32.2	85.3	507.9	617	1.5	23.4	7.1	416	2.03	4.2	0.8	1.6	4.7	27
2000207	Drill Core	0.68	403	0.005	<0.01	<0.17	10.43	2.5	75.7	41.9	267	0.9	21.4	9.5	573	3.51	8.4	2.8	<0.5	5.5	68
2000208	Drill Core	0.66	415	<0.005	<0.01	<0.17	13.11	1.4	38.5	81.9	350	1.0	6.8	4.4	447	3.38	<0.5	1.1	<0.5	4.9	31
2000209	Drill Core	0.62	522	<0.005	<0.01	<0.17	10.30	1.7	39.4	26.3	132	0.4	24.8	11.8	721	3.05	26.2	0.8	<0.5	4.4	117
2000210	Rock	0.82	496	<0.005	<0.01	<0.17	28.22	<0.1	1.9	0.7	2	<0.1	<0.1	0.2	188	0.10	<0.5	0.1	<0.5	<0.1	76
2000211	Drill Core	0.77	501	<0.005	<0.01	<0.17	18.10	1.3	35.5	11.5	112	0.3	24.4	11.1	725	3.31	6.4	0.5	<0.5	4.9	69
2000212	Drill Core	0.62	392	<0.005	<0.01	<0.17	29.89	0.3	20.5	13.1	69	0.4	12.6	6.8	392	2.31	7.4	0.9	3.3	5.6	29
2000213	Drill Core	1.46	482	<0.005	<0.01	<0.17	28.77	1.8	58.4	10.1	415	0.3	11.9	9.7	423	2.83	2.6	1.0	2.3	5.0	13
2000058	Drill Core	0.80	348	0.008	<0.01	<0.17	24.73	1.2	22.2	15.3	63	0.3	23.0	10.2	388	2.57	13.9	1.0	4.4	7.1	36
2000059	Drill Core	1.02	437	0.040	0.04	<0.17	27.84	1.1	22.9	4.6	54	0.4	24.2	8.4	245	2.05	11.4	1.3	43.1	5.9	52
2000060	Drill Core	0.61	375	0.303	0.31	0.37	26.70	0.8	21.9	5.6	43	0.6	18.8	7.7	293	1.82	9.4	0.9	208.7	4.9	55
2000061	Drill Core	0.62	515	0.007	<0.01	<0.17	24.66	2.1	20.4	3.0	42	0.2	19.6	11.2	275	1.84	17.9	1.7	1.8	6.8	23
2000062	Drill Core	0.63	395	0.015	0.01	<0.17	24.99	0.7	20.4	330.4	33	2.4	17.3	10.0	430	1.76	11.0	1.0	17.5	5.7	132
2000063	Drill Core	0.73	484	<0.005	<0.01	<0.17	28.63	1.0	27.8	5.3	59	0.2	26.1	13.9	373	2.53	18.8	4.3	5.1	7.3	22
2000064	Drill Core	0.62	528	<0.005	<0.01	<0.17	30.46	3.1	46.0	21.1	116	0.6	25.5	17.0	648	3.60	59.7	17.7	5.7	5.2	85
2000065	Drill Core	0.58	468	0.006	<0.01	<0.17	25.57	1.0	5.7	3.1	183	0.2	3.6	7.4	1267	1.79	6.8	0.9	4.9	4.1	186
2000066	Drill Core	0.97	395	0.011	0.01	<0.17	24.56	1.4	68.0	34.5	650	0.7	13.6	8.7	1209	3.20	32.1	1.7	7.7	2.5	209
2000067	Drill Core	1.41	591	0.023	0.02	<0.17	29.83	1.4	261.8	78.7	2351	2.5	15.1	22.8	1563	5.22	29.8	2.0	19.8	3.5	119
2000068	Drill Core	0.69	437	<0.005	<0.01	<0.17	27.04	1.0	48.2	8.5	895	0.5	13.9	9.2	728	3.66	10.0	1.8	1.9	7.0	24
2000251	Drill Core	0.60	511	<0.005	<0.01	<0.17	25.50	0.3	7.3	20.5	18	0.3	0.9	0.5	115	0.84	2.1	1.6	3.7	9.2	3
2000252	Drill Core	0.86	557	<0.005	<0.01	<0.17	26.87	0.3	2.4	23.8	11	0.1	1.4	0.6	110	0.79	<0.5	0.9	1.1	4.2	2
2000253	Rock Pulp	0.15	88	0.008	I.S.	I.S.	I.S.	1.8	64.4	3.3	34	<0.1	4.9	7.5	335	2.32	<0.5	0.8	7.6	2.3	58



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 5 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000198	Drill Core	0.5	2.1	<0.1	17	0.57	0.059	15	20	0.73	237	0.074	<1	0.99	0.027	0.52	1.2	<0.01	4.1	0.3	0.48			
2000199	Drill Core	0.6	2.6	<0.1	26	0.76	0.067	17	30	1.33	220	0.114	<1	1.52	0.021	0.69	0.9	<0.01	5.3	0.4	<0.05			
2000200	Drill Core	0.6	1.8	0.4	14	1.22	0.057	10	16	0.98	201	0.042	1	1.05	0.021	0.49	0.1	<0.01	5.5	0.3	0.21			
2000201	Drill Core	0.9	0.1	0.1	3	0.19	0.029	37	5	0.12	382	0.002	1	0.47	0.031	0.30	0.1	<0.01	2.5	0.1	<0.05			
2000202	Drill Core	0.4	0.5	<0.1	25	0.47	0.072	26	26	0.72	408	0.090	1	1.15	0.049	0.43	0.2	<0.01	6.3	0.1	<0.05			
2000203	Drill Core	0.1	0.3	0.2	17	0.57	0.053	11	17	0.63	237	0.066	<1	0.93	0.041	0.26	<0.1	0.01	3.5	0.1	<0.05			
2000204	Drill Core	0.6	0.6	0.5	6	1.18	0.050	42	6	0.23	317	0.035	2	0.67	0.060	0.36	0.9	<0.01	2.0	0.1	<0.05			
2000205	Drill Core	1.3	0.7	0.5	15	0.37	0.074	27	12	0.53	316	0.083	<1	0.83	0.031	0.40	1.3	<0.01	6.5	0.2	<0.05			
2000206	Drill Core	0.4	0.7	0.7	21	0.48	0.054	11	25	0.93	148	0.110	1	1.07	0.026	0.49	1.8	<0.01	4.9	0.5	<0.05			
2000207	Drill Core	5.4	0.7	0.4	42	0.37	0.092	9	26	1.51	240	0.087	1	1.71	0.006	0.50	0.2	<0.01	3.6	0.5	0.26			
2000208	Drill Core	1.3	0.1	1.5	18	0.13	0.057	10	11	1.34	211	0.029	<1	1.36	0.007	0.36	<0.1	<0.01	2.2	0.2	0.09			
2000209	Drill Core	1.3	0.2	0.3	27	1.26	0.068	5	16	1.78	215	0.008	<1	1.74	0.009	0.30	<0.1	<0.01	2.7	0.2	0.73			
2000210	Rock	<0.1	<0.1	<0.1	<2	30.25	0.007	2	<1	1.32	13	0.002	2	0.03	0.005	<0.01	<0.1	<0.01	0.2	<0.1	<0.05			
2000211	Drill Core	1.1	1.0	0.1	53	1.35	0.066	14	32	2.08	277	0.004	<1	2.14	0.008	0.19	<0.1	<0.01	3.9	<0.1	0.15			
2000212	Drill Core	0.5	0.7	<0.1	20	0.49	0.061	10	27	0.61	231	0.101	1	0.97	0.044	0.43	0.4	<0.01	4.0	0.3	<0.05			
2000213	Drill Core	7.6	0.2	<0.1	20	0.15	0.060	10	18	2.03	138	0.004	1	1.84	0.008	0.19	<0.1	<0.01	1.9	<0.1	0.14			
2000058	Drill Core	0.1	1.4	0.2	18	0.48	0.065	16	27	1.20	220	0.082	2	1.19	0.027	0.60	0.5	<0.01	5.1	0.2	<0.05			
2000059	Drill Core	0.2	1.8	<0.1	19	0.64	0.054	13	24	1.03	196	0.079	2	1.14	0.012	0.61	0.7	<0.01	4.3	0.2	<0.05			
2000060	Drill Core	0.2	1.7	<0.1	14	0.75	0.041	12	16	0.77	236	0.065	2	0.95	0.009	0.58	0.9	<0.01	3.5	0.2	<0.05			
2000061	Drill Core	0.3	0.4	<0.1	34	0.61	0.075	18	69	0.73	518	0.114	1	1.17	0.059	0.41	0.2	<0.01	4.6	0.2	0.14			
2000062	Drill Core	0.2	0.7	2.7	26	2.86	0.061	17	59	0.61	277	0.090	2	0.80	0.041	0.22	0.2	<0.01	3.5	0.1	<0.05			
2000063	Drill Core	<0.1	0.8	<0.1	37	0.48	0.080	18	89	1.05	274	0.103	2	1.21	0.036	0.23	0.1	<0.01	3.6	0.1	0.18			
2000064	Drill Core	0.8	1.3	0.4	20	1.35	0.073	4	18	1.51	166	0.036	1	1.55	0.004	0.65	0.2	<0.01	2.6	0.5	1.37			
2000065	Drill Core	2.0	0.5	<0.1	6	3.09	0.019	19	5	0.56	94	0.009	<1	0.37	0.003	0.17	0.2	<0.01	1.5	0.2	<0.05			
2000066	Drill Core	9.0	2.4	0.8	32	3.41	0.049	3	14	1.85	163	0.039	2	1.77	0.006	0.48	0.2	<0.01	4.1	0.4	0.52			
2000067	Drill Core	22.5	7.1	1.8	46	1.80	0.054	4	13	2.71	119	0.058	4	2.63	0.013	0.53	0.4	0.01	4.8	0.7	1.98			
2000068	Drill Core	2.8	3.1	0.1	19	0.33	0.086	14	29	2.15	179	0.047	2	2.03	0.007	0.38	0.1	<0.01	3.0	0.2	<0.05			
2000251	Drill Core	0.3	0.2	0.3	<2	0.02	0.006	32	2	0.06	205	0.001	1	0.32	0.036	0.24	<0.1	<0.01	0.9	<0.1	<0.05			
2000252	Drill Core	<0.1	0.2	0.1	<2	<0.01	0.003	15	6	0.03	106	<0.001	<1	0.15	0.019	0.12	<0.1	<0.01	0.5	<0.1	<0.05			
2000253	Rock Pulp	<0.1	<0.1	<0.1	82	0.69	0.059	6	10	0.64	101	0.085	2	1.20	0.130	0.18	2.1	<0.01	2.0	<0.1	<0.05			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 5 of 7

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000045.1

		Method	AQ201	AQ201	AQ201
		Analyte	Ga	Se	Te
		Unit	ppm	ppm	ppm
		MDL	1	0.5	0.2
2000198	Drill Core		4	1.8	<0.2
2000199	Drill Core		6	<0.5	<0.2
2000200	Drill Core		3	0.9	<0.2
2000201	Drill Core		2	<0.5	<0.2
2000202	Drill Core		5	<0.5	<0.2
2000203	Drill Core		3	<0.5	<0.2
2000204	Drill Core		3	<0.5	<0.2
2000205	Drill Core		4	<0.5	<0.2
2000206	Drill Core		4	<0.5	0.3
2000207	Drill Core		4	3.8	<0.2
2000208	Drill Core		3	3.3	<0.2
2000209	Drill Core		4	2.3	<0.2
2000210	Rock		<1	<0.5	<0.2
2000211	Drill Core		6	<0.5	<0.2
2000212	Drill Core		4	<0.5	<0.2
2000213	Drill Core		5	2.0	<0.2
2000058	Drill Core		4	<0.5	<0.2
2000059	Drill Core		4	<0.5	<0.2
2000060	Drill Core		3	<0.5	<0.2
2000061	Drill Core		4	0.8	<0.2
2000062	Drill Core		3	3.7	0.3
2000063	Drill Core		5	<0.5	<0.2
2000064	Drill Core		4	2.8	<0.2
2000065	Drill Core		1	0.8	<0.2
2000066	Drill Core		4	3.0	<0.2
2000067	Drill Core		6	6.5	<0.2
2000068	Drill Core		5	1.1	<0.2
2000251	Drill Core		1	<0.5	<0.2
2000252	Drill Core		<1	<0.5	<0.2
2000253	Rock Pulp		4	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS  
Report Date: June 17, 2016

Page: 6 of 7

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000254	Drill Core	0.77	508	<0.005	<0.01	<0.17	25.30	0.3	3.5	21.9	11	0.1	2.0	0.6	118	0.90	0.6	0.9	0.9	7.4	2
2000255	Drill Core	0.77	510	0.186	0.32	2.88	25.71	0.2	1.9	21.0	8	0.3	0.5	0.4	96	0.63	1.8	0.8	105.7	10.9	3
2000256	Drill Core	0.60	514	<0.005	<0.01	<0.17	26.75	0.3	1.9	16.9	12	0.1	1.3	0.8	126	0.76	2.3	0.6	2.3	10.1	2
2000257	Drill Core	0.76	492	<0.005	<0.01	<0.17	29.00	0.2	2.7	17.7	14	0.1	0.5	0.6	102	0.71	1.1	0.9	1.1	12.1	6
2000258	Drill Core	0.87	571	<0.005	<0.01	<0.17	29.95	0.2	3.0	23.7	14	0.2	0.9	0.7	123	0.59	0.5	0.9	1.4	14.3	5
2000259	Drill Core	1.18	509	0.007	<0.01	<0.17	29.32	0.2	3.2	21.6	13	0.2	1.3	0.7	124	0.74	1.7	1.0	4.2	13.7	3
2000260	Drill Core	0.60	504	<0.005	<0.01	<0.17	24.80	0.2	3.1	18.8	14	0.1	0.4	0.6	88	0.68	3.4	0.9	2.1	11.9	3
2000261	Drill Core	0.58	478	<0.005	<0.01	<0.17	25.96	0.1	2.8	17.5	19	0.2	1.2	0.7	142	0.81	0.9	1.0	<0.5	12.7	7
2000262	Drill Core	1.13	486	<0.005	<0.01	<0.17	24.83	0.3	1.2	14.0	14	0.1	1.1	0.9	91	0.74	2.0	1.5	1.8	15.3	6
2000263	Drill Core	1.43	444	0.005	<0.01	<0.17	26.41	0.4	8.3	72.7	41	0.7	5.7	3.2	210	1.63	1.7	0.5	4.0	4.3	10
2000264	Drill Core	0.92	364	0.007	<0.01	<0.17	25.57	0.6	66.5	13.7	62	1.1	18.0	11.5	356	2.73	4.0	1.4	4.4	10.6	34
2000265	Drill Core	0.64	386	<0.005	<0.01	<0.17	25.57	0.3	16.0	8.1	48	0.2	11.4	7.2	263	1.83	2.1	1.1	1.3	7.0	49
2000266	Drill Core	0.65	555	<0.005	<0.01	<0.17	27.57	0.6	10.3	5.1	36	0.1	9.1	5.5	509	1.98	0.9	0.8	<0.5	6.9	139
2000267	Rock Pulp	0.66	88	6.700	I.S.	I.S.	I.S.	13.7	71.9	22.6	59	0.7	19.1	9.1	473	4.24	12.5	0.4	8007.4	1.2	60
2000268	Drill Core	0.75	480	<0.005	<0.01	<0.17	25.29	0.6	5.9	9.0	58	0.1	8.4	6.1	544	2.54	0.8	1.3	1.2	10.5	179
2000269	Drill Core	0.66	421	0.037	0.03	<0.17	25.50	0.4	16.4	10.7	72	0.3	10.5	7.0	502	2.38	3.5	1.1	50.8	10.3	33
2000270	Drill Core	0.63	520	0.152	0.15	<0.17	28.61	0.6	7.8	6.7	35	0.3	13.7	9.1	306	2.37	13.7	1.0	91.3	7.9	19
2000271	Drill Core	0.96	377	0.125	0.12	<0.17	25.21	0.9	12.1	11.0	81	0.6	11.7	8.0	479	2.45	10.2	1.4	95.0	9.2	28
2000272	Drill Core	1.20	503	<0.005	<0.01	<0.17	29.56	0.2	7.8	17.3	32	0.2	7.8	5.7	548	1.68	<0.5	0.7	<0.5	5.6	899
2000273	Drill Core	1.29	569	0.011	0.01	<0.17	27.35	0.3	22.4	138.9	159	1.0	9.0	5.9	621	2.28	3.9	0.7	8.3	7.8	28
2000274	Rock Pulp	0.15	103	<0.005	I.S.	I.S.	I.S.	1.7	58.7	2.9	35	<0.1	5.0	7.4	347	2.44	0.5	0.7	<0.5	2.2	57
2000275	Drill Core	2.12	451	0.013	0.01	<0.17	25.89	0.2	39.4	26.8	134	0.8	12.7	8.5	564	2.46	4.0	1.0	18.3	9.4	21
2000276	Drill Core	0.59	497	0.257	0.40	3.15	25.42	0.3	268.0	58.7	228	7.0	16.6	8.6	487	2.28	19.5	0.8	502.3	5.6	17
2000277	Drill Core	0.61	511	0.111	0.11	<0.17	15.27	2.5	82.7	18.4	224	3.1	22.3	13.4	796	4.34	26.5	2.0	82.2	7.6	38
2000278	Drill Core	3.76	430	0.030	0.03	<0.17	18.15	0.2	17.4	21.2	50	0.9	9.4	5.7	255	1.67	9.3	0.8	17.7	9.6	18
2000279	Drill Core	4.22	417	0.011	0.01	<0.17	16.67	0.2	16.3	17.1	65	0.6	11.3	6.0	411	2.06	14.3	0.9	10.4	8.8	22
2000280	Drill Core	3.02	483	<0.005	<0.01	<0.17	22.96	0.1	12.3	15.2	68	0.4	13.0	6.9	375	2.08	7.3	1.0	2.5	9.3	22
2000281	Drill Core	2.63	547	0.007	<0.01	<0.17	27.52	0.3	21.2	21.2	43	0.4	15.9	6.6	292	1.65	14.6	1.1	3.9	9.5	16
2000282	Drill Core	0.70	471	0.015	0.02	<0.17	26.15	0.1	10.6	6.7	13	0.2	6.6	3.5	100	0.82	17.4	0.4	7.3	7.4	8
2000283	Drill Core	0.73	483	<0.005	<0.01	<0.17	26.51	0.2	23.2	18.4	54	0.4	14.9	6.6	217	1.75	11.4	1.0	1.4	9.4	18



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 6 of 7

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.1
2000254	Drill Core				0.1	0.2	0.1	<2	0.01	0.003	24	6	0.04	208	0.001	2	0.29	0.029	0.24	<0.1	<0.01	0.8	<0.1	<0.05
2000255	Drill Core				0.2	0.1	0.3	<2	0.02	0.008	33	2	0.04	223	0.001	<1	0.31	0.022	0.30	<0.1	0.02	1.0	<0.1	<0.05
2000256	Drill Core				0.2	0.2	0.1	<2	0.01	0.004	30	5	0.06	213	0.001	<1	0.32	0.028	0.28	<0.1	0.01	1.0	<0.1	<0.05
2000257	Drill Core				0.3	0.1	0.2	<2	0.04	0.008	35	2	0.06	215	0.003	<1	0.32	0.045	0.25	<0.1	<0.01	1.5	<0.1	<0.05
2000258	Drill Core				0.3	0.2	0.2	<2	0.03	0.007	37	3	0.06	245	0.001	<1	0.35	0.023	0.30	<0.1	0.01	1.1	<0.1	<0.05
2000259	Drill Core				0.2	0.2	0.2	<2	0.02	0.005	44	4	0.08	338	0.002	2	0.50	0.047	0.43	<0.1	<0.01	1.2	0.1	<0.05
2000260	Drill Core				0.3	0.2	0.3	<2	0.02	0.007	36	1	0.06	236	0.002	1	0.34	0.042	0.29	<0.1	0.02	1.1	<0.1	<0.05
2000261	Drill Core				0.3	0.2	0.2	<2	0.05	0.009	36	4	0.09	305	0.003	<1	0.45	0.063	0.35	<0.1	<0.01	2.0	0.1	<0.05
2000262	Drill Core				0.2	0.1	0.2	<2	0.03	0.008	49	4	0.11	329	0.001	1	0.45	0.035	0.32	<0.1	0.01	1.3	0.2	<0.05
2000263	Drill Core				0.4	0.3	1.3	9	0.12	0.044	14	14	0.34	107	0.003	<1	0.54	0.039	0.14	0.1	<0.01	2.4	<0.1	<0.05
2000264	Drill Core				0.4	0.6	<0.1	24	0.34	0.084	35	37	0.75	331	0.009	<1	1.39	0.088	0.45	0.2	<0.01	5.2	0.2	<0.05
2000265	Drill Core				0.1	0.4	<0.1	18	0.60	0.072	15	21	0.78	354	0.107	1	1.22	0.052	0.62	0.1	<0.01	3.4	0.3	<0.05
2000266	Drill Core				0.1	0.3	<0.1	21	1.87	0.053	16	23	0.67	277	0.079	<1	0.84	0.046	0.19	0.2	<0.01	5.0	<0.1	<0.05
2000267	Rock Pulp				0.2	6.0	0.5	98	1.05	0.052	5	29	0.61	92	0.097	3	1.83	0.168	0.14	1.5	0.29	4.7	<0.1	<0.05
2000268	Drill Core				0.3	0.4	<0.1	20	2.17	0.054	23	19	0.75	339	0.023	<1	1.14	0.039	0.48	0.2	<0.01	6.1	0.4	<0.05
2000269	Drill Core				1.1	0.3	<0.1	18	0.52	0.060	31	20	0.80	203	0.004	<1	1.17	0.035	0.28	0.1	<0.01	4.2	0.1	<0.05
2000270	Drill Core				0.8	0.5	<0.1	14	0.19	0.061	25	18	0.52	223	0.004	1	0.96	0.018	0.38	0.3	<0.01	3.0	0.2	<0.05
2000271	Drill Core				0.7	0.4	<0.1	15	0.31	0.084	28	16	0.64	226	0.005	<1	1.09	0.023	0.37	0.2	0.01	2.9	0.2	<0.05
2000272	Drill Core				0.3	0.3	0.1	14	7.48	0.048	16	17	0.50	124	0.009	<1	0.80	0.045	0.22	<0.1	<0.01	3.0	0.1	<0.05
2000273	Drill Core				1.4	0.3	0.3	19	0.34	0.083	21	17	0.77	137	0.004	<1	1.10	0.023	0.21	0.1	0.02	3.7	<0.1	<0.05
2000274	Rock Pulp				<0.1	<0.1	<0.1	87	0.65	0.061	6	9	0.67	103	0.078	1	1.21	0.109	0.18	1.9	<0.01	1.9	<0.1	<0.05
2000275	Drill Core				1.7	0.3	0.1	19	0.22	0.076	30	22	0.75	168	0.004	<1	1.14	0.022	0.24	0.1	<0.01	3.6	0.1	<0.05
2000276	Drill Core				1.2	1.3	0.5	24	0.16	0.048	16	25	0.72	117	0.002	<1	1.03	0.007	0.22	0.2	0.02	3.1	0.1	<0.05
2000277	Drill Core				2.2	0.7	0.2	52	0.40	0.120	21	85	1.67	206	0.002	<1	1.97	0.003	0.32	0.2	0.02	7.0	0.1	<0.05
2000278	Drill Core				0.5	0.3	0.3	14	0.18	0.047	25	16	0.53	187	0.002	<1	0.87	0.021	0.25	0.1	<0.01	2.2	<0.1	<0.05
2000279	Drill Core				1.0	0.4	0.2	18	0.25	0.077	26	17	0.56	228	0.002	<1	1.00	0.028	0.26	0.2	<0.01	3.0	<0.1	<0.05
2000280	Drill Core				0.7	0.4	0.2	19	0.23	0.060	28	20	0.86	166	0.005	<1	1.21	0.027	0.29	0.1	<0.01	4.2	0.1	<0.05
2000281	Drill Core				0.8	0.4	0.6	14	0.20	0.061	26	12	0.43	216	0.002	<1	0.80	0.029	0.26	<0.1	<0.01	2.1	<0.1	<0.05
2000282	Drill Core				0.2	0.2	<0.1	4	0.10	0.040	20	4	0.11	207	0.001	<1	0.34	0.025	0.24	0.1	<0.01	0.8	<0.1	<0.05
2000283	Drill Core				0.8	0.3	0.8	13	0.20	0.064	27	15	0.37	245	0.002	<1	0.81	0.027	0.30	0.1	<0.01	2.2	<0.1	<0.05



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 6 of 7

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000045.1

		Method	AQ201	AQ201	AQ201
		Analyte	Ga	Se	Te
		Unit	ppm	ppm	ppm
		MDL	1	0.5	0.2
2000254	Drill Core		1	<0.5	<0.2
2000255	Drill Core		1	<0.5	<0.2
2000256	Drill Core		1	<0.5	<0.2
2000257	Drill Core		1	<0.5	<0.2
2000258	Drill Core		1	<0.5	<0.2
2000259	Drill Core		2	<0.5	<0.2
2000260	Drill Core		1	<0.5	<0.2
2000261	Drill Core		2	<0.5	<0.2
2000262	Drill Core		2	<0.5	<0.2
2000263	Drill Core		3	<0.5	<0.2
2000264	Drill Core		6	<0.5	<0.2
2000265	Drill Core		4	<0.5	<0.2
2000266	Drill Core		5	<0.5	<0.2
2000267	Rock Pulp		5	<0.5	<0.2
2000268	Drill Core		4	<0.5	<0.2
2000269	Drill Core		6	<0.5	<0.2
2000270	Drill Core		5	<0.5	<0.2
2000271	Drill Core		5	<0.5	<0.2
2000272	Drill Core		3	<0.5	<0.2
2000273	Drill Core		6	<0.5	<0.2
2000274	Rock Pulp		4	<0.5	<0.2
2000275	Drill Core		6	<0.5	<0.2
2000276	Drill Core		6	<0.5	<0.2
2000277	Drill Core		12	1.4	<0.2
2000278	Drill Core		4	<0.5	<0.2
2000279	Drill Core		5	<0.5	<0.2
2000280	Drill Core		6	<0.5	<0.2
2000281	Drill Core		4	<0.5	<0.2
2000282	Drill Core		1	<0.5	<0.2
2000283	Drill Core		4	<0.5	<0.2





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 7 of 7

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000284	Drill Core	0.63	411	<0.005	<0.01	<0.17	23.50	1.0	6.5	1.3	76	<0.1	21.5	10.6	684	2.48	13.0	0.7	<0.5	6.8	245
2000285	Drill Core	1.02	458	<0.005	<0.01	<0.17	26.35	0.2	24.8	13.4	68	0.3	22.3	8.5	308	2.29	68.7	0.7	3.9	7.0	13
2000286	Rock Pulp	0.14	102	3.930	I.S.	I.S.	I.S.	8.8	60.4	412.2	1555	50.2	27.0	7.4	395	3.27	32.6	0.3	3865.1	1.0	37
2000287	Drill Core	0.68	458	<0.005	<0.01	<0.17	26.73	2.8	22.1	7.8	98	0.1	32.5	19.5	682	2.98	19.9	7.1	<0.5	6.5	144
2000343	Drill Core	1.92	457	0.008	<0.01	<0.17	25.93	0.3	15.3	18.3	44	0.4	13.2	5.9	382	1.84	50.7	0.8	5.7	8.1	16



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 7 of 7

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000284	Drill Core	0.4	0.3	<0.1	61	5.50	0.096	17	143	1.22	230	0.045	<1	1.50	0.060	0.30	0.2	<0.01	8.3	0.1	<0.05
2000285	Drill Core	0.5	1.8	0.1	18	0.19	0.070	25	21	0.78	122	0.003	<1	1.03	0.026	0.12	<0.1	0.02	4.5	<0.1	<0.05
2000286	Rock Pulp	16.8	66.5	1.1	57	0.68	0.055	5	24	0.57	107	0.095	5	1.17	0.074	0.11	2.6	0.21	4.5	1.0	0.34
2000287	Drill Core	4.1	1.0	<0.1	59	2.61	0.067	19	122	1.75	242	0.073	<1	1.90	0.040	0.27	<0.1	<0.01	9.1	0.2	0.23
2000343	Drill Core	0.4	1.0	0.3	13	0.24	0.065	23	11	0.37	277	0.012	<1	0.75	0.020	0.28	0.1	<0.01	5.1	<0.1	<0.05



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: June 17, 2016

Page: 7 of 7

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000284	Drill Core	7	<0.5	<0.2
2000285	Drill Core	4	<0.5	<0.2
2000286	Rock Pulp	7	<0.5	0.2
2000287	Drill Core	8	10.0	<0.2
2000343	Drill Core	2	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 1 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

Method		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2000104	Drill Core	0.34	266	<0.005	<0.01	<0.17	14.22	0.3	1.8	15.4	32	0.2	0.8	1.0	194	0.80	<0.5	0.6	<0.5	7.1	62
REP 2000104	QC							0.2	1.7	15.3	32	0.2	0.8	0.9	189	0.78	<0.5	0.7	1.1	7.3	60
2000143	Drill Core	1.65	482	0.014	0.03	0.35	20.19	0.8	1.6	10.2	28	0.6	0.7	0.9	122	1.05	21.6	1.3	17.6	8.5	4
REP 2000143	QC			0.006																	
REP 2000146	QC							0.3	3.3	15.6	25	0.2	0.7	0.5	134	0.74	8.5	2.3	7.1	10.8	8
2000173	Drill Core	0.57	467	<0.005	<0.01	<0.17	14.32	0.9	33.5	267.2	215	0.8	10.7	5.6	519	2.16	4.7	0.8	0.7	7.3	117
REP 2000173	QC			<0.005																	
2000181	Drill Core	0.70	433	0.091	0.09	<0.17	19.90	0.6	70.2	116.7	134	1.2	15.1	4.8	290	1.90	9.9	0.6	31.1	4.9	10
REP 2000181	QC							0.8	74.6	117.3	140	1.2	15.7	5.0	295	1.92	10.7	0.7	15.8	5.1	10
2000060	Drill Core	0.61	375	0.303	0.31	0.37	26.70	0.8	21.9	5.6	43	0.6	18.8	7.7	293	1.82	9.4	0.9	208.7	4.9	55
REP 2000060	QC							0.8	22.3	5.7	45	0.6	18.6	7.7	291	1.81	9.5	0.9	266.9	5.1	55
2000061	Drill Core	0.62	515	0.007	<0.01	<0.17	24.66	2.1	20.4	3.0	42	0.2	19.6	11.2	275	1.84	17.9	1.7	1.8	6.8	23
REP 2000061	QC			0.005																	
2000274	Rock Pulp	0.15	103	<0.005	I.S.	I.S.	I.S.	1.7	58.7	2.9	35	<0.1	5.0	7.4	347	2.44	0.5	0.7	<0.5	2.2	57
REP 2000274	QC			0.020																	
2000278	Drill Core	3.76	430	0.030	0.03	<0.17	18.15	0.2	17.4	21.2	50	0.9	9.4	5.7	255	1.67	9.3	0.8	17.7	9.6	18
REP 2000278	QC							0.2	18.1	21.2	53	0.9	9.8	5.5	255	1.67	9.8	0.8	16.2	9.6	18
2000343	Drill Core	1.92	457	0.008	<0.01	<0.17	25.93	0.3	15.3	18.3	44	0.4	13.2	5.9	382	1.84	50.7	0.8	5.7	8.1	16
REP 2000343	QC			0.009																	
Core Reject Duplicates																					
2000105	Drill Core	1.36	454	<0.005	<0.01	<0.17	15.64	0.3	2.9	8.1	51	0.2	0.5	0.9	242	0.94	0.9	0.7	0.9	7.8	23
DUP 2000105	QC		433	<0.005	<0.01	<0.17	18.15	0.4	2.8	8.3	51	0.2	0.6	1.0	245	1.00	0.9	0.8	0.6	8.0	25
2000146	Drill Core	1.05	451	0.009	<0.01	<0.17	25.28	0.3	3.2	15.8	26	0.3	0.7	0.5	136	0.75	8.4	2.4	9.7	11.3	8
DUP 2000146	QC		438	0.009	<0.01	<0.17	15.98	0.4	3.2	15.6	25	0.3	0.7	0.4	133	0.73	8.6	2.4	10.2	11.2	8
2000180	Drill Core	3.08	336	0.007	<0.01	<0.17	21.83	0.9	29.3	39.9	78	0.8	14.3	5.1	325	1.60	6.9	1.1	2.2	9.7	65
DUP 2000180	QC		339	<0.005	<0.01	<0.17	34.02	0.8	31.3	40.2	79	0.8	13.8	5.1	333	1.64	7.3	1.1	0.9	10.2	66
2000058	Drill Core	0.80	348	0.008	<0.01	<0.17	24.73	1.2	22.2	15.3	63	0.3	23.0	10.2	388	2.57	13.9	1.0	4.4	7.1	36
DUP 2000058	QC		331	<0.005	<0.01	<0.17	28.07	1.1	21.7	14.5	62	0.3	22.0	9.9	367	2.42	12.7	0.9	3.2	6.9	36



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

LS

Report Date:

June 17, 2016

Page:

1 of 3

Part:

2 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2000104	Drill Core	0.3	0.3	0.2	<2	0.54	0.006	26	3	0.32	438	0.001	<1	0.61	0.012	0.31	<0.1	<0.01	1.5	<0.1	<0.05
REP 2000104	QC	0.3	0.3	0.1	<2	0.53	0.005	24	3	0.31	422	0.001	<1	0.57	0.012	0.30	0.1	0.01	1.4	<0.1	<0.05
2000143	Drill Core	0.5	0.6	<0.1	<2	0.01	0.006	32	1	<0.01	202	0.002	2	0.17	0.023	0.14	0.7	0.06	1.2	<0.1	<0.05
REP 2000143	QC																				
REP 2000146	QC	0.4	0.4	0.1	<2	0.05	0.008	43	2	0.05	498	<0.001	2	0.53	0.029	0.26	0.2	0.09	2.5	<0.1	<0.05
2000173	Drill Core	0.7	1.4	0.5	18	1.67	0.047	16	22	1.19	96	0.060	<1	1.29	0.030	0.42	1.0	<0.01	4.8	0.4	<0.05
REP 2000173	QC																				
2000181	Drill Core	1.4	0.6	0.3	16	0.13	0.049	21	20	0.43	186	0.002	<1	0.73	0.010	0.28	0.2	<0.01	1.4	0.1	<0.05
REP 2000181	QC	1.2	0.5	0.3	16	0.13	0.049	21	21	0.44	192	0.002	<1	0.74	0.009	0.28	0.2	0.01	1.8	<0.1	<0.05
2000060	Drill Core	0.2	1.7	<0.1	14	0.75	0.041	12	16	0.77	236	0.065	2	0.95	0.009	0.58	0.9	<0.01	3.5	0.2	<0.05
REP 2000060	QC	0.3	1.7	<0.1	14	0.74	0.042	12	16	0.76	236	0.062	1	0.92	0.010	0.57	0.8	<0.01	3.5	0.2	<0.05
2000061	Drill Core	0.3	0.4	<0.1	34	0.61	0.075	18	69	0.73	518	0.114	1	1.17	0.059	0.41	0.2	<0.01	4.6	0.2	0.14
REP 2000061	QC																				
2000274	Rock Pulp	<0.1	<0.1	<0.1	87	0.65	0.061	6	9	0.67	103	0.078	1	1.21	0.109	0.18	1.9	<0.01	1.9	<0.1	<0.05
REP 2000274	QC																				
2000278	Drill Core	0.5	0.3	0.3	14	0.18	0.047	25	16	0.53	187	0.002	<1	0.87	0.021	0.25	0.1	<0.01	2.2	<0.1	<0.05
REP 2000278	QC	0.5	0.4	0.3	14	0.18	0.049	26	16	0.53	194	0.002	<1	0.89	0.023	0.26	0.1	<0.01	2.2	<0.1	<0.05
2000343	Drill Core	0.4	1.0	0.3	13	0.24	0.065	23	11	0.37	277	0.012	<1	0.75	0.020	0.28	0.1	<0.01	5.1	<0.1	<0.05
REP 2000343	QC																				
Core Reject Duplicates																					
2000105	Drill Core	0.3	0.4	0.1	<2	0.13	0.005	23	1	0.39	358	<0.001	<1	0.57	0.009	0.24	0.1	0.04	1.4	<0.1	<0.05
DUP 2000105	QC	0.4	0.4	0.1	<2	0.14	0.005	25	1	0.39	403	0.001	<1	0.64	0.010	0.28	0.1	0.03	1.7	<0.1	<0.05
2000146	Drill Core	0.3	0.4	0.1	<2	0.05	0.008	44	2	0.05	514	<0.001	3	0.54	0.029	0.26	0.2	0.09	2.7	<0.1	<0.05
DUP 2000146	QC	0.4	0.4	0.1	<2	0.05	0.007	43	2	0.05	482	<0.001	2	0.51	0.028	0.25	0.1	0.08	2.4	<0.1	<0.05
2000180	Drill Core	1.0	0.5	0.9	13	0.88	0.060	33	13	0.36	221	0.013	1	0.77	0.053	0.30	0.2	<0.01	2.8	0.1	<0.05
DUP 2000180	QC	1.0	0.4	0.8	14	0.90	0.061	32	14	0.37	215	0.014	1	0.78	0.052	0.30	0.2	<0.01	3.0	0.1	<0.05
2000058	Drill Core	0.1	1.4	0.2	18	0.48	0.065	16	27	1.20	220	0.082	2	1.19	0.027	0.60	0.5	<0.01	5.1	0.2	<0.05
DUP 2000058	QC	0.2	1.4	0.2	19	0.50	0.061	16	25	1.14	218	0.079	1	1.24	0.026	0.58	0.4	<0.01	4.7	0.2	<0.05



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 1 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2000104	Drill Core	2	<0.5	<0.2
REP 2000104	QC	1	<0.5	<0.2
2000143	Drill Core	<1	<0.5	<0.2
REP 2000143	QC			
REP 2000146	QC	2	<0.5	<0.2
2000173	Drill Core	6	0.5	<0.2
REP 2000173	QC			
2000181	Drill Core	4	<0.5	<0.2
REP 2000181	QC	4	<0.5	<0.2
2000060	Drill Core	3	<0.5	<0.2
REP 2000060	QC	3	<0.5	<0.2
2000061	Drill Core	4	0.8	<0.2
REP 2000061	QC			
2000274	Rock Pulp	4	<0.5	<0.2
REP 2000274	QC			
2000278	Drill Core	4	<0.5	<0.2
REP 2000278	QC	4	<0.5	<0.2
2000343	Drill Core	2	<0.5	<0.2
REP 2000343	QC			
Core Reject Duplicates				
2000105	Drill Core	1	<0.5	<0.2
DUP 2000105	QC	2	<0.5	<0.2
2000146	Drill Core	2	<0.5	<0.2
DUP 2000146	QC	2	<0.5	<0.2
2000180	Drill Core	4	<0.5	<0.2
DUP 2000180	QC	4	0.7	<0.2
2000058	Drill Core	4	<0.5	<0.2
DUP 2000058	QC	4	0.6	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

## QUALITY CONTROL REPORT

WHI16000045.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Reference Materials																					
STD DS10	Standard							14.1	142.2	138.5	364	1.8	67.6	11.5	877	2.77	47.5	2.4	75.0	6.9	75
STD DS10	Standard							15.3	153.6	153.8	357	1.8	74.9	13.3	897	2.80	45.6	2.8	78.0	8.1	72
STD DS10	Standard							14.9	151.7	149.1	358	1.7	73.1	12.7	881	2.75	45.8	2.8	111.6	7.6	73
STD DS10	Standard							12.6	138.6	135.6	361	1.9	67.8	11.7	884	2.72	47.5	2.3	93.8	6.8	73
STD DS10	Standard							13.9	142.2	140.5	358	1.8	67.7	11.6	893	2.74	45.9	2.4	88.5	7.0	74
STD OXC129	Standard							1.2	24.9	5.8	40	<0.1	70.3	17.9	415	2.99	<0.5	0.6	202.7	1.8	209
STD OXC129	Standard							1.2	25.2	6.1	41	<0.1	75.6	19.5	433	3.10	<0.5	0.7	191.1	1.9	214
STD OXC129	Standard							1.3	27.4	6.4	40	<0.1	80.6	20.2	426	3.06	0.6	0.7	200.0	1.9	195
STD OXC129	Standard							1.1	23.7	5.7	40	<0.1	71.5	18.7	426	3.05	0.6	0.7	206.7	1.6	203
STD OXC129	Standard							1.1	24.2	5.8	40	<0.1	71.5	18.2	416	2.98	0.7	0.6	182.8	1.7	195
STD OXD108	Standard			0.416																	
STD OXD108	Standard			0.417																	
STD OXD108	Standard			0.414																	
STD OXI121	Standard			1.782																	
STD OXI121	Standard			1.856																	
STD OXI121	Standard			1.831																	
STD OXN117	Standard			7.701																	
STD OXN117	Standard			7.651																	
STD OXN117	Standard			7.668																	
STD OXP91	Standard					15.12	30.43														
STD OXP91	Standard					15.03	30.40														
STD OXP91	Standard					15.22	29.44														
STD OXP91	Standard					15.03	30.07														
STD OXP91	Standard					15.12	30.82														
STD OXP91	Standard					14.91	29.84														
STD OXP91	Standard					14.91	30.58														
STD OXP91	Standard					15.09	30.02														
STD OXP91	Standard					15.17	30.05														



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 2 of 3

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Reference Materials																					
STD DS10	Standard	3.1	10.3	12.9	42	1.09	0.080	18	51	0.78	373	0.074	9	1.07	0.071	0.34	3.2	0.27	3.2	5.1	0.27
STD DS10	Standard	2.3	9.5	13.0	45	1.10	0.080	21	56	0.79	383	0.085	7	1.10	0.075	0.34	3.3	0.30	3.2	5.2	0.28
STD DS10	Standard	3.0	9.9	12.9	45	1.08	0.074	20	55	0.77	359	0.079	7	1.07	0.073	0.34	3.2	0.32	3.1	5.2	0.28
STD DS10	Standard	2.8	10.3	13.2	44	1.06	0.079	16	50	0.76	353	0.070	7	1.02	0.065	0.32	3.5	0.30	2.8	5.1	0.27
STD DS10	Standard	3.0	10.8	13.2	41	1.07	0.081	18	51	0.78	365	0.074	5	1.06	0.070	0.33	3.4	0.31	3.0	5.5	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	49	0.66	0.105	13	47	1.54	52	0.367	1	1.55	0.600	0.36	0.1	<0.01	1.1	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	55	0.71	0.104	13	47	1.57	53	0.382	1	1.62	0.617	0.37	<0.1	<0.01	1.1	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.67	0.104	13	51	1.55	50	0.401	<1	1.57	0.605	0.37	<0.1	<0.01	1.0	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.64	0.109	12	47	1.56	50	0.364	2	1.51	0.584	0.35	0.1	<0.01	1.0	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	48	0.62	0.103	12	46	1.52	48	0.366	<1	1.51	0.588	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 2 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
Reference Materials				
STD DS10	Standard	4	1.9	4.6
STD DS10	Standard	4	1.8	5.3
STD DS10	Standard	4	2.0	5.0
STD DS10	Standard	4	2.6	5.0
STD DS10	Standard	4	2.7	5.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 3 of 3

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		476	<0.005	<0.01	<0.17	20.09	0.5	2.8	1.2	30	<0.1	1.0	3.4	432	1.82	1.0	0.4	<0.5	2.3	34
ROCK-WHI	Prep Blank		447	<0.005	<0.01	<0.17	25.72	0.5	2.4	1.2	29	<0.1	1.1	3.4	429	1.82	1.1	0.4	<0.5	2.1	30



**[www.bureauveritas.com/um](http://www.bureauveritas.com/um)**

PHONE (604) 253-3158

Project: LS  
Report Date: June 17, 2016

Part: 2 of 3

## WHI16000045.1

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** June 17, 2016

**Page:** 3 of 3

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI16000045.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2