



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 13, 2016
Report Date: July 05, 2016
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI16000047.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-07
P.O. Number
Number of Samples: 122

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	113	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	122	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	122	Analysis sample split/packet			VAN
Split -150	122	Analysis sample split/packet			VAN
FS631	113	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	122	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	122	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000288	Drill Core	2.66	605	<0.005	<0.01	<0.17	24.81	1.0	32.6	28.2	167	0.6	18.0	11.0	495	2.43	14.4	1.1	2.5	6.0	23
2000289	Drill Core	2.01	514	<0.005	<0.01	<0.17	22.03	1.1	53.7	98.1	304	1.1	22.4	10.2	918	2.50	3.1	0.5	<0.5	3.2	56
2000290	Drill Core	1.55	478	0.029	0.03	<0.17	22.93	0.8	46.9	35.6	399	1.0	23.2	11.6	572	2.58	3.9	1.3	18.2	5.6	71
2000291	Drill Core	2.07	514	<0.005	<0.01	<0.17	28.95	0.8	26.5	61.4	205	0.6	9.4	6.0	330	1.42	1.8	0.5	5.3	3.2	14
2000292	Drill Core	0.96	442	<0.005	<0.01	<0.17	21.03	2.1	74.2	39.9	322	0.9	67.7	22.8	973	3.23	9.8	0.7	2.1	4.0	20
2000293	Drill Core	0.66	474	<0.005	<0.01	<0.17	23.26	2.8	60.5	9.7	157	0.5	38.4	17.8	498	3.21	12.9	1.0	1.1	3.5	36
2000294	Drill Core	0.99	450	<0.005	<0.01	<0.17	24.82	1.5	45.5	42.0	225	0.6	29.9	16.0	991	3.07	9.2	0.5	<0.5	3.9	169
2000295	Rock Pulp	0.12	100	<0.005	I.S.	I.S.	I.S.	2.1	69.6	3.6	34	<0.1	5.2	8.2	346	2.42	0.5	0.8	<0.5	2.5	59
2000296	Drill Core	0.84	578	0.038	0.04	<0.17	28.12	3.2	42.4	21.4	92	0.6	34.2	16.2	940	3.03	42.3	0.4	32.1	3.2	84
2000297	Drill Core	0.73	348	<0.005	<0.01	<0.17	27.07	1.8	20.7	24.5	101	0.4	17.1	8.7	513	2.33	7.5	1.6	2.1	4.3	87
2000301	Drill Core	5.38	471	0.007	<0.01	<0.17	21.50	0.1	2.7	26.6	15	0.2	0.6	0.9	137	0.53	2.2	1.1	2.4	15.2	7
2000302	Drill Core	0.84	594	<0.005	<0.01	<0.17	23.00	<0.1	3.5	23.0	13	0.3	0.4	0.6	78	0.35	0.9	1.2	1.6	15.9	14
2000303	Drill Core	0.66	463	0.035	0.03	<0.17	22.94	0.7	30.1	38.5	92	0.9	24.0	13.7	1022	4.12	8.5	1.6	32.0	13.8	78
2000304	Drill Core	0.90	419	<0.005	<0.01	<0.17	18.98	2.9	18.4	12.3	33	0.2	12.4	5.6	295	1.46	7.6	1.9	<0.5	9.4	322
2000305	Rock Pulp	0.12	96	<0.005	I.S.	I.S.	I.S.	2.0	69.7	3.4	36	<0.1	5.2	8.0	341	2.37	0.5	0.7	8.0	2.4	57
2000306	Drill Core	1.32	599	0.013	0.07	1.34	27.59	0.3	24.1	53.2	127	0.6	14.3	9.0	483	2.21	5.7	1.1	7.5	6.1	28
2000307	Drill Core	1.02	493	<0.005	<0.01	<0.17	19.82	0.2	9.7	7.6	50	0.1	10.8	7.1	339	1.66	0.9	0.5	0.5	3.1	38
2000308	Drill Core	1.20	545	<0.005	<0.01	<0.17	20.83	0.7	38.2	9.9	106	0.6	30.1	14.7	706	2.88	4.6	1.2	2.1	6.5	87
2000309	Drill Core	1.13	511	0.012	0.01	<0.17	22.98	0.6	17.1	45.1	91	0.5	29.4	14.3	656	2.29	2.0	1.1	5.4	6.6	107
2000310	Drill Core	0.76	519	0.121	0.11	<0.17	28.06	3.1	13.1	10.3	53	0.4	32.9	17.5	755	3.13	3.9	1.9	124.2	7.3	268
2000311	Drill Core	0.96	486	0.012	0.01	<0.17	21.68	0.8	30.5	16.9	64	0.9	25.7	13.2	734	2.21	4.3	1.3	4.2	6.4	169
2000312	Drill Core	1.66	583	0.031	0.03	<0.17	21.01	1.1	16.6	19.5	44	0.3	25.6	14.6	649	2.30	4.8	1.5	19.1	6.9	176
2000313	Drill Core	0.62	453	0.093	0.11	0.40	25.19	0.7	30.6	19.3	71	0.6	26.4	14.1	783	2.54	2.5	1.3	91.0	6.2	161
2000314	Rock Pulp	0.12	96	6.964	I.S.	I.S.	I.S.	14.9	74.6	23.9	60	0.8	20.1	9.8	465	4.24	12.2	0.4	7905.4	1.3	56
2000315	Drill Core	1.44	512	<0.005	<0.01	<0.17	25.12	2.5	83.4	175.1	827	1.9	27.7	15.7	1127	3.66	81.6	2.1	1.9	4.6	17
2000316	Drill Core	4.19	472	<0.005	<0.01	<0.17	17.90	1.5	91.5	102.1	879	1.1	26.1	16.5	1115	3.55	21.3	1.3	0.5	4.3	33
2000317	Drill Core	0.75	556	<0.005	<0.01	<0.17	21.82	2.3	51.0	34.8	197	0.5	47.0	18.8	687	3.08	6.7	1.3	<0.5	4.9	22
2000318	Drill Core	0.85	391	<0.005	<0.01	<0.17	20.86	1.4	33.4	53.1	195	0.5	25.0	11.7	1425	2.62	3.6	0.9	<0.5	4.2	275
2000319	Drill Core	0.58	431	<0.005	<0.01	<0.17	23.31	1.4	22.7	14.3	130	0.6	24.8	10.7	711	3.46	18.9	0.8	<0.5	5.8	48
2000320	Rock Pulp	0.12	99	7.237	I.S.	I.S.	I.S.	14.7	75.3	23.4	58	0.8	19.9	9.9	463	4.24	12.4	0.4	7609.0	1.3	56



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000288	Drill Core	1.6	1.0	0.4	21	0.34	0.064	9	18	1.50	144	0.042	1	1.53	0.004	0.27	0.3	<0.01	2.2	0.1	<0.05			
2000289	Drill Core	4.0	0.5	0.7	34	1.43	0.058	6	28	1.81	84	0.039	<1	1.57	0.003	0.38	0.4	<0.01	2.4	0.3	<0.05			
2000290	Drill Core	2.9	0.6	0.8	33	0.36	0.061	9	22	1.51	168	0.051	1	1.58	0.006	0.37	0.6	0.01	2.6	0.2	<0.05			
2000291	Drill Core	1.8	0.3	0.2	14	0.15	0.019	8	14	0.71	66	0.024	<1	0.69	0.002	0.11	0.3	<0.01	1.5	<0.1	<0.05			
2000292	Drill Core	3.5	0.5	0.2	78	0.47	0.072	12	44	1.97	65	0.094	<1	1.95	0.006	0.46	0.9	<0.01	6.1	0.3	<0.05			
2000293	Drill Core	1.3	0.4	<0.1	50	0.38	0.088	10	30	1.32	129	0.077	<1	1.61	0.009	0.29	0.3	<0.01	3.8	0.2	0.10			
2000294	Drill Core	1.2	1.4	0.4	26	2.20	0.070	6	16	1.53	146	0.005	<1	1.47	0.006	0.20	<0.1	<0.01	2.4	0.2	0.06			
2000295	Rock Pulp	<0.1	<0.1	<0.1	85	0.72	0.058	6	11	0.68	112	0.092	1	1.28	0.129	0.18	2.0	<0.01	2.0	<0.1	<0.05			
2000296	Drill Core	0.5	1.4	0.2	34	1.56	0.083	4	20	1.46	145	0.051	<1	1.28	0.006	0.46	0.5	<0.01	2.7	0.3	0.87			
2000297	Drill Core	0.9	0.5	0.3	22	1.35	0.056	7	39	1.55	139	0.058	<1	1.41	0.007	0.63	0.3	<0.01	2.3	0.3	<0.05			
2000301	Drill Core	0.5	0.1	0.3	<2	0.06	0.008	47	1	0.07	248	0.002	<1	0.32	0.042	0.24	<0.1	<0.01	1.5	<0.1	<0.05			
2000302	Drill Core	0.3	0.2	0.3	<2	0.21	0.008	40	<1	0.07	394	0.003	1	0.43	0.027	0.35	<0.1	<0.01	1.8	0.1	<0.05			
2000303	Drill Core	0.5	0.3	0.2	44	1.03	0.066	39	57	1.68	205	0.010	<1	2.17	0.035	0.25	0.3	0.02	9.8	0.1	<0.05			
2000304	Drill Core	0.3	0.3	0.2	8	1.97	0.050	30	8	0.31	301	0.014	<1	0.59	0.019	0.35	<0.1	<0.01	3.6	0.1	<0.05			
2000305	Rock Pulp	<0.1	<0.1	<0.1	81	0.69	0.056	6	10	0.66	103	0.087	2	1.25	0.127	0.18	1.8	<0.01	1.7	<0.1	<0.05			
2000306	Drill Core	1.0	0.8	<0.1	18	0.43	0.057	16	22	0.78	130	0.052	<1	1.28	0.019	0.18	0.2	0.01	3.3	<0.1	<0.05			
2000307	Drill Core	0.3	0.8	<0.1	23	0.54	0.036	8	68	0.86	77	0.047	<1	0.91	0.008	0.22	0.2	<0.01	2.8	0.1	<0.05			
2000308	Drill Core	0.8	1.0	<0.1	52	1.27	0.073	12	145	1.67	186	0.080	<1	1.72	0.023	0.58	0.4	<0.01	6.8	0.4	<0.05			
2000309	Drill Core	0.4	1.0	0.2	42	1.86	0.067	14	113	1.55	140	0.079	<1	1.57	0.023	0.38	0.5	<0.01	5.6	0.2	<0.05			
2000310	Drill Core	0.1	0.7	<0.1	38	3.47	0.025	10	121	1.62	375	0.107	<1	1.56	0.017	0.58	1.4	<0.01	6.6	0.4	0.36			
2000311	Drill Core	0.3	1.1	<0.1	45	3.00	0.069	11	124	1.61	313	0.098	<1	1.50	0.016	0.58	0.7	<0.01	6.1	0.4	<0.05			
2000312	Drill Core	0.2	0.7	<0.1	42	3.08	0.065	13	119	1.52	168	0.084	<1	1.45	0.019	0.58	0.8	<0.01	6.1	0.4	0.06			
2000313	Drill Core	0.2	0.8	<0.1	57	2.65	0.057	13	151	1.77	431	0.099	<1	1.65	0.023	0.29	0.6	<0.01	6.9	0.2	<0.05			
2000314	Rock Pulp	0.2	5.7	0.5	95	1.02	0.054	5	29	0.60	87	0.106	3	1.79	0.145	0.13	1.6	0.29	4.2	<0.1	<0.05			
2000315	Drill Core	6.7	0.8	2.7	32	0.21	0.066	11	16	1.83	153	0.013	<1	1.81	0.005	0.23	0.1	0.01	2.9	0.1	<0.05			
2000316	Drill Core	8.7	0.5	1.2	40	0.98	0.070	9	22	2.19	159	0.025	<1	2.01	0.006	0.29	0.2	<0.01	3.6	0.1	<0.05			
2000317	Drill Core	0.8	0.3	0.3	24	0.42	0.082	9	15	0.94	166	0.017	<1	1.13	0.006	0.31	0.3	<0.01	1.8	0.1	<0.05			
2000318	Drill Core	1.9	0.3	0.4	21	3.19	0.064	7	13	1.42	194	0.081	<1	1.25	0.004	0.81	<0.1	<0.01	2.6	0.6	<0.05			
2000319	Drill Core	0.5	0.3	0.1	47	1.20	0.077	13	28	1.70	183	0.004	<1	1.98	0.019	0.21	0.1	<0.01	4.2	<0.1	0.08			
2000320	Rock Pulp	0.2	5.4	0.5	96	1.04	0.051	5	28	0.60	88	0.107	3	1.80	0.144	0.13	1.5	0.29	4.3	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000288	Drill Core	4	<0.5	<0.2
2000289	Drill Core	4	0.8	<0.2
2000290	Drill Core	5	0.8	<0.2
2000291	Drill Core	3	<0.5	<0.2
2000292	Drill Core	8	<0.5	<0.2
2000293	Drill Core	4	1.4	<0.2
2000294	Drill Core	4	0.9	<0.2
2000295	Rock Pulp	4	<0.5	<0.2
2000296	Drill Core	3	3.2	<0.2
2000297	Drill Core	4	0.7	<0.2
2000301	Drill Core	1	<0.5	<0.2
2000302	Drill Core	2	<0.5	<0.2
2000303	Drill Core	11	<0.5	<0.2
2000304	Drill Core	2	0.5	<0.2
2000305	Rock Pulp	4	<0.5	<0.2
2000306	Drill Core	5	<0.5	<0.2
2000307	Drill Core	3	<0.5	<0.2
2000308	Drill Core	6	<0.5	<0.2
2000309	Drill Core	6	<0.5	<0.2
2000310	Drill Core	8	<0.5	<0.2
2000311	Drill Core	6	<0.5	<0.2
2000312	Drill Core	6	<0.5	<0.2
2000313	Drill Core	8	<0.5	<0.2
2000314	Rock Pulp	5	<0.5	0.2
2000315	Drill Core	4	3.7	0.2
2000316	Drill Core	5	1.9	<0.2
2000317	Drill Core	3	0.6	<0.2
2000318	Drill Core	3	<0.5	<0.2
2000319	Drill Core	7	0.6	0.2
2000320	Rock Pulp	5	<0.5	0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000321	Drill Core	0.78	555	<0.005	<0.01	<0.17	27.02	1.8	30.1	7.1	76	0.1	25.3	8.9	529	2.80	49.8	0.7	<0.5	4.9	37
2000322	Drill Core	1.68	487	<0.005	<0.01	<0.17	22.18	0.7	36.4	10.6	101	0.2	30.5	13.7	746	3.04	6.7	1.0	<0.5	4.4	260
2000323	Drill Core	1.07	499	<0.005	<0.01	<0.17	22.76	1.1	21.4	8.6	81	0.4	16.6	11.2	589	2.97	15.8	0.8	2.7	6.9	67
2000324	Drill Core	3.45	378	<0.005	<0.01	<0.17	20.06	1.3	21.9	5.6	50	0.2	29.3	9.9	276	2.23	8.0	1.7	3.6	7.2	71
2000325	Drill Core	0.81	608	<0.005	<0.01	<0.17	17.38	0.8	33.8	6.7	122	0.4	10.4	6.2	289	1.60	8.8	0.9	2.0	11.7	34
2000326	Drill Core	2.02	470	<0.005	<0.01	<0.17	17.51	2.9	37.0	15.7	77	0.6	18.8	6.5	401	1.84	8.3	1.4	1.1	9.0	138
2000327	Drill Core	0.60	403	<0.005	<0.01	<0.17	21.90	0.2	14.9	43.0	59	0.3	0.7	0.4	96	0.42	1.1	1.1	0.6	16.9	13
2000328	Drill Core	1.33	466	<0.005	<0.01	<0.17	22.91	0.1	10.2	36.2	53	0.2	0.3	0.3	48	0.23	<0.5	0.8	1.3	17.0	3
2000329	Drill Core	0.86	405	<0.005	<0.01	<0.17	15.51	0.2	66.9	512.8	575	1.6	0.4	0.7	129	0.46	1.4	0.7	3.6	12.9	4
2000330	Rock	0.97	433	<0.005	<0.01	<0.17	28.76	<0.1	1.3	1.0	2	<0.1	1.0	0.2	207	0.11	<0.5	<0.1	<0.5	<0.1	72
2000331	Drill Core	1.04	485	<0.005	<0.01	<0.17	24.38	0.2	26.3	133.3	159	0.9	0.3	0.4	70	0.29	<0.5	1.0	1.3	17.3	5
2000332	Drill Core	0.55	513	<0.005	<0.01	<0.17	22.32	1.8	2.3	14.3	40	0.2	0.5	0.6	205	0.42	<0.5	1.2	1.6	12.4	83
2000333	Drill Core	1.02	465	0.008	<0.01	<0.17	27.44	0.6	4.6	20.7	39	0.2	0.6	1.5	159	0.59	1.4	0.8	1.2	10.2	34
2000334	Drill Core	1.08	516	<0.005	<0.01	<0.17	24.78	0.7	4.9	38.0	55	0.3	0.5	1.5	161	0.49	1.8	0.6	1.0	11.8	56
2000335	Drill Core	2.30	529	<0.005	<0.01	<0.17	18.61	<0.1	3.7	28.7	49	0.2	0.3	1.0	100	0.44	2.5	1.1	4.3	14.0	18
2000336	Drill Core	0.98	444	<0.005	<0.01	<0.17	21.16	<0.1	4.4	7.8	10	0.1	0.7	1.2	131	0.48	1.0	1.4	3.6	11.3	49
2000337	Drill Core	0.80	593	0.008	<0.01	<0.17	18.84	0.1	5.0	11.4	23	0.1	2.2	2.8	199	0.76	0.7	1.8	3.3	11.4	86
2000338	Drill Core	3.83	436	0.005	<0.01	<0.17	23.06	<0.1	3.7	17.6	19	0.2	0.4	1.1	136	0.41	3.7	1.1	41.2	13.6	53
2000339	Drill Core	1.48	506	0.011	0.01	<0.17	18.69	0.2	3.9	13.0	23	0.3	0.8	1.2	85	0.53	3.2	0.8	7.1	10.5	4
2000340	Rock Pulp	0.12	90	4.028	I.S.	I.S.	I.S.	9.9	69.1	483.7	1546	51.4	32.1	8.6	407	3.40	31.7	0.4	3561.2	1.2	35
2000341	Drill Core	3.23	394	0.207	0.20	<0.17	18.48	1.1	12.7	5.5	98	0.4	10.3	9.8	424	2.28	15.1	1.9	167.2	10.4	21
2000342	Drill Core	2.71	537	<0.005	<0.01	<0.17	25.98	<0.1	2.1	10.0	6	<0.1	0.4	1.3	61	0.25	0.7	0.8	<0.5	13.8	4
2000351	Drill Core	0.98	463	<0.005	<0.01	<0.17	14.64	0.2	2.5	4.5	6	0.1	1.0	0.8	64	0.56	2.8	2.2	8.5	12.0	4
2000352	Drill Core	1.94	514	0.023	0.02	<0.17	20.56	0.1	2.7	6.0	7	0.1	0.5	0.8	53	0.45	3.5	1.0	7.1	16.2	3
2000353	Drill Core	0.48	495	0.021	0.02	<0.17	20.91	0.1	1.1	5.3	5	0.1	0.8	0.6	49	0.50	4.1	0.6	10.0	10.2	2
2000354	Drill Core	0.96	471	0.005	<0.01	<0.17	26.22	0.1	1.0	6.0	6	0.1	0.4	0.8	37	0.40	3.9	1.3	6.7	15.6	4
2000355	Drill Core	0.53	507	0.069	0.37	9.60	15.84	0.1	1.6	9.2	6	<0.1	0.7	1.2	71	0.53	2.1	0.5	52.8	6.0	2
2000356	Drill Core	0.76	566	0.024	0.02	<0.17	24.91	0.2	5.9	40.2	18	0.3	0.6	0.9	81	0.58	4.1	1.6	19.8	13.2	4
2000357	Drill Core	0.76	585	0.010	<0.01	<0.17	23.66	0.1	3.6	19.3	7	0.2	0.5	0.6	53	0.43	2.2	1.8	12.1	17.4	2
2000358	Drill Core	0.41	376	0.023	0.02	<0.17	17.23	0.1	2.4	8.8	6	0.1	0.6	0.6	64	0.49	1.3	0.9	35.3	11.3	3



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000321	Drill Core	0.2	0.3	<0.1	33	0.99	0.083	11	24	1.76	154	0.004	<1	1.83	0.006	0.18	<0.1	<0.01	2.2	<0.1	<0.05			
2000322	Drill Core	0.8	0.4	0.1	42	3.14	0.068	7	30	1.40	184	0.023	<1	1.47	0.006	0.35	<0.1	<0.01	3.5	0.2	0.45			
2000323	Drill Core	0.2	0.2	<0.1	40	1.43	0.072	23	82	1.32	140	0.003	<1	1.62	0.018	0.17	0.4	<0.01	5.1	<0.1	<0.05			
2000324	Drill Core	0.5	1.1	<0.1	29	1.07	0.059	23	30	0.84	255	0.053	<1	1.31	0.069	0.34	0.2	<0.01	5.8	0.1	0.07			
2000325	Drill Core	1.3	0.2	0.2	15	0.59	0.056	31	18	0.55	247	0.002	<1	0.97	0.044	0.34	0.1	<0.01	2.5	0.2	<0.05			
2000326	Drill Core	1.5	0.4	0.3	21	2.75	0.062	30	23	0.50	434	0.007	2	1.34	0.049	0.70	0.1	<0.01	4.0	0.2	<0.05			
2000327	Drill Core	0.2	0.2	0.1	<2	0.22	0.003	30	1	0.09	146	<0.001	<1	0.37	0.025	0.30	<0.1	0.01	0.6	<0.1	<0.05			
2000328	Drill Core	0.1	<0.1	<0.1	<2	0.02	0.004	36	1	0.05	105	<0.001	<1	0.24	0.021	0.22	<0.1	0.01	0.4	<0.1	<0.05			
2000329	Drill Core	0.3	0.5	0.2	<2	0.05	0.004	29	2	0.08	86	<0.001	<1	0.26	0.021	0.18	<0.1	0.02	0.5	<0.1	<0.05			
2000330	Rock	<0.1	<0.1	<0.1	<2	29.99	0.006	1	<1	1.57	13	0.001	3	0.03	0.005	<0.01	<0.1	<0.01	0.1	<0.1	<0.05			
2000331	Drill Core	0.2	0.1	<0.1	<2	0.07	0.004	34	<1	0.08	131	<0.001	<1	0.26	0.020	0.22	<0.1	0.01	0.6	<0.1	<0.05			
2000332	Drill Core	1.8	0.2	<0.1	<2	1.09	0.005	20	1	0.19	357	0.002	1	0.62	0.002	0.47	0.1	<0.01	1.5	<0.1	0.09			
2000333	Drill Core	1.1	0.4	0.1	<2	0.60	0.006	18	2	0.14	694	<0.001	<1	0.41	0.005	0.28	<0.1	0.01	0.9	<0.1	<0.05			
2000334	Drill Core	0.7	0.3	0.3	<2	0.66	0.006	20	1	0.07	1127	<0.001	<1	0.27	0.009	0.20	<0.1	<0.01	0.5	<0.1	<0.05			
2000335	Drill Core	0.9	0.2	0.2	<2	0.15	0.006	37	<1	0.06	371	0.002	<1	0.26	0.030	0.21	<0.1	0.01	0.8	<0.1	<0.05			
2000336	Drill Core	0.5	0.2	0.1	<2	0.54	0.009	25	1	0.03	295	0.002	<1	0.29	0.036	0.24	<0.1	<0.01	0.8	<0.1	0.06			
2000337	Drill Core	0.7	0.4	0.1	<2	1.04	0.026	12	2	0.11	251	0.003	<1	0.33	0.025	0.25	<0.1	<0.01	0.9	<0.1	0.26			
2000338	Drill Core	0.7	0.2	0.2	<2	0.65	0.010	34	<1	0.05	306	0.002	<1	0.40	0.048	0.31	<0.1	<0.01	1.1	<0.1	<0.05			
2000339	Drill Core	0.4	0.2	0.1	<2	0.04	0.012	25	2	0.06	211	<0.001	<1	0.25	0.025	0.19	<0.1	<0.01	0.6	<0.1	<0.05			
2000340	Rock Pulp	16.5	61.3	1.1	58	0.71	0.049	6	28	0.59	110	0.110	4	1.23	0.089	0.11	2.6	0.19	4.6	1.1	0.34			
2000341	Drill Core	2.0	0.5	<0.1	9	0.33	0.062	26	11	0.54	328	0.003	1	1.07	0.028	0.40	0.2	0.01	2.8	0.1	<0.05			
2000342	Drill Core	<0.1	0.1	<0.1	<2	0.03	0.012	30	1	0.05	132	<0.001	<1	0.23	0.002	0.22	<0.1	<0.01	0.4	<0.1	<0.05			
2000351	Drill Core	0.1	0.2	<0.1	<2	0.03	0.011	33	2	0.04	180	<0.001	<1	0.23	0.016	0.21	0.1	0.02	0.6	<0.1	<0.05			
2000352	Drill Core	0.1	0.2	<0.1	<2	0.02	0.010	46	1	0.05	198	<0.001	<1	0.27	0.023	0.24	0.2	0.03	0.7	<0.1	<0.05			
2000353	Drill Core	<0.1	0.1	<0.1	<2	0.01	0.004	29	2	0.03	142	<0.001	<1	0.21	0.023	0.18	<0.1	0.01	0.5	<0.1	<0.05			
2000354	Drill Core	0.2	0.2	<0.1	<2	0.02	0.011	43	<1	0.03	181	<0.001	<1	0.27	0.033	0.23	<0.1	0.03	0.6	<0.1	<0.05			
2000355	Drill Core	<0.1	0.1	<0.1	<2	0.01	0.004	17	2	0.04	102	<0.001	<1	0.15	0.014	0.12	<0.1	0.02	0.4	<0.1	<0.05			
2000356	Drill Core	0.1	0.2	0.1	<2	0.03	0.013	33	2	0.06	176	0.001	<1	0.30	0.030	0.21	0.1	0.05	0.8	<0.1	<0.05			
2000357	Drill Core	0.2	0.3	0.2	<2	0.02	0.009	42	1	0.03	240	<0.001	1	0.28	0.025	0.24	<0.1	0.03	0.8	<0.1	<0.05			
2000358	Drill Core	<0.1	0.3	0.1	<2	0.02	0.010	36	2	0.04	186	<0.001	<1	0.24	0.027	0.20	<0.1	0.01	0.6	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000321	Drill Core	5	0.8	<0.2
2000322	Drill Core	5	1.0	<0.2
2000323	Drill Core	8	<0.5	<0.2
2000324	Drill Core	5	<0.5	<0.2
2000325	Drill Core	4	<0.5	<0.2
2000326	Drill Core	4	<0.5	<0.2
2000327	Drill Core	1	<0.5	<0.2
2000328	Drill Core	<1	<0.5	<0.2
2000329	Drill Core	<1	<0.5	<0.2
2000330	Rock	<1	<0.5	<0.2
2000331	Drill Core	1	<0.5	<0.2
2000332	Drill Core	2	<0.5	<0.2
2000333	Drill Core	<1	<0.5	<0.2
2000334	Drill Core	<1	<0.5	<0.2
2000335	Drill Core	<1	<0.5	<0.2
2000336	Drill Core	<1	<0.5	<0.2
2000337	Drill Core	<1	<0.5	<0.2
2000338	Drill Core	1	<0.5	<0.2
2000339	Drill Core	<1	<0.5	<0.2
2000340	Rock Pulp	6	<0.5	<0.2
2000341	Drill Core	3	<0.5	<0.2
2000342	Drill Core	<1	<0.5	<0.2
2000351	Drill Core	<1	<0.5	<0.2
2000352	Drill Core	<1	<0.5	<0.2
2000353	Drill Core	<1	<0.5	<0.2
2000354	Drill Core	<1	<0.5	<0.2
2000355	Drill Core	<1	<0.5	<0.2
2000356	Drill Core	<1	<0.5	<0.2
2000357	Drill Core	<1	<0.5	<0.2
2000358	Drill Core	<1	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000359	Drill Core	0.73	525	0.013	0.01	<0.17	21.51	0.2	13.5	32.6	44	0.5	5.9	5.5	268	1.79	1.2	1.0	13.2	7.4	16
2000360	Rock Pulp	0.12	350	7.172	I.S.	I.S.	I.S.	14.1	73.5	23.6	60	0.8	20.9	9.8	470	4.22	12.7	0.4	7385.5	1.2	56
2000361	Drill Core	1.12	512	0.018	0.02	<0.17	21.77	0.2	11.8	3.3	47	0.2	7.1	6.5	284	2.35	1.8	1.3	<0.5	12.2	43
2000362	Drill Core	0.46	439	<0.005	<0.01	<0.17	26.66	0.3	13.2	5.9	42	0.2	11.7	7.5	359	2.05	5.5	1.1	<0.5	9.6	112
2000363	Drill Core	1.46	541	<0.005	<0.01	<0.17	28.49	0.5	15.4	6.5	40	0.2	11.8	7.1	328	1.99	7.0	1.6	<0.5	10.5	87
2000364	Drill Core	2.11	487	0.029	0.03	<0.17	26.98	0.7	13.2	16.8	73	0.3	11.9	8.7	383	2.17	9.5	1.8	23.2	8.9	83
2000365	Drill Core	0.85	619	1.000	1.00	0.93	28.05	0.4	11.8	24.1	50	0.8	11.8	8.9	379	2.55	39.3	2.1	1108.9	9.0	54
2000366	Drill Core	1.45	517	<0.005	<0.01	<0.17	23.10	0.2	6.4	29.0	46	0.2	10.0	6.3	330	1.65	8.7	1.2	1.5	9.4	23
2000367	Drill Core	0.49	432	<0.005	<0.01	<0.17	22.29	0.6	2.9	20.2	26	<0.1	6.1	2.9	379	1.31	4.8	0.6	0.5	2.2	12
2000368	Drill Core	0.54	376	<0.005	<0.01	<0.17	22.79	1.6	16.0	14.4	53	0.4	16.5	7.4	457	2.34	25.7	1.5	<0.5	6.7	107
2000369	Drill Core	0.80	560	0.070	0.07	<0.17	24.57	1.2	24.7	28.3	39	1.2	19.0	8.3	237	1.62	34.7	1.4	77.5	10.4	16
2000370	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	2.0	64.8	3.5	33	<0.1	4.9	7.6	325	2.28	0.7	0.8	0.7	2.5	52
2000371	Drill Core	1.01	440	0.067	0.06	<0.17	22.46	0.5	16.2	12.9	28	0.4	15.2	6.5	204	1.41	21.6	1.1	52.1	10.4	14
2000372	Drill Core	2.33	507	0.048	0.05	<0.17	21.36	1.2	14.9	12.4	21	1.0	11.8	6.0	218	1.28	16.6	1.2	54.5	11.8	15
2000373	Drill Core	0.55	488	0.025	0.02	<0.17	22.86	1.0	18.1	17.8	19	1.1	10.0	5.0	211	1.40	14.3	1.9	27.3	12.2	17
2000374	Drill Core	0.55	362	0.328	0.33	0.36	22.30	1.5	15.1	10.1	19	2.0	16.2	6.6	132	1.89	24.3	4.8	328.5	10.4	15
2000375	Drill Core	0.73	503	0.248	0.23	<0.17	26.87	1.3	8.1	6.6	36	1.5	8.8	4.5	143	0.96	11.6	2.8	263.5	15.3	8
2000376	Drill Core	2.52	516	0.020	0.02	<0.17	24.39	0.5	9.6	9.0	32	0.4	5.6	3.2	150	0.86	7.8	1.5	15.6	15.6	8
2000377	Drill Core	0.87	366	<0.005	<0.01	<0.17	28.79	1.1	13.5	25.7	19	0.4	5.7	3.0	163	0.98	7.5	2.4	2.2	16.0	36
2000378	Drill Core	2.26	478	<0.005	<0.01	<0.17	28.95	0.9	11.3	9.0	65	0.2	16.3	6.5	401	2.06	11.3	1.6	0.6	7.8	86
2000379	Drill Core	1.82	414	0.012	0.01	<0.17	23.85	0.6	15.8	5.0	39	0.3	20.2	7.3	216	1.78	19.1	0.8	3.6	5.3	29
2000380	Rock Pulp	0.12		3.717	I.S.	I.S.	I.S.	9.9	69.6	465.2	1502	51.4	31.6	8.4	388	3.28	32.0	0.4	3595.5	1.2	34
2000381	Drill Core	0.68	454	0.113	0.11	<0.17	29.71	0.7	28.7	5.6	50	0.5	20.9	10.4	204	1.68	90.2	0.9	104.1	5.7	26
2000382	Drill Core	0.83	551	0.221	0.29	1.56	27.64	1.2	34.6	4.2	45	0.9	23.9	8.1	227	2.15	79.3	1.8	563.9	6.1	34
2000383	Drill Core	1.65	571	0.376	0.37	0.21	24.20	3.3	24.6	19.1	50	1.2	19.9	7.4	183	1.88	63.5	1.7	466.4	7.0	35
2000384	Drill Core	0.49	416	0.344	0.40	1.11	27.83	0.6	3.4	2.4	14	0.5	6.4	3.8	176	1.14	9.3	0.5	362.1	1.2	9
2000385	Drill Core	1.18	509	0.495	0.51	0.75	29.41	0.9	22.3	10.7	50	1.8	21.3	8.2	382	2.21	31.1	0.9	446.8	5.7	100
2000386	Drill Core	0.60	408	0.350	0.43	1.78	24.09	1.0	25.6	8.5	47	1.3	21.5	8.2	306	2.09	24.2	0.8	426.8	6.0	49
2000387	Drill Core	2.33	500	<0.005	<0.01	<0.17	25.09	0.8	24.0	8.0	62	0.6	23.5	8.1	274	1.90	32.3	0.7	2.6	5.4	29
2000388	Drill Core	2.91	472	0.017	0.02	<0.17	27.51	2.3	26.8	9.8	63	0.8	19.9	7.5	239	1.62	87.9	0.9	8.3	7.8	24



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000359	Drill Core	0.1	0.2	0.7	13	0.21	0.073	16	17	0.56	85	0.006	<1	0.79	0.040	0.16	<0.1	<0.01	2.8	<0.1	<0.05			
2000360	Rock Pulp	0.1	5.3	0.5	97	1.02	0.052	5	28	0.60	89	0.103	4	1.87	0.193	0.16	1.6	0.29	4.3	<0.1	<0.05			
2000361	Drill Core	<0.1	0.3	<0.1	19	0.52	0.055	22	22	0.75	231	0.031	<1	1.11	0.081	0.36	<0.1	<0.01	5.7	0.1	<0.05			
2000362	Drill Core	0.2	0.3	<0.1	16	1.63	0.058	17	21	0.60	218	0.026	<1	0.91	0.062	0.30	<0.1	<0.01	5.2	0.1	<0.05			
2000363	Drill Core	0.1	0.3	<0.1	12	1.24	0.063	15	13	0.54	386	0.039	<1	0.80	0.033	0.44	<0.1	<0.01	4.6	0.2	0.09			
2000364	Drill Core	0.6	0.6	0.1	19	1.29	0.057	19	21	0.84	169	0.037	<1	1.12	0.043	0.40	0.3	<0.01	4.5	0.2	0.05			
2000365	Drill Core	0.3	0.6	0.1	13	0.93	0.056	14	17	0.65	184	0.031	<1	0.85	0.032	0.38	0.6	<0.01	4.9	0.2	0.10			
2000366	Drill Core	0.3	1.1	0.5	16	0.27	0.053	22	20	0.86	150	0.065	<1	0.93	0.027	0.43	0.4	<0.01	5.6	0.2	<0.05			
2000367	Drill Core	0.2	0.4	0.3	9	0.13	0.027	6	13	0.47	97	0.017	1	0.53	0.004	0.18	0.2	<0.01	2.4	<0.1	<0.05			
2000368	Drill Core	0.4	1.3	0.3	20	1.56	0.069	16	23	1.05	223	0.034	2	1.29	0.006	0.48	0.2	<0.01	7.0	0.2	<0.05			
2000369	Drill Core	0.6	0.7	0.9	10	0.19	0.068	24	11	0.24	233	0.003	2	0.61	0.038	0.29	0.2	<0.01	1.6	0.1	<0.05			
2000370	Rock Pulp	<0.1	<0.1	<0.1	79	0.67	0.056	6	10	0.64	103	0.085	2	1.18	0.118	0.18	2.0	<0.01	1.6	<0.1	<0.05			
2000371	Drill Core	0.3	0.5	0.5	8	0.14	0.050	32	9	0.27	168	0.002	<1	0.54	0.034	0.25	0.2	<0.01	1.3	0.2	<0.05			
2000372	Drill Core	0.2	0.5	0.5	7	0.16	0.054	28	7	0.25	160	0.006	1	0.58	0.038	0.32	0.1	<0.01	2.0	0.1	<0.05			
2000373	Drill Core	0.2	0.7	1.1	8	0.17	0.046	33	8	0.25	153	0.019	1	0.59	0.038	0.26	0.1	<0.01	2.6	<0.1	<0.05			
2000374	Drill Core	0.2	0.7	0.4	9	0.16	0.057	30	12	0.28	222	0.018	2	0.66	0.025	0.42	0.3	<0.01	3.8	0.1	<0.05			
2000375	Drill Core	0.5	0.6	0.2	4	0.13	0.049	40	5	0.14	170	0.007	2	0.46	0.022	0.36	0.3	<0.01	2.0	0.1	<0.05			
2000376	Drill Core	0.4	0.3	0.2	5	0.14	0.038	43	6	0.16	160	0.004	2	0.50	0.024	0.32	0.2	<0.01	1.5	<0.1	<0.05			
2000377	Drill Core	0.3	0.7	0.4	7	0.87	0.043	38	6	0.13	164	0.040	<1	0.49	0.046	0.33	0.1	<0.01	3.1	0.1	<0.05			
2000378	Drill Core	0.5	1.2	0.2	25	1.42	0.065	20	31	0.78	132	0.071	1	1.20	0.039	0.25	0.8	<0.01	4.7	0.1	<0.05			
2000379	Drill Core	<0.1	2.0	0.1	18	0.33	0.051	12	22	0.72	136	0.077	1	0.89	0.036	0.45	0.6	<0.01	3.7	0.2	<0.05			
2000380	Rock Pulp	17.0	59.6	1.1	57	0.70	0.051	6	27	0.57	107	0.111	5	1.20	0.079	0.11	2.6	0.17	4.6	1.1	0.33			
2000381	Drill Core	0.1	3.2	<0.1	16	0.29	0.056	12	19	0.70	152	0.071	<1	0.86	0.024	0.52	0.6	<0.01	3.3	0.2	<0.05			
2000382	Drill Core	0.4	3.2	0.1	19	0.35	0.064	12	24	0.84	147	0.100	1	0.98	0.020	0.60	0.9	<0.01	3.9	0.3	<0.05			
2000383	Drill Core	0.7	2.0	0.1	13	0.31	0.063	14	17	0.67	285	0.065	<1	0.94	0.013	0.62	0.6	<0.01	2.5	0.2	<0.05			
2000384	Drill Core	<0.1	0.6	<0.1	3	0.07	0.008	3	6	0.18	64	0.014	1	0.21	0.005	0.14	0.5	<0.01	0.8	<0.1	<0.05			
2000385	Drill Core	0.3	1.5	<0.1	12	1.54	0.046	7	15	0.99	239	0.043	1	0.95	0.014	0.68	0.6	<0.01	2.8	0.2	0.61			
2000386	Drill Core	0.3	1.2	<0.1	10	0.64	0.049	8	13	0.74	267	0.041	1	0.91	0.012	0.69	0.6	<0.01	2.9	0.2	0.33			
2000387	Drill Core	0.4	0.7	<0.1	14	0.30	0.057	13	16	0.79	238	0.057	<1	1.03	0.016	0.71	0.3	<0.01	2.7	0.2	<0.05			
2000388	Drill Core	0.4	1.4	0.2	10	0.27	0.056	14	12	0.60	293	0.044	<1	0.83	0.017	0.58	0.4	<0.01	2.3	0.2	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000359	Drill Core	4	<0.5	<0.2
2000360	Rock Pulp	5	<0.5	0.2
2000361	Drill Core	4	<0.5	<0.2
2000362	Drill Core	4	<0.5	<0.2
2000363	Drill Core	3	<0.5	<0.2
2000364	Drill Core	4	<0.5	<0.2
2000365	Drill Core	3	<0.5	<0.2
2000366	Drill Core	3	<0.5	<0.2
2000367	Drill Core	1	<0.5	<0.2
2000368	Drill Core	3	<0.5	<0.2
2000369	Drill Core	3	<0.5	<0.2
2000370	Rock Pulp	3	<0.5	<0.2
2000371	Drill Core	3	<0.5	<0.2
2000372	Drill Core	2	<0.5	<0.2
2000373	Drill Core	2	<0.5	<0.2
2000374	Drill Core	2	<0.5	<0.2
2000375	Drill Core	1	<0.5	<0.2
2000376	Drill Core	2	<0.5	<0.2
2000377	Drill Core	2	0.6	<0.2
2000378	Drill Core	5	<0.5	<0.2
2000379	Drill Core	3	<0.5	<0.2
2000380	Rock Pulp	6	<0.5	<0.2
2000381	Drill Core	3	<0.5	<0.2
2000382	Drill Core	3	1.1	<0.2
2000383	Drill Core	3	0.6	<0.2
2000384	Drill Core	<1	<0.5	<0.2
2000385	Drill Core	3	1.0	<0.2
2000386	Drill Core	2	0.6	<0.2
2000387	Drill Core	3	<0.5	<0.2
2000388	Drill Core	2	0.7	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000389	Drill Core	0.72	489	0.015	0.01	<0.17	26.74	2.9	27.9	9.1	42	1.0	15.1	6.8	170	1.45	62.8	1.1	11.2	9.6	20
2000390	Rock	0.99	416	<0.005	<0.01	<0.17	23.88	<0.1	0.9	0.4	1	<0.1	1.1	0.3	153	0.11	<0.5	<0.1	<0.5	<0.1	73
2000391	Drill Core	0.91	395	0.233	0.23	<0.17	25.14	2.7	11.4	17.3	60	0.7	21.5	8.1	211	2.54	17.0	2.6	216.1	6.8	24
2000392	Drill Core	1.08	467	1.726	1.71	1.44	24.34	0.5	10.9	7.1	76	1.2	17.0	11.2	432	2.88	14.5	1.8	1665.2	9.8	78
2000393	Drill Core	0.66	450	1.757	1.78	2.12	23.13	1.1	4.8	5.0	39	1.3	11.2	8.7	346	2.65	11.1	2.4	1969.0	9.0	27
2000394	Drill Core	0.84	564	0.949	0.97	1.32	27.36	1.2	19.6	3.7	41	0.9	11.9	8.8	280	2.32	12.3	2.8	888.7	8.8	26
2000395	Drill Core	0.49	423	0.082	0.08	<0.17	24.75	0.7	3.7	2.9	12	0.1	3.8	3.3	218	1.43	4.5	1.0	64.5	2.2	9
2000396	Drill Core	0.77	345	1.266	1.24	0.93	23.58	0.9	13.3	10.9	61	1.0	12.3	7.9	289	2.76	12.8	2.9	1546.1	8.6	28
2000397	Drill Core	0.65	453	0.807	0.86	1.66	25.86	0.7	31.5	14.9	152	1.1	15.7	9.6	289	2.58	23.2	2.8	824.1	8.8	26
2000398	Drill Core	0.68	463	1.336	1.36	1.73	32.92	1.2	4.6	8.0	62	0.7	10.8	7.1	263	1.99	8.5	1.7	1635.2	5.5	14
2000399	Drill Core	0.82	338	0.035	0.03	<0.17	27.66	1.1	19.4	31.9	116	0.4	15.6	7.9	378	2.21	14.9	2.0	28.4	8.1	26
2000400	Rock Pulp	0.12		6.948	I.S.	I.S.	I.S.	13.8	69.8	23.1	57	0.8	19.3	9.3	443	3.98	11.7	0.4	7394.7	1.3	51
2000401	Drill Core	0.54	378	0.017	0.02	<0.17	22.45	0.8	22.4	7.9	84	<0.1	24.7	12.4	449	2.73	257.0	0.5	13.8	7.6	18
2000402	Drill Core	0.81	350	0.021	0.02	<0.17	20.14	1.5	35.2	6.1	86	0.2	12.1	8.0	418	2.93	91.2	1.7	16.1	10.6	17
2000403	Drill Core	0.48	408	<0.005	<0.01	<0.17	29.31	1.1	8.8	2.1	35	<0.1	9.1	5.0	426	1.61	54.3	0.3	0.8	5.1	14
2000404	Drill Core	0.51	442	<0.005	<0.01	<0.17	8.86	1.2	19.8	4.2	74	0.2	15.3	8.1	443	2.74	101.6	0.7	1.7	7.4	17
2000405	Drill Core	0.53	449	<0.005	<0.01	<0.17	7.36	1.4	16.7	7.1	114	0.3	10.9	8.5	526	2.07	74.2	0.7	<0.5	2.3	9
2000406	Drill Core	3.27	525	<0.005	<0.01	<0.17	9.94	2.1	30.7	18.3	140	0.4	17.1	7.9	553	3.70	45.0	2.9	1.0	6.3	51
2000407	Drill Core	1.53	496	0.005	<0.01	<0.17	12.57	3.0	51.2	212.7	500	1.9	22.3	12.4	1549	3.80	46.2	2.3	<0.5	4.2	98
2000408	Drill Core	2.11	440	0.007	<0.01	<0.17	10.84	3.2	66.6	176.3	641	1.7	23.3	14.6	1047	3.66	44.9	2.1	3.5	4.5	27
2000409	Drill Core	0.66	437	<0.005	<0.01	<0.17	22.10	2.7	48.3	69.3	271	0.7	26.0	12.5	662	3.30	64.2	1.1	1.4	3.9	39
2000410	Drill Core	0.62	542	0.009	<0.01	<0.17	17.71	2.7	21.1	70.0	105	0.4	20.2	10.1	960	1.93	73.8	0.7	4.1	1.3	38
2000411	Drill Core	1.21	518	<0.005	<0.01	<0.17	14.38	3.2	57.9	64.9	189	0.7	33.2	15.9	683	4.04	47.5	2.3	<0.5	4.8	44
2000412	Drill Core	0.72	492	0.006	<0.01	<0.17	12.34	0.8	7.2	148.4	60	1.5	8.2	5.9	509	2.44	5.3	0.6	1.2	4.2	11
2000413	Drill Core	2.55	523	0.024	0.02	<0.17	15.65	1.8	32.7	29.3	82	0.5	21.3	12.9	589	3.08	59.2	1.3	76.4	4.2	26
2000414	Drill Core	0.51	418	0.447	0.46	0.92	15.20	1.5	20.8	34.0	84	0.6	15.3	11.2	791	2.61	14.5	0.8	433.4	3.1	79
2000415	Drill Core	1.54	524	0.063	0.06	<0.17	12.19	2.1	34.8	8.2	77	0.4	34.2	13.3	715	3.17	66.4	0.8	128.4	4.3	38
2000416	Drill Core	1.47	506	<0.005	<0.01	<0.17	12.78	2.2	33.7	57.0	198	0.5	37.0	14.3	1531	2.74	18.4	0.9	3.7	6.0	47
2000601	Drill Core	4.00	509	0.005	<0.01	<0.17	15.76	0.3	5.9	23.3	26	0.3	1.8	1.7	134	0.80	1.6	1.5	2.3	12.3	21
2000602	Drill Core	1.14	486	0.026	0.02	<0.17	11.97	0.3	4.1	22.2	17	0.3	0.6	0.7	69	0.62	2.8	2.1	21.0	12.2	14



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000389	Drill Core	0.4	1.7	0.2	8	0.21	0.058	17	9	0.44	388	0.027	1	0.71	0.020	0.52	0.3	<0.01	2.1	0.2	<0.05			
2000390	Rock	<0.1	<0.1	<0.1	<2	32.34	0.006	1	<1	1.15	11	0.001	<1	0.01	0.005	<0.01	<0.1	<0.01	0.2	<0.1	<0.05			
2000391	Drill Core	0.5	1.3	<0.1	11	0.20	0.038	13	16	0.57	304	0.051	1	0.80	0.016	0.54	0.8	<0.01	2.6	0.1	<0.05			
2000392	Drill Core	1.3	0.8	<0.1	16	1.25	0.063	12	20	0.92	117	0.062	1	0.94	0.036	0.53	1.2	<0.01	3.7	0.2	1.01			
2000393	Drill Core	0.5	1.0	<0.1	11	0.22	0.052	17	14	0.56	310	0.049	1	0.85	0.027	0.51	0.9	<0.01	2.8	0.2	<0.05			
2000394	Drill Core	0.3	1.0	<0.1	12	0.26	0.067	17	16	0.62	308	0.054	1	0.88	0.029	0.50	0.9	<0.01	2.9	0.2	<0.05			
2000395	Drill Core	<0.1	0.3	<0.1	3	0.05	0.016	5	8	0.13	76	0.017	<1	0.19	0.027	0.08	0.6	<0.01	0.8	<0.1	<0.05			
2000396	Drill Core	0.5	0.9	<0.1	12	0.21	0.068	15	15	0.60	341	0.051	1	0.88	0.035	0.49	1.2	0.01	2.8	0.2	0.37			
2000397	Drill Core	1.1	1.3	<0.1	17	0.32	0.080	20	22	0.83	376	0.066	1	1.16	0.024	0.65	1.0	0.01	3.6	0.3	<0.05			
2000398	Drill Core	0.6	0.7	<0.1	8	0.14	0.032	10	10	0.36	206	0.023	1	0.56	0.013	0.33	0.5	<0.01	1.5	0.1	<0.05			
2000399	Drill Core	0.9	1.3	0.1	23	0.37	0.072	17	23	0.81	310	0.062	<1	1.18	0.057	0.64	0.9	<0.01	3.2	0.2	<0.05			
2000400	Rock Pulp	0.1	5.2	0.5	87	0.94	0.052	5	28	0.57	83	0.093	3	1.68	0.148	0.13	1.6	0.27	3.8	<0.1	<0.05			
2000401	Drill Core	0.1	9.1	<0.1	23	0.35	0.055	14	24	1.53	174	0.004	<1	1.71	0.020	0.25	<0.1	<0.01	2.3	<0.1	<0.05			
2000402	Drill Core	0.2	6.7	<0.1	17	0.16	0.057	14	17	1.47	228	0.014	<1	1.83	0.052	0.38	0.2	<0.01	2.4	0.1	<0.05			
2000403	Drill Core	0.3	2.9	<0.1	6	0.38	0.035	19	8	0.59	102	0.005	<1	0.64	0.007	0.16	<0.1	<0.01	1.2	<0.1	<0.05			
2000404	Drill Core	0.4	4.5	<0.1	17	0.35	0.060	11	19	1.46	183	0.008	1	1.69	0.021	0.33	<0.1	<0.01	2.2	0.1	<0.05			
2000405	Drill Core	0.8	1.9	0.1	9	0.11	0.027	4	11	0.65	91	0.010	1	0.73	0.004	0.15	0.2	<0.01	1.4	<0.1	<0.05			
2000406	Drill Core	0.7	4.6	0.3	27	0.25	0.078	12	24	1.57	254	0.020	3	1.96	0.007	0.51	0.1	<0.01	3.4	0.2	0.10			
2000407	Drill Core	6.8	4.6	1.2	38	2.07	0.072	8	19	1.79	229	0.017	3	1.92	0.009	0.43	0.1	<0.01	4.1	0.2	0.10			
2000408	Drill Core	4.3	4.7	1.5	34	0.32	0.077	8	16	1.34	277	0.015	3	1.64	0.013	0.45	0.1	0.01	3.5	0.3	<0.05			
2000409	Drill Core	2.1	9.6	0.3	42	0.23	0.065	11	21	1.20	206	0.015	2	1.50	0.010	0.38	0.2	<0.01	4.2	0.4	<0.05			
2000410	Drill Core	3.5	5.7	0.3	18	0.14	0.032	4	10	0.63	102	0.005	1	0.69	0.005	0.14	0.2	<0.01	2.2	0.2	<0.05			
2000411	Drill Core	2.3	8.2	0.1	48	0.32	0.084	8	24	1.42	236	0.016	4	1.77	0.016	0.50	<0.1	<0.01	4.3	0.4	0.08			
2000412	Drill Core	0.2	1.9	1.6	18	0.26	0.049	9	13	1.48	135	0.004	1	1.54	0.022	0.20	<0.1	<0.01	2.4	<0.1	<0.05			
2000413	Drill Core	0.4	1.4	0.2	25	0.32	0.069	9	16	1.43	159	0.034	<1	1.50	0.010	0.34	0.3	<0.01	2.6	0.1	<0.05			
2000414	Drill Core	0.8	0.6	0.3	20	0.98	0.032	7	13	1.15	183	0.036	1	0.98	0.028	0.42	0.3	<0.01	2.9	0.2	0.24			
2000415	Drill Core	0.4	2.4	0.1	40	0.75	0.077	8	28	1.78	190	0.030	<1	1.84	0.029	0.40	0.2	<0.01	3.5	0.1	0.11			
2000416	Drill Core	2.7	2.7	0.3	22	1.51	0.062	9	12	1.41	229	0.007	1	1.33	0.018	0.33	0.1	<0.01	2.5	0.1	0.05			
2000601	Drill Core	0.3	0.5	0.2	3	0.24	0.013	28	4	0.25	338	0.023	<1	0.58	0.046	0.36	0.3	0.02	2.5	0.1	<0.05			
2000602	Drill Core	0.3	0.6	0.2	<2	0.16	0.011	30	2	0.10	391	0.016	1	0.51	0.056	0.32	0.3	0.04	2.2	0.2	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

Method Analyte Unit MDL		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000389	Drill Core	2	<0.5	<0.2
2000390	Rock	<1	<0.5	<0.2
2000391	Drill Core	3	<0.5	<0.2
2000392	Drill Core	4	1.4	<0.2
2000393	Drill Core	3	<0.5	<0.2
2000394	Drill Core	3	0.7	<0.2
2000395	Drill Core	<1	<0.5	<0.2
2000396	Drill Core	4	1.9	<0.2
2000397	Drill Core	4	<0.5	<0.2
2000398	Drill Core	2	<0.5	<0.2
2000399	Drill Core	4	0.7	<0.2
2000400	Rock Pulp	4	<0.5	0.3
2000401	Drill Core	5	<0.5	<0.2
2000402	Drill Core	6	<0.5	<0.2
2000403	Drill Core	2	<0.5	<0.2
2000404	Drill Core	4	<0.5	<0.2
2000405	Drill Core	2	<0.5	<0.2
2000406	Drill Core	5	0.8	<0.2
2000407	Drill Core	5	1.4	<0.2
2000408	Drill Core	4	1.8	<0.2
2000409	Drill Core	4	1.9	<0.2
2000410	Drill Core	2	0.6	<0.2
2000411	Drill Core	4	1.3	<0.2
2000412	Drill Core	4	<0.5	<0.2
2000413	Drill Core	4	1.3	<0.2
2000414	Drill Core	3	1.1	<0.2
2000415	Drill Core	5	1.1	<0.2
2000416	Drill Core	3	<0.5	<0.2
2000601	Drill Core	2	<0.5	<0.2
2000602	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000603	Drill Core	0.66	468	0.330	0.48	6.08	12.18	0.4	2.0	26.3	13	0.4	1.4	1.2	117	0.75	4.6	0.8	530.6	10.4
2000604	Drill Core	1.07	461	0.029	0.03	<0.17	15.27	0.7	10.2	18.9	41	0.3	7.3	5.8	222	1.72	9.2	1.7	17.6	10.4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000603	Drill Core	0.3	0.5	0.3	<2	0.06	0.016	26	2	0.06	340	0.003	<1	0.30	0.033	0.23	0.2	0.01	0.8	<0.1	<0.05
2000604	Drill Core	0.4	0.9	0.2	10	0.23	0.038	20	13	0.57	330	0.048	<1	0.82	0.045	0.56	0.3	<0.01	3.0	0.3	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000047.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000603	Drill Core	1	<0.5	<0.2
2000604	Drill Core	3	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

LS

Report Date:

July 05, 2016

Page:

1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																						
2000294	Drill Core	0.99	450	<0.005	<0.01	<0.17	24.82	1.5	45.5	42.0	225	0.6	29.9	16.0	991	3.07	9.2	0.5	<0.5	3.9	169	
REP 2000294	QC							1.6	42.3	41.0	224	0.6	29.6	15.1	996	2.97	8.9	0.5	1.2	3.9	169	
2000330	Rock	0.97	433	<0.005	<0.01	<0.17	28.76	<0.1	1.3	1.0	2	<0.1	1.0	0.2	207	0.11	<0.5	<0.1	<0.5	<0.1	72	
REP 2000330	QC			<0.005																		
REP 2000334	QC							0.6	4.8	37.6	53	0.2	0.5	1.5	156	0.48	1.9	0.7	1.9	11.5	54	
2000335	Drill Core	2.30	529	<0.005	<0.01	<0.17	18.61	<0.1	3.7	28.7	49	0.2	0.3	1.0	100	0.44	2.5	1.1	4.3	14.0	18	
REP 2000335	QC			<0.005																		
REP 2000376	QC							0.4	9.7	9.5	33	0.4	5.5	3.1	149	0.84	7.4	1.5	18.1	16.3	8	
2000410	Drill Core	0.62	542	0.009	<0.01	<0.17	17.71	2.7	21.1	70.0	105	0.4	20.2	10.1	960	1.93	73.8	0.7	4.1	1.3	38	
REP 2000410	QC			0.008																		
2000411	Drill Core	1.21	518	<0.005	<0.01	<0.17	14.38	3.2	57.9	64.9	189	0.7	33.2	15.9	683	4.04	47.5	2.3	<0.5	4.8	44	
REP 2000411	QC							3.6	63.8	67.6	198	0.7	35.4	16.8	696	4.08	49.1	2.3	<0.5	4.9	45	
2000416	Drill Core	1.47	506	<0.005	<0.01	<0.17	12.78	2.2	33.7	57.0	198	0.5	37.0	14.3	1531	2.74	18.4	0.9	3.7	6.0	47	
REP 2000416	QC			<0.005																		
Core Reject Duplicates																						
2000297	Drill Core	0.73	348	<0.005	<0.01	<0.17	27.07	1.8	20.7	24.5	101	0.4	17.1	8.7	513	2.33	7.5	1.6	2.1	4.3	87	
DUP 2000297	QC		347	0.006	<0.01	<0.17	18.39	1.7	18.5	23.9	97	0.4	15.9	8.3	513	2.23	7.5	1.5	1.5	4.2	88	
2000334	Drill Core	1.08	516	<0.005	<0.01	<0.17	24.78	0.7	4.9	38.0	55	0.3	0.5	1.5	161	0.49	1.8	0.6	1.0	11.8	56	
DUP 2000334	QC		499	0.006	<0.01	<0.17	25.35	0.6	4.4	37.3	50	0.2	0.6	1.5	177	0.64	1.7	0.7	1.6	11.4	54	
2000376	Drill Core	2.52	516	0.020	0.02	<0.17	24.39	0.5	9.6	9.0	32	0.4	5.6	3.2	150	0.86	7.8	1.5	15.6	15.6	8	
DUP 2000376	QC		525	0.022	0.02	<0.17	22.33	0.5	9.5	9.3	31	0.4	5.5	3.2	147	0.84	7.4	1.5	16.9	15.8	8	
Reference Materials																						
STD DS10	Standard							14.6	148.9	146.7	354	1.8	71.5	13.1	860	2.76	44.7	2.7	74.3	7.4	65	
STD DS10	Standard							15.9	162.6	148.7	364	1.7	79.0	13.1	881	2.75	46.0	2.8	86.7	8.1	66	
STD DS10	Standard							15.8	155.6	156.1	360	1.8	77.6	14.0	896	2.88	46.6	2.8	80.7	8.4	68	
STD DS10	Standard							14.7	159.6	143.2	368	1.8	75.5	13.1	898	2.73	46.8	2.6	88.4	7.4	69	
STD OXC129	Standard							1.3	26.5	6.3	41	<0.1	77.5	20.6	415	3.02	0.7	0.7	192.4	1.9	178	
STD OXC129	Standard							1.4	28.2	6.5	41	<0.1	82.3	20.9	416	3.06	0.9	0.7	188.2	1.9	181	



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

LS

Report Date:

July 05, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000047.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2000294	Drill Core	1.2	1.4	0.4	26	2.20	0.070	6	16	1.53	146	0.005	<1	1.47	0.006	0.20	<0.1	<0.01	2.4	0.2	0.06
REP 2000294	QC	1.2	1.3	0.4	25	2.15	0.072	6	16	1.50	139	0.005	<1	1.40	0.006	0.19	<0.1	<0.01	2.5	<0.1	0.06
2000330	Rock	<0.1	<0.1	<0.1	<2	29.99	0.006	1	<1	1.57	13	0.001	3	0.03	0.005	<0.01	<0.1	<0.01	0.1	<0.1	<0.05
REP 2000330	QC																				
REP 2000334	QC	0.8	0.3	0.3	<2	0.65	0.006	20	1	0.06	1079	<0.001	<1	0.26	0.008	0.20	<0.1	<0.01	0.5	<0.1	<0.05
2000335	Drill Core	0.9	0.2	0.2	<2	0.15	0.006	37	<1	0.06	371	0.002	<1	0.26	0.030	0.21	<0.1	0.01	0.8	<0.1	<0.05
REP 2000335	QC																				
REP 2000376	QC	0.4	0.4	0.2	4	0.14	0.039	44	6	0.16	161	0.004	1	0.49	0.023	0.31	0.2	<0.01	1.5	<0.1	<0.05
2000410	Drill Core	3.5	5.7	0.3	18	0.14	0.032	4	10	0.63	102	0.005	1	0.69	0.005	0.14	0.2	<0.01	2.2	0.2	<0.05
REP 2000410	QC																				
2000411	Drill Core	2.3	8.2	0.1	48	0.32	0.084	8	24	1.42	236	0.016	4	1.77	0.016	0.50	<0.1	<0.01	4.3	0.4	0.08
REP 2000411	QC	2.1	8.2	0.1	48	0.32	0.090	8	24	1.43	236	0.017	3	1.77	0.016	0.51	0.1	<0.01	4.4	0.4	0.08
2000416	Drill Core	2.7	2.7	0.3	22	1.51	0.062	9	12	1.41	229	0.007	1	1.33	0.018	0.33	0.1	<0.01	2.5	0.1	0.05
REP 2000416	QC																				
Core Reject Duplicates																					
2000297	Drill Core	0.9	0.5	0.3	22	1.35	0.056	7	39	1.55	139	0.058	<1	1.41	0.007	0.63	0.3	<0.01	2.3	0.3	<0.05
DUP 2000297	QC	0.8	0.5	0.3	22	1.40	0.050	7	36	1.49	160	0.055	<1	1.36	0.008	0.63	0.4	<0.01	2.4	0.3	<0.05
2000334	Drill Core	0.7	0.3	0.3	<2	0.66	0.006	20	1	0.07	1127	<0.001	<1	0.27	0.009	0.20	<0.1	<0.01	0.5	<0.1	<0.05
DUP 2000334	QC	0.7	0.3	0.3	<2	0.65	0.006	20	2	0.07	1108	<0.001	<1	0.30	0.018	0.23	<0.1	<0.01	0.5	<0.1	<0.05
2000376	Drill Core	0.4	0.3	0.2	5	0.14	0.038	43	6	0.16	160	0.004	2	0.50	0.024	0.32	0.2	<0.01	1.5	<0.1	<0.05
DUP 2000376	QC	0.4	0.3	0.1	5	0.14	0.035	43	6	0.16	157	0.004	1	0.48	0.023	0.30	0.2	<0.01	1.5	0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.5	8.9	12.3	43	1.05	0.075	17	52	0.76	344	0.078	7	1.01	0.070	0.33	3.2	0.26	2.9	4.9	0.28
STD DS10	Standard	2.7	9.2	12.4	42	1.04	0.074	18	56	0.78	338	0.081	7	1.05	0.069	0.33	3.5	0.28	2.7	5.0	0.27
STD DS10	Standard	2.7	9.5	13.1	45	1.10	0.073	19	57	0.79	345	0.084	7	1.07	0.074	0.34	3.2	0.31	2.9	5.1	0.29
STD DS10	Standard	2.4	9.4	12.3	43	1.09	0.074	17	54	0.78	342	0.080	6	1.06	0.070	0.34	3.1	0.28	2.9	4.9	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.63	0.096	12	49	1.50	48	0.394	<1	1.50	0.574	0.36	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.67	0.102	12	53	1.52	49	0.406	1	1.58	0.588	0.36	<0.1	<0.01	0.7	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000047.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2000294	Drill Core	4	0.9	<0.2
REP 2000294	QC	4	0.7	<0.2
2000330	Rock	<1	<0.5	<0.2
REP 2000330	QC			
REP 2000334	QC	<1	<0.5	<0.2
2000335	Drill Core	<1	<0.5	<0.2
REP 2000335	QC			
REP 2000376	QC	2	<0.5	<0.2
2000410	Drill Core	2	0.6	<0.2
REP 2000410	QC			
2000411	Drill Core	4	1.3	<0.2
REP 2000411	QC	5	1.4	<0.2
2000416	Drill Core	3	<0.5	<0.2
REP 2000416	QC			
Core Reject Duplicates				
2000297	Drill Core	4	0.7	<0.2
DUP 2000297	QC	4	0.6	<0.2
2000334	Drill Core	<1	<0.5	<0.2
DUP 2000334	QC	<1	<0.5	<0.2
2000376	Drill Core	2	<0.5	<0.2
DUP 2000376	QC	2	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.2	4.9
STD DS10	Standard	4	2.0	5.1
STD DS10	Standard	4	2.0	4.7
STD DS10	Standard	4	1.6	4.7
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	0.01	0.5	0.1	0.5	0.1	1
STD OXC129	Standard							1.4	27.3	6.6	39	<0.1	81.4	21.2	423	3.04	<0.5	0.7	189.2	2.0	174
STD OXC129	Standard							1.3	29.4	6.5	40	<0.1	84.8	21.3	420	3.04	<0.5	0.7	196.6	1.9	180
STD OXD108	Standard			0.425																	
STD OXD108	Standard			0.420																	
STD OXD108	Standard			0.419																	
STD OXI121	Standard			1.839																	
STD OXI121	Standard			1.805																	
STD OXI121	Standard			1.766																	
STD OXN117	Standard			7.779																	
STD OXN117	Standard			7.947																	
STD OXN117	Standard			7.948																	
STD OXP91	Standard					15.15	29.84														
STD OXP91	Standard					14.81	30.05														
STD OXP91	Standard					14.99	29.88														
STD OXP91	Standard					15.01	29.32														
STD OXP91	Standard					15.35	30.48														
STD OXP91	Standard					15.04	30.25														
STD OXP91	Standard					15.01	30.37														
STD OXP91	Standard					15.05	30.16														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	54	0.67	0.097	12	51	1.52	48	0.408	<1	1.56	0.595	0.38	<0.1	<0.01	0.7	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.67	0.105	13	52	1.53	49	0.399	<1	1.55	0.591	0.37	<0.1	<0.01	0.9	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		490	<0.005	<0.01	<0.17	17.45	0.5	3.3	1.2	30	<0.1	0.7	3.5	407	1.74	0.8	0.4	2.7	2.3	27
ROCK-WHI	Prep Blank		484	<0.005	<0.01	<0.17	14.80	0.6	2.8	1.2	31	<0.1	0.7	3.5	403	1.74	1.1	0.4	1.5	2.3	27



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	21	0.56	0.040	5	2	0.39	67	0.070	1	0.89	0.094	0.09	<0.1	<0.01	2.2	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.65	0.040	5	2	0.39	57	0.071	1	0.95	0.085	0.08	<0.1	<0.01	2.5	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 05, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000047.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	3	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2