



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 27, 2016
Report Date: July 13, 2016
Page: 1 of 6

CERTIFICATE OF ANALYSIS

WHI16000053.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-11
P.O. Number
Number of Samples: 128

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	117	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	128	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	128	Analysis sample split/packet			VAN
Split -150	128	Analysis sample split/packet			VAN
FS631	117	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	128	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	128	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000862	Drill Core				0.79	518	<0.005	<0.01	<0.17	23.87	0.5	23.4	18.3	65	0.3	11.8	7.5	658	2.30	4.8	0.9	2.4	4.9	190
2000863	Drill Core				0.88	396	<0.005	<0.01	<0.17	20.15	0.4	17.0	8.1	54	0.3	10.5	6.3	279	1.96	6.1	0.6	2.4	2.6	35
2000864	Drill Core				0.83	354	0.009	<0.01	<0.17	21.93	0.8	15.3	6.5	78	0.2	11.9	8.0	354	2.62	6.4	6.1	3.5	8.6	65
2000865	Drill Core				0.63	403	2.752	3.67	22.35	18.84	1.4	29.1	30.6	99	1.8	10.2	7.4	411	2.64	15.7	2.2	2570.6	7.7	54
2000866	Drill Core				0.63	396	0.779	0.82	1.48	21.66	1.4	39.6	6.8	65	1.2	14.2	9.9	428	2.66	18.5	1.7	1526.2	10.1	77
2000867	Drill Core				0.64	400	0.567	0.58	0.73	24.76	1.7	26.5	10.4	53	0.7	14.2	11.0	484	3.01	25.3	2.7	945.4	9.8	126
2000868	Drill Core				1.06	445	0.005	<0.01	<0.17	21.65	0.6	14.7	7.2	74	0.2	12.7	8.5	474	2.76	5.6	2.9	4.9	9.9	99
2000869	Drill Core				0.66	548	<0.005	<0.01	<0.17	28.41	0.3	5.0	25.3	59	0.2	10.0	5.9	373	2.41	6.3	0.8	3.1	6.4	101
2000870	Rock				0.80	352	<0.005	<0.01	<0.17	28.05	<0.1	1.1	0.3	1	<0.1	1.1	0.3	144	0.10	<0.5	<0.1	<0.5	<0.1	67
2000871	Drill Core				0.64	440	<0.005	<0.01	<0.17	20.30	0.6	7.3	33.1	34	0.2	7.1	4.6	244	1.98	5.9	0.7	2.5	4.5	40
2000872	Drill Core				0.68	418	<0.005	<0.01	<0.17	21.61	1.1	11.4	12.2	63	0.1	13.5	7.7	259	2.68	9.6	1.3	1.0	9.3	45
2000873	Drill Core				1.45	488	0.580	0.58	0.49	18.21	0.4	9.6	8.6	55	0.8	14.2	8.1	551	2.67	136.2	1.7	521.5	6.5	112
2000874	Drill Core				0.70	438	0.298	0.30	0.32	21.61	0.4	12.6	10.2	80	0.6	18.6	11.1	404	3.03	192.4	2.1	255.4	7.9	50
2000875	Drill Core				1.08	429	0.039	0.04	<0.17	23.10	0.5	15.7	7.6	64	0.3	11.4	8.6	443	2.55	30.2	1.7	33.8	9.7	40
2000876	Drill Core				2.54	577	0.006	<0.01	<0.17	25.12	0.6	19.8	18.4	55	0.3	12.9	8.1	419	2.56	14.7	1.6	3.7	8.8	76
2000877	Drill Core				2.46	459	<0.005	<0.01	<0.17	21.34	0.7	10.1	6.4	74	0.1	12.2	8.2	449	2.59	11.5	2.0	1.7	7.7	110
2000878	Drill Core				0.72	467	<0.005	<0.01	<0.17	24.21	0.8	16.7	5.8	68	0.2	15.1	7.5	391	2.71	13.4	1.0	1.8	6.8	95
2000879	Drill Core				0.76	472	0.005	<0.01	<0.17	23.34	1.5	31.0	64.2	65	0.9	17.4	7.2	500	3.08	20.7	1.1	4.1	8.4	123
2000880	Rock Pulp				0.12		7.000	I.S.	I.S.	I.S.	13.8	71.0	22.7	64	0.8	19.3	9.2	473	4.33	12.0	0.4	7223.5	1.2	55
2000881	Drill Core				0.81	514	<0.005	<0.01	<0.17	27.58	3.1	26.3	10.9	77	0.3	27.9	10.6	346	2.77	32.0	1.1	2.2	6.1	114
2000882	Drill Core				1.66	482	<0.005	<0.01	<0.17	21.52	3.7	22.7	15.0	57	0.5	20.8	7.8	299	2.17	28.3	2.0	5.4	8.8	126
2000883	Drill Core				1.40	416	0.021	0.02	<0.17	18.02	0.4	16.1	16.5	53	0.7	10.3	6.1	215	1.67	15.0	4.7	28.3	12.6	103
2000884	Drill Core				0.67	414	0.277	0.26	<0.17	21.46	1.2	4.4	112.5	45	0.9	6.3	3.5	495	1.56	5.7	1.2	104.5	7.4	61
2000885	Drill Core				1.28	496	0.065	0.06	<0.17	19.26	0.6	12.7	13.5	40	0.9	6.8	5.9	180	1.64	9.5	1.6	52.0	13.7	41
2000886	Drill Core				0.68	408	0.484	0.62	3.36	19.66	0.8	12.1	18.9	143	1.4	13.1	7.8	344	1.88	16.4	1.9	483.1	10.8	73
2000887	Drill Core				1.16	464	0.028	0.03	<0.17	23.85	0.5	19.1	11.8	49	0.7	9.6	5.1	182	1.56	9.9	1.7	23.7	12.9	71
2000888	Drill Core				0.75	431	0.359	0.35	0.20	19.72	0.6	10.4	12.3	28	0.7	10.1	6.0	252	1.52	6.6	1.5	224.8	10.0	29
2000889	Drill Core				1.01	439	0.153	0.15	<0.17	20.84	0.4	10.7	14.5	19	0.8	6.0	4.0	210	1.43	4.0	1.3	173.6	10.1	32
2000890	Rock Pulp				0.12		<0.005	I.S.	I.S.	I.S.	1.9	62.5	3.5	38	<0.1	4.7	8.4	360	2.54	0.8	0.8	4.0	2.5	58
2000891	Drill Core				2.01	398	<0.005	<0.01	<0.17	25.85	0.6	8.3	16.7	25	0.4	5.4	3.2	151	1.17	6.6	1.5	2.2	13.4	41



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000862	Drill Core	0.4	0.2	0.2	20	4.07	0.066	12	22	0.79	130	0.073	<1	1.00	0.037	0.15	0.1	<0.01	4.3	<0.1	0.14			
2000863	Drill Core	<0.1	0.2	<0.1	11	0.55	0.068	6	15	0.64	246	0.070	<1	0.96	0.021	0.20	0.1	<0.01	2.0	<0.1	0.13			
2000864	Drill Core	0.3	1.1	<0.1	19	0.88	0.067	14	23	0.84	285	0.058	2	1.13	0.044	0.64	0.4	<0.01	4.4	0.3	0.09			
2000865	Drill Core	0.7	1.0	0.2	11	0.75	0.052	13	14	0.55	286	0.025	1	0.72	0.040	0.42	0.7	0.03	3.8	0.1	0.12			
2000866	Drill Core	0.6	0.9	<0.1	13	1.07	0.072	13	15	0.69	347	0.038	1	0.99	0.025	0.63	0.6	0.01	4.0	0.3	0.38			
2000867	Drill Core	0.4	0.7	<0.1	14	1.66	0.076	9	17	0.72	138	0.045	1	0.88	0.030	0.57	0.9	0.01	4.4	0.2	1.02			
2000868	Drill Core	0.4	0.9	<0.1	26	1.51	0.062	17	31	0.99	253	0.094	<1	1.22	0.044	0.68	0.3	<0.01	4.8	0.3	0.13			
2000869	Drill Core	0.2	0.2	0.1	20	1.52	0.109	11	24	0.86	135	0.040	<1	1.02	0.049	0.24	0.4	<0.01	5.7	<0.1	<0.05			
2000870	Rock	<0.1	<0.1	<0.1	<2	31.55	0.004	1	<1	0.83	12	0.001	<1	0.01	0.004	<0.01	<0.1	<0.01	0.2	<0.1	0.14			
2000871	Drill Core	0.2	0.3	0.2	12	0.65	0.027	9	15	0.49	170	0.033	<1	0.63	0.033	0.27	0.2	0.01	3.3	0.1	<0.05			
2000872	Drill Core	0.1	0.4	<0.1	22	0.58	0.072	20	24	0.83	325	0.053	<1	1.14	0.032	0.69	0.3	<0.01	6.1	0.3	<0.05			
2000873	Drill Core	0.4	1.2	<0.1	15	1.54	0.062	10	18	0.82	255	0.025	2	0.95	0.026	0.50	0.5	<0.01	5.3	0.2	0.27			
2000874	Drill Core	0.3	1.8	0.2	16	0.75	0.063	18	21	0.80	282	0.021	2	1.12	0.037	0.54	0.4	<0.01	4.9	0.3	<0.05			
2000875	Drill Core	0.3	1.6	<0.1	15	0.75	0.061	22	19	0.78	283	0.030	<1	1.09	0.042	0.51	0.4	<0.01	5.5	0.2	<0.05			
2000876	Drill Core	0.3	1.1	0.2	16	1.12	0.069	15	18	0.80	275	0.036	1	0.99	0.046	0.57	0.3	<0.01	6.4	0.3	0.06			
2000877	Drill Core	0.3	0.8	<0.1	18	1.37	0.071	10	19	0.99	250	0.037	2	1.06	0.024	0.55	0.3	<0.01	6.4	0.3	0.08			
2000878	Drill Core	0.2	0.9	<0.1	22	1.15	0.081	10	24	0.91	245	0.032	1	1.10	0.033	0.50	0.3	<0.01	5.6	0.2	<0.05			
2000879	Drill Core	0.3	1.0	0.9	29	1.61	0.102	12	29	1.07	305	0.037	1	1.29	0.038	0.52	0.4	<0.01	6.3	0.2	0.07			
2000880	Rock Pulp	0.1	4.8	0.4	97	1.06	0.051	5	28	0.63	89	0.099	3	1.79	0.148	0.13	1.6	0.33	4.8	<0.1	<0.05			
2000881	Drill Core	0.3	1.4	0.1	32	1.48	0.082	7	41	1.23	243	0.034	<1	1.26	0.016	0.59	0.3	<0.01	7.2	0.2	0.13			
2000882	Drill Core	0.5	1.1	0.3	17	1.40	0.068	10	21	0.82	279	0.022	2	0.98	0.019	0.58	0.2	<0.01	4.5	0.2	0.26			
2000883	Drill Core	0.8	0.7	0.4	8	0.94	0.047	13	9	0.60	266	0.024	<1	0.80	0.031	0.44	0.2	<0.01	2.8	0.2	0.30			
2000884	Drill Core	0.5	0.5	1.0	4	1.00	0.030	14	10	0.33	187	0.009	1	0.42	0.053	0.20	0.3	<0.01	2.6	<0.1	<0.05			
2000885	Drill Core	0.4	0.7	0.3	5	0.49	0.042	16	6	0.43	331	0.014	1	0.69	0.036	0.48	0.3	0.01	2.2	0.2	0.21			
2000886	Drill Core	2.1	1.3	0.3	7	1.07	0.056	14	10	0.58	239	0.018	<1	0.62	0.018	0.44	0.3	0.01	3.3	0.2	<0.05			
2000887	Drill Core	0.3	0.9	0.2	7	0.83	0.054	20	11	0.55	339	0.028	1	0.82	0.029	0.53	0.3	<0.01	2.6	0.2	0.06			
2000888	Drill Core	0.2	0.6	0.3	5	0.33	0.041	16	7	0.39	260	0.018	<1	0.51	0.020	0.37	0.4	<0.01	2.2	0.1	<0.05			
2000889	Drill Core	0.2	0.5	0.5	4	0.43	0.041	17	6	0.30	320	0.016	1	0.54	0.038	0.38	0.3	<0.01	2.0	0.1	0.10			
2000890	Rock Pulp	<0.1	<0.1	<0.1	90	0.73	0.056	6	10	0.72	113	0.088	2	1.34	0.135	0.19	2.0	<0.01	1.9	<0.1	<0.05			
2000891	Drill Core	0.3	0.9	0.5	8	0.56	0.039	28	10	0.34	280	0.044	1	0.67	0.049	0.31	0.5	<0.01	2.3	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
MDL					
2000862	Drill Core		4	0.5	<0.2
2000863	Drill Core		3	<0.5	<0.2
2000864	Drill Core		4	0.8	<0.2
2000865	Drill Core		3	<0.5	<0.2
2000866	Drill Core		4	<0.5	<0.2
2000867	Drill Core		3	1.3	<0.2
2000868	Drill Core		5	0.9	<0.2
2000869	Drill Core		4	<0.5	<0.2
2000870	Rock		<1	<0.5	<0.2
2000871	Drill Core		2	<0.5	<0.2
2000872	Drill Core		4	<0.5	<0.2
2000873	Drill Core		3	0.6	<0.2
2000874	Drill Core		4	0.6	<0.2
2000875	Drill Core		4	0.6	<0.2
2000876	Drill Core		3	0.9	<0.2
2000877	Drill Core		3	<0.5	<0.2
2000878	Drill Core		4	<0.5	<0.2
2000879	Drill Core		4	0.9	<0.2
2000880	Rock Pulp		5	<0.5	0.2
2000881	Drill Core		3	0.9	<0.2
2000882	Drill Core		3	0.8	<0.2
2000883	Drill Core		2	4.3	<0.2
2000884	Drill Core		2	0.6	<0.2
2000885	Drill Core		2	0.8	<0.2
2000886	Drill Core		2	<0.5	<0.2
2000887	Drill Core		3	<0.5	<0.2
2000888	Drill Core		2	<0.5	<0.2
2000889	Drill Core		2	<0.5	<0.2
2000890	Rock Pulp		4	<0.5	<0.2
2000891	Drill Core		3	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 3 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000892	Drill Core	2.02	400	0.008	<0.01	<0.17	17.43	0.1	14.7	25.6	23	0.4	4.2	3.8	122	1.09	7.1	1.6	6.1	12.3	115
2000893	Drill Core	0.74	463	0.005	<0.01	<0.17	22.72	0.3	9.0	15.8	17	0.2	3.4	3.0	93	0.93	5.3	1.2	3.9	14.2	32
2000894	Drill Core	0.84	333	0.041	0.04	<0.17	16.95	0.3	4.3	10.7	13	0.2	3.5	2.6	130	0.94	3.3	1.1	32.7	13.2	23
2000895	Drill Core	0.68	423	0.088	0.08	<0.17	20.86	0.7	9.1	8.9	16	0.2	4.8	3.2	251	1.21	4.3	1.0	189.5	7.5	21
2000896	Drill Core	2.26	485	0.008	<0.01	<0.17	22.50	1.1	14.8	24.1	39	0.3	10.4	5.6	220	1.72	9.5	1.8	3.7	13.0	45
2000897	Drill Core	1.38	488	0.016	0.01	<0.17	27.23	0.3	9.2	20.9	27	0.2	4.5	3.4	110	1.11	7.0	1.5	23.9	14.4	36
2000898	Drill Core	1.54	498	<0.005	<0.01	<0.17	19.45	0.4	6.9	21.4	26	0.2	3.8	3.2	131	1.15	4.7	1.6	5.3	13.7	65
2000899	Drill Core	1.61	341	0.038	0.04	<0.17	18.89	0.8	16.2	14.7	33	0.3	13.3	5.2	239	1.73	7.2	1.6	42.3	12.2	62
2000900	Rock Pulp	0.12		7.037	I.S.	I.S.	I.S.	13.2	69.1	22.6	59	0.7	18.6	9.2	467	4.22	12.4	0.3	6996.5	1.2	50
2000901	Drill Core	0.72	467	0.092	0.10	0.18	22.57	0.8	5.2	4.0	27	0.1	9.6	4.5	359	1.90	2.5	1.4	121.1	3.7	23
2000902	Drill Core	1.92	382	0.020	0.02	<0.17	18.29	0.7	16.9	20.8	32	0.5	9.5	4.8	177	1.33	7.8	1.4	21.4	12.0	51
2000903	Drill Core	2.65	451	0.006	<0.01	<0.17	27.04	0.4	19.8	29.1	31	0.4	11.5	5.2	232	1.35	6.9	1.6	3.6	10.0	66
2000904	Drill Core	2.12	394	0.031	0.03	<0.17	29.44	0.5	15.3	16.4	32	0.4	10.0	4.4	138	1.49	34.5	2.6	41.5	12.0	18
2000905	Drill Core	0.69	429	0.130	0.13	<0.17	28.97	0.6	19.1	61.9	52	1.1	5.9	2.3	160	1.91	382.6	2.2	130.4	8.7	18
2000906	Drill Core	1.01	416	0.285	0.28	0.22	27.25	0.5	24.8	6.2	30	0.7	19.2	8.6	140	1.59	2060.7	5.9	296.9	9.8	23
2000907	Drill Core	0.76	492	0.540	0.53	0.28	25.45	1.0	5.2	4.3	12	0.6	4.9	2.9	98	1.15	176.9	3.1	569.9	12.3	17
2000908	Drill Core	1.38	493	0.090	0.08	<0.17	25.88	0.8	10.1	15.4	16	0.4	3.6	2.0	113	1.17	34.2	3.6	95.3	13.1	14
2000909	Drill Core	0.67	428	0.045	0.04	<0.17	17.87	0.8	10.9	6.4	20	0.2	6.2	4.0	273	1.22	14.2	1.3	42.3	11.3	17
2000910	Rock Pulp	0.12		<0.005	I.S.	I.S.	I.S.	1.9	70.4	3.8	37	<0.1	5.6	9.0	376	2.66	1.1	0.9	1.8	2.7	69
2000911	Drill Core	1.69	333	<0.005	<0.01	<0.17	26.57	0.6	10.9	28.8	28	0.4	4.8	2.5	174	1.21	12.0	1.6	9.8	12.5	32
2000912	Drill Core	0.92	360	<0.005	<0.01	<0.17	18.92	0.8	13.5	6.2	44	0.2	7.3	4.1	195	1.55	7.9	2.2	2.2	14.3	29
2000913	Drill Core	1.30	448	0.006	<0.01	<0.17	28.56	1.2	25.4	12.0	44	0.3	18.1	7.1	242	1.80	6.7	3.3	3.1	13.7	26
2000914	Drill Core	0.70	470	<0.005	<0.01	<0.17	28.63	1.0	9.0	4.3	39	0.1	14.7	7.1	425	1.62	6.8	10.0	2.4	7.1	71
2000915	Drill Core	0.98	398	0.009	<0.01	<0.17	21.50	0.8	12.5	15.1	36	0.2	8.5	4.3	457	1.53	247.0	1.2	9.7	7.8	69
2000417	Drill Core	2.97	410	<0.005	<0.01	<0.17	18.80	0.2	8.5	9.4	40	0.1	4.1	3.5	262	1.25	1.9	1.2	4.1	12.0	14
2000418	Drill Core	0.80	456	<0.005	<0.01	<0.17	20.94	0.2	17.1	6.5	38	0.2	4.8	4.2	147	1.31	1.6	0.9	2.7	12.7	11
2000419	Drill Core	0.62	378	<0.005	<0.01	<0.17	20.52	0.3	10.2	6.7	37	<0.1	5.6	3.5	193	1.49	1.5	0.8	1.2	11.4	12
2000420	Rock Pulp	0.12		7.141	I.S.	I.S.	I.S.	14.2	71.6	23.2	60	0.8	19.5	9.6	481	4.58	12.5	0.4	7125.2	1.3	57
2000421	Drill Core	1.55	513	<0.005	<0.01	<0.17	22.70	0.2	4.9	15.6	39	<0.1	3.9	4.0	370	1.36	2.2	1.6	<0.5	10.9	19
2000422	Drill Core	2.80	411	<0.005	<0.01	<0.17	25.23	0.1	13.9	9.7	46	0.2	4.8	4.7	215	1.28	1.0	0.7	0.8	12.6	9



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 3 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000892	Drill Core	0.2	0.8	0.4	6	0.97	0.030	25	6	0.24	217	0.038	1	0.52	0.032	0.25	0.4	<0.01	2.4	<0.1	<0.05			
2000893	Drill Core	<0.1	0.4	0.2	4	0.37	0.035	28	7	0.18	326	0.019	1	0.50	0.045	0.34	0.2	<0.01	1.5	<0.1	<0.05			
2000894	Drill Core	<0.1	0.2	0.2	4	0.27	0.028	25	4	0.24	257	0.021	<1	0.44	0.033	0.26	0.4	<0.01	1.8	<0.1	<0.05			
2000895	Drill Core	0.2	0.3	0.2	4	0.42	0.024	15	6	0.26	140	0.019	1	0.39	0.045	0.18	0.4	<0.01	1.9	<0.1	<0.05			
2000896	Drill Core	0.3	1.3	0.4	9	0.64	0.045	23	12	0.49	229	0.052	2	0.74	0.026	0.37	0.5	0.01	3.4	0.2	<0.05			
2000897	Drill Core	0.2	0.5	0.2	5	0.57	0.032	24	7	0.29	224	0.041	2	0.60	0.044	0.31	0.5	<0.01	2.2	<0.1	<0.05			
2000898	Drill Core	0.3	0.3	0.2	5	0.86	0.028	23	6	0.28	183	0.044	<1	0.53	0.042	0.28	0.6	<0.01	2.0	<0.1	<0.05			
2000899	Drill Core	0.2	0.6	0.3	8	0.83	0.045	17	13	0.50	301	0.028	3	0.75	0.025	0.53	0.2	<0.01	2.8	0.2	0.10			
2000900	Rock Pulp	0.2	4.7	0.4	93	1.00	0.047	5	28	0.61	79	0.098	2	1.77	0.139	0.12	1.5	0.33	4.5	<0.1	<0.05			
2000901	Drill Core	0.4	0.3	<0.1	6	0.47	0.037	9	9	0.36	212	0.023	2	0.49	0.013	0.30	0.5	<0.01	2.8	<0.1	<0.05			
2000902	Drill Core	0.3	0.8	0.5	8	0.57	0.049	19	12	0.34	285	0.049	1	0.68	0.049	0.38	0.6	<0.01	3.0	0.1	0.07			
2000903	Drill Core	0.3	0.9	0.4	8	1.01	0.046	19	11	0.27	218	0.088	1	0.54	0.040	0.27	1.0	<0.01	3.1	<0.1	<0.05			
2000904	Drill Core	0.2	1.0	0.3	6	0.29	0.049	20	8	0.19	294	0.066	2	0.60	0.026	0.37	1.1	<0.01	2.3	0.2	0.25			
2000905	Drill Core	0.3	1.3	1.4	3	0.21	0.040	12	6	0.26	249	0.017	4	0.77	0.007	0.36	0.9	<0.01	2.0	0.1	0.44			
2000906	Drill Core	0.2	5.1	0.5	4	0.27	0.057	16	6	0.25	218	0.037	4	0.82	0.008	0.38	1.6	<0.01	2.3	0.1	0.59			
2000907	Drill Core	<0.1	0.8	0.2	3	0.21	0.050	17	5	0.17	196	0.036	4	0.63	0.006	0.30	1.4	<0.01	1.7	<0.1	0.12			
2000908	Drill Core	<0.1	0.7	0.3	5	0.23	0.037	18	5	0.24	243	0.056	<1	0.61	0.034	0.29	1.1	<0.01	2.2	<0.1	<0.05			
2000909	Drill Core	0.2	0.6	0.1	8	0.25	0.046	22	7	0.37	245	0.021	3	0.77	0.024	0.40	0.7	<0.01	3.7	0.1	<0.05			
2000910	Rock Pulp	0.1	<0.1	<0.1	93	0.85	0.062	7	12	0.73	116	0.121	2	1.52	0.156	0.18	2.5	<0.01	2.5	<0.1	<0.05			
2000911	Drill Core	0.1	1.2	0.6	10	0.62	0.037	26	10	0.28	197	0.077	2	0.65	0.090	0.25	1.2	<0.01	2.9	<0.1	<0.05			
2000912	Drill Core	0.4	0.9	<0.1	13	0.52	0.045	24	12	0.36	267	0.098	1	0.71	0.036	0.36	1.1	<0.01	4.1	0.1	<0.05			
2000913	Drill Core	0.4	0.9	0.2	19	0.48	0.076	32	22	0.51	323	0.091	1	0.92	0.028	0.55	1.1	<0.01	6.3	0.2	<0.05			
2000914	Drill Core	0.3	0.4	<0.1	20	1.94	0.096	20	27	0.50	306	0.127	2	0.84	0.005	0.70	0.3	<0.01	4.7	0.3	0.05			
2000915	Drill Core	0.2	2.9	0.2	12	2.21	0.047	17	14	0.52	228	0.049	1	0.85	0.028	0.33	0.7	<0.01	3.8	0.1	<0.05			
2000417	Drill Core	0.2	1.1	<0.1	6	0.53	0.030	28	5	0.08	946	0.003	5	0.54	0.046	0.33	0.1	0.05	3.2	0.1	<0.05			
2000418	Drill Core	0.1	1.9	<0.1	7	0.39	0.033	31	6	0.13	836	0.006	3	0.55	0.035	0.35	0.1	0.02	2.8	0.1	0.07			
2000419	Drill Core	0.1	1.6	<0.1	8	0.43	0.033	27	8	0.14	830	0.006	4	0.54	0.040	0.32	0.1	0.03	3.9	0.1	0.06			
2000420	Rock Pulp	0.2	6.0	0.4	98	1.12	0.055	5	30	0.63	89	0.120	2	1.88	0.148	0.13	2.0	0.28	5.2	<0.1	<0.05			
2000421	Drill Core	0.4	0.9	<0.1	7	0.75	0.028	17	4	0.06	835	0.002	6	0.42	0.029	0.26	<0.1	0.05	3.4	<0.1	<0.05			
2000422	Drill Core	0.2	0.5	<0.1	6	0.13	0.035	30	6	0.17	311	0.007	2	0.64	0.044	0.38	<0.1	0.02	3.4	0.2	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 3 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
2000892	Drill Core		3	<0.5	<0.2
2000893	Drill Core		2	<0.5	<0.2
2000894	Drill Core		2	<0.5	<0.2
2000895	Drill Core		2	<0.5	<0.2
2000896	Drill Core		3	<0.5	<0.2
2000897	Drill Core		2	<0.5	<0.2
2000898	Drill Core		2	<0.5	<0.2
2000899	Drill Core		2	<0.5	<0.2
2000900	Rock Pulp		5	<0.5	0.2
2000901	Drill Core		2	0.7	<0.2
2000902	Drill Core		3	<0.5	<0.2
2000903	Drill Core		2	0.7	<0.2
2000904	Drill Core		2	0.5	<0.2
2000905	Drill Core		2	1.3	0.2
2000906	Drill Core		2	0.7	0.2
2000907	Drill Core		1	<0.5	<0.2
2000908	Drill Core		2	<0.5	<0.2
2000909	Drill Core		2	<0.5	<0.2
2000910	Rock Pulp		5	<0.5	<0.2
2000911	Drill Core		3	<0.5	<0.2
2000912	Drill Core		3	0.8	<0.2
2000913	Drill Core		3	0.6	<0.2
2000914	Drill Core		3	1.1	<0.2
2000915	Drill Core		3	<0.5	<0.2
2000417	Drill Core		2	<0.5	<0.2
2000418	Drill Core		2	<0.5	<0.2
2000419	Drill Core		2	<0.5	<0.2
2000420	Rock Pulp		5	<0.5	<0.2
2000421	Drill Core		1	<0.5	<0.2
2000422	Drill Core		2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 4 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000423	Drill Core	2.67	440	<0.005	<0.01	<0.17	20.55	0.1	10.3	13.6	45	0.1	4.5	4.3	250	1.36	0.9	0.8	<0.5	13.6	10
2000424	Drill Core	3.04	530	<0.005	<0.01	<0.17	24.55	0.2	13.1	8.2	47	0.2	5.3	4.4	189	1.40	0.9	0.8	<0.5	15.0	9
2000425	Drill Core	2.73	443	<0.005	<0.01	<0.17	19.80	0.2	11.5	11.0	48	0.2	5.2	3.9	234	1.46	1.2	0.9	5.4	14.3	11
2000426	Drill Core	0.68	408	<0.005	<0.01	<0.17	28.58	0.3	10.9	16.9	43	0.2	3.4	3.8	301	1.22	1.2	1.4	4.0	11.5	15
2000427	Drill Core	1.99	514	<0.005	<0.01	<0.17	25.80	0.2	11.9	16.2	42	0.3	3.4	3.5	224	1.22	1.1	1.2	3.7	11.4	16
2000428	Drill Core	0.96	389	<0.005	<0.01	<0.17	17.78	0.4	25.2	36.4	61	0.5	6.0	6.2	410	1.59	4.3	1.6	4.5	8.0	16
2000429	Drill Core	0.66	393	0.006	<0.01	<0.17	21.38	0.3	7.8	26.2	37	0.4	3.2	3.5	125	1.35	1.7	0.9	3.0	9.5	15
2000430	Rock Pulp	0.12		0.009	I.S.	I.S.		2.6	70.8	3.9	38	<0.1	5.8	9.2	373	2.67	<0.5	0.9	1.3	2.8	71
2000431	Drill Core	2.00	357	0.011	0.03	0.26	22.91	0.2	16.1	62.3	7	0.4	1.6	1.9	94	0.76	1.5	0.7	41.1	0.9	4
2000432	Drill Core	0.61	373	0.138	0.15	0.27	22.02	0.5	103.4	741.0	37	2.1	3.8	6.6	262	1.87	6.6	4.3	136.4	4.5	21
2000433	Drill Core	1.07	429	0.013	0.01	<0.17	26.10	0.6	15.5	95.3	16	0.6	2.8	3.8	173	1.17	3.0	0.6	9.8	0.4	7
2000434	Drill Core	1.09	436	<0.005	<0.01	<0.17	32.71	0.5	27.9	55.3	23	1.5	1.2	1.1	153	0.96	3.8	0.4	2.7	0.2	8
2000435	Drill Core	0.79	484	<0.005	<0.01	<0.17	22.69	0.3	17.1	19.1	58	0.6	3.3	5.7	305	1.10	2.4	1.3	4.8	10.1	14
2000436	Drill Core	2.81	395	0.128	0.17	0.80	22.44	0.3	4.4	18.6	27	0.5	2.6	2.6	188	0.97	0.9	1.1	48.7	13.6	17
2000437	Drill Core	2.02	414	<0.005	<0.01	<0.17	24.93	0.2	3.7	10.0	24	0.1	2.6	2.3	185	0.87	0.8	0.8	3.2	13.2	18
2000438	Drill Core	1.68	447	<0.005	<0.01	<0.17	20.99	0.4	2.8	7.3	21	0.1	1.8	2.4	149	0.83	<0.5	0.6	1.3	13.4	18
2000439	Drill Core	0.65	406	<0.005	<0.01	<0.17	26.16	0.8	4.0	11.5	29	0.3	2.8	3.1	374	1.05	1.2	1.0	3.8	12.5	43
2000440	Rock Pulp	0.12		3.959	I.S.	I.S.		10.5	73.3	497.4	1599	52.3	33.6	9.2	409	3.60	31.4	0.4	3927.6	1.3	38
2000441	Drill Core	0.66	583	<0.005	<0.01	<0.17	19.82	0.5	2.1	10.9	21	0.4	2.2	2.1	188	0.80	1.1	0.8	2.1	13.5	36
2000442	Drill Core	0.59	397	<0.005	<0.01	<0.17	27.90	0.4	4.1	9.1	21	0.3	2.2	2.0	166	0.87	0.8	0.7	<0.5	13.1	36
2000443	Drill Core	0.61	375	<0.005	<0.01	<0.17	27.59	0.7	2.2	9.6	30	0.5	2.3	2.4	225	1.04	1.0	0.8	0.6	13.1	19
2000444	Drill Core	0.64	398	<0.005	<0.01	<0.17	22.86	0.4	3.2	7.2	19	0.5	2.1	1.8	138	0.76	0.5	0.7	1.2	14.0	25
2000445	Drill Core	1.94	454	<0.005	<0.01	<0.17	23.79	0.6	2.0	10.7	23	0.2	2.5	2.6	225	0.89	1.6	0.8	3.5	13.1	23
2000446	Drill Core	1.99	476	<0.005	<0.01	<0.17	20.56	0.5	3.6	16.3	18	0.2	2.4	2.7	184	0.82	1.7	0.9	5.0	13.1	25
2000447	Drill Core	0.97	393	<0.005	<0.01	<0.17	26.26	0.5	4.8	14.0	19	0.1	2.1	3.6	254	0.90	1.1	0.9	2.8	12.7	54
2000448	Drill Core	1.53	496	<0.005	<0.01	<0.17	23.09	0.5	5.3	12.7	21	<0.1	2.2	2.5	286	0.96	1.1	1.2	3.2	11.8	31
2000449	Drill Core	2.83	435	<0.005	<0.01	<0.17	23.18	0.4	2.4	11.8	19	<0.1	3.0	2.5	220	1.01	1.9	1.0	2.1	13.3	35
2000450	Rock	1.91	410	<0.005	<0.01	<0.17	27.82	<0.1	0.9	0.7	2	<0.1	<0.1	0.2	174	0.11	<0.5	<0.1	0.5	<0.1	69
2000451	Drill Core	0.62	232	0.025	0.02	<0.17	24.69	0.6	11.9	11.8	35	0.2	5.6	4.4	309	1.86	2.0	1.2	11.6	6.9	27
2000452	Drill Core	0.72	449	<0.005	<0.01	<0.17	58.00	0.2	4.2	8.6	18	0.1	2.4	2.0	115	0.85	1.6	1.0	2.1	15.7	4



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 4 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000423	Drill Core	0.1	0.5	<0.1	7	0.13	0.037	33	6	0.19	281	0.008	4	0.66	0.043	0.39	<0.1	0.03	3.4	0.2	<0.05			
2000424	Drill Core	0.1	1.0	<0.1	8	0.13	0.040	34	8	0.26	257	0.013	2	0.66	0.039	0.41	0.1	0.01	3.7	0.2	<0.05			
2000425	Drill Core	0.4	0.9	<0.1	8	0.12	0.038	36	7	0.26	296	0.015	2	0.72	0.050	0.46	<0.1	0.03	3.4	0.2	<0.05			
2000426	Drill Core	0.2	0.6	<0.1	4	0.32	0.031	33	6	0.06	584	0.003	2	0.41	0.033	0.27	<0.1	0.07	2.3	0.1	<0.05			
2000427	Drill Core	0.3	0.9	<0.1	4	0.16	0.032	29	5	0.10	871	0.004	1	0.48	0.033	0.28	<0.1	0.08	2.5	0.1	<0.05			
2000428	Drill Core	0.5	1.5	<0.1	6	0.17	0.045	24	8	0.09	365	0.001	3	0.61	0.007	0.31	0.2	0.09	3.9	0.1	<0.05			
2000429	Drill Core	0.2	0.6	<0.1	4	0.13	0.028	22	5	0.09	283	0.002	4	0.59	0.023	0.28	<0.1	0.05	2.1	<0.1	<0.05			
2000430	Rock Pulp	<0.1	<0.1	<0.1	92	0.86	0.067	7	11	0.72	118	0.121	3	1.51	0.157	0.18	2.3	<0.01	2.3	<0.1	<0.05			
2000431	Drill Core	<0.1	1.6	0.2	<2	0.01	0.004	3	4	<0.01	256	<0.001	2	0.06	0.003	0.03	<0.1	0.07	0.5	<0.1	<0.05			
2000432	Drill Core	0.5	4.5	1.7	2	0.05	0.010	13	4	0.02	2184	<0.001	4	0.33	0.002	0.13	<0.1	0.21	1.9	<0.1	0.05			
2000433	Drill Core	0.4	1.7	0.6	<2	0.01	0.004	1	6	<0.01	615	<0.001	2	0.06	0.003	0.03	<0.1	0.05	0.4	<0.1	<0.05			
2000434	Drill Core	0.5	9.1	0.4	<2	<0.01	0.002	<1	3	<0.01	548	<0.001	1	0.02	0.002	0.01	<0.1	0.23	0.3	<0.1	<0.05			
2000435	Drill Core	1.2	2.5	<0.1	3	0.10	0.016	21	4	0.04	500	0.001	2	0.40	0.010	0.22	0.1	0.10	1.7	<0.1	<0.05			
2000436	Drill Core	0.2	0.8	0.1	3	0.30	0.019	34	4	0.08	934	0.005	2	0.51	0.057	0.34	<0.1	0.08	1.9	0.1	<0.05			
2000437	Drill Core	<0.1	0.3	<0.1	3	0.52	0.020	32	4	0.09	833	0.004	<1	0.52	0.042	0.35	<0.1	0.04	1.8	0.1	<0.05			
2000438	Drill Core	<0.1	0.2	<0.1	3	0.55	0.018	27	3	0.08	688	0.003	<1	0.51	0.033	0.32	0.1	0.05	2.1	0.1	<0.05			
2000439	Drill Core	0.2	0.4	<0.1	3	1.59	0.021	32	5	0.09	1318	0.004	1	0.49	0.037	0.33	<0.1	0.07	2.2	0.1	<0.05			
2000440	Rock Pulp	17.9	59.8	1.0	62	0.82	0.054	7	29	0.60	117	0.137	5	1.33	0.084	0.12	3.1	0.16	5.7	1.2	0.33			
2000441	Drill Core	<0.1	0.4	<0.1	3	0.60	0.021	33	4	0.10	1238	0.006	<1	0.51	0.031	0.36	<0.1	0.03	1.8	0.2	<0.05			
2000442	Drill Core	0.1	0.5	<0.1	3	0.69	0.020	31	4	0.09	1698	0.005	2	0.47	0.039	0.34	<0.1	0.03	1.9	0.1	<0.05			
2000443	Drill Core	0.1	0.4	<0.1	4	1.02	0.020	33	4	0.09	750	0.005	1	0.54	0.038	0.37	<0.1	0.02	2.3	0.1	<0.05			
2000444	Drill Core	<0.1	0.3	<0.1	4	0.46	0.021	33	4	0.10	804	0.007	<1	0.48	0.032	0.35	<0.1	0.03	1.8	0.2	<0.05			
2000445	Drill Core	0.1	0.4	<0.1	4	0.77	0.019	33	4	0.09	922	0.003	<1	0.54	0.039	0.34	<0.1	0.03	2.5	0.1	<0.05			
2000446	Drill Core	<0.1	0.7	<0.1	3	0.73	0.022	32	4	0.07	1159	0.004	1	0.47	0.037	0.34	<0.1	0.02	1.8	0.1	<0.05			
2000447	Drill Core	<0.1	0.7	<0.1	3	0.95	0.020	30	4	0.08	2337	0.003	2	0.60	0.038	0.40	<0.1	0.03	1.8	0.1	0.05			
2000448	Drill Core	0.2	0.9	<0.1	2	1.80	0.020	32	4	0.06	1509	0.002	2	0.43	0.029	0.28	<0.1	0.05	1.7	<0.1	<0.05			
2000449	Drill Core	0.1	0.4	<0.1	4	1.15	0.021	35	4	0.11	2419	0.004	1	0.53	0.047	0.31	<0.1	0.02	2.4	0.1	0.05			
2000450	Rock	<0.1	<0.1	<0.1	<2	34.39	0.006	1	<1	1.22	17	0.002	<1	0.02	0.005	<0.01	<0.1	<0.01	0.2	<0.1	<0.05			
2000451	Drill Core	0.3	1.7	<0.1	9	1.11	0.048	17	9	0.08	1234	0.003	10	0.71	0.046	0.43	<0.1	0.04	3.9	0.1	<0.05			
2000452	Drill Core	<0.1	0.7	<0.1	3	0.09	0.017	40	4	0.13	208	0.006	<1	0.42	0.033	0.28	0.2	<0.01	1.9	0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 4 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000423	Drill Core	3	<0.5	<0.2
2000424	Drill Core	3	<0.5	<0.2
2000425	Drill Core	3	<0.5	<0.2
2000426	Drill Core	2	<0.5	<0.2
2000427	Drill Core	2	<0.5	<0.2
2000428	Drill Core	2	<0.5	<0.2
2000429	Drill Core	2	<0.5	<0.2
2000430	Rock Pulp	5	<0.5	<0.2
2000431	Drill Core	<1	<0.5	<0.2
2000432	Drill Core	<1	<0.5	<0.2
2000433	Drill Core	<1	<0.5	<0.2
2000434	Drill Core	<1	<0.5	<0.2
2000435	Drill Core	1	<0.5	<0.2
2000436	Drill Core	2	<0.5	<0.2
2000437	Drill Core	2	<0.5	<0.2
2000438	Drill Core	2	<0.5	<0.2
2000439	Drill Core	2	<0.5	<0.2
2000440	Rock Pulp	7	<0.5	<0.2
2000441	Drill Core	2	<0.5	<0.2
2000442	Drill Core	2	<0.5	<0.2
2000443	Drill Core	2	<0.5	<0.2
2000444	Drill Core	2	<0.5	<0.2
2000445	Drill Core	2	<0.5	<0.2
2000446	Drill Core	2	<0.5	<0.2
2000447	Drill Core	2	<0.5	<0.2
2000448	Drill Core	1	<0.5	<0.2
2000449	Drill Core	2	<0.5	<0.2
2000450	Rock	<1	<0.5	<0.2
2000451	Drill Core	2	<0.5	<0.2
2000452	Drill Core	2	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 5 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000453	Drill Core	0.67	418	<0.005	<0.01	<0.17	22.10	0.3	2.9	7.8	10	0.1	1.3	1.8	198	0.85	1.1	0.8	0.6	14.3	41
2000454	Drill Core	0.95	474	<0.005	<0.01	<0.17	32.60	0.1	5.7	8.5	14	0.2	1.9	2.5	109	0.88	1.1	0.9	2.7	15.6	4
2000455	Drill Core	1.10	481	<0.005	<0.01	<0.17	26.54	0.8	8.0	12.2	17	0.1	3.0	3.2	327	1.28	2.5	1.7	<0.5	11.6	157
2000456	Drill Core	0.53	379	<0.005	<0.01	<0.17	23.23	0.7	3.9	24.9	4	0.2	0.5	0.7	139	0.68	1.1	1.7	<0.5	19.3	56
2000457	Drill Core	0.65	415	<0.005	<0.01	<0.17	22.92	0.1	17.3	9.4	66	0.3	11.0	8.0	407	2.11	4.6	0.9	4.0	9.5	17
2000458	Drill Core	1.58	473	<0.005	<0.01	<0.17	21.78	0.6	16.6	20.1	60	0.4	8.1	8.5	405	2.01	3.8	2.7	1.2	12.1	30
2000459	Drill Core	1.20	425	<0.005	<0.01	<0.17	26.89	0.4	6.5	10.2	31	0.2	5.1	3.5	217	1.68	1.5	1.0	0.7	7.4	16
2000460	Rock Pulp	0.12		7.080	I.S.	I.S.		14.2	73.7	24.1	62	0.7	19.7	9.6	497	4.68	13.1	0.4	7290.7	1.4	63
2000461	Drill Core	1.97	417	<0.005	<0.01	<0.17	26.58	0.5	20.1	24.0	56	0.3	8.0	5.5	335	2.01	3.7	1.1	1.5	9.0	35
2000462	Drill Core	1.51	415	<0.005	<0.01	<0.17	28.37	0.5	9.7	11.1	35	0.1	5.1	3.6	294	1.77	2.7	0.6	<0.5	4.1	20
2000463	Drill Core	2.32	471	<0.005	<0.01	<0.17	28.53	0.6	16.1	33.5	77	0.4	11.3	7.4	468	2.49	7.2	1.1	3.2	9.9	18
2000464	Drill Core	1.65	551	<0.005	<0.01	<0.17	15.97	0.5	12.2	12.9	45	0.2	5.5	4.4	188	1.72	4.3	1.2	2.6	18.4	12
2000465	Drill Core	1.23	424	<0.005	<0.01	<0.17	26.72	0.4	4.3	10.3	15	<0.1	2.3	2.2	122	0.97	1.9	1.0	<0.5	19.1	5
2000466	Drill Core	2.19	476	<0.005	<0.01	<0.17	23.45	0.3	5.8	10.9	25	0.1	1.8	2.1	176	0.99	2.1	1.3	0.7	19.3	8
2000467	Drill Core	2.15	446	<0.005	<0.01	<0.17	28.56	0.6	3.4	15.5	21	0.1	1.0	1.4	166	0.89	1.4	1.0	<0.5	14.4	8
2000468	Drill Core	3.20	379	<0.005	<0.01	<0.17	27.43	0.7	9.1	17.7	15	0.2	1.5	2.5	98	0.92	2.2	1.1	<0.5	16.7	8
2000469	Drill Core	1.53	407	<0.005	<0.01	<0.17	25.14	0.3	3.4	11.7	6	0.1	1.0	1.1	120	0.84	1.2	0.4	0.7	7.7	3
2000470	Rock Pulp	0.12		0.012	I.S.	I.S.		1.8	65.7	3.6	38	<0.1	5.4	8.8	363	2.56	0.6	0.8	19.5	2.6	58
2000471	Drill Core	1.65	357	<0.005	<0.01	<0.17	27.01	0.3	11.2	20.2	17	0.2	2.0	2.1	143	1.07	3.3	1.1	0.8	17.9	13
2000472	Drill Core	1.20	508	<0.005	<0.01	<0.17	21.81	0.4	3.4	9.6	21	0.2	1.3	1.2	146	0.80	1.9	0.9	<0.5	19.1	11
2000473	Drill Core	1.52	557	<0.005	<0.01	<0.17	20.51	0.3	13.6	11.9	25	0.2	1.6	1.6	149	1.07	1.9	1.1	<0.5	17.0	13
2000474	Drill Core	0.89	353	<0.005	<0.01	<0.17	26.67	0.4	7.3	10.9	14	1.1	3.9	1.5	184	1.06	1.0	0.4	<0.5	4.2	9
2000475	Drill Core	1.00	386	<0.005	<0.01	<0.17	28.22	0.2	12.3	16.3	78	0.2	7.0	6.8	542	2.70	4.0	1.1	<0.5	11.3	14
2000476	Drill Core	1.62	462	<0.005	<0.01	<0.17	28.69	0.2	16.9	12.3	77	0.1	7.7	7.2	496	2.52	3.5	1.1	<0.5	10.5	14
2000477	Drill Core	2.38	416	<0.005	<0.01	<0.17	27.33	0.2	17.1	10.5	97	0.2	7.8	7.7	461	2.27	3.0	0.8	<0.5	9.9	24
2000478	Drill Core	1.83	358	<0.005	<0.01	<0.17	28.44	0.2	9.5	11.2	77	0.1	8.2	7.7	485	2.66	3.2	1.1	<0.5	10.8	18
2000479	Drill Core	1.33	384	<0.005	<0.01	<0.17	23.25	0.4	14.5	13.7	54	0.2	7.9	7.4	349	2.39	3.1	1.1	<0.5	10.0	21
2000480	Rock Pulp	0.12		7.288	I.S.	I.S.		12.9	73.9	23.4	62	0.8	19.8	9.7	481	4.35	13.0	0.4	6322.7	1.3	53
2000481	Drill Core	2.56	432	<0.005	<0.01	<0.17	23.86	0.2	10.6	12.4	48	<0.1	7.4	5.5	284	1.72	1.8	1.0	<0.5	12.0	12
2000482	Drill Core	1.16	422	<0.005	<0.01	<0.17	26.14	0.2	13.9	13.2	46	<0.1	7.4	5.3	352	1.74	1.6	1.1	<0.5	11.0	11



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 5 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.01	0.1	0.01	0.1	0.1
2000453	Drill Core	0.3	0.5	<0.1	2	0.89	0.017	37	3	0.08	1307	0.004	<1	0.45	0.048	0.30	0.4	0.01	1.6	0.1	<0.05			
2000454	Drill Core	<0.1	1.2	<0.1	2	0.08	0.016	38	4	0.10	171	0.005	<1	0.42	0.044	0.26	0.4	0.01	1.7	0.1	<0.05			
2000455	Drill Core	0.2	1.0	<0.1	6	2.32	0.029	34	6	0.15	2606	0.006	1	0.62	0.020	0.36	0.1	0.02	3.6	0.1	0.06			
2000456	Drill Core	0.3	0.5	0.4	<2	1.10	0.007	73	2	0.04	299	0.002	<1	0.34	0.027	0.20	<0.1	0.01	2.0	0.1	<0.05			
2000457	Drill Core	0.2	0.5	0.1	15	0.27	0.066	32	14	0.70	295	0.060	1	1.05	0.021	0.78	<0.1	<0.01	5.7	0.6	<0.05			
2000458	Drill Core	0.4	1.6	0.3	10	2.05	0.070	36	8	0.26	560	0.010	3	0.86	0.014	0.57	0.1	0.03	3.9	0.3	<0.05			
2000459	Drill Core	0.2	0.3	<0.1	7	0.69	0.029	25	7	0.17	398	0.005	1	0.59	0.010	0.40	<0.1	0.01	2.5	0.2	<0.05			
2000460	Rock Pulp	0.3	6.1	0.4	102	1.21	0.051	6	32	0.64	94	0.133	3	1.98	0.158	0.14	1.8	0.31	5.6	<0.1	<0.05			
2000461	Drill Core	0.3	0.5	0.2	11	1.12	0.045	31	12	0.36	742	0.017	<1	0.83	0.011	0.54	0.1	<0.01	5.0	0.3	<0.05			
2000462	Drill Core	0.2	0.3	<0.1	7	0.38	0.043	14	9	0.30	269	0.019	1	0.59	0.017	0.41	0.1	0.01	3.7	0.3	<0.05			
2000463	Drill Core	0.2	0.6	0.3	16	0.24	0.061	36	15	0.87	407	0.057	<1	1.32	0.027	0.98	<0.1	0.02	7.1	0.5	<0.05			
2000464	Drill Core	0.2	0.7	<0.1	8	0.14	0.037	49	7	0.32	236	0.019	<1	0.80	0.081	0.48	0.1	0.11	4.3	0.3	<0.05			
2000465	Drill Core	0.2	0.3	0.2	3	0.05	0.008	58	4	0.07	174	0.003	<1	0.44	0.063	0.28	<0.1	0.04	1.1	<0.1	<0.05			
2000466	Drill Core	0.1	0.5	0.1	3	0.06	0.013	61	2	0.12	140	0.007	1	0.40	0.077	0.24	0.1	0.06	1.9	0.1	<0.05			
2000467	Drill Core	0.1	0.4	0.1	2	0.06	0.019	48	2	0.10	153	0.006	1	0.35	0.076	0.22	0.1	0.05	1.7	<0.1	<0.05			
2000468	Drill Core	<0.1	0.4	0.2	2	0.05	0.016	29	3	0.05	132	0.003	1	0.31	0.096	0.17	<0.1	0.06	1.7	<0.1	<0.05			
2000469	Drill Core	<0.1	0.2	0.2	<2	0.03	0.007	21	3	0.02	77	0.002	1	0.15	0.054	0.07	<0.1	0.01	1.2	<0.1	<0.05			
2000470	Rock Pulp	<0.1	<0.1	<0.1	91	0.74	0.051	6	10	0.68	109	0.093	2	1.33	0.134	0.19	1.9	<0.01	2.0	<0.1	<0.05			
2000471	Drill Core	0.2	0.4	0.4	3	0.06	0.017	65	3	0.05	975	0.003	<1	0.31	0.107	0.11	0.1	0.02	2.6	<0.1	<0.05			
2000472	Drill Core	<0.1	0.3	0.1	3	0.07	0.021	64	2	0.08	199	0.004	1	0.42	0.072	0.24	0.2	0.05	1.9	<0.1	<0.05			
2000473	Drill Core	0.2	0.8	0.2	3	0.09	0.023	45	3	0.09	104	0.008	1	0.31	0.077	0.12	0.3	0.10	2.3	<0.1	<0.05			
2000474	Drill Core	<0.1	0.3	<0.1	2	0.08	0.020	14	4	0.06	124	0.004	2	0.24	0.043	0.13	2.4	0.02	1.2	<0.1	<0.05			
2000475	Drill Core	0.2	1.5	0.2	20	0.20	0.050	29	13	0.74	236	0.055	<1	1.02	0.054	0.66	0.1	0.08	6.3	0.4	<0.05			
2000476	Drill Core	0.3	1.3	<0.1	18	0.20	0.055	46	10	0.61	274	0.060	<1	1.00	0.044	0.70	0.1	0.28	5.2	0.4	<0.05			
2000477	Drill Core	0.4	0.5	<0.1	15	0.24	0.051	18	10	0.57	735	0.080	<1	0.98	0.051	0.76	<0.1	0.04	5.8	0.4	<0.05			
2000478	Drill Core	0.4	0.9	0.2	19	0.21	0.053	31	12	0.69	492	0.071	1	1.12	0.059	0.84	<0.1	0.16	6.5	0.5	<0.05			
2000479	Drill Core	0.2	1.4	0.2	16	0.21	0.050	24	12	0.55	776	0.044	1	0.97	0.040	0.65	0.1	0.16	5.2	0.3	<0.05			
2000480	Rock Pulp	0.1	5.2	0.5	99	1.03	0.051	5	28	0.61	93	0.103	3	1.83	0.164	0.14	1.7	0.29	4.8	<0.1	<0.05			
2000481	Drill Core	0.2	2.1	0.1	12	0.20	0.048	33	11	0.36	294	0.016	3	0.85	0.041	0.43	0.1	0.18	5.0	0.2	<0.05			
2000482	Drill Core	0.2	1.1	<0.1	12	0.18	0.042	33	10	0.39	264	0.021	2	0.83	0.036	0.45	0.2	0.11	4.7	0.2	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 5 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte	Unit	AQ201	AQ201	AQ201
			Ga	Se	Te
			ppm	ppm	ppm
			1	0.5	0.2
2000453	Drill Core		2	<0.5	<0.2
2000454	Drill Core		2	<0.5	<0.2
2000455	Drill Core		3	<0.5	<0.2
2000456	Drill Core		1	<0.5	<0.2
2000457	Drill Core		4	<0.5	<0.2
2000458	Drill Core		3	<0.5	<0.2
2000459	Drill Core		2	<0.5	<0.2
2000460	Rock Pulp		6	<0.5	0.2
2000461	Drill Core		3	<0.5	<0.2
2000462	Drill Core		2	<0.5	<0.2
2000463	Drill Core		5	<0.5	<0.2
2000464	Drill Core		3	<0.5	<0.2
2000465	Drill Core		1	<0.5	<0.2
2000466	Drill Core		2	<0.5	<0.2
2000467	Drill Core		1	<0.5	<0.2
2000468	Drill Core		1	<0.5	<0.2
2000469	Drill Core		<1	<0.5	<0.2
2000470	Rock Pulp		4	<0.5	<0.2
2000471	Drill Core		1	<0.5	<0.2
2000472	Drill Core		2	<0.5	<0.2
2000473	Drill Core		2	<0.5	<0.2
2000474	Drill Core		<1	<0.5	<0.2
2000475	Drill Core		5	<0.5	<0.2
2000476	Drill Core		5	<0.5	<0.2
2000477	Drill Core		4	<0.5	<0.2
2000478	Drill Core		6	<0.5	<0.2
2000479	Drill Core		4	<0.5	<0.2
2000480	Rock Pulp		5	<0.5	0.2
2000481	Drill Core		4	<0.5	<0.2
2000482	Drill Core		4	<0.5	<0.2



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 6 of 6

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2000483	Drill Core	0.87	350	<0.005	<0.01	<0.17	25.73	0.2	20.9	11.9	45	0.1	6.8	5.3	298	1.76	1.0	1.1	1.6	12.0	11
2000484	Drill Core	1.43	459	<0.005	<0.01	<0.17	26.41	0.2	11.9	14.8	45	<0.1	7.7	4.8	386	1.77	1.2	1.1	<0.5	12.1	11
2000485	Drill Core	2.04	381	<0.005	<0.01	<0.17	23.16	0.5	6.7	16.4	10	0.5	0.8	0.9	88	0.71	1.1	1.3	1.5	17.0	8
2000486	Drill Core	0.60	371	<0.005	<0.01	<0.17	24.40	0.3	2.5	8.4	6	0.3	0.7	1.4	107	0.59	1.3	0.7	0.8	16.4	6
2000487	Drill Core	1.17	398	<0.005	<0.01	<0.17	25.07	0.4	7.9	5.8	8	0.3	1.4	1.6	97	0.84	1.7	1.2	1.1	16.4	9
2000488	Drill Core	1.99	414	<0.005	<0.01	<0.17	26.83	0.3	4.5	15.2	62	0.1	3.8	6.3	628	2.17	2.7	2.6	0.6	7.9	46
2000489	Drill Core	1.12	456	<0.005	<0.01	<0.17	22.99	0.2	4.6	15.1	47	<0.1	3.6	5.2	484	2.10	1.9	2.8	0.9	7.2	55
2000490	Rock Pulp	0.12		<0.005	I.S.	I.S.		1.8	63.3	3.5	36	<0.1	4.8	8.0	361	2.55	<0.5	0.8	1.6	2.5	58



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 6 of 6

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2000483	Drill Core	0.1	0.8	<0.1	13	0.16	0.040	35	11	0.38	247	0.025	<1	0.77	0.051	0.45	0.1	0.12	3.9	0.2	<0.05
2000484	Drill Core	0.1	0.9	<0.1	14	0.16	0.042	34	11	0.45	224	0.034	2	0.81	0.048	0.52	0.1	0.27	3.7	0.3	<0.05
2000485	Drill Core	<0.1	1.3	0.7	<2	0.20	0.003	34	2	0.03	186	<0.001	3	0.35	0.041	0.27	<0.1	0.06	1.8	<0.1	<0.05
2000486	Drill Core	<0.1	0.4	0.8	<2	0.05	0.002	28	2	0.03	124	<0.001	2	0.35	0.032	0.23	<0.1	0.05	1.1	<0.1	<0.05
2000487	Drill Core	<0.1	1.1	1.9	<2	0.04	0.003	29	3	0.03	174	<0.001	4	0.37	0.056	0.26	<0.1	0.06	1.5	<0.1	<0.05
2000488	Drill Core	0.5	0.7	0.4	8	3.03	0.018	17	3	0.20	1596	0.001	11	0.56	0.005	0.32	<0.1	0.06	6.4	0.2	0.08
2000489	Drill Core	0.3	0.8	0.1	7	3.15	0.030	19	3	0.08	587	0.002	9	0.49	0.009	0.30	<0.1	0.05	5.1	0.1	0.14
2000490	Rock Pulp	<0.1	<0.1	<0.1	89	0.74	0.052	7	10	0.68	115	0.094	2	1.34	0.137	0.18	1.9	<0.01	2.1	<0.1	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 6 of 6

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000053.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2000483	Drill Core	3	<0.5	<0.2
2000484	Drill Core	4	<0.5	<0.2
2000485	Drill Core	1	<0.5	<0.2
2000486	Drill Core	1	<0.5	<0.2
2000487	Drill Core	1	<0.5	<0.2
2000488	Drill Core	2	<0.5	<0.2
2000489	Drill Core	1	<0.5	<0.2
2000490	Rock Pulp	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Page: 1 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000053.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
Pulp Duplicates																					
2000889	Drill Core	1.01	439	0.153	0.15	<0.17	20.84	0.4	10.7	14.5	19	0.8	6.0	4.0	210	1.43	4.0	1.3	173.6	10.1	32
REP 2000889	QC							0.4	10.5	14.1	21	0.7	6.1	3.8	209	1.41	3.5	1.3	165.1	10.2	31
2000896	Drill Core	2.26	485	0.008	<0.01	<0.17	22.50	1.1	14.8	24.1	39	0.3	10.4	5.6	220	1.72	9.5	1.8	3.7	13.0	45
REP 2000896	QC			0.009																	
2000913	Drill Core	1.30	448	0.006	<0.01	<0.17	28.56	1.2	25.4	12.0	44	0.3	18.1	7.1	242	1.80	6.7	3.3	3.1	13.7	26
REP 2000913	QC			0.006																	
2000423	Drill Core	2.67	440	<0.005	<0.01	<0.17	20.55	0.1	10.3	13.6	45	0.1	4.5	4.3	250	1.36	0.9	0.8	<0.5	13.6	10
REP 2000423	QC							<0.1	11.1	13.8	48	0.1	4.4	5.0	252	1.38	1.0	0.9	<0.5	13.4	10
2000458	Drill Core	1.58	473	<0.005	<0.01	<0.17	21.78	0.6	16.6	20.1	60	0.4	8.1	8.5	405	2.01	3.8	2.7	1.2	12.1	30
REP 2000458	QC							0.6	17.3	20.2	63	0.4	8.2	8.2	409	2.01	3.6	2.8	0.7	12.5	30
2000466	Drill Core	2.19	476	<0.005	<0.01	<0.17	23.45	0.3	5.8	10.9	25	0.1	1.8	2.1	176	0.99	2.1	1.3	0.7	19.3	8
REP 2000466	QC			<0.005																	
2000483	Drill Core	0.87	350	<0.005	<0.01	<0.17	25.73	0.2	20.9	11.9	45	0.1	6.8	5.3	298	1.76	1.0	1.1	1.6	12.0	11
REP 2000483	QC							0.3	21.5	11.8	42	0.1	6.7	5.3	297	1.76	1.2	1.0	1.2	11.7	11
Core Reject Duplicates																					
2000882	Drill Core	1.66	482	<0.005	<0.01	<0.17	21.52	3.7	22.7	15.0	57	0.5	20.8	7.8	299	2.17	28.3	2.0	5.4	8.8	126
DUP 2000882	QC		495	0.008	<0.01	<0.17	28.42	3.3	22.6	14.2	56	0.5	21.2	8.4	307	2.19	29.4	2.2	4.7	8.8	126
2000417	Drill Core	2.97	410	<0.005	<0.01	<0.17	18.80	0.2	8.5	9.4	40	0.1	4.1	3.5	262	1.25	1.9	1.2	4.1	12.0	14
DUP 2000417	QC		342	<0.005	<0.01	<0.17	27.22	0.2	8.0	9.1	40	0.1	3.8	3.7	271	1.30	1.3	1.2	3.5	11.6	13
2000451	Drill Core	0.62	232	0.025	0.02	<0.17	24.69	0.6	11.9	11.8	35	0.2	5.6	4.4	309	1.86	2.0	1.2	11.6	6.9	27
DUP 2000451	QC		256	0.017	0.02	<0.17	21.43	0.9	11.4	12.5	35	0.2	5.8	4.9	306	1.85	1.9	1.3	23.4	7.5	30
2000485	Drill Core	2.04	381	<0.005	<0.01	<0.17	23.16	0.5	6.7	16.4	10	0.5	0.8	0.9	88	0.71	1.1	1.3	1.5	17.0	8
DUP 2000485	QC		485	<0.005	<0.01	<0.17	26.53	0.4	7.4	17.7	10	0.6	1.1	1.2	86	0.66	1.2	1.4	2.0	18.1	8
Reference Materials																					
STD DS10	Standard							15.5	159.0	152.5	376	1.9	74.8	12.8	913	2.81	46.6	2.7	115.0	8.0	67
STD DS10	Standard							14.1	150.6	144.9	353	1.9	70.1	12.2	882	2.78	44.8	2.6	87.0	7.7	63
STD DS10	Standard							15.8	147.6	146.1	344	1.8	74.2	12.8	901	2.83	44.5	2.7	68.9	7.8	68
STD DS10	Standard							14.4	150.7	147.9	358	1.8	74.0	13.5	901	2.79	48.4	2.7	77.8	7.8	66



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

Klondike Gold Corp.

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

LS

Report Date:

July 13, 2016

Page:

1 of 3

Part:

2 of 3

QUALITY CONTROL REPORT

WHI16000053.1

Method		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
Analyte		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
Unit		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
MDL		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2000889	Drill Core	0.2	0.5	0.5	4	0.43	0.041	17	6	0.30	320	0.016	1	0.54	0.038	0.38	0.3	<0.01	2.0	0.1	0.10
REP 2000889	QC	0.2	0.5	0.5	4	0.42	0.035	15	6	0.30	308	0.016	1	0.54	0.038	0.38	0.3	<0.01	2.0	0.1	0.10
2000896	Drill Core	0.3	1.3	0.4	9	0.64	0.045	23	12	0.49	229	0.052	2	0.74	0.026	0.37	0.5	0.01	3.4	0.2	<0.05
REP 2000896	QC																				
2000913	Drill Core	0.4	0.9	0.2	19	0.48	0.076	32	22	0.51	323	0.091	1	0.92	0.028	0.55	1.1	<0.01	6.3	0.2	<0.05
REP 2000913	QC																				
2000423	Drill Core	0.1	0.5	<0.1	7	0.13	0.037	33	6	0.19	281	0.008	4	0.66	0.043	0.39	<0.1	0.03	3.4	0.2	<0.05
REP 2000423	QC	0.2	0.6	<0.1	7	0.13	0.037	34	6	0.20	296	0.008	3	0.69	0.044	0.40	<0.1	0.03	3.5	0.2	<0.05
2000458	Drill Core	0.4	1.6	0.3	10	2.05	0.070	36	8	0.26	560	0.010	3	0.86	0.014	0.57	0.1	0.03	3.9	0.3	<0.05
REP 2000458	QC	0.4	1.7	0.3	10	2.06	0.073	36	9	0.26	576	0.012	4	0.88	0.014	0.58	0.2	0.03	5.3	0.2	<0.05
2000466	Drill Core	0.1	0.5	0.1	3	0.06	0.013	61	2	0.12	140	0.007	1	0.40	0.077	0.24	0.1	0.06	1.9	0.1	<0.05
REP 2000466	QC																				
2000483	Drill Core	0.1	0.8	<0.1	13	0.16	0.040	35	11	0.38	247	0.025	<1	0.77	0.051	0.45	0.1	0.12	3.9	0.2	<0.05
REP 2000483	QC	<0.1	0.8	<0.1	12	0.16	0.041	33	11	0.38	232	0.024	1	0.77	0.051	0.45	0.1	0.11	4.1	0.2	<0.05
Core Reject Duplicates																					
2000882	Drill Core	0.5	1.1	0.3	17	1.40	0.068	10	21	0.82	279	0.022	2	0.98	0.019	0.58	0.2	<0.01	4.5	0.2	0.26
DUP 2000882	QC	0.5	1.1	0.2	18	1.42	0.072	10	23	0.84	312	0.022	2	1.05	0.022	0.61	0.2	<0.01	4.6	0.2	0.27
2000417	Drill Core	0.2	1.1	<0.1	6	0.53	0.030	28	5	0.08	946	0.003	5	0.54	0.046	0.33	0.1	0.05	3.2	0.1	<0.05
DUP 2000417	QC	0.3	1.1	<0.1	7	0.56	0.033	28	5	0.09	983	0.004	6	0.59	0.052	0.36	0.1	0.04	3.2	0.1	<0.05
2000451	Drill Core	0.3	1.7	<0.1	9	1.11	0.048	17	9	0.08	1234	0.003	10	0.71	0.046	0.43	<0.1	0.04	3.9	0.1	<0.05
DUP 2000451	QC	0.3	1.7	<0.1	9	1.15	0.055	19	9	0.09	1459	0.003	10	0.67	0.045	0.40	<0.1	0.04	4.3	0.2	<0.05
2000485	Drill Core	<0.1	1.3	0.7	<2	0.20	0.003	34	2	0.03	186	<0.001	3	0.35	0.041	0.27	<0.1	0.06	1.8	<0.1	<0.05
DUP 2000485	QC	0.1	1.3	0.8	<2	0.21	0.004	36	2	0.02	175	<0.001	2	0.29	0.031	0.23	0.2	0.06	1.8	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.6	8.3	12.1	43	1.09	0.075	18	57	0.81	373	0.083	8	1.08	0.070	0.34	3.6	0.29	3.4	5.1	0.27
STD DS10	Standard	2.7	7.4	10.8	43	1.08	0.072	18	54	0.79	326	0.080	8	1.08	0.070	0.34	3.1	0.30	3.1	4.7	0.27
STD DS10	Standard	2.6	7.7	11.4	44	1.11	0.068	20	57	0.80	357	0.088	8	1.16	0.073	0.35	2.9	0.27	3.1	5.2	0.27
STD DS10	Standard	2.8	8.4	12.9	43	1.09	0.068	18	54	0.77	347	0.081	7	1.06	0.070	0.33	3.1	0.27	3.3	5.0	0.27



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 1 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000053.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2000889	Drill Core	2	<0.5	<0.2
REP 2000889	QC	2	<0.5	<0.2
2000896	Drill Core	3	<0.5	<0.2
REP 2000896	QC			
2000913	Drill Core	3	0.6	<0.2
REP 2000913	QC			
2000423	Drill Core	3	<0.5	<0.2
REP 2000423	QC	3	<0.5	<0.2
2000458	Drill Core	3	<0.5	<0.2
REP 2000458	QC	3	<0.5	<0.2
2000466	Drill Core	2	<0.5	<0.2
REP 2000466	QC			
2000483	Drill Core	3	<0.5	<0.2
REP 2000483	QC	3	<0.5	<0.2
Core Reject Duplicates				
2000882	Drill Core	3	0.8	<0.2
DUP 2000882	QC	3	0.7	<0.2
2000417	Drill Core	2	<0.5	<0.2
DUP 2000417	QC	2	<0.5	<0.2
2000451	Drill Core	2	<0.5	<0.2
DUP 2000451	QC	2	<0.5	<0.2
2000485	Drill Core	1	<0.5	<0.2
DUP 2000485	QC	1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	5	2.9	5.2
STD DS10	Standard	4	1.0	5.0
STD DS10	Standard	4	1.5	4.9
STD DS10	Standard	4	2.2	4.8



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000053.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXC129	Standard							1.1	27.1	6.1	41	<0.1	76.9	19.9	421	3.07	0.6	0.7	196.5	1.8	175
STD OXC129	Standard							1.2	26.6	6.1	38	<0.1	74.1	19.9	421	3.01	0.5	0.7	189.5	1.7	172
STD OXC129	Standard							1.4	26.8	6.5	42	<0.1	77.8	20.2	429	3.07	<0.5	0.7	210.5	2.0	193
STD OXC129	Standard							1.2	29.1	6.6	44	<0.1	79.2	20.5	432	3.12	0.8	0.7	190.1	1.9	182
STD OXD108	Standard			0.421																	
STD OXD108	Standard			0.418																	
STD OXD108	Standard			0.425																	
STD OXI121	Standard			1.869																	
STD OXI121	Standard			1.840																	
STD OXI121	Standard			1.870																	
STD OXN117	Standard			7.780																	
STD OXN117	Standard			7.806																	
STD OXN117	Standard			7.726																	
STD OXP91	Standard					15.01	29.65														
STD OXP91	Standard					15.10	30.39														
STD OXP91	Standard					14.94	29.51														
STD OXP91	Standard					14.99	29.96														
STD OXP91	Standard					15.09	29.83														
STD OXP91	Standard					15.20	30.33														
STD OXP91	Standard					15.13	30.87														
STD OXP91	Standard					15.02	30.95														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank							<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.8	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000053.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.66	0.096	12	50	1.57	49	0.384	1	1.56	0.603	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.69	0.096	12	50	1.55	48	0.382	1	1.59	0.593	0.35	<0.1	<0.01	1.0	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.76	0.092	13	56	1.57	50	0.416	<1	1.69	0.608	0.36	<0.1	<0.01	1.1	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.095	12	50	1.59	52	0.384	2	1.53	0.592	0.36	<0.1	<0.01	1.0	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000053.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 3 of 3

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000053.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank			<0.005																	
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
Prep Wash																					
ROCK-WHI	Prep Blank		442	<0.005	<0.01	<0.17	25.53	0.7	4.9	1.3	31	<0.1	1.0	3.7	435	1.91	0.8	0.4	1.1	2.5	32
ROCK-WHI	Prep Blank		453	<0.005	<0.01	<0.17	28.04	0.7	3.0	1.4	33	<0.1	0.8	3.6	448	2.02	0.8	0.4	<0.5	2.5	35



www.bureauveritas.com/um

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 3 of 3

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000053.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.67	0.042	6	3	0.41	76	0.088	1	0.96	0.092	0.09	0.1	<0.01	3.3	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	25	0.76	0.042	6	2	0.41	93	0.094	2	1.05	0.122	0.12	0.1	0.01	4.0	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 3 of 3

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000053.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	5	<0.5	<0.2
ROCK-WHI	Prep Blank	5	<0.5	<0.2