



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 28, 2016
Report Date: July 13, 2016
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000058.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-17
P.O. Number
Number of Samples: 16

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	14	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	16	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	16	Analysis sample split/packet			VAN
Split -150	16	Analysis sample split/packet			VAN
FS631	14	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	16	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	16	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000058.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1
2001247	Drill Core	0.91	431	<0.005	<0.01	<0.17	23.63	0.4	12.8	14.5	95	0.2	8.2	5.2	229	1.93	3.2	1.2	<0.5	10.8	11			
2001248	Drill Core	0.85	468	<0.005	<0.01	<0.17	20.45	0.7	43.8	122.7	132	0.8	5.7	4.1	282	1.66	30.0	1.4	1.9	7.4	11			
2001249	Drill Core	0.98	454	<0.005	<0.01	<0.17	21.12	0.4	15.3	34.4	114	0.2	6.2	4.7	246	1.55	9.1	1.4	0.7	9.9	15			
2001250	Rock Pulp	0.12	8	0.013	I.S.	I.S.	I.S.	1.9	68.5	3.9	36	<0.1	5.1	9.4	368	2.59	1.3	0.9	1.3	2.7	69			
2001251	Drill Core	3.14	442	<0.005	<0.01	<0.17	23.80	0.5	14.7	67.0	123	0.3	7.6	5.0	301	1.82	4.5	1.1	1.2	10.9	19			
2001252	Drill Core	3.96	518	<0.005	<0.01	<0.17	23.81	0.4	12.9	39.7	125	0.3	7.1	4.9	266	1.82	28.4	1.2	0.7	10.2	18			
2001253	Drill Core	0.63	261	0.011	0.01	<0.17	20.72	0.7	19.1	34.6	122	0.5	5.6	4.0	246	1.53	64.2	2.5	9.7	8.9	13			
2001254	Drill Core	0.77	439	<0.005	<0.01	<0.17	20.48	0.8	5.2	8.1	127	0.1	6.1	3.4	220	1.76	2.3	1.4	1.4	12.9	9			
2001255	Drill Core	1.29	562	<0.005	<0.01	<0.17	26.82	1.3	6.0	17.7	64	0.2	3.8	3.1	549	1.41	19.0	1.4	<0.5	10.2	38			
2001256	Drill Core	2.89	595	<0.005	<0.01	<0.17	25.84	0.8	7.3	27.0	53	0.3	2.4	2.3	284	1.23	5.3	1.4	<0.5	13.6	15			
2001257	Drill Core	0.99	517	<0.005	<0.01	<0.17	28.17	0.7	20.4	47.1	43	0.4	2.7	3.3	572	1.35	5.7	1.1	<0.5	9.2	103			
2001258	Drill Core	1.31	603	<0.005	<0.01	<0.17	24.15	1.2	10.8	34.8	90	0.3	2.4	3.1	396	1.42	3.2	1.0	1.2	11.7	22			
2001259	Drill Core	0.71	382	<0.005	<0.01	<0.17	24.59	1.5	8.4	57.6	104	0.3	2.8	2.3	229	1.39	4.5	1.0	1.3	14.3	11			
2001260	Rock Pulp	0.12	88	6.759	I.S.	I.S.	I.S.	15.0	80.2	26.8	64	0.7	22.3	10.4	487	4.57	13.6	0.5	7635.2	1.5	59			
2001261	Drill Core	0.52	435	<0.005	<0.01	<0.17	19.32	2.1	6.0	56.3	118	0.2	2.1	2.5	466	1.42	3.7	0.7	<0.5	7.3	23			
2001262	Drill Core	2.40	410	<0.005	<0.01	<0.17	26.28	1.6	8.3	53.6	124	0.3	2.4	2.1	131	1.77	186.7	1.5	1.3	13.0	17			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000058.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2001247	Drill Core	0.5	0.2	<0.1	11	0.20	0.035	31	14	0.38	373	0.038	1	0.93	0.060	0.59	<0.1	0.12	4.1	0.4	0.08
2001248	Drill Core	3.9	1.0	0.7	7	0.09	0.025	22	12	0.21	657	0.022	<1	0.65	0.035	0.37	<0.1	0.12	2.7	0.4	0.08
2001249	Drill Core	2.8	0.4	<0.1	8	0.12	0.033	29	9	0.23	1013	0.021	<1	0.85	0.048	0.48	<0.1	0.12	2.8	0.3	0.05
2001250	Rock Pulp	<0.1	0.1	<0.1	91	0.76	0.055	7	11	0.68	127	0.125	1	1.41	0.141	0.19	2.6	<0.01	2.6	<0.1	<0.05
2001251	Drill Core	1.7	0.3	<0.1	12	0.34	0.034	32	11	0.30	835	0.028	2	0.99	0.055	0.53	<0.1	0.28	4.5	0.3	0.06
2001252	Drill Core	1.5	0.5	<0.1	10	0.43	0.035	30	11	0.32	370	0.022	2	1.08	0.048	0.50	0.1	0.33	3.7	0.3	<0.05
2001253	Drill Core	2.2	1.1	0.1	6	0.12	0.030	24	10	0.19	458	0.011	3	0.91	0.016	0.42	<0.1	0.29	3.3	0.3	<0.05
2001254	Drill Core	1.1	0.4	<0.1	8	0.14	0.042	40	9	0.33	336	0.027	<1	1.04	0.040	0.55	<0.1	0.24	3.0	0.4	<0.05
2001255	Drill Core	0.6	0.4	0.1	5	1.79	0.023	31	6	0.16	183	0.014	1	0.61	0.054	0.28	<0.1	0.16	2.7	0.2	<0.05
2001256	Drill Core	0.7	0.2	0.1	4	0.35	0.020	38	4	0.15	193	0.017	<1	0.65	0.042	0.36	<0.1	0.11	2.1	0.2	<0.05
2001257	Drill Core	0.7	0.2	0.2	4	2.16	0.018	26	5	0.16	292	0.004	<1	0.66	0.016	0.21	<0.1	0.12	1.9	<0.1	<0.05
2001258	Drill Core	1.0	0.2	0.1	5	0.66	0.018	35	4	0.15	175	0.007	<1	0.65	0.028	0.24	<0.1	0.13	2.7	0.1	<0.05
2001259	Drill Core	1.1	0.2	0.2	5	0.24	0.023	39	5	0.15	161	0.010	<1	0.69	0.042	0.29	<0.1	0.28	2.8	0.1	<0.05
2001260	Rock Pulp	0.1	6.1	0.5	99	1.09	0.056	6	30	0.64	99	0.126	2	1.84	0.151	0.14	2.2	0.31	5.2	<0.1	<0.05
2001261	Drill Core	1.9	0.2	0.2	4	0.83	0.012	24	6	0.12	125	0.005	<1	0.48	0.020	0.19	<0.1	0.27	2.7	<0.1	<0.05
2001262	Drill Core	0.7	4.5	0.2	5	0.13	0.023	46	5	0.12	210	0.008	<1	0.70	0.048	0.35	<0.1	0.40	2.9	0.5	0.07



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000058.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2001247	Drill Core	4	<0.5	<0.2
2001248	Drill Core	3	<0.5	<0.2
2001249	Drill Core	3	<0.5	<0.2
2001250	Rock Pulp	4	<0.5	<0.2
2001251	Drill Core	4	<0.5	<0.2
2001252	Drill Core	5	<0.5	<0.2
2001253	Drill Core	4	<0.5	<0.2
2001254	Drill Core	5	<0.5	<0.2
2001255	Drill Core	3	<0.5	<0.2
2001256	Drill Core	3	<0.5	<0.2
2001257	Drill Core	2	<0.5	<0.2
2001258	Drill Core	3	<0.5	<0.2
2001259	Drill Core	3	<0.5	<0.2
2001260	Rock Pulp	6	<0.5	0.2
2001261	Drill Core	2	<0.5	<0.2
2001262	Drill Core	3	<0.5	<0.2



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: July 13, 2016

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000058.1

	Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201		
	Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr		
	Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm		
	MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1		
Pulp Duplicates																							
2001249	Drill Core	0.98	454	<0.005	<0.01	<0.17	21.12	0.4	15.3	34.4	114	0.2	6.2	4.7	246	1.55	9.1	1.4	0.7	9.9	15		
REP 2001249	QC	<0.005																					
2001262	Drill Core	2.40	410	<0.005	<0.01	<0.17	26.28	1.6	8.3	53.6	124	0.3	2.4	2.1	131	1.77	186.7	1.5	1.3	13.0	17		
REP 2001262	QC							1.7	8.1	50.4	123	0.3	2.4	2.1	129	1.74	172.7	1.4	0.8	12.8	16		
Core Reject Duplicates																							
2001253	Drill Core	0.63	261	0.011	0.01	<0.17	20.72	0.7	19.1	34.6	122	0.5	5.6	4.0	246	1.53	64.2	2.5	9.7	8.9	13		
DUP 2001253	QC	229		0.016	0.01	<0.17	17.17	0.7	20.3	36.4	121	0.6	6.0	4.4	270	1.68	66.9	2.5	7.7	9.2	13		
Reference Materials																							
STD DS10	Standard							14.4	149.1	151.5	357	1.9	75.1	12.6	908	2.83	43.9	2.5	124.4	7.6	64		
STD DS10	Standard							14.4	150.7	147.9	358	1.8	74.0	13.5	901	2.79	48.4	2.7	77.8	7.8	66		
STD OXC129	Standard							1.3	27.1	6.4	39	<0.1	76.5	20.8	420	3.07	<0.5	0.6	193.1	1.8	169		
STD OXC129	Standard							1.2	29.1	6.6	44	<0.1	79.2	20.5	432	3.12	0.8	0.7	190.1	1.9	182		
STD OXD108	Standard	0.419																					
STD OXI121	Standard	1.771																					
STD OXN117	Standard	7.914																					
STD OXP91	Standard							15.12	29.37														
STD OXP91	Standard							14.96	29.34														
STD OXP91 Expected								14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1		
STD OXC129 Expected								1.3	28	6.3	42.9			79.5	20.3	421	3.065	0.6	0.72	195	1.9		
BLK	Blank	<0.005																					
BLK	Blank	<0.005																					
BLK	Blank							<0.17	30.00														
BLK	Blank							<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1		
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1		
Prep Wash																							
ROCK-WHI	Prep Blank	541		<0.005	<0.01	<0.17	28.82	0.6	4.2	1.4	32	<0.1	0.9	3.7	440	1.82	1.2	0.4	1.0	2.6	37		



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000058.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2001249	Drill Core	2.8	0.4	<0.1	8	0.12	0.033	29	9	0.23	1013	0.021	<1	0.85	0.048	0.48	<0.1	0.12	2.8	0.3	0.05
REP 2001249	QC																				
2001262	Drill Core	0.7	4.5	0.2	5	0.13	0.023	46	5	0.12	210	0.008	<1	0.70	0.048	0.35	<0.1	0.40	2.9	0.5	0.07
REP 2001262	QC	0.8	4.8	0.2	5	0.13	0.020	40	5	0.12	197	0.007	<1	0.71	0.048	0.35	<0.1	0.37	2.8	0.5	0.07
Core Reject Duplicates																					
2001253	Drill Core	2.2	1.1	0.1	6	0.12	0.030	24	10	0.19	458	0.011	3	0.91	0.016	0.42	<0.1	0.29	3.3	0.3	<0.05
DUP 2001253	QC	2.2	1.1	0.1	6	0.12	0.031	25	11	0.19	477	0.012	2	0.89	0.016	0.41	0.1	0.32	3.6	0.3	<0.05
Reference Materials																					
STD DS10	Standard	2.2	7.5	11.2	44	1.09	0.074	18	54	0.81	351	0.082	6	1.08	0.070	0.35	3.3	0.29	2.9	5.0	0.28
STD DS10	Standard	2.8	8.4	12.9	43	1.09	0.068	18	54	0.77	347	0.081	7	1.06	0.070	0.33	3.1	0.27	3.3	5.0	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.69	0.097	12	52	1.56	47	0.380	<1	1.58	0.603	0.36	<0.1	<0.01	0.9	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	53	0.65	0.095	12	50	1.59	52	0.384	2	1.53	0.592	0.36	<0.1	<0.01	1.0	<0.1	<0.05
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.94	0.041	6	5	0.38	83	0.092	2	1.13	0.148	0.13	0.1	<0.01	3.5	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000058.1

Method		AQ201	AQ201	AQ201
Analyte		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
2001249	Drill Core	3	<0.5	<0.2
REP 2001249	QC			
2001262	Drill Core	3	<0.5	<0.2
REP 2001262	QC	3	<0.5	<0.2
Core Reject Duplicates				
2001253	Drill Core	4	<0.5	<0.2
DUP 2001253	QC	4	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.1	5.1
STD DS10	Standard	4	2.2	4.8
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000058.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
ROCK-WHI	Prep Blank		448	<0.005	<0.01	<0.17	20.54	0.6	3.4	1.4	31	<0.1	0.8	3.9	454	1.87	1.3	0.4	0.5	2.6	36



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000058.1

		AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.70	0.039	6	4	0.39	88	0.089	2	1.15	0.177	0.15	0.1	<0.01	3.9	<0.1



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 13, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000058.1

		AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2