



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.  
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA  
PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman  
Receiving Lab: Canada-Whitehorse  
Received: July 04, 2016  
Report Date: July 20, 2016  
Page: 1 of 5

## CERTIFICATE OF ANALYSIS

WHI16000071.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS16-21  
P.O. Number  
Number of Samples: 93

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

| Procedure Code  | Number of Samples | Code Description                                 | Test Wgt (g) | Report Status | Lab |
|-----------------|-------------------|--|--------------|---------------|-----|
| PRP70-500       | 86                | Crush, split and pulverize 500g rock to 200 mesh |              |               | WHI |
| FS631           | 93                | Metallic Sieve 500g to 150 mesh                  |              |               | VAN |
| Split +150 mesh | 93                | Analysis sample split/packet                     |              |               | VAN |
| Split -150      | 93                | Analysis sample split/packet                     |              |               | VAN |
| FS631           | 86                | Metallics Fire Assay for Au                      | 30           | Completed     | VAN |
| AQ201           | 93                | 1:1:1 Aqua Regia digestion ICP-MS analysis       | 15           | Completed     | VAN |
| SHP01           | 93                | Per sample shipping charges for branch shipments |              |               | VAN |

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 2 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb     | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1    | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     |
| 2000916 | Drill Core                       | 0.87 | 385   | <0.005 | <0.01 | <0.17 | 29.11 | 0.1   | 8.1   | 11.8   | 19    | <0.1  | 2.0   | 1.6   | 105   | 0.66  | 1.0   | 1.4   | 0.7    | 10.6  | 17    |
| 2000917 | Drill Core                       | 1.76 | 353   | <0.005 | <0.01 | <0.17 | 27.42 | 0.2   | 3.8   | 17.3   | 20    | 0.2   | 3.4   | 1.8   | 248   | 0.99  | 1.1   | 3.4   | 0.6    | 13.8  | 15    |
| 2000918 | Drill Core                       | 2.28 | 395   | <0.005 | <0.01 | <0.17 | 24.45 | 0.1   | 6.4   | 13.1   | 10    | 0.2   | 1.7   | 2.2   | 105   | 0.58  | 1.5   | 1.6   | <0.5   | 14.0  | 6     |
| 2000919 | Drill Core                       | 2.06 | 440   | <0.005 | <0.01 | <0.17 | 29.11 | 0.1   | 4.1   | 12.8   | 10    | 0.2   | 1.4   | 1.7   | 106   | 0.55  | 0.8   | 1.3   | <0.5   | 13.7  | 11    |
| 2000920 | Rock Pulp                        | 0.12 | 81    | 7.169  | I.S.  | I.S.  | I.S.  | 14.7  | 71.4  | 23.0   | 57    | 0.7   | 19.8  | 9.2   | 476   | 4.29  | 12.5  | 0.4   | 6882.9 | 1.3   | 57    |
| 2000921 | Drill Core                       | 1.48 | 421   | <0.005 | <0.01 | <0.17 | 23.37 | 0.2   | 6.2   | 11.2   | 12    | 0.1   | 1.7   | 1.5   | 102   | 0.55  | 0.8   | 1.1   | 0.9    | 12.2  | 37    |
| 2000922 | Drill Core                       | 1.09 | 408   | <0.005 | <0.01 | <0.17 | 22.21 | 0.2   | 30.7  | 189.4  | 9     | 0.3   | 0.8   | 1.4   | 124   | 0.57  | 1.4   | 2.2   | 0.6    | 13.4  | 6     |
| 2000923 | Drill Core                       | 0.38 | 322   | <0.005 | <0.01 | <0.17 | 26.31 | 0.3   | 13.2  | 113.6  | 6     | 0.2   | 1.3   | 1.5   | 193   | 0.83  | 0.8   | 3.6   | <0.5   | 13.0  | 6     |
| 2000924 | Drill Core                       | 2.21 | 366   | <0.005 | <0.01 | <0.17 | 28.70 | 0.2   | 14.2  | 91.8   | 7     | 0.2   | 0.9   | 1.1   | 99    | 0.72  | 1.4   | 2.0   | <0.5   | 13.6  | 9     |
| 2000925 | Drill Core                       | 0.96 | 400   | <0.005 | <0.01 | <0.17 | 24.48 | 0.4   | 8.1   | 11.2   | 5     | 0.2   | 1.8   | 1.0   | 150   | 0.94  | 0.9   | 0.4   | <0.5   | 0.8   | 3     |
| 2000926 | Drill Core                       | 0.80 | 339   | <0.005 | <0.01 | <0.17 | 25.92 | 0.1   | 11.2  | 24.4   | 53    | 0.4   | 4.3   | 4.1   | 417   | 1.66  | 1.1   | 3.8   | <0.5   | 13.1  | 14    |
| 2000927 | Drill Core                       | 1.72 | 490   | <0.005 | <0.01 | <0.17 | 24.75 | 0.2   | 7.8   | 14.8   | 12    | 0.5   | 2.3   | 1.4   | 345   | 1.01  | 2.6   | 2.7   | 0.7    | 2.3   | 8     |
| 2000928 | Drill Core                       | 1.86 | 364   | <0.005 | <0.01 | <0.17 | 25.86 | 0.1   | 9.0   | 12.8   | 73    | 0.3   | 6.5   | 4.7   | 595   | 2.71  | 2.7   | 7.3   | 1.2    | 15.6  | 17    |
| 2000929 | Drill Core                       | 1.12 | 371   | <0.005 | <0.01 | <0.17 | 23.22 | 0.2   | 11.4  | 63.2   | 51    | 0.3   | 5.9   | 4.4   | 475   | 1.83  | 5.0   | 6.2   | <0.5   | 9.4   | 20    |
| 2000930 | Rock Pulp                        | 0.12 | 83    | <0.005 | I.S.  | I.S.  | I.S.  | 1.7   | 64.0  | 3.3    | 33    | <0.1  | 4.9   | 8.0   | 343   | 2.40  | <0.5  | 0.8   | <0.5   | 2.4   | 60    |
| 2000931 | Drill Core                       | 0.68 | 448   | <0.005 | <0.01 | <0.17 | 23.19 | 0.2   | 8.0   | 13.5   | 40    | 0.2   | 4.9   | 4.2   | 141   | 1.60  | 2.3   | 3.9   | 1.0    | 9.9   | 18    |
| 2000932 | Drill Core                       | 1.58 | 544   | 0.145  | 0.16  | 0.43  | 28.20 | 1.2   | 22.1  | 88.7   | 3     | 0.4   | 1.7   | 1.9   | 98    | 1.06  | 2.1   | 0.7   | 121.4  | 0.3   | 4     |
| 2000933 | Drill Core                       | 1.93 | 406   | 3.282  | 4.13  | 16.42 | 26.12 | 1.4   | 183.8 | 3261.0 | 5     | 13.6  | 2.6   | 1.7   | 112   | 1.87  | 31.4  | 1.7   | 4000.1 | <0.1  | 3     |
| 2000934 | Drill Core                       | 1.03 | 413   | 0.014  | 0.02  | <0.17 | 23.52 | 0.4   | 66.2  | 165.1  | 63    | 0.3   | 7.6   | 6.5   | 252   | 1.46  | 4.4   | 4.4   | 8.1    | 8.6   | 20    |
| 2000935 | Drill Core                       | 1.32 | 436   | 0.007  | <0.01 | <0.17 | 20.33 | 0.3   | 12.0  | 23.9   | 79    | 0.3   | 9.0   | 5.5   | 479   | 2.32  | 5.8   | 4.6   | 5.2    | 9.5   | 21    |
| 2000936 | Drill Core                       | 1.93 | 376   | <0.005 | <0.01 | <0.17 | 24.70 | 0.7   | 15.4  | 13.4   | 68    | 0.3   | 9.4   | 6.6   | 491   | 2.27  | 3.3   | 2.2   | 0.7    | 9.4   | 19    |
| 2000937 | Drill Core                       | 1.52 | 391   | 0.006  | <0.01 | <0.17 | 24.24 | 0.8   | 7.8   | 35.8   | 67    | 0.2   | 9.3   | 5.9   | 419   | 2.30  | 3.1   | 2.6   | 1.2    | 7.8   | 30    |
| 2000938 | Drill Core                       | 0.91 | 369   | <0.005 | <0.01 | <0.17 | 23.98 | 1.5   | 16.5  | 14.3   | 67    | 0.3   | 9.2   | 7.3   | 743   | 2.51  | 6.4   | 2.2   | 0.8    | 8.5   | 132   |
| 2000939 | Drill Core                       | 1.91 | 379   | <0.005 | <0.01 | <0.17 | 24.39 | 1.9   | 18.1  | 13.4   | 64    | 0.2   | 11.1  | 8.4   | 402   | 2.54  | 1.6   | 2.4   | <0.5   | 11.0  | 40    |
| 2000940 | Rock Pulp                        | 0.12 | 90    | 6.791  | I.S.  | I.S.  | I.S.  | 13.9  | 73.4  | 23.6   | 62    | 0.7   | 20.0  | 9.5   | 482   | 4.53  | 13.5  | 0.4   | 6913.0 | 1.3   | 63    |
| 2000941 | Drill Core                       | 1.46 | 398   | <0.005 | <0.01 | <0.17 | 17.61 | 1.3   | 12.4  | 8.6    | 40    | 0.2   | 5.3   | 4.0   | 264   | 1.33  | 1.4   | 1.0   | 1.6    | 12.3  | 14    |
| 2000942 | Drill Core                       | 1.03 | 416   | <0.005 | <0.01 | <0.17 | 25.97 | 0.5   | 17.0  | 10.7   | 60    | 0.2   | 10.0  | 6.8   | 348   | 2.29  | 2.6   | 1.1   | <0.5   | 10.9  | 18    |
| 2000943 | Drill Core                       | 0.90 | 368   | <0.005 | <0.01 | <0.17 | 21.96 | 0.4   | 16.6  | 7.3    | 54    | 0.2   | 8.4   | 6.1   | 219   | 1.99  | 2.4   | 1.1   | <0.5   | 10.1  | 17    |
| 2000944 | Drill Core                       | 1.00 | 399   | <0.005 | <0.01 | <0.17 | 25.64 | 0.5   | 13.8  | 6.7    | 52    | 0.4   | 8.8   | 6.4   | 290   | 2.02  | 3.0   | 1.0   | <0.5   | 10.5  | 14    |
| 2000945 | Drill Core                       | 0.76 | 483   | 0.018  | 0.04  | 0.36  | 25.18 | 0.2   | 2.8   | 12.1   | 14    | 0.1   | 2.4   | 1.6   | 160   | 0.66  | 0.7   | 3.1   | 9.1    | 14.1  | 9     |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 2 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method     | Analyte | Unit | MDL  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |     |      |
|---------|------------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|------|
|         |            |         |      |      | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr     | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc  | Tl  | S    |
|         |            |         |      |      | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm    | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm | ppm | %    |
|         |            |         |      |      | 0.1   | 0.1   | 0.1   | 2     | 0.01  | 0.001 | 1     | 1      | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1 | 0.1 | 0.05 |
| 2000916 | Drill Core | 0.2     | 0.4  | <0.1 | <2    | 0.11  | 0.016 | 45    | 3     | 0.12  | 316   | 0.016  | <1    | 0.45  | 0.045 | 0.31  | <0.1  | <0.01 | 1.9   | 0.1   | <0.05 |     |     |      |
| 2000917 | Drill Core | 0.2     | 0.5  | <0.1 | 5     | 0.11  | 0.024 | 43    | 5     | 0.20  | 271   | 0.014  | 1     | 0.61  | 0.061 | 0.39  | 0.2   | <0.01 | 2.3   | 0.2   | <0.05 |     |     |      |
| 2000918 | Drill Core | 0.1     | 0.4  | <0.1 | <2    | 0.04  | 0.018 | 57    | 3     | 0.05  | 493   | 0.003  | 1     | 0.38  | 0.042 | 0.31  | 0.1   | 0.01  | 1.4   | 0.1   | <0.05 |     |     |      |
| 2000919 | Drill Core | 0.2     | 0.2  | <0.1 | <2    | 0.04  | 0.016 | 32    | 2     | 0.04  | 1348  | 0.003  | <1    | 0.37  | 0.051 | 0.29  | <0.1  | <0.01 | 1.1   | <0.1  | <0.05 |     |     |      |
| 2000920 | Rock Pulp  | 0.2     | 6.8  | 0.5  | 92    | 1.03  | 0.049 | 5     | 30    | 0.61  | 90    | 0.106  | 4     | 1.85  | 0.149 | 0.12  | 1.8   | 0.30  | 4.4   | <0.1  | <0.05 |     |     |      |
| 2000921 | Drill Core | 0.2     | 0.2  | <0.1 | <2    | 0.07  | 0.014 | 14    | 3     | 0.07  | 1292  | 0.008  | <1    | 0.35  | 0.050 | 0.25  | <0.1  | <0.01 | 1.7   | <0.1  | <0.05 |     |     |      |
| 2000922 | Drill Core | 0.2     | 0.4  | <0.1 | <2    | 0.06  | 0.015 | 27    | 2     | 0.05  | 285   | <0.001 | 1     | 0.47  | 0.025 | 0.29  | <0.1  | 0.06  | 1.8   | <0.1  | <0.05 |     |     |      |
| 2000923 | Drill Core | <0.1    | 0.8  | <0.1 | 2     | 0.06  | 0.017 | 40    | 3     | 0.05  | 293   | 0.003  | 2     | 0.53  | 0.036 | 0.29  | 0.1   | 0.01  | 3.1   | <0.1  | <0.05 |     |     |      |
| 2000924 | Drill Core | <0.1    | 0.7  | <0.1 | <2    | 0.06  | 0.016 | 19    | 2     | 0.05  | 1094  | 0.002  | 2     | 0.49  | 0.025 | 0.31  | 0.1   | 0.03  | 2.0   | <0.1  | <0.05 |     |     |      |
| 2000925 | Drill Core | <0.1    | 0.2  | <0.1 | <2    | 0.01  | 0.005 | 3     | 6     | 0.02  | 96    | 0.002  | <1    | 0.09  | 0.012 | 0.06  | 0.2   | <0.01 | 0.4   | <0.1  | <0.05 |     |     |      |
| 2000926 | Drill Core | 0.3     | 0.4  | <0.1 | 9     | 0.11  | 0.042 | 39    | 8     | 0.39  | 647   | 0.030  | 2     | 1.00  | 0.060 | 0.59  | 0.3   | 0.04  | 4.9   | 0.3   | <0.05 |     |     |      |
| 2000927 | Drill Core | 0.3     | 0.7  | <0.1 | 4     | 0.04  | 0.017 | 8     | 5     | 0.02  | 437   | 0.002  | 2     | 0.25  | 0.014 | 0.26  | 0.1   | 0.03  | 3.7   | <0.1  | <0.05 |     |     |      |
| 2000928 | Drill Core | 1.0     | 2.0  | 0.2  | 21    | 0.18  | 0.063 | 49    | 16    | 0.77  | 806   | 0.044  | 2     | 1.40  | 0.070 | 0.72  | 0.2   | 0.06  | 9.5   | 0.5   | <0.05 |     |     |      |
| 2000929 | Drill Core | 0.5     | 1.4  | 0.1  | 8     | 0.09  | 0.036 | 30    | 6     | 0.10  | 567   | 0.002  | 7     | 0.59  | 0.031 | 0.31  | 0.1   | 0.10  | 4.2   | 0.1   | <0.05 |     |     |      |
| 2000930 | Rock Pulp  | <0.1    | <0.1 | <0.1 | 80    | 0.73  | 0.054 | 6     | 10    | 0.66  | 104   | 0.087  | 1     | 1.28  | 0.131 | 0.18  | 1.8   | <0.01 | 1.9   | <0.1  | <0.05 |     |     |      |
| 2000931 | Drill Core | 0.1     | 0.7  | <0.1 | 7     | 0.16  | 0.063 | 29    | 5     | 0.13  | 593   | 0.004  | 5     | 0.75  | 0.021 | 0.41  | <0.1  | 0.04  | 3.7   | 0.1   | <0.05 |     |     |      |
| 2000932 | Drill Core | <0.1    | 2.1  | 0.3  | <2    | <0.01 | 0.001 | <1    | 4     | <0.01 | 142   | <0.001 | 1     | 0.05  | 0.003 | 0.04  | <0.1  | 0.03  | 0.2   | <0.1  | <0.05 |     |     |      |
| 2000933 | Drill Core | 0.4     | 19.7 | 3.9  | 2     | <0.01 | 0.017 | <1    | 7     | <0.01 | 263   | <0.001 | <1    | 0.01  | 0.003 | 0.01  | 0.2   | 0.49  | <0.1  | <0.1  | 0.16  |     |     |      |
| 2000934 | Drill Core | 0.6     | 0.8  | <0.1 | 9     | 0.12  | 0.055 | 18    | 8     | 0.14  | 1012  | 0.007  | 5     | 0.74  | 0.033 | 0.46  | 0.4   | 0.05  | 3.4   | 0.2   | <0.05 |     |     |      |
| 2000935 | Drill Core | 0.6     | 1.5  | <0.1 | 10    | 0.14  | 0.065 | 29    | 10    | 0.18  | 700   | 0.007  | 8     | 0.77  | 0.029 | 0.43  | <0.1  | 0.03  | 4.5   | 0.2   | <0.05 |     |     |      |
| 2000936 | Drill Core | 0.1     | 1.3  | <0.1 | 12    | 0.13  | 0.062 | 29    | 11    | 0.20  | 846   | 0.011  | 7     | 0.74  | 0.043 | 0.48  | <0.1  | 0.01  | 4.5   | 0.2   | <0.05 |     |     |      |
| 2000937 | Drill Core | 0.2     | 1.1  | <0.1 | 10    | 0.12  | 0.052 | 27    | 10    | 0.09  | 1450  | 0.003  | 10    | 0.58  | 0.036 | 0.35  | <0.1  | <0.01 | 4.4   | 0.1   | <0.05 |     |     |      |
| 2000938 | Drill Core | 0.3     | 2.9  | <0.1 | 10    | 2.90  | 0.053 | 31    | 8     | 0.89  | 606   | 0.002  | 8     | 0.52  | 0.050 | 0.32  | <0.1  | 0.03  | 3.7   | <0.1  | <0.05 |     |     |      |
| 2000939 | Drill Core | 0.2     | 1.2  | <0.1 | 16    | 0.78  | 0.061 | 36    | 17    | 0.49  | 773   | 0.034  | 6     | 0.92  | 0.040 | 0.70  | <0.1  | 0.02  | 4.2   | 0.4   | 0.10  |     |     |      |
| 2000940 | Rock Pulp  | 0.2     | 7.3  | 0.4  | 96    | 1.14  | 0.055 | 6     | 31    | 0.63  | 92    | 0.127  | 3     | 1.91  | 0.167 | 0.14  | 2.0   | 0.30  | 5.3   | <0.1  | <0.05 |     |     |      |
| 2000941 | Drill Core | 0.2     | 1.1  | <0.1 | 6     | 0.13  | 0.039 | 34    | 6     | 0.32  | 298   | 0.010  | <1    | 0.73  | 0.025 | 0.44  | <0.1  | 0.10  | 3.7   | 0.2   | <0.05 |     |     |      |
| 2000942 | Drill Core | 0.1     | 1.9  | <0.1 | 12    | 0.19  | 0.056 | 27    | 13    | 0.65  | 344   | 0.033  | <1    | 1.12  | 0.036 | 0.63  | <0.1  | 0.05  | 5.6   | 0.4   | <0.05 |     |     |      |
| 2000943 | Drill Core | <0.1    | 1.5  | <0.1 | 12    | 0.19  | 0.057 | 26    | 10    | 0.65  | 315   | 0.032  | <1    | 1.07  | 0.037 | 0.62  | <0.1  | 0.02  | 5.1   | 0.4   | <0.05 |     |     |      |
| 2000944 | Drill Core | <0.1    | 0.4  | <0.1 | 13    | 0.16  | 0.058 | 37    | 10    | 0.77  | 626   | 0.049  | 1     | 1.12  | 0.042 | 0.88  | <0.1  | <0.01 | 3.8   | 0.4   | <0.05 |     |     |      |
| 2000945 | Drill Core | <0.1    | 0.3  | <0.1 | 3     | 0.06  | 0.024 | 44    | 3     | 0.09  | 231   | 0.005  | <1    | 0.38  | 0.040 | 0.27  | <0.1  | 0.01  | 1.4   | 0.1   | <0.05 |     |     |      |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 2 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 2000916 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000917 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000918 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000919 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000920 | Rock Pulp                        | 5     | <0.5  | 0.4   |
| 2000921 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000922 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000923 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000924 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000925 | Drill Core                       | <1    | <0.5  | <0.2  |
| 2000926 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2000927 | Drill Core                       | <1    | <0.5  | <0.2  |
| 2000928 | Drill Core                       | 7     | <0.5  | <0.2  |
| 2000929 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000930 | Rock Pulp                        | 4     | <0.5  | <0.2  |
| 2000931 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000932 | Drill Core                       | <1    | <0.5  | <0.2  |
| 2000933 | Drill Core                       | <1    | 3.0   | <0.2  |
| 2000934 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000935 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000936 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000937 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000938 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000939 | Drill Core                       | 4     | 1.5   | <0.2  |
| 2000940 | Rock Pulp                        | 5     | <0.5  | 0.3   |
| 2000941 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000942 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2000943 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2000944 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2000945 | Drill Core                       | 1     | <0.5  | <0.2  |



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 3 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     |
| 2000946 | Drill Core                       | 2.71 | 444   | 0.010  | <0.01 | <0.17 | 20.30 | 0.3   | 1.9   | 9.2   | 18    | <0.1  | 2.5   | 1.6   | 143   | 0.79  | 0.9   | 2.1   | <0.5   | 13.8  | 15    |
| 2000947 | Drill Core                       | 1.37 | 438   | <0.005 | <0.01 | <0.17 | 27.07 | <0.1  | 2.9   | 9.0   | 17    | <0.1  | 2.8   | 1.8   | 153   | 0.74  | 0.7   | 2.7   | <0.5   | 14.2  | 22    |
| 2000948 | Drill Core                       | 1.77 | 440   | <0.005 | <0.01 | <0.17 | 28.79 | 0.3   | 2.5   | 7.7   | 20    | <0.1  | 2.8   | 2.1   | 142   | 0.70  | 0.6   | 1.8   | <0.5   | 15.0  | 27    |
| 2000949 | Drill Core                       | 2.33 | 460   | <0.005 | <0.01 | <0.17 | 23.55 | 0.2   | 3.8   | 9.6   | 21    | <0.1  | 3.2   | 2.2   | 193   | 0.94  | 1.2   | 2.1   | <0.5   | 14.6  | 21    |
| 2000950 | Rock                             | 0.66 | 392   | <0.005 | <0.01 | <0.17 | 21.45 | <0.1  | 0.8   | 0.4   | <1    | <0.1  | 1.1   | 0.3   | 194   | 0.10  | <0.5  | <0.1  | <0.5   | <0.1  | 75    |
| 2000951 | Drill Core                       | 0.95 | 405   | <0.005 | <0.01 | <0.17 | 22.53 | 0.3   | 8.6   | 64.4  | 21    | 0.1   | 2.6   | 1.9   | 190   | 0.84  | 1.1   | 4.1   | 1.0    | 15.1  | 11    |
| 2000952 | Drill Core                       | 2.75 | 402   | <0.005 | <0.01 | <0.17 | 17.25 | 0.4   | 3.6   | 20.4  | 19    | 0.1   | 2.2   | 1.7   | 153   | 0.68  | 0.9   | 3.5   | <0.5   | 15.0  | 12    |
| 2000953 | Drill Core                       | 0.61 | 376   | <0.005 | <0.01 | <0.17 | 26.10 | 0.2   | 3.1   | 8.6   | 21    | 0.1   | 2.5   | 2.0   | 173   | 0.85  | 1.0   | 3.0   | <0.5   | 13.9  | 6     |
| 2000954 | Drill Core                       | 1.17 | 404   | <0.005 | <0.01 | <0.17 | 21.94 | 0.3   | 2.3   | 10.2  | 23    | <0.1  | 2.3   | 1.7   | 131   | 0.65  | 0.9   | 2.6   | <0.5   | 14.7  | 6     |
| 2000955 | Drill Core                       | 0.49 | 415   | <0.005 | <0.01 | <0.17 | 25.45 | 0.2   | 3.8   | 8.5   | 19    | 0.1   | 2.4   | 1.8   | 156   | 0.77  | 0.6   | 2.4   | 1.0    | 12.1  | 6     |
| 2000956 | Drill Core                       | 1.31 | 408   | <0.005 | <0.01 | <0.17 | 24.61 | 0.5   | 5.5   | 30.2  | 23    | 0.2   | 2.3   | 2.1   | 129   | 0.76  | 1.2   | 2.9   | <0.5   | 15.2  | 7     |
| 2000957 | Drill Core                       | 2.31 | 525   | <0.005 | <0.01 | <0.17 | 26.05 | 0.2   | 7.5   | 19.9  | 23    | 0.2   | 2.6   | 2.0   | 137   | 0.84  | 1.3   | 3.0   | <0.5   | 15.1  | 8     |
| 2000958 | Drill Core                       | 2.20 | 457   | <0.005 | <0.01 | <0.17 | 21.77 | 0.4   | 8.4   | 30.9  | 17    | 0.1   | 2.3   | 1.9   | 146   | 0.66  | 0.9   | 3.3   | 1.2    | 14.9  | 8     |
| 2000959 | Drill Core                       | 1.53 | 542   | <0.005 | <0.01 | <0.17 | 19.03 | 0.1   | 6.1   | 38.4  | 8     | 0.1   | 1.4   | 1.3   | 87    | 0.50  | 1.1   | 2.7   | 1.5    | 12.8  | 7     |
| 2000960 | Rock Pulp                        | 0.12 | 89    | 7.005  | I.S.  | I.S.  | I.S.  | 12.8  | 70.1  | 21.8  | 59    | 0.8   | 18.1  | 8.3   | 473   | 4.21  | 12.9  | 0.3   | 6987.7 | 1.2   | 55    |
| 2000961 | Drill Core                       | 1.88 | 372   | <0.005 | <0.01 | <0.17 | 23.58 | 0.5   | 8.0   | 48.7  | 10    | 0.1   | 1.6   | 1.8   | 119   | 0.60  | 1.0   | 3.0   | 2.1    | 12.5  | 11    |
| 2000962 | Drill Core                       | 1.48 | 447   | <0.005 | <0.01 | <0.17 | 20.10 | 0.2   | 31.1  | 55.4  | 55    | 0.2   | 8.5   | 5.8   | 362   | 1.80  | 2.9   | 5.6   | 1.4    | 9.1   | 18    |
| 2000963 | Drill Core                       | 1.55 | 513   | <0.005 | <0.01 | <0.17 | 21.26 | 0.3   | 13.6  | 26.2  | 71    | 0.3   | 8.9   | 6.2   | 491   | 1.88  | 4.9   | 7.0   | <0.5   | 10.3  | 18    |
| 2000964 | Drill Core                       | 1.07 | 395   | <0.005 | <0.01 | <0.17 | 23.82 | 0.2   | 11.8  | 10.2  | 22    | 0.2   | 2.4   | 3.1   | 222   | 1.01  | 2.8   | 4.2   | <0.5   | 9.1   | 16    |
| 2000965 | Drill Core                       | 1.43 | 413   | <0.005 | <0.01 | <0.17 | 21.83 | 0.4   | 7.3   | 9.3   | 14    | 0.3   | 1.6   | 1.6   | 126   | 0.75  | 1.3   | 3.2   | 1.3    | 11.1  | 11    |
| 2000966 | Drill Core                       | 1.03 | 431   | <0.005 | <0.01 | <0.17 | 25.78 | 0.2   | 11.5  | 10.7  | 17    | 0.4   | 2.1   | 2.3   | 164   | 0.89  | 1.3   | 3.1   | <0.5   | 12.1  | 12    |
| 2000967 | Drill Core                       | 0.80 | 516   | 0.008  | <0.01 | <0.17 | 28.86 | 0.3   | 15.5  | 7.2   | 46    | 0.2   | 6.2   | 5.7   | 268   | 1.38  | 1.7   | 1.3   | 7.1    | 10.3  | 7     |
| 2000968 | Drill Core                       | 0.97 | 399   | <0.005 | <0.01 | <0.17 | 17.56 | 0.2   | 18.7  | 9.6   | 44    | 0.4   | 4.6   | 4.1   | 254   | 1.24  | 1.6   | 1.4   | <0.5   | 9.6   | 11    |
| 2000969 | Drill Core                       | 0.60 | 390   | 0.019  | 0.02  | <0.17 | 22.50 | 1.8   | 55.2  | 35.2  | 6     | 0.8   | 2.3   | 0.9   | 150   | 1.15  | 5.0   | 0.4   | 1.5    | 0.1   | 3     |
| 2000970 | Rock Pulp                        | 0.12 | 91    | <0.005 | I.S.  | I.S.  | I.S.  | 1.9   | 65.0  | 3.4   | 37    | <0.1  | 5.0   | 8.1   | 376   | 2.60  | 1.2   | 0.8   | 9.9    | 2.4   | 66    |
| 2000971 | Drill Core                       | 1.70 | 553   | 0.018  | 0.02  | <0.17 | 25.88 | 0.5   | 12.5  | 10.5  | 15    | 0.3   | 3.0   | 4.3   | 144   | 0.77  | 1.5   | 1.1   | 31.7   | 9.9   | 7     |
| 2000972 | Drill Core                       | 1.82 | 479   | <0.005 | <0.01 | <0.17 | 24.20 | 0.9   | 6.8   | 7.9   | 11    | 0.3   | 2.3   | 2.6   | 111   | 0.65  | 0.7   | 2.2   | 11.4   | 11.2  | 9     |
| 2000973 | Drill Core                       | 2.19 | 437   | 0.071  | 0.09  | 0.55  | 20.08 | 0.6   | 18.7  | 144.3 | 6     | 0.5   | 2.6   | 1.8   | 114   | 1.35  | 3.3   | 1.2   | 81.4   | 0.8   | 3     |
| 2000974 | Drill Core                       | 2.10 | 431   | 0.039  | 0.04  | <0.17 | 20.16 | 1.3   | 14.0  | 63.5  | 3     | 0.3   | 1.5   | 1.1   | 87    | 0.90  | 1.3   | 0.7   | 14.7   | <0.1  | 1     |
| 2000975 | Drill Core                       | 1.42 | 345   | <0.005 | <0.01 | <0.17 | 24.21 | 0.2   | 29.7  | 8.8   | 34    | 0.4   | 4.0   | 3.6   | 352   | 1.07  | 1.9   | 2.0   | 1.2    | 10.8  | 12    |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 3 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method     | Analyte | Unit | MDL  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |     |      |
|---------|------------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|------|
|         |            |         |      |      | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr     | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc  | Tl  | S    |
|         |            |         |      |      | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm    | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm | ppm | %    |
|         |            |         |      |      | 0.1   | 0.1   | 0.1   | 2     | 0.01  | 0.001 | 1     | 1      | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1 | 0.1 | 0.05 |
| 2000946 | Drill Core | <0.1    | 0.5  | <0.1 | 4     | 0.06  | 0.021 | 35    | 4     | 0.13  | 625   | 0.008  | <1    | 0.46  | 0.055 | 0.31  | <0.1  | <0.01 | 1.9   | 0.1   | <0.05 |     |     |      |
| 2000947 | Drill Core | 0.2     | 0.3  | <0.1 | 3     | 0.10  | 0.022 | 51    | 4     | 0.16  | 733   | 0.013  | <1    | 0.47  | 0.048 | 0.33  | <0.1  | <0.01 | 1.5   | 0.2   | <0.05 |     |     |      |
| 2000948 | Drill Core | 0.2     | 0.2  | <0.1 | 3     | 0.11  | 0.023 | 23    | 3     | 0.21  | 1655  | 0.015  | <1    | 0.47  | 0.040 | 0.34  | <0.1  | <0.01 | 1.7   | 0.2   | <0.05 |     |     |      |
| 2000949 | Drill Core | 0.2     | 0.8  | <0.1 | 4     | 0.08  | 0.022 | 22    | 5     | 0.19  | 2047  | 0.009  | 2     | 0.50  | 0.050 | 0.33  | <0.1  | <0.01 | 2.2   | 0.2   | <0.05 |     |     |      |
| 2000950 | Rock       | <0.1    | <0.1 | <0.1 | <2    | 30.86 | 0.007 | <1    | <1    | 1.36  | 10    | 0.001  | 2     | 0.01  | 0.006 | <0.01 | <0.1  | <0.01 | 0.3   | <0.1  | <0.05 |     |     |      |
| 2000951 | Drill Core | 0.1     | 0.6  | <0.1 | 3     | 0.08  | 0.025 | 41    | 3     | 0.22  | 289   | 0.009  | 2     | 0.52  | 0.033 | 0.35  | 0.1   | 0.01  | 1.9   | 0.2   | <0.05 |     |     |      |
| 2000952 | Drill Core | <0.1    | 0.4  | <0.1 | 3     | 0.07  | 0.023 | 35    | 3     | 0.19  | 251   | 0.010  | 2     | 0.48  | 0.043 | 0.34  | <0.1  | 0.01  | 1.6   | 0.2   | <0.05 |     |     |      |
| 2000953 | Drill Core | <0.1    | 0.2  | <0.1 | 3     | 0.05  | 0.021 | 37    | 4     | 0.22  | 243   | 0.013  | 2     | 0.55  | 0.060 | 0.40  | <0.1  | <0.01 | 1.4   | 0.2   | <0.05 |     |     |      |
| 2000954 | Drill Core | <0.1    | 0.2  | <0.1 | 3     | 0.05  | 0.020 | 21    | 2     | 0.21  | 201   | 0.013  | 1     | 0.46  | 0.041 | 0.36  | <0.1  | <0.01 | 1.1   | 0.2   | <0.05 |     |     |      |
| 2000955 | Drill Core | <0.1    | 0.2  | <0.1 | 2     | 0.04  | 0.017 | 23    | 3     | 0.15  | 205   | 0.010  | <1    | 0.44  | 0.048 | 0.33  | <0.1  | <0.01 | 1.1   | 0.2   | <0.05 |     |     |      |
| 2000956 | Drill Core | <0.1    | 0.4  | <0.1 | 3     | 0.05  | 0.021 | 29    | 3     | 0.15  | 256   | 0.007  | 1     | 0.50  | 0.056 | 0.36  | <0.1  | 0.02  | 1.1   | 0.2   | <0.05 |     |     |      |
| 2000957 | Drill Core | <0.1    | 0.3  | 0.1  | 3     | 0.05  | 0.022 | 32    | 4     | 0.15  | 280   | 0.008  | 1     | 0.57  | 0.072 | 0.40  | 0.2   | 0.02  | 1.4   | 0.2   | <0.05 |     |     |      |
| 2000958 | Drill Core | 0.1     | 0.3  | 0.2  | 2     | 0.05  | 0.022 | 33    | 2     | 0.11  | 273   | 0.004  | 1     | 0.44  | 0.051 | 0.30  | <0.1  | 0.02  | 1.1   | 0.1   | <0.05 |     |     |      |
| 2000959 | Drill Core | 0.1     | 0.2  | 0.2  | <2    | 0.04  | 0.016 | 26    | 2     | 0.05  | 203   | 0.002  | 2     | 0.33  | 0.034 | 0.24  | <0.1  | 0.03  | 0.7   | <0.1  | <0.05 |     |     |      |
| 2000960 | Rock Pulp  | 0.2     | 6.6  | 0.5  | 91    | 1.01  | 0.055 | 5     | 28    | 0.60  | 89    | 0.098  | 3     | 1.81  | 0.155 | 0.13  | 1.7   | 0.28  | 4.8   | <0.1  | <0.05 |     |     |      |
| 2000961 | Drill Core | 0.1     | 0.3  | 0.1  | <2    | 0.04  | 0.016 | 29    | 2     | 0.07  | 264   | 0.002  | 3     | 0.41  | 0.039 | 0.30  | 0.3   | 0.03  | 1.0   | <0.1  | <0.05 |     |     |      |
| 2000962 | Drill Core | 0.6     | 1.6  | <0.1 | 9     | 0.15  | 0.057 | 24    | 9     | 0.23  | 757   | 0.010  | 4     | 0.73  | 0.034 | 0.38  | 0.1   | 0.06  | 5.0   | 0.2   | <0.05 |     |     |      |
| 2000963 | Drill Core | 0.6     | 2.2  | 0.2  | 8     | 0.17  | 0.071 | 28    | 7     | 0.15  | 812   | 0.003  | 6     | 0.70  | 0.027 | 0.34  | 0.2   | 0.09  | 4.2   | 0.2   | <0.05 |     |     |      |
| 2000964 | Drill Core | 0.1     | 1.0  | <0.1 | 3     | 0.05  | 0.020 | 23    | 3     | 0.06  | 263   | 0.001  | 4     | 0.44  | 0.039 | 0.26  | <0.1  | 0.09  | 1.8   | 0.1   | <0.05 |     |     |      |
| 2000965 | Drill Core | 0.1     | 0.7  | <0.1 | <2    | 0.03  | 0.012 | 29    | 2     | 0.04  | 195   | 0.001  | 2     | 0.33  | 0.057 | 0.21  | <0.1  | 0.10  | 1.3   | <0.1  | <0.05 |     |     |      |
| 2000966 | Drill Core | <0.1    | 0.7  | <0.1 | <2    | 0.04  | 0.016 | 32    | 3     | 0.05  | 252   | 0.001  | 4     | 0.37  | 0.052 | 0.23  | 0.1   | 0.07  | 1.8   | <0.1  | <0.05 |     |     |      |
| 2000967 | Drill Core | <0.1    | 0.8  | <0.1 | 10    | 0.16  | 0.062 | 28    | 7     | 0.34  | 406   | 0.023  | 1     | 0.78  | 0.024 | 0.57  | <0.1  | 0.03  | 3.7   | 0.3   | <0.05 |     |     |      |
| 2000968 | Drill Core | 0.3     | 1.1  | <0.1 | 7     | 0.15  | 0.053 | 19    | 7     | 0.11  | 811   | 0.004  | 2     | 0.65  | 0.022 | 0.43  | <0.1  | 0.03  | 3.3   | 0.2   | <0.05 |     |     |      |
| 2000969 | Drill Core | <0.1    | 3.1  | <0.1 | <2    | <0.01 | 0.001 | <1    | 4     | <0.01 | 187   | <0.001 | <1    | 0.03  | 0.005 | 0.01  | <0.1  | 0.17  | 0.4   | <0.1  | <0.05 |     |     |      |
| 2000970 | Rock Pulp  | <0.1    | <0.1 | <0.1 | 90    | 0.81  | 0.062 | 6     | 11    | 0.71  | 115   | 0.119  | 2     | 1.45  | 0.147 | 0.18  | 2.2   | 0.01  | 2.2   | <0.1  | <0.05 |     |     |      |
| 2000971 | Drill Core | 0.3     | 0.9  | <0.1 | 2     | 0.04  | 0.016 | 22    | 3     | 0.04  | 639   | 0.002  | 1     | 0.30  | 0.027 | 0.20  | <0.1  | 0.07  | 1.6   | <0.1  | <0.05 |     |     |      |
| 2000972 | Drill Core | 0.2     | 0.4  | <0.1 | <2    | 0.03  | 0.009 | 26    | 2     | 0.03  | 995   | 0.001  | <1    | 0.32  | 0.040 | 0.22  | <0.1  | 0.04  | 1.2   | <0.1  | <0.05 |     |     |      |
| 2000973 | Drill Core | <0.1    | 1.0  | <0.1 | <2    | <0.01 | 0.004 | 2     | 6     | <0.01 | 94    | <0.001 | 2     | 0.07  | 0.008 | 0.05  | <0.1  | 0.03  | 0.2   | <0.1  | <0.05 |     |     |      |
| 2000974 | Drill Core | <0.1    | 0.6  | 0.3  | <2    | <0.01 | 0.002 | <1    | 3     | <0.01 | 93    | <0.001 | <1    | 0.01  | 0.005 | <0.01 | <0.1  | 0.10  | <0.1  | <0.1  | <0.05 |     |     |      |
| 2000975 | Drill Core | 0.3     | 1.1  | <0.1 | 5     | 0.11  | 0.045 | 29    | 5     | 0.09  | 846   | 0.005  | 2     | 0.69  | 0.036 | 0.49  | <0.1  | 0.02  | 2.5   | 0.1   | <0.05 |     |     |      |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 3 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 2000946 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000947 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000948 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000949 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000950 | Rock                             | <1    | <0.5  | <0.2  |
| 2000951 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000952 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000953 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000954 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000955 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000956 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000957 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000958 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000959 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000960 | Rock Pulp                        | 5     | <0.5  | 0.2   |
| 2000961 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000962 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000963 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000964 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000965 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000966 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000967 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000968 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000969 | Drill Core                       | <1    | <0.5  | <0.2  |
| 2000970 | Rock Pulp                        | 4     | <0.5  | <0.2  |
| 2000971 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000972 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000973 | Drill Core                       | <1    | <0.5  | <0.2  |
| 2000974 | Drill Core                       | <1    | <0.5  | <0.2  |
| 2000975 | Drill Core                       | 2     | <0.5  | <0.2  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 4 of 5

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au     | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb    | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5    | 0.1   | 1     |
| 2000976 | Drill Core                       | 0.90 | 368   | 0.012  | 0.01  | <0.17 | 22.18 | 0.5   | 5.5   | 8.0   | 22    | 0.2   | 4.1   | 4.5   | 175   | 0.99  | 1.8   | 1.1   | 40.1   | 11.2  | 19    |
| 2000977 | Drill Core                       | 1.22 | 415   | <0.005 | <0.01 | <0.17 | 25.21 | 0.3   | 10.3  | 13.3  | 31    | 0.2   | 3.8   | 4.3   | 304   | 1.16  | 1.9   | 1.8   | 0.8    | 10.8  | 24    |
| 2000978 | Drill Core                       | 1.05 | 434   | <0.005 | <0.01 | <0.17 | 26.88 | 0.3   | 11.9  | 9.5   | 39    | 0.1   | 5.1   | 5.2   | 378   | 1.56  | 2.4   | 2.9   | <0.5   | 12.0  | 25    |
| 2000979 | Drill Core                       | 0.86 | 493   | <0.005 | <0.01 | <0.17 | 24.14 | 1.5   | 10.1  | 14.0  | 27    | 0.1   | 3.8   | 4.0   | 518   | 1.32  | 1.6   | 1.8   | <0.5   | 9.5   | 58    |
| 2000980 | Rock Pulp                        | 0.12 | 88    | 7.056  | I.S.  | I.S.  | I.S.  | 12.8  | 70.1  | 22.5  | 59    | 0.7   | 19.3  | 9.0   | 460   | 4.22  | 12.5  | 0.4   | 7192.3 | 1.2   | 56    |
| 2000981 | Drill Core                       | 1.22 | 412   | <0.005 | <0.01 | <0.17 | 22.10 | 1.7   | 12.3  | 13.5  | 47    | 0.2   | 5.1   | 4.7   | 336   | 1.36  | 1.4   | 1.8   | <0.5   | 12.4  | 24    |
| 2000982 | Drill Core                       | 2.09 | 459   | <0.005 | <0.01 | <0.17 | 15.91 | 1.0   | 10.2  | 14.6  | 56    | 0.2   | 5.2   | 4.4   | 349   | 1.43  | 1.8   | 3.3   | <0.5   | 11.8  | 37    |
| 2000983 | Drill Core                       | 1.57 | 494   | <0.005 | <0.01 | <0.17 | 22.18 | 1.0   | 11.2  | 12.3  | 47    | 0.1   | 5.2   | 4.9   | 329   | 1.39  | 1.8   | 1.9   | <0.5   | 13.1  | 45    |
| 2000984 | Drill Core                       | 0.93 | 395   | <0.005 | <0.01 | <0.17 | 24.80 | 1.6   | 7.3   | 11.9  | 47    | <0.1  | 4.7   | 5.0   | 420   | 1.36  | 1.4   | 1.9   | 3.5    | 13.0  | 71    |
| 2000985 | Drill Core                       | 1.27 | 535   | <0.005 | <0.01 | <0.17 | 23.85 | 0.2   | 13.0  | 12.6  | 78    | 0.2   | 9.8   | 7.4   | 615   | 2.34  | 1.6   | 1.3   | 3.2    | 10.7  | 28    |
| 2000986 | Drill Core                       | 1.04 | 447   | 0.024  | 0.02  | <0.17 | 21.94 | 0.2   | 14.4  | 11.7  | 60    | 1.1   | 8.1   | 7.0   | 305   | 1.92  | 3.2   | 2.7   | 23.9   | 11.4  | 17    |
| 2000987 | Drill Core                       | 0.74 | 479   | <0.005 | <0.01 | <0.17 | 26.83 | 0.3   | 7.5   | 14.9  | 44    | 0.2   | 7.7   | 5.3   | 397   | 1.53  | 0.9   | 1.1   | 3.9    | 11.9  | 10    |
| 2000988 | Drill Core                       | 0.96 | 382   | <0.005 | <0.01 | <0.17 | 27.13 | 0.2   | 10.0  | 37.4  | 34    | 0.1   | 5.8   | 4.7   | 275   | 1.47  | 1.3   | 1.1   | 3.0    | 10.6  | 10    |
| 2000989 | Drill Core                       | 0.91 | 367   | <0.005 | <0.01 | <0.17 | 26.83 | 0.2   | 10.8  | 8.0   | 32    | 0.2   | 4.5   | 3.6   | 224   | 1.23  | 1.2   | 1.2   | 0.7    | 13.5  | 21    |
| 2000990 | Rock                             | 0.65 | 369   | <0.005 | <0.01 | <0.17 | 22.00 | <0.1  | 0.7   | 0.3   | 1     | <0.1  | 0.3   | 0.3   | 196   | 0.13  | <0.5  | 0.1   | 0.8    | <0.1  | 68    |
| 2000991 | Drill Core                       | 2.07 | 426   | <0.005 | <0.01 | <0.17 | 24.39 | 0.1   | 3.5   | 8.7   | 12    | <0.1  | 1.8   | 1.6   | 161   | 0.69  | <0.5  | 1.1   | <0.5   | 11.0  | 53    |
| 2000992 | Drill Core                       | 1.88 | 398   | <0.005 | <0.01 | <0.17 | 27.05 | 0.1   | 4.0   | 10.0  | 12    | <0.1  | 1.7   | 1.4   | 149   | 0.67  | 0.6   | 1.2   | <0.5   | 12.3  | 56    |
| 2000993 | Drill Core                       | 2.06 | 437   | <0.005 | <0.01 | <0.17 | 26.83 | 0.1   | 5.3   | 18.1  | 16    | 0.1   | 2.4   | 1.9   | 195   | 0.82  | 0.7   | 1.4   | 1.4    | 14.2  | 31    |
| 2000994 | Drill Core                       | 1.93 | 374   | <0.005 | <0.01 | <0.17 | 29.62 | <0.1  | 4.7   | 15.1  | 18    | <0.1  | 2.0   | 1.6   | 154   | 0.78  | 0.8   | 1.1   | 1.4    | 13.2  | 26    |
| 2000995 | Drill Core                       | 2.13 | 420   | <0.005 | <0.01 | <0.17 | 24.67 | <0.1  | 3.9   | 12.8  | 19    | <0.1  | 2.1   | 1.6   | 147   | 0.83  | 0.6   | 1.1   | <0.5   | 14.6  | 19    |
| 2000996 | Drill Core                       | 1.39 | 418   | <0.005 | <0.01 | <0.17 | 16.50 | 0.1   | 3.8   | 8.8   | 18    | <0.1  | 1.8   | 1.2   | 166   | 0.87  | 0.8   | 1.0   | 0.8    | 13.5  | 6     |
| 2000997 | Drill Core                       | 2.96 | 453   | <0.005 | <0.01 | <0.17 | 19.52 | 0.1   | 2.8   | 10.7  | 15    | <0.1  | 1.5   | 1.2   | 187   | 0.85  | 1.0   | 1.0   | <0.5   | 13.0  | 8     |
| 2000998 | Drill Core                       | 1.01 | 427   | <0.005 | <0.01 | <0.17 | 25.76 | 0.2   | 13.2  | 10.7  | 63    | 0.2   | 8.3   | 5.7   | 252   | 1.90  | 1.5   | 1.3   | 1.3    | 12.2  | 36    |
| 2000999 | Drill Core                       | 1.00 | 392   | <0.005 | <0.01 | <0.17 | 26.45 | 0.2   | 13.3  | 13.1  | 60    | 0.2   | 8.0   | 6.8   | 354   | 1.92  | 1.9   | 1.3   | <0.5   | 11.1  | 64    |
| 2001000 | Rock Pulp                        | 0.12 | 83    | 6.912  | I.S.  | I.S.  | I.S.  | 13.6  | 71.2  | 22.8  | 62    | 0.8   | 19.1  | 9.9   | 480   | 4.33  | 13.3  | 0.4   | 7799.2 | 1.1   | 57    |
| 2001001 | Drill Core                       | 0.89 | 350   | <0.005 | <0.01 | <0.17 | 20.25 | 0.2   | 7.5   | 4.7   | 18    | <0.1  | 3.0   | 2.3   | 277   | 1.10  | 0.8   | 0.5   | <0.5   | 3.4   | 77    |
| 2001002 | Drill Core                       | 0.75 | 482   | <0.005 | <0.01 | <0.17 | 28.78 | <0.1  | 12.9  | 6.6   | 64    | 0.2   | 9.1   | 6.9   | 349   | 1.80  | 2.7   | 1.2   | 0.7    | 9.1   | 46    |
| 2001003 | Drill Core                       | 0.97 | 382   | <0.005 | <0.01 | <0.17 | 22.61 | 0.2   | 14.2  | 5.9   | 53    | 0.2   | 8.6   | 6.7   | 308   | 1.76  | 2.0   | 1.0   | <0.5   | 7.9   | 46    |
| 2001004 | Drill Core                       | 1.04 | 404   | <0.005 | <0.01 | <0.17 | 22.98 | 0.1   | 12.4  | 4.9   | 48    | 0.2   | 7.4   | 6.2   | 320   | 1.74  | 1.7   | 0.9   | 2.0    | 6.0   | 55    |
| 2001005 | Drill Core                       | 0.66 | 416   | <0.005 | <0.01 | <0.17 | 18.55 | 0.1   | 16.3  | 6.3   | 56    | 0.4   | 9.5   | 8.8   | 348   | 2.25  | 2.6   | 1.2   | 0.7    | 12.6  | 38    |





**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 4 of 5

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method     | Analyte | Unit | MDL  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |     |      |
|---------|------------|---------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|------|
|         |            |         |      |      | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc  | Tl  | S    |
|         |            |         |      |      | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm | ppm | %    |
|         |            |         |      |      | 0.1   | 0.1   | 0.1   | 2     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1 | 0.1 | 0.05 |
| 2000976 | Drill Core | 0.1     | 0.4  | <0.1 | 5     | 0.10  | 0.041 | 29    | 4     | 0.09  | 2271  | 0.006 | 1     | 0.59  | 0.041 | 0.43  | <0.1  | 0.02  | 2.2   | 0.2   | <0.05 |     |     |      |
| 2000977 | Drill Core | 0.1     | 0.9  | <0.1 | 5     | 0.81  | 0.039 | 27    | 5     | 0.10  | 1222  | 0.004 | 2     | 0.54  | 0.032 | 0.39  | <0.1  | 0.03  | 2.8   | 0.1   | 0.06  |     |     |      |
| 2000978 | Drill Core | 0.2     | 0.5  | <0.1 | 8     | 1.11  | 0.044 | 35    | 6     | 0.24  | 348   | 0.017 | 3     | 0.63  | 0.059 | 0.46  | <0.1  | 0.01  | 3.3   | 0.2   | <0.05 |     |     |      |
| 2000979 | Drill Core | 0.2     | 0.5  | <0.1 | 5     | 2.38  | 0.036 | 36    | 4     | 0.12  | 731   | 0.005 | 2     | 0.46  | 0.027 | 0.35  | <0.1  | <0.01 | 2.0   | 0.1   | <0.05 |     |     |      |
| 2000980 | Rock Pulp  | 0.1     | 6.2  | 0.5  | 93    | 1.03  | 0.053 | 5     | 29    | 0.61  | 88    | 0.106 | 4     | 1.84  | 0.158 | 0.14  | 1.6   | 0.28  | 4.9   | <0.1  | <0.05 |     |     |      |
| 2000981 | Drill Core | 0.1     | 0.3  | 0.1  | 7     | 0.85  | 0.043 | 37    | 7     | 0.26  | 383   | 0.021 | <1    | 0.75  | 0.057 | 0.57  | <0.1  | <0.01 | 2.8   | 0.2   | <0.05 |     |     |      |
| 2000982 | Drill Core | 0.1     | 0.4  | <0.1 | 7     | 0.87  | 0.043 | 35    | 6     | 0.40  | 523   | 0.025 | 1     | 0.69  | 0.053 | 0.55  | <0.1  | <0.01 | 2.8   | 0.3   | 0.09  |     |     |      |
| 2000983 | Drill Core | 0.2     | 0.3  | <0.1 | 8     | 1.00  | 0.042 | 38    | 7     | 0.28  | 577   | 0.022 | 1     | 0.70  | 0.050 | 0.53  | <0.1  | <0.01 | 3.7   | 0.3   | 0.08  |     |     |      |
| 2000984 | Drill Core | 0.3     | 0.2  | <0.1 | 7     | 1.89  | 0.044 | 39    | 7     | 0.24  | 815   | 0.021 | 1     | 0.66  | 0.045 | 0.52  | <0.1  | <0.01 | 3.1   | 0.2   | <0.05 |     |     |      |
| 2000985 | Drill Core | 0.2     | 0.6  | <0.1 | 16    | 0.21  | 0.068 | 39    | 12    | 0.67  | 1583  | 0.047 | 2     | 0.99  | 0.037 | 0.64  | <0.1  | 0.02  | 5.8   | 0.4   | <0.05 |     |     |      |
| 2000986 | Drill Core | 0.3     | 0.9  | 0.1  | 10    | 0.17  | 0.067 | 42    | 7     | 0.21  | 715   | 0.016 | 2     | 0.64  | 0.025 | 0.45  | 0.1   | 0.08  | 3.6   | 0.2   | <0.05 |     |     |      |
| 2000987 | Drill Core | 0.1     | 0.3  | 0.2  | 8     | 0.17  | 0.063 | 35    | 7     | 0.54  | 231   | 0.035 | 2     | 0.90  | 0.021 | 0.72  | <0.1  | 0.02  | 3.6   | 0.4   | <0.05 |     |     |      |
| 2000988 | Drill Core | <0.1    | 0.7  | 0.5  | 7     | 0.16  | 0.063 | 30    | 8     | 0.33  | 455   | 0.018 | <1    | 0.71  | 0.007 | 0.57  | 0.1   | 0.02  | 3.6   | 0.3   | <0.05 |     |     |      |
| 2000989 | Drill Core | <0.1    | 0.4  | <0.1 | 5     | 0.11  | 0.036 | 28    | 5     | 0.36  | 1104  | 0.026 | <1    | 0.67  | 0.049 | 0.51  | <0.1  | 0.02  | 3.7   | 0.3   | <0.05 |     |     |      |
| 2000990 | Rock       | <0.1    | <0.1 | <0.1 | <2    | 30.64 | 0.006 | <1    | <1    | 2.17  | 10    | 0.002 | <1    | 0.01  | 0.005 | <0.01 | <0.1  | <0.01 | 0.3   | <0.1  | <0.05 |     |     |      |
| 2000991 | Drill Core | <0.1    | 0.2  | <0.1 | <2    | 0.17  | 0.015 | 31    | 2     | 0.13  | 1291  | 0.019 | <1    | 0.39  | 0.059 | 0.26  | <0.1  | <0.01 | 1.7   | 0.1   | <0.05 |     |     |      |
| 2000992 | Drill Core | <0.1    | 0.2  | <0.1 | <2    | 0.21  | 0.014 | 33    | 2     | 0.11  | 1688  | 0.013 | <1    | 0.37  | 0.055 | 0.25  | <0.1  | <0.01 | 1.9   | 0.1   | <0.05 |     |     |      |
| 2000993 | Drill Core | <0.1    | 0.4  | 0.1  | <2    | 0.08  | 0.017 | 47    | 3     | 0.15  | 1602  | 0.010 | 1     | 0.40  | 0.049 | 0.29  | <0.1  | <0.01 | 2.4   | 0.1   | <0.05 |     |     |      |
| 2000994 | Drill Core | <0.1    | 0.3  | 0.1  | <2    | 0.08  | 0.014 | 34    | 2     | 0.16  | 1384  | 0.015 | <1    | 0.43  | 0.049 | 0.32  | <0.1  | <0.01 | 2.0   | 0.1   | <0.05 |     |     |      |
| 2000995 | Drill Core | <0.1    | 0.3  | <0.1 | <2    | 0.07  | 0.016 | 30    | 2     | 0.16  | 1111  | 0.012 | 1     | 0.44  | 0.042 | 0.34  | <0.1  | <0.01 | 2.2   | 0.1   | <0.05 |     |     |      |
| 2000996 | Drill Core | <0.1    | 0.5  | <0.1 | <2    | 0.06  | 0.015 | 37    | 2     | 0.12  | 259   | 0.007 | 1     | 0.39  | 0.038 | 0.29  | <0.1  | 0.02  | 2.1   | 0.1   | <0.05 |     |     |      |
| 2000997 | Drill Core | <0.1    | 0.5  | <0.1 | <2    | 0.06  | 0.014 | 41    | 2     | 0.06  | 284   | 0.002 | 3     | 0.33  | 0.039 | 0.23  | <0.1  | 0.02  | 2.4   | <0.1  | <0.05 |     |     |      |
| 2000998 | Drill Core | 0.1     | 1.3  | 0.1  | 11    | 0.48  | 0.055 | 39    | 10    | 0.48  | 829   | 0.029 | <1    | 0.93  | 0.027 | 0.63  | <0.1  | <0.01 | 6.5   | 0.3   | <0.05 |     |     |      |
| 2000999 | Drill Core | 0.2     | 1.0  | 0.1  | 11    | 0.73  | 0.057 | 37    | 10    | 0.50  | 1039  | 0.032 | <1    | 0.91  | 0.029 | 0.64  | <0.1  | <0.01 | 5.4   | 0.3   | <0.05 |     |     |      |
| 2001000 | Rock Pulp  | 0.2     | 6.0  | 0.5  | 93    | 1.05  | 0.053 | 5     | 29    | 0.61  | 95    | 0.110 | 3     | 1.89  | 0.172 | 0.15  | 1.7   | 0.31  | 5.1   | <0.1  | <0.05 |     |     |      |
| 2001001 | Drill Core | 0.1     | 0.4  | <0.1 | 4     | 1.09  | 0.019 | 12    | 5     | 0.14  | 2078  | 0.008 | <1    | 0.32  | 0.010 | 0.21  | <0.1  | <0.01 | 1.9   | <0.1  | <0.05 |     |     |      |
| 2001002 | Drill Core | 0.1     | 0.4  | <0.1 | 12    | 0.51  | 0.065 | 27    | 9     | 0.58  | 567   | 0.051 | <1    | 1.00  | 0.034 | 0.69  | <0.1  | <0.01 | 4.0   | 0.4   | <0.05 |     |     |      |
| 2001003 | Drill Core | 0.1     | 0.2  | <0.1 | 11    | 0.34  | 0.065 | 24    | 9     | 0.54  | 573   | 0.049 | 1     | 0.96  | 0.038 | 0.70  | <0.1  | <0.01 | 3.5   | 0.4   | <0.05 |     |     |      |
| 2001004 | Drill Core | 0.1     | 0.3  | 0.1  | 10    | 0.30  | 0.051 | 14    | 9     | 0.55  | 1993  | 0.045 | <1    | 0.88  | 0.047 | 0.60  | <0.1  | <0.01 | 2.9   | 0.3   | <0.05 |     |     |      |
| 2001005 | Drill Core | 0.1     | 0.5  | 0.3  | 13    | 0.27  | 0.071 | 27    | 10    | 0.67  | 2016  | 0.047 | <1    | 1.13  | 0.030 | 0.83  | <0.1  | 0.02  | 4.8   | 0.4   | <0.05 |     |     |      |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 4 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 2000976 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000977 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000978 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000979 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000980 | Rock Pulp                        | 5     | <0.5  | <0.2  |
| 2000981 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000982 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000983 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000984 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000985 | Drill Core                       | 5     | <0.5  | <0.2  |
| 2000986 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000987 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000988 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000989 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000990 | Rock                             | <1    | <0.5  | <0.2  |
| 2000991 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000992 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000993 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000994 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000995 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000996 | Drill Core                       | 2     | <0.5  | <0.2  |
| 2000997 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2000998 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2000999 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2001000 | Rock Pulp                        | 5     | <0.5  | 0.2   |
| 2001001 | Drill Core                       | 1     | <0.5  | <0.2  |
| 2001002 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2001003 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2001004 | Drill Core                       | 3     | <0.5  | <0.2  |
| 2001005 | Drill Core                       | 4     | 0.5   | <0.2  |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 5 of 5

Part: 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | WGHT | M150  | FA430  | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Wgt  | TotWt | -Au    | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th    | Sr    |
|         |                                  | kg   | g     | gm/t   | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm   | ppm   |
|         |                                  | 0.01 | 1     | 0.005  | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
|         |                                  |      |       |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
| 2001006 | Drill Core                       | 1.74 | 385   | <0.005 | <0.01 | <0.17 | 21.93 | 0.3   | 13.9  | 9.9   | 51    | 0.1   | 8.5   | 6.1   | 379   | 2.11  | 2.0   | 1.4   | 3.6   | 11.2  | 10    |
| 2001007 | Drill Core                       | 1.73 | 525   | <0.005 | <0.01 | <0.17 | 17.71 | 0.6   | 12.6  | 8.2   | 47    | 0.2   | 8.6   | 6.2   | 364   | 2.01  | 1.5   | 1.2   | 3.5   | 10.8  | 13    |
| 2001008 | Drill Core                       | 1.40 | 372   | <0.005 | <0.01 | <0.17 | 24.26 | 2.6   | 16.0  | 7.3   | 44    | 0.2   | 6.8   | 5.7   | 399   | 1.99  | 2.0   | 1.3   | 5.7   | 10.7  | 35    |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 5 of 5

Part: 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|         |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti    | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|         |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %     | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|         |                                  | 0.1   | 0.1   | 0.1   | 2     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001 | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| 2001006 | Drill Core                       | 0.2   | 0.8   | 0.2   | 14    | 0.19  | 0.060 | 38    | 9     | 0.66  | 317   | 0.048 | <1    | 1.06  | 0.040 | 0.74  | <0.1  | 0.03  | 4.3   | 0.4   | <0.05 |
| 2001007 | Drill Core                       | 0.1   | 0.6   | 0.2   | 13    | 0.25  | 0.061 | 34    | 9     | 0.75  | 295   | 0.052 | <1    | 1.09  | 0.032 | 0.80  | <0.1  | 0.01  | 4.1   | 0.4   | <0.05 |
| 2001008 | Drill Core                       | 0.2   | 0.4   | 0.2   | 12    | 0.48  | 0.050 | 33    | 9     | 0.83  | 425   | 0.060 | 1     | 1.14  | 0.041 | 0.89  | <0.1  | 0.01  | 4.3   | 0.4   | <0.05 |



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 5 of 5

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000071.1

|         | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|---------|----------------------------------|-------|-------|-------|
|         |                                  | Ga    | Se    | Te    |
|         |                                  | ppm   | ppm   | ppm   |
|         |                                  | 1     | 0.5   | 0.2   |
| 2001006 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2001007 | Drill Core                       | 4     | <0.5  | <0.2  |
| 2001008 | Drill Core                       | 4     | <0.5  | <0.2  |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 1 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI16000071.1

| Method                 | Analyte    | Unit | MDL | WGHT   | M150  | FA430 | FS600 | FS600 | FS600 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |     |     |
|------------------------|------------|------|-----|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|-----|
|                        |            |      |     | Wgt    | TotWt | -Au   | TotAu | +Au   | +Wt   | Mo    | Cu    | Pb    | Zn    | Ag    | Ni    | Co    | Mn    | Fe    | As    | U     | Au    | Th  | Sr  |
|                        |            |      |     | kg     | g     | gm/t  | gm/t  | gm/t  | g     | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | ppm   | %     | ppm   | ppm   | ppb   | ppm | ppm |
|                        |            |      |     | 0.01   | 1     | 0.005 | 0.01  | 0.17  | 0.01  | 0.1   | 0.1   | 0.1   | 1     | 0.1   | 0.1   | 0.1   | 0.1   | 1     | 0.01  | 0.5   | 0.1   | 0.5 | 0.1 |
| Pulp Duplicates        |            |      |     |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| REP 2000943            | QC         |      |     | <0.005 |       |       |       | 0.3   | 17.6  | 7.5   | 56    | 0.2   | 8.5   | 5.8   | 228   | 2.06  | 2.3   | 1.1   | 1.4   | 10.2  | 17    |     |     |
| 2000947                | Drill Core | 1.37 | 438 | <0.005 | <0.01 | <0.17 | 27.07 | <0.1  | 2.9   | 9.0   | 17    | <0.1  | 2.8   | 1.8   | 153   | 0.74  | 0.7   | 2.7   | <0.5  | 14.2  | 22    |     |     |
| REP 2000947            | QC         |      |     | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| 2000964                | Drill Core | 1.07 | 395 | <0.005 | <0.01 | <0.17 | 23.82 | 0.2   | 11.8  | 10.2  | 22    | 0.2   | 2.4   | 3.1   | 222   | 1.01  | 2.8   | 4.2   | <0.5  | 9.1   | 16    |     |     |
| REP 2000964            | QC         |      |     | <0.005 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| 2000974                | Drill Core | 2.10 | 431 | 0.039  | 0.04  | <0.17 | 20.16 | 1.3   | 14.0  | 63.5  | 3     | 0.3   | 1.5   | 1.1   | 87    | 0.90  | 1.3   | 0.7   | 14.7  | <0.1  | 1     |     |     |
| REP 2000974            | QC         |      |     | 0.015  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| REP 2000977            | QC         |      |     |        |       |       |       | 0.2   | 9.9   | 13.3  | 33    | 0.2   | 3.9   | 4.0   | 306   | 1.19  | 2.3   | 1.8   | 0.6   | 11.1  | 24    |     |     |
| Core Reject Duplicates |            |      |     |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| 2000943                | Drill Core | 0.90 | 368 | <0.005 | <0.01 | <0.17 | 21.96 | 0.4   | 16.6  | 7.3   | 54    | 0.2   | 8.4   | 6.1   | 219   | 1.99  | 2.4   | 1.1   | <0.5  | 10.1  | 17    |     |     |
| DUP 2000943            | QC         |      | 397 | <0.005 | <0.01 | <0.17 | 25.67 | 0.3   | 17.5  | 7.6   | 55    | 0.2   | 8.5   | 6.3   | 228   | 2.05  | 2.0   | 1.2   | <0.5  | 10.6  | 17    |     |     |
| 2000977                | Drill Core | 1.22 | 415 | <0.005 | <0.01 | <0.17 | 25.21 | 0.3   | 10.3  | 13.3  | 31    | 0.2   | 3.8   | 4.3   | 304   | 1.16  | 1.9   | 1.8   | 0.8   | 10.8  | 24    |     |     |
| DUP 2000977            | QC         |      | 392 | <0.005 | <0.01 | <0.17 | 21.44 | 0.6   | 9.5   | 13.7  | 34    | 0.2   | 3.3   | 4.0   | 301   | 1.13  | 1.7   | 1.9   | <0.5  | 11.3  | 25    |     |     |
| Reference Materials    |            |      |     |        |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD DS10               | Standard   |      |     |        |       |       |       | 15.5  | 154.7 | 148.9 | 360   | 1.7   | 71.7  | 12.8  | 888   | 2.76  | 45.9  | 2.6   | 75.6  | 7.3   | 73    |     |     |
| STD DS10               | Standard   |      |     |        |       |       |       | 15.8  | 153.0 | 151.1 | 386   | 1.9   | 74.1  | 13.5  | 884   | 2.79  | 49.3  | 2.7   | 80.4  | 7.7   | 72    |     |     |
| STD DS10               | Standard   |      |     |        |       |       |       | 14.4  | 147.0 | 145.5 | 369   | 1.8   | 71.4  | 12.8  | 886   | 2.73  | 46.5  | 2.7   | 85.5  | 7.4   | 68    |     |     |
| STD OXC129             | Standard   |      |     |        |       |       |       | 1.2   | 27.7  | 6.3   | 40    | <0.1  | 77.2  | 20.2  | 420   | 2.99  | <0.5  | 0.7   | 193.9 | 1.8   | 189   |     |     |
| STD OXC129             | Standard   |      |     |        |       |       |       | 1.3   | 26.9  | 6.1   | 42    | <0.1  | 71.7  | 19.5  | 423   | 3.08  | 0.9   | 0.7   | 204.0 | 1.8   | 189   |     |     |
| STD OXC129             | Standard   |      |     |        |       |       |       | 1.2   | 26.4  | 6.1   | 41    | <0.1  | 77.1  | 18.8  | 414   | 2.99  | 0.6   | 0.7   | 198.5 | 1.8   | 185   |     |     |
| STD OXD108             | Standard   |      |     | 0.424  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXD108             | Standard   |      |     | 0.418  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXI121             | Standard   |      |     | 1.816  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXI121             | Standard   |      |     | 1.829  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXN117             | Standard   |      |     | 7.570  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXN117             | Standard   |      |     | 7.496  |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXP91              | Standard   |      |     |        |       | 15.15 | 29.58 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |
| STD OXP91              | Standard   |      |     |        |       | 15.00 | 30.07 |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |     |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 1 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI16000071.1

|                        | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
|                        |                                  | Cd    | Sb    | Bi    | V     | Ca    | P     | La    | Cr    | Mg    | Ba    | Ti     | B     | Al    | Na    | K     | W     | Hg    | Sc    | Tl    | S     |
|                        |                                  | ppm   | ppm   | ppm   | ppm   | %     | %     | ppm   | ppm   | %     | ppm   | %      | ppm   | %     | %     | %     | ppm   | ppm   | ppm   | ppm   | %     |
|                        |                                  | 0.1   | 0.1   | 0.1   | 2     | 0.01  | 0.001 | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01  | 0.001 | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| Pulp Duplicates        |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| REP 2000943            | QC                               | 0.1   | 1.3   | <0.1  | 13    | 0.19  | 0.054 | 26    | 11    | 0.64  | 326   | 0.034  | <1    | 1.08  | 0.038 | 0.63  | <0.1  | 0.02  | 5.1   | 0.4   | <0.05 |
| 2000947                | Drill Core                       | 0.2   | 0.3   | <0.1  | 3     | 0.10  | 0.022 | 51    | 4     | 0.16  | 733   | 0.013  | <1    | 0.47  | 0.048 | 0.33  | <0.1  | <0.01 | 1.5   | 0.2   | <0.05 |
| REP 2000947            |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 2000964                | Drill Core                       | 0.1   | 1.0   | <0.1  | 3     | 0.05  | 0.020 | 23    | 3     | 0.06  | 263   | 0.001  | 4     | 0.44  | 0.039 | 0.26  | <0.1  | 0.09  | 1.8   | 0.1   | <0.05 |
| REP 2000964            |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 2000974                | Drill Core                       | <0.1  | 0.6   | 0.3   | <2    | <0.01 | 0.002 | <1    | 3     | <0.01 | 93    | <0.001 | <1    | 0.01  | 0.005 | <0.01 | <0.1  | 0.10  | <0.1  | <0.1  | <0.05 |
| REP 2000974            |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| REP 2000977            | QC                               | <0.1  | 0.8   | <0.1  | 5     | 0.82  | 0.038 | 27    | 5     | 0.10  | 1184  | 0.004  | 3     | 0.55  | 0.029 | 0.39  | <0.1  | 0.03  | 2.9   | 0.1   | 0.06  |
| Core Reject Duplicates |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| 2000943                | Drill Core                       | <0.1  | 1.5   | <0.1  | 12    | 0.19  | 0.057 | 26    | 10    | 0.65  | 315   | 0.032  | <1    | 1.07  | 0.037 | 0.62  | <0.1  | 0.02  | 5.1   | 0.4   | <0.05 |
| DUP 2000943            | QC                               | <0.1  | 1.4   | <0.1  | 12    | 0.19  | 0.054 | 26    | 11    | 0.64  | 334   | 0.033  | 1     | 1.10  | 0.040 | 0.63  | <0.1  | 0.03  | 5.2   | 0.4   | <0.05 |
| 2000977                | Drill Core                       | 0.1   | 0.9   | <0.1  | 5     | 0.81  | 0.039 | 27    | 5     | 0.10  | 1222  | 0.004  | 2     | 0.54  | 0.032 | 0.39  | <0.1  | 0.03  | 2.8   | 0.1   | 0.06  |
| DUP 2000977            | QC                               | <0.1  | 0.9   | <0.1  | 5     | 0.83  | 0.037 | 28    | 4     | 0.10  | 1258  | 0.005  | 3     | 0.53  | 0.028 | 0.38  | <0.1  | 0.02  | 2.9   | 0.1   | 0.06  |
| Reference Materials    |                                  |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD DS10               | Standard                         | 2.7   | 10.7  | 12.1  | 41    | 1.09  | 0.074 | 18    | 56    | 0.78  | 347   | 0.085  | 7     | 1.06  | 0.071 | 0.34  | 3.3   | 0.29  | 3.0   | 5.1   | 0.27  |
| STD DS10               | Standard                         | 2.5   | 10.3  | 13.1  | 42    | 1.11  | 0.074 | 20    | 59    | 0.80  | 398   | 0.089  | 7     | 1.09  | 0.072 | 0.34  | 3.3   | 0.32  | 3.2   | 5.6   | 0.27  |
| STD DS10               | Standard                         | 2.3   | 10.1  | 11.6  | 42    | 1.07  | 0.080 | 18    | 54    | 0.78  | 377   | 0.083  | 8     | 1.09  | 0.068 | 0.34  | 3.4   | 0.30  | 3.0   | 5.2   | 0.27  |
| STD OXC129             | Standard                         | <0.1  | <0.1  | <0.1  | 49    | 0.70  | 0.102 | 13    | 52    | 1.54  | 48    | 0.398  | 1     | 1.57  | 0.595 | 0.36  | <0.1  | <0.01 | 0.8   | <0.1  | <0.05 |
| STD OXC129             | Standard                         | <0.1  | <0.1  | <0.1  | 50    | 0.70  | 0.103 | 12    | 51    | 1.57  | 48    | 0.401  | <1    | 1.61  | 0.610 | 0.38  | <0.1  | <0.01 | 0.9   | <0.1  | <0.05 |
| STD OXC129             | Standard                         | <0.1  | <0.1  | <0.1  | 49    | 0.69  | 0.109 | 12    | 50    | 1.50  | 49    | 0.379  | 1     | 1.56  | 0.585 | 0.35  | <0.1  | <0.01 | 0.8   | <0.1  | <0.05 |
| STD OXD108             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXD108             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXI121             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXI121             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXN117             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXN117             | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXP91              | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |
| STD OXP91              | Standard                         |       |       |       |       |       |       |       |       |       |       |        |       |       |       |       |       |       |       |       |       |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 20, 2016

Page: 1 of 2

Part: 3 of 3

## QUALITY CONTROL REPORT

WHI16000071.1

|                        | Method<br>Analyte<br>Unit<br>MDL | AQ201 | AQ201 | AQ201 |
|------------------------|----------------------------------|-------|-------|-------|
|                        |                                  | Ga    | Se    | Te    |
|                        |                                  | ppm   | ppm   | ppm   |
|                        |                                  | 1     | 0.5   | 0.2   |
| Pulp Duplicates        |                                  |       |       |       |
| REP 2000943            | QC                               | 4     | <0.5  | <0.2  |
| 2000947                | Drill Core                       | 2     | <0.5  | <0.2  |
| REP 2000947            | QC                               |       |       |       |
| 2000964                | Drill Core                       | 1     | <0.5  | <0.2  |
| REP 2000964            | QC                               |       |       |       |
| 2000974                | Drill Core                       | <1    | <0.5  | <0.2  |
| REP 2000974            | QC                               |       |       |       |
| REP 2000977            | QC                               | 2     | <0.5  | <0.2  |
| Core Reject Duplicates |                                  |       |       |       |
| 2000943                | Drill Core                       | 4     | <0.5  | <0.2  |
| DUP 2000943            | QC                               | 4     | <0.5  | <0.2  |
| 2000977                | Drill Core                       | 2     | <0.5  | <0.2  |
| DUP 2000977            | QC                               | 2     | <0.5  | <0.2  |
| Reference Materials    |                                  |       |       |       |
| STD DS10               | Standard                         | 4     | 2.5   | 4.8   |
| STD DS10               | Standard                         | 5     | 2.6   | 5.2   |
| STD DS10               | Standard                         | 5     | 2.4   | 4.8   |
| STD OXC129             | Standard                         | 6     | <0.5  | <0.2  |
| STD OXC129             | Standard                         | 6     | <0.5  | <0.2  |
| STD OXC129             | Standard                         | 6     | <0.5  | <0.2  |
| STD OXD108             | Standard                         |       |       |       |
| STD OXD108             | Standard                         |       |       |       |
| STD OXI121             | Standard                         |       |       |       |
| STD OXI121             | Standard                         |       |       |       |
| STD OXN117             | Standard                         |       |       |       |
| STD OXN117             | Standard                         |       |       |       |
| STD OXP91              | Standard                         |       |       |       |
| STD OXP91              | Standard                         |       |       |       |





**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 2 of 2

**Part:** 1 of 3

## QUALITY CONTROL REPORT

WHI16000071.1

|                     |            | WGHT | M150  | FA430  | FS600 | FS600  | FS600 | AQ201 | AQ201  | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|------|-------|--------|-------|--------|-------|-------|--------|--------|-------|-------|-------|-------|-------|--------|-------|-------|-------|-------|-------|
|                     |            | Wgt  | TotWt | -Au    | TotAu | +Au    | +Wt   | Mo    | Cu     | Pb     | Zn    | Ag    | Ni    | Co    | Mn    | Fe     | As    | U     | Au    | Th    | Sr    |
|                     |            | kg   | g     | gm/t   | gm/t  | gm/t   | g     | ppm   | ppm    | ppm    | ppm   | ppm   | ppm   | ppm   | ppm   | %      | ppm   | ppm   | ppb   | ppm   | ppm   |
|                     |            | 0.01 | 1     | 0.005  | 0.01  | 0.17   | 0.01  | 0.1   | 0.1    | 0.1    | 1     | 0.1   | 0.1   | 0.1   | 1     | 0.01   | 0.5   | 0.1   | 0.5   | 0.1   | 1     |
| STD OXP91           | Standard   |      |       |        |       | 14.92  | 29.56 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| STD OXP91           | Standard   |      |       |        |       | 15.15  | 30.42 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| STD OXP91           | Standard   |      |       |        |       | 15.00  | 29.93 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| STD OXP91           | Standard   |      |       |        |       | 15.27  | 30.06 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| STD DS10 Expected   |            |      |       |        |       |        |       | 15.1  | 154.61 | 150.55 | 370   | 2.02  | 74.6  | 12.9  | 875   | 2.7188 | 46.2  | 2.59  | 91.9  | 7.5   | 67.1  |
| STD OXC129 Expected |            |      |       |        |       |        |       | 1.3   | 28     | 6.3    | 42.9  |       | 79.5  | 20.3  | 421   | 3.065  | 0.6   | 0.72  | 195   | 1.9   |       |
| STD OXP91 Expected  |            |      |       |        |       | 14.82  |       |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       |        |       | <0.1  | <0.1   | <0.1   | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01  | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       |        |       |        |       | <0.1  | <0.1   | <0.1   | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01  | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       |        |       |        |       | <0.1  | <0.1   | <0.1   | <1    | <0.1  | <0.1  | <0.1  | <1    | <0.01  | <0.5  | <0.1  | <0.5  | <0.1  | <1    |
| BLK                 | Blank      |      |       |        |       | <0.17  | 30.00 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17  | 30.00 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17  | 30.00 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17  | 30.00 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17  | 30.00 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.17  | 30.00 |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.005 |       |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.005 |       |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.005 |       |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| BLK                 | Blank      |      |       |        |       | <0.005 |       |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| Prep Wash           |            |      |       |        |       |        |       |       |        |        |       |       |       |       |       |        |       |       |       |       |       |
| ROCK-WHI            | Prep Blank |      | 477   | <0.005 | <0.01 | <0.17  | 26.08 | 0.5   | 3.7    | 1.3    | 32    | <0.1  | 0.9   | 3.9   | 434   | 1.80   | 0.8   | 0.4   | <0.5  | 2.4   | 31    |
| ROCK-WHI            | Prep Blank |      | 453   | <0.005 | <0.01 | <0.17  | 28.28 | 0.6   | 3.4    | 1.3    | 32    | <0.1  | 0.7   | 3.6   | 412   | 1.79   | 0.6   | 0.4   | <0.5  | 2.5   | 29    |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 2 of 2

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI16000071.1

|                     |            | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201  | AQ201 | AQ201  | AQ201  | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 | AQ201 |
|---------------------|------------|-------|-------|-------|-------|--------|--------|-------|-------|-------|-------|--------|-------|--------|--------|-------|-------|-------|-------|-------|-------|
|                     |            | Cd    | Sb    | Bi    | V     | Ca     | P      | La    | Cr    | Mg    | Ba    | Ti     | B     | Al     | Na     | K     | W     | Hg    | Sc    | Tl    | S     |
|                     |            | ppm   | ppm   | ppm   | ppm   | %      | %      | ppm   | ppm   | %     | ppm   | %      | ppm   | %      | %      | %     | ppm   | ppm   | ppm   | ppm   | %     |
|                     |            | 0.1   | 0.1   | 0.1   | 2     | 0.01   | 0.001  | 1     | 1     | 0.01  | 1     | 0.001  | 1     | 0.01   | 0.001  | 0.01  | 0.1   | 0.01  | 0.1   | 0.1   | 0.05  |
| STD OXP91           | Standard   |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| STD OXP91           | Standard   |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| STD OXP91           | Standard   |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| STD OXP91           | Standard   |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| STD DS10 Expected   |            | 2.62  | 9     | 11.65 | 43    | 1.0625 | 0.0765 | 17.5  | 54.6  | 0.775 | 359   | 0.0817 |       | 1.0755 | 0.067  | 0.338 | 3.32  | 0.3   | 3     | 5.1   | 0.29  |
| STD OXC129 Expected |            |       |       |       | 51    | 0.665  | 0.102  | 13    | 52    | 1.545 | 50    | 0.4    | 1     | 1.58   | 0.6    | 0.37  |       |       | 1.1   |       |       |
| STD OXP91 Expected  |            |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <2    | <0.01  | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01  | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <2    | <0.01  | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01  | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      | <0.1  | <0.1  | <0.1  | <2    | <0.01  | <0.001 | <1    | <1    | <0.01 | <1    | <0.001 | <1    | <0.01  | <0.001 | <0.01 | <0.1  | <0.01 | <0.1  | <0.1  | <0.05 |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| BLK                 | Blank      |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| Prep Wash           |            |       |       |       |       |        |        |       |       |       |       |        |       |        |        |       |       |       |       |       |       |
| ROCK-WHI            | Prep Blank | <0.1  | <0.1  | <0.1  | 21    | 0.60   | 0.040  | 6     | 3     | 0.40  | 81    | 0.080  | 1     | 0.99   | 0.114  | 0.10  | 0.1   | <0.01 | 2.7   | <0.1  | <0.05 |
| ROCK-WHI            | Prep Blank | <0.1  | <0.1  | <0.1  | 21    | 0.62   | 0.040  | 5     | 2     | 0.39  | 68    | 0.074  | 1     | 0.95   | 0.081  | 0.07  | <0.1  | <0.01 | 2.6   | <0.1  | <0.05 |



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 20, 2016

**Page:** 2 of 2

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI1600071.1

|                     |            | AQ201<br>Ga<br>ppm<br>1 | AQ201<br>Se<br>ppm<br>0.5 | AQ201<br>Te<br>ppm<br>0.2 |
|---------------------|------------|-------------------------|---------------------------|---------------------------|
| STD OXP91           | Standard   |                         |                           |                           |
| STD OXP91           | Standard   |                         |                           |                           |
| STD OXP91           | Standard   |                         |                           |                           |
| STD OXP91           | Standard   |                         |                           |                           |
| STD DS10 Expected   |            | 4.5                     | 2.3                       | 5.01                      |
| STD OXC129 Expected |            | 5.6                     |                           |                           |
| STD OXP91 Expected  |            |                         |                           |                           |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      | <1                      | <0.5                      | <0.2                      |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| BLK                 | Blank      |                         |                           |                           |
| Prep Wash           |            |                         |                           |                           |
| ROCK-WHI            | Prep Blank | 4                       | <0.5                      | <0.2                      |
| ROCK-WHI            | Prep Blank | 4                       | <0.5                      | <0.2                      |