



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 04, 2016
Report Date: July 21, 2016
Page: 1 of 4

CERTIFICATE OF ANALYSIS

WHI16000073.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: LS16-20
P.O. Number
Number of Samples: 81

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	75	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	81	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	81	Analysis sample split/packet			VAN
Split -150	81	Analysis sample split/packet			VAN
FS631	75	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	81	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	81	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 2 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2001601	Drill Core	0.55	390	<0.005	<0.01	<0.17	35.12	1.2	3.0	8.8	7	<0.1	1.4	1.8	162	0.77	0.6	1.0	<0.5	12.7	4
2001602	Drill Core	2.54	481	<0.005	<0.01	<0.17	32.71	0.3	4.5	10.0	2	<0.1	1.2	1.2	116	0.77	1.8	0.9	0.5	15.2	8
2001603	Drill Core	2.48	441	<0.005	<0.01	<0.17	31.52	0.6	6.3	11.7	4	0.1	1.3	2.0	144	0.79	2.3	0.7	<0.5	16.7	10
2001604	Drill Core	2.16	408	<0.005	<0.01	<0.17	30.53	0.5	6.5	12.9	7	0.1	1.2	1.3	164	0.90	1.4	0.6	<0.5	18.2	7
2001605	Drill Core	0.97	368	<0.005	<0.01	<0.17	32.55	0.6	3.2	18.6	11	0.2	1.5	1.9	228	1.04	1.6	0.8	<0.5	22.9	9
2001606	Drill Core	1.43	359	<0.005	<0.01	<0.17	31.25	1.1	6.8	40.0	8	0.2	2.4	3.4	194	1.13	1.4	0.6	<0.5	14.8	5
2001607	Drill Core	2.15	422	<0.005	<0.01	<0.17	34.00	0.7	3.6	10.8	5	0.2	0.9	0.8	114	0.65	0.7	0.5	<0.5	15.4	4
2001608	Drill Core	2.30	451	<0.005	<0.01	<0.17	27.71	0.7	2.0	26.0	8	0.2	1.1	0.6	173	0.75	0.8	0.7	<0.5	16.5	4
2001609	Drill Core	0.91	365	<0.005	<0.01	<0.17	32.53	0.3	8.5	17.6	15	0.1	2.8	2.2	155	1.14	1.3	0.9	<0.5	16.9	4
2001610	Rock Pulp	0.12	84	<0.005	I.S.	I.S.	I.S.	2.0	69.5	3.6	36	<0.1	5.4	8.9	354	2.53	<0.5	0.8	5.0	2.6	64
2001611	Drill Core	0.67	419	<0.005	<0.01	<0.17	33.94	0.2	6.9	13.1	14	0.2	2.5	3.8	111	0.94	1.4	1.3	<0.5	23.6	5
2001612	Drill Core	0.97	366	<0.005	<0.01	<0.17	33.91	0.2	4.2	16.7	11	0.2	1.9	1.9	131	0.90	0.7	1.0	<0.5	15.2	4
2001613	Drill Core	0.71	440	<0.005	<0.01	<0.17	31.33	0.4	8.4	42.6	5	0.3	2.0	1.7	131	0.91	1.2	0.7	0.6	6.5	3
2001614	Drill Core	1.57	524	<0.005	<0.01	<0.17	31.02	0.2	7.4	11.8	9	0.2	2.2	3.3	116	0.89	1.4	2.1	<0.5	16.9	6
2001615	Drill Core	1.73	317	<0.005	<0.01	<0.17	30.76	0.3	16.9	16.4	12	0.2	3.2	2.8	110	1.07	1.4	1.5	<0.5	15.3	7
2001616	Drill Core	1.28	483	<0.005	<0.01	<0.17	32.70	0.1	7.1	10.6	12	0.1	1.8	1.4	100	0.68	0.7	1.2	<0.5	16.9	6
2001617	Drill Core	3.74	542	<0.005	<0.01	<0.17	32.70	<0.1	4.1	13.2	14	<0.1	2.3	1.5	133	0.77	0.7	1.0	<0.5	15.4	12
2001618	Drill Core	2.80	522	<0.005	<0.01	<0.17	31.47	0.2	9.0	15.9	24	<0.1	4.3	2.8	183	1.16	1.5	0.8	0.8	15.3	7
2001619	Drill Core	2.90	525	<0.005	<0.01	<0.17	37.80	<0.1	5.7	13.1	25	<0.1	3.6	2.3	158	1.06	0.8	0.9	<0.5	15.0	6
2001620	Rock Pulp	0.12	84	7.202	I.S.	I.S.	I.S.	13.4	71.5	22.9	59	0.8	19.4	9.2	447	4.15	12.1	0.4	7059.7	1.2	56
2001621	Drill Core	2.75	492	<0.005	<0.01	<0.17	36.05	<0.1	3.4	9.6	19	<0.1	2.6	1.9	118	0.92	0.9	0.8	<0.5	15.3	5
2001622	Drill Core	1.26	505	<0.005	<0.01	<0.17	35.29	0.6	6.1	7.0	2	0.2	2.3	1.0	166	0.94	0.9	0.4	3.7	0.3	1
2001623	Drill Core	1.33	441	<0.005	<0.01	<0.17	38.54	0.1	2.6	6.4	14	0.2	2.0	2.1	88	0.72	1.2	1.0	<0.5	18.0	7
2001624	Drill Core	1.67	556	<0.005	<0.01	<0.17	36.39	<0.1	5.8	6.8	25	<0.1	2.2	2.5	99	0.79	1.9	1.2	<0.5	16.6	8
2001625	Drill Core	2.63	462	<0.005	<0.01	<0.17	33.10	0.2	6.4	10.1	18	<0.1	3.4	2.2	148	1.00	1.6	1.6	2.2	15.7	7
2001626	Drill Core	3.07	505	<0.005	<0.01	<0.17	37.70	<0.1	2.8	10.8	22	0.1	2.5	1.9	107	0.82	1.0	2.5	2.6	16.9	8
2001627	Drill Core	1.94	416	<0.005	<0.01	<0.17	38.62	<0.1	2.2	7.9	19	<0.1	2.0	1.6	103	0.85	0.9	2.5	<0.5	16.3	8
2001628	Drill Core	2.35	410	<0.005	<0.01	<0.17	31.88	0.2	4.2	9.7	17	<0.1	2.6	2.2	139	0.88	1.3	1.9	0.6	16.8	9
2001629	Drill Core	1.79	332	<0.005	<0.01	<0.17	37.34	0.2	5.4	13.7	20	0.2	2.9	3.1	113	0.97	1.1	3.5	<0.5	18.4	8
2001630	Rock Pulp	0.12	84	0.005	I.S.	I.S.	I.S.	2.1	69.3	3.7	36	<0.1	5.2	8.4	355	2.50	0.7	0.8	3.1	2.7	62



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 2 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2001601	Drill Core	<0.1	0.2	<0.1	<2	0.03	0.013	37	3	0.07	208	0.002	<1	0.35	0.013	0.24	<0.1	<0.01	1.9	<0.1	<0.05			
2001602	Drill Core	0.2	0.4	0.2	2	0.05	0.017	42	2	0.04	384	0.002	<1	0.38	0.022	0.23	0.1	<0.01	2.6	<0.1	<0.05			
2001603	Drill Core	0.2	0.3	0.2	2	0.04	0.018	44	3	0.05	709	0.002	<1	0.38	0.013	0.24	<0.1	<0.01	2.8	0.1	<0.05			
2001604	Drill Core	0.1	0.4	0.2	2	0.05	0.019	42	3	0.09	573	0.003	<1	0.62	0.018	0.38	0.1	<0.01	2.8	0.2	<0.05			
2001605	Drill Core	0.3	0.3	0.1	3	0.06	0.024	75	3	0.12	744	0.002	<1	0.69	0.008	0.46	0.2	<0.01	4.1	0.2	<0.05			
2001606	Drill Core	0.1	0.2	0.3	<2	0.04	0.018	50	5	0.08	352	0.002	<1	0.50	0.006	0.36	0.1	<0.01	2.6	0.1	<0.05			
2001607	Drill Core	<0.1	0.3	<0.1	<2	0.05	0.019	41	2	0.06	306	0.002	<1	0.40	0.021	0.27	<0.1	<0.01	2.7	<0.1	<0.05			
2001608	Drill Core	<0.1	0.2	0.7	<2	0.05	0.020	43	3	0.06	291	0.002	<1	0.40	0.009	0.28	<0.1	<0.01	2.9	0.1	<0.05			
2001609	Drill Core	0.1	0.5	0.5	3	0.05	0.019	42	5	0.11	280	0.003	<1	0.56	0.036	0.34	<0.1	<0.01	3.1	0.2	<0.05			
2001610	Rock Pulp	<0.1	<0.1	<0.1	88	0.77	0.059	7	11	0.70	111	0.100	<1	1.40	0.141	0.19	1.9	<0.01	2.1	<0.1	<0.05			
2001611	Drill Core	0.2	0.3	0.2	2	0.05	0.017	28	2	0.10	338	0.002	<1	0.61	0.040	0.34	<0.1	<0.01	3.2	0.2	<0.05			
2001612	Drill Core	0.1	0.2	0.4	<2	0.05	0.018	37	3	0.07	242	0.002	<1	0.41	0.030	0.27	0.1	<0.01	2.0	0.1	<0.05			
2001613	Drill Core	<0.1	0.3	2.2	<2	0.02	0.011	20	4	0.02	211	<0.001	<1	0.18	0.020	0.13	<0.1	<0.01	0.7	<0.1	<0.05			
2001614	Drill Core	0.1	0.2	0.2	<2	0.04	0.016	32	2	0.05	416	0.001	<1	0.34	0.034	0.23	<0.1	0.03	1.9	0.1	<0.05			
2001615	Drill Core	<0.1	0.3	0.4	2	0.05	0.019	61	4	0.07	618	0.003	<1	0.49	0.083	0.28	<0.1	0.01	2.3	<0.1	<0.05			
2001616	Drill Core	<0.1	0.3	0.1	2	0.06	0.021	56	3	0.08	305	0.002	<1	0.37	0.043	0.21	<0.1	0.01	2.2	0.1	<0.05			
2001617	Drill Core	<0.1	0.3	<0.1	3	0.07	0.025	31	4	0.10	612	0.004	<1	0.40	0.042	0.23	<0.1	<0.01	2.3	0.1	<0.05			
2001618	Drill Core	<0.1	0.4	<0.1	6	0.08	0.031	39	6	0.12	386	0.005	<1	0.49	0.045	0.28	<0.1	<0.01	3.1	0.2	<0.05			
2001619	Drill Core	<0.1	0.6	<0.1	6	0.08	0.028	35	5	0.21	373	0.012	<1	0.51	0.040	0.36	<0.1	0.01	2.8	0.3	<0.05			
2001620	Rock Pulp	0.2	4.6	0.4	91	1.02	0.053	5	28	0.61	90	0.099	1	1.82	0.167	0.14	1.4	0.29	4.1	<0.1	<0.05			
2001621	Drill Core	<0.1	0.5	<0.1	5	0.06	0.022	37	4	0.14	249	0.008	<1	0.42	0.041	0.28	<0.1	<0.01	2.4	0.2	<0.05			
2001622	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.001	2	6	<0.01	64	<0.001	2	0.03	0.003	0.03	0.7	<0.01	0.4	<0.1	<0.05			
2001623	Drill Core	<0.1	0.3	<0.1	2	0.06	0.023	33	4	0.05	343	0.002	1	0.36	0.045	0.22	0.1	0.01	2.3	<0.1	<0.05			
2001624	Drill Core	<0.1	0.3	<0.1	3	0.07	0.023	42	4	0.05	401	0.001	1	0.32	0.034	0.18	<0.1	<0.01	2.7	<0.1	<0.05			
2001625	Drill Core	<0.1	0.5	0.1	3	0.08	0.025	40	5	0.08	358	0.004	2	0.45	0.055	0.28	<0.1	0.01	2.7	0.1	<0.05			
2001626	Drill Core	<0.1	0.4	<0.1	3	0.07	0.023	35	4	0.12	364	0.005	<1	0.42	0.041	0.25	<0.1	0.02	2.7	0.1	<0.05			
2001627	Drill Core	<0.1	0.4	<0.1	3	0.07	0.023	36	4	0.09	397	0.003	2	0.44	0.044	0.26	<0.1	0.01	2.3	0.1	<0.05			
2001628	Drill Core	<0.1	0.5	<0.1	3	0.07	0.023	30	5	0.08	330	0.003	<1	0.44	0.053	0.26	<0.1	<0.01	2.8	0.1	<0.05			
2001629	Drill Core	<0.1	0.6	<0.1	4	0.06	0.023	41	4	0.14	334	0.006	3	0.53	0.065	0.33	0.5	0.02	2.1	0.2	<0.05			
2001630	Rock Pulp	<0.1	0.1	<0.1	85	0.83	0.057	6	11	0.70	115	0.091	2	1.44	0.160	0.19	1.8	<0.01	2.5	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 2 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method	AQ201	AQ201	AQ201
	Analyte	Ga	Se	Te
	Unit	ppm	ppm	ppm
	MDL	1	0.5	0.2
2001601	Drill Core	1	<0.5	<0.2
2001602	Drill Core	1	<0.5	<0.2
2001603	Drill Core	1	<0.5	<0.2
2001604	Drill Core	2	<0.5	<0.2
2001605	Drill Core	2	<0.5	<0.2
2001606	Drill Core	1	<0.5	<0.2
2001607	Drill Core	1	<0.5	<0.2
2001608	Drill Core	1	<0.5	<0.2
2001609	Drill Core	2	<0.5	<0.2
2001610	Rock Pulp	4	<0.5	<0.2
2001611	Drill Core	2	<0.5	<0.2
2001612	Drill Core	1	<0.5	<0.2
2001613	Drill Core	<1	<0.5	<0.2
2001614	Drill Core	1	<0.5	<0.2
2001615	Drill Core	2	<0.5	<0.2
2001616	Drill Core	2	<0.5	<0.2
2001617	Drill Core	1	<0.5	<0.2
2001618	Drill Core	2	<0.5	<0.2
2001619	Drill Core	3	<0.5	<0.2
2001620	Rock Pulp	5	<0.5	0.2
2001621	Drill Core	2	<0.5	<0.2
2001622	Drill Core	<1	<0.5	<0.2
2001623	Drill Core	2	<0.5	<0.2
2001624	Drill Core	1	<0.5	<0.2
2001625	Drill Core	2	<0.5	<0.2
2001626	Drill Core	2	<0.5	<0.2
2001627	Drill Core	2	<0.5	<0.2
2001628	Drill Core	2	<0.5	<0.2
2001629	Drill Core	2	<0.5	<0.2
2001630	Rock Pulp	4	<0.5	<0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 3 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2001631	Drill Core	0.54	387	<0.005	<0.01	<0.17	32.92	0.1	3.6	24.0	8	0.2	1.5	1.5	135	0.78	0.8	2.4	<0.5	10.4	6
2001632	Drill Core	0.77	487	<0.005	<0.01	<0.17	30.83	0.2	8.2	13.2	17	0.1	3.2	3.3	100	0.96	0.9	4.6	<0.5	20.6	8
2001633	Drill Core	1.21	384	<0.005	<0.01	<0.17	28.72	0.2	6.7	16.3	17	0.2	2.2	1.9	151	0.82	0.8	3.1	<0.5	12.3	12
2001634	Drill Core	1.80	330	<0.005	<0.01	<0.17	32.94	0.1	8.2	17.9	17	0.1	2.7	2.5	136	0.91	1.2	2.7	<0.5	14.8	9
2001635	Drill Core	1.65	525	<0.005	<0.01	<0.17	44.01	0.2	9.8	8.8	14	0.1	2.6	2.8	143	0.82	1.1	2.7	1.2	18.3	7
2001636	Drill Core	2.09	394	<0.005	<0.01	<0.17	38.73	0.1	7.2	10.0	20	0.2	2.2	2.2	130	0.82	1.2	3.0	<0.5	17.7	6
2001637	Drill Core	0.60	234	<0.005	<0.01	<0.17	24.45	0.2	7.4	17.5	16	0.3	1.8	1.2	182	0.83	1.0	3.1	11.4	16.6	6
2001638	Drill Core	1.67	482	0.009	<0.01	<0.17	36.45	0.3	7.8	10.4	27	0.2	2.9	2.1	145	0.91	1.4	2.8	1.4	17.5	7
2001639	Drill Core	2.31	377	0.009	<0.01	<0.17	35.15	0.2	4.5	9.8	15	0.3	2.2	1.7	110	0.68	3.5	3.2	11.0	18.1	6
2001640	Rock Pulp	0.12	81	7.060	I.S.	I.S.	I.S.	13.4	71.0	23.3	58	0.8	20.0	9.7	462	4.26	13.0	0.4	7436.3	1.3	55
2001641	Drill Core	1.24	398	<0.005	<0.01	<0.17	34.23	0.1	5.7	17.7	17	0.2	2.1	1.9	90	0.66	6.9	3.2	5.3	18.2	5
2001642	Drill Core	0.96	396	<0.005	<0.01	<0.17	37.66	0.4	6.3	9.5	24	0.2	3.1	2.3	147	0.96	2.6	1.7	2.2	18.4	11
2001643	Drill Core	2.77	503	<0.005	<0.01	<0.17	37.70	0.1	2.6	7.8	28	0.2	2.9	1.7	120	0.82	1.3	2.5	0.9	16.9	6
2001644	Drill Core	0.85	352	<0.005	<0.01	<0.17	41.14	0.1	1.4	8.5	19	0.2	2.2	1.5	132	0.77	1.5	3.0	3.6	16.5	6
2001645	Drill Core	1.01	425	<0.005	<0.01	<0.17	38.39	0.3	4.3	6.9	27	0.1	2.9	1.9	114	0.97	1.5	1.9	2.9	17.5	9
2001646	Drill Core	2.57	449	<0.005	<0.01	<0.17	36.21	0.2	4.0	11.5	21	0.3	2.2	1.8	160	0.71	1.9	3.1	3.9	17.1	8
2001647	Drill Core	2.37	442	<0.005	<0.01	<0.17	39.82	0.2	5.0	6.7	16	0.2	1.8	1.5	161	0.72	0.8	2.3	4.6	16.8	7
2001648	Drill Core	2.27	364	<0.005	<0.01	<0.17	35.99	0.3	6.3	11.6	17	0.4	2.8	1.8	171	0.86	1.4	3.0	2.2	18.3	7
2001649	Drill Core	2.51	454	<0.005	<0.01	<0.17	39.38	0.1	7.8	24.2	22	0.4	2.0	1.9	109	0.79	2.4	2.5	2.6	14.5	8
2001650	Rock	1.22	447	<0.005	<0.01	<0.17	43.74	<0.1	0.4	0.4	1	<0.1	<0.1	0.2	166	0.12	<0.5	0.1	0.7	<0.1	64
2001651	Drill Core	0.39	314	0.015	0.01	<0.17	29.84	0.6	10.2	27.6	26	1.6	4.1	3.6	110	1.14	4.9	2.9	5.3	15.0	14
2001652	Drill Core	0.51	420	<0.005	<0.01	<0.17	32.51	0.7	11.9	42.0	21	1.6	2.5	2.2	93	1.00	8.1	2.9	3.5	13.8	13
2001653	Drill Core	1.15	518	<0.005	<0.01	<0.17	30.54	0.5	7.4	10.7	30	0.7	3.7	2.7	152	1.04	3.4	3.3	1.0	16.8	18
2001654	Drill Core	0.32	241	<0.005	<0.01	<0.17	28.80	0.3	8.4	6.3	36	0.3	7.1	5.2	297	1.68	4.7	3.4	<0.5	8.0	15
2001655	Drill Core	2.16	515	<0.005	<0.01	<0.17	41.37	0.2	12.6	8.5	57	0.2	9.1	7.3	297	1.87	5.4	4.2	<0.5	11.2	14
2001656	Drill Core	1.97	435	<0.005	<0.01	<0.17	32.30	0.3	11.0	9.2	40	0.2	5.0	4.7	289	1.50	3.8	3.2	1.6	11.0	13
2001657	Drill Core	2.86	419	<0.005	<0.01	<0.17	31.88	0.1	8.1	8.8	42	0.2	5.3	4.5	182	1.51	1.7	1.5	3.1	13.1	10
2001658	Drill Core	2.50	416	<0.005	<0.01	<0.17	32.56	<0.1	9.4	9.8	42	0.1	6.1	4.7	405	1.63	1.6	1.5	0.6	12.7	12
2001659	Drill Core	2.92	345	<0.005	<0.01	<0.17	34.63	0.2	28.1	11.5	48	0.2	5.7	4.8	262	1.74	1.5	1.4	1.3	12.3	12
2001660	Rock Pulp	0.12	82	6.805	I.S.	I.S.	I.S.	13.3	71.1	22.3	59	0.8	20.4	10.1	457	4.27	12.4	0.4	6763.3	1.2	53



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: July 21, 2016

Page: 3 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2001631	Drill Core	<0.1	0.2	<0.1	3	0.04	0.011	30	4	0.06	234	0.003	1	0.26	0.031	0.21	<0.1	0.01	1.3	<0.1	<0.05			
2001632	Drill Core	<0.1	0.5	<0.1	4	0.06	0.024	53	5	0.17	265	0.009	2	0.55	0.072	0.35	<0.1	<0.01	2.7	0.2	<0.05			
2001633	Drill Core	0.1	0.3	<0.1	3	0.06	0.014	41	4	0.15	250	0.009	<1	0.40	0.041	0.27	<0.1	0.01	1.6	0.2	<0.05			
2001634	Drill Core	<0.1	0.6	<0.1	3	0.07	0.020	34	4	0.14	235	0.007	2	0.50	0.061	0.30	<0.1	0.01	2.1	0.2	<0.05			
2001635	Drill Core	0.1	0.3	<0.1	3	0.05	0.021	34	4	0.07	282	0.003	2	0.44	0.058	0.28	<0.1	<0.01	1.9	0.1	<0.05			
2001636	Drill Core	<0.1	0.5	<0.1	3	0.06	0.021	44	4	0.10	318	0.004	1	0.45	0.051	0.28	0.1	<0.01	2.2	0.1	<0.05			
2001637	Drill Core	0.1	0.2	<0.1	3	0.05	0.018	36	4	0.06	339	0.004	1	0.49	0.070	0.31	0.3	0.01	1.7	<0.1	<0.05			
2001638	Drill Core	<0.1	0.3	<0.1	4	0.08	0.024	38	5	0.10	401	0.005	<1	0.47	0.056	0.29	0.1	0.02	1.9	0.2	<0.05			
2001639	Drill Core	<0.1	0.2	<0.1	3	0.05	0.021	40	4	0.05	250	0.003	<1	0.39	0.055	0.26	<0.1	0.04	1.8	0.1	<0.05			
2001640	Rock Pulp	0.1	5.8	0.5	94	1.10	0.051	5	30	0.63	94	0.106	4	1.97	0.205	0.16	1.5	0.29	5.2	<0.1	<0.05			
2001641	Drill Core	<0.1	0.2	<0.1	3	0.07	0.022	30	4	0.05	254	0.003	1	0.36	0.052	0.25	<0.1	0.04	1.6	<0.1	<0.05			
2001642	Drill Core	<0.1	0.3	<0.1	3	0.06	0.020	14	6	0.09	1131	0.004	2	0.46	0.057	0.34	<0.1	0.02	2.0	0.1	<0.05			
2001643	Drill Core	<0.1	0.4	<0.1	3	0.05	0.022	36	4	0.15	343	0.008	2	0.43	0.043	0.29	<0.1	0.01	2.1	0.2	<0.05			
2001644	Drill Core	<0.1	0.3	<0.1	2	0.04	0.019	31	4	0.04	225	0.002	1	0.35	0.049	0.25	<0.1	0.02	1.8	<0.1	<0.05			
2001645	Drill Core	<0.1	0.5	<0.1	3	0.06	0.021	11	5	0.11	637	0.005	<1	0.50	0.063	0.31	<0.1	0.02	2.5	0.1	<0.05			
2001646	Drill Core	0.2	0.2	<0.1	2	0.05	0.021	42	3	0.07	498	0.004	1	0.43	0.052	0.30	<0.1	0.03	1.8	0.1	<0.05			
2001647	Drill Core	0.1	0.3	<0.1	2	0.05	0.021	40	3	0.07	319	0.003	<1	0.42	0.049	0.30	<0.1	0.02	1.5	0.1	<0.05			
2001648	Drill Core	0.1	0.5	<0.1	3	0.05	0.022	38	5	0.08	263	0.003	1	0.50	0.058	0.36	0.3	0.03	1.9	0.1	<0.05			
2001649	Drill Core	<0.1	0.5	<0.1	3	0.05	0.019	37	3	0.06	314	0.002	1	0.37	0.040	0.23	0.2	0.07	1.5	<0.1	<0.05			
2001650	Rock	<0.1	<0.1	<0.1	<2	29.24	0.005	1	<1	1.51	11	0.001	<1	0.04	0.003	<0.01	<0.1	<0.01	0.4	<0.1	0.08			
2001651	Drill Core	0.1	0.9	<0.1	4	0.41	0.026	40	6	0.10	886	0.003	5	0.57	0.057	0.35	1.6	0.09	2.2	0.1	<0.05			
2001652	Drill Core	0.2	1.2	0.2	<2	0.05	0.018	43	3	0.07	346	<0.001	3	0.42	0.033	0.21	2.6	0.20	2.0	0.1	<0.05			
2001653	Drill Core	0.1	0.5	0.6	2	0.05	0.018	45	4	0.10	548	0.002	4	0.56	0.043	0.29	1.2	0.10	2.4	0.1	<0.05			
2001654	Drill Core	0.2	0.8	0.2	8	0.15	0.058	24	6	0.13	447	0.005	4	0.52	0.029	0.32	0.4	0.05	3.1	0.1	<0.05			
2001655	Drill Core	0.3	1.0	0.1	11	0.16	0.063	29	8	0.35	578	0.016	4	0.85	0.040	0.53	0.1	0.05	5.0	0.3	<0.05			
2001656	Drill Core	0.2	1.1	<0.1	7	0.10	0.042	24	7	0.12	426	0.004	5	0.62	0.046	0.37	0.1	0.09	3.7	0.1	<0.05			
2001657	Drill Core	<0.1	0.8	0.1	10	0.12	0.043	34	8	0.29	490	0.016	2	0.76	0.047	0.48	0.2	0.03	5.1	0.3	<0.05			
2001658	Drill Core	0.2	0.9	<0.1	10	0.13	0.044	37	8	0.38	536	0.023	2	0.83	0.043	0.56	<0.1	0.03	5.0	0.3	<0.05			
2001659	Drill Core	0.1	0.8	0.1	11	0.13	0.044	27	9	0.48	496	0.031	<1	0.96	0.066	0.65	<0.1	<0.01	4.7	0.3	<0.05			
2001660	Rock Pulp	0.2	5.1	0.5	94	1.05	0.048	5	28	0.63	84	0.097	3	1.86	0.163	0.14	1.4	0.29	4.9	<0.1	<0.05			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 3 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2001631	Drill Core	1	<0.5	<0.2
2001632	Drill Core	3	<0.5	<0.2
2001633	Drill Core	2	<0.5	<0.2
2001634	Drill Core	2	<0.5	<0.2
2001635	Drill Core	2	<0.5	<0.2
2001636	Drill Core	2	<0.5	<0.2
2001637	Drill Core	2	<0.5	<0.2
2001638	Drill Core	2	<0.5	<0.2
2001639	Drill Core	2	<0.5	<0.2
2001640	Rock Pulp	5	<0.5	0.3
2001641	Drill Core	2	<0.5	<0.2
2001642	Drill Core	2	<0.5	<0.2
2001643	Drill Core	2	<0.5	<0.2
2001644	Drill Core	1	<0.5	<0.2
2001645	Drill Core	2	<0.5	<0.2
2001646	Drill Core	2	<0.5	<0.2
2001647	Drill Core	2	<0.5	<0.2
2001648	Drill Core	2	<0.5	<0.2
2001649	Drill Core	2	<0.5	<0.2
2001650	Rock	<1	<0.5	<0.2
2001651	Drill Core	2	<0.5	<0.2
2001652	Drill Core	1	<0.5	<0.2
2001653	Drill Core	2	<0.5	<0.2
2001654	Drill Core	2	<0.5	<0.2
2001655	Drill Core	3	<0.5	<0.2
2001656	Drill Core	2	<0.5	<0.2
2001657	Drill Core	3	<0.5	<0.2
2001658	Drill Core	3	<0.5	<0.2
2001659	Drill Core	4	<0.5	<0.2
2001660	Rock Pulp	5	<0.5	0.2



BUREAU VERITAS MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 4 of 4

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method	Analyte	Unit	MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
					kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
					0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2001661	Drill Core	1.84	496	<0.005	<0.01	<0.17	32.63	0.1	10.1	11.7	47	0.1	5.7	4.8	280	1.46	1.8	1.4	4.4	12.8	9			
2001662	Drill Core	2.56	458	<0.005	<0.01	<0.17	29.45	0.2	10.2	8.9	42	0.2	4.7	4.0	253	1.41	3.2	1.8	1.8	13.8	13			
2001663	Drill Core	2.08	495	<0.005	<0.01	<0.17	27.49	0.3	10.7	24.2	51	0.2	6.5	6.3	383	1.67	3.0	2.7	2.9	12.5	13			
2001664	Drill Core	0.71	425	<0.005	<0.01	<0.17	42.83	0.4	4.6	9.9	9	0.1	2.0	1.9	116	0.79	0.7	0.5	<0.5	2.3	3			
2001665	Drill Core	3.16	452	<0.005	<0.01	<0.17	39.90	0.1	2.4	9.2	17	<0.1	1.7	1.7	154	0.79	0.9	1.3	3.6	20.4	6			
2001666	Drill Core	0.77	468	<0.005	<0.01	<0.17	42.16	0.6	11.9	4.8	7	<0.1	2.9	1.7	193	1.18	1.1	0.3	4.6	0.9	2			
2001667	Drill Core	1.12	504	<0.005	<0.01	<0.17	32.87	0.3	8.2	14.6	66	0.2	8.5	7.5	406	1.95	1.0	1.1	3.7	12.5	22			
2001668	Drill Core	0.42	335	<0.005	<0.01	<0.17	32.32	0.2	8.4	15.5	34	0.2	6.1	4.4	289	1.61	1.1	0.9	2.9	7.6	18			
2001669	Drill Core	2.87	343	<0.005	<0.01	<0.17	39.82	0.3	6.0	8.3	23	0.1	3.9	3.0	170	1.32	1.3	1.2	2.4	14.8	9			
2001670	Rock	0.98	461	<0.005	<0.01	<0.17	35.98	<0.1	0.9	0.3	2	<0.1	<0.1	0.2	163	0.10	<0.5	0.1	1.5	<0.1	68			
2001671	Drill Core	3.20	385	<0.005	<0.01	<0.17	37.25	<0.1	5.4	7.8	10	0.1	1.9	2.1	96	0.75	1.4	1.1	1.5	16.4	9			
2001672	Drill Core	2.47	375	<0.005	<0.01	<0.17	36.20	0.4	6.5	10.0	13	0.1	2.4	2.3	170	0.87	1.2	1.2	1.3	14.6	8			
2001673	Drill Core	1.34	403	<0.005	<0.01	<0.17	36.70	0.2	12.5	16.2	13	0.4	1.8	1.5	97	0.73	1.6	2.3	2.6	14.7	18			
2001674	Drill Core	0.42	343	0.129	0.14	0.19	35.96	0.6	26.9	22.4	15	0.7	3.7	2.4	121	1.20	4.2	1.5	32.5	4.5	8			
2001675	Drill Core	0.99	431	0.104	0.11	<0.17	42.15	0.3	26.8	35.4	28	0.4	3.9	3.2	68	1.29	10.9	2.8	56.0	10.1	19			
2001676	Drill Core	1.30	389	0.886	1.32	4.99	41.51	0.5	22.6	517.7	4	4.1	1.4	1.0	74	1.14	10.5	1.1	750.8	0.5	8			
2001677	Drill Core	0.31	250	0.133	0.14	0.21	28.25	0.5	47.5	163.5	20	1.5	3.4	1.5	86	1.46	6.6	1.5	170.5	5.8	23			
2001678	Drill Core	2.95	409	<0.005	<0.01	<0.17	36.45	0.2	18.9	13.6	49	0.3	7.2	7.7	501	1.86	3.9	2.7	2.3	11.1	15			
2001679	Drill Core	3.52	474	<0.005	<0.01	<0.17	36.09	0.6	13.3	12.8	62	0.2	6.0	5.4	536	1.58	2.2	2.9	0.6	12.1	23			
2001680	Rock Pulp	0.12	82	4.042	I.S.	I.S.	I.S.	10.1	71.5	493.4	1518	52.2	32.9	8.8	391	3.32	32.1	0.3	3481.7	1.1	38			
2001681	Drill Core	1.99	471	<0.005	<0.01	<0.17	35.69	0.7	11.6	17.9	47	0.2	4.5	4.0	319	1.26	0.9	1.1	4.6	14.1	14			



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 4 of 4

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2001661	Drill Core	0.2	0.4	0.2	10	0.12	0.045	23	7	0.47	443	0.031	2	0.84	0.042	0.61	<0.1	<0.01	4.3	0.3	<0.05
2001662	Drill Core	0.1	0.5	0.1	9	0.12	0.044	27	7	0.40	2614	0.026	2	0.81	0.044	0.57	<0.1	<0.01	4.2	0.3	0.05
2001663	Drill Core	0.2	0.7	0.2	10	0.13	0.049	30	7	0.26	507	0.012	7	0.78	0.052	0.48	<0.1	0.02	4.1	0.3	<0.05
2001664	Drill Core	<0.1	0.4	<0.1	<2	0.02	0.006	6	4	0.04	164	0.002	2	0.17	0.007	0.15	<0.1	<0.01	0.9	<0.1	<0.05
2001665	Drill Core	0.1	0.2	<0.1	2	0.05	0.012	32	2	0.12	376	0.003	<1	0.51	0.058	0.28	<0.1	0.03	2.5	0.1	<0.05
2001666	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.002	3	7	0.02	166	0.001	<1	0.10	0.004	0.08	<0.1	<0.01	0.7	<0.1	<0.05
2001667	Drill Core	0.2	0.3	<0.1	11	0.17	0.061	20	9	0.47	2937	0.018	<1	1.08	0.023	0.69	<0.1	0.01	5.9	0.4	0.06
2001668	Drill Core	0.2	0.3	<0.1	6	0.09	0.032	11	7	0.21	2333	0.006	1	0.66	0.010	0.42	<0.1	0.02	3.2	0.2	<0.05
2001669	Drill Core	0.1	0.4	<0.1	4	0.07	0.022	40	6	0.18	619	0.007	<1	0.66	0.092	0.34	<0.1	0.05	3.7	0.1	<0.05
2001670	Rock	<0.1	<0.1	<0.1	<2	31.15	0.006	1	<1	1.16	13	0.002	<1	0.04	0.004	0.01	<0.1	<0.01	0.5	<0.1	0.10
2001671	Drill Core	<0.1	0.2	<0.1	<2	0.31	0.019	44	3	0.09	679	0.003	2	0.43	0.056	0.25	<0.1	0.05	2.6	<0.1	<0.05
2001672	Drill Core	<0.1	0.3	0.2	<2	0.05	0.015	33	4	0.08	330	0.003	2	0.50	0.052	0.32	<0.1	0.05	1.9	0.1	<0.05
2001673	Drill Core	<0.1	0.5	0.2	<2	0.04	0.011	30	3	0.06	687	0.002	2	0.38	0.036	0.29	<0.1	0.08	1.8	0.1	<0.05
2001674	Drill Core	0.1	0.7	0.1	4	0.05	0.014	11	7	0.04	326	0.002	3	0.35	0.026	0.23	0.2	0.11	1.8	0.2	<0.05
2001675	Drill Core	0.2	0.7	<0.1	8	0.09	0.039	25	6	0.10	401	0.004	3	0.68	0.029	0.45	<0.1	0.10	3.8	0.2	<0.05
2001676	Drill Core	<0.1	3.2	3.2	<2	<0.01	0.006	1	4	<0.01	251	<0.001	<1	0.07	0.005	0.06	0.1	0.05	0.4	<0.1	0.09
2001677	Drill Core	0.1	1.4	0.9	6	0.04	0.012	8	8	0.09	401	0.003	3	0.66	0.013	0.41	0.2	0.06	2.5	0.2	<0.05
2001678	Drill Core	0.3	1.2	0.1	8	0.14	0.055	29	6	0.12	552	0.005	7	0.70	0.031	0.44	<0.1	0.04	4.1	0.2	<0.05
2001679	Drill Core	0.3	2.1	<0.1	7	0.14	0.046	29	5	0.17	1629	0.006	8	0.70	0.021	0.48	<0.1	0.03	3.7	0.2	<0.05
2001680	Rock Pulp	16.4	53.2	1.1	59	0.77	0.051	6	28	0.60	111	0.114	4	1.26	0.085	0.12	2.6	0.22	5.0	1.1	0.35
2001681	Drill Core	0.2	1.0	0.2	6	0.13	0.037	35	6	0.22	1000	0.010	3	0.66	0.042	0.45	<0.1	0.01	3.2	0.2	<0.05



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 4 of 4

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000073.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2001661	Drill Core	3	<0.5	<0.2
2001662	Drill Core	3	<0.5	<0.2
2001663	Drill Core	3	<0.5	<0.2
2001664	Drill Core	<1	<0.5	<0.2
2001665	Drill Core	2	<0.5	<0.2
2001666	Drill Core	<1	<0.5	<0.2
2001667	Drill Core	4	<0.5	<0.2
2001668	Drill Core	2	<0.5	<0.2
2001669	Drill Core	3	<0.5	<0.2
2001670	Rock	<1	<0.5	<0.2
2001671	Drill Core	2	<0.5	<0.2
2001672	Drill Core	2	<0.5	<0.2
2001673	Drill Core	1	<0.5	<0.2
2001674	Drill Core	1	<0.5	<0.2
2001675	Drill Core	2	<0.5	<0.2
2001676	Drill Core	<1	0.5	<0.2
2001677	Drill Core	2	<0.5	<0.2
2001678	Drill Core	2	<0.5	<0.2
2001679	Drill Core	2	<0.5	<0.2
2001680	Rock Pulp	6	<0.5	<0.2
2001681	Drill Core	2	<0.5	<0.2



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 1 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000073.1

Method	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
Analyte	Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
Unit	kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
MDL	0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																				
2001622	Drill Core	1.26	505	<0.005	<0.01	<0.17	35.29	0.6	6.1	7.0	2	0.2	2.3	1.0	166	0.94	0.9	0.4	3.7	0.3
REP 2001622	QC							0.5	7.0	7.3	2	0.3	2.5	1.0	168	0.95	1.0	0.4	<0.5	0.3
2001650	Rock	1.22	447	<0.005	<0.01	<0.17	43.74	<0.1	0.4	0.4	1	<0.1	<0.1	0.2	166	0.12	<0.5	0.1	0.7	<0.1
REP 2001650	QC			<0.005																
2001657	Drill Core	2.86	419	<0.005	<0.01	<0.17	31.88	0.1	8.1	8.8	42	0.2	5.3	4.5	182	1.51	1.7	1.5	3.1	13.1
REP 2001657	QC							0.1	7.3	8.8	41	0.2	5.3	4.5	181	1.50	1.4	1.4	2.5	12.6
2001667	Drill Core	1.12	504	<0.005	<0.01	<0.17	32.87	0.3	8.2	14.6	66	0.2	8.5	7.5	406	1.95	1.0	1.1	3.7	12.5
REP 2001667	QC			<0.005																
2001681	Drill Core	1.99	471	<0.005	<0.01	<0.17	35.69	0.7	11.6	17.9	47	0.2	4.5	4.0	319	1.26	0.9	1.1	4.6	14.1
REP 2001681	QC			<0.005																
Core Reject Duplicates																				
2001603	Drill Core	2.48	441	<0.005	<0.01	<0.17	31.52	0.6	6.3	11.7	4	0.1	1.3	2.0	144	0.79	2.3	0.7	<0.5	16.7
DUP 2001603	QC		395	<0.005	<0.01	<0.17	31.64	0.5	6.2	11.4	4	0.1	1.3	2.1	142	0.79	2.1	0.7	<0.5	16.6
2001637	Drill Core	0.60	234	<0.005	<0.01	<0.17	24.45	0.2	7.4	17.5	16	0.3	1.8	1.2	182	0.83	1.0	3.1	11.4	16.6
DUP 2001637	QC		246	<0.005	<0.01	<0.17	31.20	0.1	7.6	17.9	16	0.3	1.7	1.3	181	0.79	0.8	3.2	0.8	16.1
2001671	Drill Core	3.20	385	<0.005	<0.01	<0.17	37.25	<0.1	5.4	7.8	10	0.1	1.9	2.1	96	0.75	1.4	1.1	1.5	16.4
DUP 2001671	QC		440	<0.005	<0.01	<0.17	41.62	<0.1	5.2	7.4	9	0.1	1.9	2.0	90	0.73	1.1	1.0	0.6	15.2
Reference Materials																				
STD DS10	Standard							15.3	164.2	153.7	378	2.0	77.3	13.7	905	2.80	48.6	2.9	86.7	8.3
STD DS10	Standard							15.9	150.5	148.8	367	1.8	73.3	13.0	893	2.75	45.5	2.8	71.3	7.8
STD DS10	Standard							16.0	159.1	157.2	362	1.8	75.0	13.4	891	2.76	46.4	2.7	66.2	8.3
STD OXC129	Standard							1.2	27.7	6.4	41	<0.1	80.0	20.9	401	2.97	<0.5	0.7	185.9	1.9
STD OXC129	Standard							1.2	27.1	6.0	39	<0.1	75.9	22.2	407	3.00	<0.5	0.7	193.8	1.8
STD OXC129	Standard							1.3	27.9	6.2	40	<0.1	76.9	19.5	395	2.90	0.6	0.6	199.2	1.8
STD OXD108	Standard			0.418																
STD OXD108	Standard			0.419																
STD OXD108	Standard			0.417																
STD OXI121	Standard			1.856																



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 1 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000073.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2001622	Drill Core	<0.1	0.2	<0.1	<2	<0.01	0.001	2	6	<0.01	64	<0.001	2	0.03	0.003	0.03	0.7	<0.01	0.4	<0.1	<0.05
REP 2001622	QC	<0.1	0.2	<0.1	<2	<0.01	0.002	2	6	<0.01	63	<0.001	<1	0.03	0.003	0.03	0.8	<0.01	0.3	<0.1	<0.05
2001650	Rock	<0.1	<0.1	<0.1	<2	29.24	0.005	1	<1	1.51	11	0.001	<1	0.04	0.003	<0.01	<0.1	<0.01	0.4	<0.1	0.08
REP 2001650	QC																				
2001657	Drill Core	<0.1	0.8	0.1	10	0.12	0.043	34	8	0.29	490	0.016	2	0.76	0.047	0.48	0.2	0.03	5.1	0.3	<0.05
REP 2001657	QC	0.2	0.7	<0.1	10	0.12	0.043	33	8	0.29	486	0.016	2	0.75	0.046	0.47	0.3	0.04	4.8	0.2	<0.05
2001667	Drill Core	0.2	0.3	<0.1	11	0.17	0.061	20	9	0.47	2937	0.018	<1	1.08	0.023	0.69	<0.1	0.01	5.9	0.4	0.06
REP 2001667	QC																				
2001681	Drill Core	0.2	1.0	0.2	6	0.13	0.037	35	6	0.22	1000	0.010	3	0.66	0.042	0.45	<0.1	0.01	3.2	0.2	<0.05
REP 2001681	QC																				
Core Reject Duplicates																					
2001603	Drill Core	0.2	0.3	0.2	2	0.04	0.018	44	3	0.05	709	0.002	<1	0.38	0.013	0.24	<0.1	<0.01	2.8	0.1	<0.05
DUP 2001603	QC	0.1	0.3	0.2	2	0.04	0.017	44	3	0.05	703	0.002	1	0.39	0.014	0.25	<0.1	<0.01	2.9	0.1	<0.05
2001637	Drill Core	0.1	0.2	<0.1	3	0.05	0.018	36	4	0.06	339	0.004	1	0.49	0.070	0.31	0.3	0.01	1.7	<0.1	<0.05
DUP 2001637	QC	<0.1	0.2	<0.1	3	0.05	0.018	36	4	0.07	335	0.004	1	0.52	0.072	0.32	0.3	0.02	1.6	<0.1	<0.05
2001671	Drill Core	<0.1	0.2	<0.1	<2	0.31	0.019	44	3	0.09	679	0.003	2	0.43	0.056	0.25	<0.1	0.05	2.6	<0.1	<0.05
DUP 2001671	QC	<0.1	0.3	<0.1	<2	0.06	0.017	44	2	0.08	667	0.003	1	0.42	0.053	0.24	<0.1	0.06	2.3	<0.1	<0.05
Reference Materials																					
STD DS10	Standard	2.8	8.9	13.3	45	1.12	0.074	19	58	0.79	376	0.086	7	1.09	0.072	0.34	3.2	0.31	3.1	5.4	0.30
STD DS10	Standard	2.6	7.8	11.5	45	1.12	0.075	18	58	0.78	352	0.085	6	1.13	0.075	0.35	3.2	0.29	3.3	5.2	0.29
STD DS10	Standard	2.5	9.0	12.1	44	1.10	0.070	18	60	0.79	356	0.081	7	1.13	0.076	0.34	3.3	0.29	3.2	5.4	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.65	0.101	13	51	1.54	51	0.396	<1	1.54	0.587	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	52	0.74	0.097	12	52	1.57	50	0.383	<1	1.65	0.606	0.37	<0.1	<0.01	1.2	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.69	0.092	11	53	1.53	47	0.363	2	1.59	0.601	0.38	<0.1	<0.01	1.0	<0.1	<0.05
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXD108	Standard																				
STD OXI121	Standard																				



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 1 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000073.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
Pulp Duplicates				
2001622	Drill Core	<1	<0.5	<0.2
REP 2001622	QC	<1	<0.5	<0.2
2001650	Rock	<1	<0.5	<0.2
REP 2001650	QC			
2001657	Drill Core	3	<0.5	<0.2
REP 2001657	QC	3	<0.5	<0.2
2001667	Drill Core	4	<0.5	<0.2
REP 2001667	QC			
2001681	Drill Core	2	<0.5	<0.2
REP 2001681	QC			
Core Reject Duplicates				
2001603	Drill Core	1	<0.5	<0.2
DUP 2001603	QC	1	<0.5	<0.2
2001637	Drill Core	2	<0.5	<0.2
DUP 2001637	QC	2	<0.5	<0.2
2001671	Drill Core	2	<0.5	<0.2
DUP 2001671	QC	1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.7	5.2
STD DS10	Standard	5	2.4	4.8
STD DS10	Standard	4	2.3	5.0
STD OXC129	Standard	5	<0.5	<0.2
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXD108	Standard			
STD OXD108	Standard			
STD OXI121	Standard			



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 2 of 2

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000073.1

		WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
STD OXI121	Standard			1.819																	
STD OXI121	Standard			1.743																	
STD OXN117	Standard			7.737																	
STD OXN117	Standard			7.628																	
STD OXN117	Standard			7.572																	
STD OXP91	Standard					15.04	29.65														
STD OXP91	Standard					15.06	29.75														
STD OXP91	Standard					15.15	29.64														
STD OXP91	Standard					15.10	29.54														
STD OXP91	Standard					15.06	30.28														
STD OXP91 Expected						14.82															
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1
STD OXC129 Expected								1.3	28	6.3	42.9		79.5	20.3	421	3.065	0.6	0.72	195	1.9	
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank					<0.17	30.00														
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank							<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
BLK	Blank			<0.005																	
Prep Wash																					
ROCK-WHI	Prep Blank		429	<0.005	<0.01	<0.17	32.50	0.6	3.1	1.6	29	<0.1	0.6	3.6	416	1.82	0.6	0.4	<0.5	2.4	31
ROCK-WHI	Prep Blank		434	<0.005	<0.01	<0.17	36.96	0.4	2.4	1.4	31	<0.1	0.7	3.9	412	1.83	0.8	0.4	<0.5	2.5	33



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 2 of 2

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000073.1

		AQ201 Cd ppm 0.1	AQ201 Sb ppm 0.1	AQ201 Bi ppm 0.1	AQ201 V ppm 2	AQ201 Ca % 0.01	AQ201 P % 0.001	AQ201 La ppm 1	AQ201 Cr ppm 1	AQ201 Mg % 0.01	AQ201 Ba ppm 1	AQ201 Ti % 0.001	AQ201 B ppm 1	AQ201 Al % 0.01	AQ201 Na % 0.001	AQ201 K % 0.01	AQ201 W ppm 0.1	AQ201 Hg ppm 0.01	AQ201 Sc ppm 0.1	AQ201 Tl ppm 0.1	AQ201 S % 0.05
STD OXI121	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.69	0.039	6	2	0.40	63	0.086	<1	0.99	0.100	0.10	<0.1	<0.01	2.6	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.73	0.042	6	2	0.41	71	0.091	1	1.01	0.112	0.10	<0.1	<0.01	2.6	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: July 21, 2016

Page: 2 of 2

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000073.1

		AQ201 Ga ppm 1	AQ201 Se ppm 0.5	AQ201 Te ppm 0.2
STD OXI121	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2