



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:**

**Klondike Gold Corp.**

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman

Receiving Lab: Canada-Whitehorse

Received: July 06, 2016

Report Date: July 21, 2016

Page: 1 of 2

## CERTIFICATE OF ANALYSIS

WHI16000083.1

### CLIENT JOB INFORMATION

Project: LS  
Shipment ID: LS16-29  
P.O. Number  
Number of Samples: 24

### SAMPLE DISPOSAL

RTRN-PLP Return After 90 days  
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2  
CANADA

CC: Graeme Joyce

### SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	22	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	24	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	24	Analysis sample split/packet			VAN
Split -150	24	Analysis sample split/packet			VAN
FS631	22	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	24	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	24	Per sample shipping charges for branch shipments			VAN

### ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.  
\*\*\* asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 21, 2016

**Page:** 2 of 2

**Part:** 1 of 3

# CERTIFICATE OF ANALYSIS

WHI16000083.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002071	Drill Core	1.65	461	0.008	<0.01	<0.17	23.60	0.3	2.4	6.2	31	<0.1	0.9	1.4	219	1.20	1.7	1.3	11.8	8.0	67
2002072	Drill Core	0.49	430	<0.005	<0.01	<0.17	21.01	0.5	3.3	4.0	26	<0.1	0.7	2.3	317	1.25	1.2	1.0	1.8	4.8	80
2002073	Drill Core	2.87	399	<0.005	<0.01	<0.17	28.11	0.2	3.4	6.6	25	<0.1	0.5	1.1	127	0.99	1.2	1.0	3.6	9.4	36
2002074	Drill Core	0.73	379	<0.005	<0.01	<0.17	27.69	0.2	4.8	2.6	10	<0.1	0.9	0.5	142	0.72	0.7	0.2	<0.5	1.6	20
2002075	Drill Core	1.34	379	0.005	<0.01	<0.17	26.44	0.1	3.2	5.3	14	<0.1	0.7	1.2	123	0.79	1.5	0.8	3.7	9.4	40
2002076	Drill Core	0.72	381	0.017	0.02	<0.17	26.96	0.2	4.9	7.3	16	<0.1	1.2	1.7	277	1.24	1.4	0.5	6.8	12.2	73
2002077	Drill Core	1.85	473	<0.005	<0.01	<0.17	26.28	0.1	4.7	8.1	8	0.1	0.8	1.3	84	0.75	0.9	0.6	5.6	8.1	21
2002078	Drill Core	0.93	448	<0.005	<0.01	<0.17	21.35	0.2	3.4	3.1	4	<0.1	0.8	0.9	133	0.74	0.8	0.4	1.4	4.5	26
2002079	Drill Core	2.88	433	0.006	<0.01	<0.17	27.49	0.1	4.5	5.9	8	<0.1	0.6	1.2	143	0.70	2.0	0.7	13.7	9.9	31
2002080	Rock Pulp	0.12	458	6.893	I.S.	I.S.	I.S.	14.3	72.4	22.4	63	0.8	20.0	9.3	470	4.32	12.1	0.4	7395.8	1.2	57
2002081	Drill Core	3.38	458	0.008	<0.01	<0.17	26.95	0.2	4.8	8.8	29	0.1	0.7	1.2	155	0.94	2.5	1.0	5.1	12.3	31
2002082	Drill Core	3.14	360	0.038	0.05	0.17	29.12	0.4	6.7	17.2	27	0.1	0.8	1.3	135	0.98	1.6	1.3	50.2	11.5	32
2002083	Drill Core	3.45	465	0.006	<0.01	<0.17	28.61	0.2	6.4	8.7	21	0.1	0.6	1.1	114	0.83	1.1	0.9	4.3	10.4	29
2002084	Drill Core	3.57	494	<0.005	<0.01	<0.17	25.05	0.2	4.0	4.5	28	<0.1	0.5	0.8	147	0.86	<0.5	0.8	4.0	9.7	52
2002085	Drill Core	4.28	440	<0.005	<0.01	<0.17	22.25	<0.1	6.0	5.8	23	<0.1	0.7	0.8	139	0.83	0.8	1.1	2.0	10.1	45
2002086	Drill Core	2.91	428	<0.005	<0.01	<0.17	26.25	0.2	3.7	4.1	38	<0.1	0.7	1.0	345	1.38	2.3	0.9	25.2	8.6	98
2002087	Drill Core	1.14	402	0.006	<0.01	<0.17	25.88	0.4	3.1	5.7	34	<0.1	0.6	0.8	133	1.05	0.8	1.0	4.9	10.4	48
2002088	Drill Core	0.57	505	<0.005	<0.01	<0.17	22.28	0.5	8.2	4.7	18	<0.1	0.8	1.7	206	0.98	0.5	0.8	1.1	7.6	71
2002089	Drill Core	2.21	368	<0.005	<0.01	<0.17	22.05	0.5	5.1	10.4	29	0.1	0.7	1.2	167	0.93	1.4	1.2	1.2	9.8	51
2002090	Rock Pulp	0.12		0.010	I.S.	I.S.	I.S.	2.1	65.4	3.5	34	<0.1	5.2	8.3	342	2.40	0.6	0.8	5.8	2.3	57
2002091	Drill Core	0.83	513	<0.005	<0.01	<0.17	22.19	0.6	3.7	7.6	17	0.2	1.0	1.2	106	1.16	1.8	1.2	6.5	6.6	25
2002092	Drill Core	5.90	446	0.006	<0.01	<0.17	27.35	0.2	4.1	17.2	26	0.2	0.8	1.2	129	1.03	0.6	1.4	5.5	9.8	36
2002093	Drill Core	0.68	393	<0.005	<0.01	<0.17	26.74	<0.1	4.2	9.9	32	0.1	0.7	1.6	123	0.98	2.4	1.8	3.5	10.5	28
2002094	Drill Core	1.77	512	<0.005	<0.01	<0.17	26.94	0.1	3.7	15.0	21	0.1	0.9	1.2	113	0.91	0.6	0.9	2.8	9.8	27



**BUREAU VERITAS** MINERAL LABORATORIES  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 21, 2016

**Page:** 2 of 2

**Part:** 2 of 3

# CERTIFICATE OF ANALYSIS

WHI16000083.1

	Method	Analyte	Unit	MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201			
					Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
					ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
					0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002071	Drill Core	0.2	0.3	<0.1	<2	0.62	0.004	15	3	0.21	295	0.001	3	0.35	0.055	0.11	<0.1	0.08	3.4	<0.1	0.17			
2002072	Drill Core	0.2	0.2	<0.1	<2	0.97	0.001	10	3	0.24	87	<0.001	<1	0.28	0.048	0.02	<0.1	0.05	3.7	<0.1	0.09			
2002073	Drill Core	0.2	0.3	<0.1	<2	0.31	0.005	17	2	0.12	260	0.001	2	0.35	0.066	0.15	<0.1	0.05	2.4	<0.1	0.18			
2002074	Drill Core	0.2	<0.1	<0.1	<2	0.23	0.002	5	5	0.05	133	<0.001	<1	0.06	0.021	0.03	<0.1	0.01	0.9	<0.1	<0.05			
2002075	Drill Core	<0.1	0.2	<0.1	<2	0.32	0.004	16	2	0.11	189	<0.001	2	0.28	0.078	0.12	<0.1	0.02	2.0	<0.1	0.21			
2002076	Drill Core	0.2	0.1	<0.1	<2	0.72	0.008	67	4	0.19	88	<0.001	<1	0.17	0.064	0.04	<0.1	0.04	2.7	<0.1	0.36			
2002077	Drill Core	0.1	0.1	<0.1	<2	0.19	0.004	15	3	0.06	111	<0.001	<1	0.20	0.054	0.14	<0.1	0.04	1.5	<0.1	0.39			
2002078	Drill Core	0.1	<0.1	<0.1	<2	0.44	0.003	9	5	0.03	57	<0.001	<1	0.12	0.035	0.08	<0.1	0.02	0.6	<0.1	0.19			
2002079	Drill Core	0.1	0.1	<0.1	<2	0.52	0.005	21	3	0.07	128	0.001	<1	0.24	0.067	0.16	<0.1	0.04	1.4	<0.1	0.31			
2002080	Rock Pulp	<0.1	6.2	0.5	93	1.04	0.048	5	29	0.63	90	0.099	2	1.82	0.169	0.14	1.5	0.30	4.3	<0.1	<0.05			
2002081	Drill Core	0.2	0.3	<0.1	<2	0.42	0.006	28	3	0.12	171	0.003	1	0.32	0.063	0.19	<0.1	0.05	2.4	0.1	0.21			
2002082	Drill Core	0.2	0.3	<0.1	<2	0.36	0.005	24	2	0.12	180	0.002	2	0.33	0.065	0.20	<0.1	0.05	2.4	<0.1	0.27			
2002083	Drill Core	<0.1	0.3	<0.1	<2	0.25	0.006	23	2	0.09	156	0.001	<1	0.30	0.059	0.18	<0.1	0.06	2.0	0.1	0.18			
2002084	Drill Core	0.1	0.3	<0.1	<2	0.43	0.004	21	2	0.15	151	<0.001	<1	0.31	0.056	0.14	<0.1	0.04	2.5	<0.1	0.07			
2002085	Drill Core	0.1	0.2	<0.1	<2	0.39	0.005	21	2	0.13	118	0.003	1	0.36	0.068	0.16	<0.1	0.04	2.5	<0.1	0.09			
2002086	Drill Core	0.3	0.4	<0.1	<2	0.98	0.003	15	3	0.32	239	<0.001	<1	0.37	0.078	0.08	<0.1	0.07	5.3	0.2	0.10			
2002087	Drill Core	0.2	0.3	<0.1	<2	0.32	0.005	25	2	0.17	161	0.001	1	0.43	0.048	0.17	<0.1	0.05	3.1	<0.1	0.11			
2002088	Drill Core	0.1	0.3	<0.1	<2	0.56	0.002	14	2	0.19	139	<0.001	<1	0.24	0.054	0.07	<0.1	0.03	3.1	<0.1	0.16			
2002089	Drill Core	0.3	0.5	<0.1	<2	0.39	0.006	23	2	0.14	370	0.001	<1	0.34	0.063	0.17	<0.1	0.05	3.0	<0.1	0.14			
2002090	Rock Pulp	<0.1	<0.1	<0.1	83	0.72	0.056	6	10	0.67	102	0.081	<1	1.26	0.136	0.18	1.9	<0.01	1.7	<0.1	<0.05			
2002091	Drill Core	0.2	0.4	<0.1	<2	0.20	0.003	13	3	0.08	97	<0.001	<1	0.24	0.039	0.08	<0.1	0.04	1.9	<0.1	0.48			
2002092	Drill Core	0.2	0.2	<0.1	<2	0.32	0.005	19	3	0.13	163	0.004	<1	0.30	0.066	0.19	<0.1	0.05	2.4	<0.1	0.44			
2002093	Drill Core	0.1	0.2	<0.1	<2	0.29	0.005	22	2	0.12	222	0.003	<1	0.30	0.053	0.20	<0.1	0.05	2.3	<0.1	0.29			
2002094	Drill Core	<0.1	0.2	<0.1	<2	0.28	0.005	20	2	0.11	132	<0.001	1	0.27	0.048	0.16	<0.1	0.05	2.1	<0.1	0.29			



**BUREAU** MINERAL LABORATORIES  
**VERITAS** Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

Project: LS  
Report Date: July 21, 2016

Page: 2 of 2

Part: 3 of 3

## CERTIFICATE OF ANALYSIS

WHI16000083.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2002071	Drill Core	1	<0.5	<0.2
2002072	Drill Core	<1	<0.5	<0.2
2002073	Drill Core	<1	<0.5	<0.2
2002074	Drill Core	<1	<0.5	<0.2
2002075	Drill Core	<1	<0.5	<0.2
2002076	Drill Core	<1	<0.5	<0.2
2002077	Drill Core	<1	<0.5	<0.2
2002078	Drill Core	<1	<0.5	<0.2
2002079	Drill Core	<1	<0.5	<0.2
2002080	Rock Pulp	5	<0.5	0.2
2002081	Drill Core	1	<0.5	<0.2
2002082	Drill Core	1	<0.5	<0.2
2002083	Drill Core	<1	<0.5	<0.2
2002084	Drill Core	<1	<0.5	<0.2
2002085	Drill Core	1	<0.5	<0.2
2002086	Drill Core	1	<0.5	<0.2
2002087	Drill Core	2	<0.5	<0.2
2002088	Drill Core	<1	<0.5	<0.2
2002089	Drill Core	1	<0.5	<0.2
2002090	Rock Pulp	4	<0.5	<0.2
2002091	Drill Core	<1	0.8	<0.2
2002092	Drill Core	1	<0.5	<0.2
2002093	Drill Core	1	<0.5	<0.2
2002094	Drill Core	1	<0.5	<0.2



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client:

**Klondike Gold Corp.**

715 - 675 West Hastings St.

Vancouver BC V6B 1N2 CANADA

Project:

LS

Report Date:

July 21, 2016

Page:

1 of 1

Part:

1 of 3

## QUALITY CONTROL REPORT

WHI16000083.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
Pulp Duplicates																					
2002090	Rock Pulp	0.12		0.010	I.S.	I.S.	I.S.	2.1	65.4	3.5	34	<0.1	5.2	8.3	342	2.40	0.6	0.8	5.8	2.3	57
REP 2002090	QC	<0.005																			
2002092	Drill Core	5.90	446	0.006	<0.01	<0.17	27.35	0.2	4.1	17.2	26	0.2	0.8	1.2	129	1.03	0.6	1.4	5.5	9.8	36
REP 2002092	QC																				
Core Reject Duplicates																					
2002073	Drill Core	2.87	399	<0.005	<0.01	<0.17	28.11	0.2	3.4	6.6	25	<0.1	0.5	1.1	127	0.99	1.2	1.0	3.6	9.4	36
DUP 2002073	QC		356	<0.005	<0.01	<0.17	29.02	0.2	3.1	6.6	24	<0.1	0.4	1.2	128	0.98	1.5	0.9	2.0	9.1	35
Reference Materials																					
STD DS10	Standard																				
STD OXC129	Standard																				
STD OXD108	Standard	0.424																			
STD OXI121	Standard	1.797																			
STD OXN117	Standard	7.725																			
STD OXP91	Standard	14.82 30.63																			
STD OXP91	Standard	15.03 30.73																			
STD OXP91 Expected		14.82																			
STD DS10 Expected		15.1 154.61 150.55 370 2.02 74.6 12.9 875 2.7188 46.2 2.59 91.9 7.5 67.1																			
STD OXC129 Expected		1.3 28 6.3 42.9 79.5 20.3 421 3.065 0.6 0.72 195 1.9																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.17 30.00																			
BLK	Blank	<0.1 <0.1 <0.1 <1 <0.1 <0.1 <0.1 <1 <0.01 <0.5 <0.1 <0.5 <0.1 <1																			
BLK	Blank	<0.005																			
BLK	Blank	<0.005																			
Prep Wash																					
ROCK-WHI	Prep Blank	513 <0.005 <0.01 <0.17 28.94 0.7 2.9 1.2 30 <0.1 0.5 3.5 408 1.68 1.2 0.4 1.2 2.2 30																			
ROCK-WHI	Prep Blank	474 <0.005 <0.01 <0.17 26.16 0.6 3.6 1.2 29 <0.1 0.7 3.6 411 1.70 1.0 0.4 1.3 2.3 30																			



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 21, 2016

**Page:** 1 of 1

**Part:** 2 of 3

## QUALITY CONTROL REPORT

WHI16000083.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2002090	Rock Pulp	<0.1	<0.1	<0.1	83	0.72	0.056	6	10	0.67	102	0.081	<1	1.26	0.136	0.18	1.9	<0.01	1.7	<0.1	<0.05
REP 2002090	QC																				
2002092	Drill Core	0.2	0.2	<0.1	<2	0.32	0.005	19	3	0.13	163	0.004	<1	0.30	0.066	0.19	<0.1	0.05	2.4	<0.1	0.44
REP 2002092	QC	0.2	0.2	<0.1	<2	0.33	0.005	20	3	0.13	168	0.003	<1	0.30	0.065	0.19	<0.1	0.07	2.6	0.1	0.44
Core Reject Duplicates																					
2002073	Drill Core	0.2	0.3	<0.1	<2	0.31	0.005	17	2	0.12	260	0.001	2	0.35	0.066	0.15	<0.1	0.05	2.4	<0.1	0.18
DUP 2002073	QC	0.1	0.2	<0.1	<2	0.31	0.004	17	2	0.12	260	0.001	2	0.35	0.069	0.15	<0.1	0.05	2.3	<0.1	0.19
Reference Materials																					
STD DS10	Standard	2.6	10.2	12.5	42	1.08	0.076	18	56	0.78	342	0.079	4	1.03	0.071	0.34	3.4	0.28	2.9	5.5	0.27
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.66	0.097	13	51	1.52	52	0.383	1	1.54	0.603	0.38	<0.1	<0.01	0.7	<0.1	<0.05
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	21	0.66	0.041	5	3	0.40	67	0.075	<1	0.97	0.092	0.09	<0.1	<0.01	2.0	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	22	0.61	0.042	6	3	0.39	68	0.075	2	0.94	0.109	0.10	0.1	<0.01	2.2	<0.1	<0.05



**BUREAU  
VERITAS**

**MINERAL LABORATORIES**  
Canada

[www.bureauveritas.com/um](http://www.bureauveritas.com/um)

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

**Client:** **Klondike Gold Corp.**  
715 - 675 West Hastings St.  
Vancouver BC V6B 1N2 CANADA

**Project:** LS  
**Report Date:** July 21, 2016

**Page:** 1 of 1

**Part:** 3 of 3

## QUALITY CONTROL REPORT

WHI16000083.1

Method		AQ201	AQ201	AQ201
Analyte		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
2002090	Rock Pulp	4	<0.5	<0.2
REP 2002090	QC			
2002092	Drill Core	1	<0.5	<0.2
REP 2002092	QC	1	<0.5	<0.2
Core Reject Duplicates				
2002073	Drill Core	<1	<0.5	<0.2
DUP 2002073	QC	1	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.1	5.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank			
BLK	Blank			
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2