



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.
9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA
PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 22, 2016
Report Date: August 04, 2016
Page: 1 of 2

CERTIFICATE OF ANALYSIS

WHI16000125.1

CLIENT JOB INFORMATION

Project: LS
Shipment ID: DM16-41
P.O. Number
Number of Samples: 25

SAMPLE DISPOSAL

RTRN-PLP Return After 90 days
DISP-RJT Dispose of Reject After 90 days

Bureau Veritas does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

Invoice To: Klondike Gold Corp.
715 - 675 West Hastings St.
Vancouver BC V6B 1N2
CANADA

CC: Graeme Joyce

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Procedure Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
PRP70-500	22	Crush, split and pulverize 500g rock to 200 mesh			WHI
FS631	24	Metallic Sieve 500g to 150 mesh			VAN
Split +150 mesh	24	Analysis sample split/packet			VAN
Split -150	24	Analysis sample split/packet			VAN
FS631	22	Metallics Fire Assay for Au	30	Completed	VAN
AQ201	24	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN
SHP01	24	Per sample shipping charges for branch shipments			VAN

ADDITIONAL COMMENTS



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only. All results are considered the confidential property of the client. Bureau Veritas assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
*** asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: August 04, 2016

Page: 2 of 2

Part: 1 of 3

CERTIFICATE OF ANALYSIS

WHI16000125.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1
2002544	Drill Core	1.30	504	0.040	0.04	<0.17	25.61	2.3	32.7	70.3	194	0.4	25.7	24.0	743	5.28	190.1	2.8	48.8	1.5	45
2002545	Drill Core	1.16	441	0.019	0.02	<0.17	26.71	3.2	15.9	121.3	28	0.8	2.5	4.4	186	2.95	241.7	1.3	19.4	0.6	9
2002546	Drill Core	2.26	474	0.117	0.11	<0.17	29.63	1.8	80.6	84.4	145	0.8	8.1	25.1	988	5.18	1833.2	2.5	91.3	1.6	28
2002547	Drill Core	3.65	476	0.011	0.01	<0.17	28.09	0.4	42.4	6.6	74	0.2	10.8	24.2	1128	5.39	68.5	0.9	14.0	1.6	277
2002548	Drill Core	3.06	515	0.017	0.02	<0.17	26.83	0.4	35.4	5.6	99	0.2	11.1	22.8	1172	5.78	67.1	0.5	3.9	1.5	245
2002549	Drill Core	2.31	435	0.045	0.04	<0.17	27.74	0.5	89.1	8.0	750	0.7	6.9	23.6	979	6.13	436.6	1.4	49.7	1.8	106
2002550	Rock Pulp	0.12	79	<0.005	I.S.	I.S.	I.S.	2.0	71.1	3.7	35	<0.1	5.0	8.2	340	2.45	1.0	0.8	<0.5	2.7	62
2002551	Drill Core	2.89	522	0.014	0.01	<0.17	28.10	0.5	8.6	254.2	54	0.7	0.9	0.5	97	0.99	56.3	0.2	13.2	<0.1	2
2002552	Drill Core	0.66	470	0.115	0.11	<0.17	29.26	1.7	162.7	595.3	2912	2.0	31.5	28.5	867	6.89	216.7	4.6	81.6	1.8	25
2002553	Drill Core	2.00	426	0.010	<0.01	<0.17	26.18	0.6	59.5	27.6	855	0.4	40.4	28.7	1111	6.12	56.7	1.1	10.0	1.6	25
2002554	Drill Core	4.17	494	0.038	0.04	<0.17	29.47	1.0	75.3	19.1	79	0.5	18.4	32.7	1419	6.28	105.0	0.7	46.5	1.2	96
2002555	Drill Core	3.27	454	0.016	0.02	<0.17	31.16	0.4	91.4	8.3	70	0.5	17.9	25.1	1174	5.16	60.5	0.6	16.0	1.1	132
2002556	Drill Core	3.19	465	0.102	0.11	0.27	29.38	0.5	71.8	23.8	48	0.6	17.1	28.5	1203	5.51	2348.7	0.5	177.2	0.8	210
2002557	Drill Core	4.78	532	0.206	0.20	<0.17	26.15	0.6	64.6	8.7	48	0.3	10.6	18.3	1215	4.31	63.5	0.6	157.6	1.1	298
2002558	Drill Core	1.70	465	0.017	0.02	<0.17	28.05	0.1	54.9	9.0	67	0.3	10.1	23.4	1579	5.02	75.5	0.8	14.5	1.4	160
2002559	Drill Core	0.77	444	0.094	0.09	<0.17	27.22	0.4	88.9	30.4	39	0.6	11.2	24.1	1279	4.89	118.0	0.5	124.5	0.9	36
2002560	Rock Pulp	0.12	79	7.038	I.S.	I.S.	I.S.	14.3	73.9	24.7	60	0.8	18.4	9.5	454	4.18	11.5	0.4	10114.5	1.4	57
2002561	Drill Core	3.29	514	0.021	0.02	<0.17	28.45	0.1	85.0	7.4	74	0.5	12.5	26.7	1332	6.44	53.2	0.5	25.9	1.2	68
2002562	Drill Core	2.18	424	0.006	<0.01	<0.17	29.80	0.2	84.6	2.8	95	0.3	14.5	29.4	1489	7.32	6.9	0.4	1.2	1.4	187
2002563	Drill Core	1.17	454	0.172	0.16	<0.17	29.41	0.3	61.0	6.9	58	0.5	11.0	28.7	1170	6.52	283.8	0.8	121.9	1.0	245
2002564	Drill Core	2.03	437	0.318	0.31	<0.17	28.55	0.4	88.8	5.2	67	0.3	9.8	26.0	1311	5.94	44.8	0.9	136.0	1.0	313
2002565	Drill Core	2.26	413	0.019	0.02	<0.17	27.29	0.8	81.9	6.8	85	<0.1	12.3	28.2	1378	6.27	8.0	0.4	15.3	1.4	172
2002566	Drill Core	2.25	440	0.021	0.02	<0.17	26.26	0.4	85.2	5.5	81	<0.1	13.1	26.7	1193	5.96	1.7	0.4	3.9	1.3	110
2002567	Drill Core	2.07	447	0.016	0.01	<0.17	27.66	0.9	133.0	9.9	90	0.7	13.9	28.8	847	7.68	92.0	1.1	14.8	1.6	29
2002568	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: August 04, 2016

Page: 2 of 2

Part: 2 of 3

CERTIFICATE OF ANALYSIS

WHI16000125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
2002544	Drill Core	0.9	0.2	0.2	49	1.06	0.030	5	28	2.11	168	0.003	<1	2.48	0.004	0.24	0.1	<0.01	5.9	<0.1	0.16
2002545	Drill Core	0.3	0.5	1.0	15	0.09	0.010	3	6	0.24	79	0.001	<1	0.47	0.004	0.11	0.1	<0.01	1.2	<0.1	<0.05
2002546	Drill Core	1.5	0.6	0.1	29	0.34	0.041	6	4	1.33	239	0.003	<1	1.76	0.015	0.24	0.2	<0.01	5.1	<0.1	0.15
2002547	Drill Core	0.2	0.2	<0.1	78	3.68	0.059	6	8	1.71	156	0.010	<1	2.44	0.057	0.16	0.1	<0.01	9.5	<0.1	0.10
2002548	Drill Core	0.1	0.2	<0.1	124	3.19	0.058	6	11	1.89	117	0.010	<1	2.63	0.058	0.09	<0.1	<0.01	13.6	<0.1	<0.05
2002549	Drill Core	19.9	0.3	<0.1	75	1.85	0.052	7	4	1.70	134	0.017	<1	2.29	0.051	0.16	0.3	<0.01	11.8	<0.1	0.19
2002550	Rock Pulp	<0.1	<0.1	<0.1	82	0.69	0.056	6	11	0.67	110	0.094	1	1.27	0.126	0.18	1.8	<0.01	2.1	<0.1	<0.05
2002551	Drill Core	0.7	0.3	0.1	2	0.01	0.001	<1	5	0.02	10	<0.001	<1	0.04	0.003	<0.01	<0.1	0.03	0.4	<0.1	<0.05
2002552	Drill Core	20.6	0.3	0.1	42	0.35	0.048	6	28	2.56	152	0.004	<1	3.00	0.018	0.16	0.1	0.04	10.8	<0.1	<0.05
2002553	Drill Core	19.2	0.1	<0.1	107	0.41	0.046	6	72	3.21	147	0.008	<1	3.63	0.030	0.13	0.1	<0.01	14.8	<0.1	<0.05
2002554	Drill Core	0.4	0.2	<0.1	45	2.40	0.041	3	5	2.39	170	0.005	<1	2.92	0.008	0.25	0.1	<0.01	7.6	<0.1	0.46
2002555	Drill Core	0.2	0.2	<0.1	54	3.68	0.043	4	11	2.03	100	0.006	<1	2.58	0.026	0.14	0.3	<0.01	8.1	<0.1	0.23
2002556	Drill Core	0.4	0.3	0.2	27	5.04	0.030	3	6	1.72	70	0.003	<1	1.75	0.012	0.22	0.3	<0.01	6.8	<0.1	2.39
2002557	Drill Core	0.3	0.1	<0.1	33	4.89	0.041	4	5	1.75	181	0.005	<1	1.91	0.018	0.19	0.2	<0.01	6.8	<0.1	0.34
2002558	Drill Core	0.3	0.1	<0.1	49	4.16	0.040	4	5	2.31	199	0.009	<1	2.22	0.005	0.28	0.3	<0.01	8.4	<0.1	0.93
2002559	Drill Core	0.2	0.2	0.1	59	1.08	0.004	3	5	1.70	59	0.004	<1	1.59	0.004	0.22	0.2	<0.01	7.0	<0.1	2.09
2002560	Rock Pulp	0.2	6.0	0.5	90	0.98	0.049	5	28	0.60	95	0.103	3	1.76	0.150	0.13	1.5	0.29	4.9	<0.1	<0.05
2002561	Drill Core	0.2	0.2	<0.1	106	1.68	0.050	2	6	2.97	147	0.007	1	3.20	0.007	0.21	0.2	<0.01	11.0	<0.1	0.80
2002562	Drill Core	0.2	0.1	<0.1	220	3.64	0.054	3	10	3.17	79	0.013	1	3.50	0.087	0.06	<0.1	<0.01	25.0	<0.1	0.15
2002563	Drill Core	0.3	1.7	0.1	62	3.99	0.052	3	4	2.36	155	0.005	1	2.26	0.012	0.21	0.2	0.03	11.6	0.1	1.83
2002564	Drill Core	0.2	0.2	<0.1	89	4.83	0.052	4	5	2.01	156	0.009	1	2.22	0.036	0.21	0.2	<0.01	11.8	<0.1	0.77
2002565	Drill Core	0.2	0.2	0.2	245	4.08	0.059	6	10	2.58	153	0.046	2	3.05	0.092	0.21	0.4	<0.01	25.6	<0.1	0.26
2002566	Drill Core	0.2	0.3	<0.1	230	3.30	0.051	6	10	2.12	222	0.110	<1	2.29	0.116	0.60	0.1	<0.01	26.3	0.7	0.21
2002567	Drill Core	0.1	0.5	0.1	269	0.39	0.062	7	11	1.89	249	0.015	1	2.91	0.076	0.07	0.3	<0.01	28.3	<0.1	0.17
2002568	Drill Core	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.



BUREAU MINERAL LABORATORIES
VERITAS Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: August 04, 2016

Page: 2 of 2

Part: 3 of 3

CERTIFICATE OF ANALYSIS

WHI16000125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201
		Ga	Se	Te
		ppm	ppm	ppm
		1	0.5	0.2
2002544	Drill Core	6	<0.5	<0.2
2002545	Drill Core	2	0.8	<0.2
2002546	Drill Core	3	0.6	<0.2
2002547	Drill Core	6	<0.5	<0.2
2002548	Drill Core	9	<0.5	<0.2
2002549	Drill Core	5	<0.5	<0.2
2002550	Rock Pulp	4	<0.5	<0.2
2002551	Drill Core	<1	<0.5	<0.2
2002552	Drill Core	5	<0.5	<0.2
2002553	Drill Core	8	<0.5	<0.2
2002554	Drill Core	6	<0.5	<0.2
2002555	Drill Core	5	<0.5	<0.2
2002556	Drill Core	3	1.3	<0.2
2002557	Drill Core	3	<0.5	<0.2
2002558	Drill Core	5	<0.5	<0.2
2002559	Drill Core	5	0.9	<0.2
2002560	Rock Pulp	5	<0.5	<0.2
2002561	Drill Core	7	<0.5	<0.2
2002562	Drill Core	11	<0.5	<0.2
2002563	Drill Core	4	0.8	<0.2
2002564	Drill Core	5	<0.5	<0.2
2002565	Drill Core	12	<0.5	<0.2
2002566	Drill Core	9	<0.5	<0.2
2002567	Drill Core	11	<0.5	<0.2
2002568	Drill Core	L.N.R.	L.N.R.	L.N.R.



Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Project: LS
Report Date: August 04, 2016

Page: 1 of 1

Part: 1 of 3

QUALITY CONTROL REPORT

WHI16000125.1

	Method Analyte Unit MDL	WGHT	M150	FA430	FS600	FS600	FS600	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201					
		Wgt	TotWt	-Au	TotAu	+Au	+Wt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr					
		kg	g	gm/t	gm/t	gm/t	g	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm					
		0.01	1	0.005	0.01	0.17	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1				
Pulp Duplicates																										
2002546	Drill Core	2.26	474	0.117	0.11	<0.17	29.63	1.8	80.6	84.4	145	0.8	8.1	25.1	988	5.18	1833.2	2.5	91.3	1.6	28					
REP 2002546	QC							1.6	77.5	81.7	149	0.8	8.7	23.9	995	5.16	1816.5	2.5	180.7	1.6	28					
Core Reject Duplicates																										
2002567	Drill Core	2.07	447	0.016	0.01	<0.17	27.66	0.9	133.0	9.9	90	0.7	13.9	28.8	847	7.68	92.0	1.1	14.8	1.6	29					
DUP 2002567	QC							485	0.016	0.02	<0.17	28.32	0.7	139.2	9.9	96	0.7	14.3	29.9	838	7.49	91.6	1.2	15.1	1.6	29
Reference Materials																										
STD DS10	Standard							14.8	164.5	143.9	356	1.9	75.1	13.4	876	2.80	45.8	2.7	86.1	7.6	71					
STD DS10	Standard							15.3	151.8	156.0	370	1.9	73.0	12.2	887	2.74	48.4	3.2	89.3	8.6	73					
STD OXC129	Standard							1.3	29.5	7.0	42	<0.1	77.1	21.1	413	3.03	1.4	0.7	237.5	2.0	183					
STD OXC129	Standard							1.2	28.1	7.1	42	<0.1	75.8	19.5	422	3.04	0.6	0.8	201.2	2.0	185					
STD OXD108	Standard	0.430																								
STD OXI121	Standard	1.786																								
STD OXN117	Standard	7.594																								
STD OXP91	Standard	15.06					29.62																			
STD OXP91	Standard	14.86					30.02																			
STD OXP91 Expected		14.82																								
STD DS10 Expected								15.1	154.61	150.55	370	2.02	74.6	12.9	875	2.7188	46.2	2.59	91.9	7.5	67.1					
STD OXC129 Expected								1.3	28	6.3	42.9	79.5				20.3	421	3.065	0.6	0.72	195	1.9				
BLK	Blank	<0.005																								
BLK	Blank	<0.005																								
BLK	Blank	<0.17					30.00																			
BLK	Blank	<0.17					30.00																			
BLK	Blank	<0.1						<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1					
BLK	Blank	<0.1						<0.1	0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1						
Prep Wash																										
ROCK-WHI	Prep Blank	419			<0.005	<0.01	<0.17	23.79	0.5	3.1	1.5	31	<0.1	0.8	3.9	442	1.99	1.5	0.4	3.3	2.6	32				
ROCK-WHI	Prep Blank	412			<0.005	<0.01	<0.17	25.40	0.5	4.6	1.6	31	<0.1	0.9	3.9	435	1.97	1.0	0.4	4.0	2.5	37				



BUREAU
VERITAS

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: August 04, 2016

Page: 1 of 1

Part: 2 of 3

QUALITY CONTROL REPORT

WHI16000125.1

	Method Analyte Unit MDL	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201	AQ201
		Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S
		ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%
		0.1	0.1	0.1	2	0.01	0.001	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05
Pulp Duplicates																					
2002546	Drill Core	1.5	0.6	0.1	29	0.34	0.041	6	4	1.33	239	0.003	<1	1.76	0.015	0.24	0.2	<0.01	5.1	<0.1	0.15
REP 2002546	QC	1.6	0.6	0.1	29	0.34	0.041	5	4	1.32	229	0.003	<1	1.75	0.014	0.23	0.2	<0.01	5.2	<0.1	0.15
Core Reject Duplicates																					
2002567	Drill Core	0.1	0.5	0.1	269	0.39	0.062	7	11	1.89	249	0.015	1	2.91	0.076	0.07	0.3	<0.01	28.3	<0.1	0.17
DUP 2002567	QC	0.1	0.6	0.1	268	0.38	0.061	7	11	1.88	262	0.017	1	2.87	0.079	0.07	0.3	<0.01	27.8	<0.1	0.17
Reference Materials																					
STD DS10	Standard	2.9	9.8	13.0	42	1.06	0.073	19	57	0.78	361	0.087	5	1.06	0.071	0.34	3.2	0.29	3.2	5.1	0.28
STD DS10	Standard	3.2	11.0	14.4	43	1.10	0.076	18	56	0.78	373	0.083	8	1.04	0.069	0.33	3.5	0.30	3.1	5.3	0.28
STD OXC129	Standard	<0.1	<0.1	<0.1	50	0.66	0.104	14	56	1.52	55	0.415	<1	1.56	0.590	0.36	<0.1	<0.01	1.2	<0.1	<0.05
STD OXC129	Standard	<0.1	<0.1	<0.1	51	0.68	0.101	13	51	1.55	56	0.384	1	1.59	0.602	0.36	<0.1	<0.01	0.8	<0.1	<0.05
STD OXD108	Standard																				
STD OXI121	Standard																				
STD OXN117	Standard																				
STD OXP91	Standard																				
STD OXP91	Standard																				
STD OXP91 Expected																					
STD DS10 Expected		2.62	9	11.65	43	1.0625	0.0765	17.5	54.6	0.775	359	0.0817		1.0755	0.067	0.338	3.32	0.3	3	5.1	0.29
STD OXC129 Expected					51	0.665	0.102	13	52	1.545	50	0.4	1	1.58	0.6	0.37			1.1		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
BLK	Blank	<0.1	<0.1	<0.1	<2	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05
Prep Wash																					
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	23	0.63	0.041	6	4	0.40	76	0.090	<1	1.01	0.114	0.10	0.1	<0.01	3.2	<0.1	<0.05
ROCK-WHI	Prep Blank	<0.1	<0.1	<0.1	24	0.75	0.040	7	4	0.39	87	0.104	1	1.12	0.127	0.11	0.1	<0.01	4.0	<0.1	<0.05



**BUREAU
VERITAS**

MINERAL LABORATORIES
Canada

www.bureauveritas.com/um

Bureau Veritas Commodities Canada Ltd.

9050 Shaughnessy St Vancouver BC V6P 6E5 CANADA

PHONE (604) 253-3158

Client: **Klondike Gold Corp.**
715 - 675 West Hastings St.
Vancouver BC V6B 1N2 CANADA

Project: LS
Report Date: August 04, 2016

Page: 1 of 1

Part: 3 of 3

QUALITY CONTROL REPORT

WHI16000125.1

Method		AQ201	AQ201	AQ201
Analyte		Ga	Se	Te
Unit		ppm	ppm	ppm
MDL		1	0.5	0.2
Pulp Duplicates				
2002546	Drill Core	3	0.6	<0.2
REP 2002546	QC	4	0.7	0.2
Core Reject Duplicates				
2002567	Drill Core	11	<0.5	<0.2
DUP 2002567	QC	11	<0.5	<0.2
Reference Materials				
STD DS10	Standard	4	2.6	4.9
STD DS10	Standard	4	2.2	5.0
STD OXC129	Standard	6	<0.5	<0.2
STD OXC129	Standard	5	<0.5	<0.2
STD OXD108	Standard			
STD OXI121	Standard			
STD OXN117	Standard			
STD OXP91	Standard			
STD OXP91	Standard			
STD OXP91 Expected				
STD DS10 Expected		4.5	2.3	5.01
STD OXC129 Expected		5.6		
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank			
BLK	Blank	<1	<0.5	<0.2
BLK	Blank	<1	<0.5	<0.2
Prep Wash				
ROCK-WHI	Prep Blank	4	<0.5	<0.2
ROCK-WHI	Prep Blank	4	<0.5	<0.2